



UNIV. OF
TORONTO
LIBRARY

PRESENTED

BY

The Trustees

OF

THE BRITISH MUSEUM.

2008 July 20/26

INDEX ANIMALIUM
1801-1850

PRINTED IN GREAT BRITAIN
AT THE CAMBRIDGE UNIVERSITY PRESS
BY W. LEWIS

INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII
GENERIBUS ET SPECIEBUS ANIMALIUM
IMPOSITA SUNT

SOCIETATIBUS ERUDITORUM ADIUVANTIBUS

A

CAROLO DAVIES SHERBORN

CONFECTUS

SECTIO SECUNDA

A KALENDIS IANUARIIS, MDCCCI

USQUE AD FINEM DECEMBRIS, MDCCCL.

C

207071
15.11.26

LONDON :

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM.

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7 ;

AND BY

LONGMANS, GREEN & CO. ; B. QUARITCH, LTD. ; DULAU & CO., LTD. ;

THE OXFORD UNIVERSITY PRESS ; AND WHELDON & WESLEY, LTD., LONDON ;

ALSO BY

OLIVER & BOYD, EDINBURGH.

[*All rights reserved.*]

10/

354

55

2001

2

4.2

INDEX ANIMALIUM

ADDITAMENTA ET CORRIGENDA, II.

MAY 1925.

BIBLIOGRAPHY

- Agassiz, J. L. R. Etudes crit. Moll. [Livr. 2 appeared in two parts, pp. 1-48 in 1842, 49-142 in 1845. (See N. Jahrb. f. Min. 1842, 862)].
- Archiv der Naturgeschichte... von Thienemann und Thon. 1 vol. in 6 parts. 4to. *Naumburg*, 1826, 27, 28, 29, 30. [*Bibl.* G. M. Mathews.]
- Belanger *read* Bélanger.
- Benoit, L. Ric. Malac. 8vo. *Messina*, 1843. [*Ex* Farfalletta; *Bibl.* Tomlin.]
- Borson, S. Cat. rais. Coll. Min. Mus. H.N. (Turin). 8vo. *Turin*, 1830. [nn. nn. Moll.]
- Brehm, C. L. Handb. Stuben...Vögel. 8vo. *Ilmenau*, 1832.
- Bronn, H. G. Lethaea Geognostica. Ed. 3, fo. *Stuttgart*, 1846-48. 47 pls. & 3 Suppl. 1852, 52, 53. [B. M. (N. H.) *ex Bibl.* G. B. Greenough.]
- Brünnich, M. T. Ichthyol. Massil. 1768, contains "Spolia e mari Adriatico."
- Buffon. Nat. Hist. 10 vols. 8vo. *Lond.* (Symonds), 1807-12. [No spp. nn.]
- Calendar of Nature. 8vo. *Lond.* 1839. [Many eds. but no spp. nn.; Tom Iredale.]
- Cetti, F. Stor. Nat. Sardegna, 1774-77. And in German, 8vo. *Leipzig*, 1783-84. [nn. spp.] *Copenhagen*-K. Vidensk. Selskab.
- Bekendtgjørelse fra... 1803-14. 4to. 1806(7)-15. [1812 not seen.] Contd. as: Oversigt (1813)-36. 4to. 1816-36. [Kindly lent to me by the Selskab through F. A. Bather, Sept. 1923.]
- Cramer, P. Uitland. Kapellen, 1775-82. *Read* pp. 91-192 (not 164).
- Cuvier & Valenciennes. H. N. Poiss. For monthly dates of the volumes *see* Ann. Mag. N. H. [9] XV, May 1925, 600.
- Deutsche Naturf. u. Aerzte. *See Germany*, p. lviii.
- Dict. Sci. Nat. Vol. XII. This vol. is dated 1817 in Manchester Museum copy, but I prefer to use 1818 as there was some confusion about this time.
- Duncan, James. *See* Westwood, J. O.
- Dunker, W. B. R. H. Ueber d. Norddeutsch. sogen. Waelderthon (Progr. höh. Gewerbeschule (Cassel)). 4to. *Kassel*, 1843.
- Ueber Kasseler Muschelkalke bis jetzt gefund. Mollusken (Progr. höh. Gewerbeschule (Cassel)). 4to. *Cassel*, 1848. [Recorded with help of L. R. Cox from "Palaeontologica."]
- Edwards, T. Interrogatory Juvenile Introd. Conchology. 8vo. *Lond.* 1839. [No nn. spp.; *Bibl.* Tomlin.]
- Ersch and Grube *read* Gruber.
- Férussac. H. N. g. et p. Moll. [A. S. Kennard has "Vol. III" containing the "Tabl. Limaçons," etc. on 4to paper. It is the only part of this 4to issue seen by me.]
- Fischer de W., G. P. liv, line 13 *for* Siberia *read* Sibirica.
- Fischer de Waldheim, G. Lettre à Stroganof... sur le Trogontherium... 4to. *Moscou*, 1809.
- Forster, J. R. Indische Zool. 1781. [C. W. Richmond thinks Forster responsible for all new names, not Pennant.]
- Fourcroy, A. F. de. Entom. *Paris*, 1785. [J. H. Durrant says E. L. Geoffroy was the author of the new species.]
- Gerini. [Coll. Birds.] *See* Ornith. meth. digesta, in Index Anim. I. 1902, p. xl.
- Germar, E. F. Syst. Gloss. Prodr. was first issued as "Diss. sist. Bomb. spec." as a Thesis in 1810.
- Giornale (Nuovo) d'Italia. Vols. I-IV. 4to. *Venezia*, 1777-80. [No spp. nn.]
- Gistel, J. and Bromme. Handb. Naturges. 4to. *Stuttgart*, 1850. [? 1847-49.]
- Gloger, C. W. L. Obs. quel. dénom. genres Oiseaux, quoted by Agassiz, Nom. Zool. (Aves) *Bibl.* vi, is the paper in Froriep, Notizen, 1827, xvi, 1827, 275-279; Férussac, Bull. Sci. 1829, 282.

- Goldfuss, G. A. Enum. Ins. Eleuth. Cap. Bon. Spei. 8vo. *Erlangen*, 18 Sept. 1804.
- Gory. Mon. genre Sisyphe. 8vo. *Paris*, 1833.
- Gray, J. E. Illustr. Indian Zool. For dates see Kinnear, Ibis [12] I (2) Ap. 1825, 484-489 (Birds only); *Calcutta Journ. N. H., postea* (for complete account). Entries in this Index (A. B. C.) should be verified.
- Harris, W. Rambles about Dudley Castle. 4to. *Hales-Owen*, 1845. [No n. spp. (T. Iredale).]
- Hermann, J. Tabl. aff. Anim. 1783. Nom. spec. apud Stresemann, Novit. Zool. XXVII (1) 1920, 327-332.
- Herrich-Schaefer, G. A. W. Syst. Bearb. Schmett. Europa, 1843. [For dates see Woodward, Cat. Libr. B. M. (N. H.) Suppl. p. 457.]
- Hist. Nat. Animaux, par un Naturaliste du Muséum. Ed. 2. 8vo. *Tours*, 1842. [Popular; T. Iredale.]
- Hombres-Firmas, L. A. d'. Recueil de Mémoires. 4 vols. 8vo. *Nismes*, 1838-. [A collection of papers by the author which had appeared in other publications.]
- Huebner, J. Index exoticorum Lepidopt. 4to. *Aug. Vind.* 22 Dec. 1821. [*Bibl. L. B. Prout.*]
- Jarocki, F. P. R. Spis ptakow., p. cxxxiv. A copy in the B. M. (N. H.).
- Keferstein, C. Naturges. Erdkörper. 2 vols. 8vo. *Leipzig*, 1834.
- Koenig, C. The "Icones" was issued in April 1825.
- Krauss for "südafric." read "südafrik."
- Laborde, L. de. Voy. Arab. Pétrée. fo. *Paris*, 1830. Moll. by Deshayes.
- Lancet (The). Vols. 1-5. 8vo. *Lond.* 1823-50.
- Langdon, W. B. Descr. Cat. Chinese Coll. St George's Place, Hyde Park Corner, London. 25th English ed. 8vo. *Lond.* 1843. [No nn. spp. The Nathan Dunn collection.]
- Ledermueller, M. F. Mikros. Gemuths, Nachlese, dates from 1762 not 1792.
- Lemaire, C. L. H. N. Oiseaux exot. 8vo. *Paris*, 1836.
- Lichtenstein, M. H. C. Verz. südafr., mexican. und europ. Naturalien. 8vo. *Berlin*, 1839.
- Lucas, H. H. N. Lépid. exot. 8vo. *Paris*, 1835.
- Manetti, etc. See Orn. meth. digesta. Index Anim. I. 1902, p. xl.
- Mantell, G. A. Pictorial Atlas. [Delete "no n. nn." A. S. Kennard has pointed out several.]
- Martyn, Thos. Univ. Conch. [W. H. Dall dates these volumes I 1784, II 1784, III 1786, IV 1787.]
- Mayer, A. F. J. C. Anal. vergl. Anat. 2 parts. 4to. *Bonn*, 1835, 1839.
- Michelin, H. Fig. de quel. Coquilles de la Coll. de.... See Férussac, Bull. Sci. XI. 1827, 446. *Middelburg-Zeeuwisch Genoots. der Wet. te Vlissingen. Verh.* I-XV. 1769-92.
- Mikan, J. C. Delect. Brasil. [C. W. Richmond has wrappers of parts 1, 2 & 4 and the dates are (1) 1820, (2) 1822, (4) 1825, while (3) is 1823.] For dates of the four parts and contents see Wetmore, Auk, XIII, Ap. 1925, 283.
- Mörch, O. A. L. Fortegnelse over...Min. og Conch. 14 Marts 1848. 8vo. *Kjöb.* 1848, 24 pp. [Sale catalogue with a few names of no interest or value.]
- See *Nykjöbing*.
- Mueller, Johannes. Vergl. Anat. Myxinoiden. Fo. *Berlin*, 1835, 1838, 1841.
- Muenster, G. v. Braunk. Bair. 1840. See Scudder, Suppl. List, 1882, 154. [Unknown to me; cf. Schafhäuti, N. Jahrb. f. Min. 1848, 641.]
- Murchison, etc. Geol. of Russia. The second volume is printed in French.
- Nat. Hist. Quadr. & Cetaceous Animals. 2 vols. 8vo. *Bungay*, 1811 [no sp. nn.].
- Nilsson, S. Hist. Moll. Suec. was not issued until 1823 (B. B. Woodward).
- Nykjöbing*-Cathedralskole. Indbydelseskraft off. Examen. 8vo. *Nykj.* 1849, 86 pp. [Lists only by Mörch; (*Bibl.* Tomlin).]
- Orbigny, A. D. Paléont. Coq. [This work also exists as 8vo. *Paris*, 1855, 392 pp. evidently a remainder with a new T. P.; *Bibl.* Tomlin, 1923.]
- Oriental Sporting Magazine. 5 vols. (20 parts) 8vo. *Bombay*, 1828-33 (reprinted 1873). [No sp. nn.]
- Paris*-Soc. Sci. Nat. de France. Bulletin, 7 nos. (pp. 1-116). 4to. *Paris*, 1835. [R. S.]
- Phelsum, M. V. Brief aan Nozemann Zee-egelen, 1774. [As regards the generic namés see also Lütken, Vid. Med. 1863 (1864), 116.]
- Phillips, John. P. cii. Figs. & descr. Palaeoz. Foss. Cornwall. [Isst August 1841 not 1839, a *lapsus calami*; the entry on p. lxiii and the references in the text are correctly dated.]

- Price, Rees. A treatise on the utility of Sanguis-suction. 8vo. *London*, 1822. [T. Iredale.]
- Réaumur, R. A. F. de. See Vallot, J. N.
- Reichenbach, A. B. Bildergallerie d. Thierwelt...4 Leipz. 1835 [in parts 1831-35], 80 pls.; Popular]. [*Bibl.* Tomlin.]
- Die Naturges. Wuermer. 4to. *Leipzig*, 1842. [Same work as "Die L. S. u. See-Conch." 1842, with another T. P.; *Bibl.* Tomlin.]
- Schinz, H. R. Nat. der Mensch. u. Saeugeth. 29 parts, 4to. *Zurich*, 1840.
- Schuelte, J. H. Oryct. Jenensis, 1761. Should be Schuette.
- Schweigger, A. F. Prodr. Mon. Chelon. Should be 1814 not 1848.
- Siebold, C. T. etc. Beitr. Fauna Preuss. *Ex* Preuss. Prov. Blätter, q.v.
- Solito, Domenico. Descr. Conch. e...Tarantola di Puglia. 8vo. *Roma*, 1845. [Not binom.; chiefly econ., *ex* *Bibl.* Tomlin.]
- Sowerby, G. B., I. Genera Recent & Foss. Shells. [The following dates have been recovered : (1) 31 Dec. 1821; (2); (3) 28 Feb. 1822; (4) 30 Mar. 1822; (5) 30 Ap. 1822; (6) 31 May 1822; (7) 29 June 1822; (8) 31 Aug. 1822; (9) 30 Sept. 1822 or 31 Oct. 1822; (10) 31 Dec. 1822; add to Ann. Mag. N. H. (6) XIII, Ap. 1894, 370.]
- Steven, C. Mus. Mosq. II. [I think this must be a MS.]
- Studer, Samuel. Syst. Verz. Schweiz. Conch. 8vo. *Bern*, 1820. Is *ex* Nat. Anz. Allg. Schweiz. Gesellsch. III.
- Temminck, C. J. Coup d'œil Faune Iles de la Sonde. 8vo. — (1835). [*Bibl.* C. W. Richmond.]
- Thompson, J. V. Zool. Researches. [The correct dates have been recovered by F. J. Cole from a set of originals in Manchester and are : (1) Sept. 1828, Add. Ap. 1829; (2) Sept. 1828; (3) Ap. 1829; (4) Jan. 1830; (5) Dec. 1830; (6) 1834.]
- Thunberg, C. P. Opatum (*sic*) Ins. Gen. 4to. *Upsal*. 1821, "pp. 27-34."
- Fauna Japonica. 4to. *Upsal*. 1822.
- Fauna Novae Hollandiae. 4to. *Upsal*. 1822. [List only.]
- Fauna Chinensis. 4to. *Upsal*. 1823. [List only.]
- Canis species Scand. inhabit. 4to. *Upsal*. 1824.
- Afh. Djur, som i Bibelen omtalas. 9 parts, 8vo. *Upsal*. 1825-27. [No n. spp.]
- Afh. Foglar, som i Bibelen omtalas. 3 parts, 8vo. *Upsal*. 1827. [No n. spp.]
- Afh. Insekter, som i Bibelen omtalas. 8vo. *Upsal*. 1828. [No n. spp.]
- Times Telescope for 1814 (→) to which are prefixed the Elements of British Ornithology. 8vo. *Lond.* 1821. [No n. spp., *teste* F. J. Griffin.]
- Tuomey, M. Rep. Geol. Surv. S. Carolina, 1844. 8vo. *Columbia*, 1844.
- Vallot, J. N. Concordance syst. à l'ouvrage de Réaumur. 4to. *Paris*, 1802.
- Vroeg, A. Catalogus, 1764. [The new names are by Pallas.]
- Westwood, J. O. was the author of the names of new Gen. and Spec. in Duncan, Lepidopt. (Nat. Libr.)
- Williams, Robert. Hist. Antiq. Aberconwy. 8vo. *Denbigh*, 1835. [T. Iredale.]
- Winter, Raphael. Animalcula varia ad nat. lap. illata. obl.4to. *Karlsruhe*, 1822, 10 pls. (no text) [no sp. nn.]
- Wood, W. Gen. Conch. 1815. [With a new T. P. 1835. (*Bibl.* Tomlin.)]
- Zoological Miscellany (Gray's). For 1821-44 read 1831-44.

INDEX

NOMINUM ANIMALIUM

- C** Murex, O. G. Costa, Cat. Test. Sicilie, 1829, pp. lxxxiv & lxxxviii.
- C album** Aglais (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 65.—Papilio, 1758.
- c album** Balaninus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 386.—
- C album** Comma, J. Rennie, Conspectus, 1832, 8. [Rhynchaenus.]
- C-album** Grapta (L.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 197.—Papilio, 1758.
- c-album** Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 244.
- C-album** Nymphalis (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 84.—Papilio, 1758. [[*n. et f.*].]
- C album** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 19 (Fernaldo judice 1799)
- C-album** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 125 (Fernaldo judice 1808) [*n. et f.*].
- C album** Polygonia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 36.—Papilio, 1758.
- c album** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 488.—Curculio, 1798.
- C-album** Tachyptera, E. Herold, Teutsch. Schmetterlinge, 1844, 124.
- C album** Vanessa (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 17.—Papilio, 1758.
- C argenteum** Vanessa (Grapta), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 292. [197.—Papilio, 1758.]
- C-aureum** Grapta (L.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848),
- C aureum** Polygonia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 36.—Papilio, 1758.
- C-aureum** Vanessa (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 304.—Papilio, 1758.
- c-latinum** Noctua, F. v. P. Schrank, F. Boica, II (1) 1801, 346.
- C nigrum** Ascalaphus, P. A. Latreille, Gen. Crust. Ins. III. 1807, 194. [Noct. 1758.]
- C nigrum** Graphiphora (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 69.—Phal.
- C-nigrum** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 649.
- c-nigrum** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 387. [1758.]
- C nigrum** Megasema (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 223.—Phalaena,
- C nigrum** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 24 (Fernaldo judice 1802) [*n. et f.*].
- caama** Acronotus (Cuv.), J. E. Gray, List Mamm. Coll. B. M. 1843, 157.—Antilope.
- camaa** Alcelaphus (Cuv.), Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—Antilope.
- caama** Antilope, A. Goldfuss in Schreber, Säugth. V (1) 1174 (1818) pl. cclxxvii (1787).
- caama** Antilope, Cuvier, Dict. Sci. Nat. (ed. 1) II. 1804, 242.
- caama** Canis, [A. Smith], Cat. S. A. Mus. 1837, 19. [Syn. 1827, 362.]
- caama** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 348 (1827),
- caama** Megalotis (A. Smith), C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 236.—Canis.
- caama** Vulpes (Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 62.—Canis.
- cabades** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 264.
- caballerote** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 310.
- caballi** Haematopinus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- Caballus** C. S. Rafinesque, Analyse, 1815, 55.—M. [= Equus, L.]
- caballa** Cybium, Cuvier & Valenc., H. N. Poiss. VIII: 1831, 187.
- caballa** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 73.
- caballus primigenius** Equus, H. v. Meyer, Palaeologica, 1832, 79.
- cabaneti** Itieria (Orb.), P. Matheron, Bull. Soc. géol. France, XIII. 1842, 494.—Toma-tella cabanetiana.

- cabanetiana** Acteon, d'Orbigny, Prodr. Paléont. II. 1850, 6 [*non* Rev. Zool. 1841].
- cabanetiana** Corbis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 366.
- cabanetiana** Nerinea, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 6.—Tornatella, 1842.
- cabanetiana** Prionastrea, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 35.
- cabanetiana** Tornatella, A. d'Orbigny, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 318.
- cabanillas** Spirifer, Verneuil & Archiac, Bull. Soc. géol. France (sér. 2) II. 1845, 475.
- cabanisii** Ceryle, Tsch.; G. R. Gray, Genera of Birds, I. Sept. 1847, 82.
- cabanisi** Poospiza, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 473.
- cabanisi** Turdus, C. L. Bonaparte in J. Cabanis, Mus. Heineanum (1) 1850 [1851], 3.
- cabarnos** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 211.
- Cabassous** McMurtrie in Cuvier, Anim. Kingd. I. 1831, 164.—M. [*teste* Palmer].
- Cabdio** F. Hamilton, Fish. Ganges, 1822, 333 & 392.—P.
- Cabdis** Buch., Scudder, Nom. Zool. 1882; 52; *err. pro* Cabdio.
- cabeda** Leuciscus, A. Risso, H. N. Europe, III. 1826, 438.
- cabeda** Telestes (Risso), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 30.—Leuciscus.
- cabedanus** Spirifer, Verneuil & Archiac, Bull. Soc. géol. France (sér. 2) II. 1845, 473.
- Cabera** F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Lep.
- Cabera** *err. pro* Caberea, Lamx.; A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840, 149.
- Caberea** J. V. F. Lamouroux, Hist. Polyp. 1816, 128.—Polyz. [1837, 90.
- Cabira** *emend. pro* Cabera, Tr.; W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6)
- Cabira** J. Gistl, Handb. Naturges. 1850 [1847], 586.—Med.
- Cabira** J. Gistl, Nat. Thierr. 1848, 178.—Med.
- cabira** Chalcis, F. Walker, Entom. Mag. V (5) Oct. 1838, 472.
- Cabireia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caberea, Lamx.
- Cabirus** J. Huebner, Verz. bekannt. Schmett. [1820], 102.—Lep.
- cabocolo** Columbina, J. B. v. Spix, Avium Brasil. II. 1825, 58.
- caboga** Ardea, Frankland, Proc. Zool. Soc. Lond. 1831, 124.
- caboga** Egretta (Penn.), T. C. Jerdon, Madras Journ. XII (29) Oct. 1840, 198.—Ardea, Fr.
- caboti** Salpa, E. Desor, Proc. Boston Soc. N. H. III. 1851 (1848), 75.
- cabounca** Megacephala, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) XI. Nov. 1848, 348.
- cabrilla** Grammistes (Linn.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 186.—Perca, 1758.
- cabrilla** Serranus (L.), A. Risso, H. N. Europe, III. 1826, 375.—Perca, 1758.
- Cabrita** J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 282.—R.
- caburus** Callimome, F. Walker, Mon. Chalcid. II. 1839, 63.
- caca** *v.* cacus -a -um.
- Cacabocrinites** G. Troost, P. Amer. Assoc. 1849 (1850), 60.—Ech. [*n. n.*].
- cacabus** Peziza, S. I. Ljungh, K. Vet. Ac. Nya Handl. XXV (1) 1804, 39.—[? Sp.]
- cacagnus** Charadrius, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. c [? cayanus].
- Cacajao** R. P. Lesson, Spec. des Mamm., Nov. 1840, 181.—M.
- cacaliae** Chrysomela, A. G. Olivier, Entom. V. 1807, 550.
- cacaliae** Hesperia, P. Rambur, F. Ent. Andal. II. 1842, 313.
- cacaliae** Syrichtus (Ramb.), Boisdual, Gen. Index Europ. Lepid. 1840, 36.—Hesperia.
- cacalotl** Corvus, J. G. Wagler, Isis, 1831, 527.
- Cacatoës** C. Duméril, Zool. Analyt. 1806, 50.—A. [*typus, teste* Froriep, 1806, P. cristatus].
- Cacatoës** *err. pro* Cacatua, L. Agassiz, Nomen. Zool. Index Univ. 1846, 56.
- Cacatua** L. P. Vieillot, N. Dict. H. N. XVII. 1817, 6.—A.
- Cacatus** F. S. Voigt in Cuvier, Thierreich, I. 1831, 737.—A.
- Caccabis** J. J. Kaup, Skizz. Europ. Thierw. 1829, 183.—A. [*typus* Perdix saxatilis].
- caccineus** Pompilus, *v.* coccineus.
- Cachalot** C. H. Smith, Nat. Libr. (Mamm.) IX. 1839, 203.—M.
- cacharensis** Accentor, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- cacharensis** Neornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- cachecta** Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 108.
- Cachicama** I. Geoffroy, Résumé des leçons de Mamm. 1835, 53.—M. [Cachicames, Cuv.
- Cachicamus** McMurtrie in Cuvier, Anim. Kingd. I. 1831, 163.—M. [*vernac.*].
- Cachinna** J. Fleming, Phil. Zool. II. 1822, 236.—A.
- cachinnans** Astur, J. B. v. Spix, Avium Brasil. I. 1824, 8.

- cachinnans** Cachinna (L.), J. Fleming, Phil. Zool. II. 1822, 236.—Falco, 1758.
- cachinnans** Centropus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 53.
- cachinnaus** Crateropus, T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 255.
- cachinnans** Daedalion (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 25.—Falco, L. 1758. [Crateropus.]
- cachinnans** Garrulax (Jerd.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843) 883.—
- cachinnans** Herpetheres (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 30.—Falco, 1758. [317.—Falco, L. 1758.]
- cachinans** Herpetotheres (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVIII. 1817,
- cachinnans** Larus, P. S. Pallas, Zoographia, II. 1811, 318.
- cachinnans** Macagua (L.), R. P. Lesson, Traité Ornith. (1) Feb. 1830, 68.—Falco, 1758.
- cachinnans** Pterocyclus (Jerd.), G. R. Gray, Genera of Birds, I. Sept. 1846, 226.—Crateropus.
- cachinans** Rana, P. S. Pallas, Zoographia, III. 1811, 7.
- cachinans** Saxicola, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 237.
- cachius** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 258.
- cachius** [Perilampus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 290.—Cyprinus. [1848, 601.—Hesperia, 1793.]
- cachrys** Desmazona (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
- cachrys** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 575.—Papilio cachus, 1787.
- Cacia** E. Newman, Entomologist (18) Ap. 1842, 290.—Col.
- Cacicula** *err. pro* Cacidula, Megerle; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19.
- Cacicus** B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 508.—A.
- Cacicus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 182.—Col. [—Col.]
- Cacicus** A. J. J. Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 639.
- cacica** Coccinella (Epilachna), F. E. Guérin-M., Iconographie, 1844, Ins. 319.
- cacica** Epilachna, Guér.; E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 842.—Coccinella (Epilachna).
- cacicus** Goliathus (Oliv.), Lamarck, Syst. Anim. 1801, 210.—Cetonia, 1789.
- cacicus** Hegemon (Ol.), T. W. Harris, J. Essex Co. N. H. Soc. I (2) 1839, 105.—Cetonia,
- cacica** Lampetis, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 58. [1789.]
- cacicus** Odontoderes, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 46.
- cacicus** Oriolus, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 413.
- cacicus** Prionus (Prionacalus), A. White, Ann. Mag. N. H. XV. Feb. 1845, 110.
- cacicus** Rhyephenes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 315.
- cacicus** Scarabaeus (Ol.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 60.—Cetonia, 1789.
- cacicus** Scotobius, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 282.
- cacicus** Solenopus (Sahlb.), C. J. Schoenherr, Isis (Oken), 1825, 584.—Odontoderes.
- cacicus** Zonarius, T. Lacordaire, Mon. Erotyl., Sept. 1842, 474.
- Cacidula** Megerle in Dejean, Cat. Coléopt. 1821, 132.—Col.
- Cacidula** J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 239 & 240.—Col.
- cacodaemon** Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 377. [Shaw].
- cacodaimon** Trigocephalus (Merr.), F. Boie, Isis (Oken), 1827, 558.—Pelias [= Coluber,
- Cacodoxus** T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1145.—P.
- Cacoecia** J. Huebner, Verz. bekannt. Schmett. 1826, 388.—Lep.
- Cacoethes** J. Huebner, Verz. bekannt. Schmett. [1822], 170.—Lep.
- Cacoëthes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cacoethes, Huebn.
- Cacomantis** Mueller, Verh. Nat. Gesch. Nederl. overz. Bezitt. (Land en Volk) 1842, 177.
- Cacophonia** J. Gistel, Handb. Naturges. 1850 [1847], 565.—L. [—A.]
- Cacophonia** J. Gistel, Nat. Thierr. 1848, 172.—L.
- Cacopitta** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 257.—A.
- Cacosceles** E. Newman, Entom. Mag. V (5) Oct. 1838, 491.—Col.
- Cacoscelis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 389.—Col. [*sine*
- Cacoscelis** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 174.—Col. [*typo*].
- Cacosis** F. Walker, 1850; *teste* Marschall, 1851 *est*.
- Cacosmus** C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 483.—Hem. [*non binom.*].

- Cacostola** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 349.—Col. [*n. n.*].
- Cacostomus** E. Newman, Mag. Nat. Hist., n. s., IV. July 1840, 364.—Col.
- cacta** *v.* **cactus** -a -um. [nella, L. 1767.]
- cacti** Chilocorus (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 116.—Cocci-
- cacti** Pseudococcus (L.), J. O. Westwood, Introd. class. Insect. II. 1840, 445.—Coccus, 1758.
- cacti-opuntiae** Epeira, C. A. Walckenaer in H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 40.
- cacticolus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 393, Jan. 1849. [440.]
- cactiformis** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.-Oct. 1814.
- cactivorus** Bulinus, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 31.
- cactivorus** Plectostylus (Brod.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 58.—
- cactoides** Spongia, F. S. Voigt in Cuvier, Thierreich, VI. 1843, 393. [Bulinus.]
- cactoides** Thooosa, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 345.
- Cactornis** J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 6.—A.
- cactorum** Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 70.—Helix.
- cactorum** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 10.
- cactorum** Picus, A. d'Orbigny, Amér. Mérid. (Ois.) 1847, 378.
- cactorum** Psittacus, Max Wied, Reise Brasil. II. 1821, 168.
- cactorum** Sittace (Wied), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 651.—Psittacus. [211.—Papilio, 1793.]
- cacta** Junonia (Fab.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849),
- cactus** Mussa, J. D. Dana, Wilkes, U.S. Exped., Zooph., c. Mar. 1848, 178.
- cactus** Pavonia (Forsk.), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 329.—Madrepora, 1775.
- Cacullanus** *err. pro* Cucullanus, Müll.; Rafinesque, Analyse, 1815, 151. [554.]
- cacuminalis** Ennychia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843,
- cacuminalis** Threnodes (Eversm.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 197.—Ennychia. [1791.]
- cacuminata** Oceania (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 100.—Medusa,
- cacuminatus** Pseudomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cacuminellus** Crambus, P. C. Zeller, Zeitschr. f. Ent., Breslau, IV. 1850, 35. [390.]
- cacuminifera** Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 214.
- Cacus** J. Gistel, Nat. Thierr. 1848, p. x.—Col.
- caca** Antichloris, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 24.
- cacus** Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 75.
- cacus** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 80.—Cirrospilus, 1839.
- Cadasus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 101.—Hem. [*non binom.*].
- cadaverinus** Acarus, J. F. Hermann, Mém. Aptér. 1804, 79.
- cadaverina** Anthomyia, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 264 [*n. n.*].
- cadaverinus** Catops, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI 1843 (2) 1843, 254.
- cadaverina** Cynomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 365. [1830, 810.]
- cadaverina** Fimetia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cadaverinus** Gamasus (Herm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 219.—Acarus.
- cadaverinus** Hister, J. J. Hoffmann, etc., Entom. Hefte, I. 1803, 34.
- cadaverinus** Hister, Payk.; Dejean, Catal. Coléopt. 1821, 47 [*n. n.*].
- cadaverina** Lordatia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 809. [1758.]
- cadaverina** Lucilia (L.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 167.—Musca,
- cadaverinus** Necrophorus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 118.
- cadaverina** Nitidula, J. C. Fabricius, Syst. Eleuth. I. 1801, 352.
- cadaverinus** Oxyomus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 261.
- cadaverina** Phalera, Fab.; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- cadaverinus** Phalera (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 162.—Tenebrio, 1792.

- cadaverina** Pyrellia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 298.—Musca, 1758.
- cadaverinus** Trox, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 44.
- cadaverinus** Xantholinus, Dahl; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- cadaverosa** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 160, Nov. 1844.
- cadaverum** Musca, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 316.
- Cadea** J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 71.—R.
- cadisia** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 199.
- Cadium** H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 113.—G.
- cadiva** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxii.
- cadivus** Heilipus, E. F. Germar, Ins. Spec. novae, I. 1824, 401.
- Cadmus** Bory de St V., Ency. Méth. (Zooph.) 1824, 162.—? Plantae.
- Cadmus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—Col.
- cadmus** Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 15.—Scarab. 1789.
- cadma** Ilerda, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 25 [*n. n.*].
- cadma** Lucinia (Dru.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 254.—Papilio, 1773. [(1850), 312.—Papilio, 1775.]
- cadmus** Megistanis (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
- cadma** Nica (Dru.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 23.—Papilio, 1773. [? Dru. 1773.]
- cadma** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 421.—Papilio,
- cadomensis** Acteonina (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 226.—
- cadomensis** Ammonites, DeFrance, Dict. Sci. Nat., Suppl. I. 1840, 159. [Conus.
- cadomensis** Astrea, H. Michelin, Icon. Zoophyt. (20-23) 1846, 226.
- cadonensis** Conus, Lyell & Sowerby (*ex* Desl.), Ann. Mag. N. H. VI. Dec. 1840, 296.
- cadomensis** Conus, Eudes-D., Mém. Soc. Linn. Norm. VII. 1842, 143.
- cadonensis** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 292 [*n. n.*].
- cadomensis** Crocodilus, Lamouroux, Ann. gén. Sci. Phys. (Bruxelles) III. Feb. 1820, 163.
- cadomensis** Echinus, L. Agassiz, Cat. Ect. Ech. 1840, 12.
- cadomensis** Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 156.
- cadomensis** Eademgrina, DeFrance, Dict. Sci. Nat. XLI. 1826, 95.
- cadomensis** Muraena, Lamouroux, Rapp. trav. Ac. Sci. Caen, 1811-15 [1816], 26.
- cadomensis** Siderastraea (Mich.), F. McCoy, Ann. Mag. N. H. (2) II. Dec. 1848, 419.—Astraea. [579.—Teleosaurus.
- cadomensis** Stenoesaurus (Geoffr.), J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (3) 1850,
- cadomensis** Synastrea (Mich.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 322.—Astraea. [1825, 145.—Crocodilus.
- cadomensis** Teleosaurus (Lamx.), E. Geoffroy, Mém. Mus. H. N. (Paris) XII [2] Sept.
- cadomensis** Thamnastrea (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 158.—Astraea.
- cadonensis** *v.* **cadomensis**.
- Cadra** Gray, 1844; *err.* Waterhouse *pro* Cadea, *q. v.*
- Cadruthus** C. J. Amyot, Ann. Soc. Ent. France, III (4) 1846, 428.—Hem. [*non binom.*].
- caduceator** Gasteracantha, H. Nicolet in Gay, Chili, III (Arach.) 1849, 479.
- caduceus** Clio, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 274.
- caduceus** Clidodia, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 74.
- caducus** Dasybranchus, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 324.—Dasymallus,
- caducus** Dasymallus, A. E. Grube, Arch. f. Naturg. XII (1) 1846, 166. [1846.
- caduca** Formica, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 47.
- caduca** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1846, 158. [Orthis.
- caduca** Leptaena (McCoy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 145.—
- caduca** Leptis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 579.
- caduca** Orthis, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 122.
- caduca** Orthis, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 208.
- caducus** Pentamerus, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 469.
- caduca** Succinea, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 11.
- caduca** Tellina, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VI. 1834, 78.
- Cadulus** R. A. Philippi, Moll. Sicil. II. 1844, 209.—G.

- Caecalium** J. Fleming, Edinb. Phil. Journ. III (24) Ap. 1825, 242 [=Caecum, Flem.].
- Caecalium** W. Turton in Carrington, Teignmouth Guide, pt. 2, 1830, sign. E 3.—G. &
- Caecalium** W. Macgillivray, Hist. Moll. Aberdeen, 1843, 25 & 39.—G. [Verm.]
- caecaria** Codonia, J. Huebner, Verz. bekannt. Schmett. 1825, 302.
- coecatus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 361. [111.]
- caecchia** Squalus, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- caecicollis** Cydiscus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 188.
- caecifer** Salmo, R. Parnell, Proc. R. Soc. Edinb. (11) 1837, 165 [*n. n.*]; Mem. Werner. N. H. Soc. VII. 1838, 306; Tr. R. Soc. Edinb. XIV (1) 1839, 154.
- [**caecigena**.]
- coecigena** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 70, 71 & 72 (Fernaldo judice 1827) [*n. et f.*].
- coecigena** Saturnia, Dahl in Boisduval, Europ. Lépid. Index, 1829 [1828], 49.
- coecigena** Saturnia (Huebner), C. F. Freyer, Neuere Beitr. Schmett. I (1) 1831, 6.—
- Caecilius** J. Curtis, Brit. Entom. 1837, pl. 648.—Neur. [Bombyx.]
- caecilia** Acraea (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 235.—Papilio, 1781.
- caecilia** Ammonites (Rein.), W. de Haan, Mon. Ammon. 1825, 112.—Argonauta.
- caecilia** Argonauta, I. C. M. Reinecke, Maris Protog. 1818, 90.
- caecilia** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- caecilia** Erebia (Huebner), J. A. Boisduval, Ic. hist. lepidopt. Europe, I (—) 1833, 168.—
- coecilius** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 166. [Papilio.]
- caecilia** Maniola (Esp.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 137.—Papilio, Cr. 1777.
- caecilia** Methone (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 4.—Papilio,
- caecilia** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4. [1777.]
- caecilia** Nuclea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 339.
- cecilia** Papilio, P. Cramer, Utitl. Kapellen, II (14) 1777, 98 & 148 [*non* Fabr.].
- caecilia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 46 (Fernaldo judice 1799)
- caecilia** Phasianella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333. [*n. et f.*].
- caecilia** Satyrus (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1834, 298.—Papilio.
- ceciliae** Argus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 360.
- ceciliae** Danaüs, R. P. Lesson in Bougainville, Journ. "Thétis et Espér." II. 1837, 342.
- ceciliae** Trochilus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 43.
- Caeciloides** *emend. pro* Cecilioides, Fér.; A. N. Herrmannsen, Ind. Gen. Malacoz. I. [1846, 150.]
- caecimacula** Exarnis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 225.—Noctua, 1775.
- caecimacula** Grapholitha (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 273.—Tortrix caecimaculana, 1796.
- caecimacula** Orthosia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 79.—Noctua, 1775.
- caecimacula** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 302.
- coecimaculana** Catoptria (Huebner), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 189.—Tortrix, 1796.
- caecimaculana** Epiblema, J. Huebner, Verz. bekannt. Schmett. 1826, 375.—Tortrix, 1796.
- caecina** Lamprotatus, F. Walker, Ann. Mag. N. H. X. Oct. 1842, 114.
- coecoradiata** Haliotis, L. Reeve, Proc. Zool. Soc. London, XIV (161) Aug. 1846, 55.
- Caecula** J. Gistel, Nat. Thierr. 1848, p. ix.—Dipt.
- Caeculus** L. Dufour, Ann. Sci. Nat. XXV (99) Mar. 1832, 295.—Ar.
- caeculus** Amblyopus (Schn.), Cuvier & Valenc., H. N. Poiss. XII. 1837, 165.—Cepola.
- coecula** Cepola, J. G. Schneider, Bloch, Syst. Ichth. 1801, 241.
- Caecum** J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 67.—G.
- Caecum** S. V. Wood, I., Crag. Moll. (Pal. Soc. I.) Mar. 1848, 117.—Verm.
- Caecum** J. Morris, Cat. Brit. Foss. 1843, 168.—Pter.
- [**caecus**.]
- coëcus** Acontias, G. Cuvier, R. Anim. II. 1817, 60.
- coecus** Adranes, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 83.

- caecus** Ambates, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, Table to Première
caeca Amphisbaena, G. Cuvier, R. Anim., ed. 2, II. 1829, 73. [Centurie.
coeca Amymone, F. v. P. Schrank, F. Boica, III (1) 1803, 256.
caeca Aonis (Fab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 45.—Nereis, 1780.
coecus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 213.
caecus Apterichthys (L.), Delaroché, Ann. Mus. H. N. (Paris) XIII (77) June 1809, 325.
 —Muraena, 1758.
coeca Apterichthys (L.), L. Oken, Lehrb. Nat. III (2) 1816, 13.—Muraena, 1758.
coeca Braula, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 315.
coeca Cephalothrix, A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 574.
coecus Chelifer, P. Gervais in Gay, Chili, IV (Arach.) 1849, 13.
caecus Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 623.
coecus Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 132. [Rhynchaenus.
coecus Cryptorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 110.—
coecum Derostoma, A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 560.
coecus Dysopes (Rengg.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 479.—
 Molossus.
caecus Embates [= Ambates], L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 64.
coecus Erythrocephalus, W. G. Tilesius, N. Ann. Wetterau. Ges. Nat. I (1) 1818, 6.
caeca Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 270.
caecus Gymnomuraena (L.), J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844,
 218.—Muraena, 1758.
caeca Gymnothorax, W. Turton, Linnaeus, Syst. Nat. I. 1802, 711.
caecus Haliphus, Dufts.; Dejean, Catal. Coléopt. 1821, 20 [n. n.].
caecus Hesperia, C. F. Freyer, Neuere Beitr. Schmett. VI (83) 1848, 22.
caecus Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 209.
caeca Idotea, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 424.
caeca Lebia, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 192.
caeca Lepidonereis (Fab.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.),
 83.—Nereis, 1780.
coecum Leucodorum, A. S. Orsted, Annul. Dan. Consp. (1) 1843, 39.
coecus Loborhynchus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 164.
caecus Micronyx (Reich), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 428.—
 Curculio, 1797.
caecus Molossus, J. R. Rengger, Naturg. Saeug. Paraguay, 1830, 88.
coeca Mylabris (Thunb.), G. J. Billberg, Mon. Mylabrid. [1813], 34.—Meloe, 1791.
coeca Myxine, H. D. de Blainville, Faune Française, (13 & 14) Poissons, 1825, 2.
coeca Nemertes, A. Orsted, Naturhist. Tidsskrift [2] 1 (4) 1845, 419.
coeca Nephthys (Fab.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 301.—Nereis, 1780.
caeca Nephthys (Fab.), A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 123.—Nereis,
 1780.
coeca Oberea, Handschuch in H. C. Kuester, Käfer Europas, XIII. 1848, 85.
coecus Otorhynchus, Megerle in E. F. Germar, Ins. Spec. novae, I. 1824, 351.
caecus Pachygaster, Dahl; Dejean, Catal. Coléopt. 1821, 90 [n. n.].
caeca Perotis, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 66.
caecus Petromyzon (ex Ray), J. Couch, Mag. Nat. Hist. V. Jan. 1832, 23.
caeca Pilidium (Müll.), E. Forbes, 19 Rept. Brit. Assoc. (Birm. 1849) 1850, Trans. 77.—
 Patella, 1776.
caeca Planaria, A. Dugès, Ann. Sci. Nat. XXI (81) Sept. 1830, 83.
coecus Pyrophorus, E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 40.
coecus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 469.
caeca Sarea (Cuv.), J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 71.—Amphisbaena.
caecus Smicronyx, C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 315.—Micronyx,
 1836. [Muraena, 1758.
coecus Sphagebranchus (Linn.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 535.—
caeca Talpa, P. Savi, N. Giorn. Lett. (Pisa) II. 1822, 313 [coeca; cieca, p. 305].
coeca Typhloblanus (Cuv.), L. Fitzinger, Syst. Rept. 1843, 22.—Amphisbaena.
coeca Typhlolepta, A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 570.

- coeca** Typhloplana (Dugès), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 245.—Planaria.
- caecutiens** Bathyergus, Lichtenstein in A. Brants, Gesl. Muizen, 1827, 37.
- coecutiens** Centris, J. C. Fabricius, Syst. Piezat. 1804, 360.—Apis, 1775.
- coecutiens** Cetopsis (Licht.), J. B. v. Spix, Pisc. Brasil. 1829, 12.—Silurus.
- caecutiens** Chrysops (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 267.—Tabanus, L. 1758.
- caecutiens** Chrysopsis, C. Duméril, Dict. Sci. Nat. IX. 1817, 169.
- caecutiens** Cyclopis, J. Huebner, Verz. bekannt. Schmett. 1825, 274.
- caecutiens** Cyclopis, J. Huebner, Exot. Schmett. II. Tab. [213] [*n. et f.*].
- coecutiens** Georhynchus (Brants), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 375.—Bathyergus, Licht.
- coecutiens** Silurus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 78; Zoologisches Magazin, I (3) 1819, 61.
- caecutiens** Spalax (Licht.), J. B. Fischer, Syn. Mamm. 1829, 303.—Bathyergus.
- caedator** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 561.
- caedator** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 285.
- caedens** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 584.
- Caedius** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 190.—Col. [*n. n.*].
- coelacantha** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 74. [*caelaeno.*]
- celeno** Lycaena (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 42.—Papilio,
- celaeno** Oeneis, J. Huebner, Verz. bekannt. Schmett. 1818, 58. [1775.]
- celaeno** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 34 (Fernaldo judice 1799)
- celaeno** Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 24. [*n. et f.*].
- celaeno** Tanagra, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 2.
- celaeno** Vespertilio, J. Hermann, Obs. Zool. 1804, 13.
- [*caelaenus.*]
- celaenus** Talides (Cr.) J. Huebner, Verz. bekannt. Schmett. [1820] 106.—Papilio, 1782.
- celaeus** Hemiarus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 69.—Papilio, 1782.
- celaeus** Lycaena (Cr.), M. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 51.—Papilio, 1782.
- Caelano** W. E. Leach in J. E. Gray, Ann. Phil. XXVI. Nov. 1825, 339.—M. [*n. n.*].
- [*caelans.*]
- celans** Agelena, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 624.
- celans** Argus (Blackw.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 504.—Agelena. [laster, 1835].
- Caelaster** "Ag."; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 154.—Ast. [=Coe-
celastri Coeliodes, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 296.
- caelatana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 79.
- caelatella** Ornix, P. C. Zeller, Linnaea Entom. II. July 1847, 585.
- caelaticeps** Agama, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxxiv, 1849.
- caelatipennis** Copelatus, Dupont in C. Aubé, Spec. gén. Hydroc. 1838, 382.
- caelatoides** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 159.
- celator** Ceriocrinus, C. D. E. König, Icones foss. 1825, pl. 10 [*n. et f.*].
- celator** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 607.
- caelatura** Cassis, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 288.
- caelatura** Eurycratera (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 46.—Helix.
- caelatura** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 34 [*n. et f.*].
- caelatura** Melania, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 154.
- caelatura** Turritella, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 114. [*caelatus.*]
- coelata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 110, May 1844.
- coelata** Arca, T. A. Conrad, Foss. Med. Tert. U.S. (3) Jan. 1845, 61.
- caelatus** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 66.
- caelata** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 28, Mar. 1850.
- caelata** Astarte, Jos. Mueller, Mon. Petref. Aachen. Kreidef. (1) 1847, 22.

- celatus** Batrachus, J. E. De Kay, N. H. New York (Fish) 1842, 170.
caelata Bradybaena (Stud.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—Helix.
caelatus Callichthys, Cuvier & Valenciennes, H. N. Poiss. XV. 1840, 308.
coelatus Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 169.
caelatus Carabus (Web.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 177.—Tachypus.
coelatus Carabus, J. Sturm, Catal. Ins. Samml. 1826, 110 [*n. n.*].
caelatus Cassis, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 218.
caelata Cerithium, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 19.
caelatum Cerithium, A. A. Gould (*ex* Couthuoy MS), Proc. Boston Soc. N. H. III. 1851 (1849), 120.
caelatus Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 101, Mar. 1847.
caelatus Chlaenius (Schoenh.), Dejean, Spec. gén. Coléopt. II. 1826, 359.—Carabus.
coelata Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 42.
celata Cliona, R. E. Grant, Edinburgh New Phil. Journ., July 1826, 78.
caelata Copris, J. C. Fabricius, Syst. Eleuth. I. 1861, 37.—Scarab. 1794.
caelatus Dasyles, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 151.
coelatus Dendarus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 208.
caelatus Enodius (Br.), Laporte, Revue Entom. IV (1) 1836, 31.—Dasyles.
celata Epeira, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 668.
caelatus Eucalyptocrinus (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.—Hypanthocrinites.
coelata Fruticicola (Stud.), F. Held, Isis (Oken), 1837, 914.—Helix.
coelatus Fusus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 294.
coelatus Fusus, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847] Turbinelles, pl. iii.
caelatus Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 35, Nov. 1847.
caelatus Georxyssus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 504.
caelatus Gymnopleurus, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 127.
celata Halichondria (Grant), G. Johnston, Hist. Brit. Sponges, 1842, 125.—Cliona.
celata Helinaria (Say), J. J. Audubon, Synopsis, 1839, 70.—Sylvia.
coelata Helix, Vallot, Exer. Hist. Nat. 1801, 5.
caelata Helix, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 86.
celata Helmitheros (Say), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 315.—Sylvia.
celata Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 335.
caelatus Hypanthocrinites, J. Hall, N. H. New York (Geol. 4 dist.), 1843, 113.
coelatus Lucanus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 194.
caelata Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 27, June 1850.
caelatus Marsupiocrinites, J. Phillips in R. I. Murchison, Silurian System, Jan. 1839, 672.
caelatus Megalops (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 751.—Oxyporus.
coelatus Megodontus, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.
caelatus Melocrinus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 46.—Marsupiocrinites.
caelatus Microceplus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 647.
caelata Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 265, Mar. 1845.
celata Mniotilta (Say), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Sylvia.
celata Nerita, C. A. Récluz, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 120.
celata Neritina (Réc.), G. B. Sowerby, II., Thes. Conch. II (10) 1849, 528.—Nerita.
coelata Nucula, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 343.
caelata Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 99.
caelatus Opius, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 216.
caelata Orbicella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.—Orbicula.
caelata Orbicula, J. Hall, N. H. New York (Pal. I.), 1847, 290.
caelatus Oxyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 197.
caelatus Oxytelus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 103.
caelatus Oxytelus, Gyll.; Dejean, Catal. Coléopt. 1821, 25 [*n. n.*].
caelatus Pachypoma (Gm.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 88.—Trochus, 1790.
caelatus Passalus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 112.

- coelatus** Pecten, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 90.
- coelata** Phillipsia, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 161. [telus.
- caelatus** Phloeonaeus (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 597.—Oxy-
- caelatus** Phlaeotrupes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 204.
- coelata** Pleurotoma, I. Lea, Contrib. to Geol. 1833, 132.
- caelata** Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 238.—Clavatulæ.
- caelata** Pleurotomaria, G. A. Goldfuss, Petref. German. III (8) 1844, 61. [179.
- caelata** Ranella, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
- caelata** Scobinella, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 290.
- caelatum** Solarium, R. B. Hinds, Proc. Zool. Soc. London, XII (132) July 1844, 25.
- caelata** Statira, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 122.
- celatus** Sylvia, T. Say in Long, Expéd. Rocky Mts. I. 1823, 169; & London ed. I.
- caelatus** Tachypus, F. Weber, Obs. Ent. 1801, 42. [1823, 334.
- caelata** Tachra, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 30.
- caelatus** Tubicanthus (Mart.), W. Swainson, Treat. Malacol., May 1840, 349.—? Buc-
- cinum, 1789. [Trochus, 1790.
- caelatus** Turbo (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.—
- caelatus** Turbo, G. A. Goldfuss, Petref. German. III (8) 1844, 90.
- coelatus** Turbo, L. C. Kiener (*ex* Chemn.), Spec. Coquilles (Turbo) pl. xxiii (1847-8)
- coelatus** Unio, T. A. Conrad, Amer. J. Sci. XXV (2) Jan. 1834, 338. [text 1873].
- coelata** Venus, C. T. Menke, Moll. N. Holl. 1843, 43.
- celata** Vermivora (Say), J. E. De Kay, N. H. New York (Birds) 1844, 87.—Sylvia.
- caelata** Voluta, D. Solander, Catal. Portland Mus. 1786, 50 & 158 [*n. n.*]. [110 [*n. n.*].
- caelebes** Sternoptix, P. D. Handyside, 8 Rept Brit. Assoc. (Newcastle 1838) 1839, Trans.
- caelebipennella** Apista (Tisch.), Zeller, Linnea Entom. IV. Dec. 1849, 238.—Coleophora.
- caelebipennella** Coleophora, Tischer in Zeller, Isis (Oken), 1839, 206.
- coelebs** Bulimus, Benson in L. Pfeiffer, Symb. Helic. III. 1846, 83.
- coelebs** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 427.
- coelebs** Conus, R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 256.
- coelebs** Discotenes, Labram & Imhoff, Gen. Curcul. I (8) 1841.
- coelebs** Motacilla, J. S. T. Frenzel, Besch. Vögel Wittenberg, 1801, 70.
- coelebs** Struthus (L.), F. Boie, Isis (Oken), 1826, 974.—Fringilla, 1758.
- coelebs** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 20.
- Caelenephes** Schmidt-Goebel, Fauna Coleopt. Birman. 1846, 77 [*teste* Marschall, v.
- Celaenephes]. [1781.
- caelestina** Agyrta (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Phalaena,
- caelestinus** Bagrus, J. Müller & Troschel in R. Schomburgk, Reisen Brit.-Guiana, III.
- caelestina** Buprestis, J. Gistel, Isis (Oken), 1831, 307. [1848, 627.
- caelestina** Chrysis, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. e.
- caelestina** Colaspis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 160.
- caelestinus** Glyphisodon, Solander in Cuvier & Valenc., H. N. Poiss. V. 1830, 464.
- caelestinum** Hedychrum, Klug in Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839,
- caelestina** Lema, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 46. [454.
- caelestina** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843,
- caelestina** Lycaena, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 423. [535.
- caelestinus** Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 170.
- caelestinus** Ophonus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 31.
- caelestinus** Oxyderces, Munck in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 203.
- caelestinus** Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sc. St Pétersb. V (1-3)
- Nov. 1844, 249.
- celestina** Pieris, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 46.
- caelestinus** Polydius, C. J. Schoenherr, Isis (Oken), 1823, 1138 [*n. n.*].
- caelestina** Poropleura, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 866.
- caelestinus** Rhigus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 70.
- caelestinus** Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 211.
- caelestinus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 180.
- caelestina** Sterculia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 302.

- caelestis** Ameiva, A. d'Orbigny & G. Bibron, *Amér. Mérid.* (Rept.) 1847, 9.
celestis Callopestes (Orb.), J. E. Gray, *Cat. Lizards Coll. B. M.* 1845, 17.—Ameiva.
coelestis Capella, J. S. T. Frenzel, *Beschr. Vögel Wittenberg*, Oct. 1801, 58.
coelestis Cotinga, G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 46.
coelestis Euchroea, H. Burmeister, *Handb. Ent.* III. 1842, 574.
coelestis Euphonia, R. P. Lesson, *Rev. Zool. (Soc. Cuv.)* Feb. 1839, 42.
coelestis Iridina, I. Lea, *Syn. Naiades*, 1836, 57 [*n. n.*]; *Tr. Amer. Phil. Soc.*, n. s., VI (1) 1838, 82. [1830, 440.]
coelestis Melinda, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
caelestis Platycercus, R. P. Lesson, *Echo Monde Savant*, XI. 18 July 1844, 111.
celestis Polyommatus, A. Drapiez, *Ann. gén. Sci. Phys. (Bruxelles)* II. Dec. 1819, 354.
caelestis Psilopus, F. Walker, *List Dipt. Coll. B. M.* (3) 1849, 642.
coelestis Scolopax, J. S. T. Frenzel, *Beschr. Vögel Wittenberg*, 1801, 58.
coelestis Spatha, I. Lea, *Tr. Amer. Phil. Soc.*, n. s., VI (1) 1838, 142.—Iridina, 1836.
coelestis Tanagra, J. B. v. Spix, *Avium Brasil.* II. 1825, 42.
coelestre Acridium, H. Burmeister, *Handb. Ent.* II (2) 1838, 634.
coelicolor Grandala, B. H. Hodgson, *J. Asiat. Soc. Bengal*, XII. 1843 (June), 447.
Caelidia Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 155.—Col.
Caeligena *id. ac* Coeligena, Lesson; C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 73.
Caeligena C. L. Bonaparte [*non* Lesson]; C. R. Ac. Sci. (Paris) XXX. 1850, 382.—A.
caeligena Caeligena (Less.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 382.—Ornysmia.
caeligena Mellisuga (Less.), G. R. Gray, *Genera of Birds*, I. Dec. 1848, 112.—Ornismya.
caeligena Mitra, L. Reeve, *Conch. Icon.* II.—Mitra, no. 227, Jan. 1845.
caeligena Ornismya, R. P. Lesson, *Les Trochilidées* (9) Ap. 1833, 141. [Ornismya.
caeligena Trochilus (Less.), W. Jardine, *Humming Birds*, I (Nat. Libr. III.) 1833, 79.—
Caelino W. E. Leach in Desmarest, *Consid. gén. Crust.* 1825, 283 (*in syn.*).—Cr.
caelina Myscelia (God.), E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I (1849), 223.—Vanessa.
coelina Vanessa, J. B. Godart, *Ency. Méth.* IX (2) (Ins.) 1824, 822.
celioides Harpalus, E. Ménétriés, *Mém. Ac. Imp. Sci. St Pétersb.* [6] VIII (2=Sci. Nat. VI.) (1 & 2), Feb. 1848, 39. [ed. Lond. 1825, 84.]
Caelioxys *id. ac* Coelioxys, Latr.; T. Say in Keating, *Exp. Peter River*, II. 1824, 353;
coelipeta Alauda, P. S. Pallas, *Zoographia*, I. 1811, 524.
coelites Philonthus, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 440.
coelius Pteromalus, F. Walker, *Mon. Chalcid.* I. 1839, 272.
Caelo → *v. et* **Coelo** →.
coelocephala Chlamys, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, V. May 1845, 693.
Caelodera Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 159.—Col.
Caelogenus J. Fleming, *Phil. Zool.* II. 1822, 192.—M.
Caelogenys P. W. Lund, *Afh. K. Danske Vid. Selsk.* VI. 1837, 244.—M.
Caeloglossa A. Costa, *Ann. Soc. Entom. France*, X (4) Jan. 1842, 307.—Hem.
Caelogonus Anon., *London Ency.* XXII (Zoology) 1845, 747.—M.
Caelomera E. Blanchard (*ex* Chevr.), *Hist. Insect.* II. 1845, 189.—Col.
coelonota Plusia, V. Kollar in Hügel, *Kaschmir*, IV (2) 1844, 482.
Caelopa A. H. Haliday, *Ann. Nat. Hist.* II. Nov. 1838, 186.—Dipt.
Caelopeltis *id. ac* Coelopeltis, Wagl.; C. L. Bonaparte, *Icon. Fauna Italica*, Indice Distr. Amfibi (1841).—R.
Caelopleurus E. Sismonda, *Mem. Acc. Sci. Torino* (2) IV. 1842, 15.—Ech.
Caelopygus C. L. Koch, *Uebers. Arachnidensyst.* II. 1839, 17.—Ar.
Caelopygus C. L. Koch, *Die Arachniden*, VII (4) *post* July 1839, 78.—Ar.
Caelorhina Burmeister in J. O. Westwood, *Arcana Entom.* (11) Jan. 1843, 171.—Col.
Caelorhynchus Giorn. 1805; *err.* Agassiz *pro* Coelorinchus, *g. v.*
caelorhincus Lepidoleprus, A. Risso, *Ich. Nice*, 1810, 200. [doleprus.
caelorhynchus Macrourus (Risso), C. L. Bonaparte, *Icon. Faune Ital.* (30) 1841.—Lepi-
Caeloria Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 493.—Cor.
Caelorrhina F. W. Hope (*ex* Burm. MS), *Ann. Mag. Nat. Hist.* VIII (5) Dec. 1841,
celosia Spongodes, R. P. Lesson, *Illustr. de Zool.* (7) Ap. 1833, pl. 21. [302.—Col.]

- Caelosis** W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 88.—Col.
Caelostoma A. Brullé, H. N. Ins. V (Col.) 1835, 293.—Col.
Caelostomus W. S. Macleay, Annulosa Javanica, 1825, 23.—Col.
coelus Eudamus (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 603.—Papilio, 1781.
coelus Goniurus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 104.—Papilio, 1781.
coelus Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 729.—Papilio, 1781.
coelus Papilio, Lacordaire in Boissduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 289.
coelum pensile Mesonema (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 112.—[caementarius.] [Medusa, 1791.
coementaria Migale, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. July 1820, 104.
caementaria Mygale, P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 164. [1782.
caementarius Palaemon (Mol.), E. Poeppig, Arch. f. Naturg. II (1) 1836, 143.—Cancer,
caementarius Pelopaeus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 99.—
caementaria Teraphosa, J. Gistel, Handb. Naturges. 1850 [1847], 514. [SpheX, 1770.
caenea Callimorpha (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 29.—
 Phalaena, 1782.
caenea Epidesma (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Phalaena,
coeneos Euchloe, J. Huebner, Verz. bekannt. Schmett. [1820], 94. [1782.
Caenia Robineau-D., 1830; *teste* Scudder, Coenia *est*.
Caenia E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 381.—Col.
caenina *v.* **coenina**.
Caenis J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 112; Ill. Brit. Ent. (Mand. VI.)
 Ap. 1836, 60.—Neur. [1773.
coenis Adolias (Dru.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 102.—Papilio,
caenis Harna (Dru.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
 (1850), 289.—Papilio, 1773. [1773.
caenis Nymphalis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 36.—Papilio,
caenis Pieris (Dru.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 142.—Papilio, 1773.
caenis Voluta, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 47.
Caenobita R. Owen, Zool. "Blossom," 1839, 84 [*v.* **Coen**→**Latr.**].
caenobita *v.* **coenobita**.
caenobitella *v.* **coenobitella**.
caenobiticus *v.* **coenobiticus**.
Caenomyia J. O. Westwood, Introd. Ins. II. 1840, 535 [= **Coen**→**Latr.**].
Caenopsammia Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 540.—Cor.
Caenosia Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 113 [*v.* **Coenosia**, Meig.].
caenosus *v.* **coenosus**. [Brav.
Caenotherium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cainotherium,
Caenurus *err. pro* Coenurus, Rud.; Schinz, Das Thierr. 1825, 90 [*teste* Stiles & H.].
Caenus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caenis, Steph.
caenus *v.* **coenus**.
[caepa.]
cepa Buccinum, D. Solander, Catal. Portland Mus. 1786, 61 & 67 [*n. n.*]. [261.
cepa Gastridium, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
cepa Helix (Helicodonta), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 39. [1774.
cepa Pleurodonta (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 34.—Helix,
coepa Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 150.
[caepaceus.]
cepacea Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
cepacea Natica, Lamarck, Ann. Mus. H. N. (Paris) V (26) Oct. 1804, 96.
cepaceus Pitonillus (Lam.), H. G. Bronn, Index Pal. 1848, 983.—Natica.
cepaeformis Polypothecia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831,
 9 [*n. et f.*].
cepaeformis Tragos (Ben.), J. Morris, Cat. Brit. Foss. 1843, 29.—Polypothecia.
ceparum Anthomyia, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI.
ceparum Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 284. [1830, 376.

- caephus** *v.* **cephus**.
[caepio.]
cepio Placunanomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.-June 1850, 121.
cepio Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 213.
cepidoides Arca, L. Reeve, Conch. Icon. II.—Arca, no. 66, Mar 1844.
cepidoides Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 174.
cepidoides Helix (Helicostyla), G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap.
Caeporis Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 387.—Col. [1841, 88.
Caeporis *err. pro* Caepovis, Dej.; J. Sturm, Catal. Käfer Samml. 1843, 281.
Caepovis Dejean, Catal. Coléopt., ed. 3, 1834; *teste* Agassiz *sed non comp. ed. 2 vel 3.*—*v.* Caeporis, 1835.
Caereba R. P. Lesson, Traité Orn. (4) Sept. 1830, 305 [*v.* Coereba].
Caereba C. J. Sundevall (*ex* Brisson), K. Vet. Ac. Handl. 1835 (1836), 100.—A.
Caereba H. G. L. Reichenbach, Avium Syst. nat., pl. xxxviii (Dec. 1849).—A. [*n. et f.*].
Caereba L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coereba, Vieill.
coeraebus Ommatius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 473.
caereus Carabus, Boeb.; J. Sturm, Catal. Ins. Samml. 1826, 110.
Caerois J. Huebner, Verz. bekannt. Schmett. 1818, 56.—Lep. [Syn. 1827, 348.
caerula Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 218 (1827),
caerula Cephalopus, A. Smith (*ex* C. H. Smith MS), S. African Quart. Journ. II. no. 3
[caerulans.] [(1) June 1834, 216.
coerulans Acridium (L.), O. G. Costa, Fauna Regno Napoli, Ortott. 21 (*ad* 1836).—
 Gryllus, 1767.
caerulans Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 448.
caerulans Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
 404.
coerulans Campylaea (Meg.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 26.—Helix.
coerulans Chrysis, J. C. Fabricius, Syst. Piezat. 1804, 172.
caerulans Chrysis, Lepeletier de S. F. in A. Brullé in Lepeletier (Roret's Suite à Buffon),
 Hyménopt. IV. 1846, 37.
coerulans Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 38.—Cryptoccephalus, 1781.
caerulans Conus, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Conus
 (6) 1838, 85.
caerulans Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
coerulans Helix, Megerle in C. T. Menke, Syn. meth. Moll. 1828, 10 [*n. n.*].
caerulans Labidognatha, Fab.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 419.
caerulans Labidognatha (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
 369.—Clythra.
caerulans Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 64.
caerulans Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 599.
caerulans Mutilla, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].
caerulans Oedipoda (L.), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 288.—
 Gryllus, 1767. [494.
caerulans Pallosoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
caerulans Pleurotoma, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 168.
coerulans Raphitoma (Ph.), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 631.—
 Pleurotoma.
caerulans Scolia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 526.
coerulator Ichneumon, J. C. Fabricius, Syst. Piezat. 1804, 68.
caerulator Trogus, G. W. F. Panzer, Ins. Germ., heft 100, 1806, tab. 13.
caerulatus Cinclosoma, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 147.
caerulatus Crateropus (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 179.—Cinclo-
 soma.
coerulata Domicella (Bechst.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30
 (December 1832), 570.—Psittacus caerulentus, Sh.
coerulatus Garrulax (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1842, 951.—
 Cinclosoma. [Cinclosoma.
caerulatum Janthocinclia (Hodg.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 371.—

- caerulatus** Megaloprepus (Dru.), P. Rambur (Roret's Suite à Buffon), Névropères, 1842, 290.—Libellula, 1782.
- coerulata** Musca, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 23.
- coerulata** Pranzina (Mont.), Lamarck, An. s. vert. V. 1818, 168.—Oniscus caeruleatus.
- caerulata** Querquedula, Licht.; G. R. Gray, List Birds Coll. B. M. III. 1844, 138.
- caerulaureus** v. **caeruleoaurus**.
- caeruleanus** Parus, A. Malherbe, Bull. Soc. H. N. Moselle, III. 1845, 58.
- coeruleana** Pepsis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 83.—*Sphex*, 1773.
- caeruleator** Ichneumon, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 134.
- caeruleator** Trogus (Fab.) G. W. F. Panzer, Krit. Revis. II. 1806, 80.—Ichneumon, Panz.
- caeruleata** Lestes (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 77.—Libellula caerulata, 1782.
- caeruleatus** Lorus (Bechst.), G. R. Gray, Genera of Birds, II. Oct. 1845, 416.—Psittacus, Oniscus, G. Montagu, Tr. Linn. Soc. London, XI (1) 1813, 15. [Sh.]
- coeruleatus** Parus, C. L. Brehm, Isis, 1828, 1284 [*n. n.*].
- caeruleatus** Psittacus, G. Shaw, Nat. Misc. XXII. 1810, pl. 937.
- caeruleatus** Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 93.
- caeruleata** Pterocyanea, Licht.; G. R. Gray, Genera of Birds, III. Mar. 1845, 617.
- coeruleata** Sagra, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 57.
- caerulecula** Cyanecula (Pall.), C. L. Bonaparte, Consp. Gen. Avium, I. 1850, 296.—Motacilla.
- coerulecula** Motacilla, P. S. Pallas, Zoographia, I. 1811, 480.
- coerulecula** Sylvia (Pall.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 34.—Motacilla.
- coerulecula** Sylvia (Pall.), H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 128.—*[Motacilla]*
- caerulei** → v. **caeruleo** →.
- caeruleoalata** Clypeata, C. S. Landbeck, Syst. Aufz. Vögel Württ. 1834, 76.
- coeruleo-albus** Delphinus, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (2) 1833, 609. [100.—Delphinus.]
- caeruleo-albus** Lagenorhynchus (Meyen), J. E. Gray, Cat. Mamm. Coll. B. M. I. 1850,
- caerulaureus** Caesio, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 85.
- caeruleoaurus** Harpe, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 426.
- caeruleocapilla** Muscipapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 488.
- coeruleo-capilla** Pipra, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 271.
- caeruleocarpus** Nematus, T. Hartig, Adelf. Deutschl. I. 1837, 187.
- caeruleocephala** Aglaia, W. Swainson, Anim. in Menag., Dec. 1837, 356. [104.]
- caeruleocephala** Alcedo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
- caeruleocephala** Anthomiza, W. Swainson, N. H. Classif. Birds, II. June 1837, 327.
- caeruleocephala** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 45 (Fernaldo judice 1802-08) [*n. et f.*].
- caeruleocephala** Calliste, Sw.; G. R. Gray, Genera of Birds, II. July 1844, 366.
- coeruleocephalus** Chlaenius, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 229.
- caeruleocephalus** Chlorichthys, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
- coeruleocephala** Clythra, J. Sturm, Catal. Ins. Samml. 1826, 120 [*n. n.*]. [1758.]
- coeruleocephala** Diloba (L.), Boisduval, Gen. Index Europ. Lepid. 1840, 88.—Bombyx,
- caeruleocephala** Disphragis (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 194.—Phalaena, 1758. [Phalaena, 1758.]
- caeruleocephala** Episema (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 65.—
- caeruleocephala** Heteromorpha, J. Huebner, Tentamen (me judice, 1806), 1.—[*n. n.*].
- caeruleocephalus** Julis, G. Cuvier, Règne Anim., ed. 2, II. 1829, 259.
- caeruleocephala** Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 191.
- caeruleocephalus** Merops, G. Shaw, Nat. Misc. XV. 1804, pl. 613.
- coeruleocephala** Muscipapa, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 85. [cyanocephalus, *q. v.*]
- caeruleocephala** Muscipapa, Q. & G.; Bonaparte, Consp. Gen. Av., ? *err. pro* Todus
- caeruleo-cephala** Orocetes (Vig.), G. R. Gray, List Gen. Birds, 1840, 21.—Phoenicura.
- coeruleocephala** Phoenicura, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (3) Mar. 1831, 35.

- caeruleocephalus** Prionites, Jardine & Selby, Ill. Orn. pl. 42, n. s., 1841.
coeruleocephala Psylla (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 15.—Phalaena, 1758.
coeruleocephalus Rhinosimus, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 28.
caeruleocephalus Rynchites (Schall.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 117.—Curculio. [265.—Phoenixura, Vig.
caeruleocephala Ruticilla (Yarr.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840,
caeruleocephalus Scarabaeus (Ol.), W. Turton, Linnaeus Syst. Nat. II. 1802, 50.—Melo-
lontha, 1789.
caeruleocephala Tchitrea (Q. & G.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.
—Muscicapa [? Todus cyanocephalus].
caeruleocephalus Teius (Ameiva), J. E. Gray (ex Seba), Griffith's Cuvier, Anim. Kingd.,
Rept. 1830, Syn. 30.
caeruleo-cinctus Aulacorhynchus, A. d'Orbigny, Amér. Mérid. (Ois.), 1847, 382.
coeruleo-cinctus Pteroglossus (Orb.), J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 302.
—Aulacorhynchus.
caeruleicolle Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 165.
coeruleicollis Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 160.
caeruleicollis Sargus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822
caeruleocollis Sialia, A. N. Vigors, Zool. "Blossom," 1839, 18. [107.
coeruleifrons Calobata, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 403.
caeruleifrons Conirostrum, de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 302.
caeruleifrons Mimegralla (Macq.), C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.]
180.—Calobata.
coeruleifrons Nemopoda, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 110.
caerulifrons Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 515. [Trochilus.
caeruleigaster Lampornis (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 72.—
caeruleogaster Polytmus (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—
Trochilus. [20, 1847, 96.
caeruleogaster Trochilus (Glaucis), J. Gould, Proc. Zool. Soc. London, XV (175) July
coerulea-lineata Chrysomela, Megerle in K. Duftschmid, Fauna Austriae, III. 1826, 169.
coeruleo-lineata Diapoe, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 93.
coeruleo-lineatus Plesiops, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 5.
caeruleo-maculata Cantharis, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 509.
coeruleomaculata Megapyga, C. H. Boheman, Mon. Cassid. I. 1850, 42.
caeruleomaculatus Mugil, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1838, 385.
caeruleomaculata Mylabris, L. Redtenbacher in Russegger, Reise, I (2) 1843, 987.
caeruleo-marginatus Dyscolus, Chevrolat in Mannerheim, Bull. Soc. Imp. Nat. Moscou,
1837 (2) 1837, 45.
caeruleo nigra Jurinia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 274.
caeruleonotatus Apocytus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 303.
caeruleonotata Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 376.
coeruleo-ocellata Eremias, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov.
1839, 295.
coeruleipennis Altica, Dejean, Catal. Coléopt. 1821, 119 [n. n.].
coeruleipennis Anisoscelsis, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
177.
caeruleipennis Anthicus, Laferté-S. in H. Lucas, Explor. Algér. (Artic. II.) 1849, 369.
caeruleopenne Apion, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 15 [n. n.]; & Ill.
Brit. Ent. (Mand. IV.) Oct. 1831, 173.
coeruleipennis Cephaloleia, F. E. Guérin-M., Iconographie, 1844, Ins. 283.
caeruleipennis Chrysomela, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 296.
coeruleopennis Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 73.
coeruleipennis Colaspis, Dejean, Catal. Coléopt. 1821, 125 [n. n.].
caeruleipennis Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
1846, 193.
caeruleipennis Formicomus (L. & Luc.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et
Icon. Anim. artic. (7) 1849, 4.—Anthicus ["Mon. Anth." poster. edit.].
coeruleipennis Harpalus (Ophonus), E. Ménériés, Cat. Rais. Zool. Caucase, 1832, 129.

- caeruleipennis** Hydromya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 691.
- caeruleipennis** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 386.
- coeruleipennis** Nemognathus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 67.
- ceruleipennis** Nemognathus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 280. [1835, 82.—Harpalus.
- caeruleipennis** Ophonus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
- coeruleipennis** Penthimia, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 88 [n. n.].
- caeruleipennis** Prionocerus, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxiii.
- caeruleipennis** Rhizophagus, C. R. Sahlberg, Diss. Ins. Fenn. II (12) 1837, 180.
- caeruleipennis** Staphylinus, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 441.
- coeruleopennis** Zethus, J. C. Fabricius, Syst. Piezat. 1804, 282.—Vespa, 1798.
- coeruleopinnatus** Caranx, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—) 1830 or 1831, 100.
- caeruleopunctatus** Anampses, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (12) 1829, 42. [1840, 411.
- caeruleopunctata** Crocisa, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
- caeruleopunctata** DiaCOPE, Cuvier & Valenc., H. N. Poiss. II. 1828, 424.
- caeruleo-punctatus** Erychthys, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- caeruleopunctatus** Gobius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—) 1830 or 1831, 134. [24.
- coeruleo-punctatus** Scarus (Calliodon), E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835,
- caeruleopunctatus** Serranus (Bl.), G. Cuvier, R. Anim. II. 1817, 278.—Holocentrus, 1790.
- caeruleosticta** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 110.
- caeruleiventris** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 221.
- coeruleiventris** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 237.
- coeruleiventris** Trimerina, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 529.
- caeruleiventris** Xylota, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 585.
- coeruleovirens** Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 36.
- coeruleovirens** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 2.
- coeruleo-virens** Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 96.
- coeruleovirens** Poecilus, J. Sturm, Catal. Ins. Samml. 1826, 186 [n. n.].
- caerulea-vittata** Clupea, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 305.
- caeruleovittata** DiaCOPE, Cuvier & Valenc., H. N. Poiss. VI. 1830, 530.
- coeruleo-vittatus** Halichores, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 14.
- caeruleovittatus** Julis (Ruepp.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 467.—Halichore.
- caeruleo-vittatus** Labrus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 117.
- [**caerulescens**].
- caerulescens** Acridium, F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 110.
- caerulescens** Agenia, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 93.
- coerulescens** Agonum, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 135. [1839, 568.
- caerulescens** Agrion, Boyer de Fonscolombe, Ann. Soc. Ent. France, VII (4) post Jan.
- coerulescens** Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 401.
- caerulescens** Anchomenus (Motsh.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 128.—Agonum.
- coerulescens** Antichira, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [inerte 1851], 205.
- caerulescens** Aphareus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 487.
- caerulescens** Apion (Marsh.), W. Kirby, Tr. Linn. Soc. London, IX. 1808, 27.—Curculio.
- caerulescens** Apternomis, de Selys, Rev. Zool. (Soc. Cuv.) XI. Oct. 1848, 294.
- caerulescens** Ardea, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 413.
- caerulescens** Ateuchus (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 65.—Scarab. 1789.
- coerulescens** Avicula, S. Nilsson, Petrif. Succ. 1827, 18.
- coerulescens** Balaenoptera, Lacepède, Mém. Mus. H. N. (Paris) IV [4-6], Dec. 1818, 473.

- caerulescens** Balistes, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (12) 1829, 32. [Curculio, 1763.]
- coerulescens** Baridius (Scop.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 709.—
- caerulescens** Baris, Sturm; Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
- coerulescens** Baris (Scop.), E. F. Germar, Ins. Spec. novae, I. 1824, 199.—Curculio, 1763.
- coerulescens** Borlasia (Chiaje), C. M. Diesing, Syst. Helminth. I. 1850, 241.—Polia
caerulea.
- caerulescens** Calobata, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 344.
- coerulescens** Campephaga (Blyth), G. R. Gray, Genera of Birds, I. June 1846, 283.—
Cebblepyris.
- coerulescens** Capsus, P. S. Schilling, Uebers. Arb. schles. Ges. 1845 (1846), 53.
- coerulescens** Cebblepyris, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* May), 463.
- caerulescens** Certhia, J. Latham, Index Orn., Suppl. 1801, p. xxxviii. [1837, 487.]
- coerulescens** Ceuthorrhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- coerulescens** Cheilosia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 129.
- caerulescens** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- coerulescens** Chrysogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 192.
- caerulescens** Chrysomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- coerulescens** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 74. [II. 1830, 447.]
- coerulescens** Cicada, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 45.
- coerulescens** Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 29.
- caerulescens** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 546.
- coerulescens** Colodactylus, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 168.
- coerulescens** Conus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 67.
- coerulescens** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 423.
- caerulescens** Conus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 368.
- coerulescens** Crioceris, K. Duftschmid, Fauna Austriae, III. 1825, 233.
- caerulescens** Cryptoglena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
[1834], 290.
- caerulescens** Cryptura, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV, 1819, 101.
- coerulescens** Cryptus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 51.—Hylotoma.
- caerulescens** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 224.
- caerulescens** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 245.
- caerulescens** Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 148.
- caerulescens** Cyanocorax (Vieill.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—
? Pica caerulea.
- caerulescens** Cypraea, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 13.
- coerulescens** Dasytes, J. Sturm, Catal. Ins. Samml. 1826, 130 [*n. n.*].
- caerulescens** Degeeria, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 451.
- coerulescens** Diabasis, H. Burmeister, Handb. Ent. IV (1) 1844, 367.
- caerulescens** Dicrurus (Lath.), L. P. Vieillot, N. Dic. H. N., ed. 2, IX. 1817, 587.—
Lanius, L. 1758.
- caerulescens** Dicrurus, Blyth; G. R. Gray, Genera of Birds, I. Ap. 1845, 287.
- caerulescens** Dilepas, P. Gervais, Extr. Proc. Verb. Ac. Sci. Montpellier, 1847, 118.
- coerulescens** Dolerus, T. Hartig, Adelf. Deutschl. I. 1837, 242.
- coerulescens** Ebaeus, W. F. Erichson, Entomographien, 1840, 115.
- caerulescens** Edolius (Gm.), Cuvier, Règne Anim. I. 1817, 350.—Lanius, L. 1758.
- coerulescens** Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 142.
- coerulescens** Ellipura (Vieill.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 229.—Myr-
- cerulescens** Ennarthrus, C. S. Rafinesque-S., Précis Som. 1814, 26.—Cr. [mothera.]
- caerulescens** Eolidia, Laurillard in Cuvier, Règne Anim., disciples' ed., Moll., pl. 30 *bis*
(1838). [May 1837, 195.—Fringilla.]
- caerulescens** Estrelida (Vieill.), W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.)
- coerulescens** Euglossa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- caerulescens** Eupetes, C. J. Temminck in T. & Laugier, Pls. color. (97) 1835. [11.]
- coerulescens** Euphron, Urv.; Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.
- caerulescens** Eupodotis (Vieill.), R. P. Lesson, Rev. Zool. (Soc. Cuv.), Feb. 1839, 47.—
Otis.

- caerulescens Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850,
caerulescens Falciger, Dejean, Catal. Coléopt. 1821, 84 [*n. n.*]. [398.
caerulescens Fares, Alph. G. in Dict. pittoresque H. N. III. 1835, 164; N. Dict. class.
H. N., ed. 2, XII. July 1845, 345.
- caerulescens Formica, M. Losana, Mem. R. Acc. Sci. Torino, XXXVII. 1834, 314.
caerulescens Formicivora (Vieill.), F. Ménériés, Mém. Ac. Imp. Sci. St Pétersb. [6] III
(2=Sci. Nat. I.) (5), July 1835, 499.—Myrmothera.
- caerulescens Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 176.
caerulescens Garrulus, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 480.
caerulescens Garrulus (Vieill.), J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3)
1839, 353.—Pica ?caerulea.
- caerulescens Geronticus (Vieill.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—Ibis.
caerulescens Glabella, W. Swainson, Treat. Malacol., May 1840, 324.
coerulescens Gymnopleurus (Ol.), Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 200.—
Scarab. 1789.
- coerulescens Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
caerulescens Hedycrum, Lepeletier, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 122.
caerulescens Hedyphanes, G. Fischer v. W., Entom. Imp. Russ. I. (Ent. Ruthen.) *post*
May 1822, 173.—Tagenia, 1821.
- caerulescens Helops, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 269.
caerulescens Helops, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 102.
caerulescens Hierax (L.), G. R. Gray, List Birds Coll. B. M. I. 1844, 30.—Falco, 1758.
caerulescens Hister, J. J. Hoffmann, etc., Entom. Hefte, I. 1803, 73.
caerulescens Iliolacanthus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (—) 1830 or 1831, 133.
- caerulescens Holocentrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 559.
caerulescens Hydrophis (Sh.), J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 62.—
caerulescens Hydrus, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 561. [Hydrus.
caerulescens Hydrus (Enhydis), Shaw; B. Merrem, Tent. Syst. Amph. 1820, 140.
coerulescens Hylotoma, J. C. Fabricius, Syst. Piezat. 1804, 24.—Tenthredo, 1775.
caerulescens Ibis, L. P. Vieillot, N. Dict. H. N., ed. 2, XVI. 1817, 18.
caerulescens [Ierax] (L.), N. A. Vigors, Zool. Journ. I (3) Oct. 1824, 328.—Falco, 1758.
caerulescens Lagria, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 8, & App.
1817, 9. [?Schr. 1781.
- caerulescens Lamia (Voet), C. J. Schoenherr, Syn. Insect. I (3) 1817, 396.—Cerambyx,
caerulescens Laphria, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 286.
caerulescens Littorina (Lam.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 277.—
Turbo.
- caerulescens Locusta (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Gryllus, 1758.
caerulescens Lucilia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
coerulescens Manticora, C. U. v. Salis, Alpina, II. 1807, 66 [*n. n.*]. [253.—Musca.
coerulescens Margarita, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831, 346.
caerulescens Marginella, Lamarck, An. s. vert. VII. 1822, 356.
caerulescens Marginella, de Blainville, Dict. Sci. Nat. XXIX. 1823, 142. [1775.
caerulescens Megachile (Fab.), C. A. Walckenaer, Faune Paris, II. 1802, 137.—Andrena,
caerulescens Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 324.
caerulescens Mendosoma, A. Guichenot in Gay, Chili (Peces) 1849, 215. [—Certhia.
caerulescens Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiii.
caerulescens Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 330.
coerulescens Mesonema (Zygodactyla), J. F. Brandt, Prod. anim. Mertens. I. 1835, 21.
caerulescens Mesonychium, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 108.
coerulescens Mimus (Sw.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 273.—
Orpheus.
- caerulescens Mnioilta (Wied), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Sylvia.
caerulescens Motacilla, J. Latham, Index Orn., Suppl. 1801, p. liii.
caerulescens Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 55.
caerulescens Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 307.
caerulescens Mydas, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 83. [—Pollenia.

- coerulescens** Mylabris, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841,
caerulescens Myrmothera, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 110. [374.
caerulescens Navicella, G. B. Sowerby, II. (ex Récluz MS), Thes. Conch. II (11) 1850,
coerulescens Notodella, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. Aug. 1839, 225. [550.
coerulescens Oedemera (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 10.—
 Cantharis ?caerulea, 1758. [—Gryllus, 1758.
caerulescens Oedipoda (L.), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 288.
coerulescens Ophinctes, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 433.
caerulescens Orpheus, W. Swainson, Phil. Mag., n. s., I (5) May 1827, 369.
coerulescens Orsodacne, K. Duftschmid, Fauna Austriae, III. 1825, 248.
caerulescens Orthetrum (Fab.), E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Libel-
 lula, 1798.
caerulescens Osmia (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 233.—Andrena, 1775.
caerulescens Osmia (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 158.—Apis,
 1758.
coerulescens Osphranteria, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850
coerulescens Otis, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 162. [[1849], 50.
caerulescens Otis, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 334.
coerulescens Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 664.
coerulescens Paludina, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 169 [n. n.].
caerulescens Pardalotus, G. R. Gray, Genera of Birds, I. Jan. 1845, 270.
coerulescens Parus, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 463.
caerulescens Phidiana (Laur.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolidia.
coerulescens Phratora, H. C. Kuester, Käfer Europas, XIV. 1848, 100.
caerulescens Pimelodus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 95.
coerulescens Piophilis, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2517.
coerulescens Pipiza, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 180.
cerulescens Pivclodus (*sic pro* Pimel →), C. S. Rafinesque, Western Review, II (6) July
 1820, 357; Ichth. Ohienis [Dec.] 1820, 63.—Silurus, 1820.
coerulescens Pogonostoma, F. Klug, Arch. f. Naturg. I (1) 1835, 383.
caerulescens Polia, C. F. Freyer, Neuere Beitr. Schmett. V (69) 1844, 48.
caerulescens Pollenia, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 153.
coerulescens Psammobia, Lamarck, An. s. vert. V. 1818, 513.
caerulescens Pyrrhula, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1023.
caerulescens Salpa, A. de Chamisso, De Anim. Verm. I. Salpa, 1819, 22.
caerulescens Saltator, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 105.
caerulescens Sarcophaga, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 650.
caerulescens Scarus, C. G. Ehrenberg in Cuvier & Valenci., H. N. Poiss. XIV. 1839, 230.
coerulescens Senogaster, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 519.
cerulescens Silurus, C. S. Rafinesque, Q. Journ. Sci. (R. Inst. Gt Brit.) IX (17) Ap.
 1820, 49.
coerulescens Solen (Psammobia), F. S. Voigt in Cuvier, Thierreich, II. 1834, 566.
caerulescens Sorex, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 533. [[n. n.].
caerulescens Sorex, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 90
cerulescens Sorex, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 446.
caerulescens Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 318.
caerulescens Spermothila (Vieill.), G. R. Gray, Gen. Birds, II. Oct. 1844, 386.—Pyrrhula.
coerulescens Spheg, G. C. Reich, Mag. Thierreichs (3) 1795, 131.
caerulescens Spheg, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 324.
caerulescens Sponsor, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Dec. 1840, 358.
coerulescens Staphylinus, Dejean, Catal. Coléopt. 1821, 22 [n. n.].
caerulescens Stentor, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 99;
ibid. 1833 (1835) [1834], 327. (caeruleus).
caerulescens Stenus, Gyll.; Dejean, Catal. Coléopt. 1821, 25 [n. n.].
coerulescens Sunetta, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 148.
caerulescens Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 432.
caerulescens Sylvia, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 713.
caerulescens Syrphus, J. W. Meigen, Syst. Beschr. Zweifl. Insekt. III. 1822, 295.

- caerulescens** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 132.
caerulescens Tagenia, G. Fischer de W., Lettré à Pander, 1821, 13.
caerulescens Tanagra, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 541.
caerulescens Terebra, Lamarck, An. s. vert. VII. 1822, 288. [1831, 407.
caerulescens Terebra, Lam. *var.* otaitensis, R. P. Lesson, Voy. "Coquille," Zool. II (1)
caerulescens Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 311.
caerulescens Thereva, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 126.
caerulescens Theristica (Vieill.), G. R. Gray, List Birds Coll. B. M. III. 1844, 91.—Ibis.
coerulescens Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 252.—Andrena,
caerulescens Trixa, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 224. [1775.
caerulescens Trochus, Lamarck, Ency. Méth. (Vers) 1816, pl. 444, Liste p. 9 [*n. et f.*].
caerulescens Trochus, W. Wood, Index Test. 1818, 140.
caerulescens Turbo, Lamarck, An. s. vert. VII. 1822, 49.
caerulescens Urocerus, Latreille, N. Dict. H. N., ed. 2, XXXV. 1819, 148.
caerulescens Vipera (Echidna), Laur.; B. Merrem, Tent. Syst. Amph. 1820, 153.
caerulescens Zosterops (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 191.—
 [caeruleus.] [Certhia.]
coeruleus Acanthurus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 214.
coeruleum Acridium, F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 109.
caerulea Actinia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 157.
caerulea Aedemera, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 149.
caerulea Agama, B. Merrem in Ersch & Gruber, Allg. Ency. II. 1819, 164.
caerulea Agapanthia (Schoenh.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct.
 1839, 177.—Saperda.
caerulea Aglae, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 105.
coerulea Alausa, Cuvier & Valenc., H. N. Poiss. XX. 1847, 432.
caeruleus Alburnus, J. J. Heckel in Russegger, Reise, I (2) 1843, 1036 & 1084.
caerulea Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 351; & Ins. Fenn.
 I. 1834, 351.
coerulea Altica (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 15.—
caerulea Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*]. [Galeruca, 1799.
caeruleus Ampelis, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 95.
caerulea Ampelis, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 161.
coerulea Ancilla, G. Perry, Conchology, Ap. 1811, pl. 31.
caerulea Antarctica, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 246. [1789.
caeruleus Antichus (Thunb.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 56.—Notoxus,
coeruleus Antichus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 176.—Notoxus,
 1789. [lophus.]
coerulea Antilope (C. H. Sm.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 422.—Cepha-
coerulea Aphthona (Payk.), H. C. Kuester, Käfer Europas, VIII. 1847, 98.—Galleruca,
 1799.
caerulea Arbelorhina (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
coeruleus Arcuatus, G. Perry, Arcana, 1810, pl. Aa3. [675.—Certhia, 1758.
coerulea Aristotomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 646.
caerulea Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 25, Feb. 1850.
coerulea Ascidia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 611.
coerulea Asclera (L.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 43.—Cantharis, 1758.
caeruleus Asopus (L.), H. Burmeister, Handb. Ent. II (1) 1835, 378.—Cimex, 1758.
coeruleus Aspidoclonion (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 193.—Bungarus.
ceruleus Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 (1836), 448.
coerulea Auletris (Spix), J. Wagler, Nat. Syst. Amph. 1830, 201.—Hyla.
caeruleus Baridius, C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 116.
caerulea Baris, Dahl; Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [Peryphus.
caeruleum Bembidion (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 76.—
coeruleum Bembidion, Dejean, Spec. gén. Coléopt. V. 1831, 133.—Peryphus, 1821.
coeruleus Bombus, J. C. Fabricius, Syst. Piezat. 1804, 345.
caerulea Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 342. [Myiothera.
caerulea Brachyurus (Raffl.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 253.—

- coerulea** Buccinella, G. Perry, Conchology, Ap. 1811, pl. 27.
caeruleus Bucco, C. Dumont, Dict. Sci. Nat. (ed. 1) IV. 1805, 48.
caeruleus Bungarus (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 270.—Pseudoboa.
- coerulea** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 251.
caerulea Buprestis, F. V. Melzheimer, Ins. Pennsylv. 1806, 46 [*n. n.*]. [1758.
caerulea Caereba (Gm.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 305.—Certhia, L.
caerulea Calliphora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 161.—[264.—Musca.
 Melinda.
- caerulea** Calliphora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
caerulea Calornis (Scop.), G. R. Gray, Gen. Birds, II. Ap. 1846, 327.—? Gracula, 1786.
caeruleus Cantharus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 342.
coeruleus Carabus, C. Steven, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 38.
caeruleus Carabus, G. W. F. Panzer, Ins. Germ., heft 109, 1813, tab. 2.
coeruleus Carabus, And.; J. Sturm, Catal. Ins. Samml. 1826, 110.
caeruleus Carcharhinus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
ceruleus Carcharias, J. E. De Kay, N. H. New York (Fish) 1842, 349.
coeruleus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 768.
caeruleus Centropus (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 53.—Cuculus.
- caeruleus** Cephalophorus (C. H. Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 163.—Cephalophus. [Syn. 348.
caerulea Cephalophus, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. V. 1827,
caerulea Ceratina (Vill.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 156.—
coerulea Cerithia, G. Perry, Arcana, 1810, sign. Z1. [Apis, L. 1758.
caerulea Certhia (Gm.), G. Fischer, Mus. Démid. III. 1807, 26.—Tanagra, 1788.
caerulea Chalcidius, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) I. Mar. 1844, 155.
coeruleus Chlaenius (Steven), Dejean, Catal. Coléopt. 1821, 8.—Carabus.
caerulea Chrysomela, A. G. Olivier, Entom. V. 1807, 515.
coerulea Chrysomela, E. F. Germar, Reise Dalm. 1817, 203.
caerulea Chrysomela, Meg.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
coerulea Chrysomela, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 165.
caerulea Clausilia, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 166.
coerulea Clausilia, "Fér.," Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 8. [Helix (Cochlodina).
caerulea Clausilia (Fér.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 178.—
caeruleus Clerus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 69.
coerulea Clinteria (Ol.), H. Burmeister, Handb. Ent. III. 1842, 305.—Cetonia, Herbst,
caerulea Clupea, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 457. [1783.
coerulea Clythra, Dejean, Catal. Coléopt. 1821, 126 [*n. n.*].
coerulea Coccinella, Dejean, Catal. Coléopt. 1821, 131 [*n. n.*].
caerulea Coccoborus (Wils.), W. Swainson, N. H. Classif. Birds, II. June 1837, 277.—[—Loxia, L. 1758.
 Loxia, L. 1758.
- caerulea** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 522.
caeruleus Coccyzus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 278.—[Certhia, L. 1758.
 Cuculus, L. 1766.
- coerulea** Coereba (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 45.—
coerulea Coeroxys, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 222 [Oeroxys
coerulea Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*]. [err.]
coeruleus Colodactylus *id. ac* coerulescens, Tsch.; J. J. Tschudi, Fauna Peru. (Herp.) 1846, pl. xi.
- caeruleus** Coluber, R. Sheppard, Tr. Linn. Soc. London, VII. 1804, 56.
caeruleus Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 132.
coerulea Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1811, 82.
coeruleus Corynetes, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 108.
caeruleus Corynetes (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 52.—Dermestes, 1789.
coeruleus Corynetes (Deg.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 343.—Clerus, 1775.

- coerulea** Cotinga (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—Ampelis.
caerulea Coua (L.), G. R. Gray, Genera of Birds, II. Sept. 1846, 454.—Cuculus, 1766.
caeruleus Crenilabrus, A. Risso, H. N. Europe, III. 1826, 316.
caerulea Crioceris, F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [n. n.].
coeruleus Cryptocephalus, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 368.
caeruleus Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [n. n.].
ceruleus Ctenolabrus (Mitch.), J. E. De Kay, N. H. New York (Fish), 1842, 172.—
 Tautoga.
coerulea Culicivora (Lath.), J. J. Audubon, Synopsis, 1839, 46.—? Motacilla, L. 1766.
caerulea Culicivora (L.), A. d'Orbigny in Sagra, Cuba (Orn.) 1839, 90.—Motacilla, 1766.
caeruleus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 32 [n. n.].
coeruleus Cyanistes (L.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—Parus, 1758.
caerulea Cyanoloxia (L.), C. L. Bonaparte, Conspectus generum Avium, I. 1850, 502.—Loxia,
 1758.
caeruleus Cyclopterus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 480.
coeruleus Cyldrus, Dejean, Catal. Coléopt. 1821, 41 [n. n.].
caerulea Cypraea, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 8.
caerulea Cypraea, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 9.
caerulea Cypraea, G. Fischer, Mus. Démid. III. 1807, 154.
coerulea Cypraea, G. Perry, Conchology, Ap. 1811, pl. 22.
caerulea Cypraea, G. D. Nardo (ex Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
caeruleus Cyprinus (Varr.), L. Jenyns, Man. Brit. Vert. 1835, 413.—Leuciscus. [43.
caerulea Dasyomma, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 309.
caerulea Dasytes (Fab.), C. A. Walckenaer, Faune Paris, I. 1802, 160.—Lagria, 1792.
caeruleus Diodon, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 201.
caeruleus Ditomus, Dupont in A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 116.
caeruleus Ditylus (Rand.), S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug.
 1848, 96.—Tenebrio.
caerulea Donacia, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 31.
caerulea Doris, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 78.
caerulea Doris, A. Risso, Journ. de Physique, Nov. 1818, 370.
caerulea Egretta (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 47.—Ardea, 1758.
coerulea Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 182.
caeruleus Encyclops (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan.
 1850, 317.—Leptura.
caeruleus Encyrtus, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 304.
caerulea Enhydrys, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 202.
caerulea Eolidia (Mont.), G. Cuvier, R. Anim. II. 1817, 393.—Doris.
coeruleus Epimachus (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 8_a.—Falcinellus.
caerulea Etkeostoma, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1845), 47.
coeruleus Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 174.
coerulea Eurydema (Fab.), F. L. de Laporte, Ess. Hymenopt. in Magasin de Zool. II. 1832,
 61.—Cimex, L. 1758.
coerulea Euriphene, Boisduval in A. Delegorgue, Voy. Afrique austr. II. 1847, 592.
coeruleus Falciger, Dejean, Catal. Coléopt. 1821, 84 [n. n.].
caeruleus Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 164.
coerulea Faventia, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 73 [n. n.].
coeruleus Formicomus (Thunb.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon.
 Anim. artic. (7) 1849, 14.—Notoxus ["Mon. Anth." poster. edit.].
caerulea Fringilla, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 249. [Loxia, 1758.
coerulea Fringilla (L.), Illiger in H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 22.—
caerulea Fringilla (Wils.), C. L. Bonaparte, Ann. Lyceum N. H. New York, II (4) Dec.
 1826, 114.—Loxia, ? L. 1758.
coerulens (*sic*) Gelasimus, A. Adams in Belcher, Narr. Voy. "Samarang," II. 1848, 437.
coeruleus Gerrhonotus, A. F. A. Wiegmann, Isis (Oken), 1828, 380.
caerulea Glaucia (Müll.), C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 6.—Cyclops,
caeruleus Gobius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 57. [1776.

- caeruleus** Gomphosus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 100.
caerulea Goniodoris, J. E. Gray, Figs. Moll. Anim. IV. 1850, 104. [? L. 1758.
caerulea Guiraca (Wils.), W. Swainson, Phil. Mag., n. s., I (6) June 1827, 438.—Loxia,
caerulea Halcyon (L.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo.
coerulea Haltica, Payk.; J. Sturm, Catal. Ins. Samml. 1826, 146.
caeruleum Hedychrum, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36 [*u. n.*].
caeruleus Heliases, Cuvier & Valenc., H. N. Poiss. V. 1830, 497.
caerulea Heliopora (E. & S.), de Blainville, Dict. Sci. Nat. LX. 1830, 357.—Madrepora,
 Esp. 1794. [1821, 66 [*u. n.*].
caerulea [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
coeruleus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*u. n.*].
caerulea Herodias (L.), G. R. Gray, List Birds Coll. B. M. III. 1844, 79.—Ardea, 1758.
coeruleum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [*u. n.*].
caerulea Hippa, A. Risso, H. N. Crust. 1816, 50.
caerulea Hirundo, L. P. Vieillot, Ois. Amér. sept. I. 1807, 57. [194.
caeruleus Holocanthus, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. VII. 1831,
coerulea Hoplia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 63.—
coerulea Hyla, J. B. v. Spix, Ranar. Brasil. 1824, 13. [Scarabaeus, 1773.
coerulea Hyla (Shaw), J. E. Gray in G. Grey, Journ. 2 Exp. Austral. II. 1841, 435.—
 Rana, 1790.
caerulea Hylocharis (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—Trochilus.
caeruleus Hylophilus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 731.
coerulea Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 289.
coerulea Hypothymis (Lev.), F. Boie, Isis (Oken), 1826, 973.—Muscicapa, Gm. 1788.
caerulea Hypothymis (Lath.), F. Boie, Isis (Oken), 1828, 318.—Sylvia, 1790.
caerulea Iguaña, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 286.
coerulea Iguana, J. B. v. Spix, Lacert. Brasil. 1825, 7.
coeruleus Irisor (Shaw), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 411.—Promerops.
caerulea Ischnomera (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 55.—
 Cantharis, 1758.
caerulea Isotoma, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 401.
caerulea Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1845.
caeruleus Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 443. [294.
coerulea Lampetis (Gory), L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 505.—
 Buprestis, ? Ol.
coeruleum Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 605.
coerulea Lebia, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 161.
caerulea Lebia, L. Buquet, Ann. Soc. Ent. France, III (4) post Mar. 1835, 681.
caeruleus Leistus, J. R. Schellenberg, Helvet. Entom. II. 1806, 148.
caeruleus Leistus, Latreille; Dejean, Catal. Coléopt. 1821, 7 [*u. n.*].
caerulea Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 523.
coerulea Leptura, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 280.
caeruleus Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 301.
caeruleus Leuciscus, W. Yarrell, Tr. Linn. Soc. London, XVII (1) 1834, 8.
caerulea Libellula, *id. ac* caeruleata, Drury; E. Donovan, Nat. Repository, IV. pl. 110
 (Ap. 1825).
caerulea Libellula, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 103.
caerulea Libellula, L. R. Meyer, Mitth. Nat. Ges. Bern, 1846, 197.
caerulea Limapontia (Quatr.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 110.—Chalidis.
coeruleus Locusta (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 89.—
 Gryllus, 1773.
caerulea Lonchaea, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1004.
caerulea Lucilia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 256.—Phormia.
coerulea Lucilia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 297.—
caeruleus Lumbricus, A. Risso, H. N. Europe, IV. 1826, 427. [Musca.
coeruleus Malachius, Dejean, Catal. Coléopt. 1821, 38 [*u. n.*].
caeruleus Malachius, J. W. Randall, Boston Journ. N. H. II (1) 1838, 16.

- coeruleus** Malachius, W. F. Erichson, Entomographien, 1840, 82.
- caeruleus** Megasclex, R. Templeton, Proc. Zool. Soc. London, XII (135) Oct. 1844, 89.
- caeruleus** Meligethes (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Nitidula.
- caerulea** Melinda (Meig.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 439.—Musca. [264.—Certhia, 1758.
- caerulea** Meliphaga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- coeruleus** Melyris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 158.
- caeruleus** Merganser (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 171.—Mergus, 1790.
- caeruleus** Mergus, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 319.
- caerulea** Millepora (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
- caerulea** Minyas, G. F. Jaeger, De Holothur. 1833, 11. [(1834), 348.—Pocillopora.
- caerulea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 113, Sept. 1844.
- caerulea** Montagua (Mont.), J. Fleming, Phil. Zool. II. 1822, 470.—Doris.
- coeruleus** Mus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 199.
- caerulea** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 63.
- coerulea** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 654.
- caerulea** Musca, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 315.
- caerulea** Muscipeta (Gm.), Cuvier, Règne Anim. I. 1817, 344.—Muscicapa, 1788.
- caerulea** Myiagra, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [n. n.].
- caerulea** Myiagra (Vieill.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 93.—Muscicapa, ? L. 1758.
- caerulea** Myiothera, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 301.
- caeruleus** Mystropterus (Dup.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 846.—Ditomus.
- caerulea** Nacella, J. E. Gray, Figs. Moll. Anim. IV. 1850, 93.
- caerulea** Nectarinia (L.), C. Illiger, Prod. 1811, 210.—Certhia, 1758.
- caerulea** Nitidula, T. Marsham, Coleopt. Brit., Sept. 1802, 132. [? Edw. 1771.
- caerulea** Novacula (L.), H. Cloquet, Dict. Sci. Nat. XLIV. 1826, 465.—Coryphaena,
- coerulea** Novacula (Bl.), G. Cuvier, R. Anim. II. 1817, 266.—Coryphaena, 1786.
- caerulea** Oedemera (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 56.—
- coerulea** Oeromyia, v. coerulea Coeromyia. [Necydalis, 1767.
- caerulea** Oliva, W. Wood, Suppl. Index Test. 1828, 46.—Voluta, 1828.
- caerulea** Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 70, Oct. 1850. [1787.
- caeruleus** Omophlus (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 357.—Cistela,
- caerulea** Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 369.
- coerulea** Ophya, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 322.
- coeruleus** Orcus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 472.
- coeruleus** Ormyrus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 103.
- caeruleus** Pachycarus, A. J. J. Solier, Ann. Soc. Ent. France, III (4) post Mar. 1835, 671.
- caerulea** Pachyptila (Gm.), C. Illiger, Prod. 1811, 275.—Procellaria, 1788.
- coerulea** Patella, G. Perry, Conchology, Ap. 1811, pl. 43.
- caeruleus** Pelopaeus (L.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 320.—Sphex, 1758. [Cimex, 1758.
- coeruleus** Pentatoma (L.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 299.—
- caerulea** Pepsis (L.), J. C. Fabricius, Syst. Piezat. 1804, 214.—Sphex, 1758.
- coeruleus** Peryphus, Dejean, Catal. Coléopt. 1821, 17 [n. n.].
- caerulea** Philedon (L.), Cuvier, Règne Anim. I. 1817, 360.—Certhia, 1758.
- caerulea** Phormia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- caerulea** Pica, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 126. [1830, 466.
- caerulea** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- caerulea** Pipra, J. Latham, Index Orn., Suppl. 1801, p. lvii. [101.
- caerulea** Pitta (Rafil.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 63 —Myiothera.
- caeruleus** Plastron (Fab.), J. Gistl, Nat. Thierr. 1848, 126.—Helops, 1775.
- coerulea** Plethosoma, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) Zooph. 1838, 66.

- coerulea** Pocillopora (S. & E.), Lamarck, An. s. vert. II. 1816, 276.—Millepora, Pall. 1766. [Isotoma.]
- caerulea** Podura (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 291.—
- coeruleus** Pogonophorus (Sch.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 271.
- coerulea** Polia, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 126. [—Leistus.]
- coerulea** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 279.
- caeruleus** Polophilus (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 56.—Cuculus, 1766.
- caeruleus** Polytomus, R. P. Lesson, Dict. Class. H. N. XIV. 1828, 195.
- caeruleus** Pomacentrus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 397.
- coerulea** Porpita, J. F. Eschscholtz, Isis (Oken), 1825, 744.
- caeruleus** Prionus, C. J. Schoenherr, Syn. Ins. II. 1808, 346.
- coeruleus** Pristonychus, Dejean, Spec. gén. Coléopt. III. 1828, 53.—Sphodrus, 1821.
- caeruleus** Promerops, G. Shaw, Gen. Zool. (Aves), VIII (1) 1812, 142.
- caeruleus** Prostenus, J. Gistel, Handb. Naturges. 1850 [1847], 413.
- caerulea** Pseudoboa, J. G. Schneider, Hist. Amph. II. 1801, 284.
- coerulea** Pseudocolaspis, Revue Entom. I (1) Mar. 1833, 23.
- coerulea** Psilocera, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 2.
- coerulea** Psilota, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 268.
- caeruleus** Pteroglossus (Gm.), G. R. Gray, Genera of Birds, II. Ap. 1846, 404.—Ramphastos, 1788.
- coeruleus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 23.
- coeruleus** Pylydrusus (*sic*), K. H. B. Grimmer, Steiermark's Coleopt. 1841, 41.
- caeruleus** Pyrodes (Schoen.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 187.—Prionus. [[1802], 247.]
- coerulea** Pyrrhula, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- caerulea** Pyrrhula, L. P. Vieillot, Gal. des Ois. I (2) 1822, 61.
- coerulea** Pyrula, G. Perry, Conchology, Ap. 1811, pl. 50.
- caeruleus** Pytho, J. C. Fabricius, Syst. Eleuth. II. 1801, 95.—Cuculus, 1787.
- caeruleus** Rallus, W. Turton, Linnaeus Syst. Nat. I. 1802, 432.
- coerulea** Rana, F. M. Daudin, H. N. Rainettes, 1802, 70.
- coeruleus** Rhizophagus, J. Waltl, Isis (Oken), 1839, 225.
- coeruleus** Rhynchites (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 191.—Attelabus, 1798.
- caeruleus** Rhynchites, J. Gistel, Nat. Thierr. 1848, 189 [*n. n.*].
- coerulea** Rutela, M. Perty, Del. anim. artic. Brasil. (1) 1830, 50.
- caerulea** Salpa, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 589.
- caerulea** Saperda, C. J. Schoenherr, Syn. Insect. I. 1817, 437.
- coerulea** Saperda, O. G. Costa, Atti R. Accad. Sci. [Napoli], IV (Zool.), 1839, 142.
- caerulea** Sarcophaga (Meig.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1310.—Musca.
- coeruleus** Scarus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 288.
- caeruleus** Scarus, Cuvier & Valenc., H. N. Poiss. 1839, 186.
- caerulea** Seriolella, A. Guichenot in Gay, Chili (Peces) 1849, 242.
- caeruleus** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 432.
- coerulea** Spheg, J. R. Forster, Anim. mar. Aust. 1844, 19.
- coeruleus** Sphodrus, Bon. in Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- caerulea** Spiza (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 474.—Tanagra, 1788.
- caerulea** Spongia, A. Risso, H. N. Europe, V. 1826, 373.
- caeruleus** Squalus, H. D. de Blainville, Faune Française (13 & 14) Poissons, 1825, 90.
- caerulea** Stenochia, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 240. [61.—Necydalis, 1767.]
- caerulea** Stenolytra (L.), L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829 [auct. typ.],
- caeruleus** Stephanophorus (Vieill.), H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 31.—Pyrrhula. [—Tanagra, ? Pyrrhula.]
- caerulea** Stephanophorus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 238.
- cerulea** Sterna, F. D. Bennett, Nar. Whaling Voy. II. 1840, 248.
- coeruleus** Stiretrus (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 154.—Cimex, 1758.
- coerulea** Storena, W. E. Leach, Ency. Brit. (Suppl. to ed. 4–6) I (2) 1816, 441.

- caerulea** Sylvia, A. Wilson, Amer. Ornith. II, 1810, 141.
caerulea Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 428.
coerulea Sylvicola (Wils.), J. J. Audubon, Synopsis, 1839, 56.—Sylvia.
caeruleum Sympodium, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 285.
caerulea Tautoga, S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 24. [21.
caerulea Tellina, G. D. Nardo (ex Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
coerulea Temnochila (Ol.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 241.
 —Trogosita, 1790.
caeruleus Tenebrio (Upis), J. W. Randall, Boston Journ. N. H. II (1) 1838, 20.
coerulea Tephritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 340.
caerulea Tersina, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIII. 1819, 401. [Trochilus.
caeruleus Thaumantias (Vieill.), C. L. Bonaparte, Conspect. gen. Avium, I. 1850, 78.—
caerulea Trapezia, E. Rueppell, Besch. Krabben rothen Meeres, 1830, 27.
caerulea Tririgma, J. O. Westwood, Ann. Mag. Nat. Hist. VII. no. 42, Ap. 1841, 152.
caeruleus Trochilus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 223.
caeruleus Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 361.
coeruleus Trocus, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 178.
caeruleus Unio, L. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 95.
caeruleus Unio, W. H. Benson, J. Asiat. Soc. Bengal, IV. 1835, 450.
coeruleus Uromastix, B. Merrem, Tent. Syst. Amph. 1820, 56.
coerulea Vespa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 171.—Polistes.
caerulea Voluta, W. Wood, Suppl. Index Test. 1828, 11 [n. et f.].
caerulea Xenia, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
 (1834), 278.
caeruleus Xenodon (L.), L. J. Fitzinger, Neue Classif. Rept. 1826, 56.—Coluber, 1758.
coerulea Xyela, Schilling, Uebers. Arb. schles. Ges. 1829 (1830), 55 [n. n.].
caerulea Xylocopa, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 150.
caerulea Xylocopa (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II.
 1841, 200.—Bombus.
caerulea Xystronia, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) post June 1835, 239.
coeruleus Zethus, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 394.
caeruliceps Momotus (Gould), R. P. Lesson, Actes Soc. Linn. Bordeaux, XII (41=61)
 1842, 190.—Prionites.
coeruliceps Prionites, J. Gould, Proc. Zool. Soc. London, IV (38) May 1836, 18.
caeruligula Bucco, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [n. n.].
caerulipes Bdella, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 21 [n. n.].
coerulipes Cerambyx, J. Sturm, Catal. Ins. Samml. 1826, 113 [n. n.].
coerulipes Chrysis, J. C. Fabricius, Syst. Piezat. 1804, 173.
coerulipes Chrysomela, Dahl; Dejean, Catal. Coléopt. 1821, 122 [n. n.].
coerulipes Chrysomela, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 116.
caesar Buthus, C. L. Koch, Die Arachniden, IX (1) post May 1841, 6.
caesar Lucilia (L.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 452.—Musca, 1758.
caesar Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 161.
caesareus Ammonites, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 49.
caesareus Anoplognathus (Schoen.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
 (2) 1835, 174.—Rutela.
caesarea Rutela, Billberg in C. J. Schoenherr, Syn. Insect. I (3) 1817, 149; & App.
caesarea Rutela, J. Gistel, Nat. Thierry. 1848, 190. [1817, 58.
caesarea Rutela, J. Gistel, Handb. Naturges. 1850 [1847], 623.
caesariensis Tarpa, Savigny in Le Peletier, Mon. Tenthred. 1823, 17.
caesarina Volucella (Scop.), F. v. P. Schrank, F. Boica, III (1) 1803, 132.—Musca, 1703.
caesarion Lucilia (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 165.—Musca.
caesarion Musca, J. W. Meigen, Syst. Besch. Zweif. Insekt. V. 1826, 57.
caesiaria Harpalycy, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
caesiaria Larentia, C. F. Freyer, Neuere Beitr. Schmett. V (65) 1842, 13.
caesiaria Phaesyale, P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 255.

- caesiata** Aplocera (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geometra, 1775. [Intra, 1775.]
- caesiata** Glaucopteryx (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 332.—Geo-
- caesiata** Larentia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra, 1775. [(5 & 6) 1846, 103.—Geometra, 1775.]
- caesiata** Phaesyloides (D. & S.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II, Tom. 2
- caesiata** Phalaena (Hueb.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 332.—Geometra, 1796. [Lagostomus.]
- caesicollis** Dermatodes (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 898.—
- caesicollis** Lagostomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 619.
- caesiella** Mompha, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea, 1796.
- caesiella** Oecophora (Hueb.), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—Tinea, 1796. [Tinea, 1796.]
- caesiella** Telea (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 247.—
- caesiella** Yponomeuta (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, 1796. [424.]
- caesifrons** Phorocera, J. Macquart, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850,
- caesifrons** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- Caesio** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 85.—P. [959.]
- Caesiomorus** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 92.—P.
- Caesira** J. Fleming, Phil. Zool. II. 1822, 151.—Tun. [Coesirae, Sav. *vernac.*]
- caesia** Agathis, F. Klug in J. W. Wiedemann, Reise Tyrol etc. (2) 1835, 89.
- caesius** Aramides (Spix), G. R. Gray, Genera of Birds, III. Nov. 1846, 594.—Gallinula.
- caesia** Blepharoptera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 414.—Helomyza.
- caesia** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 114.
- caesia** Campephaga (Licht.), G. R. Gray, Genera of Birds, I. June 1846, 283.—Ceblepyris.
- caesia** Ceblepyris, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 51.
- casia** Chibia, B. H. Hodgson, India Rev. I. 1837, 324.
- caesia** Chortophila, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 325.
- caesius** Coluber, H. Cloquet, Dict. Sci. Nat. XI. 1818, 201.
- caesius** Coluber, L. J. Fitzinger, Neue Classif. Rept. 1826, 57 [*n. n.*].
- caesia** Columba, C. L. Landbeck, Isis (Oken), 1843, 601.
- caesius** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 318.
- caesius** Curculio, G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 45.
- caesia** Curtonevra (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 278.—Musca.
- caesia** Cyrtoneura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 309.—Musca, 1826. [—Noctua, 1775.]
- caesia** Dianthecia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.), 1850, 284.
- caesia** Dianthoecia (Hueb.), Boisduval, Revue Entom. II (6) 1834, 249.—Noctua, ? D. & S. 1775.
- caesia** Dioctria, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 35.
- caesius** Elanus, J. C. Savigny, Egypte, I (1) (Ois.) 1809, 98.
- caesia** Emberiza, P. J. Cretschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (4) 1827, 17.
- caesius** Entedon, F. Walker, Mon. Chalcid. I. 1839, 30.
- caesia** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 516.—Tinea caesiella, Huebn.
- caesius** Falco, J. Wolf & B. Meyer, Nat. Voegel Deutschl. II (16) *ante* 1810.
- caesius** Falco, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 315.
- caesia** Fringillaria, W. Swainson, N. H. Classif. Birds, II. June 1837, 290.
- caesia** Fringillaria (Cretz.), G. R. Gray, Genera of Birds, II. Aug. 1844, 378.—Emberiza.
- caesia** Gallinula, J. B. v. Spix, Avium Brasil. II. 1825, 73.
- caesia** Glaucea, C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 7.
- caesia** Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 56.
- caesia** Hubneria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848, 605.
- caesia** Hydrophoria, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 298.
- caesia** Hylemyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 318.

- caesia** Hypothymis, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 22 [*n. n.*]
caesius Lanius, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin, 1819, 40.
- caesia** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 95.
caesia Lispe, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 228.
caesia Melecta, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 100 [*n. n.*]. [1775.
caesia Mimetes (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 210.—Noctua,
caesia Monacha, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. June 1839, 167.
caesia Monarcha, Less.; G. R. Gray, Genera of Birds, I. Aug. 1846, 260.
caesia Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 76.
caesia Muscicapa, Max Wied in C. J. Temminck in T. & Laugier, Pls. color. (3) Ap. 1822.
caesia Mygale, C. L. Koch, Die Arachniden, IX (5) 1842, 83.
caesia Notiphila, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 214.
caesia Palythoa, J. D. Dana, Wilkes, U. S. Exped., Zooph. c. Mar. 1848, 427.
caesius Phyllobius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 15.—Curculio.
caesia Polia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Noctua, 1775.
caesia Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 887.
caesius Rallus, W. Swainson, Anim. in Menag., Dec. 1837, 335.
caesius Rallus (Spix), G. R. Gray, List Birds Coll. B. M. III. 1844, 115.—Gallinula.
caesius Rallus, J. J. Tschudi, Fauna Peru. (Orn.) 1846, 300. [1822, 56.
caesia Rhamphomyia, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III.
caesius Scincus, H. Kuhl, Beitr. Zool. I. 1820, 130. [pyris.
caesia Setophaga (Licht.), G. R. Gray, Genera of Birds, III. App. 1849, 12.—? Ceble-
caesia Sitta, J. Wolf in B. Meyer & J. Wolf, Tasch. Deutsch. Vögelk. I. 1810, 128.
caesia Spilogaster, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 296.
caesius Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 180.
caesia Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 280.
caesius Thamnomanes (Licht.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 230.—Lanius.
caesia Thereva, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 62.
caesia Tipula, T. E. Schummel, Beitr. Entom. Schlesien (3) 1833, 65.
caesia Typhochlaena, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 75.—Mygale, 1842.
caesius Tyrannus (Licht.), A. d'Orbigny, Mérid. (Ois.) 1839, 309.—Lanius.
caesmarynchos v. **chasmarrhynchus**.
Caeso J. Gisl, Nat. Thierr. 1848, p. viii.—P.
caesonina v. **cesonia**.
caespidium Apis, G. W. F. Panzer, Ins. Germ., heft 81, 1801, tab. 19.
[**caespit** →.] [1775.
cespitalis Leimonina (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 350.—Pyrallis,
cespitalis Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 283.
cespitalis Pyrausta (D. & S.), F. Treitschke, Schmett. Europa, VI (2) 1828, 317.—
Pyrallis, 1775.
cespitana Eudemis, J. Huebner, Verz. bekannt. Schmett. 1826, 382.—Tortrix.
cespitana Sericoris (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.), Aug. 1834,
134.—Tortrix.
cespitana Syricoris (Hueb.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Tortrix.
cespitana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 39 (Fernaldo judice 1811–18),
caespitana Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 62. [[*n. et f.*].
cespitator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 269.
cespitea Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 490.—Tinea cespitella,
Hueb. 1796. [1796.
cespitellus Crambus (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Tinea,
cespitolens Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 35.—Aranea cespitum, 1802.
cespitolis Philodromus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837
[1836], 555.—Aranea cespitum, 1802.
caespitiella Coleophora, P. C. Zeller, Isis (Oken), 1839, 208. [1775.
cespitis Apamea (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Noctua,
cespitis Charaëas (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 109.—
Noctua, 1775.

- cespitis** *Luperina* (D. & S.), Boisduval, Europ. Lepid. Index, 1829 [1828], 78.—Noctua, 1775.
- cespitis** *Tholera* (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 215.—Noctua, 1775. [pora, 1767.]
- caespitosum** *Anthophyllum* (L.), A. Schweigger, Handb. Naturges. 1820, 417.—*Madre-cespitosa* *Caryophyllia* (L.), Lamarck, An. s. vert. II. 1816, 228.—*Madrepورا*, 1767.
- cespitosa** *Caryophyllia* (Goldf.), de Blainville, Dict. Sci. Nat. L.X. 1830, 312.—*Lithodendron*.
- caespitosa** *Ceripora*, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 22.
- caespitosa** *Cladocora* (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 310.—*Caryophyllia*.
- caespitosa** *Cricopora* (Lamx.), J. Morris, Cat. Brit. Foss. 1843, 34.—*Spiropora*.
- caespitosum** *Cyathophyllum*, G. A. Goldfuss, Petref. German. I (1) 1826, 60. [94.]
- caespitosum** *Cyathophyllum*, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844,
- caespitosa** *Cymodocea*, O. G. Costa, Fauna Regno Napoli, Zoofiti, Cymod. 3 (Ap. 1843).
- coespitosum** *Diphyphyllum* (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 106.—*Cyathophyllum*. [Nat. III. 1824, 238.]
- cespitosa** *Doris*, v. Hasselt, Allg. Konst. Letterbode, 1824 (2-4), 22; Bull. des Sci.
- caespitosa** *Galeolaria*, Lamarck, An. s. vert. V. 1818, 372. [—*Syringopora*.
- caespitosa** *Harmodites* (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 109.
- caespitosa** *Jania*, P. Duchassaing, Anim. rad. Antilles [1850], 31.
- caespitosa** *Jerea*, H. Michelin, Icon. Zoophyt. (9-12) 1844, 136. [pora, 1767.]
- caespitosum** *Lithodendron* (L.), G. A. Goldfuss, Petref. German. I (1) 1826, 44.—*Madre-*
- caespitosum** *Lithodendron* (Martin), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 188.—“*Madrepора*.”
- cespitosa** *Madrepора*, L.; W. Martin, Petr. Derb. 1809, pl. 17.
- caespitosa** *Montlivaltia*, G. v. Muenster, Beitr. zur Petref. (4) 1841, 36.
- cespitosa** *Pocillopora*, J. D. Dana, Wilkes, U. S. Exped., Zooph. c. Mar. 1848, 525.
- caespitosa** *Serpula* (Lam.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 341.—*Galeo-*
- caespitosa** *Spiropora*, J. Lamouroux, Exp. Méth. Polyp. 1821, 86. [laria.
- cespitosa** *Spongia*, C. S. Rafinesque, Amer. J. Sci. I (2) 1818, 150.
- caespitosa** *Syringopora*, G. A. Goldfuss, Petref. German. I (1) 1826, 76.
- caespitosa** *Zonopora* (Roem.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 267.—*Ceripora*.
- cespitum** *Apis*, G. W. Panzer, F. Ins. Germ., heft 7, 1801, 81.
- cespitum** *Aranea*, C. A. Walckenaer, Faune Paris, II. 1802, 230.
- cespitum** *Bombus* (Panz.), C. A. Walckenaer, Faune Paris, II. 1802, 149.—*Apis*.
- coespitum** *Bremus* (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 261.—*Apis*.
- coespitum** *Helix*, Vallot, Exer. Hist. Nat. 1801, 5.
- caespitum** *Helix*, J. P. R. Draparnaud, Tab. Moll. France, 1801, 92. [1821, 48.]
- cespitum** *Helix* (*Helicella*) Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- cespitum** *Helix*, Drap. var. major, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4), Sept. 1839, 12. [L. 1758.]
- caespitum** *Manica* (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 279.—*Formica*,
- cespitum** *Masicera*, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 473.
- caespitum** *Micryphantes*, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 12.
- caespitum** *Myrmica* (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 259.—*Formica*, 1758.
- cespitum** *Philodromus*, C. A. Walckenaer, Faune Française (11 & 12) Aptères 1824, 91.
- caespitum** *Theba* (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 14.—*Helix*.
- cespitum** *Xerophila* (Drap.), F. Held, Isis (Oken), 1837, 913.—*Helix*.
- cespitum** *Zetes*, C. L. Koch, Deutsch. Crust., heft 31, 1841, tab. 8.
- Caestron** Dupont in M. Spinola, Ess. mon. Clérites, I. 1844, 269.—Col.—v. *Clerus tro-*
- caestrum** *Bombyx*, J. Huebner, Europ. Schmett., Tab. Bombyx, 46 (*Fernaldo judice* 1802—
- caestrum** *Cossus* (Huebner.), F. Ochsenheimer, Schmett. Europa, III. 1810, 94.—*Bombyx*.
- caestrum** *Hypopta*, J. Huebner, Verz. bekannt. Schmett. [1822], 195.
- caestus** *Turbinella*, W. J. Broderip, Proc. Zool. Soc. London, I. (1-3) May 1833, 8.

- caesula** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 97.
- caesus** Ambates, C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 153.
- caesus** Ateuchus, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 261 [*n. n.*].
- caesus** Bolbocerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 54.
- caesus** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 51.
- caesus** Chlaenocoris, Klug in E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 23.
- caesus** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 217.
- caesus** Cossonus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 137.
- caesus** Dytiscus, K. Duftschmid, Fauna Austriae, I. 1805, 284.
- caesa** Falagria, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 295.
- caesus** Haliphus (Dufts.), J. Sturm, Catal. Ins. Samml. 1826, 145.—Dytiscus.
- caesus** Hypocolobus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 461.—
Spartecerus. [(2) 1848, 568, Table.—Ptilium.
- caesus** Micrus (Erichs.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848
- caesum** Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 209.
- caesum** Opatrum, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 96.
- caesus** Opus, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 215.
- caesus** Oxylaenus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 284.
- caesus** Pachypus, W. F. Erichson, Entomographien, 1840, 35.
- caesus** Passalus, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*].
- caesus** Phloeonaeus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 598.
- caesus** Plegaderus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 204.—Hister,
? Herbst, 1792. [312.—Scarabaeus, 1796.
- caesus** Pleurophorus (Panz.), E. Mulsant, H. N. Coleopt. France (Lam.), Aug. 1842,
- caesus** Psammodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
- caesum** Ptilium, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 26.
- caesus** Spartecerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 423.
- caetetes** Orthoceras, J. G. Cumming, I. of Man, 1848, 357 [*n. n.*].
- cafer** *v.* **caffer**.
- caffa** Ammonites, L. Rousseau in Demidoff, Voy. Russie, II. 1842, 782.
- [**caffer -ra -rum**.]
- caffra** Achloa, W. F. Erichson, Entomographien, 1840, 42.
- caffrus** Actinopus, C. L. Koch, Die Arachniden, IX (6) 1842, 98.
- caffrum** Agrion, H. Burmeister, Handb. Ent. II (2) ii, 1839, 821.
- caffer** Alydus, C. P. Thunberg, Hemipt. Capen. III. 1822, 3.—Cimex, 1784.
- caffer** Ancyclus, C. F. F. Krauss, Südafrik. Moll. 1848, 70.
- caffer** Anisodactylus, C. H. Boheman, Ins. Caffr. I (1) 1848, 193.
- caffra** Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 266.
- caffra** Anthrax, C. R. W. Wiedemann, Dipt. exot. 1821, 131.
- caffer** Anthus, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850, 248 [*n. n.*].
- caffer** Anthus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 100.
- caffer** Aphodius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 25.
- caffrum** Apion, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 436.
- caffra** Apis, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 10.
- cafer** Ateuchus, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 351.
- caffra** Auricula, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Auri-
culacea (49) 1844, 36.
- caffer** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 689.
- caffrus** Bombus (L.), J. C. Fabricius, Syst. Piezat. 1804, 346.—Apis, 1767.
- caffer** Brachinus, C. H. Boheman, Ins. Caffr. I (1) 1848, 72.
- caffer** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 394.
- cafer** Brachypus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 189.—
Turdus, 1817.
- cafer** Branchipus, S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 58.
- caffer** Bubalus (Sparm.), J. E. Gray, List Mamm. Coll. B. M. 1843, 153.—Bos, 1779.
- caffra** Bunaea (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 154.—Phalaena caf-
fraria, Cr. 1777.
- caffra** Calandra (Herbst), A. G. Olivier, Entom. V. 1807, 84.—Rhynchophorus, 1795.

- cafra** Callimorpha (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 6.—
- caffer** Callistus, C. H. Boheman, Ins. Caffr. I (1) 1848, 128. [Phalaena, 1782.
- caffer** Camptelasmus, M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1)
- caffer** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 99. [1852), 151.
- caffer** Chaus (Desm.), J. E. Gray, List Mamm. Coll. B. M. 1843, 45.—Felis.
- caffer** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 145.
- caffra** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1838, 8.
- caffra** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 177.
- caffra** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 367.
- caffra** Coccothraustes (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 999.—Loxia, ? Th. 1784.
- caffer** Colpoderus, Klug in J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832,
- caffer** Conus, C. F. F. Krauss, Südafrik. Moll. 1848, 131. [179.
- cafer** Corvultur (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 387.—Corvus, 1793.
- cafra** Crioceris, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 567.
- caffra** Crocisa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 455.
- cafer** Cucupicus (Lath.), R. P. Lesson, Man. Orn. II. June 1828, 116.—Picus, Gm. 1788.
- caffer** Curculio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1823, 999.
- caffer** Cypselus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 58.
- caffer** Dasygogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 394.
- caffra** Dichromyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 345.
- caffer** Dineutes, C. H. Boheman, Ins. Caffr. I (1) 1848, 262.
- caffer** Dinodes, C. H. Boheman, Ins. Caffr. I (1) 1848, 158.
- caffra** Discocephala, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 198.
- caffer** Dolichus, Illiger in Dejean, Spec. gén. Coléopt. III. 1828, 40.
- caffer** Emberiza, J. R. Forster, Anim. mar. Aust. 1844, 53.
- caffer** Euleptes, C. H. Boheman, Ins. Caffr. I (1) 1848, 168.
- caffra** Eupodotis (Licht.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 47.—Otis.
- caffra** Eutychia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 117.—Sphinx, 1764.
- caffra** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 326.
- caffre** Falco, J. Wilkes, Ency. Londin. VII (417) 1805, 173.
- cafra** Felis, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 540.
- caffra** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 292.
- caffra** Fissurella (Gm.), C. F. F. Krauss, Südafrik. Moll. 1848, 66.—Patella, 1790.
- caffra** Fringilla, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 42 [*n. n.*].
- caffra** Fringilla (L.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 22.—Loxia, Th. 1784.
- caffer** Gerbillus (Wagn.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 222.—Meriones, Licht.
- caffer** Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 752.
- caffer** Gyrinus, Chevrolat in C. Aubé, Spec. gén. Hydroc. 1838, 712.
- cafer** Haematornis (L.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 89.—Turdus, 1766.
- caffer** Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 33.—Carabus.
- caffer** Harpalus, C. H. Boheman, Ins. Caffr. I (1) 1848, 203.
- cafer** Helamis (Pall.), F. Cuvier, Dict. Sci. Nat. XX. 1821, 344.—Mus, 1779.
- cafra** Helix (Helicophanta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- caffra** Herpestes (Gm.), C. Illiger, Prod. 1811, 135.—Viverra, 1788. [29.
- caffer** Hipporhinus (Th.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 487.—Curculio.
- caffer** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 132.
- caffra** Hololepta, W. F. Erichson, Jahrb. Insectenk. I. 1834, 94.
- cafer** Homo, Bory de St V., Dict. class. H. N. VIII. 1825, 320.
- caffer** Hydaticus, C. H. Boheman, Ins. Caffr. I (1) 1848, 238.
- caffra** Hylobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 341.
- caffer** Hyphydrus, C. H. Boheman, Ins. Caffr. I (1) 1848, 247.
- caffer** Hypolithus, C. H. Boheman, Ins. Caffr. I (1) 1848, 196.
- caffer** Ichneumon (L.), G. Fischer, Zoogn., ed. 3, III. 1814, 188.—Viverra, Gm. 1788.
- caffer** Icterus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 19.
- cafer** Ixos (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 15.—Turdus, 1766.
- cafer** Julodis, Laporte, Revue Entom. III (4) 1835, 162.

- caffra Lamprometopia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 287.
- cafer Lanius, J. R. Forster, Anim. mar. Aust. 1844, 398.
- caffer Lathrobium, C. H. Boheman, Ins. Caffr. I (1) 1848, 285.
- caffra Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 856.
- caffer Lixus (Sparm.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 98.—Curculio,
- cafra Macrocera, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 528. [1785.
- cafra Mangusta (Gm.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 157.—Viverra, 1788.
- caffra Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 290.
- cafra Melolontha, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 427.
- caffer Meriones, M. H. C. Lichtenstein, Verz. Südafr. Mex. Europ. Nat. 1839, 5.—[mihi non visum, teste Wagner in Schreber.]
- caffra Mitra (L.), G. Fischer, Mus. Démid. III. 1807, 169.—Voluta, 1758.
- cafra Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 208.
- caffer Mus, A. Smith, S. African Quart. Journ. II. no. 2 (2) Mar. 1834, 157.
- cafra Mustela (Gm.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 162.—Viverra, 1788.
- caffra Nectarinia, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 12.
- cafra Nerita, W. Wood, Suppl. Index Test. 1828, 25 [n. et f.].
- cafra Neritina, W. Wood, Suppl. Index Test. 1828, 45.—Nerita, 1828.
- cafra Nyctemera (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 178.—Phalaena,
- caffer Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 150. [1782.
- caffer Orthogonius, C. H. Boheman, Ins. Caffr. I (1) 1848, 64.
- caffer Otis, Lichtenstein in Ruëpell, Abh. Senckenb. Mus. II (3) 1837, 220.
- caffer Otocyon, Lichtenstein; J. A. Wagner in Schreber, Säugth., Suppl. II. 1841, 361.
- caffer Oxytelus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 790.
- caffer Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 95.
- caffer Paederus, C. H. Boheman, Ins. Caffr. I (1) 1848, 290.
- caffra Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 27.
- cafer Pedetes (L.), C. Illiger, Prod. 1811, 82.—Mus, Pall. 1779.
- caffer Philonthus, C. H. Boheman, Ins. Caffr. I (1) 1848, 280.
- caffra Phytomyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 346.
- caffer Placodes, W. F. Erichson, Jahrb. Insectenk. I. 1834, 105.
- caffer Pogonus, C. H. Boheman, Ins. Caffr. I (1) 1848, 164.
- cafer Promerops (L.), G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 143.—Merops, 1758.
- cafer Ptiloturus (Gm.), G. R. Gray, List Gen. Birds, 1840, 12.—Upupa [non comp.].
- cafer Pycnonotus (L.), G. R. Gray, Genera of Birds, I. Oct. 1847, 237.—Turdus, 1766.
- caffer Rallus, J. R. Forster, Anim. mar. Aust. 1844, 50.
- caffer Rhinolophus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 118.
- caffer Scaptobius, Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. III. 1841, 262.
- caffer Scarites, Dejean, Spec. gén. Coléopt. II. 1826, 470.
- caffra Scolopax, J. R. Forster, Anim. mar. Aust. 1844, 49.
- caffra Siagona, C. H. Boheman, Ins. Caffr. I (1) 1848, 115.
- cafer Sorex, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 119.
- caffrum Sphaeridium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- caffer Staphylinus, C. H. Boheman, Ins. Caffr. I (1) 1848, 277. [60.
- caffra Strongylomma, M. Spinola, Tav. sin. Hem. 1850 (ex Mem. Soc. Ital. Sci. XXV (1) 1852), 176.
- cafer Trachyphonus (Gm.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 69.—Picus, 1788.
- caffer Tenebrio, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 163.
- cafra Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 291.
- caffra Tiara, W. Swainson, Treat. Malacol., May 1840, 319.
- caffra Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 207.
- caffra Turris (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mitra, ? Lam.
- caffer Unio, C. F. F. Krauss, Südafrik. Moll. 1848, 18.
- cafra Vulpecula (L.), de Blainville, Dict. Sci. Nat. XXXI. 1824, 107.—Voluta, 1758.
- caffra Xylocopa (Fab.), K. Illiger, Mag. f. Insectenk. (Illiger) V. 1806, 151.—Bombus.
- caffer Zuphium, C. H. Boheman, Ins. Caffr. I (1) 1848, 31.

- caffrana** Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI. 1802), 31.
- caffrariensis** Emberiza, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 18.
- cafferiana** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, Walk.?
- cafreriana** Mygale, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 225.
- caffrus** -a -um *v.* **caffer**.
- Cafius** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Col.
- Cafius** Lacordaire in Boisduval & L., Faune Ent. env. Paris, I. 1835, 410.—Col.
- cafra** *v.* **caffer**.
- cagado** Testudo, J. B. v. Spix, Testud. Brasil. 1824, 23.
- cagayanensis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 329, Jan. 1846.
- cagayanensis** Pleurotoma, L. Reeve, Proc. Zool. Soc. London, XIV (155) May 1846, 4.
- cagius** Clupanodon, F. Hamilton, Fish. Ganges, 1822, 250.
- cagia** Ovis, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 1013.
- cagnagella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 58 (Fernaldo judice 1811-17) [*v. et f.*].
- cagnatella** Nygmia, J. Huebner, Verz. bekannt. Schmett. 1826, 412.—Tinea cagnagella.
- cagnatus** Ichneumon, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 418.
- cagnota** Blennius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 249.
- cagnota** Ichthyocoris (Val.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 67.—Blennius.
- cagottis** Lyciscus, C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 164.
- cahrica** Hirundo, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 58.
- cahirinus** Acanthomys (Licht.), J. E. Gray, List Mamm. Coll. B. M. 1843, 108.—Mus.
- cahirinus** Acomys (Geoffr.), I. Geoffroy, Magasin de Zool. (2) II. 1840, 55.—Mus.
- cahirinus** [Acosminthus] (Geoffr.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 95.—Mus. [1818-19 (1820), 196.—Mus.
- cahirinus** Loncheres (Geoffr.), M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss.
- cahirinus** Mus, Desmarest (*ex* Geoffr. MS), N. Dict. H. N. XXIX. 1819, 70; Ency. Méth.
- cahirinus** Mus, Geoffr., *v.* **cahirinus** Mus. [(Mamm.) 1822, 309.
- Cahos** Bory de St V., Dict. class. H. N. III. 1823, 15 [*err. pro* Chaos, L.].
- caia** *v.* **cajus**.
- caiae** *v.* **cajae**.
- caianensis** *v.* **cayennensis**.
- Caicas** R. P. Lesson, 1831; *teste* Agass. *vernac.*
- Caicus** Dum. 1806; *teste* Waterhouse, Ind. gen. Av. 1889, 26 [*non comp.*, Cacicus *est*].
- caicus** Phryxus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 137.—Sphinx, 1777.
- caica** Pionus (Lath.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (December 1832), 609.—Psittacus, 1790.
- caica** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1403.
- caienensis** *v.* **cayennensis**.
- caienensis** *v.* **cayennensis**.
- caijanús** *v.* **cayanús**.
- cailino** Bolino (Lef.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 180.—
- cailino** Heliotis, A. Lefebvre, Mém. Soc. Linn. Paris, VI. 1827, 94. [Heliotis.
- caylino** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 176 (Fernaldo judice 1834) [*v. et f.*].
- cailino** Ophiura (Hueb.), C. F. Freyer, Neuere Beitr. Schmett. V (75) 1845, 114.—
- caillaudi** *v.* **cailliaudi**. [Noctua caylino.
- cailleanus** Bulimus, A. Morelet, Rev. Zool. (Soc. Cuv.) XI. Dec. 1848, 353.
- cailliaudi** Anthia, F. L. de Laporte, Etudes Entom. (2) 1835, 150.
- caillaudii** Astrea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 273.
- cailliaudi** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., June [Aug.] 1850, 86.
- cailliaudi** Bulimus, Petit de la S., Journ. de Conch. I (4) Dec. 1850, 404.
- cailliaudi** Buprestis, P. A. Latreille in Cailliaud, Voy. Méroé, IV. 1827, 277.
- cailliaudii** Cerithium, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 359.
- caillaudi** [Cetonia], H. R. Schaum, Ann. Soc. Ent. France [2] VII (3) Dec. 1849, 281.
- cailliaudii** Conus, J. C. Jay, Ann. Lyceum N. H. New York, IV (5) *post* Feb. 1846, 160.

- caillaudii** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 285.
caillaudi Echinus, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 369.
cailliaudi Etheria, Férussac, Mém. Soc. H. N. Paris, I (2) 1824, 359.
caillaudii Fusus, P. Calcara, Maurolico, anno 2, III. —, 16; & Cenne Moll. Sicilia, Dec. 1845, 37.
caillaudii Helix, G. P. Deshayes; Rev. Zool. (Soc. Cuv.) II. Aug. 1839, 229.
cailliaudi Helix, G. P. Deshayes, Magasin de Zool. (2) I. 1839, pl. 5.
cailliaudi Julodis (Latr.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 273.—Buprestis.
caillaudi Leptaena, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 323.
cailliaudi Natica, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 392.
cailliaudi Polyhorma (Gory), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 45.—Anthia.
callaudi Prionastrea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 334.—Astrea.
caillaudi Sternotomis, A. Chevrolat, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 344.
caillaudianus Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 99 [? cailliaud→].
cailliautii Chrysopicos, A. Malherbe, Rev. et Mag. de Zool. (2) I. Nov. 1849, 540 [? cailliaud→].
Caiman J. B. v. Spix, Lacert. Brasil. 1825, 3.—R.
Caiman J. E. Gray, Cat. Tortoises etc, Coll. B. M. 1844, 66.—R.
caiman Crocodilus, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 399.
Cainotherium Bravard, Mon. Mont. Perrier, 1828, 90.—M.
caiqua Terebratula, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 367.
cairii Erithacus, C. D. Degland, Orn. Europ. I. 1849, 507.
cairi Stenostoma, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 323.
Cairina J. Fleming, Phil. Zool. II. 1822, 260.—A.
caissoti Pagrus, A. Risso, H. N. Europe, III. 1826, 362.
caissoti Sparus, A. Risso, Ich. Nice, 1810, 257.
Caitia J. E. Gray, Ann. Nat. Hist. I (5) July, 1838, 389.—R.
caixana Aratinga, J. B. v. Spix, Avium Brasil. I. 1824, 34.
caixana Coccyzus (Spix), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826.
caixana Macropus, J. B. v. Spix, Avium Brasil. I. 1824, 54.—A. [207.—Macropus.
cajae Microgaster, P. F. Bouché, Nat. Ins. 1834, 151.
caiae Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
cajanensis v. **cayennensis**. [135.
cajanus v. **cayanus**.
cajenensis v. **cayennensis**.
cajennensis v. **cayennensis**.
cajeta Corycia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Phalaena, 1775.
cajetanus Leptochiton (Poli), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847,
cajonnae v. **cayennae**. [127.—Chiton, 1791.
[cajus -a.]
cajus Agriades (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 68.—Papilio, 1777.
caja Agrion (Drury), G. C. Reich, Mag. Thierreichs (3) 1795, 132.—Libellula, 1773.
caja Arctia (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 152.—Bombyx, 1758.
caja Arctorius (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 22.—Phalaena, 1758.
caja Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 30 (Fernaldo judice 1802) [n. et f.].
caja Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 61 (Fernaldo judice 1810-18)
caja Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 71 (Fernaldo judice 1828) [n. et f.].
caja Callimorpha (L.), Lamarck, An. s. vert. III. 1816, 575.—Phalaena, 1758.
caja Calopteryx (Dru.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 826.—Libellula, 1773.
caja Chelonia (L.), J. B. Godart, H. N. Lépid. France, IV (Noct. 1) 1823, 300.—Bombyx, 1758.
caia Eyprepia (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 335.—Bombyx, 1758.
caja Hypercompe, J. Huebner, Tentamen (me judice 1806), 1.—[n. n.]
caja Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 408.—Bombyx, 1775.
cajus Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 701.—Hesperia, 1793.

- cajus** Xylophanes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 136.—Sphinx, 1777.
- caja** Zoote (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 181.—Phalaena, 1758.
- cala** Ammonites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 104.
- calabraria** Idaea (Esp.), F. Treitschke, Schmett. Europa, V (2) 1825, 446.—Geom.,
? Huebn. 1790. [(Noct. 5, pt. 1) 1830, 132.—Geometra, 1790.]
- calabraria** Pellonia (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
- calabraria** Rhodostrophia, J. Huebner, Verz. bekannt. Schmett. 1825, 300.
- calabrensis** Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxii.
- [calabrus -a -um.]**
- calabra** Amygdalites, O. G. Costa, Corrisp. Zool. I. 1839, 69 [*n. n.*]; Atti R. Accad.
Sci. [Napoli] IV (Zool.) 1839, 186 [*n. n.*].
- calabrum** Cerithium, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 163.
- calabrus** Dasytes, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 143.
- calabrus** Eumorphus, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 158.
- calabrum** Podisma, O. G. Costa, Fauna Regno Napoli, Ortott. 45 (*ad* 1860).
- calabrum** Podysma, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 12.
- Calacaris** T. Bell, 1847; *err.* Scudder, Nom. Zool. *pro* Calocariss.
- Calaeas** Blyth, 1843; *teste* Agassiz, Nom. Zool. [*non comp.*].
- Calaeas** *err. pro* Caloenas, G. R. Gray; G. R. Gray, Genera of Birds, II. June 1845, 478.
- calaethis** Polyommatus, W. Kirby in L. Jermyn, Butterfly Coll. Vade Mecum, ed. 2, 1827,
169.
- Calagrammus** Amyot, Ann. Soc. Ent. France, V (2) 1847, 192.—Hem. [*non binom.*].
- Calaides** J. Huebner, Verz. bekannt. Schmett. [1820], 86.—Lep.
- Calais** C. S. Rafinesque, Analyse, 1815, 99.—Cr. [*n. n.*].
- Calais** Laporte, Revue Entom. IV (1) 1836, 9.—Col.
- Calais** Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 584.—Lep.
- calais** Colotis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio, 1775.
- calais** Idmais (Cr.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 587.—Papilio,
1775.
- Calamanthus** J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 4, Ap.
1838); Proc. Zool. Soc. London, V (60) Dec. 1838, 150.—A.
- Calamara** J. E. Gray, London Med. Repos. XV. 1821, 239.—Ceph.
- calamara** Chrysophris, G. Cuvier, R. Anim., ed. 2, II. 1829, 182.
- calamara** Sparus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 182.
- calamara** Tetraodon, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (13) 1829, 64. [—R.]
- Calamaria** F. Boie in Férussac, Bull. Sci. IX. 1826, 236 [*n. n.*]; Isis (Oken), 1827, 519.
- calamaria** [Asjeracanthion] (Gray), Joh. Mueller & Troschel, Syst. Asterid. 1842, 19.—
- calamaria** Asterias, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 179. [Asterias.]
- calamaria** Astropyga (Lam.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846,
345.—Cidarites.
- calamaria** Calamaria (L.), F. Boie, Isis (Oken), 1827, 519.—Coluber, 1758.
- calamaria** Cidarites (Leske), Lamarck, An. s. vert. III. 1816, 58.—Cidaritis, 1778.
- calamarius** Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 96. [1774.]
- calamaria** Diadema (Pall.), J. E. Gray, Ann. Phil. XXVI. 1825, 426.—Echinus calamaris,
- calamaria** Echinus (Cidaritis) (Gray), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 39.—
Diadema.
- calmariensis** Galeruca (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17.—Chryso-
- calamariensis** Pyrrhocris, C. F. Fallen, Suppl. Cimic. Svec. 1826, 6. [mela, 1767.]
- calamaris** Calamella, L. Oken, Lehrb. Nat. III (1) 1815, 55.
- calamaroides** Tetraodon, P. Bleeker, Nat. Tijds. Ned. Indie, I (1) 1850, 96.
- Calamblyrhynchus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxix (June 1850).—A.
- calamechroa** Helix, Jonas in R. A. Philippi, Abb. Conch. I (3) 1843, 47. [[*n. et f.*].]
- Calamella** L. Oken, Lehrb. Nat. III (1) 1815, 55.—Polyz.
- calami** Chrysomela, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 208.
- Calamia** J. Huebner, Verz. bekannt. Schmett. [1822], 240.—Lep.
- Calamides** J. Gistl, Nat. Thierr. 1848, p. ix.—Dipt.
- calamidis** Pteromalus, F. Walker, Ann. Mag. N. H. (2) III. Mar. 1849, 207.

- Calamita** F. A. Ritgen, N. A. Ac. Caes. Leop. Car. XIV (1) 1828, 278.—R.
calamita Bufo, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 114.
calamita Hypostomus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 515.
calamitacea Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 18.
calamitarum Unio, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 30.
"Calamites" Fitz. 1826, "err. Agassiz *pro* Calamita, = Schn. 1799.
calamiteum Orthoceras (Muenst.), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 365.—Orthoceratites.
calamiteus Orthoceratites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 36.
calamitosa Canistra, C. H. Boheman, Mon. Cassid. I. 1850, 169.
calamitosus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
Calamitus C. S. Rafinesque, Analyse, 1815, 78.—R. [n. n.] [248.
Calamobius F. E. Guérin-M., Ann. Soc. Ent. France [2] V (1) May 1847, p. xviii.—Col.
 [Tyfus Saperda gracilis].
Calamodus J. J. Kaup, Skizz. Europ. Thierw. 1829, 117.—A.
Calamodyta J. J. Kaup, Skizz. Europ. Thierw. 1829, 118.—A.
Calamodyta C. L. Bonaparte, List Birds Eur. Amer. 1838, 12.—A.
Calamoea L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calamoia, Russ.
Calamoderpe F. Boie, Isis (Oken), 1822, 552.—A. [67 [J. R. N.].
"Calamoia Russ."; Agassiz, Nom. Zool. 1845, *vernac.* in Russell, Fish. Vizag. I. 1803,
Calamophilus W. E. Leach, Syst. Cat. Mamm. Birds Brit. Mus. 1816, 17.—A. [n. n.].
Calamophyllia H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 312.—Coel.
Calamopleurus L. Agassiz, Poiss. Foss. V (1) 1843, 122 [n. n.]; C. R. Acad. Sc. (Paris)
 XVIII. 1844, 1012.—P.
Calamopora G. A. Goldfuss, Petref. German. I (2) 1829, 77.—Cor.
Calamospiza C. L. Bonaparte, List Birds Eur. Amer. 1838, 30.—A.
Calamostoma J. L. R. Agassiz, Poiss. Foss. II (1) 18 (1833); II (2) 276 (1844).—P.
Calamus W. Swainson, N. H. Fishes etc. II. July 1839, 171 & 221.—P.
calamus Bacteria (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 564.—Phasma.
calamus Cresaes, J. G. Cumming, I. of Man, 1848, 357 [n. n.].
calamus Nereis, S. A. Renier, Tavole [1804] xviii.
calamus Orthoceras, L. G. de Koninck, Descr. Anim. foss. (11) *ineunte* 1844, 506.
calamus Pagellus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 206.
calamus Pagrus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 183 [n. n.].
calamus Phasma (Fab.), A. A. II. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc.
 VI. 1802, 10).—Mantis, 1793.
calamus Sabella, S. A. Renier, Tavole [1804] xiii.
calamus Spectrum (F.), Lamarck, An. s. vert. IV. 1817, 255.—Phasma, 1798.
calamus Terebo, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [n. n.]; Tr. Amer. Phil.
 Soc., n. s., IX (3) Dec. 1846, 234.
calamus Volvox, A. Pritchard, N. H. Animalcules, 1834, 39.
Calana J. E. Gray, Proc. Zool. Soc. London, 1847, 148 [*err. pro* Culana].
Calandra J. C. Fabricius, Syst. Eleuth. II. 1801, 429 [v. Calandra, 1798].
Calandra C. S. Rafinesque, Analyse, 1815, 68.—A. [n. n.].
Calandra L. Oken, Isis, I. 1817, 1184.—A.
Calandra J. Gistl, Nat. Thier. 1848, 136.—Col. [1766.
calandra [Corydon] (L.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 264.—Alauda,
calandra Londra (L.), W. H. Sykes, Proc. Zool. Soc. London, VI (69) Feb. 1839, 114.—
 Alauda, 1766.
calandra Melanocorypha (L.), F. Boie, Isis (Oken), 1828, 322.—Alauda, 1766.
Calandrella J. J. Kaup, Skizz. Europ. Thierw. 1829, 39.—A.
calandrelli Cleodora, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem,
 (2) III (2) 1847, 147. [Orpheus.
calandria Mimus (O. & L.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 272.—
calandria Orpheus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 Zool. VII. 1837, 17.
calandroides Lixus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 42.
calandroides Oxyrhynchus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 66 [n. n.].

- calandroides** Physomerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 269.
- calandroides** Trigonotarsus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, Calantica J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 101.—Cirr. [844.
- Calantica** v. Heyden, Isis (Oken), 1847, 811.—Lep.
- calantica** Cassis, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 640.
- Calantica** W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 407.—Cr.
- calanus** Bolboceras, J. O. Westwood, Proc. Linn. Soc. London (36) June 1848, 385.
- calanus** Lamia (Batocera), F. Parry, Ann. Mag. Nat. Hist. XIV (93) Dec. 1844, 454.
- calanus** Rusticus, J. Huebner, Exot. Schmett., Tab. Rusticus [*n. et f.*] [Rusticus.
- calanus** Thecla (Huebner.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 30.—
- Calao** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 90.—A. [*vernac.* Cuv. 1817].
- calappa** Camara (L.), A. White, List Crustacea Coll. B. M. 1847, 44.—Cancer, 1758.
- calappoides** Hepathus, Lamarck, An. s. vert. V. 1818, 268.
- calappoides** Parthenope, A. White, List Crustacea Coll. B. M. 1847, 13 [*n. n.*].
- calappoides** Parthenope, Adams & White, Zool. "Samarang" (4) Crust., Mar. 1849, 34.
- calaritanus** Cyprinodon, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 151.
- Calasia** S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 99.—Col.
- Calaspidea** F. W. Hope, Coleopt. Manual, III. 1840, 183.—Col.
- Calaspis** F. W. Hope, Coleopt. Manual, III. 1840, 27 & 160.—Col.
- calathisca** Cingula (Laskey), J. Fleming, Hist. Brit. Anim. 1828, 305.—Turbo.
- calathiscus** Helix Cochlodon, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 64.
- calathiscus** Pupa (Lowe), L. Pfeiffer, Mon. Helic. II. 1848, 344.—Helix. [Laskey.
- calythuscus** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 4.—Turbo,
- calathisca** Rissoa (Mont.), J. Morris, Cat. Brit. Foss. 1843, 161.—Turbo, ? Laskey.
- calathiscus** Rissoa (Laskey), A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 73.—Turbo.
- calathiscus** Turbo, J. Laskey, Mem. Werner. Soc. I. 1811, 406 [*n. n.*].
- Calathocrinus** H. v. Meyer, N. Jahrb. f. Min. 1847, 576; Palaeontographica, I (6) July 1851, 265.—Crin.
- calathoides** Arguta (Dej.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 60.—Feronia.
- calathoides** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 259.
- calathoides** Feronia, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 21.
- calathoides** Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
- calathoides** Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 172. [Nov. 1844, 200.
- calathiscus** Turboella, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- Calathus** F. A. Bonelli, Obs. Entom. 1813, Table; Stephens, Ill. Brit. Ent. I. 1827, 67 & 97.—Col.
- calathus** Planorbis, W. H. Benson, Ann. Mag. N. H. (2) V. May 1850, 348.
- calathus** Rissoa, Forbes & Hanley, Hist. Brit. Moll. III. 1850, 82.
- calatinus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 436.
- calauropomus** Callionymus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 10.
- calavius** Eulophus, F. Walker, Ann. Mag. N. H. XX. July 1847, 24.
- calbasu** Cirrhinus (Ham.), J. M'Clelland, Asiatic Researches, XIX (2) 1839, 265.—Cyprinus.
- calbasu** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 297.
- calbosu** Rohita (Ham.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 253.—Cyprinus.
- calbasu** Rohita (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1026.—Cyprinus.
- calcanea** Hylotoma, T. Say, Boston Journ. N. H. I (3) 1836, 211.
- calcaneum** Spongia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 132.
- calcanea** Tachydroma, J. Walzl, Isis (Oken), 1837, 280.
- calcanea** Tachypeza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 95.
- calcanthata** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 251.
- Calcar** Denys de Montfort, Conch. II. 1810, 134.—G.
- Calcar** C. F. Schumacher, Ess. Vers. test. 1817, 59 & 193.—G.
- Calcar** Férussac, H. N. gén. et partic. Moll., Tabl. Syst. 1821, p. xxxiv.—G.
- Calcar** Dejean, Catal. Coléopt. 1821, 67.—Col. [*n. n.*].
- Calcar** G. Fischer de W. (ex Dejean Cat.), Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
- Calcar** J. E. Gray, Figs. Moll. Anim. IV. 1850, 87.—G. [1844, 123.—Col.
- calcar** Ammonites, Benz in C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 18.

- calcar** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 246.
- calcar** Asterias, Lamarck, An. s. vert. II. 1816, 557.
- calcar** Asterias, F. S. Voigt in Cuvier, Thierreich, VI. 1843, 15.
- calcar** Asterina, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 290.
- calcar** Astralium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 135.—
- calcar** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 84. [Turbo, 1758.]
- calcar** Calcar (Fab.), Dejean, Catal. Coléopt. 1821, 67.—Trogosita.
- calcar** Calcarina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 276.
- calcar** Centronotus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 712.
- calcar** Clisiphontes, Denys de Montfort, Conch. I. 1808, 227.
- calcar** Cristellaria, DeFrance, Dict. Sci. Nat. XI. 1818, 615.
- calcar** Cyclocantha, W. Swainson, Treat. Malacol., May 1840, 349.
- calcar** Delphinula, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 110.
- calcar** Delphinula, DeFrance, Dict. Sci. Nat. XII. 1818, 544.
- calcar** Delphinula, A. Adams, Proc. Zool. Soc. London, XVIII (204) Nov. 12, 1850, 51.
- calcar** Fusus (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 155.—Murex.
- calcar** Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
- calcar** Leptaena (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 89.—Orthis.
- calcar** Lichia (Bl.), H. Cloquet, Dict. Sci. Nat. XXVI. 1823, 253.—Scomber, 1793.
- calcar** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 214.
- calcar** Malachius, Ziegler, Dejean, Catal. Coléopt. 1821, 38 [n. n.].
- calcar** Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 84.
- calcar** Monoceros (Mart.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 234.—Buc-
- calcar** Murex, J. De C. Sowerby, Min. Conch. V. 1823, 7. [cinum, 1784.]
- calcar** Murex, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 7.
- calcar** Murex, L. C. Kiener, Spec. Coquilles (Murex) 1843, 107.
- calcar** Orchestes (Fab.), Dejean, Catal. Coléopt. 1821, 82.—Rhynchaenus.
- calcar** Orthis, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 138.
- calcar** Perca, J. G. Schneider, Bloch, Syst. Ichth. 1801, 89 [ant. Holocentrus calcarifer, Bl.].
- calcar** Physomerus (Fab.), Herrich-S., Wanzenart. Ins. V (4) June 1841, 60.—Lygaeus.
- calcar** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 110.
- calcar** Polystomella (L.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 1, & errata p. 145.
- Nautilus, 1758.
- calcar** Proctotrupes, A. H. Haliday, Hymenopt. Brit. (1) 1839, 12.
- calcar** Ramphus (Fab.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 112.—Cur-
- culio, 1787.
- calcar** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 493.—Curculio, 1787.
- calcar** Robulina (L.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 289.—Nautilus,
- calcar** Trogosita, J. C. Fabricius, Syst. Eleuth. I. 1801, 153. [1758.]
- calcar** Turbinolia, d'Archiac, Mém. Soc. géol. France (2) II (1) 1846, 192.
- calcar** Turbo, DeFrance, Dict. Sci. Nat. XLVI. 1827, 520.
- calcara** Doris, G. B. Verany in Descr. Genova, I. 1846, 96 & 100.
- calcarae** Clausilia, R. A. Philippi, Zeitschr. f. Malakozool., July 1844, 107.
- calcarae** Helix, Aradas & Maggiore, Atti Acc. Gioenia, XVII. 1843, 57.
- calcarator** Arrenurus, C. L. Koch, Deutsch. Crust., heft 12, 1837, tab. 22.
- calcarator** Coreus, J. C. Fabricius, Syst. Rhyng. 1803, 192.
- calcarator** Phylax, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 161.
- calcaratus** Acanthomerus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834,
- calcarata** Altiga, Dejean, Catal. Coléopt. 1821, 120 [n. n.]. [23.]
- calcaratus** Alydus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 251.—Cimex, 1758.
- calcarata** Anaera (Say), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 55.
- Saperda.
- calcarata** Anisotoma, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 71.
- calcarata** Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II.
- calcarata** Bacteria, H. Burmeister, Handb. Ent. II (2) i, 1838, 566. [1841, 42.]
- calcarata** Belionota, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 103.
- calcaratus** Bostrichus, Dejean, Catal. Coléopt. 1821, 101 [n. n.]. [Curculio, 1792.]
- calcaratus** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 179.—

- calcaratum** Buccinum, D. Solander, Catal. Portland Mus. 1786, 28, 105 & 133.
calcarata Budytes, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 190.
 Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 188. [—Voluta.
calcarata Cancellaria (Brocc.) DeFrance, Dict. Sci. Nat. (ed. 2) VI (Suppl.), 1817, 87.
calcaratus Capito (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxvii.—
 Bucco, 1790.
calcaratus Centropyx, J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 278 [*n. n.*].
calcaratum Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 69.
calcarata Cetonia, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 172.
calcarata Chama, Lamarck, Ann. Mus. H. N. (Paris) VIII (47) inter June–Sept. 1806,
calcaratus Chamaeleon, B. Merrem, Tent. Syst. Amph. 1820, 162. [349.
calcarata Chrysobothris, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec.
 1844, 146.
calcarata Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 431.—Galleruca, 1792.
calcarata Coccinella, E. F. Germar, Ins. Spec. novae, I. 1824, 619.
calcaratus Colon, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 246.
calcarata Copris (L.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 57.—Scarab. 1758.
calcaratus Coreus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 208.—Alydus.
calcarata Corythopsis (Wied), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 93.—
 Myiothera. [1844, 322.
calcaratus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
calcaratus Curculio, A. G. Olivier, Entom. V. 1807, 350.
calcaratus Cyathocrinus, J. Phillips, Geol. Yorksh. II. 1836, 206.
calcarata Diplolepis, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
calcarata Donacia, J. Sturm, Catal. Ins. Samml. 1826, 132 [*n. n.*]. [*n. n.*].
calcarata Doryscelis (Klug), Dejean, Catal. Coléopt., ed. 3 (1–4) July 1836, 189.—Cetonia.
calcarata Emballonura (Wied), C. J. Temminck, Tijdschr. nat. geschied. physiol. V
 (1 & 2) 1838, 30.—Vespertilio.
calcarata Emberiza (Pail.), C. J. Temminck, Man. Orn. 1815, 191.—Fringilla, 1773.
calcarata Emberiza (Meyer), Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 23.—
 Fringilla, ? Pall. 1773.
calcaratus Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 214.—Syrphus, 1794.
calcarata Exoplectra (Germ.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 920.—
 Coccinella. [Myiothera.
calcaratus Formicarius (Wied), G. R. Gray, Genera of Birds, I. Dec. 1846, 211.—
calcaratus Gamusus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 6.
calcaratus Gilbertocrinus, J. Phillips, Geol. Yorksh. II. 1836, 207.
calcaratus Griffithides, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 160.
calcarata Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 120.
calcarata Herina, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 364.
calcarata Hispa, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
calcarata Hyla, F. H. Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 660.
calcaratus Kentropyx, J. B. v. Spix, Lacert. Brasil. 1825, 21.
calcarata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 209.
calcarata Lema, J. W. Dalman, Anal. Entom. 1823, 73.
calcarata Leptopodia, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 455.
calcaratus Lithobius, C. L. Koch, Deutsch. Crust., heft 40, 1844, tab. 23.
calcarata Macraspis, M. Spinola, Revue Entom. III (3) 1835, 130.
calcaratus Medeterus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826–7, 1827, 1828, 259.
calcaratus Megalopus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 708.
calcaratus Meleus, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
calcaratus Merodon (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
 149.—Syrphus, 1794.
calcaratus Miris, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 110.
calcaratus Monochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 160.
calcaratus Murex, L. W. Dillwyn, Catal. Shells, 1817, 710.
calcaratus Murex, W. Wood, Index Test. 1818, 124.
calcarata Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 648.

- calcarata Myiothera, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1101.
 calcaratus Nerthops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 153.
 calcaratus Onitis, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 490.
 calcaratus Oribates, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 13.
 calcarata Orthis, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 28.
 calcarata Pachycnema, H. Burmeister, Handb. Ent. IV (1) 1844, 65.
 calcaratus Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
 calcaratus Panurgus (Scop.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34.—Apis, 1763.
 calcaratus Passer, P. S. Pallas, Zoographia, II. 1811, 18.—Fringilla, 1773.
 calcaratus Phyllobius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 435.—
 Curculio, 1792.
 calcaratum Phyllostoma, A. Wagner, Arch. f. Naturg. IX (1) 1843, 366.
 calcaratus Piaxurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 663.
 calcaratus Plectrophanes (Pall.), B. Meyer in B. Meyer & J. Wolf, Tasch. Deutsch.
 Vögelk. III. 1822, 57.—Fringilla, 1773.
 calcarata Pleurotoma, Grateloup, Actes Soc. Linn. Bordeaux, V (30) 1832, 323.
 calcaratus Podocerus, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 91.
 calcaratus Pompilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
 calcaratus Pompilus, A. G. Dahlbom, Mon. Pomp. Svec. 1829, 14.
 calcarata Proboscidea (Wied), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 499.—
 Vespertilio.
 calcarata Pseudoameiva (Spix), L. J. Fitzinger, Neue Classif. Rept. 1826, 51.—Kentropyx.
 calcarata Psorodes (Fab.), A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 166.—
 Blaps, 1798.
 calcarata Purpura (Grat.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 28.—Ricinula.
 calcarata Rana, Michahelles, Isis (Oken), 1830, 807.
 calcaratus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 457.—Curculio, 1792.
 calcarata Ricinula, Grateloup, Actes Soc. Linn. Bordeaux, VI (35) 1834, 204.
 calcarata Romicia, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 495.
 calcarata Rostellaria, J. Sowerby, Min. Conch. IV. 1822, 70.
 calcarata Saperda, T. Say, J. Acad. Nat. Sci. Philad. III. May 1824, 408.
 calcarata Saperda, Harris, Amer. Q. J. Agric. I. 1845, 252.
 calcaratus Scaurus, Herbst; Dejean, Catal. Coléopt. 1821, 64 [*n. n.*].
 calcaratus Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 31.
 calcarata Spirifera, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 53.
 calcaratus Spondylus, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 155.
 calcarata Strangalia (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (2) *post* June
 1835, 221.—Leptura, 1792. [tudo, 1784.
 calcarata Testudo (Cherseline) (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 32.—Tes-
 calcarata Tormys (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 69.—
 Diplolepis.
 calcaratus Trachygaster (Spix), J. Wagler, Nat. Syst. Amph. 1830, 154.—Kentropyx.
 calcarata Trichius (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818,
 443.—Melolontha, 1798. [271.
 calcaratus Tyrannus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan. 1826,
 calcaratus Vespertilio, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 445.
 calcarata Vespertilio, M. Wied, Beitr. Nat. Brasil. II. 1826, 269.
 calcarata Voluta, G. Brocchi, Conch. Subap. 1814, 309.
 Calcarella Souleyet, Journ. de Conch. I (3) Aug. 1850, 247.—G.
 calcarensis Nucula, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 297.
 calcareus Atax (Müll.), J. C. Fabricius, Syst. Antliat. 1805, 372.—Hydrachna, 1776.
 calcareus Bulimus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 249.
 calcareum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 118.
 calcarea Helix, W. Wood (*ex* Chemn.), Index Test. 1818, 165.
 calcarea Helix, L. Pfeiffer, Zeitschr. f. Malokozool. (Aug.) 1848 [Mar. 1849], 116.
 calcarea Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 110.
 calcarea Helix (Cochlicella), Born; A. E. Férussac, H. N. g. et p. Moll., Tabl. Lima-
 çons, 1821, 56.

- calcareo** Limnesia (Müll.), C. L. Koch, Uebers. Arachnidensyst. III (1) 1842, 28.—
- calcareo** Nullipora, Lamarck, Syst. Anim. 1801, 374. [Hydrachna, 1776.]
- calcareo** Nullipora (Pall.), A. Bertolini, Rar. ital. plant. (3) 1810, 87.—Millepora, 1766.
- calcareus** Obeliscus (Born), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 61.—Helix,
- calcareo** Patella, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 47. [1778.]
- calcareo** Pupa, L. Pfeiffer, Zeitschr. f. Malakozool., June 1847, 83. [1816, 7.]
- calcareo** Scrobicularia, C. F. Schumacher, Overs. K. Danske Vid. Selsk. Forhandl.
- calcareo** Tropidophora (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 40.—Cyclostoma.
- calcareo** Venus, R. A. Philippi, Abb. Conch. I (7) 1844, 175.
- calcareo** Venus, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 277.
- calcarifer** Lates (Bl.), Cuvier & Valenc., H. N. Poiss. II. 1828, 100.—Holocentrus, 1790.
- calcarifer** Plectropomus (Bl.), H. Cloquet, Dict. Sci. Nat. XLI. 1826, 359.—Holocentrus, 1790.
- Calcarina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 276.—Rh.
- Calcarina** A. Moquin-T., Mém. Ac. R. Sci. Toulouse [3] IV. 1848, 375.—G.
- calcarina** Pleurotremia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 133.
- Calcarius** Bechstein, Taschenb. Vögel Deutschl. 1802, 130.—A.
- calcarius** Ancylus, J. E. De Kay, N. H. New York (Moll.) 1843, 13.
- calcaria** Lingula, Zenker, N. Jahrb. f. Min. 1834, 396.
- calcaroides** Delphinula, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 341.
- calcator** Heteropelma, G. Wesmael, Bull. Ac. Roy. Brux. XVI (2) 1849, 120.
- calcator** Tryphon (Müll.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 138.—Ichneumon, 1776.
- calcatorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 254.
- calcearia** Geometra, P. C. Zeller (*ex* Kollar *litt.*), Entom. Zeitung, Stettin, X (7) July 1849, 217.
- calcearia** Protomedea, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 110.
- calceator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.
- calceatorius** Ichneumon, G. W. F. Panzer, Ins. Germ., heft 80, 1801, tab. 15.
- calceatus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*] [683.]
- calceatum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- calceata** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 398.
- calceata** Anthomyia, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 192.
- calceatus** Anthonomus, T. Say, Descr. N. Amer. Curcul., July 1831, 15. [prestis.]
- calceatum** Apateum (Klug), Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 120.—Bu-
- calceatus** Asilus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 316.
- calceata** Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 141.
- calceata** Calobata, C. F. Fallen, Opomyzides Sveciae, 1820, 2.
- calceatus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 81.
- calceata** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 146.
- calceata** Colaspis, Dejean, Catal. Coléopt. 1821, 125 [*n. n.*].
- calceata** Dioctria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 253.
- calceata** Discocerina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 373.—Notiphila, 1830.
- calceatus** Emphytus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- calceata** Enoplum (Ichnea), A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843,
- calceatus** Eucnemis, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 188. [37.]
- calceatus** Harpalus, Dufts.; Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- calceatus** Harpalus, Cr.; J. Sturm, Catal. Ins. Samml. 1826, 148.
- calceata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 537.
- calceatus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 241.
- calceata** Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 69.
- calceatus** Orchestes (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1830, 505.—Salius.
- calceata** Oscinis (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2603.—Chlorops.

- calceata** Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
calceata Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 251.
calceatus Platypalpus (Meig.), J. Macquart, Ins. dipt. N. France (3) 1827, 100.—
calceatus Priotelus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 496. [Tachydromia.
calceata Psychoda, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 272.
calceata Rainieria (Fall.), C. Rondani, N. Ann. Sci. Nat. X. 1843 [Oct.], 41.—? Calo-
calceatus Salius, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 334. [bata.
calceata Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 87.
calceata Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 288.
calceiformis Arcomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 176.
calceiformis Mya, J. Phillips, Geol. Yorksh. I. 1829, 139 [n. et f.].
calceiformis Panopaea (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 (Jan. 1850), 273.—
Calceola W. Swainson, Treat. Malacol., May 1840, 289 & 382.—L. [Mya.
Calceolaria Griffith in Cuvier, Anim. Kingd. XII. 1834, 92.—Br.
calceolata Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1704.
calceolata Ardea, B. Dubus, Bull. Ac. Roy. Brux. IV. 1838, 40.
calceolatus Cantharus, Denys de Montfort, Conch. I. 1808, 299.
calceolatus Deltocephalus, C. H. Boheman, K. Vet. Ac. Handl. 1845 (1847), 23.
calceolatus Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 937.
calceolata Sphaerophoria, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 164.
calceolatus Syrphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 151.
calceolatus Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 286. [[n. n.].
Calceolina *emend. pro* Calceola, Lam.; C. S. Rafinesque, Analyse, 1815, 148.—Brach.
calceolina Crepidula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 26 (D*).
Calceolites E. F. v. Schlotheim, Die Petref. 1820, 173.—Cor. [Sphaerulites.
calceoloides Radiolites (Desm.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 260.—
calceoloides Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827,
 277; ed. 2, 1830, 130.
 [calceolus -a -um.] [Spirifer.
calceola Cyrtia (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.—
calceola Margaritana, I. Lea, Syn. Naiades, 1836, 45.—Unio, 1828.
calceola Spirifer, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 227.
calceolus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., III (3) 1828, 265.
Calcepongia De Bl. *teste* Agassiz, Nom. Zool., *vernac. est.*
calceus Acanthidium, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 92.
calceus Centrophorus, R. T. Lowe, Proc. Zool. Soc. London, XI (125) Dec. 1843, 93.—
 Acanthidium, 1839.
Calchas F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 15.—Col.
calchinia Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
Calcinella G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 164.—L. [[n. n.].
calcinella Lavigno, Récluz in J. C. Chenu, Illustr. conch. I. Lavigno, 1844-5, 3.
calcinella Lavignonius, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 249.
calcinella Lutraria, de Blainville, Dict. Sci. Nat. XXVII. 1823, 376.
Calcispongia Grant in de Blainville, Dict. Sci. Nat. LX. 1830, 494.
calcitrans Anthocomus, W. F. Erichson, Entomographien, 1840, 111.
calcitrans Culex, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 409.
calcitrapa Asterias, Lamarck, An. s. vert. II. 1816, 563.
calcitrapa Doclea, A. White, Proc. Zool. Soc. London, XV (172) May 25, 1847, 56.
calcitrapus Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
 Nov. 1844, 216.
calcitrapa Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 223.
calcitrapa Phyllonotus, W. Swainson, Treat. Malacol., May 1840, 296.
calcitrapa Sideroporus (Lam.), H. G. Bronn, Syst. urw. Pflanz. 1825, 43.—Siderolithes
 calcitrapoides.
calcitrapae Urellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
calcitrapes Siderolites, Denys de Montfort, Conch. I. 1808, 151. [1830, 774.
calcitrapoides Cardita (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 384.—Cardi-
 dium.

- calcitrapoides** Cardium, Lamarck, Ann. Mus. H. N. (Paris) VI (35) Sept. 1805, 343.
calcitrapoides Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (16) ? Feb. 1804, 274.
calcitrapoides Murex, Lamarck, An. s. vert. VII. 1822, 573.—calcitrapa, 1803.
calcitrapoides Nautilus (Lam.), W. Wood, Suppl. Index Test. 1828, 52.—Siderolites.
calcytrapoides Siderolina (Lam.), DeFrance, Dict. Sci. Nat. XLIX. 1827, 98.—Siderolites.
calcitrapoides Siderolites, Lamarck, Syst. Anim. 1801, 377.
calcitrapoides Siderolithus (Lam.), H. G. Bronn, Lethaea Geogn. II (7 & 8) 1837, 712.—Siderolites.
calcitrator Bassus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 266. [1807.
calcitrator Pachymerus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 727.—Bassus,
calcium Myocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830.
Calcocephalus F. Cuvier, Dict. Sci. Nat. XXXIX. 1826, 546.—M. [329.
calcocephalus Micropus, W. Swainson, N. H. Classif. Birds, II. June 1837, 226.
Calcodes J. O. Westwood in F. W. Hope, Cat. Lucanoid Coleopt. 1845, 5 & 31.—Col.
Calcohaphs Gould, 1843; *teste* Agassiz, Nom. Zool. (Aves).—*v.* Chalcohaphs.
calcoptera Peristera, W. Swainson, N. H. Classif. Birds, II. June 1837, 349.
calcostetha Nectarinia, W. Jardine, Nectariniidae (Nat. Libr. XXXVI.) 1843, 263.
calculator Agathis, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 263.
calculator Bassus, J. C. Fabricius, Syst. Piezat. 1804, 98.—Ichneumon, 1798.
calculiferus Phorus, L. Reeve, Proc. Zool. Soc. London, X (118) Feb. 1843, 162.
calculiformis Aganides (Beyr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
calculiformis Ammonites, H. E. Beyrich, De Goniatis, 1837, 12. [Ammonites.
calculiformis Discoschelus, W. Dunker, Palaeontographica, I (3) July 1847, 132.
calculosus Cancer, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1843, 378.
calculosus Cerithium, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 58.
calculus Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 47, Mar. 1850.
calculus Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 68, Aug. 1850.
caldania Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 6 [*n. et f.*].
caldarius Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 142.
Calechidna J. J. Tschudi, Fauna Peru. (Herp.) 1846, 60.—R.
Caledon G. A. Goldfuss, Handb. Zool. II. 1820, 127.—R.
caledonicus Bulinus, S. Petit, Rev. Zool. (Soc. Cuv.) VIII. Feb. 1845, 53. [1788.
caledonica Gazzola (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 383.—Corvus,
caledonicus Graucalus, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 349.
caledonicus Nycticorax (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819,
 613.—Ardea, 1788. [—Corvus, 1788.
caledonica Pica (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 65.
caledonicus Platycercus (Gm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
 1832), 532.—Psittacus, 1788.
caledonicus Streptocitta, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.
calidoniensis Gomphocerus, J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829,
 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) May 1835, 32.
caledonius Corvus, J. Latham, Index Orn., Suppl. 1801, p. xxv.
calei Haliaeetus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 186.
Calemia C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 217.—Hem. [*non binom.*].
calendarum Andrena (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 231.—Megilla.
calendarum Apis, G. W. F. Panzer, Ins. Germ., heft 83, 1801, tab. 19.
calendarum Colletes (Fab.), F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 55.—Megilla.
calendarum Evodia (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 208.—Megilla.
calendarum Megilla (Panz.), J. C. Fabricius, Syst. Piezat. 1804, 335.—Apis.
calendis Obliquaria, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
calendis Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
Calendra *err. pro* Calandra, Clairv.; P. A. Latreille, Mag. f. Insektenk. (Illiger) III. 1804,
Calendula W. Swainson, N. H. Class. Birds, II. 1837, 292.—A. [103.
calendula Actinocercus (L.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 294.—Hydra,
 1790. [1786.
calendula Hughea (S. & E.), J. F. V. Lamouroux, Exp. Méth. Polyp. 1821, 89.—Actinia,
calendula Parus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 40.

- calendula** *Phyllobasileus* (L.), J. Cabanis, *Mus. Heineanum* (1) 1850 (1851), 33.—*Motacilla*, 1766. [1766.]
- calendula** *Reguloides* (L.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 292.—*Motacilla*,
- calendula** *Regulus* (L.), H. Lichtenstein, *Doublet. Z. M. Berlin*, 1823, 35.—*Motacilla*,
- calendula** *Sylvia*, L. P. Vieillot, *Ency. Méth. (Orn.)* 1820, 474. [1766.]
- Calendyma** Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 111.—Col.
- calens** *Anthomyia*, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 431.
- calens** *Anthophora*, Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* II. 1841, 49.
- calens** *Asopus* (Fab.), Herrich-S., *Wanzenart. Ins.* VII (6) Nov. 1844, 117.—*Cimex*, 1767.
- calens** *Cimex*, J. C. Fabricius, *Syst. Rhyng.* 1803, 163. [459.]
- calens** *Lucilia*, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830,
- calens** *Stilbum* (Fab.), A. Brullé in *Lepeletier (Roret's Suite à Buffon)*, *Hyménopt.* IV. 1846, 16.—*Chrysis*, 1781.
- calens** *Xylocopa*, Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* II. 1841, 196.
- Calenus** Dejean, *Catal. Coléopt.*, ed. 2 (5) *extremo* 1835, 427.—Col. [*sine typo*].
- calenus** *Pteromalus*, F. Walker, *Ann. Mag. N. H.* XI. Jan. 1843, 31.
- Calepteryx** W. E. Leach, *Brewster's Edin. Ency.* IX (1) 1815, 137.—*Neur.*
- calescens** *Cryptus*, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 548.
- caletor** *Papilio*, J. W. Dalman, *Anal. Entom.* 1823, 44.
- calfius** *Murex*, G. D. Nardo (*ex Chierieghini MS*), *Sin. mod. spec. Lag. Veneto*, 1847, 57.
- Calia** Werneck, *Ber. k. pr. Ak. Wiss.* 1841, 377.—Inf.
- Calialcyon** C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 156.—A.
- Calicera** G. J. Billberg, *Enum. Insect. in Mus. Blbg.* 1820, 118.—Dipt. [*n. d.*].
- Calicnemis** F. L. de Laporte, *Magasin de Zool.* II. 1832, pl. 7.—Col.
- calico** *Lophius*, S. L. Mitchell, *Amer. Monthly Mag.* II (5) Mar. 1818, 326.
- Calicotyle** C. M. Diesing, *Syst. Helminth.* I. 1850, 431.—Verm.
- Calicurgus** Lepeletier de S. F. (*Roret's Suite à Buffon*), *Hyménopt.* III. 1845, 397.—Hym.
- calicu**→ *v. calycu*→.
- Calidea** F. L. de Laporte, *Ess. Hémipt. in Magasin de Zool.* II. 1832, 71.—Hem.
- calidella** *Ephestia*, A. Guénéé, *Ann. Soc. Ent. France* [2] III (3) Dec. 1845, 320.
- calidoniensis** *v. caledon*→.
- Calidris** Anon., *Allg. Lit. Zeitung*, 1804, II. June 1804, col. 542.—A.
- Calidris** C. S. Rafinesque, *Analyse*, 1815, 71.—A. [*n. n.*].
- Calidris** B. Meyer, K. Beschr. *Vögel Esthland*, 1815, 177.—A.
- Calidris** L. P. Vieillot, *Analyse*, 1816, 55.—A.
- calidris** *Arenaria*, B. Meyer & J. Wolf, *Tasch. Deutsch. Vögelk.* II. 1810, 326. [1766.]
- calidris** *Carites* (L.), [G. J. Billberg], *Syn. Faunae Scand.* I (2) 1828, 144.—*Scolopax*,
- calidris** *Calidris* (L.), Anon., *Allg. Lit. Zeitung*, 1804, vol. II. June 1804, col. 542.—*Tringa*, 1766.
- calidris** *Distoma*, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 120 [*n. n.*].
- calidris** *Leptis*, E. Eversmann, *Bull. Soc. Imp. Nat. Moscou*, VII. 1834, 422 [*n. n.*].
- calidris** *Limosa* (Linn.), P. S. Pallas, *Zoographia*, II. 1811, 184.—*Scolopax*, 1766.
- calidris** *Mniotilta* (L.), G. R. Gray, *Genera of Birds*, I. Dec. 1848, 197.—*Motacilla*, 1758.
- calidris** *Parra*, F. M. Daudin, *Buffon, Hist. Nat. (Didot's ed.) Quad.* XIV. 1799 [1802], 339. [1831, 663.]
- calidris** *Pelidna*, C. L. Brehm, *Isis*, 1830, 991 [*n. n.*]; *Handb. Nat. Vögel Deutschl.*
- calidris** *Sylvia*, L. P. Vieillot, *Ency. Méth. (Orn.)* 1820, 454.
- calidris** *Totanus* (L.), J. M. Bechstein, *Gem. Nat. Deutschl.*, ed. 2, II. 1805, 460.—
- calidris** *Tryngas*, P. S. Pallas, *Zoographia*, II. 1811, 202. [Scolopax, 1766.]
- calidus** *Acinocoris* (Fab.), C. W. Hahn, *Wanzenart. Ins.* II (5) Oct. 1834, 114.—*Lygaeus*.
- calida** *Acropera*, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 16.
- calida** *Amadina* (Lath.), G. R. Gray, *Genera of Birds*, II. June 1849, 370.—*Fringilla*.
- calidum** *Calosoma*, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 211.—*Carabus*, 1775.
- calidum** *Calosoma* (*Chrysostigma*), Fab.; W. Kirby in J. Richardson, *F. Bor-Amér.* (4) Oct. 1837, 19. [Rhynchaenus.]
- calidus** *Chalcodermus* (Fab.), C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837, 378.—
- calida** *Chrysomela*, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 446.—*Galleruca*, 1792.
- calidus** *Chrysops*, F. Walker, *List Dipt. Coll. B. M.* (1) 1848, 205.

- calida** Chyliza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 532.
calida Colaspis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [*n. n.*].
calidus Colymbetes (Fab.), C. Aubé, Spec. gén. Hydroc. 1838, 262.—Dytiscus, 1792.
calidus Cryptorhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 127.—Rhynchaenus.
calidus Dytiscus, J. C. Fabricius, Ent. Syst. I. 1792, 193.
calida Eriosoma (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 289.—
calidus Eristalis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 613. [Acroceras].
calida Fringilla, J. Latham, Index Orn., Suppl. 1801, p. xlviii.
calida Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 301.—Chrysomela.
calida Iaphria, J. C. Fabricius, Syst. Antliat. 1805, 159.—Asilus, 1787.
calida Lucilia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 258.
calidus Lybas, T. Lacordaire, Mon. Erotyl., Sept. 1842, 233. [—Pyrellia].
calidus Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 230.
calida Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 229.
calida Mylabris, Pal.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
calida Ocnæa (Wied.), W. F. Erichson, Entomographien, 1840, 157.—Acroceras.
calidus Pagurus, A. Risso, H. N. Europe, V. 1826, 39.
calidus Philodromus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 195.
calida Pyrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
calidus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 472. [464].
calida Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 366.
calida Scatophaga, Haliday in J. Curtis, Brit. Entom. IX (101) May 1832, no. 405.
calidus Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 364.
calidus Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 321.
Caliendra J. Gistel, Nat. Thierr. 1848, p. viii.—Hym.
Calidrum T. Brown, Ill. Foss. Conch. G. B. I. (12) 1838, 52.—G.
caliendrum Seriatopora, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
 1832 (1834), 347.
californiae Coluber (Ophis), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct.
californiae Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 322. [1835, 292].
californianus Antrostomus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.
californianum Cardium, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 229.
californianus Catharista (Ranz.), G. R. Gray, List Birds Coll. B. M. I., ed. 2, 1848, 4,
 —Cathartes, Temm. [p. xlviii.—Vultur, 1797].
californianus Cathartes (Shaw), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820,
californiana Cypraea, J. E. Gray, Zool. Journ. III (11) Aug.—Nov. [*i.e.* 31 Dec.] 1827,
 365. [1037.—Vultur, Shaw, 1797].
californianus Gymnogyps (Lath.), R. P. Lesson, Echo Monde Savant, IX. 8 Dec. 1842,
californiana Haliotis, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
 1832), 267.
californianus Mytilus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 242.
californianus Otaria, R. P. Lesson, Dict. Class. H. N. XIII. 1828, 420.
californianus Ovis, D. Douglas, Zool. Journ. IV (15) Jan. 1829, 332.
californiana Phoca (Less.), J. B. Fischer, Syst. Mamm. 1829, 231.—Otaria.
californiana Sanguinolaria, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June
 1837, 231.
californiana Saurothera, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, VI. 1829, 420.
californianus Solecurtus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837,
 233.
californianus Solen (Conr.), S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 16.—
californica Achatina, L. Pfeiffer, Symb. Helic. III. 1846, 89. [Solecurtus].
californicum Agaosoma, E. Ménétrics, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4)
californica Amara, Dejean, Spec. gén. Coléopt. III. 1828, 474. [July 1843, 63].
californicus Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 127.
californicus Anisodactylus, Dejean, Spec. gén. Coléopt. IV. 1829, 148.
californicus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
 (7) 1849, 27 ["Mon. Anth." *poster. edit.*].
californica Arvicola, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 46.

- californicus** Baridius, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 372.
- californicus** Blechrus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 37.
- californicus** Brachystilus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838.
- californicus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 378, Dec. 1848. [10.]
- californica** Bulla, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 41 [*n. n.*].
- californica** Callipepla (Lath.), J. Gould, Mon. Odontophorinae (1) 1844, pl. 16.—Perdix.
- californicus** Cardiophorus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 238. [of (1) July 1840 [4].]
- californicum** Cerithium (Potamis), S. S. Haldeman, Mon. Limniades N. Amer., wrapper
- californicus** Chiton, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 37 [*n. n.*].
- californica** Cicindela, E. Ménériés, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4) July 1843, 52. [1843 (2) 1843, 312.]
- californica** Coccinella, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI.
- californica** Coelocnemis, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 282.
- californicus** Conus, R. B. Hinds in L. Reeve, Conch. Icon.—Conus, no. 224, Jan. 1844.
- californicus** Cossonus, Dupont in V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 99.
- californica** Cryptomya, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (6) Dec. 1848, 121.—Sphaenia, 1837.
- californicus** Cryptophagus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 256. [234.]
- californica** Cumingia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837,
- californicus** Cyanocorax (Vig.), W. Gambel, Proc. Acad. Nat. Sci. Philad. III (8) Ap. 1847, 201.—Garrulus. [Catal. (131) 1837, 15.]
- californica** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (7) 1832, f. 42;
- californica** Cypricardia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 236.
- californica** Didelphys, E. T. Bennett, Proc. Zool. Soc. London, I (1-3) May 1833. 40.
- californicus** Dolopius, Dejean in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 243.
- californica** Donax, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 254.
- californicus** Dronius, Dejean in V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 336. [190.]
- californicus** Elaphrus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- californica** Elosoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- californicus** Erotylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 467. [1845, 33.]
- californica** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 222. [183.]
- californica** Galerita, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- californica** Garrulus, A. N. Vigors, Zool. "Blossom," 1839, 21. [310.]
- californica** Graptodera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- californicus** Helops, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 287. [(1) 1845, 105.]
- californica** Leposoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
- californica** Lepus, J. E. Gray, Proc. Zool. Soc. London, IV (46) Feb. 1837, 88 [*n. n.*].
- californica** Lepus, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 586.
- californicus** Lixus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 378. [Tetrao, 1798.]
- californica** Lophortyx (Shaw), C. L. Bonaparte, List Birds Eur. Amer. 1838, 42.—
- californica** Lucina, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 255.
- californica** Lutra, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 580.
- californica** Lyonsia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 248.
- californica** Mactra, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 240.
- californicus** Micoureus, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 186 [*n. n.*].
- californicus** Murex, R. B. Hinds, Proc. Zool. Soc. London, XI (128) Mar. 1844, 128.
- californicus** Mus, W. Gambel, Proc. Acad. Nat. Sci. Philad. IV (4) Aug. 1848, 78.
- californicus** Omus, F. Eschscholtz, Zool. Atlas, I. 1829, 4.

- californica** Ortyx (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 384.—Perdix. [1843 (2) 1843, 228.]
- californicus** Othius, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI.
- californica** Parapholas, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (6) Dec. 1848, 121.—Pholas, 1837. [1850, 437.]
- californicus** Pasimachus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
- californicus** Pendulinus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) VII. Dec. 1844, 436.
- californica** Perdix (Sh.), J. Latham, Index Orn., Suppl. 1801, p. lxii.—Tetrao, 1798.
- californica** Perna, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 245.
- californica** Petricola, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 213. [1843 (2) 1843, 230.]
- californicus** Philonthus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI.
- californica** Pholas, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 236.
- californicus** Prionus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 89.
- californicus** Pteronarcys, G. Newport, Proc. Linn. Soc. London (36) June 1848, 388.
- californica** Ranella, R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 255.
- californicus** Saprinus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 259. [1826, 6.—Vultur, 1797.]
- californicus** Sarcoramphus (Sh.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- californica** Saxicava, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 256.
- californicus** Seydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 48. [1845 (1) 1845, 35.]
- californicus** Seyrtus, Dupont in V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII.
- californica** Silpha, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 253.
- californica** Sphaenia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 234.
- californica** Strix, J. J. Audubon, Birds of Amer., pl. 432 (1838) fig. 2.
- californica** Teinodactyla, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 382. [1845, 347.]
- californicus** Trechus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4)
- californicus** Trochus, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 70 [*n. n.*].
- californicus** Turbo, Trochel in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Turbo (86) 1849, 68.
- californica** Uloma, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 205.
- californica** Venus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 251.
- californicus** Vespertilio, J. Bachman, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 285.
- californicus** Xanthornus (Less.), G. R. Gray, Gen. Birds, III. App. 1849, 15.—Pendulinus.
- californiense** Cardium, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 360.
- californiensis** Coronula, J. C. Chenu, Illustr. conch. I. Coronula, 1843, 1.
- californiensis** Haliotis, W. Swainson, Zool. Illustr. (1) II (15) Dec. 1821, pl. 80.
- californiensis** Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 99.
- californiensis** Merops, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 316.
- californiensis** Modiola, Eschscholtz, Zeitschr. f. Malakozool., Aug. 1847, 113.
- californiensis** Syngnathus, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1846), 73.
- californiensis** Venus, W. J. Broderip, Proc. Zool. Soc. London, III (27) June 1835, 43.
- californius** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 267.
- caligans** Symbranchus, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1316.
- caligator** Cylocceria (Grav.), G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 141.—Phytodietus.
- Caligatus** W. Wing, Proc. Zool. Soc. London, XVII (196) Jan.–June 1850, 104.—Lep.
- caligata** Arctomys, F. Eschscholtz, Zool. Atlas, II. 1829, 1.
- caligata** Calamodyta (Licht.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—Sylvia.
- caligata** Calamoherpe (Licht.), C. D. Degland, Orn. Europ. I. 1849, 576.—Sylvia.
- caligata** Callithrix, J. Natterer, Arch. f. Naturg. VIII (1) 1842, 357.
- caligatus** Coleocentrus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 440.
- caligata** Cordylura, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 429 [*n. n.*].
- caligata** Cylocceria (Grav.), G. Schiodte, Magasin de Zool. (2) I. 1839, pl. 10 —Phytodietus.

- caligatus** Dolichopus, Wahlberg, Öfvers. K. Vet. Ac. Förh. VII (8) 1850, 221.
- caligatus** Emphytus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 28.
- caligatus** Falco, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 278.
- caligata** Felis, C. J. Temminck, Mon. Mamm. I. 1824, 123. [Sylvia.
- caligata** [Iduna] (Licht.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lviii. & 190.—
- caligatus** Linnaetus (Raffl.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 649.—Falco.
- caligata** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 38.
- calligata** Lynx (Bruce & Temm.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 426.—Felis.
- caligatus** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 652.
- caligatus** Perilitus (Meteorius), A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 25.
- caligata** Perla, H. Burmeister, Handb. Ent. II (2) ii, 1839, 880.
- caligatus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 936.
- caligatus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 494.
- caligatus** Sauerottia (Gould), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 77.—Trochilus.
- caligatus** Spizaetus (Raffl.), G. R. Gray, List Birds Coll. B. M. I. 1844, 8.—Falco.
- caligata** Sylvia, M. H. C. Lichtenstein in Meyendorff, Voy. Orenbourg, 1826, 412.
- caligatus** Trochilus, J. Gould, Proc. Zool. Soc. London, XVI (180) Ap. 18, 1848, 14.
- caligatus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 170.
- caligatus** Xylonomus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 828.
- Caligeria** J. D. Dana, 1847; *teste* Marschall, Nom. Zool. 1873, *sed non comp.*—Cr.
- caliginata** Eupithecia (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 108.—Larentia.
- caliginata** Larentia, F. Treitschke, Schmett. Europa, VI (2) 1828, 137.
- caliginearia** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 111 (Fernaldo judice 1834) [*n. et f.*].
- caliginearia** Ligia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 35.
- caliginosana** Dichrorampha (Tr.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 186.—Graptolitha.
- caliginosana** Graptolitha, F. Treitschke, Schmett. Europa, X (3) 1835, 119.
- caliginosella** Lita, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- caliginosus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*]. [[1842], 290.
- caliginosus** Acilius, J. Curtis, Brit. Entom. II (16) Ap. 1825, no. 63.
- caliginosa** Acosmetia (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Noctua.
- caliginosum** Acridium (Oedipoda), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 161.
- caliginosa** Adelocera, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 98.
- caliginosus** Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 471.
- caliginosus** Agrypnus, Dejean, Cat. Coléopt., ed. 2 (1) 1833, 88.
- caliginosa** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 122.
- caliginosus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9) 1849, 163 ["Mon. Anth." *poster. edit.*].
- caliginosa** Anthophila (Hueb.), F. Treitschke, Schmett. Europa, V (3) 1826, 286.—
- caliginosus** Aphodius, Dejean, Catal. Coléopt. 1821, 54 [*n. n.*]. [Noctua.
- caliginosum** Apion, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 15 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 185 [*n. n.*].
- caliginosus** Asilus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 313.
- caliginosa** Athesis, J. Huebner, Verz. bekannt. Schmett. [1822], 209.
- caliginosus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 609, Dec. 1849.
- caliginosus** Catops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) May 1830, 12.
- caliginosus** Cepurus, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 14 [*n. n.*].
- caliginosus** Ceuthorrhynchus (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 566.—Nedysus.
- caliginosus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 172, May 1847.
- caliginosa** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 819.
- caliginosus** Chlorops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].

- caliginosa** Chrysomela, A. G. Olivier, Entom. V. 1807, 527.
caliginosa Coelophora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 414.
caliginosus Coraebus, Laporte & Gory, H. N. Coléopt. II. 1839, 7.
caliginosus Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 414.
caliginosus Dryoctenes, J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835,
caliginosus Eccoptus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 166 [*n. n.*]. [28.
caliginosus Elater (Dej.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
 105.—Agrypnus.
caliginosus Elmis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
caliginosum Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 180. [43.
caliginosa Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
caliginosus Eristalis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58 [*n. n.*]. [100.
caliginosus Eristalis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 621.
caliginosa Gematis, Ziegl.; Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
caliginosus Harpalus (Fab.), Dejean, Catal. Coléopt. 1821, 15.—Carabus, 1775.
caliginosa Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 62.
caliginosus Hister, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. III.) Aug. 1830, 152.
caliginosa Hydrilla (Tr.), Boisduval, Gen. Index Europ. Lepid. 1840, 138.—Anthophila.
caliginosus Hydroporus, J. F. Stephens, Man. Brit. Coleopt. 1839, 69.
caliginosus Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 215. [155.
caliginosus Hypsonotus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
caliginosus Lacon (Boisd.), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 261.—Elater.
caliginosa Lamia, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
caliginosus Leptocerus, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 200.
caliginosus Limnephilus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 122 [*n. n.*].
caliginosa Littorina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 83.
caliginosus Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 504.—Curculio, 1775.
caliginosus Lordites, Klug in Germar, Zeitschr. f. d. Entom. IV. 1843, 317 [*n. n.*].
caliginosa Megilla, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. i.
caliginosa Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 15.
caliginosus Meleus, Fab.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
caliginosa Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 121, Oct. 1844.
caliginosus Murex, L. Reeve, Conch. Icon. III.—Murex, no. 141, Aug. 1845.
caliginosa Myrmecia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
caliginosus Nedyus, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 34. [386.
caliginosa Nitidula, Dejean, Ann. Sci. Nat. XX (79) July 1830, 254 [*n. n.*].
caliginosa Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 180.
caliginosa Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 100 (Fernaldo judice
 1808-18) [*n. et f.*].
caliginosus Otiorhynchus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 58 [*n. n.*];
 & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 420 [*n. n.*].
caliginosus Oxytelus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*].
caliginosa Pemphredon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34 [*n. n.*].
caliginosa Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 214.
caliginosus Photinus (Ol.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 142.—
 Lampyrus, 1790.
caliginosus Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 645.
caliginosus Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 671.
caliginosus Platystethus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 105.—Oxy-
 telus, 1829.
caliginosa Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
 1850, 126.
caliginosus Plinthus (Fab.), E. F. Germar, Ins. Spec. novae, I. 1824, 330.—Lixus.
caliginosus Psen, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
caliginosus Quedius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. V.) June 1832, 223.
caliginosum Rhaphium, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 29.

- caliginosus** Rhinodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 15 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 183 [*n. n.*].
- caliginosus** Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 190.—Curculio, 1775.
- caliginosus** Selenophorus (Fab.), Dejean, Spec. gén. Coléopt. IV. 1829, 115.—Carabus, 1775. [III. 1848, 589.]
- caliginosa** Spheg, F. Klug in W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 388. [357.]
- caliginosus** Sternechus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- caliginosus** Syrphus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 287.
- caliginosa** Tenthredo, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 78.
- caliginosus** Tormys, F. Walker, Entom. Mag. I (2) Jan. 1833, 118.
- caliginosus** Torpideres, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 149.
- caliginosus** Unio, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 165.
- Caligo** J. Huebner, Verz. bekannt. Schmett. 1818, 51.—Lep.
- Caligonus** Koch in Panzer, Ins. Germ., heft 138, 1836, tab. 9.—Ar.
- caligorum** Udonella, G. Johnston, Mag. Nat. Hist. VIII. Sept. 1835, 496.
- caligula** Creseis, F. Eschscholtz, Zool. Atlas, III. 1829, 18.
- calimanda** Pleuronectes, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 599.
- Calimene** = Calymene, Br.; G. v. Muenster, Beitr. zur Petref. (3) 1840, 35.
- caliophthalmus** Labrus, C. S. Rafinesque-S., Car. n. gen. 1810, 37.
- caliorhynchus** Icterus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 10.
- Calipeopsis** W. J. Broderip, Tr. Zool. Soc. Lond. I (3) 1835, 205.—G. [*non* 1817, *apud* Caliprepes A. White, Mag. Nat. Hist., n. s., III. Nov. 1839, 543.—Hem. [Scudder].
- Caliprobola** C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Jan. 1845], 455.—Dipt.
- Calipyga** B. H. Hodgson, J. Asiatic Soc. Bengal, X. 1841 (*post* 7 Ap.), 29.—A.
- calirhynchus** Pelicanus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- Caliscelis** Laporte, Ann. Soc. Ent. France, II (2) c. July 1833, 251.—Hem.
- calisia** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1840, 912.
- calispilota** v. **callispilota**.
- calista** Achatina, Brod.; L. Pfeiffer, Symb. Helic. II. 1842, 57.
- calista** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, VIII (94) July 1841, 157.
- Calistes** J. D. Dana, 1847; *teste* Marshall, Nom. Zool. 1873, *sed non comp.*
- Calisto** C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [*n. n.*].
- Calisto** J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 16.—Lep.
- calisto** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 551.
- calisto** Anthene, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 28 [*n. n.*].
- callisto** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 394.—Papilio,
- calisto** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300. [Cr. 1775.]
- calita** Psittaca, Jardine & Selby, Ill. Orn. 1830, pl. 82.
- calito** Conurus (J. & S.), G. R. Gray, Genera of Birds, II. Nov. 1845, 414.—Psittaca palita.
- calitor** Entedon, F. Walker, Mon. Chalcid. I. 1839, 60.
- cali**→ v. *et* **calli**→ *et* **calo**→. [*n. et f.*].
- Callacanthis** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxviii (June 1850).—A.
- Callacanthis** C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 479.—A.
- callactis** Orthos, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 112.
- callaeas** Charadrius, J. Wagler, Syst. Avium, I. 1827, sign. 512.
- callaeas** Cryptorhina, J. Wagler, Syst. Avium, I. 1827, sign. 815.
- Callaenia** J. Huebner, Verz. bekannt. Schmett. [1825], 246.—Lep.
- Callanthias** R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 76.—P.
- Callantica** Gray; G. B. Sowerby, II., Conch. Man. 1839, 16.—Cirr.
- callaensis** Purpura, J. E. Gray, Spec. Zool. 1828, 4.
- callarias** Morrhu (L.), H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 53.—Gadus, 1758.
- callaris** Salmo, P. S. Pallas, Zoographia, III. 1814, 352.
- Callaspidia** A. G. Dahlbom, Onychia...Scand. 1842, 11.—Hym.
- callaudi** = **caillaudi** = ? **cailliaudi**, *q. v.*

- Caldea** *err. pro* Calidea, Lap.; Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 263.
- Calneas** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- Calleaster** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 64.—Ech. [*n. n.*].
- Callebepharus** J. Gistel, Nat. Thierr. 1848, 130.—Col.
- Calleida** Dejean, Spec. gén. Coléopt. I. 1825, 220.—Col.
- Calleida** Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 132.—Col.
- Calleida** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 87.—Lep. [*sine typo*].
- Callene** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 136.—A.
- callens** Theridion, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 627.
- callensis** Anguilla, A. Guichenot, Explor. Algér. (Rept. Poiss.) 1850, 111.
- callensis** Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 147.
- callensis** Leuciscus, A. Guichenot, Explor. Algér. (Rept. Poiss.) 1850, 94.
- Calleptiles** A. H. Haliday, Entom. Mag. I (4) July 1833, 340.—Hym.
- calleva** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1840, 905.
- calleyi** Carabus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 96.
- Callia** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 60.—Col.
- Callia** J. E. Gray, Ann. Nat. Hist. VI. Sept. 1840, 77.—G.
- Callianassa** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 400.—Cr.
- callianassa** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 45.
- callianassa** Thalamita (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 464.—Cancer.
- Callianidea** H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 319.—Cr.
- Callianira** Péron & Lesueur, Ann. Mus. H. N. (Paris) XV (85) *inter* Ap.—Sept. 1810, 65.—Pter.
- Callianira** J. Huebner, Verz. bekannt. Schmett. 1818, 38.—Lep.
- Callianira** Westwood, Gen. diurn. Lepid. 1850, 251.—Lep.
- callianira** Actinote, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 14.
- Callianisea** H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 321.—Cr.
- Calliantha** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 82.—Col.
- Callianthia** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 104.—Col. [*sine typo*].
- Callianthia** (*ex* Dej.), E. Blanchard, Hist. Insect. II. 1845, 52.—Col.
- Callianthias** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callanthias, Lowe.
- Callianyra** *id. ac* Callianira, H. D. de Blainville, Man. Actin. 1834, 151.
- Calliaspidea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calaspidea, Hope.
- Calliaspidia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callaspidia, Dahlb.
- Calliaspis** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 367.—Col. [*sine typo*].
- Calliaspis** (*ex* Dej.), C. H. Boheman, Mon. Cassid. I. 1850, 81.—Col.
- Calliaster** J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 280.—Ast.
- Calliaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calleaster, Gray.
- Callibaea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calobaea, Zett.
- Callebepharus** J. Gistel, Handb. Naturges. 1850 [1847], 428.—Col.
- Callebepharus** J. Gistel, Nat. Thierr. 1848, pp. x & 130.—Col.
- Callicalpe** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calocalpe, Huebn.
- Callicampa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calocampa, Steph.
- Callicanthus** W. Swainson, N. H. Fishes etc. II. July 1839, 256.—P.
- Callicephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846, *emend. pro* Calocephalus, Cuv.
- callicephala** Calymene, J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 558.
- callicephalus** Phacops, J. Hall, N. H. New York (Pal. I.) 1847, 247.
- callicera** G. W. F. Panzer, Ins. Germ., heft 104 [1806–9], tab. 17.—Dipt.
- Callicera** J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 155.—Dipt.
- Calliceras** C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 278.—Hym.
- Callicerus** J. L. C. Gravenhorst, Coleopt. micr. 1802, 65.—Col.
- callicera** Aleochara, Gravenhorst, Mon. Coleopt. 1806, 153. [Aleochara.]
- callicera** Homalota (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 319.—
- callicerus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 311.
- Callichen** C. L. Brehm, Isis, 1830, 999.—A. [*n. n.*].
- Callichloris** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 155.—Col. [*n. n.*].
- Callichloris** J. Curtis (*ex* Dej. Cat.), Proc. Linn. Soc. London (21) June 1844, 198.—Col.

- Callichora** Dujardin, 1845; *teste* Marschall, *Callichore vernac. est.*
- Callichroa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calochroa, Hope.
- callichroa** Ostrea, S. Hanley, Proc. Zool. Soc. London, XIII (1852) Feb. 1846, 107.
- Callichroma** P. A. Latreille, N. Dict. H. N., ed. 2, V. 1816, 25; in G. Cuvier, R. Anim. III. 1817, 341.—Col. [Guér.
- Callichromus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calochromus,
- Callichrous** F. Hamilton, Fish. Ganges, 1822, 149 [*teste* Agassiz, *sed non gen.*].
- callichrous** Silurus, F. Hamilton, Fish. Ganges, 1822, 149. [Silurus, 1758.
- callichthys** Cataphractus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 126.—
- Callicitta** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calocitta, Gray.
- Callicnemis** Laporte, 1832; *err. Agassiz pro* Calicnemis, *q. v.* [Hartm.
- Callicochlias** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calocochlea,
- Callicomus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calocomus, Serv.
- callicopis** Heliconia (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 207.—Papilio cally→, 1777.
- callicopis** Sunias (Cr.), J. Huebner, Verz. bekannt. Schmett. 1816, 12.—Papilio cally→, 1777.
- Callicore** J. Huebner, Verz. bekannt. Schmett. 1818, 41.—Lep.
- callicratis** Pupa, A. Scacchi, Cat. Conch. Neap. 1836, 16.—Turbo, 1833.
- callicratis** Turbo, A. Scacchi, Oss. Zool. I. Feb. 1833, 11.
- Callicrinus** A. d'Orbigny, 1849; *teste* Waterhouse, *sed non comp. v.* Calliocrinus.
- Callictenus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 59.—Col. [*n. n.*].
- Callida** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calleida, Dej. 1825; Sodov. 1837.
- Callidea** H. Burmeister, Handb. Ent. II (1) 1835, 393.—Hem.
- Callidea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calidea, Lap.
- Callidema** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1833, 13.—Col.
- Callidema** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calodema, Lep. & Gory.
- Callidera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calodera, Mann. 1831; Gould, 1837.
- Calliderma** J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 76.—Ech.
- Calliderma** J. E. Gray in Jukes, Narr. Voy. of "Fly," II. July 1847, 343.—Ech.
- Callidermes** W. Swainson, N. H. Fishes etc. II. July 1839, 178.—P.
- Calliderus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloderus, Steph.
- Callidesma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calodesma, Huebn.
- callidice** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 81 (Fernaldo judice 1799) [*n. et f.*]. [[*n. et f.*].
- callidice** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 108 (Fernaldo judice 1804)
- callidice** Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 63.
- callidice** Papilio, E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. [1805], 110.
- callidice** Pieris (Esp.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 129.—Papilio.
- callidice** Pontia (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 31.—Papilio.
- callidice** Synchronoe, J. Huebner, Verz. bekannt. Schmett. [1820], 94.
- Callidina** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 48; *ibid.* 1831 (1832), 142.—Rot. [*n. n.*].
- callidioides** Monodesmus, J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 161.
- callidioides** Ozodera, Dupont, Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 42.
- callidius** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 144.
- callidoma** Cynips, Th. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 337.
- Callidromus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calodromus, Guér.
- Callidryas** Boisduval & Leconte, Hist. lépidopt. Amér. sept. (8) 1830, 73.—Lep.
- Callidula** J. Huebner, Verz. bekannt. Schmett. 1818, 66.—Lep.
- callida** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 247.
- callidus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 24.—Aranea, 1802.
- callida** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 (1841), 68.
- callida** Galleruca, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 95 [*n. n.*].
- callidus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 760.
- callida** Lebia, E. Newman, Entomologist (23) Aug. [*z. c.* Sept.] 1842, 367.

- callidus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 248.
- callidus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 214.
- callidus** Scaptocoris, J. C. Schiodte, Naturhist. Tidsskrift [2] II (5) 1848, 460.
- callidus** Stenus, E. Truqui, Baudi & Truqui, Studi Ent. I. 1848, 141.
- callidus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 57.
- callida** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 268.
- Calliendyma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calendyma, Dej.
- Calliergis** J. Huebner, Verz. bekannt. Schmett. [1825], 244.—Lep.
- Calliethera** C. L. Koch, Uebers. Arachnidensyst. I. 1837, 30.—Ar.
- Calliethira** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calliethera, Koch
- callifera** Arca, Lamarck, An. s. vert. VI (1) 1819, 41.
- callifera** Delphinula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 210.
- callifera** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 68.
- callifera** Monilea (Lam.), W. Swainson, Treat. Malacol., May 1840, 352.—Trochus.
- callifera** Neritina, G. B. Sowerby, II., Gen. Shells (12) 1823.
- callifera** Neritina, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 139 [*n. n.*].
- callifera** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 218. [phinula.]
- calliferus** Pitonellus (Desh.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 414.—Del-
- callifera** Pleurotoma, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) (republished with
- callifera** Purpura, Lamarck, An. s. vert. VII. 1822, 240. [pls. Mar. 1835, 52].
- calliferus** Trochus, Lamarck, An. s. vert. VII. 1822, 27.
- calliferus** Trochus, F. S. Voigt in Cuvier, Thierreich, III. 1834, 163.
- calliferus** Trochus (Desh.), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 384.—Delphinula.
- calligaster** Brachyrhynchus (Wieg.), L. Fitzinger, Syst. Rept. 1843, 28.—Elaps.
- calligaster** Coluber, R. Harlan (*ex* Say MS), J. Acad. Nat. Sci. Philad. V. Feb. 1827, 359.
- calligaster** Elaps, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 253.
- calligaster** Elaps, [A. F. A. Wiegmann] in F. J. F. Meyen, Reise Erde, II. 1835, 271
- calligata** Lynx, *v.* caligata. [[*n. n.*]]
- Calligenia** Duponchel, Cat. méth. Lép. Europ. 1844, 59.—Lep.
- calligetis** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 222. [Guér.]
- Callignathus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calognathus,
- Calligonus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caligonus, Koch.
- calligrammus** Eurysternus, J. W. Dalman, Ephem. Entom. 1824, 11.
- calligramma** Helia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 27.
- calligramma** Helia, J. Huebner, Verz. bekannt. Schmett. 1825, 259.
- calligramma** Orthis, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 114.
- calligramma** Orthis, Dalm.; *varr.* plicata, walsalliensis, rustica, rigida, J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 376.
- Calligrapha** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 398.—Col.
- Calligrapha** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 158.—Col. [[*sine typo*].]
- calligraphata** Larentia, Herrich-S. in Panzer, Ins. Germ., heft 163, 1838, tab. 6.
- calligraphus** Bostrichus, Creutzer in K. Duftschmid, Fauna Austriae, III. 1825, 91.
- calligrapha** Euthales (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 205.—[1808-18] [*n. et f.*].
- calligrapha** Noctua, 1792. [1808-18] [*n. et f.*].
- calligrapha** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 114 (Fernaldo judice
- calligraphus** Tomicus, E. F. Germar, Ins. Spec. novae, I. 1824, 461. [208.]
- callimachus** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- Callimation** Dejean, Catal. Coléopt., ed. 2 (4), Aug. 1835, 342.—Col.
- Callimation** F. E. Guérin-M., Iconographie, 1844, Ins. 238.—Col.
- Callimatium** L. Agassiz, Nomen. Zool. Index Univ. 1846. *emend. pro* Callimation, Dej.
- Callimela** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calomela, Hope.
- Callimenus** C. Steven in Fischer, N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 180.—Orth.
- Callimicra** Dejean, Catal. Coléopt., ed. 2 (1), Jan. 1833, 83.—Col. [*n. n.*].
- Callimicrus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calomicrus, Steph.
- Callimome** M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148.—Hym.
- Callimone** *err. pro* Callimome, Spin.; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.

- Callimorpha** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 220.—Lep.
- Callimus** C. Steven, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 374.—Orth.
- Callimus** E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, sign. 381.—Col.
- Callimyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callomyia, Meig.
- Callimys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callomys, Geoff.
- Callimys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calomys, Waterh.
- Callimyza** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callomyza, Fall.
- Callinotus** C. J. Schoenherr, Isis (Oken), 1825, 584; Curc. disp. meth. 1826, 263.—Col. [*n. n.*].
- Callinotus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calonotos, Huebn.
- callinotus** Psylliodes, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 348.
- callinympha** Catocala, Saporita in Boisduval, Europ. Lepid. Index, 1829 [1828], 98.
- Calliobothrium** P. J. van Beneden, Mém. Ac. Roy. Belg. XXV. 1850, 137.—Verm.
- Calliocrinus** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.—Crin.
- Calliodon** Bloch in Schneider, Syst. Ichth. 1801, 312.—P.
- Callioenas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calaeas, Blyth.
- Callioenas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloenas, Gray.
- Calliomma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calommata, Lucas.
- Calliopaea** A. d'Orbigny in Magasin de Zool. VII. 1837, text to pl. 108, p. 12.—Nud.
- Calliope** J. Gould, Birds of Europe, II. 1836, pl. cxviii.—A.
- Calliope** W. Ogilby, Proc. Zool. Soc. London, IV (48) June 1837, 138.—M.
- Calliope** A. H. Haliday in Westwood, Introd. Ins. II. 1840, 151.—Dipt.
- calliope** Accentor (Pall.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxviii.—Motacilla, 1776.
- calliope** Calothorax (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 110.—Trochilus.
- calliope** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- calliope** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 212. [Pall. 1776.
- calliope** Cyanecula (L.), G. R. Gray, Genera of Birds, I. May 1846, 182.—? Motacilla,
- calliope** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 364.
- calliope** Erithacus (Pall.), C. D. Degland, Orn. Europ. I. 1849, 514.—Motacilla, 1776.
- calliope** Heliconia (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.), 1819, 225.—Papilio, 1758.
- calliope** Libythea (L.), Lamarck, An. s. vert. IV. 1817, 29.—Papilio, 1758.
- calliope** Lusciola (Pall.), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 57.—Motacilla, 1776. [Papilio, 1758.
- calliope** Mechanitis (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—
- calliope** [Melodes] (Pall.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lviii & 190.
- calliope** Murex, G. Brocchi, Conch. Subap. 1814, 436. [—Motacilla, 1776.
- calliope** Nereis, J. Huebner, Exot. Schmett., Tab. Nereis [*n. f.*].
- calliope** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4.
- calliope** Nucula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 339.
- calliope** Phasianella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- calliope** Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 323.—Murex.
- calliope** Stalactis (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 27.—Papilio, 1758.
- calliope** Sylvia (Pall.), G. A. Suckow, Naturg. II [2] 1801, 1123.—Motacilla, 1776.
- calliope** Trochilus (Calothorax), J. Gould, Proc. Zool. Soc. London, XV (168) Mar. 29,
- calliope** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300. [1847, 11.
- calliope** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 279.
- Calliopea** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 90.—G. [= Calliopaea].
- Calliophis** J. E. Gray, Ill. Indian Zool. II (—) [1832–5] (pl. 86).—R.
- Calliophis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calophis, Fitz.
- calliopsis** Argus, J. A. Boisduval, Ic. hist. lépidopt. Europe, I (5 & 6) 1832, 58.
- Calliopoëa** Siebold, Vergl. Anat. I (2) 1847, 297 [= Calliopaea].
- calliops** Aplocentrus, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 420.
- calliops** Bodianus, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 447.
- calliops** Coccinella (Epilachna), F. E. Guérin-M., Iconographie, 1844, Ins. 320.
- calliops** Ortolia (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 894.—Coccinella, ? callispilota.

- Calliornis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calornis, Gray.
- Calliostoma** W. Swainson, Treat. Malacol., May 1840, 218 & 351.—G.
- calliostoma** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 59.
- Callioza** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calyoza, Westw.
- Callipappus** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 129.—Hem.
- Callipara** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 141.—G.
- calliparaea** Calliste (Licht.), G. R. Gray, Genera of Birds, III. App. 1849, 17.—Callospiza.
- calliparaea** Callospiza, H. Lichtenstein, Arch. f. Naturg. X (1) 1844, 283.
- caliparea** Medusa (Cyanea), Reynaud in R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831,
- calipareus** Podiceps, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 727. [67.]
- Callipechis** H. Burmeister, Handb. Ent. III. 1842, 609.—Col.
- Callipechys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callipechis, Burm.
- Callipelta** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callopeltis, Bonap.
- Callipelta** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopeltis, Fitz.
- Callipepla** J. G. Wagler, Isis (Oken), 1832, 277.—A.
- Callipepla** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col. [*sine typo*].
- Callipepla** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopepla, Hope.
- Calliphaena** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calophaena, Klug.
- Calliphara** E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 9.—Hem.
- Calliphasia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calophasia, Steph.
- Calliphlox** F. Boie, Isis (Oken), 1831, 544.—A. [—Dipt.]
- Calliphora** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 433.
- Calliphora** J. Macquart, Suites à Buffon (Dipt. II.) 1835, 261.—Dipt.
- Calliphox** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calliphlox, Boie.
- calliphron** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 777.
- Calliphryne** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kalophrynus, Tsch.
- Calliphysus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calophysus, M.
- callipleura** Arca, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, 54. [& T.]
- Callipogon** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 140.—Col.
- Calliprason** A. White in Dieffenbach, Trav. N. Z., Jan. 1843, 277.—Col.
- Calliprepes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caliprepes, White.
- Calliprobola** C. Rondani, 1848; *teste* Scudder *sed v.* Caliprobola.
- Callipsittacus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopsitta, Less.
- Calliptamus** J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 284.—Orth.
- Calliptenus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloptenus, Burm.
- Calliptera** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
- Calliptera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloptera, Guér.
- Callipterum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopterum, Lap.
- Callipterus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopterus, Chaud.
- caliptera** Anthrax, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 46.
- callipterus** Aphis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 369.
- calipterus** Cryptus, T. Say, Boston Journ. N. H. I (3) 1836, 234.
- caliptera** Erioptera, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 17.
- caliptera** Microgaster, T. Say, Boston Journ. N. H. I (3) 1836, 264.
- calipterus** Pompilus, T. Say, Boston Journ. N. H. I (3) 1836, 302.
- caliptera** Trypeta, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 187.
- Callipteryx** J. L. R. Agassiz, Poiss. Foss. IV. 34 (1835), 12 (1838), 193 (1839).—P.
- Callipteryx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calepteryx, Leach.
- Callipteryx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopteryx, Burm.
- Calliptilia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloptilia, Huebn.
- Calliptilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calleptiles, Halid.
- Calliptychia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloptychia, Huebn.
- Callipus** A. Risso, H. N. Europe, V. 1826, 150.—Myr.
- Callipus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calopus, Fabr. 1775.
- callipus** Turbo, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 79.
- Callipyga** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calipyga, Hodgs.
- calipyga** Alcyon, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- calipyga** Bahila, Hodgson, India Review, II. 1838, 88.

- callipyga** Cytherea (Born), R. A. Philippi, Zeitschr. f. Malakozool., June 1847, 85.—Venus calipyga, 1778.
- calipyga** Leiothrix (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 184.—Bahila.
- Callipyrga** E. Newman, Entomologist (26) Dec. 1842, 413.—Col.
- Callirhamphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloramphus, Less. 1839. [1851], 176.—Col.
- Callirhinus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte*].
- Callirhipis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 459.—Col.
- Callirhoë** Denys de Montfort, Conch. I. 1808, 362.—Ceph.
- Callirhoe** Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 341.—Med.
- Callirhoe** C. S. Rafinesque, Analyse, 1815, 100.—Cr. [*n. n.*].
- callirhoe** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- calliroe** Hamadryas, J. Huebner, Exot. Schmett., Tab. Hamadryas [*n. et f.*].
- callirhoe** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4.
- callirrhoe** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 119.—Papilio, 1775.
- calliroe** Pyrameis, J. Huebner, Verz. bekannt. Schmett. 1818, 33.
- callirhoe** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
- callirhoe** Unicardium, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 17. [Gron.]
- Callirhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callorhynchus,
- Callirhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callyrhynchus, Less. [rhoe].
- Calliroe** Montf. 1808; *teste* Scudder, Nom. Zool. 1882 (Suppl.), 55.—*non comp. v.* Calli-
- Callirrhoa** *emend. pro* Callirhoe, Montf.; A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846,
- Callirus** Megerle in Dahl, Col. u. Lepid. 1823, 56.—Col. [154.]
- Callisaura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calosaura, D. & B.
- callisaurus** H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct. 1835, 286.—R.
- Calliscapha** W. Swainson, Treat. Malacol., May 1840, 380.—L.
- Calliscelis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caliscelis, Lap.
- Calliscelis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloscelis, Burm.
- Calliscirtes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caloscirtes, Klug.
- Callisitta** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 226.—A.
- Callisoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calosoma, Web.
- Callisoma** A. Costa; O. G. Costa, Fauna Regno Napoli, Crost., Callisoma, I (Mar. 1851).—Cr. [Waterhouse dict. 1840, sed?].
- Callisostoma** Sw.; G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 90.—G.
- Callisphyris** E. Newman, Entomologist (1) Nov. 1840, 1.—Col. [*non -us, apud* Agass.].
- callispilota** Coccinella, F. E. Guérin-M., Iconographie, 1844, Ins. 320. [nella.]
- calispilota** Neda (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 294.—Cocci-
- Callispilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calospilos, Huebn.
- Callispiza** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calospiza, Gray.
- Calliste** F. Boie, Isis (Oken), 1826, 974.—A.
- Callistega** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calostega, Westw.
- Callistege** J. Huebner, Verz. bekannt. Schmett. 1825, 281.—Lep. [1851], 198.—Col.
- Callistethus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte*].
- Callisthenes** G. Fischer de W., Lettre à Pander, 1821, 10.—Col. [—Col.]
- Callisthenes** G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) post May 1822, 85.
- Callistigia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calostigia, Huebn.
- Callisto** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 276.—Lep.
- Callisto** J. Gisl, Nat. Thierr. 1848, p. viii.—Ech.
- callisto** *v.* calisto.
- Callistochrous** Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1850 (1) 1850, 398.—Col.
- Callistola** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 363.—Col. [Col.]
- Callistola** F. E. Guérin-M. (*ex* Dej. Cat.), Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 333.—
- Callistoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callostoma, Macq.
- Callistoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calliostoma, Swains.
- Callistoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Callisostoma, Sow.
- Callistomus** *emend. pro* Calliostoma, Sw.; A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846, 155.

- Callistus** F. A. Bonelli, Obs. Entom. 1813, Table; Dejean, Sp. gén. Col. II. 1826, 295.
- Callistus** Lafresnaye in Orbigny, Dict. Univ. H. N. III. 1843, 58.—A. [—Col.]
- callistus** Staphylinus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 114.
- Callitaenia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calotaenia, Steph.
- callitarsis** Tanipeza, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 181.
- Callitlelea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calotelea, Westw.
- calliteles** Cryphaeus, Green; J. Hall, N. H. New York (Geol. 4 dist.) 1843, 201.
- callitelus** Cryphaeus, J. Green, Amer. J. Sci. XXXII (2) July 1837 [346] & *errata*, p. vii.
- Callithea** Boisduval, Magasin de Zool. V. 1835, pl. 122.—Lep.
- Callithea** Boisduval, s. à Buffon (Lep.) I. 1836, expl. pl. x.—Lep.
- Callithea** W. Swainson, Treat. Malacol., May 1840, 320.—G.
- callithea** Vanessa, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 324.
- Callitheres** P. A. Latreille in Dejean, Cat. Coléopt., ed. 2 (2) 1833, 112.—Col.
- Callitheres** M. Spinola (*ex* Dej. Cat.), Rev. Zool. 1841, 72.—Col. [*sine typo*].
- Callitheres** M. Spinola (*ex* Dej. Cat.), Ess. mon. Clérètes, I. 1844, 105.—Col.
- callithoe** Euplaea, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 93.
- Callithorax** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calothorax, Gray.
- Callitriche** *err. pro* Eutriche, L. Agassiz, Nomen. Zool. Index Univ. 1846, 60.
- Callitrichus** G. P. Deshayes, Ency. méth. (Vers) II (1) 1830, 164.—L.
- Callitula** M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 151.—Hym.
- Calliurus** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*].
- Calliurus** C. S. Rafinesque, Journ. de Physique, LXXXVIII, June 1819, 420.—P.
- Calliurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calurus, Swains.
- calliura** Etheostoma, C. S. Rafinesque, Western Review, II (1) Feb. 1820, 56; Ichth. Ohienensis [Dec.] 1820, 36.
- calliurus** Scartelaos, W. Swainson, N. H. Fishes etc. II. July 1839, 280.
- Callizona** E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1850), 246.—Lep.
- Callizonus** C. J. Schoenher, Curc. disp. meth. 1826, 123.—Col.
- callizonus** Aeolus (Guér.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 78.—Elatér.
- callizonus** Elater (Aeolus), F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 24.
- callizona** Phyllocharis, J. W. Dalman, Ephem. Entom. 1824, 22.
- Callocalia** G. R. Gray, List of gen. of Birds, 1840, 8; Gen. of Birds, I. 1845, 54.—A.
- Callocephale** F. Cuvier, Mém. Mus. H. N. (Paris) XI [3] Oct. 1824, 186.—M. [*vernac.*].
- Callocephalon** R. P. Lesson in Bougainville, Journ. "Thétis et Espér." II. 1837, 311; Compl. Buffon, IX. 1837, 195.—A.
- Callocephalus** J. E. Gray, Zool. "Erebus & Terror" (Mamm. 1844), 3.—M.
- callocephala** Ardea, J. Wagler, Syst. Avium, I. 1827, sign. 1213.
- Callochiton** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 126.—Moll.
- Calloctenus** A. White, Proc. Zool. Soc. London, XVIII (201) Nov. 12, 1850, 12.—Col.
- Callomya** L. Oken, Lehrb. Nat. V. 1815, 490 [=? Callomyia].
- Callomyia** J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 311.—Dipt.
- Callomys** A. d'Orbigny & I. Geoffroy, Ann. Sci. Nat. XXI (83) Nov. 1830, 282.—M.
- Callomyza** C. F. Fallen, Platypez. et Bombyl. Svec. 1815, 6.—Dipt.
- Callona** G. R. Waterhouse, Tr. Entom. Soc. Lond. II (4) Nov. 1840, 228.—Col. [Picus.
- callonotus** Dendrobates (Waterh.), G. R. Gray, Genera of Birds, II. Sept. 1845, 437.—
- callonotus** Picus, G. R. Waterhouse, Proc. Zool. Soc. London, VIII (95) July 1841, 182.
- callonotus** Venilia (Waterh.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 129.—Picus.
- Callöodes** A. White, Ann. Mag. Nat. Hist. XV (95) Jan. 1845, 38.—Col.
- Callopeltis** *id. ac* Calopeltis, Fitz.; C. L. Bonaparte, Icon. Fauna Italica, Indice Distr. Amfibi (1841).—R. [triv. append.].
- Callophrys** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 80.—Lep. [n. d., 3 nom.
- Callophysus** Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 1.—P.
- Callopis** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 91.—Lep. [n. d., 5 nom. triv. append.].
- Callopestes** J. L. C. Gravenhorst, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 743.—R.
- Callopestes** Schaum, Ann. Soc. Ent. France [2] II. Ap. 1845, 401.—Col.

- Calloplistria** J. Huebner, Verz. bekannt. Schmett. [1822], 216.—Lep.
- Calloplistria** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 378.—Col.
- Calloplistus** T. Say, Descr. N. Amer. Curc. 1831, 10.—Col. [*teste* Waterhouse].
- Callopoma** J. E. Gray, Figs. Moll. Anim. IV. 1850, 87.—G.
- Callopora** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 109 & 146.—Polyz.
- Callopora** J. Hall, N. H. New York (Pal. II.) 1848, 144.—Polyz.
- Calloptilum** J. Richardson, Zool. "Sulphur," 1845, 94.—P.
- Callopus** Bosc, Bull. Soc. Philom. à ses Corresp. [Paris] 1803, 12.—Col.
- callopus** Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 185.
- Callospiza** J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 285 [= Calospiza].
- Callostoma** J. Macquart, Mém. Soc. Sci. Lille, 1840, 355.—Dipt.
- Callosune** E. Doubleday, Gen. Diurn. Lep. 1847, 57.—Lep.
- callosus** Anchonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 508.
- callosa** Anodonta, Held in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Najadea (14) 1839, 36.
- callosus** Anthicus, W. L. E. Schmidt, Entom. Zeitung, Stettin, III (8) Aug. 1842, 181.
- callosus** Asilus, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 30.
- callosa** Astarte, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) Aug. 1833, 38.
- callosus** Ateuchus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 410.
- callosum** Bembidium, H. C. Kuester, Käfer Europas, IX. 1847, 23.
- callosus** Brachycerus, C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 427.
- callosum** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- callosus** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Aug. 1846, 128.
- callosa** Bullia (Wood), L. Reeve, Conch. Icon. III.—Bullia, no. 24, Feb. 1847.
- callosa** Calandra, A. G. Olivier, Entom. V. 1807, 92. [[*n. n.*].
- callosa** Cancellaria, M. Hoernes (*ex* Partsch MS), Verz. Fossil Reste Wien, 1848, 20
- callosa** Ceratina (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 234.—Megilla.
- callosa** Ceratina (F.), Lamarck, An. s. vert. IV. 1817, 66.—Apis, 1794.
- callosus** Cratoparis (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 218.—Euparius.
- callosa** Cytherea, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 252.
- callosus** Dasyopogon (Wied.), H. Loew, Linnaea Entom. II. July 1847, 458.—Asilus, Pall.
- callosa** Dolabella, Lamarck, Syst. Anim. 1801, 62.
- callosa** Elidiptera, M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1838, 202.
- callosa** Erato, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 25.
- callosus** Euparius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 136.
- callosus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 75.
- callosa** Helix, H. E. Anton, Verz. Conch. 1839, 39. [541.—Mus.
- callosus** Hesperomys (Rengg.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843,
- callosus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 441.
- callosa** Lucina (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 96.—Venus.
- callosa** Mactra, F. A. Roemer, Verst. Norddeusch. Oolith. (2) 1836, 123.
- callosa** Megilla, J. C. Fabricius, Syst. Piezat. 1804, 334.—Apis, 1794.
- callosus** Midas, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 580.
- callosa** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 251, Mar. 1845.
- callosus** Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 122.
- callosus** Mus, J. R. Rengger, Naturg. Saug. Paraguay, 1830, 231.
- callosa** Natica, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 3.
- callosa** Natica, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
- callosa** Neritina, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 156.
- callosa** Oliva, H. E. Anton, Verz. Conch. 1839, 102.
- callosus** Opilus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 325.
- callosa** Patella, Hombron & Jacquinot, C. R. Acad. Sci. (Paris) XIII. 1841, 221 [*n. n.*].
- callosa** Patella, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 192.
- callosus** Phaenithon, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 259.
- callosus** Phlyctinus, C. J. Schoenherr, Curc. disp. meth. 1826, 196.
- callosa** Pholas, Lamarck, An. s. vert. V. 1818, 445.
- callosa** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 406.

- callosa** Purpura, Lamarck, An. s. vert. VII. 1822, 239.
callosa Purpura, Sowerby, Gen. Shells (43) Purpura, f. 9 (1834).
callosa Rotella (Desh.), H. G. Bronn, Index Pal. 1848, 1104.—Turbo.
calosa Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [*n. n.*].
callosus Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 105.
callosus Sphenophorus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 942.—Calandra.
callosus Stenus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 737.
callosus Strombus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 627.
callosus Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 171.
callosa Torquilla, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18.
callosus Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
callosus Trochus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (6) 1844, 137.
callosa Turbinella (Sow.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 211.—[Purpurea].
callosus Turbo, G. P. Deshayes, Descr. Coq. char. 1831, 189.
callosus Unio, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 31.
callosus Venulites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 446 [*n. n.*].
callosa Venus, Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 130.
callosa Voluta, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 30.
callosis Lepus, J. G. Wagler, Isis, 1831, 511.
calloviensis Aleto, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 344.
calloviensis Ammonites, J. Sowerby, Min. Conch. II. 1815, 3.
calloviensis Ancyloceras, J. Morris, Ann. Mag. N. H. XV. Jan. 1845, 32.
calloviensis Diadema, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 346.
calloviensis Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 344.
calloviense Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 338.
calloviensis *v. et corallensis*.
callunae Lasiocampa, S. Palmer, The Zoologist, V (3) 1847, 1656.
callunaria Eupithecia, H. Doubleday, The Zoologist, VIII. 1850, App. p. cv.
Callidrias Feisthamel, Magasin de Zool. (2) I. 1839, pl. 18.—Lep. [*v. Callidryas*].
Callyntra A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 335.—Col.
callyodon Cyclopterus, P. S. Pallas, Zoographia, III. 1814, 75.
Callyrhynchus R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 209.—A.
Callytron J. Gistel, Nat. Thierry. 1848, 111; Handb. Naturges. 1850 [1847], 364.—Col.
calmariensis Pyrrhocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 45.
calmeilii Buccinum, B. C. Payraudeau, Cat. Moll. Corse, 1826, 160.
camaelii Pollia (Payr.), J. E. Gray, Zool. "Blossom," 1839, 112.—Buccinum calmeilii.
Calo J. Gistel, Nat. Thierry. 1848, p. viii.—Dipt.
Calobaea J. W. Zetterstedt, Dipt. Scand. I. 1842; *teste* Agass. *sed non comp. v. Colobaea*.
Calobamon H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 36.—Dipt. [*sine typo*].
calobaptus Bulimus, J. H. Jonas, Proc. Zool. Soc. London, X (119) Feb. 1843, 188.
Calobata J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276.—Dipt.
Calobates J. J. Kaup, Skizz. Europ. Thierw. 1829, 33.—A.
Calobates C. J. Temminck in T. & Laugier, Pls. color. (91) Dec. 1832, 538.—A.
Calobatus R. P. Lesson, Man. Orn. II. June 1828, 339.—A.
calobata Calobata, J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276.
calobatus Centropus, P. A. J. Drapiez, Dict. class. Sci. Nat. III. 1838, 133.
calobatus Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 405.
calobata Pimpla, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 176.
Calobicus *err. pro* Colobicus, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 90.
Calocalpe J. Huebner, Verz. bekannt. Schmett. 1826, 330.—Lep.
Calocampa J. F. Stephens, Ill. Brit. Ent. (Haust. II.) May 1829, 172.—Lep.
Calocaris T. Bell, Brit. Stalk-eyed Crust. (5) 1846, 231.—Cr.
Calocephala E. Blyth in Cuvier, An. Kingd. 1840, 98.—M.
Calocephala Zetterstedt (*ex* Wahlberg MS), Dipt. Scand. V. 1846, 1928.—Dipt.
Calocephalus F. Cuvier, Dict. Sci. Nat. XXXIX. 1826, 544.—M.
Calochroa F. W. Hope, Coleopt. Manual, II. 1838, 19 & 162.—Col.
Calochromus F. E. Guérin, Ann. Soc. Ent. France, II (2) *c.* July 1833, 158.—Col.

- Calochrosis** F. W. Hope, Coleopt. Manual, III. 1840, 141.—Col.
- Calocitta** G. R. Gray, List Gen. Birds, ed. 2, 1841, 50.—A.
- Caloclada** F. E. Guérin-M., Iconographie, 1844, Ins. 284.—Col.
- Caloclyptus** J. Gistel, Faunus, I (3) 1834, 149.—Col.
- Calocnemis** Latreille in F. L. de Laporte, H. N. Col. II. 1840, 129.—Col.
- Calocochlea** J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 163.—G.
- Calocomus** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 194.—Col.
- Calocrinites** Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 21.—Crin.
- Calocyclus** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1847, Tab. p. 54.—Prot.
- Calodactylus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 91.—Col.
- calodactyla** Phalaena (Pterophorus), W. Turton, Linnaeus, Syst. Nat. III. 1802, 384.
- calodactyla** Platyptilia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 429.—Alucita.
- Calodema** Laporte & Gory, H. N. Coléopt. II. 1837, Stigmodera, 70.—Col. [Col.]
- Calodera** Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 499.—
- Calodera** J. Gould, Syn. Birds Austr. (1) Jan. 1837; Proc. Zool. Soc. London, IV (46) Feb. 1837, 106.—A.
- Caloderus** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 269.—Col.
- Calodesma** J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Lep.
- Calodium** F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 25.—Verm.
- Calodromus** F. E. Guérin, Magasin de Zool. II. 1832, pl. 34.—Col.
- Caloenas** G. R. Gray, List Gen. Birds, 1840, 59.—A.
- Calognathus** F. E. Guérin in Magasin de Zool. VII. 1837, pl. 172.—Col.
- Calomela** F. W. Hope, Coleopt. Manual, III. 1840, 166.—Col. [45.—Col.]
- Calometopus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, [45.—Col.]
- Calomicrus** L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 52.—Col. [auct. typ.].
- Calomicrus** L. W. Dillwyn in J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 293.
- Calommata** H. Lucas, H. N. Crust. Arach. Myr.-1840, 345.—Ar. [—Col.]
- calomormpha** Helix, I. H. Jonas, Arch. f. Naturg. V (1) 1839, 341.
- Calomya** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 120.—Dipt. [*n. d.*].
- Calomyia** Rossi, Syst. Verz. Zweifl. Ins. 1848, p. viii [=Callomyia, Meig.].
- Calomys** G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 21.—M.
- Calonota** F. W. Hope, Coleopt. Manual, I. 1837, 74 & 107.—Col.
- Calonotos** J. Huebner, Verz. bekannt. Schmett. [1820], 123.—Lep.
- Calopeltis** L. Fitzinger, Syst. Rept. 1843, 26.—R. [*n. n.*].
- Calopepla** F. W. Hope, Coleopt. Manual, III. 1840, 152.—Col.
- Calophaena** F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 295.—Col.
- Calophasia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Lep.
- Calophis** L. Fitzinger, Syst. Rept. 1843, 26.—R.
- Calophryne** L. Agassiz, Nom. Zool. (Rept.) 1844, *emend. pro* Kalophrynus, Tsch.
- calophylla** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 200.
- calophylla** Venus, R. A. Philippi, Arch. f. Naturg. II (1) 1836, 229. [Aranea.]
- calophylla** Zilla (Walck.), C. L. Koch, Die Arachniden, VI (6) ante July 1839, 148.—
- Calophyllum** T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 22.—Cor.
- Calophyllum** J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 114 [*n. n.*]; Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 356.—Cor. [*sine typ.*].
- Calophysus** Müller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1842, 179.—P.
- Calopistria** J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 286 [? =Callopo→, 1822].
- calopodaria** Dekinia, C. F. A. Morren, Bijdr. Nat. Wetensch. V (1) 1830, 225; Ann. Sci. Nat. XXI (82) Oct. 1830, 139.
- calopoides** Necydalis, E. F. Germar, Reise Dalm. 1817, 225.
- Calopomus** L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 307 [*n. n.*].—P.
- calopora** Eudea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 389.—Scyphia.
- calopora** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 5.
- calops** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 451.
- Calopsitta** R. P. Lesson, Illustr. de Zool. (17) inter Feb. & Dec. 1835, pl. 49.—A. [*non* 1831, *apud* Agass.]. [637.]
- Caloptenus** *emend. pro* Calliptamus, Serville; H. Burmeister, Handb. Ent. II (2) i, 1838,

- Caloptera** L. Agassiz, Nom. Zool. (Dipt.) 1845.—*vernac.* Guérin, 1838.
Caloptera Frivaldsky, K. Magyar termes. Tars. evkon. I (1845), 185.—Lep.
Caloptera Herrich-S. 1846 [*teste* Marschall, Frivaldszky *est*].
Caloptera E. Blanchard, Hist. Insect. II. 1845, 363.—Lep.
Caloptera J. Gisl, Nat. Thierr. 1846, 128.—Col.
"Caloptère" F. E. Guérin-M. in Duperry, Voy. "Coquille," Zool. II (1) 1838, 287.—Dipt.
Calopteron Laporte, Revue Entom. IV (1) 1836, 25.—Col.
Calopteris M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 11.—Col.
caloptera Buprestis, Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) 1835, 93.
caloptera Erioptera, T. Say in C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828,
caloptera Lomatia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 412. [23.
caloptera Pimpla, M. Perty, Del. anim. artic. Brasil. (3) 1833, 133.
caloptera Selagis, MacL.; Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 79.
caloptera Stigmodera (Boisd.), Laporte & Gory, H. N. Coléopt. II. 1837, 48.—Buprestis.
caloptera Trypeta, H. Loew, Entom. Zeitung, Stettin, XI (2) Feb. 1850, 54.
Calopteryx T. de Charpentier in Burmeister, Handb. Entom. II (2) ii, 1839, 826; Libell.
 Europ. 1840, 16.—Neur.
Caloptilia J. Huebner, Verz. bekannt. Schmett. 1826, 427.—Lep.
Caloptychia J. Huebner, Verz. bekannt. Schmett. 1826, 359.—Lep.
Caloptylum olim Calloptilum, J. Richardson, Ann. Mag. N. H. XIX. Feb. 1847, 138.—P.
Calopus C. S. Rafinesque, Analyse, 1815, 66.—A. [*n. n.*].
calopus Asilus, H. Loew, Linnaea Entom. III. Ap. 1848, 474.
calopus Culex, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 3.
Caloramphus R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. May 1839, 138.—A.
calorenychus v. **calorhynchus**.
Calorhynchus A. Wagner, Arch. f. Naturg. VII (2) 1841, 98.—A. [Capitonidae] *nov. nom.*
 pro Caloramphus, Lesson [C. W. R.].
 [calorhynchus.] [nicophaus.
calyrorhynchus Melias (Temm.), R. P. Lesson, Traité Ornith. (2) May 1830, 132.—Phae-
calyrorhynchus Phaenicocephalus, C. J. Temminck in T. & Laugier, Pls. color. (59) June
 1825; calorhynchus in Tabl. méth., Jan. 1839, 53.
calorenychus Zanclostomus (Temm.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843),
calorhynchus v. **calirhynchus**. [1098.—Phoenicocephalus.
caloris Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 80 (Fernaldo judice 1802-8)
caloris Tarache, J. Huebner, Verz. bekannt. Schmett. 1825, 261. [*n. cf.*].
Calornis Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 77.—Lep. [*n. d.*,
 4 nom. triv. append.].
Calornis G. R. Gray, List Gen. Birds, ed. 2, 1841, 53.—A.
calorynx Eurystomus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82.—[*n. n.*].
Calosaura Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 261.—R.
Caloscelis *emend. pro* Caliscelis, Laporte; H. Burmeister, Handb. Ent. II (1) 1835, 158.
caloscelis Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 59.
Caloscirtes Hoffmannsegg in Klug, Entom. Mon. 1824, 89.—Col.
Calosoma F. Weber, Obs. Ent. 1801, 20.—Col.
Calosoma J. C. Fabricius, Syst. Eleuth. I. 1801, 211.—Col.
Calosoma C. Geyer in Huebner, Zuträge z. Exot. Schmett. IV. 1832, 14.—Lep.
calosoma Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 26 [*n. cf.*].
calosomoides Adelum, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 420.
Calosoter F. Walker, Entom. Mag. IV (4) Ap. 1837, 358.—Hym.
Calospila C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 28.—Lep.
Calospilos J. Huebner, Verz. bekannt. Schmett. 1826, 305.—Lep.
Calospiza G. R. Gray, List Gen. Birds, 1840, 44.—A.
Calostega J. O. Westwood, Tr. Zool. Soc. London, III (2) 1843, 221.—Col.
Calostegia J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 117.—Col.
Calostigia J. Huebner, Verz. bekannt. Schmett. 1826, 328.—Lep.
calostoma Linnae, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 635.
calostoma Mitra, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 90 [*n. n.*].
Calotaenia J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Feb. 1830, 99.—Lep.

- Calotelea** J. O. Westwood, Trans. Ent. Soc. London, II (1) 1837, 55.—Hym.
- Calotes** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*].
- Calotes** G. Cuvier, R. Anim. II. 1817, 35.—R.
- calotes** Agama (L.), F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 361.—Lacerta, 1758.
- calotes** Calotes (L.), G. Cuvier, R. Anim. II. 1817, 35.—Lacerta, 1758.
- Calothorax** G. R. Gray, List Gen. Birds, 1840, 13.—A.
- Calothyranis** J. Huebner, Verz. bekannt. Schmett. 1825, 301.—Lep.
- calotis** Mustela, B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (1842), 909 [*n. n.*].
- Calotragus** C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. II (3) 1845, 31.—M.
- Calotripis** J. Huebner, Verz. bekannt. Schmett. 1826, 425.—Lep.
- Calotrypis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calotripis, Huebn.
- calotus** Mustela, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 22 [*v. calotis*].
- calpatorius v. culpatorius**.
- Calpe** F. Treitschke, Schmett. Europa, V (2) 1825, 168.—Lep.
- Calpe** Quoy & Gaimard, Ann. Sci. Nat. X (37) Jan. 1827, 11.—Coel. [8.
- calpeiana** Mygale, C. A. Walckenaer, Tab. Aran. 1805, 5 [*n. n.*]; H. N. Aran. (1) 1805,
- calpharnia** Erycina, W. W. Saunders, Tr. Entom. Soc. London, V (9) Feb. 1850, 221.
- Calpis** J. Huebner, Index exot. Lepid. 1821, 1.—Lep.
- Calpodes** J. Huebner, Verz. bekannt. Schmett. [1820], 107.—Lep.
- Calpurna** J. Fleming, Hist. Brit. Anim. 1828, 331.—G.
- Calpurnus** Denys de Montfort, Conch. II. 1810, 638.—G.
- calquin** Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 55.
- Calrita** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 40.—R. [*n. n.*].
- calthae** Anthomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 336.—Delia. [Dermestes, 1763.
- calthae** Cercyon (Scop.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 139.—
- calthae** Delia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 577.
- calthae** Psylla (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1761.
- calthaeago** Cosmia, Boisdual, Gen. Index Europ. Lepid. 1840, 143.
- calthella** Adela (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 117.—Tinea, 1761.
- calthella** Eriocephala (L.), J. Curtis, Brit. Entom. XVI (188) Aug. 1839, no. 751.—Tinea, 1761.
- calthella** Lampronia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea, 1761.
- calthopticus** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 369.
- calthrata** Silpho, *v. clathrata*.
- calthropae** Psittacus, E. L. Layard, Journ. Ceylon Br. R. Asiat. Soc. [II (5) 1849-50] 1850, 75; ed. 2, 1890, 200.
- calumniator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 83.
- calumniator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 258.—Cryptus.
- Calurus** W. Swainson, Zool. Illust. (2) III (24) 1833, pl. 107.—A.
- calurus** Phascogale, J. Gould, Proc. Zool. Soc. London, XII (136) Oct. 1844, 104.
- calurus** Trochilus (Lesbia), B. Du Bus, Bull. Ac. Roy. Brux. IX (1) 1842, 525.
- calus** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 640.
- Caluthus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 102.—Hem. [*non binom.*].
- Calutus** *emend. pro* Caluthus; C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 508
- calvadosii** Corallina, J. V. F. Lamouroux, Hist. Polyp. 1816, 290. [*non binom.*].
- calvarialis** Epizeuxis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 346.—Pyrallis, 1775. [(2) (Noct. 5, pt. 2) 1832, 37.—Pyrallis, 1775.
- calvarialis** Herminia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII
- Calvarias** J. Gistl, Nat. Thierr. 1848, 137; Handb. Naturges. 1850 [1847], 449.—Orth.
- calvatus** Pecten, S. G. Morton, Amer. J. Sci. XXIV (1) Ap. 1833, 130.
- calvella** Psyche, F. Ochsenheimer, Schmett. Europa, III. 1810, 172.
- calvella** Sterrhopterix (Ochs.), J. Huebner, Verz. bekannt. Schmett. 1826, 399.—Psyche.
- calvertensis** Delphinus, R. Harlan, Bull. Proc. Nat. Inst. Washington, II. 1842, 195.
- Calvia** E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 140.—Col.
- Calvifrons** Daudin, Ann. Mus. H. N. Paris, III. 1803, 146.—A.
- calvimontii** Caryophyllia, Defrance in Lamouroux, Ency. Méth. (Zooph.) 1824, 168.

- calvimontii** Montlivaltia (Lamx.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 257.—Caryophyllia.
- calvinarius** Acanthocinus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 72.
- calvitoma** Purpura, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 84 [*n. n.*].
- calviventris** Harpactor, E. F. Germar, Revue Entom. V (3) 1840, 127.
- calvus** Acridotheres (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 391.—Gracula, L. 1766.
- calvus** Ammonites, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 61.
- calvus** Ampelis (Gm.), C. Illiger, Prod. 1811, 228.—Corvus, 1788.
- calvus** Brachyurus, I. Geoffroy, C. R. Acad. Sc. (Paris) XXIV. 1847, 576.
- calva** Brahmia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 140.
- calvus** Bucco, de Lafresnaye, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 241.
- calvus** Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 70.—Bulinus.
- calvus** Bulinus, G. B. Sowerby, I., Conch. Illustr. (34) 1833, f. 41 [*n. et f.*].
- calvus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 72.
- calva** Ciconia, T. C. Jerdon, Madras Journ. XII (29) Oct. 1840, 201.
- calva** Clitellaria, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 121.
- calva** Columba, C. J. Temminck in Knip, Les Pigeons, I (—) 1809, 35. [1788.]
- calvus** Coracina (Gm.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxii.—Corvus,
- calva** Coregonus (L.), J. P. Kirtland, Boston Journ. N. H. III (4) 1840, 479.—Amia, 1766.
- calva** Corixa, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- calvus** Garrula, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 9.
- calvus** Geronticus (Bodd.), J. G. Wagler, Isis (Oken), 1832, 1232.—Tantalus, 1783.
- calvus** Gymnobucco, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 141.
- calvus** Gymnocephalus (Gm.), G. R. Gray, List Gen. Birds, 1840, 39.—Corvus, 1788.
- calvus** Gymnops (Gm.), G. Cuvier, R. Anim., ed. 2, I. 1829, 381.—Gracula, L. 1766.
- calva** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 49.
- calva** Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 179.
- calvus** Hipporhinus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 486.—Curculio, 1797. [335.]
- calvus** Ibis, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802].
- calva** Leptaena (Sow.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 94.—Producta.
- calva** Megalaima (Laf.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—Bucco.
- calva** Membracis, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1839, 242.
- calvus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 100.
- calvus** Otogyps (Scop.), G. R. Gray, List Birds Coll. B. M. I. 1844, 4.—Vultur, 1786.
- calvus** Otogyps (Scop.), G. R. Gray, Genera of Birds, I. June 1844, 6.—Vultur, 1786.
- calvus** Ouakaria (I. Geoff.), J. E. Gray, Proc. Zool. Soc. London, XVII (190) Dec. 11, 1849, 10.—Brachyurus.
- calva** Pastor (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lv.—Gracula, 1766.
- calvus** Pecten, G. A. Goldfuss, Petref. German. II (5) 1836, 74.
- calvus** Pectunculus, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 417 [*n. et f.*].
- calva** Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- calvus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 205.
- calva** Philedon (L.), Cuvier, Règne Anim. I. 1817, 359.—Gracula, 1766.
- calva** Pholas, G. B. Sowerby, I. (*ex* Gray MS), Proc. Zool. Soc. London, II (19) Nov. 1834, 69, & *var. nana*, 70.
- calvus** Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 28.
- calva** Producta, J. De C. Sowerby, Min. Conch. VI. 1827, 115.
- calvus** Sphoerexochus, F. McCoy in Griffith, Syn. Silurian foss. Ireland, 1846, 44.
- calva** Treron (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 273.—Columba.
- calva** Trichoda, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 367.
- calva** Vinago (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819, 117.
- calva** Voluta, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 187. [—Columba.]
- Calybe** F. L. de Laporte, Etudes Entom. (1) 1834, 92.—Col.
- calybe** Vanessa, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 317.

- calycanthe** Phaeocyma (Smith), J. Huebner, Verz. bekannt. Schmett. 1825, 275.—Pha-laena c—thata, 1797.
- calyce** Nymphidium, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 10.
- calyciformis** Actinocereus, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 294.
- caliciformis** Cellepora, J. V. F. Lamouroux, Hist. Polyp. 1816, 92.
- calyciformis** Spongia, Lamarck, An. s. vert. II. 1816, 365.
- calycinus** Anthicus, Panz.; Dejean, Catal. Coléopt. 1821, 73 [*n. n.*].
- calycina** Laomedea, Meneghini, Atti Congr. Sci. Ital. I. 1844 (Zool.), 169.
- calycina** Succinea, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 14.
- calycina** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 115.
- calycinus** Thomisus (L.), C. A. Walckenaer, Tab. Aran. 1805, 32.—Aranea, 1758.
- calicis** Cynips, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1), 1840, 187.
- calicis** Cynips, Burgsdorff in Germar, Zeitschr. f. d. Entom. IV. 1843, 400.
- calycophora** Lebia, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 44.
- Calycotyle** *id. ac* Calicotyle, C. M. Diesing, Syst. Helminth. 1850, 650.
- calycubus** Acetabulum, H. D. de Blainville, Man. Actin. 1834, 556.
- calyculare** Anthophyllum (Esp.), A. F. Schweigger, Handb. Naturges. 1820, 417.—Madrepora, 1766.
- calicularis** Astraea, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 200.
- calycularis** Astrea, Lamarck, An. s. vert. II. 1816, 266.
- calycularis** Astroides (Pall.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 126.—Madrepora, 1766.
- calycularis** Astroitis (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848,
- calycularis** Balanus, Lamarck, An. s. vert. V. 1818, 391. [494.—Caryophyllia.
- calycularis** Caryophyllia (L.), Lamarck, An. s. vert. II. 1816, 226.—Madrepora, Pall. 1766.
- calycularis** Cladocora (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 310.—Caryophyllia.
- caliculare** Cyathophyllum, D. D. Owen, Rep. geol. expl. Iowa... 1839 (U. S. Senate, 28 Congr. Sess. I. no. 407) 1844, 69.
- calycularis** Encrinites, E. F. v. Schlotheim, Die Petref. 1820, 336.
- calycularis** Gomphoceratites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 24.
- calycularis** Millericrinus (Schl.), A. d'Orbigny, H. N. Crinoides (3) May 1841, 93.—Encrinites.
- calycularis** Orthoceratites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 43.
- calycularis** Rhodaraea (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. Sept. 1849, 259.—Astrea.
- calycularis** Turbinolia, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 18.
- caliculatum** Aplidium, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 186.
- calyculata** Arcinella (L.), L. Oken, Lehrb. Nat. III (1) 1815, 239.—Chama, 1758.
- calyculata** Astrea, G. Fischer, Mus. Démid. III. 1807, 293.
- calyculata** Bulla, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 369.
- caliculata** Cyclas, J. P. R. Draparnaud, H. N. Moll. France, 1805, 130.
- calyculata** Eunicea (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 438.—Gorgonia,
- calyculata** Fissurella, G. B. Sowerby, II., Gen. Shells (21) 1823. [1786.
- calyculata** Lobophyllia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 28.
- caliculata** Manopora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 492.
- calyculata** Parmacella, G. B. Sowerby, II., Gen. Shells (13) 1823.
- caliculatum** Pisidium, D. Dupuy, Cat. extramar. Galliae Test., Feb. 1849, 4.
- calyculata** Tubularia, A. Risso, H. N. Europe, V. 1826, 308.
- calyculata** Vemicularia, G. Fischer, Mus. Démid. III. 1807, 243.
- caliculus** Acetabularia, J. F. V. Lamouroux, Ency. Méth. (Zooph.) 1824, 7.
- calyculus** Balanophyllia, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 11.
- calyculus** Trochus, W. Wood, Suppl. Index Test. 1828, 18 [*n. et f.*].
- Calydna** E. Doubleday, List Lepid. Coll. B. M. (2) 1847, 5.—Lep.
- Calydoma** J. Gisl, Nat. Thierr. 1848, p. xi.—Col.
- Calydonius** H. v. Meyer, N. Jahrb. f. Min. 1846, 467.—M.
- calydonius** Curretis (Fab.), J. Gisl, Nat. Thierr. 1848, p. xi.—Scarites, Rossi, 1790.
- calydonius** Ditomus (Rossi), Dejean, Catal. Coléopt. 1821, 5.—Scarites, 1790.

- calydonius** Harpalus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 371.—Carabus, 1792.
- calydonia** Pieris, Boissduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 439.
- Calygus** L. Oken, Lehrb. Nat. III (1) 1815, 359.—Cr.
- Calymena** H. M. Edwards in Roret's Suite à Buffon (Crust.) III. 1840, 317.—Cr.
- Calymene** Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822, 11 (& 9).—Cr.
- calymene** Producta, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 239.
- Calymma** J. Huebner, Verz. bekannt. Schmett. 1825, 281.—Lep.
- Calymma** J. F. Eschscholtz, Isis (Oken), 1825, 741.—Med.
- Calymmaderus** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 472.—Col.
- Calymmaphorus** A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 245.—Col.
- Calymmata** O. Costa, Prosp. N. Divis. Coccus, 1828, 6 & 7.—Hem.
- Calymmatophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calymmaphorus, Sol.
- Calymmatius** O. Costa, Atti R. Ist. Incoragg. Napoli, VI. 1840, 50.—Hem.
- Calymmena** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Calymene, Brongn. 1822; Calymena, Edw. 1840.
- Calymmoderus** Solier, 1849; *err.* Marschalli *pro* Calymmaderus, *q.v.*
- Calymmus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 195.—Col. [*n. n.*].
- Calymnaderus** Solier, 1849; *err.* Marschalli *pro* Calymmaderus, *q.v.*
- Calymnia** J. Huebner, Verz. bekannt. Schmett. [1822], 235.—Lep.
- calyorthynchus** *v.* calorthynchus.
- Calyoza** J. O. Westwood, Trans. Entom. Soc. Lond. II (1) 1837, 56.—Hym.
- Calypeopsis** R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 390.—G.
- Calypttraea** Guérin-M., Rev. Zool. 1838, 150.—G. [*err. pro* Calypttraea].
- Calyptrophorus** J. Cabanis in Schomburgk, Reisen Brit.-Guiana, III. 1848, 678.—A.
- Calypso** A. Risso, Crust. de Nice, 1816, 14.—Cr.
- Calypso** A. H. Haliday, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 295.—Hym.
- calypso** Alecto, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.
- calypso** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 167.
- calipso** Astraea, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 134.
- calypso** Astraea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 295.
- calypso** Belenois (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 92.—Papilio, Dru. 1773.
- calypso** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, VIII (94) July 1841, 158.
- calypso** Canker, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 27.
- calypso** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- calypso** Libellula, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 87.
- calypso** Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 167.
- calypso** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
- calypso** Nerinea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 4.
- calypso** Pecten, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 169.
- calypso** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 130.—Papilio, Dru.
- calypso** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300. [1773.]
- calypso** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 279.
- calyptici** Jurinia, O. G. Costa, Corresp. Zool. I. 1839, 115.
- Calypticus** O. G. Costa, Fauna Regno Napoli, Atteri, 8 (*ante* 1839).—Hem.
- Calyptobium** Villa, Col. Europ. Dupl. 1833, —.—Col. [*mihi non visum, teste* Agass.].
- Calyptobium** C. Aubé, Ann. Soc. Ent. France [2] I (3) Dec. 1843, 242.—Col.
- Calyptocephala** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 367.—Col.
- Calyptocephala** C. H. Boheman, Mon. Cassid. I. 1850, 100.—Col. [*sine typo*].
- Calyptocephalus** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 370.—Col.
- Calyptocephalus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 447.—R.
- Calyptocerus** F. E. Guérin-M., Ann. Soc. Ent. France [2] I (2) Sept. 1843, 177.—Col.
- Calyptomena** T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 295.—A.
- Calyptomerus** L. Redtenbacher, F. Austr. Käfer, 1849, 159.—Col. [296.]
- Calyptomina** *err. pro* Calyptomena, Raffles; W. Swainson, Anim. in Menag., Dec. 1837.

- Calyptopis** J. D. Dana, Amer. J. Sci. (2) IX (25) Jan. 1850, 131.—Cr. [Hem.]
- Calyptoproctus** M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 266.—
- Calyptorproctus** M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1839, 201.—Hem.
- Calyptops** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 890.—Col. [Col.]
- Calyptopsis** A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 253 & 269.—
- Calyptorhina** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 81.—Col. [—A.]
- Calyptorhynchus** Desmarest (*ex* Horsf. MS), Dict. Sci. Nat. XXXIX, Ap. 1826, 21 & 117.
- Calyptorhynchus** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 109.—A.
- Calyptorhynchus** Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) May 1827, 269.—A.
- Calyptra** F. Ochsenheimer, Schmett. Europa, IV. 1816, 78.—Lep.
- Calyptra** J. E. Gray (*ex* Klein), Proc. Zool. Soc. London, XV (178) Nov. 1847, 181.—G.
- calyptra** Patella, D. Solander, Cat. Portland Mus. 1786, 76.
- calyptra** Rhizosolenia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 204.
- Calyptracites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 384.—G.
- Calyptraea** Lamarck, Syst. Anim. 1801, 70.—G.
- calyptraeiformis** Crepidula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 27 (D*).
- calyptraeiformis** Patellites, E. F. v. Schlottheim, Die Petref. 1820, 115.
- calyptraeiformis** Trochus, Lamarck, An. s. vert. VII. 1822, 12.
- calyptraeiformis** Trochus, Lamarck, An. s. vert. VII. 1822, 558.
- calyptraeoides** Pleurobranchus, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 187.
- calyptrata** Anthomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 1775.
- calyptrata** Muricea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 358.
- calyptrata** Serpula (Phil.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 340.—Vermilia.
- calyptrata** Vermilia, R. A. Philippi, Arch. f. Naturg. X (1) 1844, 193.
- Calyptrea** J. E. Gray, London Med. Repos. XV. 1821, 232.—G.
- Calyptria** J. E. Gray, Proc. Zool. Soc. Lond. 1847, 157 [=Calyptrea].
- calyptroides** Diaspis, O. G. Costa, Fauna Regno Napoli, Atteri, 20 (—).
- Calyptrophorus** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 329.—A.
- Calyptrus** *id.* ac Calyptraea, Denys de Montfort, Conch. II. 1810, 79.—G.
- Calyptura** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*z.* Feb. 1832], 491.—A.
- Calyptus** A. H. Haliday, Entom. Mag. III (2) July 1835, 128.—Hym. [491.—A.]
- calythiscus** Pyramis, *v.* calathiscus.
- calyx** Aganides (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 114.—Goniatites.
- calix** Ammonites, W. Smith, Strat. Syst. Org. Foss. 1817, 100.
- calyx** Cupressocrinus, F. McCoy, Ann. Mag. N. II. (2) III. Ap. 1849, 244.
- calix** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 90.
- calyx** Esperia, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- calyx** Euomphalus, J. Phillips, Geol. Yorksh. II. 1836, 225.
- calyx** Goniatites, J. Phillips, Geol. Yorksh. II. 1836, 236.
- calix** Pleurotomaria (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 267.—
- calix** Solarium, J. Phillips, Geol. Yorksh. I. 1829, 157 [*n. et f.*]. [Solarium.]
- calix** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 434.
- calix** Trochus, Bean in Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 246.
- Cama** *err. pro* Chama, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 478.
- camaa** *v.* caama.
- camadeva** Gynautocera, E. Doubleday, Ann. Mag. N. H. XIX. Feb. 1847, 75.
- camadeva** Morpho (Thaumantis), J. O. Westwood, Cab. Orient. Entom. 1847, 9.
- Camaeleo** A. M. C. Duméril, Zool. Anal. 1806, 82.—R.
- Camaeleon** *id.* ac Chamaeleo, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. [July 1836, 216.]
- camaelii** Pollia, *v.* calmeilii.
- Camaena** J. C. Albers, Die Heliceen, 1850, 85.—G. [Dru. 1773.]
- camaena** Acraea (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 234.—Papilio.
- Camara** W. de Haan in Siebold, F. Japon. (Crust. 1837), 69.—Cr.
- Camaragnathus** E. Bertrand-Bocandé, Magazin de Zool. (2) VII. 1845 [1849], text to pl. 163; Rev. et Mag. de Zool. (2) I. Sept. 1849, 460.—Col.
- Camarhinus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 280.—Col. [*n. n.*].
- Camarhynchus** J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 6.—A.
- Camaria** Lepeletier & Serville, Ency. Méth. (Ins.) X. 1825, 454.—Col.

- camariana** Phora, C. Coquerel, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 189.
- Camaroceras** *emend. pro* Camaroceras, Conrad; A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846, 160.
- Camarognathus** Parry, 1849; *teste* Marschall, *sed non comp.* [*binom.*].
- Camaromus** C. J. B. Amyot, Ann. Soc. Ent. France, III (3) 1845, 408.—Hem. [*non*].
- Camarophagus** Cabanis, 1851 *est.* [I. 1846, 161.
- Camarophoria** *emend. pro* Camerophoria, King; A. N. Hermannsen, Ind. Gen. Malacoz.
- Camaroptera** C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 103.—A.
- Camarosoma** J. F. Brandt, Rec. Actes Acad. St Pétersb. 1834, 253.—Ech.
- Camarota** J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 7.—Dipt.
- Camarotus** Germar & Schoenherr in Labram & Imhoff, Gen. Curcul. I (9) 1841.—Col.
- Camarrhipis** F. E. Guérin-M., Spec. et Icon. Anim. artic. (2) 1843, 2.—Col.
- camatteanus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 241.
- camba** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 263.
- camba** Helix, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, pl. xxxiv, f. 4-7, *errone.*
- cambaiensis** *v.* **cambayensis**. [1784.—Myr.
- Cambala** J. E. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, pl. 135; & II. 1832,
- Cambarus** W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 95.—Cr.
- [**cambayensis**.] [1790.
- cambaiensis** Coturnix (Lath.), G. R. Gray, List Birds Coll. B. M. III. 1844, 38.—Perdix,
- cambayensis** Cryptonyx (Lath.), C. Ranzani, Elem. Zool. III (1) 1821, 128.—Perdix, 1790.
- cambaiensis** Liponix (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX, 1819, 501.—Perdix, 1790.
- cambayensis** Microplectron (Lath.), Streubel, Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 291.—Perdix, 1790.
- cambaiensis** Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 608.
- cambayensis** Peristera (Vaill.), F. Boie, Isis (Oken), 1828, 327.—Columba, Gm. 1788.
- cambaiensis** Tetrao, W. Turton, Linnaeus, Syst. Nat. I. 1802, 460.
- cambayensis** Thamnobia (Lath.), Blyth in J. Cabanis, Mus. Heineanum (1) 1850 [1851], 40.—Sylvia, 1790. [Columba, Gm. 1788.
- cambayensis** Turtur (Lath.), T. C. Jerdon, Madras Journ. XII (28) July 1840, 15.—
- cambessedesii** Melania, B. C. Payraudeau, Cat. Moll. Corse, 1826, 107.
- cambii** Coccus (Lecanium), J. T. C. Ratzeburg, Forst-Insekten, III. 1844, 194.
- Cambirhynchus** E. Blyth, J. Asiatic Soc. Bengal, XV. 1846, 312.—A.
- cambron** Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 60.
- cambrensis** *v.* **camabriensis**.
- cambricus** Amathus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*].
- cambrica** Lycosa, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 614.
- cambrica** Nemoura, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 143.
- cambricus** Salmo, E. Donovan, N. H. British Fishes, IV. pl. 91 (1806).
- cambrica** Sitona, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 15 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Sept. 1831, 140.
- cambricus** Squallus, W. Turton, Linnaeus, Syst. Nat. I. 1802, 920.
- cambrica** Venusia, J. Curtis, Brit. Entom. XVI (190) Oct. 1839, no. 759.
- cambriensis** Hydroporus, J. Curtis, Brit. Entom. VIII (86) Feb. 1831, no. 343.
- cambrensis** Nereites, R. I. Murchison, Silurian System, Jan. 1839, 700.
- cambriensis** Orthos, Salter & Sowerby, Proc. Geol. Soc. London, IV. 1844, tab. 267
- Cambrus** Megerle in Dahl, Col. u. Lepid. 1823, 23.—Col. [[*n. n.*].
- camdeo** Voluta, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 131.
- Cameleo** *id. ac* Chameleo, R. P. Lesson, Ann. Sci. Nat. XIII (52) Ap. 1828, 393.
- cameleon** *v.* **chameleon**.
- "Caméléopsis"** T. Cocteau in Dict. pittoresque H. N. I (50) 1834, 395; N. Dict. class. H. N., ed. 2, IV. Ap. 1844, 119.—R. [*vernac.*].
- cameli** Haematopinus (L.), H. Burmeister, Handb. Ent. II (1) 1835, 59.—Pediculus, 1758.
- cameli** Spermostrates, J. Gistel, Nat. Thier. 1848, 188.
- cameli** Strongylus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 36 [*n. n.*].
- cameli** Trichocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 18 [*n. n.*].

- camelinae** Ceuthorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 170.
- camelinus** Amblyteles, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 129.
- camelinus** Ammonites, A. d'Orbigny, Journ. de Conch. I (2) Ap. 1850, 197. [bratula.
- camelina** Atrypa (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 37.—Tere-
- camelina** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 5 (Fernaldo judice 1802) [*n. et f.*].
- camelina** Hippobosca, W. E. Leach (*ex* Savigny MS), Mem. Werner. N. H. Soc. II (2) 1818, 556.
- camelinus** Ixodes, G. Fischer, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 281.
- camelinus** Lactophrys, J. E. De Kay, N. H. New York (Fish) 1842, 341.
- camelina** Lophopteryx (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 26.—Phalaena, 1758.
- camelinus** Micryphantes, C. L. Koch, Die Arachniden, III (1) Jan. 1836, 11.
- camelinus** Notodon (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 174.—Phalaena, L. 1758. [1758.
- camelina** Notodonta (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 58.—Phalaena,
- camelina** Odontosis (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 146.—Phalaena,
- camelina** Ptilodon, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*]. [1758.
- camelina** Terebratula, v. Buch, Arch. Min. Geogn. XV, 1840, 115.
- camella** Terebratula, S. G. Morton, Syn. Org. Rem. Cret. 1834, 70.
- camelliae** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 122. [Locusta, 1775.
- camellifolius** Platyphylus (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 699.—
- camellifolia** Thliboscelus (Fab.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 443.—Locusta, 1775.
- camelopardalis** Achatina, Brod.; L. Pfeiffer, Symb. Helic. II. 1842, 57.
- camelopardalis** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, VIII (94) July 1841,
- camelopardalis** Cypraea, G. Perry, Conchology, Ap. 1811, pl. 19. [157.
- camelopardalis** Giraffa (L.), R. P. Lesson, Man. Mamm., May 1827, 369.—Cervus, 1758.
- Camelopardalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Camelopardalis, Schr.
- camelus** Acalles (Fab.), C. J. Schoenherr; Isis (Oken), 1825, 586.—Rhynchaenus.
- camelus** Aplysia, G. Cuvier, Bull. Sci. Soc. Philom. [Paris] no. 93, 1804, 256 [*z. camelus*
- camelus** Apoderus, A. G. Oliver, Entom. V. 1807, 15. [Laplysia].
- camelus** Ceratocolus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849.
- camelus** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 723. [424.
- camelus** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 39.—Scarab. 1787.
- camelus** Cryptorhynchus (Fab.), Dejean, Catal. Coléopt. 1821, 85.—Rhynchaenus.
- camelus** Curculio (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 130.—Rhyn-
- camelus** Cyrtomon, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 24. [chaenus.
- camelus** Darnis, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 260.
- camelus** Deracanthus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 376.
- camelus** Ephippiger, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 193.—Deracanthus, 1833. [116.
- camelus** Erotylus (Hypselonotus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841,
- camelus** Hemiptycha (Gray), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 319.—Darnis.
- camelus** Hybonotus (L.), F. Klug, Mon. Siricum Germ. 1803, 14.—Ichneumon, 1758.
- camelus** Hypsonotus, J. Sturm, Catal. Ins. Samml. 1826, 157 [*n. n.*].
- camelus** Laplysia, Cuvier, Ann. Mus. H. N. (Paris) II (10) Aug. 1803, 310.
- camelus** Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 10. [1787.
- camelus** Onthophagus (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 115.—Scarab.
- camelus** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 210. [1773.
- camelus** Plagiotricha, Bory de St V., Ency. Méth. (Zooth.) 1827, 625.—? Trichoda, Müll.
- camelus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 447.—Curculio, 1792.
- camelus** Sphadasmus, C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 391.—Cyrtomon, 1836. [1843, 171.
- camelus** Sympezorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)

- camelus** Thelia (Fab.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 308.
—Membracis. [1840, 359.—Rhynchaenus.
- camelus** Tyloses (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- camelus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 102.
- camelus** Urocerus (Latr.), F. de Tigny, s. à Deterville ed. Buffon, Ins. III. 1801, 165.—
Xiphysia. [1761.
- camelus** Xiphysia (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 304.—Sirex,
- Camenta** W. F. Erichson, Nat. Ins. III. 1847, 695.—Col.
- Camenta** F. Klug, Verz. Doubl. entom. Mamm. Univ. Berlin, 1850, 10.—Col.
- Cameola** *emenid. pro* Chama, L.; C. S. Rafinesque, Analyse, 1815, 148.—L. [*n. n.*].
- camera** Ostrea, M. Tuomey, Rep. Geol. S. Carolina, 1848, 154 [*n. n.*].
- cameraria** Drosophila, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 174.
- camerata** Calymene, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 278.
- camerata** Leptaena (Con.), J. Hall, N. H. New York (Pal. I.) 1847, 106.—Strophomena.
- cameratus** Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 430.
- cameratus** Philopterus, C. L. Nitzsch, Mag. Entom. (German) III. 1818, 291.
- cameratus** Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 88.
- cameratus** Scytodes, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 35.
- cameratus** Spirifer, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 150. [254.
- cameratus** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
- Camaria** *err. pro* Camaria, Lep. & Aud.; F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 231.
- Camerina** C. S. Rafinesque, Analyse, 1815, 140.—Rh. [*n. n.*].
- Cameroceras** T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 267.—Ceph.
- Camerophoria** W. King, Ann. Mag. N. H. XIV. Nov. 1844, 313.—Br.
- Cameropleurus** L. Agassiz in Dixon, Geol. of Sussex, 1850, 375.—P.
- Camerospingia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 548.—Sp.
- Camerotus** Gyllenhal in Schoenherr, Gen. et Spec. Curc. I (1) 1833, 186.—Col.
- camertus** Enyo (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 132.—Sphinx, 1779.
- Camilia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 118.—R. [188.—Dipt.
- Camilla** Haliday in Curtis, Guide. ed. 2, 1836, 281; Ann. Mag. N. H. II (6) Nov. 1838,
- camillea** Borlasia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 194.
- camillea** Nemertes (Quat.), C. M. Diesing, Syst. Helminth. I. 1850, 274.—Borlasia.
- Camillus** Denys de Montfort, Conch. II. 1810, 442.—? G.
- camilla** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310.
- camillus** Cyrestis (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 262.—Papilio, 1781.
- camilla** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 46.
- camilla** Limenitis (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—
Papilio, 1781.
- camilla** Nymphalis (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 89.—
Papilio, 1764. [[*n. et f.*].
- camilla** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 22 (Fernaldo judice 1799)
- camillus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 342.
- camilla** Venus, D. Solander, Catal. Portland Mus. 1786, 32 [*n. n.*]. [Dexia, 1826.
- caminaria** Anthracina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 268.—
- caminarius** Aphodius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 251.
- caminarius** Bombylius, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 641.
- caminarius** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 585.
- caminaria** Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 268.
- caminaria** Limnobia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 31.
- caminarius** Pentodon, Faldermann in V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 110. [Dexia.
- caminaria** Ptilocera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 235.—
- caminarius** Scarabaeus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 265.
- Caminata** O. Fabricius, Fortegnelse, 1823, 104.—Cast. undefined, but = Fissurella. The following *n. n.* are included:—barbadensis; graeca; nodulosa; pustula; penetrata; rosea; minbosa; scutellum; unguis; fissurella; noachina; fissura.

- caminea** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 459.
caminea Galleruca, Fab.; Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
camirus Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 424.
Camisia C. v. Heyden, Isis (Oken), 1826, 612.—Ar.
Camitia J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
camma Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 175.
cammarus Cancer, *err. pro* gammarus, J. F. Blumenbach, Handb. Naturg., ed. 9, 1814, 416.
Camnus J. Gistl, Nat. Thierr. 1848, p. viii.—Col.
Camorus K. H. B. Grimmer, Steiermark's Coleopt. 1841, 40.—Col.
Camostræa G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 178.—L.
Camostrea Roissy; *teste* Agassiz, Nom. Zool. (Moll.), 1845, 15 [*non comp.*].
Campa V. v. Mochulski, Mém. prés. Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 238.
Campaea Lamarck, An. s. vert. III. 1816, 368.—Lep. [(Tabl.) & 263.—Col.
Campaea J. F. Stephens, Ill. Brit. Ins. (Haust. III.) May 1831, 176.—Lep.
campamanensis Spirigera (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 99.—Terebratula campomanesii.
[campanaeformis.]
campaniformis Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 287.—Vespa, 1775.
campanaeformis Helcion (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 197.—Patella.
campaniformis Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 108.
campanaeformis Patella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 204.
campaniformis Trygonobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
campanaria Vespa, G. Shaw, Nat. Misc. XV. 1803, pl. 603.
Campanella G. A. Goldfuss, Handb. Zool. (1) 1820, 71.—Inf.
Campanella Quoy & Gaimard in H. D. de Blainville, Man. Actin. 1834, 286.—Coel.
Campanella R. P. Lesson, Prod. Medusés [*aut. typ.*] 1837, 11; (Roret's Suite à Buffon), Acalèphes, 1843, 281.—Coel. [à Buffon), Acalèphes, 1843, 267.
campanella Carybdea, R. P. Lesson, Prod. Medusés [*aut. typ.*] 1837, 8; (Roret's Suite
campanella Myiothera (Lath.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 17.—Turdus, 1790. [1799 [1802], 237.
campanella Myrmecophaga, F. M. Daudin, Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
campanella Myrmothera (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 112. [78.—Melania.
campanellæ Chemnitzia (Ph.), A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839,
campanellæ Melania, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 156.
campanellæ Ortostelis (Phil.), Aradas & Maggiore, Atti Acc. Gioenia, XX. 1843(-4), 118.—Melania.
campanica Clausilia, H. Michelin, Mém. Soc. Agric. Dépt. Aube, VI (44) 1832, 203.
campaniensis Isocardia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 338.
campaniensis Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 122.
campaniensis Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 620.
campaniensis Terebratulina, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 60.
campanifer Bronteus, H. E. Beyrich, Böhm. Trilobiten, 1845, 41. [303.—Myiothera.
campanisona Codonistris (Licht.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841,
campanisona Myiothera, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 43.
campanisona Myrmornis, J. Hermann, Tabl. Aff. Anim. 1783, 189 [*teste* Stressemann].
campanula Aurelia (Fab.) E. Forbes, Mon. Brit. Medusæ (Ray Soc.) 1848, 76.—Medusa, 1780. [358.
campanula Aurellia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810,
campanula Beroë, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 372.
campanula Dianæa (Fab.), Lamarck, An. s. vert. II. 1816, 508.—Medusa, 1780. [435.
campanula Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
campanula Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 120.
campanula Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 65.
campanula Medusa (Aurelia), Fab.; F. S. Voigt in Cuvier, Thierreich, VI. 1843, 164.
campanula Melicerta (Fab.), Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 352.—Medusa, 1780.

- campanula** Tintinnus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 201.
- campanula** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 234.
- campanula** Vorticella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 92.
- campanula-riparia** Aphis, C. S. Rafinesque, Amer. Monthly Mag. I (5) Sept. 1817, 361.
- campanulae** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 26.
- campanulae** Cionus (L.), A. G. Olivier, Entom. V. 1807, 111.—Curculio, 1767.
- campanulae** Cleopus (Fab.), Dejean, Catal. Coléopt. 1821, 83.—Rhynchaenus.
- campanulae** Cleopus, Germ.; Dejean, Catal. Coléopt. 1821, 83 [*n. n.*].
- campanulae** Cucullia, C. F. Freyer, Neuere Beitr. Schmett. I (6) 1831, 64.
- campanulae** Gymnetron (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 773.—Rhynchaenus.
- campanulae** Haltica, W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 28.
- campanulae** Miarus (Fab.), C. J. Schoenherr, Curc. disp. meth. 1826, 320.—Rhynchaenus.
- campanulae** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 448.—Curculio, ? L.
- Campanularia** Lamarck, An. s. vert. II. 1816, 112.—Coel. [1767.]
- campanularum** Anthophora (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 121.
- campanularum** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 256. [—Apis.]
- campanularum** Heriades (Latr.), M. Spinola, Ins. Liguriae, II. 1808, 198.—Megachile.
- campanularum** Megachile (Kirby), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 52.—Apis.
- campanulator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 99.—Ichneumon, 1798.
- campanulator** Codrus (Fab.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 353.—Ichn. 1798.
- campanulator** Proctotrupes (Fab.), M. Spinola, Ins. Liguriae, II. 1808, 167.—Bassus.
- campanulata** Aequorea (Esch.), H. D. de Blainville, Man. Actin. 1834, 279.—Cunina.
- campanulata** Alcyonella (L.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 100.—Tubularia, 1767.
- campanulata** Aulopora, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 9 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 190.
- campanulatus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 289.
- campanulata** Clymenia, R. Richter, Beitr. Pal. Thuringer Wald. 1848, 29.
- campanulata** Cristatella (L.), J. Fleming, Hist. Brit. Anim. 1828, 518.—Tubularia, 1767.
- campanulata** Cunina, F. Eschscholtz, Zool. Atlas, I. 1829, 16; Syst. Aculeph. 1829, 116.
- campanulatum** Cyclostoma, L. Pfeiffer, Zeitschr. f. Malakozool. Ap. 1847, 55 & 57.
- campanulata** Diastomatoma, H. Burmeister, Handb. Ent. II (2) ii, 1839, 833.
- campanulatus** Echinites, E. F. Schlotheim, Tasch. Min. 1813, 50.
- campanulata** Entomia, Herrich-S., Nomencl. Entom. II. 1840, 127 [*n. n.*].
- campanulata** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 291.
- campanulata** Floscularia, W. M. Dobbie, Ann. Mag. N. H. (2) IV. Oct. 1849, 233.
- campanulata** Helcion (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 193.—Patella.
- campanulatus** Lophopus, Dumortier, Bull. Ac. Roy. Brux. II. 1835, 424. [359.]
- campanulata** Medusa, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821,
- campanulata** Medusa, Oth, 16 Verh. Allg. Schweiz. Gesellsch. 1831, 48.
- campanulatum** Melicertum (Cham.), J. F. Eschscholtz, Syst. Aculephen, 1829, 105.—Medusa. [1767.]
- campanulata** Naisa (Bl.), J. V. F. Lamouroux, Hist. Polyp. 1816, 224.—Tubularia, L.
- campanulata** Patella, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 110.
- campanulatus** Pentremites, F. M'Coy, Ann. Mag. N. H. (2) III. Ap. 1849, 249.
- campanulatus** Planorbis, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 166.
- campanulata** Plumatella (Gm.), Lamarck, An. s. vert. II. 1816, 108.—Tubularia, L.
- campanulata** Polymorphina, G. v. Muenster, N. Jahrb. f. Min. 1838, 385. [1767.]
- campanulatum** Raphanister, Denys de Montfort, Conch. I. 1808, 339.
- campanulata** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 693.
- campanulatus** Thrinchus, Fischer de W., Ann. Soc. Ent. France, I (2) c. July 1833, 320; Bull. Soc. Imp. Nat. Moscou, VI. 1833, 378. [[vernac.]]
- "campanulée" Lucernaire, Lamouroux, Mém. Mus. II. N. (Paris) II [6] Sept. 1846, 472

- Campanulites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419.—Crin.
- campanum** Podisma, O. G. Costa, Fauna Regno Napoli, Ortott. 47 (*ad* 1836).
- campana** Rhizosolenia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 271.
- campana** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 385.
- campanyonii** Helix, Anton in E. A. Rossmassler, Icones L. ü. S. Moll. Europ. II (3 & 4) Sept. 1839, 11.
- campbelli** Cercopithecus, G. R. Waterhouse, Proc. Zool. Soc. London, VI (65) July 1842, 667. [1838, 61.]
- campbelli** Coenochilus, H. Burmeister, Handb. Ent. III. 1842, 667.
- campbellii** Cremastocellus, W. W. Saunders, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 67.
- campbelli** Cylindrodes, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 785, pl. 131.
- campbellii** Cylindroides, G. R. Gray, Mag. Nat. Hist., n. s., I. Mar. 1837, 142.
- campbelli** Gryllotalpa (Gray), H. Burmeister, Handb. Ent. II (2) i, 1838, 738.—Cylind.
- campbellii** Helix, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 65. [drosdes.
- campbellii** Pronaeus, W. W. Saunders, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 58.
- campbellii** Strombus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 600.
- campbelli** Strombus, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 26.
- campbelliae** Cephalophus, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 164.
- campea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 489.—Tinea campella, Huebn. 1796. [1825.]
- campechensis** Lutaria, J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 375.—Mactra,
- campechensis** Mactra, J. E. Gray, Ann. Phil. XXV. 1825, 135. [388.]
- campechianus** Lachnopus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1849,
- Campecopea** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 405.—Cr.
- Campeloma** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 423.—G.
- campephaga** L. P. Vieillot, Analyse, 1816, 39.—A.
- Campephilus** G. R. Gray, List Gen. Birds, 1840, 54.—A.
- Campeprosopa** J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 350.—Dipt.
- camperi** Emys, J. E. Gray, Syn. Rept. 1831, 33.
- camperi** Mosasaurus, H. v. Meyer, Palaeologica, 1832, 113. [beresox.
- camperi** Sayris (Lacep.), C. L. Bonaparte, Icon. Faune Ital. (15 & 17), 1836.—Scom-
- camperii** Scomberesox, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 344.
- campesina** Helix, Ezquerra in L. Pfeiffer, Symb. Helic. III. 1846, 76. [rhina.
- campestris** Agria (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 184.—Myo-
- campestris** Agrodroma (Br.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 247.—
- Alauda**, ? L. 1758.
- campestris** Amblymerus, F. Walker, Entom. Mag. II (4) Oct. 1834, 343.
- campestris** Ammophila, P. A. Latreille, Gen. Crust. IV. 1809, 54.
- campestris** Anisoplia, Latr.; Dejean, Catal. Coléopt. 1821, 59 [*n. n.*].
- campestris** Anomala (Latr.), H. Burmeister, Handb. Ent. IV (1) 1844, 243.—Melolontha.
- campestris** Anthus, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, II. 1805, 465.
- campestris** Anthus, [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 46.—Alauda, ? L. 1758.
- campestris** Apathus (Panz.), F. Smith, The Zoologist, II (5) 1844, 543.—Apis.
- campestris** Apis, G. W. F. Panzer, Ins. Germ., heft 74, 1800, tab. 11.
- campestris** Aranea, C. L. Koch in Panzer, Ins. Germ., heft 124, 1834, tab. 20.
- campestris** Arpactus (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 165.—Mellinus, 1790.
- campestris** Bettongia, J. Gould, Proc. Zool. Soc. London, XI (125) Dec. 1843, 81.
- campestris** Bombus (Panz.), C. A. Walckenaer, Faune Paris, II. 1802, 147.—Apis.
- campestris** Bressus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 259.—Apis, Panz.
- campestris** Buprestis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 165.
- campestris** Calamanthus, J. Gould, Birds of Australia, III (16) 1844, pl. 71.—Praticola, 1841. [Mar. 1835, 435.]
- campestre** Callidium, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II, (4 & 5)
- campestris** Caprimulgus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 59.
- campestris** Caprimulgus, H. Lichtenstein, Verz. Samml. Neuholland. 1837, 23 [*n. n.*].
- campestris** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [Post 12 Dec.] 1817,
- campestris** Carabus, Steven in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*]. [297.]

- campestris** Carabus, Steven in G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.)
post May 1822, 106.
- campestris** Cercopis, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVI (4) 1805 [1806] 252.
- campestris** Ceropales (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 340.—Mellin-
linus, 1790.
- campestris** Cervus, F. Cuvier, Dict. Sci. Nat. VII. 1817, 484.
- campestris** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
campestris Charadrius, S. Nilsson, Anal. Orn. (2) 1814, 31. [1837, 523.]
- campestris** Chrysometris (Spix), J. Gould, Zool. "Beagle" (Birds, 1839), 89.—Fringilla.
- campestris** Chrysophilus (Licht.), G. R. Gray, Genera of Birds, II. July 1846, 440.—
Picus.
- campestris** Cicindela, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 267.
- campestris** Cicindela, *zarr.* farellensis, guadarramensis, M. P. Graells, Ann. Soc. Ent.
France [2] V (2) Aug. 1847, 311.
- campestris** Circus, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 455.
- campestris** Clytus (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 473.—Callidium, 1795.
- campestris** Columba (Spix), J. Wagler, Syst. Avium, I. 1827, sign. 1715.—Columbina.
- campestris** Columbina, J. B. v. Spix, Avium Brasil. II. 1825, 57.
- campestris** Corydalla (L.), C. L. Brehm, Isis (Oken), 1841, 62.—Alauda, 1758.
- campestris** Crioceris (L.), H. Lucas, Explor. Algér. (Artic. II.) 1849, 512.—Chrysomela,
1767.
- campestris** Cysticola, J. Gould, Proc. Zool. Soc. London, XIII (145) Ap. 1845, 20.
- campestris** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 78.
- campestris** Dorcelaphus (F. Cuv.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841,
140.—Cervus. [1855.]
- campestris** Egle, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- campestris** Eristalis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 387.
- campestris** Falciger, Ziegler; Dejean, Catal. Coléopt. 1821, 84 [n. n.].
- campestris** Fringilla, C. Ranzani, Elem. Zool. III (6) 1823, 97.
- campestris** Fringilla, J. B. v. Spix, Avium Brasil. II. 1825, 48.
- campestris** Furcifer (F. Cuv.), J. E. Gray, Glean. Menag. Knowsley, Hoof. Quadr., Aug.
1850, 68.—Cervus. [—Picus.]
- campestris** Geopicos (Licht.), A. Malherbe, Mém. Ac. Metz, XXX (post May) 1849, 358.
- campestris** Gesneria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 380. [188.—Vespa, 1761.]
- campestris** Gorytes (L.), Le Peletier de St F., Ann. Soc. Ent. France, I (1) c. Ap. 1832,
- campestris** Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 13 [n. n.].
- campestris** Helix (Cochlohydra) (Say), A. E. Férussac, H. N. g. et p. Moll., Tabl.
Limaçons, 1821, 31—Succinea.
- campestris** Helodes (L.), J. C. Fabricius, Syst. Eleuth. I. 1801, 470.—Chrysomela, 1767.
- campestris** Hippotigris, C. H. Smith, Horses (Nat. Libr. XXXI.) June 1841, 351. [610.]
- campestris** Hubneria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848,
- campestris** Hylophila (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Salda.
- campestris** Hyperaspis (Herbst), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept.
1846, 185.—Coccinella, 1783. [—Bettongia.]
- campestris** Hypsiprymnus (Gould), H. R. Schinz, Syst. Verz. Säug. II. 1845, Nachtr. 47.
- campestris** Latreillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 105.
- campestris** Lema (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 283.—Chrysomela, 1767.
- campestris** Lepus, J. Bachman, J. Acad. Nat. Sci. Philad. VII. post June 1837, 349.
- campestris** Lepus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 290.
- campestris** Limax, A. Binney, Proc. Boston Soc. N. H. I (—) 1844, 52; Boston Journ.
N. H. IV (2) 1842, 169. [1830, 537.]
- campestris** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- campestris** Lycosa, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 19.
- campestris** Lyda (L.), J. C. Fabricius, Syst. Piezat. 1804, 45.—Tenthredo, 1758.
- campestris** Lydella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 114.

- campestris Lygaeus (L.), C. F. Fallen, Mon. Cimicum Sveciae, 1807, 83.—Cimex, 1758.
- campestris Mazama (F. Cuv.), J. E. Gray, List Mamm. Coll. B. M. 1843, 176.—Cervus.
- campestris Melolontha, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 195.
- campestris Metopia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 124.—Tachina, Fall.
- campestris Microdera (Stev.), F. Eschscholtz, Zool. Atlas, IV. 1831, 6.—Tentyria.
- campestris Miscus (Latr.), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. IV. 1827, 362.—Ammophila.
- campestris Motacilla, P. S. Pallas, Reise Russ. Reichs. III. Anhang, 1776, 697.
- campestris Mus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 543.
- campestris Musca, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 395. [1830, 499.]
- campestris Mydina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- campestris Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 346. [1830, 383.]
- campestris Myorhina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- campestris Pamphilius (Fab.), P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 689.—Lyda. [Nov. 1844, 130.]
- campestris Patrobus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
- campestris Phasia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 292. [495.—Melolontha.]
- campestris Phyllopertha (Latr.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842,
- campestris Phytocoris (L.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 489.—Cimex, 1758.
- campestris Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 101.
- campestris Picus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 9.
- campestris Picus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 10.
- campestris Picus, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 325 [u. n.].
- campestris Pipiza, C. F. Fallen, Syrphici Sveciae (6) 1817, 59. [(1805), 392.]
- campestris Pipunculus, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 463; XIV
- campestris Poecilosoma (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Cimex, 1758.
- campestris Praticola, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 171.
- campestris Psithyrus, Le Peletier de St F., Ann. Soc. Ent. France, I (4) c. Jan. 1833, 379.
- campestris Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 38.—Amblymerus, 1834. [1831, 267.]
- campestris Pyrgita, C. L. Brehm, Isis, 1828, 1277 [u. n.]; Handb. Nat. Vögel Deutschl.
- campestris Rhingia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 259.
- campestris Saccostomus, Peters, Ber. Verh. k. pr. Ak. Wiss. 1846, 238.
- campestris Salda, J. C. Fabricius, Syst. Rhyng. 1803, 116.—Acanthia, 1794.
- campestris Sarcophaga (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 282.—Agria.
- campestris Smilia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 292.
- campestris [Soroplex] (Licht.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 198.—Picus. [phila:]
- campestris Sphex (Latr.), A. G. Dahlbom, Exercit. Hymenopt. III. 1831, 45.—Ammono-
- campestris Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 559.
- campestris Succinea, T. Say, J. Acad. Nat. Sci. Philad. I (10) June 1818, 281.
- campestris Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 429.
- campestris Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 266.
- campestris Tegenaria, C. L. Koch, Die Arachniden, VIII (2) 1840, 34.—Aranea, 1834.
- campestris Tentyria, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 93.
- campestris Theba, Ziegler in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 13.
- campestris Totanus, L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 400.
- campestris Tringa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 454.
- campestris Trochilus, Max Wied, Beitr. Naturges. Brasil. IV. 1832, 73.
- campestris Trochus, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 62.
- campestris Vulucella, C. F. Fallen, Platypez. et Bombyl. Svec. 1815, 11.
- campestris Vulpes, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 327 [u. n.].

- campestroides** Chrysoptilus (Malh.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 123.
—Geopicos.
- campestroides** Geopicos, A. Malherbe, *Rev. et Mag. de Zool.* (2) I. Nov. 1849, 541.
- Campethera** G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 70.—A.
- Camphonota** A. J. J. Solier, *Ann. Soc. Ent. France*, V. 1836, 195.—Col.
- Campichoeta** J. Macquart (Roret's Suite à Buffon), *Diptères*, II. 1835, 547.—Dipt.
- Campicola** W. Swainson, *Zool. Journ.* III (10) July [*i.e.* Sept.] 1827, 171.—A.
- campicola** Anisoplia, Eschscholtz in F. Faldermann, *N. Mém. Soc. Imp. Nat. Moscou*, IV. 1835, 269.
- campicola** Corticaria, C. G. Mannerheim in *German, Zeitschr. f. d. Entom.* V. 1844, 26.
- campicola** Delia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 576.
- campicola** Trichius, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* VI. 1818, 432.
- campiliensis** Upis, Spin.; Dejean, *Catal. Coléopt.* 1821, 67 [*n. n.*].
- "Campilocerates"** A. Fortis, *Trav. into Dalmatia*, 1778, 159." ? Ceph. [*mihi non visum*].
- "Campilodon"** Fabr., L. Agassiz, *Nom. Zool. (Pisc.)* 1845; *non comp. v. Kampylodon*, 1798. [—Col.]
- Campipterus** V. v. Mochulski, *Bull. Soc. Imp. Nat. Moscou*, XVIII. 1845 (1) 1845, 101.
- campivagus** Canis, C. H. Smith, *Dogs*, II (Nat. Libr. XXVIII.) June 1840, 292.
- Camplea** Beck (Agassiz); *teste* Scudder, *Nom. Zool.* 1882, 58 [*non comp. v. Campylaea*].
- Camploris** C. S. Rafinesque, *Analyse*, 1815, 72.—A. [*n. n.*]. [Macq.]
- Campochaeta** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campichoeta,
- Campocopea** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campeopea, Leach.
- Campodea** J. O. Westwood, *Ann. Mag. Nat. Hist.* X (62) Sept. 1842, 71.—Thys.
- Campodea** J. O. Westwood, *Tr. Entom. Soc. Lond.* III (3) Jan. 1843, 233; *Jl. Proc. Entom. Soc. Lond.*, no. 4, 1842, 55.—Myr.
- Campodes** C. L. Koch, *Krit. Revision Insect. Deutschl.* 1847, 51.—Myr.
- Campodus** L. G. de Koninck, *Descr. Anim. foss.* (13) Dec. 1844, 617.—P.
- campoliliana** Grapholitha (D. & S.), F. Treitschke, *Schmett. Europa*, VIII. 1830, 212.—Tortrix, 1775. [465.]
- campomanesii** Terebratula, Verneuil & Archiac, *Bull. Soc. géol. France (sér. 2)* II. 1845,
- Campontia** G. Johnston, *Zool. Journ.* III (11) Aug.—Nov. [*i.e.* Dec. 31] 1827, 325.—Verm.
- Campophaga** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campephaga, Vieill. [Gray.]
- Campophilus** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campephilus,
- Campophyllum** Edwards & Haime, *Brit. Foss. Corals (Pal. Soc. III.)* Aug. 1850, p. lxviii.
- campoplegoides** Phygadeuon, J. T. C. Ratzeburg, *Die Ichneum.* II. 1848, 124. [—Cor.]
- Campoplex** J. L. C. Gravenhorst, *Ichneum. Europ.* I. 1829, *Conspectus* p. 64 & III. 1829, 453.—Hym.
- Campoprosopa** J. Macquart, 1850; *teste* Scudder, *non comp. v. Campeprosopa*.
- Campopterus** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campipterus, Motsch.
- camporum** Helophilus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 372.
- camporum** Myophora, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 359.
- Camposcia** A. A. Berthelot in Latreille, *Nat. Fam. Thierr.* 1827, 258.—Cr.
- Camposia** W. E. Leach, *Dict. Sci. Nat.* XXVIII. 1823, 262.—Cr.
- Camposia** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Camposcia, Berth.
- Campothera** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Campethera, Gray.
- Campsactis** Rafinesque & Clifford, *Ann. gén. Sc. Phys. (Bruxelles)* V. Aug. 1820, 234.—
- Campsia** Le Peletier & Serville, *Ency. Méth. (Ins.)* X. 1825, 455.—Col. [Cor.]
- Campsidia** H. Lucas, *Explor. Algér. (Artic. II.)* 1849, 502.—Col.
- Campiura** F. W. Hope, *Zool. Miscell. (Gray)* (1) Feb. 1831, 25.—Col.
- Campsoccephalus** White, 1845; *teste* Marsch., *Compsoe* → *est q.v.* [—R.]
- Campsodactylus** Duméril & Bibron (Roret's Suite à Buffon), *Erpét. V. Nov.* 1839, 761.
- Campsomeris** Le Peletier de S. F. in Guérin-M. in Duperry, *Voy. "Coquille," Zool.* II (2) 1 (1838), 247.—Hym.

- Campsosternus** P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 141.—Col.
- Campta** J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 7.—Col.
- Camptecopea** *id. ac* Campecopea, Leach; W. Turton in Carrington, Teignmouth Guide, part 2, 1830, sign. 1. [96].—Hem.
- Camptelasmus** M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 1852).
- Campipterus** V. v. Motschulski, 1845; *teste* Scudder, Campipterus *est*, *q. v.*
- Camptischium** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 213.—Hem.
- Camptobrachys** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col. [*n. n.*].
- Camptocercis** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 503.—Hem. [*non binom.*].
- Camptoceras** W. H. Benson, Calcutta Journ. Nat. Hist. III (12) Jan. 1843, 465.—G.
- Camptocercus** W. Baird, Ann. Mag. N. H. XI. Feb. 1843, 91.—Cr.
- Camptocerus** Dejean, Catal. Coléopt. 1821, 100.—Col. [*n. n.*].
- Camptocheirus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 279.—Col. [*n. n.*]. [Col.]
- Camptocheirus** C. J. Schoenherr (*ex* Dej. Cat.), Gen. et Sp. Curc. VIII (2) 1845, 502.—
- Camptochirus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Camptocheirus,
- Camptoderus** F. W. Hope, Coleopt. Manual, II. 1838, 66.—Col. [Dej.]
- Camptodes** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 321.—Col.
- camptodon** Unio, T. Say, Amer. Conch. (5) Aug. 1832, pl. xlii.
- Camptodontus** Dejean, Spec. gén. Coléopt. II. 1826, 476.—Col.
- Camptognatha** L. Agassiz, Nom. Zool. (Hym.) 1845.—*emend. pro* Camptognetha, Westw.
- Camptognathus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 315.—Col. [*n. n.*].
- Camptognetha** J. O. Westwood in Griffith, Anim. Kingd. (Ins. II.) 1832, 516.—Hym.
- Camptogramma** J. F. Stephens, Ill. Brit. Ent. (Haust. III.) June 1831, 263.—Lep.
- Camptolaemus** *emend. pro* Camptolaimus, Gray; H. E. Strickland, Ann. Mag. N. H. VIII. Jan. 1842, 375.
- Camptolaimus** G. R. Gray, List Gen. Birds, ed. 2, 1841, 95.—A. [[*sine typo*].]
- Camptolenes** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 419.—Col.
- Camptolenes** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 112.—Col.
- Camptonevra** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 357.—Dipt.
- Camptopoeum** M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 139.—Hym.
- Camptoprium** M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 134.—Hym.
- Camptoprosopa** J. Macquart, 1850; *teste* Scudder, *non comp. v.* Campeprosopa.
- Camptopus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 224.—Hem. [*non binom.*].]
- Camptorhina** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 128.—Col. [Col.]
- Camptorhinus** C. J. Schoenherr, Isis (Oken), 1825, 585; Curc. disp. meth. 1826, 283.—
- Camptorhynchus** G. Fischer, Tabl. Syn. Zoog., ed. 2, 1808, Dipt. fam. XIII.—Dipt. [*n. n.*].]
- Camptorhynchus** H. E. Strickland, Ann. Mag. N. H. VII. 1841, 39.—*emend. pro* Kamptorhynchus, Eyton.
- Camptosceles** A. H. Halliday, Zool. Journ. V (19) July 1832, 357.—Dipt.
- Camptoscelis** Dejean, Spec. gén. Coléopt. III. 1828, 420.—Col.
- Camptosia** J. Macquart, 1840; *teste* Scudder, *non comp.* = Comptosia.
- Camptotoma** L. Reiche, Rev. Zool. (Soc. Cuv.) VI. Feb. 1843, 40.—Col.
- Camptylochila** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Feb. 1834, 21.—Lep.
- Campulipus** W. Kirby, Zool. Journ. III (10) July (*i.e.* Sept.) 1827, 154.—Col.
- Campulites** G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, XI. Dec. 1845, 53.—Ceph. [*vernac.* in Ency. Méth. 1830 et 1832].
- Campulotus** de Blainville, Dict. Sci. Nat. (ed. 2) VI (Suppl.) 1817, 75.
- Campulotus** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 139.—G.
- Campylaea** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 24.—G.
- campylinus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- Campylirhynchus** Meg. in Dejean, Cat. Coléopt. 1821, 84.—Col. [333.]
- Campylis** *err. pro* Campylus, Fischer; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11.
- Campylites** *emend. pro* Campulites, Desh.; A. N. Herrmannsen, Ind. Gen. Malacoz. I. 1846, 162.
- Campylocera** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 377.—Dipt.
- Campyloceras** F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 9.—Ceph.

- Campylochila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Campylochila, Steph. [*apud* Agass.].
- Campylocnemis** J. O. Westwood, Introd. class. Insect. I. 1839, 88.—Col. [*non* -cnemus].
- Campylodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Campylodon, 1798.
- campylodon** Ichthysaurus, J. Carter, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, Trans.
- campyloides** Athous, E. Newman, Entom. Mag. I (5) Oct. 1833, 509. [60.]
- Campylomyia** J. W. Zetterstedt, Dipt. Scand. 1842, 9 [=Campylomyza, Meig.].
- Campylomyza** J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 101.—Dipt.
- Campylonaus** W. H. Benson, J. Asiatic Soc. Bengal, IV. 1835, 176.—? Nud.
- Campylonaus** J. E. Gray, Proc. Zool. Soc. Lond. 1847, 149.—Pt. [*non* Benson, 1835, *teste* Herrm.].
- Campylonyx** J. O. Westwood, Proc. Zool. Soc. London, III (28) July 1835, 52.—Hym.
- Campylops** Lichtenstein, Verz. Samml. Kaffernl. 1842, 23.—A.
- Campylopterus** W. Swainson, Zool. Journ. III (11) Dec. 1827, 358.—A. [Spix.]
- Campylopterus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Campylopterus,
- Campylopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Campulipus, Kirby.
- Campylorhynchus** J. B. v. Spix, Avium Brasil. I. 1824, 77.—A. [Kampy—on pl. 79].
- Campylorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Campylirhynchus, Meg.
- Campyloscelus** C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 197.—Col.
- Campylosteira** F. X. Fieber, Entom. Monogr. 1844, 42.—Hem.
- campylostylus** Trochilus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 14.
- Campylotes** J. O. Westwood in J. F. Royle, Ill. Bot. Himalay. 1840, p. liii; Madras Journ. XII (28) July 1840, 131.—Lep.
- campylotes** Elephas, G. Fischer, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 285.
- Campylus** G. Fischer v. W., Entom. Imp. Russ. I (Gen. Ins.) *post* Sept. 1821, 36; II. *post* Nov. 1824, 153.—Col.
- Campytus** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- camtshatk**→ *v.* **kamshatk**→.
- camuripes** Hippopsis, E. Newman, Entomologist (24) Oct. 1842, 382.
- camurus** Cyrtoceras, J. Hall, N. H. New York (Pal. I.) 1847, 196.
- camura** Myrmedonia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 44.
- camura** Pterolophia, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 371.
- camus** Rhinoceros, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 401.
- camylops** Gammurus, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 403.
- cana** *v.* **canus**.
- Canabina** Landbeck, Syst. Aufz. Vögel Württ. 1804; *teste* H. R. Schinz, Europ. Fauna,
- Canace** Haliday in J. Curtis, Guide Brit. Ins., ed. 2, 1838, 281.—Dipt. [I. 1840, 247.]
- canache** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 953.
- canadensis** Arctomys, L. Oken, Lehrb. Nat. III (2) 1816, 856.
- canadensis** Ascomys, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1822–23
- canadensis** Axinura, Castelnau, Ess. Silur. Amér. sept. 1843, 49. [(1825), 20.]
- canadensis** Bernicla (L.), G. R. Gray, Genera of Birds, III. Nov. 1844, 608.—Anas, 1758.
- canadensis** Bibio, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 295.
- canadensis** Brontes, W. E. Logan, Rep. Progr. Geol. Surv. Canada, 1844 (1846), 54 [*n. et f.*].
- canadensis** Canis, [M. H. C. Lichtenstein] in Aken & Martin, Verz. Thiere in Aken's Menag. 1830, 16.
- canadensis** Castor, H. Kuhl, Beitr. Zool. I. 1820, 64.
- canadensis** Cervus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–11 (1815), 69
- canadensis** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 340. [*n. n.*].
- canadensis** Coccothraustes, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- canadensis** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 34. [88.]
- canadiensis** Copris, Palisot de B., Ins. Afr. Amér. (—) 1809, 92.
- canadensis** Cygnus (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 19. —Anas, 1758.
- canadensis** Delphinus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 516.
- canadensis** Dendrocera, Lamarck, An. s. vert. IV. 1817, 423.

- canadensis** Dendroides, P. A. Latreille, Consid. gén. Crust. etc. 1810, 430 [& 212].
- canadensis** [Dysornithia] (Cuv.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 495.—Garrulus.
- canadensis** Elaphus (Ill.), J. E. De Kay, N. H. New York (Mamm.) 1842, 118.—Cervus.
- canadensis** Emberiza (Bonap.), J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 252.—Fringilla, ? Lath. 1790.
- canadensis** Epeira, J. Blackwall, Ann. Mag. N. H. XVII. Feb. 1846, 81. [1766.]
- canadensis** Euthlypis (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 18.—Motacilla,
- canadensis** Felis, ? Geoffr. in A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 224.
- canadensis** Fringilla, P. Boddaert, Tab. Planch. Enl. 1783, 13.
- canadensis** Galleruca, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 219.
- canadensis** Garrulus (L.), Cuvier, Règne Anim. I. 1817, 399.—Corvus, 1766.
- canadensis** Gasterosteus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 609.—canadus, L. 1766.
- canadensis** Gerbillus (Penn.), A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804, 22.
- canadensis** Goniatites, Castelnau, Ess. Silur. Amér. sept. 1843, 34. [—Mus, 1800.]
- canadensis** Grus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 323.—Ardea, 1758. [foss. Sibérie, 1868, 19.]
- canadense** Harpagonotherium, G. Fischer de W., Progr. Soc. Imp. Nat. [Moscou], Anim.
- canadensis** Inia (Desm.), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 45.—Delphinus.
- canadensis** Iulus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 267.
- canadensis** Limnobia rhynchus, J. O. Westwood, Ann. Soc. Ent. France, IV (4) *post* Feb. 1836, 684.
- canadensis** Lontra (Ill.), J. E. Gray, Ann. Mag. N. H. XI. Feb. 1843, 118.—Lutra.
- canadensis** Lucioperca, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Pisc. 1834, 275.
- canadensis** Lutra, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 70.
- canadensis** Lutra, G. Fischer, Zoogn., ed. 3, III. 1814, 610. [11. n.]
- canadensis** Lynceus (Geoff.), J. E. Gray, List Mamm. Coll. B. M. 1843, 46.—Felis.
- canadensis** Lynx (Geoff.), C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 46. [1777.]
- canadensis** Martes (Schreb.), J. E. Gray, List Mamm. Coll. B. M. 1843, 63.—Mustela,
- canadensis** Mercanatha, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 238.
- canadensis** Meriones (Desm.), C. Ranzani, Elem. Zool. II (2) 1820, 386.—Gerbillus.
- canadensis** Mniotilta (L.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Motacilla, 1766.
- canadensis** Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 4.
- canadensis** Mus, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 292.
- canadensis** Myiodiodes (L.), J. J. Audubon, Synopsis, 1839, 49.—Motacilla, 1766.
- canadense** Oiceoptoma (Necrophila), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 104.
- canadensis** Onthophagus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 177.—Coprins.
- canadensis** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 207.
- canadensis** Ovis, G. Shaw, Nat. Misc. XV. 1804, pl. 610.
- canadensis** Perisoreus (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 27.—Corvus,
- canadensis** Petauristus, G. Fischer, Zoogn., ed. 3, III. 1814, 504. [1766.]
- canadensis** Pitylus (L.), G. Cuvier, R. Anim. I. 1817, 390.—Loxia, 1766.
- canadensis** Polydesmus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 265.
- canadensis** Regulus (L.), Cuvier, Règne Anim. I. 1817, 370.—Motacilla, 1766.
- canadensis** Salmo, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Pisc. 1834, 474.
- canadensis** Scalops, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 155.
- canadensis** Setophaga (L.), G. R. Gray, Gen. Birds, I. Aug. 1846, 265.—Muscicapa, 1766.
- canadensis** Spizella (Lath.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 33.—Fringilla,
- canadensis** Strix, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 273. [1790.]
- canadensis** Sturnia (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
- canadensis** Sylvia, A. Wilson, Amer. Ornith. VI. 1812, p. xiv. [62.—Strix.]
- canedensis** Sylvicola (L.), J. J. Audubon, Synopsis, 1839, 61.—Motacilla, 1766.
- canadensis** Tanagra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 239.
- canadensis** Tellina, T. A. Catullo, Atti 7 Riun. Sci. Ital. 1846, 1159.
- canadensis** Tetanocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 338.

- canadensis** Thamnophilus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 152.—Lanius, L. 1766.
- canadensis** Tringa, J. Latham, Index Orn., Suppl. 1801, p. lxx. [1802], 233.
- canadensis** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- canadensis** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 227.
- canadensis** Viverra (L.), G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 429.—Mustela, ? Schr.
- canadiensis** *v.* **canadensis**. [1777.]
- canaella** Plutella, O. G. Costa, Fauna Regno Napoli, Lepidott., Plutella, 4 (1832-40).
- canaepennella** Poeciloptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 427.—Tinea.
- canapennella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 47 (Fernaldo giudice 1811-17) [*n. cf. f.*].
- canagica** Anas, Sevastianoff, Nova Acta Ac. Sci. Petrop. XIII. 1827, 349.
- canagicus** Anser (Sev.), J. F. Brandt, Anim. ross. nov. 1836, 7.—Anas.
- canagica** Bernicla (Sev.), G. R. Gray, Genera of Birds, III. Nov. 1844, 607.—Anas.
- canagica** Rana, P. S. Pallas, Zoographia, III. 1811, 12.
- canagurta** Scomber, G. Cuvier, Règne Anim., ed. 2, II. 1829, 197.
- canalella** Adela, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 587.
- canalensis** Tellina, T. A. Catullo, N. Ann. Sci. Nat. [2] V. 1846 [Mar.], 95.
- canaletto** Serpula, A. Risso, H. N. Europe, IV. 1826, 403.
- canalicausa** Frondosaria, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 20 [*n. n.*].
- canicularis** Anthophagus, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [*n. n.*].
- canaliculatus** Acilius (Kn.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 94.—Dytiscus.
- canaliculata** Acroculia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 44.
- canaliculata** Aleochara (Fab.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 68.—Staphylinus, 1787. [Chaetodon, 1797.]
- canaliculatus** Amphacanthus (Park), J. G. Schneider, Bloch, Syst. Ichth. 1801, 209.—
- canaliculata** Ampulex, T. Say, Western Quart. Reporter, II (1) 1823, 76.
- canaliculata** Ampullaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 32.
- canaliculata** Ampullaria, G. A. Mantell, Foss. South Downs, May 1822, 87.
- canaliculatum** Anomalon, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 90.
- canaliculatum** Anthobium, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 340 [ruficollis].
- canaliculatus** Aphanisticus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 180.
- canaliculata** Aradasia (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 90.—Trochus.
- canaliculatus** Astilbus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Mar. 1832, 106.—Staphylinus, 1787. [*f. p.*], 63.—Staphylinus, 1787.
- canaliculatus** Astilbus (Fab.), L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829 [*auct.*].
- canaliculatus** Ateuchus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 32 [*n. n.*].
- canaliculata** Atrypa, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 129.
- canaliculatus** Attelabus, A. G. Olivier, Entom. V. 1807, 7.
- canaliculatus** Belemnites, E. F. v. Schlotheim, Die Petref. 1820, 49.
- canaliculata** Belionota (F.), F. Eschscholtz, Zool. Atlas, I. 1829, 8.—Buprestis, 1787.
- canaliculata** Biradiolites, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 230.
- canaliculata** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 81.
- canaliculatus** Bos, G. Fischer, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 85.
- canaliculatus** Bronteus, Goldfuss, N. Jahrb. f. Min. 1843, 550.
- canaliculatum** Buccinum, Lamarck, An. s. vert. VII. 1822, 267.
- canaliculatum** Buccinum, J. De C. Sowerby, Min. Conch. V. 1823, 14.
- canaliculatum** Buccinum (Cassis), F. S. Voigt in Cuvier, Thierreich, III. 1834, 345.
- canaliculatum** Buccinum, W. Hisinger, Lethaea Svecica, 1837, 42.
- canaliculatus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 68.
- canaliculata** Bulla, A. d'Orbigny in Sagra, Cuba (Moll. I.), 1841, 133.
- canaliculata** Bullina, T. Say, Amer. Conch. (4) Mar. 1832, pl. xxxix.—Volvaria, 1826.
- canaliculatum** Callidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].
- canaliculatus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 560.

- canaliculatus Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 22.
 canaliculatus Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, III. 1812, 168.
 canaliculata Cardita, L. Reeve, Conch. Icon.—Cardita, no. 40, Sept. 1843.
 canaliculatum Cardium (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 163.—
 Petricola.
 canaliculata Cassis (Brug.), Lamarck, An. s. vert. VII. 1822, 228.—Cassidea, 1792.
 canaliculata Cassis, A. Risso, H. N. Europe, IV. 1826, 181.
 canaliculatum Cerithium, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 104.
 canaliculatus Cestracion, P. de M. G. Egerton in F. Dixon, Geol. Sussex, 1850, 365.
 canaliculata Cetonia (Fab.), A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 112.—
 Chama, J. Sowerby, Min. Conch. I. 1813, 68. [Trichius.
 canaliculatus Chirotos (Lacep.), H. R. Schinz in Cuvier, Thierreich, II. 1822, 93.—
 Pipes, 1788. [394.
 canaliculatus Chiton, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
 canaliculatum Chlorion, T. Say, Boston Journ. N. H. I (4) 1837, 366.—Ampulex, 1823.
 canaliculata Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 63.
 canaliculata Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June
 1850, 137.
 canaliculatus Cleonus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 155.
 canaliculatus Coeliodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 293. [1837, 212.—Nucleolites.
 canaliculata Collyrites (Goldf.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49)
 canaliculata Columbella, C. T. Menke, Conch.-Samml. Malsburg, 1829, 39.
 canaliculatus Conus, G. Brocchi, Conch. Subap. 1814, 636.
 canaliculatus Conus (ex Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 360.
 canaliculatus Cossonus, J. C. Fabricius, Syst. Eleuth. II. 1801, 496.
 canaliculatus Cratonychus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb.
 II (4 & 5) Mar. 1835, 362.
 canaliculatus Cremastocheilus, W. Kirby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 151.
 canaliculatus Cryptohypnus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 583.
 canaliculata Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 76.
 canaliculata Damia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 384.
 canaliculatus Dendarus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
 1840, 209.
 canaliculatum Dentalium, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 206.
 canaliculatus Disaster (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
 (1836), 183.—Nucleolites. [(1836), 186.—Galerites.
 canaliculatus Discoidea (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
 canaliculatum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 676.
 canaliculatum Distomum, Mehlis, Arch. f. Natug. XII (1) 1846, 138 [*n. n.*].
 canaliculatus Dycticus, Knoch in Nicolai, Diss. Coleopt. Halensis, 1822, 29.
 canaliculatus Dytiscus, Illiger & Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
 canaliculatus Echinites, E. F. Schlotheim, Taschen. Min. 1813, 110.
 canaliculata Emys, J. B. v. Spix, Testud. Brasil. 1824, 10. [1825 (App.), 26.
 canaliculatus Epitragus, T. Say in Keating, Exp. Peter River, II. 1824, 281 & ed. Lond.
 canaliculatus Eremnus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
 212. [1847, 82.—Lycus.
 canaliculatus Eros (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec.
 canaliculata Eschara, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 23 [*n. n.*].
 canaliculatus Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 42.
 canaliculatus Euplectus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 107.
 canaliculata Fasciolaria, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool.
 II. 1832), 286.
 canaliculatus Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim.
 artic. (7) 1849, 22 ["Mon. Anth." *poster. edit.*].
 canaliculata Frondicularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 212.
 canaliculatus Fusus, J. E. Gray, Zool. "Blossom," 1839, 116. [1823.
 canaliculatum Fusus, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 2.—Buccinum,

- canaliculatus Galerites, G. A. Goldfuss, Petref. German. I (2) 1829, 128.
 canaliculatus Geophilus, P. Gervais in Gay, Chili, IV (Myr.) 1849, 72.
 canaliculatus Georissus, Dejean, Catal. Coléopt. 1821, 49 [*n. n.*].
 canaliculatus Gerris, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
 canaliculatus Goniaspidius, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 66. [Chama.]
 canaliculata Gryphaea (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1829, 218.—
 canaliculata Halichondria, R. Q. Couch, 10th Ann. Rep. R. Cornwall Polyt. Soc. 1842 (2) [1843], 56.
 canaliculata Haliotis, G. Fischer, Mus. Démid. III. 1207, 243.
 canaliculata Haliotis, Lamarck, An. s. vert. VI (2) 1822, 217.
 canaliculata Heterophana (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 602.—
 Cetonia, ? Ol. 1789.
 canaliculata Hippurites, Rolland de R., Descr. Rudistes, 1841, 50. [Nucleolites.
 canaliculatus Hybocypus (Muenst.), Desor in L. Agassiz, Mon. Ech. III. 1842, 85.—
 canaliculatus Hydroporus, Illiger; Dejean, Catal. Coléopt. 1821, 20 [*n. n.*].
 canaliculatus Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 395.—Curculio, 1792.
 canaliculatus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 141.
 canaliculata Ips (Rhysodes), O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 104.
 canaliculatum Lathrimaeum, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 871.
 canaliculata Lesteva, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. V), Jan. 1834, 360.
 canaliculata Libinia, T. Say, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 77.
 canaliculatus Limnius, L. Gyllenhal, Ins. Suecica, I. 1808, 552. [1843, 771.
 canaliculatus Lissotarsus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4)
 canaliculatus Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 459.
 canaliculata Lutraria, T. Say, J. Acad. Nat. Sci. Philad. II., Sept. 1822, 311.
 canaliculatus Lycus, A. Afzelius in C. J. Schoenherr, Syn. Insect. I (3) 1817, 78 & App.
 canaliculatus Lycus, T. Say, Boston Journ. N. H. I (2) 1835, 154. [1817, 32.
 canaliculatus Macrocheilus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 28.
 canaliculata Melandrya, J. C. Fabricius, Syst. Eleuth. I. 1801, 164.—Helops, 1787.
 canaliculata Melania, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 175.
 canaliculatus Microgaster, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 41.
 canaliculata Miliola, H. D. de Blainville, Faune Française (18) Malac. 1828, 46.
 canaliculata Millepore, E. Bennett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831,
 canaliculata Monodonta, G. Fischer, Mus. Démid. III. 1807, 217. [7 [*n. n.*].
 canaliculata Monodonta, Lamarck, An. s. vert. VII. 1822, 37.
 canaliculatum Mucanum (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 164.—Tessaratomia.
 canaliculatus Myliobates, J. L. R. Agassiz, Poiss. Foss. III. 331 (1843).
 canaliculatus Myllocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 5. [—Staphylinus, 1787.
 canaliculata Myrmedonia (Fab.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 290.
 canaliculata Nassa, C. F. Schumacher, Essai Vers test. 1817, 224.
 canaliculata Nassa (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 341.—Buccinum.
 canaliculata Natica (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 170.—
 Ampullaria. [Syn. Carb. Lst. foss. Ireland, 1844, 33.
 canaliculatus Naticopsis, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 19;
 canaliculatus Nematus, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 23.
 canaliculata Neptunea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (6) 1808, 35.
 canaliculata Nerinea, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 3.
 canaliculata Nika (Leach), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 325.—Processa.
 canaliculatus Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 7.
 canaliculatus Nucleolites, G. A. Goldfuss, Petref. German. I (2) 1829, 140.
 canaliculata Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—
 Monodonta.
 canaliculata Odostomia, C. B. Adams, Contr. to conch. (7) Ap. 1850, 109.

- canaliculata Oliva, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 165 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 274.
- canaliculatum Omalium, Dejean, Catal. Coléopt. 1821, 26 [*n. n.*]. [1839, 632.]
- canaliculatum Orthoceras, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan.
- canaliculata Ostrea, J. Sowerby, Min. Conch. II. 1816, 81.
- canaliculata Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 147.
- canaliculata Ostrea (Sow.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 709.—Chama [*non* Ostrea, 1816.] [Cancer.]
- canaliculatus Pagurus (Hbst.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 647.—Palaemon, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 660.
- canaliculata Paludina, A. A. Gould, Rep. Comm. Zool. Surv. State [Massach.] 1838, 107 [*n. n.*].
- canaliculata Parastasia, J. O. Westwood, Ann. Mag. N. H. VIII. Nov. 1841, 204.
- canaliculatus Pecten, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 72.
- canaliculata Petricola, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- canaliculatus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 229.
- canaliculata Phaonia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 484.
- canaliculatus Philanthus, T. Say, Western Quart. Reporter, II (1) 1823, 80.
- canaliculata Pholadomya, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 129.
- canaliculatus Phorus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 180.
- canaliculata Pinelia, J. C. Fabricius, Syst. Eleuth. I. 1801, 132.
- canaliculata Planaxis, Duval, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 107.
- canaliculatum Pleurotoma, R. A. Philippi, N. Jahrb. f. Min. 1845, 450 [*n. n.*].
- canaliculata Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 348, Jan. 1846.
- canaliculata Pleurotomaria, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 19 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 39.
- canaliculatus Pomus (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 76.—Ampullaria, Posidonia, G. A. Goldfuss, Petref. German. II (5) 1836, 120. [? Lam.]
- canaliculatus Prius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
- canaliculata Processa, W. E. Leach, Malac. podoph. Brit., text to pl. xli (4) July 1815.
- canaliculata Proscopia, F. E. Guérin-M., Iconographie, 1844, Ins. 340.
- canaliculatus Prypnus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 232.
- canaliculata Psammodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 321.
- canaliculatus Psammodus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 122.
- canaliculatum Ptilium, F. Maerker in Germar, Zeitschr. f. d. Entom. V. 1844, 245.
- canaliculatum Ptilium, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 25.
- canaliculata Purpura, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 316.
- canaliculata Purpura, P. L. Ducloux, Ann. Sci. Nat. XXVI (101) May 1832, 104.
- canaliculata Pyramidella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 104.
- canaliculata Pyria, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. IV. 1846, 20.
- canaliculatus Pyrophorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- canaliculata Pyrula (L.), G. Fischer, Mus. Démid. III. 1807, 204.—Murex, 1758. [32.]
- canaliculata Pyrula, Lamarck, Ency. Méth. (Vers), 1816, pl. 436, Liste p. 8 [*n. et f.*].
- canaliculata Rhaphomyia, J. Macquart, Ins. dipt. N. France (3) 1827, 131.
- canaliculatus Rhinoncus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.
- canaliculatus Rhodocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 199.
- canaliculata Rhysodes, Laporte, Revue Entom. IV (2) 1836, 56.
- canaliculata Rissoa, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI. 1830,
- canaliculata Rissoa, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 223. [pl. 96.]
- canaliculata Rostellaria, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 244.
- canaliculatus Sarothrus, T. Hartig, Zeitschr. f. d. Entom. 2 (1) 1840, 203.
- canaliculata Scalaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 50. [651.]
- canaliculatus Schizogenius, Buquet in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1845,
- canaliculata Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 233.
- canaliculatus Serropalpus (Fab.), F. V. Melsheimer, Ins. Pennsylv. 1806, 54.—Helops, 1787.

- canaliculatus** Sigaretus, J. De C. Sowerby, Min. Conch. IV. 1823, 115.
canaliculatum Solarium (Brand.), Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 53.—Turbo [*non comp.*].
- canaliculata** Solenoptera (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 184.—Prionus, 1787. [263.]
- canaliculatus** Sorex, S. I. Ljungh, K. Vet. Ac. Nya Handl. XXVII (4) 1806 [1807].
canaliculatus Sphenophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 253. [prestitis, 1782.]
- canaliculata** Sphenoptera (Pall.), Laporte & Gory, H. N. Coléopt. II. 1839, 9.—Bu-
canaliculata Spiroluculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 269.
canaliculata Spirorbis, J. G. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
canaliculatus Staphylinus (Nordm.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 403.—Tympanophorus.
- canaliculatus** Stenelmis, L. Dufour, Ann. Sci. Nat. [2] (Zool.) III. Mar. 1835, 160.
canaliculatus Stenus, Knoch, Dejean, Catal. Coléopt. 1821, 25 [*n. n.*].
canaliculatus Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Dec. 1833, 294.
- canaliculatus** Strombites, E. F. Schlotheim, Tasch. Min. 1813, 103 [*n. n.*].
canaliculata Tellina, F. E. Edwards, London Geol. Journ. (3) 1847, 103.
canaliculata Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 22. [—Terebratula.]
- canaliculata** Terebratella (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 173.
canaliculata Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 41.
canaliculata Terebrirostra (Arch.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 173. Terebratula, Roem.
- canaliculata** Tessarotoma, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 590.
canaliculatus Trichius, J. C. Fabricius, Ent. Syst. I (1) 1792, 121. [Ptilium.]
canaliculata Trichopteryx (Maerckel), C. J. F. Gillmeister, Trichopterygia, 1845, 71.—
canaliculatum Triton (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 56.—Buccinum.
- canaliculatus** Trochus (Lam.), G. Brocchi, Conch. Subap. 1814, 359.—Solarium.
canaliculatus Trochus, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 312.
canaliculatus Trochus, Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss. 1832, 6.
canaliculata Trochus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (Moll.) 1834, 261. [Monodonta.]
- canaliculatus** Trochus (Lam.), R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 180.—
canaliculatus Trochus, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 60.
canaliculatus Trochus, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 112.
canaliculatus Trox, T. Say in Keating, Exp. Peter River, II. 1824, 278 & ed. Lond. 1825 (App.), 23. [1820, 234.]
- canaliculata** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug.
canaliculatus Turbo, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 240.
canaliculatus Turbo, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 379.
canaliculatus Turbo, F. A. Roemer, Verst. Harzgsb. 1843, 29.
canaliculatus Turbo, G. A. Goldfuss, Petref. German. III (8) 1844, 92.
canaliculata Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll. Aug. 1850, 49.
canaliculatus Tympanophorus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 10. [? Sturm.]
- canaliculatus** Valgus (Fab.), H. Burmeister, Handb. Ent. III. 1842, 722.—Trichius,
canaliculata Velutina (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 327.—Sigaretus.
canaliculatus Volvaria, T. Say, J. Acad. Nat. Sci. Philad. V. Feb. 1826, 211.
canaliculatus Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 307.
canaliculatum Xerosoma, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 61.
canaliculatus Ziziphinus (Mart.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 237. [—Goniates.]
- canalifer** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan 1850], 58.
canalifer Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—Goniatites.

- canalifer** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 152.
- canalifera** Ampullaria *id. ac* canaliculata 1804; Lamarck, An. s. vert. VII. 1822, 549.
- canalifera** Anaulax (Lam.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 433.—
- canalifera** Ancilla, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 475. [Ancilla.
- canalifera** Ancillaria, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1841, 306. [1840, 193.
- canaliferus** Bellerophon, Goldfuss; A. E. Férussac & A. d'Orbigny, H. N. Céph. acétab.
- canalifer** Capulus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 82.
- canalifera** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—Melania.
- canalifera** Choristites, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1825, 10. [17.
- canalifera** Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836,
- canalifer** Conocardium (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 80.—Lunulacardium. [81.
- canaliferum** Cyclostoma, G. B. Sowerby, I., Proc. Zool. Soc. London, X (113) Dec. 1842,
- canalifera** Delphinula, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 112.
- canalifera** Delphinula, Defrance, Dict. Sci. Nat. XII. 1818, 546.
- canalifera** Delphinula, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 141 & 231 [*n. n.*].
- canalifer** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 26.
- canalifera** Helix, H. E. Anton, Verz. Conch. 1839, 39.
- canalifera** Lima, G. A. Goldfuss, Petref. German. II (5) 1836, 89.
- canaliferus** Lithodomus, S. Hanley, Proc. Zool. Soc. London, XII (132) July 1844, 16.
- conalifer** Lunulacardium, G. v. Muenster, Beitr. zur Petref. (3) 1840, 70.—canalifer,
- canalifera** Melania, G. v. Muenster, Beitr. zur Petref. (4) 1841, 96. [on p. 131.
- canaliferus** Micraster (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus. [domus, 1844.
- canalifera** Modiola, S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 239.—Litho-
- canalifera** Monodonta, Lamarck, Ency. Méth. (Vers) 1816, pl. 447, Liste p. 10 [*n. et f.*].
- canalifera** Muensteria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, V. 1835, 66.
- canalifer** Murex, F. S. Voigt in Cuvier, Thierreich, III. 1834, 374.
- canaliferus** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841,
- canalifer** Mystriosaurus, G. v. Muenster, N. Jahrb. f. Min. 1843, 132. [142.
- canalifera** Oliva, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 391. [327.
- canalifera** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811,
- canaliferus** Ova (Lam.), J. E. Gray, Ann. Phil. XXVI. 1825, 431.—Spatangus.
- canalifera** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 111.
- canalifera** Pleurotomaria, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [*n. n.*].
- canaliferus** Schizaster (Lam.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 20.—Spatangus.
- canalifera** Serpula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 54.
- canaliferus** Spatangus, Lamarck, An. s. vert. III. 1816, 31.
- canalifera** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 254.
- canalifera** Terebratula, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 301.
- canaliferum** Triton, Lamarck, An. s. vert. VII. 1822, 184.
- canalifera** Trochidon, W. Swainson, Treat. Malacol., May 1840, 351.
- canalifera** Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 246 [*n. n.*].
- canalii** Barbus, Cuvier & Valenci., H. N. Poiss. XVI. 1842, 143. [927.
- canalipes** Spheophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- Canalipora** v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 242.—Polyz.
- canalis** Atrypa (Sow.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 152.—
- canalis** Helix, G. Montagu, Test. Brit. 1803, 309. [Terebratula.
- canalis** Isotelus, J. Hall, N. H. New York (Pal. I.) 1847, 25. [Turbo.
- canalis** Lacuna (Mont.), W. Turton, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 192.—
- canalis** Limnaea, M. P. Gnaells in D. Dupuy, H. N. Moll. France (5) May 1851, 482.
- canalis** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 123.
- canalis** Nerita, W. Wood, Suppl. Index Test. 1828, 26 [*n. et f.*].

- canalis** Neritina, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xi.
- canalis** Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 630.
- canalis** Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 640.
- canalis** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 162.
- canalis** Phasianella (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlv, f. 48.—Helix.
- canalis** Strombites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 410.
- canalis** Strombus, Lamarck, Bull. des Sci. 1801 [*mili non visum*]; Ann. Mus. H. N. (Paris) II (9) June 1803, 219. [56']
- canalis** Strombus, Coquebert & Brongniart, Bull. Soc. Philom. à ses Corresp. [Paris] 1803,
- canalis** Terebra, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 540 [*n. n.*].
- canalis** Terebratula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- canalis** Turbo, G. Montagu, Test. Brit. II. 1803, 309. [611.]
- canalis** Turbo, G. A. Goldfuss, Petref. German. III (8) 1844, 95. [1788.]
- canalium** Ephydatia (Gm.) J. V. F. Lamouroux, Hist. Polyp. 1816, 6.—Spongia, Schr.
- canalium** Gerris, L. Dufour, Mém. présentés Ac. Roy. Sci. Inst. France, IV. 1833, 197.
- canapenella** *v.* canaepenella.
- canarensis** Gobio, T. C. Jerdon, Madras Journ. XV (35) 1849, 306.
- canarensis** Opsarius, T. C. Jerdon, Madras Journ. XV (35) 1849, 329.
- canarensis** Perilampus, T. C. Jerdon, Madras Journ. XV (35) 1849, 325.
- Canaria** Partington, Brit. Cyclop. N. H. I (12) Mar. 1835, 704.—A.
- canaria** Carduelis (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 34.—Fringilla, 1758.
- canaria** Crithagra, W. Swainson, Anim. in Menag., Dec. 1837, 318.
- canaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 66 (Fernaldo judice 1800-08) [*n. et f.*]. [Geometra.]
- canaria** Gnophos (Huebner), C. F. Freyer, Neuere Beitr. Schmett. IV (63) 1842, 152.—
- canaria** Linaria (L.), Cuvier, Règne Anim. I. 1817, 388.—Fringilla, 1758.
- canaria** Scotopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 313.—Geometra.
- canaria** Serinus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 523.—Fringilla,
- canarium** Strombus, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 33. [1758.]
- canariensis** Agelena, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 37.
- canariensis** Anguilla, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 88.
- canariensis** Asellus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 76.
- canariensis** Asterias, A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840, 148.
- canariensis** Biloculina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 139.
- canariensis** Boops, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 36.
- canariense** Buccinum, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 90.
- canariensis** Carduelis (L.), C. Dumont, Dict. Sci. Nat. XXVI. 1823, 548.—Fringilla canaria, 1758.
- canariensis** Cassiopea, Tilesius, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 285.
- canariensis** Chiton, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 99.
- canariensis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 657.
- canariensis** Chrysomela, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 73.
- canariense** Chrysotoxum, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 76.
- canariensis** Clinus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 60.
- canariensis** Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 93.
- canariensis** Cryptella, Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 311.
- canariense** Cyclostoma, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 76.
- canariensis** Dasysterna, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 331.
- canariensis** Delena, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 30.
- canariensis** Doris, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 39.
- canariensis** Echinomyia, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 110.
- canariensis** Escharina, A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1846, 150.
- canariensis** Feronia (Argutor), A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 56.
- canariensis** Fringilla, Boddaert, Tabl. Planch. Enlum. (Dec.) 1783, 12.—[*test.* Iredale.]
- canariensis** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 232.
- canariensis** Globigerina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 133.

- canariensis Lampromyia, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 105.
 canariensis Laparocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 228.
 canariensis Limax, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 47.
 canariensis Littorina, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 78.
 canariensis Nonionina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 128.
 canariensis Olfersia, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 119. [148.
 canariensis Ophiocoma, A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840,
 canariensis Pagellus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 35.
 canariensis Pimelia, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 67.
 canariensis Polystomella (Orb.), L. Reeve, Conch. Syst. II. 1842, 291.—Globigerina.
 canariensis Pteroplatea, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 100.
 canariensis Pustulipora, A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840,
 canariensis Rissoa, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 78. [150.
 canariensis Robulina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 127.
 canariensis Rotalina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 130.
 canariensis Serinus (L.), O. Des Murs in Gay, Chili (Aves) 1847, 353.—Fringilla, 1758.
 canariensis Tephritis, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 117.
 canariensis Umbrina, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 24.
 canariensis Uvigerina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 138.
 Canarium C. F. Schumacher, Ess. Vers test. 1817, 66 & 219.—G.
 canarium *v.* canaria.
 canastralis Margaronia, J. Huebner, Verz. bekannt. Schmett. 1826, 358.
 Canathus C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
 cancella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 69 (Fernaldo judice 1827)
 [*n. cf.*].
 Cancellia Swainson; *err.* Scudder ex Agassiz; *v.* Cancellia.
 cancellana Cochyliis, P. C. Zeller, Isis (Oken), 1847, 739.
 cancellarioides Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 113, Feb. 1847.
 cancellarioides Buccinum (Bast.), J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour,
 1840–46 [*vero propius* 1847] Buccins pl. 1.—Nassa.
 cancellarioides Cerithium, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 104.
 cancellarioides Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 59, Jan. 1848.
 cancellarioides Mitra, H. E. Anton, Verz. Conch. 1839, 68.
 cancellarioides Murex, Grateloup, Actes Soc. Linn. Bordeaux, VI (33) 1833, 99.
 cancellarioides Nassa, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 50.
 cancellarioides Purpura (Bast.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2]
post May 1832, 254.—Nassa.
 cancellaris Lucina, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1846, 21.
 Cancellarius Denys de Montfort, Conch. Syst. II. 1810, 562.—G.
 cancellaria Arca, Lamarck, An. s. vert. VI (1) 1819, 41.
 cancellarium Buccinum, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 374.
 cancellaria Chiasmia, J. Huebner, Verz. bekannt. Schmett. 1825, 295.
 cancellaria Dictya, J. C. Fabricius, Syst. Antliat. 1805, 328. [Geom.
 cancellaria Fidonia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—
 cancellaria Fusus, A. Andrzejevski, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 441.
 cancellaria Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 62 (Fernaldo judice
 1800–08) [*n. cf.*].
 cancellaria Pollia, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 25.
 cancellaria Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 382.
 cancellaria Trypeta (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II.
 1830, 482.—Dictya.
 cancellarioides *v.* cancellarioides. [165.
 cancellata cingulata Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845,
 cancellatum Achilleum, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 93.
 cancellatum Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
 1838], 664.
 cancellatus Aganides (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
 cancellata Agra, Dejean, Spec. gén. Coléopt. V. 1831, 304. [Goniatites.

- cancellata** Amorphospongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 392.—Achilleum.
- cancellatum** Amphidesma, G. B. Sowerby, I., Conch. Illustr., Catal. issued with no. 200, 1841, 7 [*n. n.*].
- cancellata** Anatifa, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 155 [*n. n.*].
- cancellata** Arca (Mart.), J. De C. Sowerby, Min. Conch. V. 1824, 115.—Arcites.
- cancellata** Arcites, W. Martin, Petr. Derb. 1809, pl. 44. [1847, 9.]
- cancellata** Asteria, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto,
- cancellata** Asterias, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 197.
- cancellata** Auricula, Féussac, Bull. Sci. X. 1827, 408 [*n. n.*].
- cancellata** Avicula, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 49.
- cancellatus** Bellerophon, J. Hall, N. H. New York (Pal. I.) 1847, 307. [404.]
- cancellatus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
- cancellatum** Buccinum, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 28.
- cancellatum** Buccinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833),
- cancellatum** Buccinum, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 224. [449.]
- cancellata** Bulla, Grateloup, Actes Soc. Linn. Bordeaux, IX (49 bis) 1837, 401 & 419.
- cancellata** Buprestis, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- cancellatum** Calosoma, M. H. Rathke in F. Eschscholtz, Zool. Atlas, V. 1833, 23.
- cancellata** Calyptraea, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 70.
- cancellata** Cancellaria (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 211.—
Voluta, 1767.
- cancellata** Cancellaria, Lam.; L. Bellardi, Mem. R. Acc. Sci. Torino [2] III. 1841, 251.
—*var.* taurinia, astensis, dertonensis.
- cancellata** Capnia, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 328.
- cancellatus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 176.
- cancellatus** Carabus, Dargelas, Mag. Encyclop. An. 8, III (10) Sept. 1802, 229.
- cancellata** Cassidaria, Lamarck, An. s. vert. VII. 1822, 217.—Cassis, 1803.
- cancellata** Cassidaria, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1828 (1831), 63.
- cancellata** Cassis, Lamarck, Ann. Mus. H. N. (Paris) II (2) Ju. 1803, 169.
- cancellata** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 269.
- cancellatum** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (18) Mar. 1804, 437.
- cancellatum** Cerithium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 560.
- cancellatum** Cerithium, H. C. Lea, Amer. J. Sci. XLII (1) Jan. 1842, 111.
- cancellatum** Cerithium, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [*n. n.*].
- cancellatum** Cerithium, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 182.
- cancellata** Chama, Wiegmann, Arch. f. Naturg. II (1) 1836, 228.
- cancellata** Chemnitzia, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 225.
- cancellatus** Chiton, J. G. Jeffreys, Malac. Conch. Mag. (2) 1839, 39 [*n. n.*].
- cancellata** Choeradodis (Fab.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839
[Dec. 1838], 206.—Mantis, 1775.
- cancellata** Chrysopa (Schr.), C. Wesmael, Bull. Ac. Roy. Brux. VIII (1) 1841, 208.—
Hemerobius.
- cancellata** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 116.
- cancellatus** Cirrus, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 152. [—Fusus.
- cancellata** Clavatula (Sow.), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 61.
- cancellatus** Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 406.
- cancellatus** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 115.
- cancellata** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 20.
- cancellata** Corbis, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 53. [469.]
- cancellata** Corbula, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807,
- cancellatus** Cratosomus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
1848, 569.
- cancellata** Creusia, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 378.
- cancellata** Cribrospongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
388.—Scyphia.
- cancellata** Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 150 & 156 [*n. et f.*].
- cancellata** Cucullaea, F. Krauss, Nova Acta Acad. Caes. XXII (2) 1850, 452.

- cancellata* Cyclolites, C. F. A. Morren, Ann. Ac. Groning. 1828, 50. [Fungia.
cancellata Cyclolites (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—
cancellata Cyclostoma, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 108.
cancellata Cyclostrema, F. Marryat, Tr. Linn. Soc. London, XII (2) 1819, 338.
cancellata Cypræda, W. Swainson, Treat. Malacol., May 1840, 325.
cancellatus Cyrtoceratites, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 80.
cancellata Cythærea (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 268.—
 Venus, 1767.
cancellata Cytherea, Bronn in G. A. Goldfuss, Petref. German. II (7) 1840, 242.
cancellata Datnia, Cuvier & Valenc., H. N. Poiss. III. 1829, 144.
cancellata Delphinula, J. E. Gray, Spec. Zool. 1828, 3.
cancellata Delphinula, L. C. Kiener, Spec. Coquilles (Delphinula) 1838-39, 10.
cancellata Delphinula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 203.
cancellata Diffugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 379.
cancellata Donax, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 127.
cancellata Emarginula, G. v. Münster, N. Jahrb. f. Min. 1834, 10 [n. n.].
cancellata Emarginula, R. A. Philippi, Enum. Moll. Sicilia, I. 1836, 114.
cancellata Emarginula, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 421.
cancellata Eschara, G. A. Goldfuss, Petref. German. I (1) 1826, 24.
cancellata Feronia (Poecilus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 27.
cancellata Fissurella, J. E. Gray, Ann. Phil. XXV. 1825, 407.
cancellata Fissurella, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 528.
cancellata Fungia, G. A. Goldfuss, Petref. German. I (1) 1826, 48.
cancellatus Fusus, J. De C. Sowerby, Min. Conch. VI. 1826, 45. [1832], 288.
cancellatus Fusus, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
cancellatus Fusus, A. Bivona e B., Giorn. Sci. Lett. Sicilia, LXIII. Sept. 1838, 320.
cancellatus Fusus, Mighels & Adams, Proc. Boston Soc. N. H. I (—) 1844, 50; Boston
 Journ. N. H. IV (1) 1842, 52.
cancellatus Fusus, C. Thomaë, Jahrb. Ver. Nat. Nassau, II. 1845, 162. [Triton.
cancellatus Fusus (Lam.), L. Reeve, Conch. Icon. IV.—Fusus, no. 62, Jan. 1848.—
cancellatus Fusus, E. Boll, Arch. Ver. Freunde Nat. Mecklenburg, III. 1849, 210.
cancellatus Goniatites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 339.
cancellata Gorgonia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 658.
cancellatus Gyroceras (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.—
 Cyrtoceratites.
cancellata Hadena, C. F. Freyer, Neuere Beitr. Schmett. IV (51) 1840, 26.
cancellata Hadena, E. F. Germar, F. Ins. Europ. (22) 1842, 17.
cancellatus Harmodites, E. Eichwald, Zool. Spec. I. 1829, 191. [1821, 63.—[n. n.]
cancellata [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
cancellatus Hemerobius, F. v. P. Schrank, F. Boica, II (2) 1802, 189.
cancellata Idmonea (Goldf.), A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 46.
 —Retepora.
cancellatus Inoceramus, G. A. Goldfuss, Petref. German. II (5) 1836, 113. [1846, 262.
cancellatus Ischnoceros, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
cancellata Lepas, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 95.
cancellata Lepas (Lam.), W. Wood, Suppl. Index Test. 1828, 51.—Pyrgoma, Leach.
cancellatus Leucotis (Lam.), W. Swainson, Treat. Malacol., May 1840, 346.—Sigaretus.
cancellata Lingula, S. Kutorga, Verh. Russ.-Kais. min. Ges. St P. 1845-6 (1846), 119.
cancellata Lippistes (Leach), J. E. Gray, Figs. Moll. Anim. IV. 1850, 88.—Cyclo-
 strema, Marr.
cancellata Littorina, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 345.
cancellata Littorina, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 73. [Turritella.
cancellata Loxonema (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 5.—
cancellata Loxostoma, A. Bivona e B., Giorn. Sci. Litt. Sicilia, LXI. 1838, 220.
cancellata Lucapina, J. E. Gray, Figs. Moll. Anim. IV. 1850, 92 [n. n.].
cancellata Marginella, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 24.
cancellata Melania, T. Say, Dissem. Useful Knowledge, Aug. 1829, 260.
cancellata Melania, W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 488.

- cancellatus** Meloe, Brandt & Erichson, N. A. Ac. Caes. Leop. Car. XVI (1) 1832, 141.
cancellata Merria (Lam.), J. E. Gray, Zool. "Blossom," 1839, 137.—Sigaretus.
cancellata Millepora, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 349.
cancellata Mitra, W. Swainson, Zool. Illust. (1) I (5) Feb. 1821, pl. 29.
cancellata Mitra, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
cancellata Mitra, L. C. Kiener, Spec. Coquilles (Mitra) 1839, 42.
cancellata Modiola, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 92.
cancellata Muraena, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 87. [143.
cancellatus Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July, 1841,
cancellata Mya, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post June 1837, 236.
cancellatus Mytilus, D. Solander, Catal. Portland Mus. 1786, 29 [*n. n.*].
cancellatus Mytilus (Roem.), G. A. Goldfuss, Petref. German. II (6) 1837, 175.—Modiola.
cancellata Narica (Lam.), C. A. Récluz, Proc. Zool. Soc. London, XI (129) Mar. 1844,
 136.—Sigaretus.
cancellata Nassa, I. Lea, Contrib. to Geol. 1833, 165.
cancellata Natica, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 287.
cancellata Natica (Gm.), Lamarck, An. s. vert. VI (2) 1822, 204.—Nerita, ? Herrm.
cancellata Naticaria, W. Swainson, Treat. Malacol., May 1840, 346. [1781.
cancellata Nerita (Stahl), C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 44.—Neritites.
cancellatus Neritites, Stahl, C. B. Wuerth. [Landw. Ver.] VI. 1824, 53 [teste Bronn].
cancellata Neritopsis, G. B. Sowerby, II., Gen. Shells (42) 1834, name on plate.
cancellata Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 254.
cancellata Oniscia, G. B. Sowerby, II., Gen. Shells (24) 1824.
cancellata Ophiura, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 63.
cancellata Orbicula, G. B. Sowerby, I., Zool. Journ. II (7) Oct. 1825, 321.
cancellatum Orthetrum (L.), E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Libellula,
cancellata Orthis, J. E. Portlock, Rept. Geol. London, Jan. 1843, 450. [1758.
cancellatus Orthoceratites, E. Eichwald, Beitr. Kenntn. Russ. Reiches, VIII. 1843, 67.
cancellatus Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
cancellata Ovula, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 302. [374.
cancellatus Oxyops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 486.
cancellata Pasithea, H. C. Lea, Amer. J. Sci. XL (1) Jan. 1841, 93.
cancellata Patella, A. Risso, H. N. Europe, IV. 1826, 266.
cancellata Patella, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 135.
cancellatus Pecten, J. Phillips, Geol. Yorksh. I. 1829, 129 [*n. et f.*].
cancellatus Pecten, G. A. Goldfuss, Petref. German. II (4) 1833, 59.
cancellatus Pecten, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 265.
cancellatus Pecten, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14; Syn.
 Carb. Lst. foss. Ireland, 1844, 89 [*n. n.*].
cancellatus Pectunculus, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 131.
cancellatus Pectunculus, L. Reeve, Conch. Icon.—Pectunculus, no. 39, June 1843.
cancellata Percis, Cuvier & Valenc., H. N. Poiss. III. 1829, 268.
cancellata Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 128.
cancellatus Picus, J. G. Wagler, Isis (Oken), 1829, 510.
cancellata Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. c.
cancellata Pinna, J. Mawe, Linnaean syst. Conch. 1823, 77 [*n. et f.*].
cancellatum Pleurotoma, E. Eichwald, Nat. Lithuaen, 1830, 225.
cancellata Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 474.
cancellata Pleurotoma, P. Calcara, Ricerche Malac. 1839, 5.
cancellata Pleurotoma, H. C. Lea, Amer. J. Sci. XL (1) Jan. 1841, 98.
cancellatum Pleurotoma (Sow.), S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 542.
 —Fusus. [Jan. 1846.
cancellata Pleurotoma, L. Reeve (ex Gray MS), Conch. Icon.—Pleurotoma, no. 317,
cancellata Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 113.
cancellata Pleurotomaria, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 96.
cancellata Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 415.
cancellata Purpura, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833),
cancellata Purpura, L. C. Kiener, Spec. Coquilles (Purpura) 1835-6, 25. [563.]

- cancellata Pyramidella, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 167.
 cancellata Pyrgoma, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171.
 cancellata Pyrula, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 12.
 cancellata Pyrula, E. Eichwald, Nat. Lithuaen, 1830, 225.
 cancellata Pyrula, I. Lea, Contrib. to Geol. 1833, 154.
 cancellata Pyrula, E. Forbes (*ex* Sow. MS), Tr. Geol. Soc. London [2] VII. 1846, 128.
 cancellata Ranella, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
 [*vero propius* 1847] Ranelles pl. 1.
 cancellata Raphitoma, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 21
 cancellata Retepora, G. A. Goldfuss, Petref. German. I (2) 1829, 103. [[*n. n.*]
 cancellata Reteporidae (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 264.—
 Retepora.
 cancellata Rissoa, Fréminville, Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 8.
 cancellata Rissoa (Lam.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 126.—Turbo.
 cancellata Rissoa, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 8.
 cancellata Rissoina, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 127.
 cancellata Rostellaria, W. Wood, Suppl. Index Test. 1828, 51.—Strombus, 1828.
 cancellata Rostellaria, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 128.
 cancellata Scalaria (Br.), Defrance, Dict. Sci. Nat. XLVIII. 1827, 20.—Turbo.
 cancellata Scalaria, P. M. T. de Serres, Geogn. Terr. tert. 1829, 105.
 cancellatus Scolopides, Cuvier & Valenc., H. N. Poiss. V. 1830, 351.
 cancellata Scolopsis, E. T. Bennett (*ex* Val. MS) in S. Raffles, Mem. T. S. Raffles,
 cancellata Scyphia, G. A. Goldfuss, Petref. German. I (2) 1829, 89. [1830, 688.
 cancellatus Sigaretus, Lamarck, An. s. vert. VI (2) 1822, 208.
 cancellatus Sigaretus, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 153 [*n. n.*].
 cancellatum Solarium, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 344.
 cancellatum Solarium, I. Lea, Contrib. to Geol. 1833, 121.
 cancellatum Solarium, C. F. F. Krauss, Südafrik. Moll. 1848, 95.
 cancellatus Solen, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 117.
 cancellata Spirorbis (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. I. 1801, 185.
 —Serpula, Fab. 1780.
 cancellata Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
 cancellata Spongia, Jas. Sowerby, Brit. Miscell. (10) Feb. 1806, 131. [456.
 cancellata Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.-Oct. 1814,
 cancellata Spongolithus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 90.
 cancellata Stichopora, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 622.
 cancellata Stigmodera (Don.), Laporte & Gory, H. N. Coléopt. II. 1837, 10.—Buprestis.
 cancellata Stomatella, C. F. F. Krauss, Südafrik. Moll. 1848, 93.
 cancellatus Strombus, Lamarck, Ency. Méth. (Vers) 1816, pl. 408, Liste p. 3 [*n. et f.*].
 cancellatus Strombus, W. Wood, Suppl. Index Test. 1828, 13 [*n. et f.*]. [471.
 cancellata Terebra, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833),
 cancellata Terebra, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 62.
 cancellata Terebratula, E. Eichwald, Zool. Spec. I. 1829, 276.
 cancellata Terebratula (Magas), E. Eichwald, Nat. Lithuaen, 1830, 202.
 cancellatum Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 278.
 cancellata Tornatella, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (11) 1828, 197.
 cancellata Tornatella, Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 271.
 cancellata Trematis (Sow.), D. Sharpe, Q. J. Geol. Soc. London, IV. 1848, 68.—
 Orbicula.
 cancellata Trichotropis, R. B. Hinds, Proc. Zool. Soc. London, XI (121) July 1843, 17.
 cancellatus Triphoris [Ino], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 18.
 cancellatum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 415, Liste p. 4 [*n. et f.*].
 cancellatum Tritonium, J. E. Gray, Zool. "Blossom," 1839, 110.
 cancellatus Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 58.
 cancellata Turbinella, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
 [*vero propius* 1847] Turbinelles pl. 1.
 cancellatus Turbo, Beudant, Ann. Mus. H. N. (Paris) XV (87) *inter* Ap.-Sept. 1810, 203.
 cancellatus Turbo, G. Brocchi, Conch. Subap. 1814, 377.

- cancellatus** Turbo, Lamarck, An. s. vert. VII. 1822, 49.
- cancellata** Turritella, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 17.
- cancellata** Turritella, A. Risso, H. N. Europe, IV. 1826, 110.
- cancellata** Turritella, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- cancellata** Turritella, G. A. Goldfuss, Petref. German. III (8) 1844, 103. [642.
- cancellata** Udotea, J. E. Lee, Mag. Nat. Hist., n. s., III. Jan. 1839, 17.
- cancellata** Velutina (Lam.), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 239.—Sigaretus.
- cancellata** Venus, Lamarck, Ann. s. vert. V. 1818, 588.
- cancellata** Venus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxv.
- cancellina** Arca, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 280.
- cancellinus** Fusus, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 67.
- cancellina** Mitra, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 59.
- cancellinus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) Ju. 1803, 225.
- cancellina** Raphitoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 624.
- cancellinum** Tritonium (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 539.—Murex, Lam. 1803.
- Cancellus** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Nov. 1836, 262.—Cr.
- cancellus** Leucosia, L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 239.
- cancer** Epeira, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 23.
- cancerides** Delena, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 490.—Thomisus, 1805.
- cancerides** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, Latr.
- cancerides** Mygale, P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 83.
- cancerides** Thomisus, E. Guérin, Ency. Méth. (Ins.) 1825, 627.
- canceridea** Avicularia, Lamarck, An. s. vert. V. 1818, 108.
- canceridis** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 29 [*n. et f.*].
- cancila** Belone, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 455.
- cancila** Esox, F. Hamilton, Fish. Ganges, 1822, 213.
- Cancilla** W. Swainson, Treat. Malacol., May 1840, 320.—G.
- cancrella** Carcina, J. Huebner, Verz. bekannt. Schmett. 1826, 410.
- Cancride** Montfort, 1808; *teste* Agass., *vernac. est.*
- cancriformis** Apus, L. A. G. Bosc, Crust. II (Castel's Buffon) 1801, 244.
- cancriformis** Epeira (Fab.), C. A. Walckenaer, Tab. Aran. 1805, 65.—Aranea, L. 1758.
- cancriformis** Epeira [*err. pro* Plectana] (Fab.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 151.—Aranea, L. 1758. [Aranea, 1758.]
- cancriformis** Gasteracantha (L.), C. L. Koch, Die Arachniden, IV (1) May 1837, 21.—
- cancriformis** Lamia (Polyrhaphis) (Fab.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 68.—Cerambyx, 1775.
- cancriformis** Limulus, Lamarck, Syst. Anim. 1801, 169.
- cancriformis** Pterichthys, J. L. R. Agassiz, Poiss. Foss. V. G. R., 17 (1844).
- cancriformis** Triops, L. Oken, Lehrb. Nat. III (1) 1815, 398.
- cancrini** Productus, L. G. de Koninck, Descr. Anim. foss. (4) Aug. 1842, 179. [273.]
- cancrini** Productus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- cancriniana** Cyprina, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- cancrinidula** Aplysia, G. D. Nardo, Isis (Oken), 1833, 521 [*n. n.*]. [457.]
- Cancrinus** G. v. Muenster, Beitr. zur Petref. (2) 1839, 43.—Cr.
- Cancris** Denys de Montfort, Conch. I. 1808, 266.—Rh.
- cancrivorus** Canis, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 199.
- cancrivorus** Macacus, E. Blyth, Ann. Mag. N. H. XIV. Aug. 1844, 124.
- cancrivora** Mesobema, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 214.
- cancrivorus** Ophisurus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 97.
- cancrivorus** Procyon (Cuv.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 109.—Ursus, 1798.
- cancrivora** Urva, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 561.
- cancroides** Aegus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 403.—Lucanus, 1787.
- cancroides** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 447.
- cancroides** Caranx, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 274.

- cancroides Chelifer (L.) Lamarck, Syst. Anim. 1801, 177.—Phalangium, 1767.
- cancroides Dorcus (Ol.), J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 267.—Lucanus,
- cancroides Phalangium, Schmidt, Ber. Mitth. Fr. Nat. Wien, VII. 1850, 61. [1787.]
- cancroides Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 56.
- cancroides Thomisus, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 288.
- cancroides Trichius (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 110.—Melolontha,
- cancroma Ledropis, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 426. [1792.]
- cancromus Platyrinchos, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxvi [n. n.].
- cancroma Todus, M. H. C. Lichtenstein, Verz. ausgest. Säug. Vög. 1818, 20.
- Cancrophaga C. L. Bonaparte, Consp. gen. Avium, 1850, 155.—A.
- Cancrophagus J. J. Kaup, Natürl. Syst. 1829, 42.—A.
- cancrophagus Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 20.
- cancrophagus Halcyon (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 100.—Alcedo, ? Lath. 1790.
- cancrorum Clyptra, W. E. Leach (*ex* Sav. MS), Zool. Journ. II (6) July 1825, 214.
- cancrus Passalus, A. Percheron, Mon. Passalus in Magasin de Zool. (2) VI. 1844, pl. 134.
- Canda J. V. F. Lamouroux, Hist. Polyp. 1816, 131.—Polyz.
- Candace J. D. Dana, 1847; *teste* Marshall, 1852 *est*.
- Candacia J. D. Dana, Amer. J. Sci. (2) I (2) Mar. 1846, 228.—Cr.
- candaharica Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (158) July 1846, 37.
- Candalides J. Huebner, Verz. bekannt. Schmett. 1818, 73.—Lep.
- candatus Parus (*err. pro* caudatus), F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 35.
- candeara Bullaea, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 119.
- candeara Cyclostoma, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 261.
- candearum Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 278.
- candeara Paludestrina, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 9.
- candearus Placotrochus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 283.
- candeara Scalaria, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 20.
- candeara Streptaxis (Petit), L. Pfeiffer, Mon. Helic. I (1) 1847, 7.—Helix candei.
- candeara Succinea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 32.
- candefactus Attus, C. A. Walckenaer, Tab. Aran. 1805, 26 [n. n.].
- candefacta Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 440.
- candefacta Tarache, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 39.
- candei Bulla, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 128.
- candei Cicindela, A. Chevrolat, Rev. Zool. (Soc. Cuv.) VIII. Mar. 1845, 96.
- candei Helicophlegma, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 100.
- candei Helix, S. Petit, Rev. Zool. (Soc. Cuv.) V. June 1842, 177.
- candei Manacus (Parz.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 171.—Pipra.
- candei Nodosaria, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 15.
- candei Patella, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 98.
- candei Pipra, Parzudaki, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 306.
- candei Synnalaxis, Orbigny & La Fresnaye, Rev. Zool. (Soc. Cuv.) Aug. 1838, 165.
- candei Trochus, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 82.
- candei Truncatulina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 88.
- candearana Quinqueloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 199.
- candearana Rosalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 97.
- candearana Textularia, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 143.
- Candeara A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 107.—Rh. [Taenia, 1782.]
- candelabraria Halysis (Goeze), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 349.—
- candilabris Clausilia, C. Porro in A. & J. B. Villa, Syst. Conch. 1841, 58.
- Candelabrum de Blainville, Man. Actin. 1834, 318.—Verm. [311.]
- candelabrum Cladocora, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834),
- candelabrum Pyrula, Lamarck, Ency. Méth. (Vers) 1816, pl. 437, Liste p. 8 [n. et f.].
- candelabrum Pyrula, Lamarck, An. s. vert. VII. 1822, 139.
- candelabrum Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 9, July 1847.
- candelaris Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (158) July 1846, 40.
- [candelarius -a -um.]
- candellaria Aspisoma, L. Reiche, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 353.

- candelarius** Elater, Dejean, Catal. Coléopt. 1821, 31 [*n. n.*].
- candelaria** Flata (L.), E. F. Germar, Mag. Entom. (Germar) III. 1818, 189.—Fulgora,
- candelaria** Fulgora, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 168. [1767.]
- candelarius** Hotinus (L.), Amyot & Serville (Roret's Suite à Buffon), Hemiptères, 1843, 491.—Laternaria, 1764.
- candelarius** Pyrophorus, Klug in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 59.
- candelaria** Pyrops (L.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 233.—Fulgora, 1767. [1775.]
- candelisequa** Euxoa (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 209.—Noctua,
- candelisequa** Graphiophora (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 68. —Noctua, 1775.
- candelisequilla** Phycis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 559.
- candellaria** *v.* **candelarius** -a -um.
- candens** Anthaxia (Fab.), Solier, Ann. Soc. Ent. France, II (2) *c.* July 1833, 298.—Buprestis, ? Panz. 1792.
- candens** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1546.
- candens** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 244.
- candens** Chrysis, E. F. Germar, Reise Dalm. 1817, 260.
- candens** Nassa, R. B. Hinds, Zool. "Sulphur," 1844, 35.
- candens** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 460.
- candens** Polymommatus, B. Gerhard, Vers. Mon. europ. Schmett. (1–4) 1850, 5.
- candens** Pyrophorus, Klug in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 65.
- candens** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 720.
- candescens** Helix, C. B. Adams, Contr. to conch. (5) Feb. 1850, 80.
- candescens** Ursus, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. II. 229 (182–), Syn. 1827, 112.
- candicans** Chameleo, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 67.
- candicans** Delphax, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 84 [*n. n.*].
- candicans** Gyrfalco, J. Fleming, Hist. Brit. Anim. 1828, 51.—? Falco, Gm. 1788.
- candicans** Hierofalco (Gm.), Cuvier, Règne Anim. I. 1817, 312.—Falco, 1788.
- candicans** Leucospiza (Cuv.), J. J. Kaup, Classif. Säug. 1844, 119.—Hierofalco.
- candicans** Phoca, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 23.
- candicans** Platypalpus (Fall.), F. Walker, List Dipt. Coll. B. M. (3) 1849, 509.—Tachy-
- candicans** Tachydromia, C. F. Fallen, Empidiae Svec. (1) 1815, 10. [dromia.]
- candicans** Thalasseus, C. L. Brehm, Isis, 1830, 994 [*n. n.*]; Handb. Nat. Vögel Deutschl. [1831, 777.]
- candida** *v.* **candidus**.
- candidae** Pachypus (Pet.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 389.—Scarabaeus, 1786.
- candidana** Phalaena (Pylalis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 343.
- candidaria** Acidalia (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 92.—Geometra, 1796. [candidata, 1775.]
- candidaria** Asthena (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 310.—Geometra
- candidata** Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geom.
- candidata** Anarete, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 156. [1775.]
- candidata** Asthena (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 225. —Geometra, 1775. [culio, 1771.]
- candidatus** Cleonus (Pall.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 173.—Cur-
- candidatus** Diadromus (Grav.), C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 330.—Ichneumon.
- candidatus** Ichneumon, J. L. C. Gravenhorst, Ichneumon. Europ. I. 1829, 193.
- candidatus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 243.
- candidata** Tenthredo, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (2) 1808, 106.
- candidata** Tenthredo (Poecilostoma), Fall.; A. G. Dahlbom, Conspect. Tenthred. 1835, 13. [Aug. 1835, 10.]
- candescens** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (2)
- candidilabris** Clausilia, C. Porro, Moll. terr. et fluv. [Mus. Mediol.] 1846, 18 [*n. n.*].
- candidipennis** Adesmia, Brême, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 112.
- candidissima** Ardea, F. S. Voigt in Cuvier, Thierreich, I. 1831, 847.

- candidissimum** Buccinum, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 2.
candidissimum Buccinum, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 222.
candidissima Calcarina, A. Moquin-T., Mém. Ac. R. Sci. Toulouse [3] IV. 1848, 375.
candidissima Egretta (Wils.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 47.—Ardea, ? Gm. 1788.
candidissima Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 75.
candidissima Helix, Drap., *varr.* rimosa, tecta, & instita, Cristofori & Jan, Cat. Mus., Sect. II a (1 a) Conspectus, 1832, 2.
candidissima Helix, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 603.
candidissima Helix (Helicogena), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 34. [Ardea, Gm. 1788.
candidissima Herodias (Jacq.), G. R. Gray, List Birds Coll. B. M. III. 1844, 78.—
candidissimus Leptocephalus, O. G. Costa, Fauna Regno Napoli, Pesci, I. Leptoceph. 2 (1832). [Helix.
candidissima Leucochroa (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—
candidissima Mangelia, C. B. Adams, Contr. to conch. (4) Jan. 1850, 55.—Pleurotoma,
candidissima Natica, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 105. [1845.
candidissima Pleurotoma, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 4.
candidissimus Rhombus, A. Risso, Journ. de Physique, XCI. Oct. 1820, 247.
candidissima Tettigonia, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 89 [*n. n.*].
candidoides Pholadomya, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
candidulata Emmelesia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—
 Geom. candidata, 1775. [Hueb. 1796.
candidulata Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 352.—Geom. candidaria,
candidula Bulla, G. P. Deshayes in Laborde, Voy. Arab. Pétrée, 1830, 66.
candidula Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, III (36) Ap. 1836, 200.
candidulus Dorasomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 445.
candidula Erastria (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 92.—Noctua,
 1775. [tua, 1775.
candidula Hapalotis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1825], 254.—Noc-
candidula Helix, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 87.
candidula Helix, B. Studer, *var.* major, J. de Charpentier, N. D. Allg. Schweiz. Gesellsch.
 I. 1837, 12. [Limaçons, 1821, 48.
candidula Helix (Helicella), Studer; A. E. Férussac, H. N. g. et p. Moll., Tabl.
candidula Mitra, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 17 [*n. n.*].
candidula Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 358, Ap. 1846.
candidula Theba (Stud.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.—Helix.
candida Actinia (Ectacmaea), Müll.; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
 1832 (1834), 262.
candida Alcyope, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 98.
candida Amaura, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 80.
candida Amaura, H. P. C. Möller, Index Moll. Groenl. 1842, 7.
candidus Anas, P. A. J. Drapiez, Dict. class. Sci. Nat. II. 1837, 86.
candida Anatinella, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 292.
candida Ancillaria, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811,
candidus Anser, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 331. [304.
candida Ardea, [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 170.
candidus Artemon (Spix), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Solarium.
candidus Balanus (Brown), Leach in T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxii, f. n.
 —Lepas.
candida Barnia (L.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Pholas, 1758.
candida Bulla (Lam.), W. Wood, Suppl. Index Test. 1828, 30.—Ancillaria.
candida Bulla (Brown), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 189.—Diaphana.
candidus Bungarus (L.), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 1034.—Coluber,
 Buprestis, Karelin, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 318. [1758.
candida Candona (Müll.), W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846], 153.
 —Cypris, 1776.
candida Chlorima (Fab.), Dejean, Catal. Coléopt. 1821, 92.—Curculio, 1775.

- candida** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 123.
candida Cicindela (*ex* Dej.), C. H. Boheman, Ins. Caffr. I (1) 1848, 11.
candida Ciconia, C. L. Brehm, Isis, 1830, 988 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 575.
candida Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.-June 1850, 135.
candida Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 42.
candidus Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 222.—Lixus.
candidus Conus, L. C. Kiener, Spec. Coquilles (Conus) 1848, 214.
candida Crepidula, A. Risso, H. N. Europe, IV. 1826, 255.
candidum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 31.
candidum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 117.
candidum Daedalion, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 66.
candidus Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 195.
candidum Diadema, C. Ranzani, Opusc. Sci. (Bologna) II. 1818, 88.
candida Diaphana, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 13 [*n. et f.*].
candidum Didemnum, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 194.
candida Doris, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 249. [1787.
candida Emydia (Cyr.), Boisduval, Europ. Lepid. Index, 1829 [1828], 39.—Bombyx,
candidum Epitonium, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 131.
candidum Eucaelium (Sav.), F. Dujardin in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb. 1840, 493.—Didemnum. [1787.
candida Eyprepia (Cyr.), F. Ochsenheimer, Schmett. Europa, III. 1810, 301.—Bombyx,
candida Fissurella, G. B. Sowerby, I., Conch. Illustr. (77) 1835, f. 58; Catal. (80) 1835, 7.
candidus Fusus, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 148.
candidus Gamusus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 18.
candida Glaux, E. Blyth, J. Asiat. Soc. Bengal, XIX. 1850 (Jan. 1851), 513.
candida Gygis (Gm.), J. G. Wagler, Isis (Oken), 1832, 1224.—Sterna, 1788.
candida Helix (Spix), S. Moricand, Mém. Soc. Phys. H. N. Genève, IX (1) 1841, 57.—Solarium. [1821, 45.
candida Helix (Helicella), Gm.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
candida Herodias, C. L. Brehm, Isis, 1830, 988 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 584.
candidus Ibis, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
candida Laria, J. Huebner, Verz. bekannt. Schmett. [1820], 159. [334.
candidus Lepas, T. Brown, Ency. Brit., ed. 6, VI. 1823, 403.
candida Leptoria (Retz.), Westwood in Humphreys, Brit. Butterfl. 1841, 32.—Papilio,
candidus Leuconerpes, W. Swainson, N. H. Classif. Birds, II. June 1837, 310. [1783.
candidus Linnaeus, Ziegler in Rossmäessler, Iconogr. Moll. I (1) 1835, 97.
candida Limosa (Lath.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 97.—Scolopax, L. 1766.
candida Lithosia (Cyr.), J. B. Godart, H. N. Lépid. France, V (Noct. 2) 28, 1824.—
candidus Lixus, A. G. Olivier, Entom. V. 1807, 266. [Bombyx, 1787.
candida Lucina, E. Eichwald, Nat. Lithuæn, 1830, 206.
candida Lutraria, Lamarck, An. s. vert. V. 1818, 470. [25.
candida Mactra, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
candida Marginella, A. Bivona-Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832, 19.
candida Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 382.
candida Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 328, Mar. 1845.
candidus Monoculus (Müll.), L. Jurine, Hist. Monocles, 1820, 176.—Cypris, 1776.
candida Nerita (*ex* Chemn.), W. Wood, Index Test. 1818, 169.
candida Nyctea, C. L. Bonaparte, List Birds Eur. Amer. 1838, 6 (2 spp.).
candida Nyctia, W. Swainson, N. H. Classif. Birds, I. Oct. 1836, 328.
candida Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.-Mar. 1811, 322.
candidum Paidium, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 357.
candida Paradisea, J. R. Forster, Ind. Zool. 1781, 31 & 35 [? valid].
candida Patella, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 86.
candida Peritricha, Bory de St V., Ency. Méth. (Zooph.) 1827, 615.—? Leucophras, Müll. 1786.

- candidus** Phaedropus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1140.—Curculio, 1775.
- candidus** Phaeton, C. J. Temminck (*ex* Briss.), Man. Orn., ed. 2, I. Oct. 1820, p. cxii.
- candida** Pholadomya, G. B. Sowerby, II., Gen. Shells (19) 1823.
- candida** Pieris (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 134.—Papilio, 1780.
- candida** Pleurotoma, C. T. Menke, Conch.-Samml. Malsburg, 1829, 54.
- candida** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 221, Oct. 1845.
—Clavatula.
- candida** Poeciloptera (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 162.—Flata, 1798.
- candidus** Polytmus (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 108.—Trochilus.
- candidum** Prostoma (Müll.), A. Dugès, Ann. Sci. Nat. XXI (81) Sept. 1830, 74.—Planaria,
- candida** Psammotaea, Lamarck, An. s. vert. V. 1818, 517. [1776.]
- candida** Pupa, Lamarck, An. s. vert. VI (2) 1822, 106.
- candidus** Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 31 [*u. et f.*].
- candida** Rissoa, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 11.
- candidus** Scarabaeus (Ol.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 47.—Melolontha,
- candidum** Solarium, J. B. v. Spix, Testac. Brasil. 1827, 24 [*u. n.*]. [1789.]
- candidus** Solecurtus (Ren.), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844),
- candidus** Solen, S. A. Renier, Tavole [1804] v [*u. n.*]. [48.—Solen.]
- candidus** Solen, G. P. Deshayes, Traité élém. Conch. I (2) 1, 1839, 122.
- candidus** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 188.
- candidus** Sternechus, F. E. Guérin-M., Iconographie, 1844, Ins. 146.
- candida** Stomatia, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850, 35.
- candida** Strigea, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 32.—Verm.
- candida** Strix, J. Latham, Index Orn., Suppl. 1801, p. xiv.
- candidus** Strix, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 572.
- candidus** Stromateus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 213.
- candida** Sula, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 103.
- candida** Taenia, C. Stewart, Elem. Nat. Hist. II. 1802, 327.
- candida** Tellina (Lam.), W. Wood, Suppl. Index Test. 1828, 50.—Psammotaea.
- candidum** Terebra (Born), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 223.—
Buccinum, 1778. [Pieris.]
- candida** Terias (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 673.—
- candidum** Tetrastemma (Dugès), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835
(1837) [1836], 244.—Prostoma. [chilus.]
- candidus** Thaumantias (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 78.—Tro-
- candidus** Totanus (Springli), F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 49.—Limosa,
? L. 1766. [pax, L. 1766.]
- candidus** Totanus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 398.—Scolo-
- candidus** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 21.
- candidus** Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 326.
- candida** Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 38, May 1849.
- candida** Vortex, C. F. Girard, Proc. Boston Soc. N. H. III. 1851 (1850), 264.
- candiope** Charaxes (God.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 111.—
- candiope** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 353. [Nymphalis.]
- candiru** Cetopsis, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 13.
- candisatus** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 23.
- candisata** Helix, Menke in L. Pfeiffer, Symb. Helic. III. 1846, 70.
- candisatus** Murex (*ex* Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 699.
- candisatus** Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 91 [*u. n.*].
- candisata** Ranella, Lamarck, An. s. vert. VII. 1822, 150.
- Candoia** J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 43.—R.
- [candolle→.]
- candollii** Lepadogaster, A. Risso, Ich. Nice, 1810, 76.
- de candollei** Saperda, Latr.; Dejean, Catal. Coléopt. 1821, 109 [*u. n.*].
- candollianus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 361.
- Candona** W. Baird, Hist. Berwickshire Nat. Club, II. (13) [1846], 152.—Cr.
- candrena** Callicore (God.), C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837,
24.—Nymphalis.

- candrena** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 425. [canella, 1775.]
- canellalis** Gesneria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 368.—Tinea
- canellinus** Holochilus, J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 552.
- canellinus** Mus (Wagn.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 191.—Holochilus.
- canellipes** Agonum, J. F. Eschscholtz *in litt.*; F. v. Gebler in Ledebour, Reise Altai, II. 1830, 46.
- Canellus** *err. pro* Vanellus, L. P. Vieillot, Faune Française (15 & 16) Oiseaux, 1826, 278.
- canellus** Cryptocephalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 52.
- canellus** Eumolpus (Fab.), A. G. Olivier, Entom. VI. 1808, 914.—Cryptocephalus.
- canella** Gymnancyla (D. & S.), P. C. Zeller, Isis (Oken), 1848, 745.—Tinea, 1775.
- canella** Metachroma (Fab.), J. L. Leconte in Agassiz, Lake Superior, 1850, 237.—Cryptocephalus.
- canella** Phycis (D. & S.), Zincken, Mag. Entom. (Germa) III. 1818, 135.—Tinea, 1775.
- canella** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 184.
- canens** Faunis, J. Huebner, Exot. Schmett. II. Tab. [82] [*n. et f.*].
- canente** Hemicercus (Less.), G. R. Gray, Genera of Birds, II. Sept. 1845, 437.—Picus.
- canente** Micropicos (Less.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 331.—
- canente** Picus, R. P. Lesson, Cent. Zool. (13–16) *ante* May 1832, 215. [Picus.]
- Canephora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Canephora** C. D. E. König, Icones foss. 1825, pl. 14 [*n. et f.*].—Polyz.
- canephorus** ? *err. pro* Corephorus, Grube; Grube, Arch. f. Naturg. XVI (1) 1850, 330.
- canephorus** Hypsonotus, E. F. Germar, Ins. Spec. novae, I. 1824, 376.
- canescana** Sciaephila, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 166.
- canescella** Adela, T. Bruand, Mém. Soc. Emul. Doubs, I (1–4) 1841, Entom. 25.
- canescens** Abrothrix, G. R. Waterhouse, Arch. f. Naturg. VI (1) 1840, 180.—Mus, 1837.
- canescens** Acanthis (Gould), Bonaparte & Schlegel, Mon. Loxiens, 1850, 47.—Linaria.
- canescens** Aerenica, F. E. Guérin-M., Iconographie, 1844, Ins. 245.
- canescens** Alleculea, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- canescens** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 676.
- canescens** Anthophora, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 328.
- canescens** Apion, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- canescens** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1509.—Anthomyza, 1838.
- canescens** Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 336. [412.—Dendryphantes.]
- canescens** Attus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
- canescens** Blennius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 172.
- canescens** Brachyleptus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 54.
- canescens** Buteo, [Pearson], Bengal Sporting Mag. VII (28) Oct. 1836, 180.
- canescens** Buteo, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- canescens** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 555.
- canescens** Certhia, J. Latham, Index Orn., Suppl. 1801, p. xxxvii.
- canescens** Chalicodoma, Brullé in Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 311.—Osmia, 1840.
- canescens** Chelonus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 224.
- canescens** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- canescens** Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 538.
- canescens** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 259. [(2) 1843, 248.]
- canescens** Dasytes, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843
- canescens** Dejeania, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 271.
- canescens** Dendryphantes, C. L. Koch, Die Arachniden, XIII (3) Feb. 1846, 80.
- canescens** Dusicyon, C. H. Smith, Dogs (Nat. Libr. XXV.) Dec. 1839, 250.
- canescens** Enodia, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 28. [Gymnetis.]
- canescens** Euphoria (G. & P.), Klug in H. Burmeister, Handb. Ent. III. 1842, 383.—
- canescens** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 391.
- canescens** Falciger, J. Sturm, Catal. Ins. Samml. 1826, 141 [*n. n.*].
- canescens** Felis, W. Swainson, Anim. in Menag., Dec. 1837, 118.
- canescens** Fringilla (Gould), G. R. Gray, Genera of Birds, II. June 1849, 372.—Linaria.

- canescens Gulo, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 109 &
 canescens Gulo, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 22. [120.
 canescens Gymnetis, Gory & Percheron, Mon. Cétoines (1836), 378.
 canescens Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 62.
 canescens Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 57.
 canescens Hesperomys (Waterh.), J. A. Wagner in Schreiber, Säugth., Suppl. III. 1843,
 canescens Hilara, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3014. [522.—Mus.
 canescens Hypera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [n. n.]; & Ill. Brit.
 Ent. (Mand. IV.) Ap. 1831, 94.
 canescens Lachnopus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 388.
 canescens Larinus, J. Sturm, Catal. Ins. Samml. 1826, 160 [n. n.]. [1831, 753.
 canescens Laroides, C. L. Brehm, Isis, 1830, 994 [n. n.]; Handb. Nat. Vögel Deutschl.
 canescens Larus, J. M. Bechstein [non Linné], Orn. Taschenb. (2) 1803, 370.
 canescens Lepus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. I (6) 1844, 133.
 canescens Linaria, J. Gould, Birds of Europe, III. 1837, pl. 193.
 canescens Linaria (Bon.), C. D. Degland, Orn. Europ. I. 1849, 241.—Linota.
 canescens Linophaga, F. O. Morris, The Naturalist, II (9) June 1837, 125.
 canescens Linota, C. L. Bonaparte, List Birds Eur. Amer. 1838, 34.
 canescens Lixus, C. Steven, Bull. Soc. Imp. Nat. Moscou, I (9) 1829, 285.
 canescens Lytta, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 42.
 canescens Meliphaga (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
 1826, 262.—Certhia.
 canescens Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 323.—
 canescens Miliaria, S. D. W., The Analyst, III (14) Jan. 1836, 203. [Certhia.
 canescens Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 607.
 canescens Mus, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 17.—
 Mus (Abrothrix) on p. 21.
 canescens Noctua, J. A. Bois-Duval, Mém. Soc. Linn. Paris, VI. 1827, 113.
 canescens Opilio, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 33.
 canescens Osmia (Chalicodoma); A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 85.
 canescens Pamphagus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 260.—
 Gryllus, 1787.
 canescens Panurgus, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 720.
 canescens Phalangista (Pseudochirus), G. R. Waterhouse, Nat. Hist. Mamm. I. 1846, 305.
 canescens Phthiria, H. Loew, Linnaea Entom. I. Feb. 1846, 390.
 canescens Phycus, F. Walker in Saunders, Ins. Samml. I (1) Oct. 1850, 2.—Xylophagus,
 canescens Phyllobius (Meg.), E. F. Germar, Ins. spec. novae, I. 1824, 451. [1848.
 canescens Phytomomus (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 385.—
 Hypera.
 canescens Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. a.
 canescens Platymus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 181.
 canescens Podura, A. Herrich-Schaeffer in Fährrohr, Fauna Ratisbon. III. 1840, 354.
 canescens Polia, R. Leuckart, Arch. f. Naturg. XV (1) 1849, 154.
 canescens Pomaeanthus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 517.—
 Chaetodon, 1758.
 canescens Praepodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 357.
 canescens Psammophila, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 21.
 canescens Psychoda, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 106.—Tricho-
 ptera, 1804.
 canescens Saperda, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 468.
 canescens Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 38.
 canescens Simulia, Brème in Kolliker, Obs. Insect. genesi, 1842, 11.
 canescens Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [n. n.].
 canescens Spermothagus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 106.
 canescens Sterna, B. Meyer in B. Meyer & J. Wolf, Taschen. Deutsch. Vögelk. II. 1810,
 canescens Tanymecus, Meg.; Dejean, Catal. Coléopt. 1821, 94 [n. n.]. [458.
 canescens Tanymecus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 85.
 canescens Thalasseus (Mey.), C. L. Brehm, Isis, 1830, 994.—Sterna.

- canescens** Trichoptera, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 45.
- canescens** Tychius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- canescens** Uloborus, C. L. Koch, Die Arachniden, XI (6) 1844, 164.
- canescens** Xylophagus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 129.
- canga** Macrocerus, P. A. J. Drapiez, Dict. class. Sci. Nat. I. 1837, 280.
- canicapillus** Aethiops, H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 30.
- canicapillus** Euscarthmus, J. G. Hartlaub, Syst. Verz. nat. Gesellsch. Mus. [Bremen] (1) 1844, 53 [*n. n.*].
- canicapilla** Nigrita (Strickl.), G. R. Gray, Genera of Birds, II. Mar. 1849, 354.—Aethiops.
- canicapillus** Picus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* July), 197.
- canicapilla** Sylvia (Sw.), Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 701.—Tanagra.
- canicapilla** Tanagra, W. Swainson, Zool. Illust. (1) III (36) Sept. 1823, pl. 174.
- canicapilla** Trichas (Sw.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. May 1840, 134.—Tanagra.
- canicapilla** Zonotrichia, J. Gould, Zool. "Beagle" (Birds, 1839), 91.
- caniceps** Bucco, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 121.
- caniceps** Bucco, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85.—[*n. n.*]
- caniceps** Budytes, C. L. Brehm, Isis (Oken), 1842, 574.
- caniceps** Carduelis, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (2) Feb. 1831, 23.
- caniceps** Colaptes, C. L. Brehm, Isis, 1828, 1274 [*n. n.*].
- caniceps** Criniger (Lafr.), G. R. Gray, Genera of Birds, I. Oct. 1847, 236.—Trichophorus.
- caniceps** Curruca, C. L. Brehm, Isis, 1828, 1282 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- caniceps** Dendroma, W. Swainson, N. H. Classif. Birds, II. June 1837, 316. [1831, 421.
- caniceps** Fringilla (Orb.), G. R. Gray, Genera of Birds, II. June 1849, 372.—Linaria.
- caniceps** Gecinus, Handb. Nat. Vögel Deutschl. 1831, 201.
- caniceps** Lanius, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 302.
- caniceps** Linaria, A. d'Orbigny in Sagra, Cuba (Orn.) 1839, 107.
- caniceps** Megalaima (Frankl.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—Bucco.
- caniceps** Myiobius (Sw.), G. R. Gray, Genera of Birds, I. May 1847, 249.—Tyrannula.
- caniceps** Palaeornis, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 23.
- caniceps** Phoenicophaus, Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 671.
- caniceps** Phonipara (Sagra), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 494.—Linaria,
- caniceps** Picus, S. Nilsson, Orn. Suec. I. 1817, 105. [Orb.]
- caniceps** Pteromys (Pears.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 57.—Sciuropterus,
- caniceps** Sciuropterus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 262. [Gray.]
- caniceps** Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263.
- caniceps** Sigmodus, Temminck in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 365.
- caniceps** Trichophorus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Oct. 1845, 367.
- caniceps** Tyrannula, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 49. [759.
- caniceps** Xema, C. L. Brehm, Isis, 1830, 994 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- canicollis** Conurus (Wagl.), G. R. Gray, Genera of Birds, II. Nov. 1845, 414.—Penelope.
- canicollis** Crithagra, W. Swainson, Anim. in Menag., Dec. 1837, 317.
- canicollis** Ortalis (Wagl.), G. R. Gray, Genera of Birds, III. July 1844, 485.—Penelope.
- canicollis** Penelope, J. Wagler, Isis (Oken), 1830, 1112.
- canicollis** Serinus (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 523.—Crithagra.
- canicollis** Sphecotheres, W. Swainson, Anim. in Menag., Dec. 1837, 320.
- canicula** v. **caniculus** -a -um. [Musca, 1761.
- canicularis** Anthomyia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 143.—
- canicularis** Aratinga (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 139.—Psittacus, 1788.
- canicularis** Arica (L.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1573.—Musca, 1761.
- canicularis** Cheilosa (Panz.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 209. —Syrphus. [Melania.]
- canicularis** Chemnitzia (Lam.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 342.—
- canicularis** Conurus (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 728.—Psittacus, Gm. 1788.
- canicularis** Fannia (L.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 568.—Musca, 1761.

- canicularis** Melania, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 431.
canicularis Syrphus, G. W. F. Panzer, Ins. Germ., heft 82, 1801, tab. 20.
canicularia Petacula, S. D. W., The Analyst, III (14) Jan. 1836, 213.
caniculata Buprestis, W. Turton, Linnaeus, Syst. Nat. II. 1802, 412.
caniculatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 293.
caniculatus Murex, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 443.—? *canaliculatus*, L.
caniculatus Mytilus, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 300. [1758].
caniculatus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 104.
caniculatus Phytobius, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 347.
caniculata Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 494.
caniculatus Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 72.
caniculatus Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 484.
caniculatus Turbo, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 484.—? *canaliculatus*, Gm.
caniculata Vorticella, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 701. [1790].
canicula Catulus (L.), A. Smith, Proc. Zool. Soc. London, V (57) Feb. 1838, 85.—
Squalus, 1758.
canicula Furcularia (Müll.), Lamarck, An. s. vert. II. 1816, 39.—*Vorticella*, 1786.
caniculus Galeus (L.), C. S. Rafinesque-S., Ind. itt. Sic. 1810, 46.—*Squalus*, 1758.
caniculus Lucanus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 273 [*n. n.*].
caniculus Scyliorhinus (L.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.) 121.
—*Squalus*, 1758.
canicula Scyllium (L.), Cuvier, Règne Anim. II. 1817, 124.—*Squalus*, 1758.
canicula Typhlina, C. G. Ehrenberg, Sym. Phys., Phyt. 1831, sign. c, pl. i, f. 16 (1828).
canidens Scolopendra, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 98.
canidia Euprepia, D. H. Schneider, Verz. Insectensamml. 1828, 92 [*n. n.*].
canifoliella Elachista, F. Treitschke, Schmett. Europa, IX (2) 1833, 178.
canifrons Ascalaphus (Bubo), J. O. Westwood, Cab. Orient. Entom. 1847, 69.
canifrons Ascogaster, C. Wesmael, N. Mém. Ac. Roy. Brux. 1835, 237.
canifrons Chrysops, F. Walker, List Dipt. Coll. B. M. (1) 1848, 197.
canifrons Limnornis, de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 105.
canifrons Presbys (Lafr.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 80.—*Limnornis*.
canifrons Spizixos, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 571.
canigonensis Helix, N. Boubée, Bull. hist. nat. France, 1833 (3), 25. [phonus.
canigularis Pipilopsis (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 485.—*Tachy-*
canigularis Tachyphonus, Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 11.
canigula Mustela, B. H. Hodgson, J. Asiat. Soc. Bengal, XI. 1842 (*post* Ap.), 279.
Canillus Goodsir, 1845, *err.* Marschall, Nom. Zool. 1873 *pro* Carillus, *q. v.*
canimarensis Bulimus, *emend. pro* canimensis, L. Pfeiffer in R. A. Philippi, Abb. Conch.
I (3) 1843, 57.
canimensis Bulimus, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 351.
caninae Aylax, T. Hartig, Zeitschr. f. d. Entom. 2 (I) 1840, 196.
caninae Cucullia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 19.
caninana Coluber, G. Raddi, Mem. Soc. Ital. Sci. XVIII. 1820, 334.
caninana Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 121.
caninde Ara (Wagl.), G. R. Gray, Genera of Birds, II. Nov. 1845, 412.—*Sittace*.
caninde Sittace, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 674 &
canini Helix, L. Benoit, Farfalletta, 1843; Ric. Malac. 1843, 10. [750].
Caninia Michelin, Dict. Sci. Nat., Suppl. I. Oct. 1840, 485.—*Cor*.
Caninia R. Owen, Atti 7 Riun. Sci. Ital. 1846, 768.—*Verm*.
caninianus Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 445.
Caninoa L. Nardo, Atti 3 Riun. Sci. Ital. 1841, 312.—*P*.
canina Amia, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 424.
caninus Anolis, B. Merrem, Ersch & Gruber, Allg. Ency. IV. 1820, 191.
caninus Barbus, C. L. Bonaparte, Icon. Faune Ital. (25) 1839. [Curculio, 1792.
caninus Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 166.—
caninus Crenilabrus, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 186.
caninus Dermestes, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 114.
caninus Dermestes, E. F. Germar, Ins. Spec. novae, I. 1824, 84.]

- canina** Dexia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 47.—Musca,
caninus Draco, L. Oken, Lehrb. Nat. III (2) 1816, 276. [1781.
canina Eleotris, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blenniod. Soenda-
 Moluk.), 20.
canina Emballonura (Wied), C. J. Temminck, Tijdschr. nat. geschied. physiol. V (1 & 2)
 1838, 29.—Vespertilio.
canina Epilachna (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 754.—Coc-
 cinella, 1781.
caninus Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 86.
caninus Lachnolaimus, G. Cuvier, R. Anim., ed. 2, II. 1829, 257.
canina Melolontha, Eschscholtz, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 158.
caninus Monocrepidius, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 231.
canina Muraena, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 247.
canina Nasua, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 109
 [n. n.].
canina Odontomyia (Panz.), J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1814, 132.—
canina Perna, Lamarck, An. s. vert. VI (1) 1819, 141. [Stratiomys, 1798.
canina Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 310.
canina Phalangista, W. Ogilby, Proc. Zool. Soc. London, III (36) Ap. 1836, 191.
canina Phallusia (Müll.), J. C. Savigny, Mém. An. s. Vert. (2) 1816, 171.—Ascidia, 1776.
canina Phoca, P. S. Pallas, Zoographia, I. 1811, 114. [[n. n.].
canina Phoca, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 56
canina Proboscidea (Wied), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 499.—Ves-
 pertilio. [—Phalangista.
canina [Psilogrammurus] (Og.), C. W. L. Gloger, Gemeinnütz. Naturges. (I) 1841, 85.
caninus Scolopides, Cuvier & Valenc., H. N. Poiss. V. 1830, 354.
caninus Serranus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 10.
canina Sitona (Fab.), Dejean, Catal. Coléopt. 1821, 94.—Curculio, 1792.
caninus Vespertilio, Max Wied, Beitr. Naturges. Brasil. II. 1826, 262.
canina Xiphosoma (Cuv.), L. J. Fitzinger, Neue Classif. Rept. 1826, 54.—Boa, L. 1758.
canio Silurus, F. Hamilton, Fish. Ganges, 1822, 151. [08] [n. cf.].
caniola Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 51 (Fernaldo judice 1802—
caniola Bombyx, J. Huebner, Europ. Schmett. (Ziefer) (me judice 1805), 126.
caniola Eilema, J. Huebner, Verz. bekannt. Schmett. [1822], 165.
caniola Lithosia (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 52.—Bombyx.
canipennis Dicrurus, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 254.
canipes Terebratula, E. Ravenel, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 97.
canipileus Chrysotilus (O. & L.), G. R. Gray, Genera of Birds, III. App. 1849, 22.—
canipileus Picus, A. d'Orbigny, Amér. Mérid. (Ois.) 1847, 379. [Picus.
canis Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 186.
canis Cysticercus, C. A. Rudolphi, Entoz. II (2) 1810, 234.
canis Galeus, C. L. Bonaparte, Icon. Faune Ital. (8) 1834.
canis Luciobarbus (Val.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1020.—Barbus.
canis Mustelus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 355.—Squalus.
canis Pulex, G. Samouille, Entom. Comp., June 1819, 487.
canis Sarcopsylla, J. O. Westwood, Tr. Entom. Soc. Lond. II (4) Nov. 1840, 203.
canis Squalus, S. L. Mitchell, Trans. Lit. Phil. Soc. N. Y. I. 1815, 486 [teste De Kay,
 ?Forsk. sp.]. [Vill. 1789.
canis Trichodectes (Deg.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63.—Pediculus,
canis aurei Ascaris, C. A. Rudolphi, Entoz. Syn. 1819, 53. [385.
canis biunguiculatus Acarus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815,
canis cordis Filaria, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (6) Dec. 1850, 118.
canis lagopodis Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 194.
canis lagopodis Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 193.
canis vulpis Trichosoma, Rayer, Arch. med. comp. (Paris) I (4) 1843, 182 [teste S. & H.].
caniscus Cerictius, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 45 & 60.
Canistra W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 151.—Col.
Canistra Melsheimer, 1847 [teste Marshall, non comp.].

- Canistrum** O. Fabricius, Fortegnelse, 1823, 90.—Gast. undefined but = various pupoid forms. The following *n. n.* are included:—*uva*; *fusullus*; 7 *dentatum*; *guineense* vel 8 *dentatum*; *tridens*; *perversum*; *papillare*; *bidens*; *unidens*; *muscorum*; *vertigoides*.
- Canistrum** A. N. Herrmannsen (*ex* Klein), Ind. Gen. Malacoz. I. 1846, 167.—G.
- canistrum** Cyclodontina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88 [*n. n.*].
- canisuga** Ixodes, G. Johnston, Hist. Berwickshire Nat. Club, II (7) [1850], 371.
- canitia** Hylesia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 186.—Phalaena, 1780.
- canitiaria** Geometra, C. F. Freyer, Beitr. Gesch. europ. Schmett. (21) 1830, 105.
- canitiaria** Psodos, C. F. Freyer, Beitr. Gesch. europ. Schmett. (21) 1830, 105.
- canius** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 320.
- canius** Plotosus, F. Hamilton, Fish. Ganges, 1822, 142. [Cyprinus.
- canius** [Systemus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 287.—
- caniventris** Hesperomys, A. Wagner, Arch. f. Naturg. XI (1) 1845, 148.
- canivetii** Anabates (Less.), P. A. J. Drapiez, Dict. class. Sci. Nat. V. 1839, 224.—Xenops.
- caniveti** Hylocharis (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 114.—Trochilus.
- caniveti** Ornismya, R. P. Lesson, H. N. Colibris, Jan. 1832, 174.
- caniveti** Thaumatia (Less.), C. L. Bonaparte, Conspeg. Avium, I. 1850, 78.—Ornismya.
- canivetii** Xenops, R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 60.
- canna** Boselaphus (H. Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 155.—Damalis.
- canna** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 357 (1827), Syn. 1827, 365.
- canna** Haemulon, Cuvier & Valenc., H. N. Poiss. V. 1830, 233.
- canna** Oreas (Smith), P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 449.—Damalis.
- Cannabia** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 31.—A. [275.—A.
- Cannabina** C. L. Brehm, Isis, 1828, 1277 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- Cannabina** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 151.—L. [*n. n.*].
- cannabinus** Fusus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 326.
- cannabina** Lanaria (L.), A. d'Orbigny, Coll. Ois. Europe, 1839, 63.—Fringilla, 1758.
- cannabinus** Ligurinus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 231.—Fringilla, 1758.
- cannabina** Linaria (L.), Cuvier, Règne Anim. I. 1817, 387.—Fringilla, 1758.
- cannabinus** Linarius (L.), H. Freyer, Fauna Krain, 1842, 21.—Fringilla, 1758.
- cannabina** Linota (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 34.—Fringilla, 1758.
- cannabina** Passer (L.), P. S. Pallas, Zoographia, II. 1811, 26.—Fringilla, 1758.
- cannabinus** Spinus (L.), K. L. Koch in Fűrnrrohr, Fauna Ratisbon. III. 1840, 22.—Fringilla, 1758.
- Cannabis** Blyth, Journ. Asiat. Soc. Bengal, XIX (3) ? Aug. 1850, 224.—A.
- cannae** Leucania (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 171.—Nonagria, Ochs. [4, pt. 1) 87, 1827.—Nonagria.
- cannae** Noctua (Ochs.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct.
- cannae** Nonagria, F. Ochseneimer, Schmett. Europa, IV. 1816, 82.
- cannalina** Fringilla, J. F. Blumenbach, Man. Hist. Nat. I. 1803, 230.
- Cannaris** J. Gistl, Nat. Thierr. 1848, pp. xi & 130.—Col.
- Cannaris** J. Gistl, Handb. Naturges. 1850 [1847], 428.—Col.
- cannarum** Lyndia, J. C. Savigny, Mém. Anim. s. Vert. I. 1816, 35.
- cannarum** Planorbis, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 16.
- canini** Ichneumon, A. Smith, Rpt. Exp. C. Afr. 1836, 42.
- canini** Mangusta, [A. Smith], Cat. S. A. Mus. 1837, 22 [*n. n.*].
- Cannorynchus** T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1193.—P.
- canogularis** Alca, B. Meyer in B. Meyer & J. Wolf, Tasch. Deutsch. Vogelk. II. 1810, 442. [Deutschl. 1831, 958.
- canogularis** Podiceps, G. L. Brehm, Isis, 1830, 1000 [*n. n.*]; Handb. Nat. Vögel
- Canolira** W. E. Leach, Dict. Sci. Nat. XII. 1818, 350.—Cr.
- canonicus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 365.
- Canopus** J. C. Fabricius, Syst. Rhyng. 1803, 127.—Hem.
- Canopus** Denys de Montfort, Conch. I. 1808, 290.—Ceph.
- Canopus** Rafinesque, The Good Book, 1840, 65.—Ceph.

- canopus** Cynthia, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 95.
- canopus** Papilio, J. O. Westwood, Ann. Mag. N. H. IX. Mar. 1842, 38.
- canopus** Styela, J. Fleming, Phil. Zool. II. 1822, 511.
- canoroides** Cuculus, S. Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (8 & 9) 1845, 235. [1786.]
- canora** Cinnyris (Scop.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 407.—Certhia, Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 526.—
- canora** Coccyx, F. O. Morris, The Naturalist, II (9) June 1837, 126. [Loxia, 1788.]
- canorus** Haliaeetus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 187.
- canorus** Haliastur (G.), P. J. Selby, Cat. gen. types Aves, 1840, p. 3.—Haliaeetus, Vig.
- canorus** Malacocercus (L.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 373.—Turdus, 1758.
- canorus** Melierax (Thunb.), G. R. Gray, Genera of Birds, I. June 1849, 30.—Falco, 1799.
- canora** Nectarinia (Scop.), G. R. Gray, Genera of Birds, I. June 1847, 98.—Certhia, 1786.
- canorus** Nisus, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 62.
- canora** Phonipara (Gm.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424.—
- canorus** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41. [Loxia, 1788.]
- canosus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 451.
- canosa** Zygodera, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 223.
- Canrena** H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 126.—G.
- canrena** Naticites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 390.
- canstadiensis** Emys, Jaeger, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1849), 257.
- cantabricus** Carabus, A. Chevalat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 9.
- cantabrica** Phillipastreia, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 162 [*n. n.*].
- cantabricus** Sparus, I. de Asso, An. Cien. Nat. IV. 1801, 35. [193.]
- cantabrita** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- Cantacader** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 299.—Hem.
- cantagallanus** Bulimus (Rang), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 53.—
- cantagallana** Helix, P. S. Rang, Ann. Sci. Nat. XXIV (93) Sept. 1831, 50. [Helix.]
- cantans** Amadina (Gm.), G. R. Gray, Genera of Birds, II. June 1849, 370.—Loxia.
- cantans** Calamodyta (T. & S.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—Salicaria.
- cantans** Calamoherde (T. & S.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 285.—Salicaria. [Tipula, 1794.]
- cantans** Chironomus (Fab.), J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 13.—
- cantans** Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 8 (=44).—Tettigonia, 1794.
- cantans** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 529.—Loxia, Gm. 1788.
- cantans** Culex, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 6.
- cantans** Cyphorhinus (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 206.—Turdus, 1788. [1788.]
- cantans** Formicivorus (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 92.—Turdus,
- cantans** Fringilla (Gm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 27.—Loxia, 1788.
- cantans** Locusta, T. v. Charpentier, Horae Ent. 1825, 109.
- cantans** Mirafra, Jerd.; G. R. Gray, Genera of Birds, II. Nov. 1844, 383.
- cantans** Myiothera, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 181.
- cantans** Myrmecophaga, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 237. [Turdus, Gm. 1788.]
- cantans** Myrmothera (L.), L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 49—
- cantans** Salicaria, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 51.
- Cantantostoma** G. Sandberger, N. Jahrb. f. Min. 1842, 386.—G.
- Cantao** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 29.—Hem.
- cantarella** Alauda, C. L. Bonaparte, List Birds Eur. Amer. 1838, 37.
- cantarella** Sparus, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Cantareus** A. Risso, H. N. Europe, IV. 1826, 64.—G. [123.]
- cantatrix** Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscova, XXIII. 1850 (2) 1850, 536.
- cantator** Formicivora (Bodd.), G. R. Gray, Genera of Birds, III. App. 1849, 9.—Formicarius, 1783.

- cantatrix** Hypothimis (Reinw.), F. Boie, Isis (Oken), 1828, 318.—Muscicapa, ? Temm.
- cantator** Motacilla, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 576.
- cantatrix** Muscicapa, A. Wilson, Amer. Ornith. II. 1810, 166.
- cantatrix** Muscicapa, C. J. Temminck in T. & Laugier, Pls. color. (38) Sept. 1823.
- cantator** Rhipidura (Tick.), G. R. Gray, Genera of Birds, III. App. 1849, 12.—Motacilla.
- cantatoris** Cincloramphus, J. Gould, Proc. Zool. Soc. London, X (117) Feb. 1843, 135.
- cantatrix** *v.* **cantator**.
- cantatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 375, Dec. 1848.
- cantellum** Cryptus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*].
- canteneraria** Acidalia, Boisduval, Gen. Index Europ. Lepid. 1840, 222. [347.]
- cantenerella** Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1837,
- canteneri** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 174 (Fernaldo judice 1834) [*n. et f.*].
- canteneri** Polia, Duponchel in L. P. Cantener, Catal. Lépid. dépt. Var, 1833, fly-leaf.
- canteneri** Polia, Duponchel, Revue Entom. I (1) Mar. 1833, 37, & descr. d'esp. nouv.
- canteriana** Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 668. [no. 1.]
- canteriator** Lamia, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Oct. 1819, 47. [392.]
- canteriatus** Ammonites, DeFrance in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822,
- canteriatus** Hamites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 395.
- Canthapleura** Guilding in W. Swainson, Treat. Malac. 1840, 357.—Chit.
- Cantharaeus** A. Risso, H. N. Europe, I. 1826, 153.—G. [1847, 123.]
- cantharenius** Sparus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto,
- Canthareus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cantareus, Risso.
- Cantharidus** Denys de Montfort, Conch. II. 1810, 250.—G. [chorus.]
- cantharinum** Callidium (Schoen.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 91.—Steno-
- cantharinus** Obrium (Sch.), Dejean, Catal. Coléopt. 1821, 110.—Stenochorus.
- cantharinum** Pristipoma, L. Jenyns, Zool. "Beagle" (Fish, 1840), 49.
- cantharinus** Stenochorus (L.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 409.—Cerambyx, 1767. [Montf.]
- Cantharipes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Canthropes,
- Cantharis** Férussac, H. N. g. et p. Moll. 1821, Tabl. p. xxxiv.—G. [= Cantharus, Montf.]
- Cantharis** A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 231.—Col.
- cantharis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 272, Dec. 1845.
- Cantharius** F. S. Voigt in Cuvier, Thierr. III. 1834, 153.—G. [= Cantharidus, Montf.]
- Cantharocnemis** J. G. Audinet-S., Ann. Soc. Ent. France I (2) c. July 1832, 132.—Col.
- Cantharodema** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 276.—Col.
- Cantharodes** J. O. Westwood, Ann. Mag. Nat. Hist. XIX (123) Jan. 1847, 67.—Hem.
- cantharoide** Callidium (Scop.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 460.—Leptura, 1763.
- cantharoides** Lytta (Thunb.), G. J. Billberg, Mon. Mylabrid. [1813], 73.—Meloe, 1791.
- cantharoides** Orsodacne (Fab.), K. Duftschmid, Fauna Austriae, III. 1825, 249.—Crio-
- Cantharus** Denys de Montfort, Conch. I. 1808, 298.—Rh. [ceris, 1775.]
- Cantharus** G. Cuvier, R. Anim. II. 1817, 278.—P. [pleurus.]
- cantharus** Actinophorus (Ill.), K. Duftschmid, Fauna Austriae, I. 1805, 162.—Gymno-
- cantharus** Cantharus (L.), G. Cuvier, R. Anim. II. 1817, 279.—Sparus, 1758.
- cantharus** Gymnopleurus, Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 201.
- canthara** Myscelia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 226 [*n. n.*].
- canthe** Oreas, J. Huebner, Exot. Schmett., Tab. Oreas [*n. et f.*].
- Canthecona** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 81.—Hem.
- Cantherhines** W. Swainson, N. H. Fishes etc. II. July 1839, 194 & 327 [-rines].—P.
- cantheriata** Helix (Cochlitoma), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 53.
- cantherigerus** Coluber, J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.) [1839],
- Cantherines** *v.* **Cantherhines**. [pl. xxvii.]
- cantherius** Eleotris, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 209.
- Canthesancus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 389.—Hem.

- cantheus** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 493.—Papilio canthus, 1775.
- Canthidermis** W. Swainson, N. H. Fishes etc. II. July 1839, 194 [-es] & 325 [-is].—P.
- Canthidium** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 109.—Col.
- Canthidomus** W. Swainson, Treat. Malacol., May 1840, 202 & 342.—G.
- Canthigaster** W. Swainson, N. H. Fishes etc. II. July 1839, 194.—P.
- Canthirhynchus** W. Swainson, N. H. Fishes etc. II. 1839, 272; v. Canthyrynchus.
- Canthiridus** J. E. Gray, Figs. Moll. Anim. IV. 1850, 89.—G. [(Ray Soc.) 1850, 204.]
- Canthocampus** *emend. pro* Canthocampus, Westw.; W. Baird, N. H. Brit. Entom.
- Canthocampus** Westwood in Partington, Brit. Cyclop. II. 1836, 228.—Cr. [*typus* Cyclops staphylinus].
- Canthocarpus** *err. pro* Canthocampus, Westw.; W. Baird, Ann. Mag. N. H. XVII. June 1846, 416; Berwickshire Nat. Club, II (13) 1846, 154.—Cr.
- Canthodermus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Canthidermis,
- Canthon** Hoffmannsegg, Zoologisches Magazin, I (1) 1817, 38.—Col. [Swains.]
- Canthophrys** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 364.—P.
- Canthopsis** L. Agassiz, Proc. Boston Soc. N. H. III. 1851 (1850), 191.—G.
- Canthorhis** W. Swainson, Treat. Malacol., May 1840, 216 & 349.—G.
- Canthorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cantherines, Swains.
- Canthorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Canthirhynchus, Swains. [—Col.]
- Canthostethus** S. S. Haldeman, Journ. Ac. Nat. Sci. Philad. [2] I (3) Aug. 1849, 258.
- Canthropes** Denys de Montfort, Conch. I. 1808, 46.—Rh.
- canthus** Satyrus (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 493.—Papilio, 1767.
- Canthyria** W. Swainson, Treat. Malacol., May 1840, 378.—L.
- Canthyrynchus** W. Swainson, N. H. Fishes etc. II. July 1839, 181 & 272 [Canthi→].—P.
- cantiaca** Actocheilidon (Gm.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 31.—Sterna, 1788.
- cantiaca** Chelido (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 194.—Sterna, Gm. 1788.
- cantiaca** Thalasseus (Gm.), F. Boie, Isis (Oken), 1822, 563.—Sterna, 1788.
- cantianus** Aegialitis (Lath.), F. Boie, Isis (Oken), 1822, 558.—Charadrius.
- cantiana** Bactra, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 199.
- cantiana** Bradybaena (Mont.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 19.
- cantiana** Carpocapsa, J. Curtis, Guide Brit. Ins. (5) 1831, 171 [*n. n.*].
- cantianus** Charadrius, J. Latham, Index Orn., Suppl. 1801, p. lxxvi.
- cantianus** Cinetus, J. Curtis, Guide Brit. Ins. (4) 1829–30, 109 [*n. n.*].
- cantiana** Cnephasia, J. Curtis, Brit. Entom. III (25) Jan. 1826, no. 100.
- cantiana** Helix, G. Montagu, Test. Brit. II. 1803, 422.
- cantiana** Helix (Helicella), Mont.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 47. [drius.]
- cantiana** Hiaticula (Lath.), G. R. Gray, List Birds Coll. B. M. III. 1844, 69.—Chara-
- cantiana** Teba (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix.
- cantianus** Telephorus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 301. [Salicaria.]
- cantillans** Calamodyta (T. & S.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—
- cantillans** Calamoherpe (T. & S.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 285.—Salicaria.
- cantillans** Certhia, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, II. 1829, 357.
- cantillans** Cincloramphus, J. Gould, Birds of Australia, III (28) 1847, pl. 75.
- cantillans** Dicaeum (Lath.), G. Cuvier, R. Anim. I. 1817, 410.—Certhia, 1790.
- cantillans** Dicaeum (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 409.—Certhia, 1790.
- cantillans** Mirafrja, Jerdon, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 960.
- cantillans** Salicaria, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 52.
- cantillans** Treron, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* May 1846), 854.—Vinago, 1843.
- cantillans** Vinago, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (*post* Feb.), 166.

- Cantinea** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 41.—R. [*u. n.*].
- Cantinia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 167.—R. [gen. caelebs].
- cantonensis** Pimelodus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 143.
- cantor** Calornis (Gm.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 53.—Turdus, 1788.
- cantor** Falco, J. Wilkes, Ency. Londin. VII. 1805, 192.
- cantor** Lamproternis, C. J. Temminck in T. & Laugier, Pls. color. (25) Aug. 1822.
- cantor** Pastor (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 59.—
- cantor** Synallaxis, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 319. [Turdus, 1788.]
- cantori** Anomala (Hope), H. Burmeister, Handb. Ent. IV (1) 1844, 536.—Euchlora.
- cantorii** Bulimus, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 165.
- cantori** Callichroma, F. W. Hope, Proc. Linn. Soc. London (5) Dec. 1839, 43.
- cantori** Coluber, W. Martin, Proc. Zool. Soc. London, VI (67) July 1838, 83.
- cantori** Composternus, F. W. Hope, Journ. Proc. Entom. Soc. Lond., no. 3 [1841], 37; Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 453.
- cantori** Dipelicus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 62.
- cantori** Dynastes, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 365.
- cantori** Euchlora, F. W. Hope, Proc. Zool. Soc. London, VII (77) Oct. 1839, 73.
- cantori** Eupatorus (Hope), H. Burmeister, Handb. Ent. V. 1847, 268.—Dynastes.
- cantori** Hamaticherus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- cantori** Lucanus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 363.
- cantori** Lycus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- cantori** Passalus, F. W. Hope in Percheron, Mon. Passalus in Magasin de Zool. (2) VI. 1844, pl. 134.
- cantori** Pectocera, F. W. Hope, Proc. Zool. Soc. London, X (113) Dec. 1842, 79.
- cantori** Planorbis, W. H. Benson, Ann. Mag. N. H. (2) V. May 1850, 349.
- cantori** Rhomborhina, F. W. Hope, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 62.
- cantori** Taphazous, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* July), 784.
- cantori** Trigonocephalus, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 377.
- cantori** Trigonophorus (Hope), J. O. Westwood, Arcana Entom. (8) July 1842, 121.—[cantraine→.] [Rhomborhina.]
- cantrainii** Belone, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 418.
- canthraini** Mastus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 73. [pl. 82.]
- cantrainii** Naiades, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI. 1830,
- cantraine** Tylosaurus, A. Cocco, Giorn. Sci. Lett. Sicilia, XLII. 1833, 18.
- canulata** Buccinella, G. Perry, Conchology, Ap. 1811, pl. 27. [340.]
- canulus** Parra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- Canurus** H. D. S. Goodsir, Trans. R. Soc. Edinb. XV (4) 1844, 570 [*err. pro* Caenurus, *teste* S. & H.].
- canus** Aegialitis, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 6, 1838).
- cana** Amadina (L.), G. R. Gray, Genera of Birds, II. June 1849, 370.—Loxia, 1758.
- canus** Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 346.—Anas, Gm. 1788.
- cana** Anthomyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 340.
- cana** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 929.
- canus** Anthrax, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 201.
- canus** Asilus, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 28.
- cana** Bernicla (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 61.—
- canus** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 372. [Anas, 1788.]
- canus** Brachylophus (Edw.), W. Swainson, N. H. Classif. Birds, II. June 1837, 308.—Picus, ♀Gm. 1788.
- canus** Bruchus, E. F. Germar, Ins. Spec. novae, I. 1824, 183.
- cana** Campephaga, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 49. [Tortrix.]
- cana** Carpocapsa (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 123.—
- cana** Casarca (Gm.), G. R. Gray, Genera of Birds, III. App. 1849, 27.—Anas, 1788.
- cana** Cebblepyris (Gm.), Cuvier, Règne Anim. I. 1817, 348.—Muscicapa, 1788.
- canus** Cebus (Geoff.), J. B. Fischer, Syn. Mamm. 1829, 41.—Lagothrix.
- cana** Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 743.
- cana** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 197.

- canus** Charadrius (Gould), G. R. Gray, Genera of Birds, III. Mar. 1847, 544.—Aegialitis.
cana Chenalopex (Gm.), T. C. Eyton, Mon. Anatidae, 1838, 104.—Anas, 1788.
canus Chloropicus, A. Malherbe, Mém. Ac. R. Metz, XXVIII. 1847, 130.
cana Clausilia, F. Held, Isis (Oken), 1836, 275.
canus Coluber, H. Schlegel, Essai phys. Serp. 1837, I. 147; II. 155.
canus Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 103.
canus Crypturus, J. G. Wagler, Isis (Oken), 1829, 746. [601.
cana Cystineura, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
cana Duberria (L.), L. J. Fitzinger, Neue Classif. Rept. 1826, 55.—Coluber, 1758.
canus Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [n. n.], & var. mucidus, Knoch
canus Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [n. n.]. [[n. n.].
cana Elomyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 200.—
 Phasia.
cana Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 535.
canus Falco, G. R. Gray (ex Latham MS), Ann. Mag. Nat. Hist. XI. 1843, 189.
cana Fringilla (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 209.—Loxia, 1758.
canus Gecinus (Gm.), G. R. Gray, Genera of Birds, II. July 1846, 438.—Picus, 1788.
cana Gypona, H. Burmeister, Gen. Ins. (4) 1838, no. 10.
cana Hadenia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (1) 1841, 29.
cana Haematopota, F. Walker, List Dipt. Coll. B. M. (1) 1848, 207.
canus Lagothrix, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 107.
cana Lamia, E. F. Germar, Ins. Spec. novae, I. 1824, 483.
canus Laroides (L.), C. L. Brehm, Isis, 1830, 994.—Larus.
cana Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 48.
canus Liophloeus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 306.
canus Lixus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 128.
cana Maseila, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 230.—Hadenia, 1841.
cana Muscivora, F. M. Daudin in Buffon; Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 230.
cana Phasia, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 201.
canus Phyllobius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 439.
canus Platymus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 643.
canus Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [n. n.].
canus Pseudaspis (L.), L. Fitzinger, Syst. Rept. 1843, 25.—Coluber, 1758.
cana Psittacula (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 143.
 —Psittacus, 1788.
cana Rhamphomyia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3043.
canus Rhynchaenus, A. G. Olivier, Entom. V. 1807, 134.
canus Rhynchaenus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 115.
cana Saperda, E. Newman, Entomologist (1) Nov. 1840, 12.
cana Semasia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.
cana Sibiria (Ol.), E. F. Germar, Ins. Spec. novae, I. 1824, 291.—Rhynchaenus.
cana Simulia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 52.
canus Sirynes (Herbst), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
 1840, 345.—Curculio, 1784.
canus Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 119.
cana Sturnia, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (post Oct.), 365.
cana Tanagra, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 37.
cana Thraupis (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 29.—Tanagra.
canus Thylacites, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 161 [n. n.].
canus Tinamus (Wagl.), G. R. Gray, Genera of Birds, III. Dec. 1844, 524.—Crypturus.
cana Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 456.
cana Tortrix, F. Froelich, Enum. Tortric. Wuerth. 1828, 81.
canus Trochus (Phorcus), Koch, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 102.
canus Uloborus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [i.e. Ap.
cana Uria, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 272.—[n. n.] [1826], 468.
canus Urodon, Handschuch in H. C. Kuester, Käfer Europas, XIII. 1848, 83.
cana Volvocivora (Sykes), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 61.—Ceblypyris.

- cana* Xysta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 282.—Phasia, 1824.
- canusium* Milesia, F. Walker, List. Dipt. Coll. B. M. (3) 1849, 566.
- canuti* Docophorus, H. Denny, Mon. Anoplur. 1842, 84.
- canuti* Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 336.—Docophorus.
- Canutus* Anon., Allg. Lit. Zeit. 1804, II. no. 168, June 1804, col. 542.—A.
- Canutus* C. L. Brehm (*ex* Brisson), Isis, 1830, 991 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 653.—A.
- canutus* Calidris (Gm.), Cuvier, Règne Anim. I. 1817, 489.—Tringa, L. 1758.
- canutus* Trynga, P. S. Pallas, Zoographia, II. 1811, 197.
- Caoti* [=Coati], B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 492.—M.
- Caouana* J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 52.—R. [? Cloq.]
- caouana* Caretta (Schw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 44.—Chelonia,
- caouana* Chelonia, H. Cloquet, Dict. Sci. Nat. VIII. 1817, 381.
- caouanna* Chelonia (Daud.), J. Kirby, Brewster's Edin. Ency. XI (1) 1817, 16.—Testudo.
- caouane* Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 54.
- capaccinii* Vespertilio, C. L. Bonaparte, Icon. Faune Ital. (20) 1837.
- Capaccinius* C. L. Bonaparte, Icon. Fauna Italica, Indice Distr. T. 1, Mamm. 1841.—M.
- capacii* Productus, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 50.
- capafissa* Lepas, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 17.
- capanea* Mesosemia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 21.—Papilio, 1779.
- capaneus* Papilio, J. O. Westwood, Arcana Entom. II (13) May 1843, 15.
- capary* Sorubim, J. B. v. Spix, Pisc. Brasil. 1829, 26 [*n. n.*].
- capax* Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 253.
- capax* Atrypa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 264.
- capax* Lutraria, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 217.
- capax* Modiola, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 242.
- capax* Ostrea, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 238.
- capax* Unio, J. Green, Doughty's Cab. N. H. II (extra no.) 1833, 290 [*teste* C. W. R.].
- capax* Venus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 324.
- "Cape Gray in Griffith, An. Kingd. IX. = Agama."—*sic* Agassiz, Nom. Zool. *sed* = Cape Agama *ex* Cape Colony, Syn. p. 57 [*teste* F. J. Griffin].
- capelanus* Morua, A. Risso, H. N. Europe, III. 1826, 226.
- Capella* J. S. T. Frenzel, Besch. Vögel Wittenberg, Oct. 1801, 58.—A.
- Capella* Keyserling & Blasius, Wirbelth. Europas, I. 1840, 9.—M.
- capella* Goniodiscus, Joh. Mueller & Troschel, Syst. Asterid. 1842, 61.
- capella* Onthophagus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22.
- capella* Rhipicapra, Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 337.
- capella* Vanellus, C. T. Wood, Orn. Guide, 1835, 205.
- Capellaria* J. Gistl, Nat. Thierr. 1848, p. viii.—P.
- capellator* Bracon, J. C. Fabricius, Syst. Piezat. 1804, 110. [1822, 261.—Bracon.]
- capellator* Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII.
- capellei* Columba, C. J. Temminck in T. & Laugier, Pls. color. (24) July 1822.
- capellei* Lophotes, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 132.
- capellei* Treron (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- capellinus* Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 65. [275.—Columba.]
- capensis* Abrostomus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xii, 1841.
- capensis* Acanthodactylus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. xxxix, 1844.
- capensis* Actinia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 76.
- capensis* Aegilhalus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 245.—
- capensis* Agama, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 257. [Parus, ? Gm. 1788.]
- capensis* Alcyon, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 472 [*n. n.*].
- capensis* Algrya, A. Smith, Mag. Nat. Hist., n. s., II. Feb. 1838, 94. [368.]
- capensis* Ammophila, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
- capensis* Amphictene (Br.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 91.—Amphitrite,
- capensis* Anas, R. P. Lesson, Traité Ornith. (8) June 1831, 632. [1789.]
- capensis* Androctonus, C. G. Ehrenberg, Sym. Phys., Arach. 1831 (pls. 1828) sign. *b*.
- capensis* Anilocra, W. E. Leach, Dict. Sci. Nat. XII. 1818, 350.

- capensis Anisoplia, J. Sturm, Catal. Ins. Samml. 1826, 92 [*n. n.*]. [? 1777.
 capensis Anthocitta (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 259.—Phalaena,
 capensis Anthomyia, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 46.
 capensis Anthonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 234.
 capensis Anthoscopus (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 89.—Parus,
 capensis Anthrax, C. R. W. Wiedemann, Dipt. exot. 1821, 133. [1788.
 capensis Anthrenus, F. E. Guérin-M., Iconographie, 1844, Ins. 66.
 capensis Anthus (L.), Cuvier, Règne Anim. I. 1817, 372.—Alauda, 1766.
 capensis Antilope, C. P. Thunberg in A. Afzelius, N. Acta Soc. Sci. Upsal. VII. 1815, 254.
 capensis Aparallactus, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 16, 1849.
 capensis Apis, J. F. Eschscholtz, Entomographien, I (1) 1822, 97.
 capensis Apsis, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
 capensis Asilus, J. C. Fabricius, Syst. Antliat. 1805, 154.
 capensis Astacus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 88.
 capensis Astrape (L.), Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 130.—Raja, Gm.
 capensis Ateuchus, Dejean, Catal. Coléopt. 1821, 52 [*n. n.*]. [1789.
 capensis Athene, A. Smith, Ill. Zool. S. Afr. (Aves), pl. xxxiii, 1839.—Noctua, 1834.
 capensis Atimostoma, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xxiv, 1845.
 capensis Aulacocheilus, T. Lacordaire, Mon. Erythyl., Sept. 1842, 251.
 capensis Bacillus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
 capensis Bagrus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. viii, 1840. [257.
 capensis Balaenoptera, A. Smith, S. African Quart. Journ. II. no. 3 (2) June 1834, 242.
 capensis Barbus (Cheilobarbus), A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. x, 1841.
 capensis Bathyergus (Pall.), Desmarest, N. Dict. H. N., ed. 2, III. 1816, 323.—Mus, 1779.
 capensis Bembex, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 273.
 capensis Berce, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 361.
 capensis Bittacus (Thunb.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 97.—
 capensis Blennius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 175. [Panorpa, 1784.
 capensis Bolbocerac, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 49.
 capensis Brachycerus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].
 capensis Brachycerus, C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 427.
 capensis Brachyotus (Smith), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 51.—Otus.
 capensis Brachypterus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 371.
 capensis Brachypus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 190.—
 Turdus, ? L. 1766. [1764.
 capensis Bronchus (L.), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Curculio,
 capensis Bubo, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 317.
 capensis Bubo, Daud.; G. R. Gray, Genera of Birds, I. Sept. 1845, 37.
 capense Buccinum, W. Dunker, Zeitschr. f. Malakozool., July 1846, 110.
 capensis Bucephalus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. x, 1841.
 capensis Calamoherpe, C. L. Brehm, Isis (Oken), 1835, 245 [*n. n.*].
 capensis Calleida, Chaudoir, Obs. Entom. 1847, 11.
 capensis Camelopardalis, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 168.
 capensis Capito (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 146.—Bucco, 1766.
 capensis Carcharodon, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. iv, 1839.
 capensis Cassida, D. H. Schneider, Verz. Insectensamml. 1828, 84 [*n. n.*].
 capensis Cathartes, C. L. Brehm, Isis (Oken), 1840, 599.
 capensis Cecropis (Gm.), F. Boie, Isis (Oken), 1826, 971.—Hirundo, 1788.
 capensis Centrotus, E. F. Germar, Revue Entom. III (5) 1835, 256.
 capensis Cephea, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 568.
 capensis Ceratopachys, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 22.
 capensis Cerchneis (Shaw), F. Boie, Isis (Oken), 1828, 314.—Falco.
 capensis Cermatia, R. Templeton, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 308.
 capensis Chauliodus, W. Swainson, Journ. R. Inst. Gt Brit. II. Aug. 1831, 19.
 capensis Chiron, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 27.
 capensis Chiton, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 82.
 capensis Chiton, J. E. Gray, Spec. Zool. 1828, 5.
 capensis Chloenius, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 226.

- capensis** Chrysochloris, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 158.
- capensis** Chrysochloris, B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 493.
- capensis** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 178.
- capensis** Chrysomela, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 178.
- capensis** Chrysomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- capensis** Chrysopelea, A. Smith, Mag. Zool. Bot. I (2) Aug. 1836, 145. [1830, 451.]
- capensis** Cionus, Dejean, Catal. Coléopt. 1821, 83 [n. n.].
- capensis** Cirrhibarbis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 406.
- capensis** Cis, J. Mellié (ex Dej. Cat.), Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 254.
- capensis** Citrinella, R. P. Lesson, Echo Monde Savant, XI. 4 Aug. 1844, 233.
- capensis** Clarias, Cuvier & Valenc., H. N. Poiss. XV. 1840, 377.
- capensis** Clerus (Thunb.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 45.—Anobium, 1781.
- capensis** Clinus (Forst.), G. Cuvier, R. Anim., ed. 2, II. 1829, 239.—Blennius, 1792.
- capensis** Clio, P. C. A. L. Rang, Ann. Sci. Nat. V (19) July 1825, 286.
- capensis** Clivina, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 29.
- capensis** Clytra, A. G. Olivier, Entom. VI. 1808, 853.
- capensis** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 90.
- capensis** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 527. —Loxia, L. 1766.
- capensis** Colaptes, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 171.
- capensis** Colius, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 864.
- capensis** Colymbetes, C. Aubé, Spec. gén. Hydroc. 1838, 235.
- capensis** Conops, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 14.
- capensis** Copelatus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 26 [n. n.].
- capensis** Copris, Dejean, Catal. Coléopt. 1821, 52 [n. n.]. [Hemicordylus, 1838.]
- capensis** Cordylus (Hemicordylus), A. Smith, Ill. Zool. S. Afr. (Rept.), pl. xxvii, 1843.—
- capensis** Corethra (L.), G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—Rallus, 1771.
- capensis** Coreus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 23.
- capensis** Corizus, E. F. Germar, Revue Entom. V (3) 1840, 144.
- capensis** Corvinella (Sh.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 197.—Lanius.
- capensis** Corvus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 20.
- capensis** Corypticus, J. Sturm (ex Dej. Cat.), Catal. Käfer Samml. 1843, 347.
- capensis** Coryptius, Dejean, Cat. Coléopt., ed. 3, 1837, 184.
- capensis** Corythus (L.), C. W. Hahn, Voegel aus Asien etc. (14) 1823, pl. 4.—Loxia, 1766.
- capensis** Cremastocheilus, Gory & Percheron, Mon. Cétoines (4) 1834, 117.
- capensis** Crepidula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 424.
- capensis** Crypticus, J. Sturm (ex Dej. MS), Catal. Käfer Samml. 1843, 347.
- capensis** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 15.
- capense** Cryptopleurum, E. Mulsant, Ann. Soc. Agric. Lyon, VII (5) 1844, 381.
- capensis** Cucujus, Kze; J. Walth, Faunus, I (3) 1834, 169.
- capensis** Cursorius (Sw.), G. R. Gray, List Birds Coll. B. M. III. 1844, 61.—Tachydromus.
- capensis** Cyclas, C. F. F. Krauss, Südafrik. Moll. 1848, 7.
- capense** Cyclonotum, Dejean, Cat. Coléopt., ed. 2, 1833, 134; E. Mulsant, Ann. Soc. Agric. Lyon, VII (2) 1844, 170.
- capensis** Cypraea, J. E. Gray, Zool. Journ. III (12) Ap. 1828, 573.
- capensis** Cypraea (Gray), Catlow & Reeve, Conch. Nomen. 1845, 309.—Cypraeovula.
- capensis** Cypraeovula, J. E. Gray, Penny Cyclop. VIII. 1837, 256.
- capense** Dacetum, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 77 & 171.
- capensis** Dacthrys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 410.
- capensis** Damalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 416.
- capensis** Damalis (Strepsiceros), A. Smith, Ill. Zool. S. Afr. (Mamm.), pl. xlii, 1844.
- capenses** Daption (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 241. —Procellaria, 1758.
- capensis** Daptomorphus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 40.
- capensis** Dasypalpus (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 390.—Phthiria. [1830, 34]
- capensis** Dejeania, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.

- capensis** Delphinorhynchus (Gray), A. Smith, S. African Quart. Journ. II. no. 3 (2) June 1834, 236.—Delphinus.
- capensis** Delphinus, J. E. Gray, Spec. Zool. 1828, 2.
- capensis** [Delphinus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (60) Aug. 1829, Marsouin du Cap, p. 1. [1788.]
- capensis** Dendrobates (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 125.—Picus,
- capensis** Dexia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- capensis** Dipterodon, G. Cuvier, R. Anim., ed. 2, II. 1829, 194 [*n. n.*]. [314.]
- capensis** Dipterodon, Cuvier & Valenc., H. N. Poiss. VII. 1831, 276.
- capensis** Dipus (Forst.), G. Fischer, Zoogn., ed. 3, III. 1814, 25.—Yerbua, 1778.
- capensis** Drymoica, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxvi, 1843.
- capensis** Dysporus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 86.
- capensis** Ectopistes (L.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 189.—Columba, 1766.
- capensis** Elapomorphus, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 16, 1849.
- capensis** Ellobius (Pall.), G. Fischer, Zoogn., ed. 3, III. 1814, 76.—Mus, 1779.
- capensis** Elops, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. vii, 1840.
- capensis** Empusa, H. Burmeister, Handb. Ent. II (2) i, 1838, 547.
- capensis** Enoplopus, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 161.
- capensis** Epomis, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 228.
- capensis** Epomis, C. H. Boheman, Ins. Caffr. I (1) 1848, 158.
- capensis** Eremias (Smith), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 302.—Lacerta.
- capensis** Erinaceus, A. Smith, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 11
- capensis** Eucephalus, F. L. de Laporte, Etudes Entom. (1) 1834, 66. [*n. n.*].
- capensis** Eumorpha, J. Huebner, Exot. Schmett., Tab. Eumorpha [*n. et f.*].
- capensis** Euplectes (L.), W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 180.—Loxia, 1766. [Otomys *non comp.*].
- capensis** Euryotis (F. Cuv.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 144.—
- capensis** Exoprosopa (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 326.—
- capensis** Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 192. [Anthrax.]
- capensis** Figulus (Thunb.), H. Burmeister, Handb. Ent. V. 1847, 439.—Lucanus, 1781.
- capensis** Forficula, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 52.
- capensis** Fossor, J. R. Forster, Anim. mar. Aust. 1844, 32. [333.—Perdix, 1790.]
- capensis** Francolinus (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819,
- capensis** Fregilupus (Gm.), R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 324.—Upupa, 1788. [1802], 248.
- capensis** Fringilla, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- capensis** Fringilla, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 39.—Emberiza, 1816; ? L. 1766. [211.—Emberiza, L. 1766.]
- capensis** Fringillaria (L.), W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
- capensis** Fusus, W. Dunker in R. A. Philippi, Abb. Conch. I (5) 1844, 110.
- capensis** Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- capensis** Georchus (Pall.), C. Illiger, Prod. 1811, 87.—Mus, 1779.
- capensis** Gongylus, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 10, 1849. [1788]
- capensis** Graculus (Sparr.), G. R. Gray, Genera of Birds, III. Jan. 1845, 667.—Pelecanus,
- capensis** [Graphiurus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (60) Sept. 1829, Graph. du Cap, p. 2.
- capensis** Grus, R. P. Lesson, Traité Ornith. (8) June 1831, 587.
- capensis** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 240.
- capensis** Gulo (L.), A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 176.—Viverra,
- capensis** Gymnetrus, Cuvier & Valenc., H. N. Poiss. X. 1835, 376. [Schr. 1777.]
- capensis** Gymnogenys, [A. Smith], Cat. S. A. Mus. 1837, 24.
- capensis** Gypogeranus, W. Ogilby, Proc. Zool. Soc. London, III (31) Oct. 1835, 104.
- capensis** Halcyon (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 99.—Alcedo, L. 1766.
- capensis** Halieus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 31 [*n. n.*].
- capensis** Haliotis, W. Dunker in R. A. Philippi, Abb. Conch. I (5) 1844, 120.
- capensis** Haltica, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 3.

- capensis Harpactor, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 366.
 capensis Helamis, F. Cuvier, Dents des Mamm. 152 (1823).
 capensis Helix, L. Pfeiffer, Symb. Helic. I. 1841, 40.
 capensis Helophilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 122.
 capensis Hemicordylus, A. Smith, Mag. Nat. Hist., n. s., II. Jan. 1838, 32.
 capensis Hemidactylus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxxv, 1849.
 capensis Hemipepsis, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 123.
 capensis Herinia, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 332.
 capensis Heterolepis, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lv, 1847.
 capensis Hians, R. P. Lesson, Man. Orn. II. June 1828, 252.
 capensis Hippobosca, I. F. M. de Olfers, De Veg. Anim. 1816, 101.
 capensis Hippopotamus, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 158.
 capensis Hipporhinus (L.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 483.—Cur-
 capensis Hister, G. Paykull, Mon. Hister. 1811, 80. [culio, 1764.
 capensis Hololepta, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 127.
 capensis Homarus (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837,
 335.—Cancer, 1792.
 capensis Hyaena, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 216.
 capensis Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 297.
 capensis Hyphantornis (A. Smith), G. R. Gray, Genera of Birds, II. Mar. 1849, 351.—
 capensis Hypolithus, Dejean, Spec. gén. Coléopt. V. 1831, 833. [Ploceus.
 capensis Hyrax, G. Cuvier, Oss. Foss. II. 1812, Daman, p. 1.
 capensis Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 262.
 capensis Icterus (Gm.), Cuvier, Règne Anim. I. 1817, 394.—Oriolus, 1766.
 capensis Idya (C. & E.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 133.—
 capensis Irrisor, R. P. Lesson, Traité Ornith. (3) July 1830, 239. [Beroe.
 capensis Ithyporus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 552.
 capensis Ixos, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 15.
 capensis Lacerta, A. Smith, Mag. Nat. Hist., n. s., II. Feb. 1838, 93.
 capensis Lamprotornis, [A. Smith], Cat. S. A. Mus. 1837, 30 [n. n.].
 capensis Lanius, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 327. [1767.
 capensis Lasiocampa (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 189.—Phalaena,
 capensis Lebia, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 439.
 capensis Leptorhynchus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. vi, 1840.
 capensis Limax (Limas), C. F. F. Krauss, Südafrik. Moll. 1848, 73.
 capensis Limnobia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 75.
 capensis Lipotus (Desm.), C. J. Sundevall, K. Vet. Ac. Handl. 1842 (1843), 211.—Gulo.
 capensis Lithognathus, W. Swainson, N. H. Fishes etc. II. July 1839, 222.
 capensis Luciola (Ol.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 148.—Lam-
 pyris, ? Fab. 1775.
 capensis Lutra, J. K. W. Illiger, Abh. ph.—Kl. K. pr. Ak. Wiss. 1804-11 (1815), 79 & 87.
 capensis Lycodon, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 18.
 capensis Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 95.
 capensis Macronyx (L.), W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
 216.—Alauda, 1766.
 capensis Malurus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 225.
 capensis Mareca (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 139.
 —Anas, 1788.
 capensis Marginella, Dunker in C. F. F. Krauss, Südafrik. Moll. 1848, 125.
 capensis Marpissa, C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 75.
 capensis Megapalpus (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,
 capensis Meles, G. Fischer, Zoogn., ed. 3, III. 1814, 174. [394.—Phthiria.
 capensis Meriania, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 71.
 capensis Mintho, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
 capensis Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 268, Mar. 1845. [217.
 capensis Modiola, C. F. F. Krauss, Südafrik. Moll. 1848, 20.
 capensis Monitor (Sparr.), J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 393.—Lacerta, 1783.

- capensis** Monopeltis, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxxvii, 1848.
- capensis** Motacilla, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 36.
- capensis** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 108.
- capensis** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 143.
- capensis** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 347. [Graphiurus.]
- capensis** Myoxus (F. Cuv.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 265.—
- capensis** Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 404.
- capensis** Mytilus, W. Dunker, Zeitschr. f. Malakozool., July 1846, 108.
- capensis** Narcine (L.), F. G. J. Henle, Ueber Narcine, 1834, 36.—? Raja, Gm. 1789.
- capensis** Nectarinia (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiv.—
Certhia, 1766. [Lanius.]
- capensis** Nilais (Shaw), W. Swainson, Zool. Journ. III (10) July [i.e. Sept.] 1827, 163.—
- capensis** Noctua, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 313.
- capensis** Notopholis, A. J. E. Gray, Cat. Lizards Coll. B. M. 1845, 34.
- capensis** Nycteris, A. Smith, Zool. Journ. IV (16) May 1829, 434.
- capensis** Octopus, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 11.
- capensis** Oedinemus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 69.
- capensis** Oena (L.), Selby in W. Swainson, N. H. Classif. Birds, II. June 1837, 349.—
Columba, 1766.
- capensis** Olina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- capense** Omophron, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 212. [812.
- capensis** Oncotus, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 220.
- capensis** Onychocephalus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. li, 1846.
- capense** Opatrum, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 179.
- capense** Opatrum, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 90 [n. n.].
- capensis** Ophiomorphus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 64 [n. n.].
- capensis** Opisthophthalmus, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 37.
- capensis** Opisthophthalmus (Herbst), C. L. Koch, Die Arachniden, IV (5) Nov. 1837, 89.
—Scorpio, 1800.
- capensis** Orca, J. E. Gray, Zool. "Ereb. & Terr." (Cetac. 1846), 34.
- capensis** Ornithobia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1142.
- capensis** Orycteropus (L.), B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 496.—
Myrmecophaga, Gm. 1788.
- capensis** Oryx, A. Smith, S. African Quart. Journ. II. no. 2 (3) Mar. 1834, 187.
- capensis** Oryx, W. Ogilby, Proc. Zool. Soc. London, IV (48) June 1837, 139.
- capensis** Osprynchotus, M. Spinola, Rev. Zool. (Soc. Cuv.) IV. Mar. 1841, 94.
- capensis** Otus, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 316.
- capensis** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 651.
- capensis** Paroides (Gm.), G. R. Gray, Genera of Birds, I. Jan. 1847, 193.—? Muscicapa,
- capensis** Parra, A. Smith, Ill. Zool. S. Afr. (Aves), pl. xxxii, 1839. [L. 1766.
- capensis** Passer, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 41.
- capensis** Passerina (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 929.—Emberiza, L.
1766. [Sturnus, Gm. 1788.
- capensis** Pastor (L.), Vigers & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 664.—
- capensis** Pectinaria, Lamarck, An. s. vert. V. 1818, 350. [Verbua, Forst. 1778.
- capensis** Pedetes (Sparr.), A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 325.—
- capensis** Pelecyphorus, A. J. J. Solier, Ann. Soc. Ent. France, V (3) post Aug. 1836, 473.
- capensis** Pentaceros, Cuvier & Valenc., H. N. Poiss. III. 1829, 30.
- capensis** Pentonyx, Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 390.
- capensis** Perdix, W. J. Burchell, Trav. S. Afr. I. 1822, 270.
- capensis** Peristera (Gm.), F. Boie, Isis (Oken), 1828, 327.—Columba, L. 1766.
- capensis** Phalacrocorax (Sparr.), G. R. Gray, List Birds Coll. B. M. III. 1844, 185.—
- capensis** Phalacrus, F. E. Guérin-M., Iconographie, 1844, Ins. 315. [Pelecanus, 1788.
- capensis** Phaleria, F. L. de Laporte in Brullé, H. N. Anim. art. (Coléopt.) II. 1840, 219.
- capensis** Phasianella, W. Dunker, Zeitschr. f. Malakozool., July 1846, 110.
- capensis** Philanthus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 495.
- capensis** Pholeophilus, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 15, 1849.

- capensis Phthiria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 356.
 capensis Phyllastrephus, [A. Smith], Cat. S. A. Mus. 1837, 28 [*n. n.*].
 capensis Picus, J. R. Forster, Anim. mar. Aust. 1844, 43.
 capensis Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 491.
 capensis Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 496.
 capensis Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 673.
 capensis Platycerus (Th.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 331.—Lucanus, 1781.
 capensis Platypheura (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 466.—Cicada, 1764.
 capensis Platyrhynchus, A. Smith, Ill. Zool. S. Afr. (Aves), pl. xxvii, 1839.
 capensis Platysaurus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. xl, 1844.
 capensis Platysteira (L.), G. R. Gray, Gen. Birds, I. Aug. 1846, 257.—Muscicapa, 1766.
 capensis Ploceus, A. Smith, Ill. Zool. S. Afr. (Birds), pl. lxxi (1841).
 capensis Ploceus (L.), G. R. Gray, Genera of Birds, II. Mar. 1849, 352.—Oriolus, 1766.
 capensis Polycera, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 417.
 capensis Polydaedalus (Sparrm.), J. Wagler, Nat. Syst. Amph. 1830, 165.—Lacerta, 1783.
 capensis Polydesmus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. IX (1) May 1841,
 capensis Pompilus (L.), J. C. Fabricius, Syst. Piezat. 1804, 196.—Spheg, 1764. [10.
 capensis Priocnemis, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 97.
 capensis Proctarrelabis, Fab.; A. Lefebvre, Magasin de Zool. (2) IV. 1842, text to pl. 92.
 capensis Promerops, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 322.
 capensis Psilodera, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 779.
 capensis Pteraster, J. E. Gray, Proc. Zool. Soc. London, XV (175) July 20, 1847, 83.
 capensis Pteraster, J. E. Gray in Jukes, Narr. Voy. of "Fly," II. July 1847, 354.
 capensis Pternistis (Lath.), J. G. Wagler, Isis (Oken), 1832, 1229.—Perdix, 1790.
 capensis Ptiloturus, W. Swainson, N. H. Classif. Birds, II. June 1837, 327.
 capensis Ptyocerus, F. E. Guérin-M., Spec. et Icon. Anim. artic. (2) 1843, 4.
 capensis Pupa, Kurr in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa (30) 1841, 10.
 capensis Pycnonotus (Gm.), G. R. Gray, Gen. Birds, I. Oct. 1847, 237.—? Turdus, L. 1766.
 capensis Pyrgita (L.), Cuvier, Règne Anim. I. 1817, 385.—Loxia, 1766.
 capensis Querquedula, A. Smith, G. R. Gray, Genera of Birds, III. Mar. 1845, 616.
 capensis Raja, Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 151.
 capensis Ranatra, E. F. Germar, Revue Entom. V (3) 1840, 122. [Viverra, 1777.
 capensis Ratelus (Schr.), J. A. Wagner in Schreber, Säugth., Suppl. II. 1840, 209.—
 capensis Ratelus (Desm.), H. R. Schinz, Syst. Verz. Säug. I. 1844, 329.—Gulo.
 capensis Rhedia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
 capensis Rhinolphus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 4. [77.
 capensis Rhipicephalus, C. L. Koch, Arch. f. Naturg. X (1) 1844, 238.
 capensis Rhynchaea (L.), G. Cuvier, R. Anim. I. 1817, 488.—Scolopax, 1766.
 capensis Rhynchaspis, A. Smith, Cat. S. Afr. Mus. 1837, 36; Ill. Zool. S. Afr. (Birds),
 pl. 98 (1844).
 capensis Rhyzaena (Desm.), J. Smuts, Diss. Zool. Capensis, 1832, 22.—Suricata.
 capensis Rostratula (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 1.—Scoloro-
 capensis Rynchina, J. Fleming, Phil. Zool. II. 1822, 255. [pax, L. 1766.
 capensis Rzyaena (Desm.), R. P. Lesson, H. N. Mamm. Ois. depuis 1788, IV. 1830, 324.
 capensis Sabellaria, J. C. Chenu, Illustr. conch. I. Sabellaria, 1843, 1. [—Suricata.
 capensis Sargus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xxiii, 1844.
 capensis Scaptobius (G. & P.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom.
 III. 1841, 262.—Cremastocheilus.
 capensis Scatophaga, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 capensis Sciocoris, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 18. [1830, 625.
 capensis Scomber, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 56.
 capensis Scops, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 314.
 capensis Scotophilus (Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 32.—Vespertilio.
 capensis Scutigera (Templ.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, IV. 1847, 220.—Cermatia.
 capense Seyllium, A. Smith in Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 11.
 capense Sebastes (Gm.), G. Cuvier, R. Anim., ed. 2, II. 1829, 167.—Scorpaena, 1789.

- capensis** Sebastes (Gm.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 341.—Scorpaena, 1789.
- capensis** Silpha, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 107.
- capensis** Silpha, Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
- capensis** Siphonaria, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 331.
- capensis** Sisyphus, Gory, Mon. gen. Sisyphus, 1833, 12.
- capensis** Smithornis (Smith), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 322.—Platyrhynchus.
- capensis** Sorex, E. Geoffroy, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 184.
- capensis** Sorex, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–11 (1815), 78 [*n. n.*].
- capensis** Spalax (Brants), J. B. Fischer, Syn. Mamm. 1829, 302.—Bathyergus.
- capensis** Spatula (A. Smith), G. R. Gray, Gen. Birds, III. Mar. 1845, 618.—Rhynchaspis.
- capensis** Sphalax (Pall.), F. Tiedemann, Zool. 1808, 477.—Mus, 1779.
- capensis** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 31.
- capensis** Spirobranchus, G. Cuvier, R. Anim., ed. 2, II. 1829, 229 [*n. n.*].
- capensis** Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan. 1841, 107.
- capensis** Staphylinus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 193.
- capensis** Stellifer, H. R. Schinz in Cuvier, Thierreich, II. 1822, 460.
- capensis** Stelliferus, J. Stark, Elem. Nat. Hist. I. 1828, 459.
- capensis** Strepsiceros, A. Smith, S. African Quart. Journ. II. no. 3 (1) June 1834, 223.
- capensis** Strix, A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834, 317.
- capensis** Sturnella (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 52.—Sturnus, 1788.
- capensis** Sula (Licht.), C. L. Brehm, Isis, 1830, 995.—Dysporus.
- capensis** Suricata, A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 15.
- capensis** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 127.
- capensis** Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 91.
- capensis** Tachydromus, W. Swainson, Birds of W. Africa, II. 1837, 201.
- capensis** Talpa, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 521.
- capensis** Talpoides, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- capensis** Tantalus, J. R. Forster, Anim. mar. Aust. 1844, 48. [[1802], 170.
- capensis** Tarentola, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. I, 1846.
- capensis** Terebratula (Gm.), C. F. F. Krauss, Südafrik. Moll. 1848, 32.—Anomia, 1790.
- capensis** Terebratula, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 71.
- capensis** Tetrao, J. R. Forster, Anim. mar. Aust. 1844, 400.
- capensis** Tetrapteryx, C. P. Thunberg, K. Vet. Ac. Handl. 1818 (2) 1819, 242.
- capensis** Thanaisimus, M. Spinola, Ess. mon. Clérites, I. 1844, 197.
- capensis** Thaumasia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 132.—Sphinx, 1764.
- capensis** Thelotornis, A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 19, 1849.
- capensis** Thermophilus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 21.—Tropidosaurus.
- capensis** Tiliqua, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 68.
- capensis** Tiphia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 554.
- capensis** Torpedo, I. F. M. v. Olfers, Die Gatt. Torpedo, 1831, 23.
- capensis** Trachys, Gory in Laporte & G. (*ex Dej.*), H. N. Coléopt. IV. 1841, 353.
- capensis** Tribalus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 165.—Hister.
- capensis** Trichostetha (L.), H. Burmeister, Handb. Ent. III. 1842, 403.—Scarabaeus, 1758.
- capensis** Trigla, Cuvier & Valenc., H. N. Poiss. IV. 1829, 55.
- capensis** Trogosita, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 164.
- capensis** Tropidosaura (Smith), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 171.—Algira.
- capensis** Turbo (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.—Trochus, 1790.
- capensis** Turrilella, C. F. F. Krauss, Südafrik. Moll. 1848, 106.
- capensis** Tylos, C. F. F. Krauss, Südafrik. Crust. 1843, 64.
- capensis** Upis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 160.
- capensis** Upupa, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 188.
- capensis** Vespertilio, A. Smith, Zool. Journ. IV (16) May 1829, 435.
- capensis** Xiphiurus, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xxxi, 1847.

- capensis** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 179.
- capensis** Zeus, Cuvier & Valenc., H. N. Poiss. X. 1835, 23.
- capensis** Zonurus (Smith), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 360.—Cordylus.
- capensis** Zosterops, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850, 399 [*n. n.*].
- capensoides** Crocidura (Smith), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 92.—Sorex.
- capensoides** Sorex, A. Smith, S. African Quart. Journ. II. no. 1 (2) Dec. 1833, 62.
- caperatum** Buccinum, R. A. Philippi, Abb. Conch. III (6) 1849, 68. [—Venus.
- caperata** Cytherea (Sow.), J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 240.
- caperatus** Eleotris, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1179.
- caperata** Helix, G. Montagu, Test. Brit. II. 1803, 430.
- caperata** Leptaena, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 53.
- caperatus** Lithophagus, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 25.
- caperatus** Lymeus, T. Say, Dissem. Useful Knowledge, July 1829, 230.
- caperata** Producta (Sow.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 107.—Leptaena. [Syn. Carb. Lst. foss. Ireland, 1844, 169.
- caperatus** Spirorbis, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*];
- caperata** Teba (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix.
- caperatus** Trochus, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Trochus (86) 1849, 107.
- caperatus** Turbo, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* Sept. 1834, 140.
- caperatus** Unio, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 164.
- caperata** Venus, J. De C. Sowerby, Min. Conch. VI. 1826, 31.
- caperata** Vitrina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 181.
- caperatus** Xenophorus, R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849],
- capeto** Cyprinus, C. Amoretti, Viag. Milano, ed. 3, 1806, 158 [*n. n.*]. [100.
- capewellii** Atrypa (Dav.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 40.—Terebratula.
- capewellii** Terebratula, T. Davidson, Bull. Soc. géol. France (sér. 2) V. 1845, 327.
- Caphora** H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 91.—Col.
- Caphyra** F. E. Guérin, Ann. Sci. Nat. XXV (99) Mar. 1832, 285.—Col.
- Caphyra** Guérin-M. in Duperrey, Voy. "Coquille," Zool. II (2) 1 (1838), 26.—Cr.
- Caphyra** J. Barrande, Not. prél. Silur. 1846, 32.—Cr.
- capicola** Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 472.
- capicola** Aptinus, Dejean, Spec. gén. Coléopt. V. 1831, 410.
- capicola** Coccinella, D. H. Schneider, Verz. Insectensamml. 1828, 85 [*n. n.*].
- capicola** Cydnus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 19.
- capicola** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 803.
- capicola** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 309. [1781.
- capicola** Heterochelus (Fab.), H. Burmeister, Handb. Ent. IV (1) 1844, 122.—Melolontha,
- capicola** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 771.
- capicola** Hopleia (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 154.—Melolontha, 1781.
- capicola** Hydaticus, Dejean, Cat. Coléopt., ed. 3, 1836, 61 [*n. n.*]; C. Aubé, Spec. gén. Hydroc. 1838, 196.
- capicola** Lampyrus, C. R. W. Wiedemann, Mag. Entom. (Germa) IV. 1821, 125.
- capicola** Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 179.
- capicola** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 39.
- capicola** Peritrichia (Fab.), H. Burmeister, Handb. Ent. IV (1) 1844, 48.—Melolontha,
- capicola** Phyllomorpha, J. O. Westwood, Arcana Entom. (1) May 1841, 8. [1781.
- capicola** Scarites, Dejean, Spec. gén. Coléopt. V. 1831, 496.
- capicola** Trichius (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 433.—Melolontha, 1781.
- capigliolo** Unio, B. C. Payraudeau, Cat. Moll. Corse, 1826, 66.
- capillacea** Clausilia, E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836,
- capillacea** Helix, Fér.; L. Pfeiffer, Symb. Helic. II. 1842, 24. [22.
- capillacea** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 44.—[*n. n.*]

- capillacea** Mangelia, L. Reeve, Conch. Icon. III. —Mangelia, no. 10, May 1846.
- capillaceus** Trochus (Osilinus), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 102.
- capillamentosa** Pithecia, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 16.
- capillamentus** Falco, J. Wilkes, Ency. Londin. VII (417) 1805, 179.
- capillana** Sphaleroptera, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 167.
- Capillaria** J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 61.—Verm.
- Capillaria** A. H. Haworth, Lepidopt. Brit. (4) 1828, 519.—Lep.
- capillaricornis** Habrocerus (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 401.—Tachyporus.
- capillaricornis** Tachyporus, Knoch in J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 10.
- capillare** Agrion, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 280.
- capillaris** Argyreosus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 125.—Zeus.
- capillare** Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 80.
- capillaris** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 244.—Lygaeus, 1794.
- capillaris** Chaetetes (Phil.), A. Keyserling, Wiss. Beob. Petschora, 1846, 183.—Favosites.
- capillaris** Cyathocrinites, J. Phillips in R. I. Murchison, Silurian System, Jan. 1839, 671.
- capillaris** Favosites, J. Phillips, Geol. Yorksh. II. 1836, 200.
- capillaris** Gorgonia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 323.
- capillaris** Ichthyocrinus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 46.—Cyathocrinites.
- capillaris** Medusa, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 139.
- capillaris** Nemoptera, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 96.
- capillaris** Ostrea, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 40.
- capillaris** Phytocoris (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 139.—Capsus.
- capillaris** Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 119 [n. n.].
- capillaris** Pleurotoma, H. G. Bronn, Zschr. Min. 1827, II (1828), 535.
- capillaris** Pupa, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 82 [n. n.].
- capillaris** Serpula, Defrance, Dict. Sci. Nat. XLVIII. 1827, 566.
- capillaris** Serpula, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 34.
- capillaris** Spiropora, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 47.
- capillaris** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 138.
- capillaris** Trichocephalus, C. A. Rudolphi, Entoz. II (1) 1809, 86.
- capillaris** Trox, T. Say, J. Acad. Nat. Sci. Philad. III. Jan. 1824, 238.
- capillaris** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 29.
- capillaris** Zeus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 383. [271.]
- capillaria** Pleurotomaria, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. post Ap. 1842, 1.
- capillata** Ancylopycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 135.
- capillata** Apaté, Dahl in J. Sturm, Catal. Ins. Samml. 1826, 94. [—Miopithecus.
- capillatus** Cercopithecus (I. Geoffr.), H. R. Schinz, Syst. Verz. Säug. II. 1845, Nachtr. 8.
- capillata** Chloeia (Brug.), Lamarck, An. s. vert. V. 1818, 329.—Amphinome, 1789.
- capillata** Ciconia, C. J. Temminck in T. & Laugier, Pls. color. (51) Oct. 1824.
- capillatus** Clinus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 377.
- capillata** Colletes, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 42 [n. n.].
- capillata** Cranopelargus (Boie), C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 417.—Ciconia.
- capillata** Cyanaea (Gaede), Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 357.—Medusa, L. 1758.
- capillata** Equorea, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 185.
- capillata** Evagora, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 343.
- capillata** Helix, D. Solander, Catal. Portland Mus. 1786, 86 [n. n.]. [Clinus.
- capillatus** Labrisomus (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 277.—
- capillata** Lima, L. Oken, Lehrb. Nat. III (1) 1815, 247.
- capillata** Medusa (Ephyra?), Linn.; F. Faber, Nat. Fische Islands, 1829, 194.
- capillatus** Miopithecus, I. Geoffroy, C. R. Acad. Sci. (Paris) XV. 1842, 720.
- capillata** Mitra, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 171.
- capillata** Orythia (Pér.), Lamarck, An. s. vert. II. 1816, 504.—Evagora.

- capillata** Patella, *id. ac* capillaris, Gm.; J. F. Bolten, Mus. Bolten (2) 1798, 7.
- capillata** Pephredo, H. D. S. Goodsir, Edinburgh New Phil. Journ. XXXI (62) Oct. 1841, 404 [*n. n.*].
- capillata** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 194.
- capillatus** Podocerus, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 89.
- capillata** Rhizostoma (Pér.), J. F. Eschscholtz, Syst. Acalephen, 1829, 54.—Evagora.
- capillatum** Sericostoma (Pict.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 81.—Trichostoma. [1848, 21.—Trichostoma.
- capillata** Spathidopteryx (Pict.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan.
- capillatus** Spondylus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 311.
- capillata** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 323.
- capillatus** Thylacites, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
- capillatum** Trichostoma, F. J. Pictet, Rech. Phrygan. 1834, 173.
- capillicornis** Anthribus, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 249.
- capillifera** Coryna, C. Pickering in J. D. Dana, Wilkes, U. S. Exped., Zooph. c. Mar. 1848, 692.
- capilliformis** Chaetites (*sic*), H. Michelin, Icon. Zoophyt. (9-12) 1844, 112.
- capillosus** Trochus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 565.
- capillulata** Neritina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 220.
- capillus** Unio, T. Say, Transylv. Journ. Med. IV (4) Oct.-Dec. 1831 (1832), 528.—*vide*
- capinera** Sylvia, C. S. Rafinesque-S., Car. n. gen. 1810, 7. [lapillus.
- capiro** Eulophus, F. Walker, Mon. Chalcid. II. 1839, 44. [Gm.]
- Capiratus** F. P. Jarocki, Zoologia, IV. 1822, 334.—P.—[*Typus* Gymnotus notopterus,
- capistratoides** Goldana, H. E. Strickland in W. Jardine, Contrib. Ornith. II. 1849, 128.
- capistratoides** Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 162.
- capistratoides** Turdidostris, C. L. Bonaparte (*ex* Temm. MS), Consp. gen. Avium, I. 1850,
- capistrata** Alcedo, G. Shaw, Gen. Zool. (Aves), VIII (1) 1812, 94. [218 [*n. n.*].
- capistratus** Alcopus (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 260.—Cin-
- capistratus** Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 62. [closoma.
- capistrata** Babia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 431.
- capistratus** Balistapus, G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 306.
- capistrata** Bessethera (Temm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 76.—
- capistrata** Myiothera. [—Picolaptes.
- capistratus** Campylorhynchus (Less.), G. R. Gray, Genera of Birds, I. Mar. 1847, 159.
- capistratus** Canthon (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 109.—Ateuchus.
- capistratus** Capito, T. C. Eyton, W. Jardine, Contrib. Ornith. II. 1849, 131.
- capistratus** Chroicocephalus (Temm.), T. C. Eyton, Catal. Brit. Birds, Jan. 1836, 53.—
- capistratum** Larus.
- capistratum** Cinclosoma, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (5) May 1831, 56. [1837, 212.—Spatangus.
- capistrata** Collyrites (Goldf.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49)
- capistratus** Coluber, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 104.
- capistrata** Columba, C. J. Temminck in T. & Laugier, Pls. color. (28) Nov. 1822.
- capistratus** Copris (Fab.), Palisot de B., Ins. Afr. Amér. (—) 1807, 57.—Ateuchus.
- capistratus** Crateropus (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 179.—Cinclo-
- capistratus** soma. [Labrus.
- capistratus** Crenilabrus (Pall.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 220.—
- capistratus** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 127 [*n. n.*].
- capistrata** Larnis, H. Burmeister, Revue Entom. IV (4) 1836, 172.
- capistratus** Disaster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
- capistratus** 183.—Spatangus. [Tanagra, Wied.
- capistrata** Diucopis (Spix), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 491.—
- capistrata** Emberiza, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 16.
- capistrata** Formicivora (Temm.), F. Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6]
- capistrata** III (2=Sci. Nat. 1) (5) July 1835, 509.—Myiothera. [[*n. n.*].
- capistrata** Fringilla, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 15
- capistrata** Fringilla (Emberiza), M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Dobl. Zool. Mus. Berlin] 1842, 10.

- capistratus** Garrulax (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 951.—Cinclosoma.
capistrata Gavia (Temm.), W. Macgillivray, Man. Brit. Orn., ed. 2, II. 1846, 284.—
 Larus. [Curculio, 1787.]
- capistratus** Hipporhinus (Fabr.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 491.—
capistrata Hyla, A. Reuss, Abh. Senckenb. Mus. I (1) 1833, 58.
capistratus Labrus, P. S. Pallas, Zoographia, III. 1814, 269.
capistratus Larus, C. J. Temminck, Man. Orn., ed. 2, II. Oct. 1820, 785.
capistrata Mabuya (Schr.), L. J. Fitzinger, Neue Classif. Rept. 1826, 52.—Scincus
 [non comp.].
- capistratus** Macronus (Temm.), G. R. Gray, Genera of Birds, I. Dec. 1846, 210.—
 Myiothera.
- capistrata** Maevia, C. L. Koch, Die Arachniden, XIV (2) Dec. 1846, 76.
capistratus Megalaima, T. C. Eyton, W. Jardine, Contrib. Ornith. III. 1850, 29.
capistratus Monocrepidius, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 226.
capistrata Muscicapa, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 24
 [n. n.].
- capistrata** Myiothera, C. J. Temminck in T. & Laugier, Pls. color. (31) Feb. 1823.
capistratus Odontophorus (J. & S.), G. R. Gray, List Birds Coll. B. M. III. 1844, 43.
 —Ortyx. [Nat. Neuchâtel, II. 1839 [1840], 35.—Hyla.
- capistrata** [Orchestes] (Reuss), J. J. Tschudi, Classif. Batrach. 1838, ex Mém. Soc. Sci.
capistrata Ortyx, Jardine & Selby, Ill. Orn., sign. c, pl. 38, 1828.
capistrata Picolaptes, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 174.
capistratus Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 68.
capistrata Pyrrhula, N. A. Vigors, Zool. Journ. V (18) June 1830, 273.
capistratus Scarus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XIV. 1839, 239.
capistratus Sciurus, Bosc, Bull. Sci. Soc. Philom. [Paris] no. 67, 1802, 145.
capistratus Sciurus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815),
 69 [n. n.].
- capistrata** Sibia (Vig.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 88.—Cinclosoma.
capistratus Spatangus, G. A. Goldfuss, Petref. German. I (2) 1829, 151. [Pyrrhula.
capistrata Spermorphila (Vig.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
capistrata Sphaenops, J. Wagler, Nat. Syst. Amph. 1830, 161.
capistrata Sphinx, W. Turton, Linnaeus, Syst. Nat. III. 1802, 189.
capistratus Tachyphonus (Spix), G. R. Gray, Genera of Birds, II. July 1844, 365.—
 Tanagra, ? Wied.
- capistratus** Tamnophilus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 226.
capistrata Tanagra, Max Wied, Reise Brasil. II. 1821, 179.
capistratus Tetrodon, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 90.
capistratus Tamnophilus, Less.; G. R. Gray, Genera of Birds, I. Aug. 1845, 298.—
 v. Tamnoph. [1826, 290.—Psittacus.]
- capistratus** Trichoglossus (Bechst.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1)
capistratus Trichoglossus (Bechst.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XIV
 (1) 1826, 130.—Psittacus.
- capistrata** Triplax, T. Lacordaire, Mon. Erotyl., Sept. 1842, 217.
capistratum Trogon, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. May 1842, 136.
capistrata Turdироstris (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 217.—
 Myiothera.
- capistrata** Xema (Temm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 172.—Larus.
capistrum Corvus, J. Wilkes, Ency. Londin. V (268) 1802, 237.
capitalba Coryphegnathus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 451.
capitalis Corvus, J. Wagler, Syst. Avium, I. 1827, sign. 21. [1790.
capitalis Fringilla (Lath.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 23.—Tanagra,
capitalis Hyphantornis (Lath.), G. R. Gray, Genera of Birds, II. Mar. 1849, 351.—
 Tanagra, 1790.
- capitalis** Muscicapa, J. McClelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 157.
capitalis Ploceus (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 36.
 —Tanagra, 1790.
- capitalis** Tanagra, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 774.

- capitalis** Textor (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 441.—Tanagra,
- capitaneus** Conus, D. Solander, Catal. Portland Mus. 1786, 142. [1790.]
- capitaneus** Scarus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 265.
- capitaneus** Turbo, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 97.
- capitani** Ammonites [T. A. Catullo], App. al Catal. Amm. Alpi Venete, 1847, 5.
- capitaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (1) 1848, 169.
- capitator** Bracon, J. C. Fabricius, Syst. Piezat. 1804, 108.—Ichneumon, 1793.
- capitator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 82.
- capitator** Ichneumon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 842.—Cryptus.
- capitator** Mesostenus (Fab.), A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 214.—Formica.
- capitator** Polycyrtus (Fab.), M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 159.—Cryptus.
- capitata** Acanthia, J. F. Wolff, Icon. Cimicum (4) 1804, 131.
- capitata** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2750. [—Manon.
- capitata** Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.
- capitata** Aspidotoma (Wolff), J. Curtis, Entom. Mag. I (2) Jan. 1833, 197.—?Acanthia.
- capitata** Atta (Latr.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 173.—Formica, 1798.
- capitatus** Attus, N. M. Hentz, Boston Journ. N. H. V (2) 1845, 200.
- capitatus** Bolboceras, J. O. Westwood, Proc. Linn. Soc. London (36) June 1848, 386.
- capitatus** Bucrates (De G.), H. Burmeister, Handb. Ent. II (2) i, 1838, 709.—Locusta,
- capitata** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 214. [1773.]
- capitata** Cantharis, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*].
- capitatus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 288.
- capitata** Ceratitis (Wied.), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 198. —Tephritis.
- capitata** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 19.
- capitata** Chrysopa (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27.—Hemero-
bius, 1793.
- capitata** Cinips, Boyer de F., Ann. Sci. Nat. [2] (Zool.) XIII. Mar. 1840, 188.
- capitatum** Cnemidium, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 97.
- capitatus** Coccimorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 270.
- capitatus** Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 124.
- capitatus** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 103.
- capitatus** Conops, H. Loew, Dipterologische Beiträge, III. 1847, 2.
- capitatus** Coreus, J. C. Fabricius, Syst. Rhyng. 1803, 201.—Lygaeus, 1794.
- capitatus** Corizus (Fab.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 467.—Coreus.
- capitata** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 452.
- capitata** Cupes, A. J. Coquebert, Icon. Ins. (3) 1804, 130. [Spongia.]
- capitata** Cupulospongia (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.—
- capitata** Diastata, C. Robert, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 460.
- capitata** Diglena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830].
47 [*n. n.*]; *ibid.* 1831 (1832), 138. [Cnemidium.]
- capitata** Eudea (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.—
- capitata** Feronia (Pterostichus), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.
1850 (3) 1850, 140.
- capitata** Filistrata, N. M. Hentz, Boston Journ. N. H. IV (2) 1842, 228.
- capitata** Galleruca (Fab.), Dejean, Catal. Coléopt. 1821, 118.—Crioceris.
- capitata** Glycera, A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 123.
- capitata** Gonia (Deg.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1825, 3.—
Musca, 1776.
- capitata** Grammoptera (Newm.), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1)
1847, 65.—Leptura.
- capitata** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 120.
- capitatus** Hippalimus (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 209.
—Scyphia.
- capitata** Hispa, Bosc in F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 302.

- capitatus** Kleidocerys (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64.—Coreus.
capitata Larentia, Herrich-S. in Panzer, Ins. Germ., heft 165, 1839, tab. 3.
capitata Leiodina, C. F. A. Morren, Bijdr. Nat. Wetensch. V (1) 1830, 211; Ann. Sci. Nat. XXI (82) Oct. 1830, 124.
capitata Leptura, E. Newman, Entomologist (5) Mar. 1841, 71.
capitatus Leucothyreus, [E. Blanchard] Cat. Coll. Ent. Mus. II. N. Paris, Coléopt. I (2) 1850 (*ineunte* 1851), 239. [—Madrepora, 1795.
capitatum Lithodendron (Esp.), A. F. Schweigger, Beob. naturh. Reisen, 1819, tab. vi.
capitata Lobularia, P. Duchassaing, Anim. rad. Antilles [1850], 21. [275.
capitatus Lucanus (Dorcus), J. O. Westwood, Tr. Entom. Soc. Lond. IV (5) June 1847,
capitata Lumbriconais (Fab.), Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 151.—Lumbricus, 1780.
capitata Lytta, Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].
capitata Lytta, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 275.
capitata Manica, L. Jurine, N. Méth. class. Hyménopt. 1807, 279.
capitatum Manon, G. A. Goldfuss, Petref. German. I (1) 1826, 2.
capitata Manopora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 504.
capitata Millepora, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 13.
capitatus Monoplex, G. Perry, Conchology, Ap. 1811, pl. 3.
capitatus Montivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 34.
capitata Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 290.
capitata Nodosaria, E. Boll, Geogn. Ostseeländer, 1846, 177.
capitatus Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*].
capitatus Ontophagus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 86. [1790.
capitata Oxypleura (Ol.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 23.—Cicada,
capitatum Paramacium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 43.
capitata Parodia (Orb.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 472.—Tachy-
capitatus Penicillus, Lamarck, An. s. vert. II. 1816, 341. [phonus.
capitata Perla, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 214.
capitata Petalophora (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 454.—Trypeta. [Acanthia.
capitatum Piesma (Wolff), A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 165.—
capitatus Pododus, J. L. R. Agassiz, Poiss. Foss. II (2), 159 & 163 (1844).—[*n. n.*]
capitatus Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 188.
capitatus Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 466.
capitatus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 21.
capitata Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 267.
capitata Pupa, A. A. Gould, Proc. Boston Soc. N. H. I (2-3) [1844-5], 158.
capitata Reaumuria (Deg.), J. E. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 80.—Musca, 1776.
capitatus Rhopalus (Fab.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829,
capitata Scolia, J. C. Fabricius, Syst. Piezat. 1804, 239. [51.—Coreus.
capitata Scolia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 248.
capitatus Scymnus (Fab.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 248.—Coccinella, 1798.
capitata Scyphia, G. v. Muenster, N. Jahrb. f. Min. 1834, 7.
capitata Serpula, J. Phillips, Geol. Yorksh. I. 1829, 164 [*n. et f.*].
capitata Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 228.
capitatus Sipunculus, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 143.
capitata Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [*n. et f.*].
capitata Spongia, C. G. Ehrenberg, Monatb. k. pr. Ak. Wiss. Berlin, 1841, 144.
capitata Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1194.—Spongia.
capitata Strangalia (Newm.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 331.—Leptura.
capitata Stromatopora, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 19.
capitata Stromatopora (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 109.
—Tragos.

- capitata** Tachina (Deg.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 263.—Musca, 1776. [de Zool. VII. 1837, 29.]
- capitatus** Tachyphonus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
- capitata** Tanagra (O. & L.), G. R. Gray, Genera of Birds, II. July 1844, 364.—Tachy-
- capitata** Tephritis, C. R. W. Wiedemann, Anal. Entom. 1824, 55. [phonus.]
- capitata** Tephritis, C. F. Fallen, Suppl. Dipter. Sveciae (2) 1826, 14.
- capitata** Thalanema, C. S. Rafinesque, Atlantic Journ. (1) 1832, 21.
- capitatum** Tragos, G. A. Goldfuss, Petref. German. I (1) 1826, 13.
- capitatus** Troglops, W. F. Erichson, Entomographien, 1840, 127.
- capitata** Trypeta, Wiedemann, Anal. Entom. 1824, 55.
- capitata** Voluta, G. Perry, Conchology, Ap. 1811, pl. 17.
- capitata** Vortex, A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 559.
- capitatus** Zosmerus (Wolf), H. Burmeister, Handb. Ent. II (1) 1835, 262.—Acanthia.
- capitaurea** Bustamantia, C. L. Bonaparte, N. Ann. Sci. Nat. [2] I. 1844 [July], 397.
- Capitella** De Blainville, Dict. Sci. Nat. LVII. 1828, 443.—Verm.
- [**capitella**]
- capitella** Adela (L.), F. Treitschke, Schmett. Europa, VIII. 1830, 301.—Phalaena, 1761.
- capitellum** Cymatium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 119.—Murex, 1758. [(Noct.) 1842], 251.—Tinea, 1761.
- capitella** Incurvaria (L.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
- capitella** Lampronia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Phalaena, 1761.
- capitella** Lampros (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 61.—Tinea, 1761.
- capitellum** Scolymus (Lam.), W. Swainson, Treat. Malacol., May 1840, 304.—Turbinella.
- capitellum** Turbinella, Lamarck, Ency. Méth. (Vers), 1816, pl. 431 bis*, Liste p. 7 [n. et f.].
- capitellum** Turbinellus (L.), G. Fischer, Mus. Démid. III. 1807, 206.—Murex, 1758.
- capitellatum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 99.
- capitellatum** Monostoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 83.
- capitellatus** Palmon, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 392.
- capitellatus** Strongylus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 35.
- capitellata** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 139.
- capitigena** Cecidomyia, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 50.
- capitis** Pediculus, Lamarck, An. s. vert. V. 1818, 40. [Villers.]
- capitis** Pediculus, H. Burmeister, Handb. Ent. II (1) 1835, 59.—v. P. humanus capitis,
- capitis bonae-spei** Bucco, F. M. Daudin, Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 209.
- capitium** Helix, W. H. Benson, Ann. Mag. N. H. (2) II. Sept. 1848, 160.
- Capito** L. P. Vieillot, Analyse, 1816, 27.—A.
- Capito** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- capito** Alburnus, J. J. Heckel in Russegger, Reise, I (2) 1843, pp. 1036 & 1086.
- capito** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9) 1849, 160 [“Mon. Anth.” poster. edit.]. [Licht. 1796.]
- capito** Aristus (Ill.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 21.—Carabus,
- capito** Attus, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 27.
- capito** Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 430. [Cyprinus, 1778.]
- capito** Barbus (Gueid.), A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 475.—
- capito** Blennius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 260.
- capito** Bracon, C. G. Nees v. E., Hymenopt. Ich. aff. I. 1834, 64.
- capito** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 49 [n. n.].
- capito** Cerceris, Lepeletier de S. F. (Roret's Suite à Buffon), Hymenopt. III. 1845, 15.
- capito** Ditomus, Illiger in Dejean, Catal. Coléopt. 1821, 5 [n. n.]; Spec. gén. Coléopt. I. 1825, 444.
- capito** Feronia (Platysma), A. White, Zool. “Ereb. Terr.” (Ins. 1846), 4.
- capito** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 21. [135.—Leptosoma.]
- capito** Idotea (Rathke), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,
- capito** Leptosoma, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4)
- capito** Mugil, G. Cuvier, R. Anim., ed. 2, II. 1829, 232. [Sept. 1837, 384.]

- capito** Murex, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 60.
- capito** Mus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 108 [*n. n.*].
- capito** Pimelia, C. Steven, Bull. Soc. Imp. Nat. Moscou, V. 1832, 131.
- capito** Platysthetus, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 208.
- capito** Pronoe, F. E. Guérin, Magasin de Zool. VI. 1836, pl. 17.
- capito** Rhizophagus, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Jan. 1850, 54.
- capito** Staphylinus, Dejean, Catal. Coléopt. 1821, 21 [*n. n.*].
- capito** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 704.
- capito** Tripterygion, L. Jenyns, Zool. "Beagle" (Fish) 1841, 94.
- Capitodus** G. v. Muenster, Beitr. zur Petref. (5) 1842, 67.—P.
- Capitonius** A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 544.
- Capitosaurus** G. v. Muenster, N. Jahrb. f. Min. 1836, 580.—R. [—Hym.
- capitosus** Crabro, W. E. Shuckard, Foss. Hymenopt. 1837, 159.
- capitularis** Megachile, P. S. Schilling, Uebers. Arb. schles. Ges. 1848 (1849), 102.
- capitulatus** Gonocerus, Dalm. in Herrich-S., Wanzenart. Ins. VI (1) Sept. 1840, 8.
- Capitulum** J. E. Gray (*ex* Klein), Ann. Phil. XXVI. Aug. 1825, 101.—Cirr.
- capitulum** Campanella, Quoy & Gaimard in H. D. de Blainville, Man. Actin. 1834, 286.
- Capnea** E. Forbes, Ann. Mag. N. H. VII. Ap. 1841, 83.—Coel.
- Capnia** F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1841, 116.—Neur.
- Capnisa** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 197; Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June 1844, 100.—Col.
- Capnodis** F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Col.
- capnopterus** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 376.
- capnoptera** Leptis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 580.
- capnopterus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 189.
- Capoeta** Cuvier & Valenc., H. N. Poiss. XVI. 1842, 278.—P.
- capoeta** Barbus (Güld.), H. Cloquet, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 8.—Cyprinus, 1773. [rinus, 1773.
- capoeta** Scaphiodon (Güld.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1020.—Cyp-
- caponis** Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 110.—Pediculus,
- cappa** Antitype, J. Huebner, Verz. bekannt. Schmett. [1822], 212. [1758.
- cappa** Labrus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 425.—Sciaena,
- cappa** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 172. [1758.
- cappa** Polia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Noctua.
- capparidana** Grapholitha, P. C. Zeller, Isis (Oken), 1847, 734.
- capparinus** Thomisus, C. L. Koch, Die Arachniden, XII (3) 1845, 58.
- capparo** Lagothrix, R. P. Lesson, Spec. des Mamm., Nov. 1840, 125.
- capra** Aegoceros, J. A. Wagner in Schreber, Säugth. V (1), 1318 (1835) pls. cclxxxiii—
- capra** Apomecyna, J. Sturm, Catal. Ins. Samml. 1826, 97 [*n. n.*]. [cclxxxvii E.
- capra** Callidium (Clytus), E. F. Germar, Ins. Spec. novae, I. 1824, 518.
- capra** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 20.—Membracis, 1798.
- capra** Clytus (Germ.), J. Sturm, Catal. Ins. Samml. 1826, 121.—Callidium.
- capra** Combophora, H. Burmeister, Revue Entom. I (5) c. Nov. 1833, 231.
- capra** Cyphonia (Burm.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 502. —Combophora.
- capra** Lamia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 72 [*n. n.*].
- capra** Lamproptera, E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 178. [1787.
- capra** Onthophagus (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 114.—Scarab.
- capra** Oplocephala, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 345.
- capra** Phaleria, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 304.
- capra** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 473.
- capra** Saperda, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
- caprae** Echinorhynchus (Abildg.), Rudolphi, Entoz. II (1) 1809, 447.—Taenia, 1789.
- caprae** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 200.
- caprae** Trichodectes, E. F. Gurlt, Mag. ges. Thierheilk. IX (1) 1843, 3.
- capraea** *v.* caprea.
- capraeae** *v.* capreae. [1790.
- caprata** Oenanthe (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 433.—Sylvia,

- caprata** Pratincola (L.), E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 129.—Motacilla, 1766.
- caprata** Saxicola, T. Horsfield, Zool. Researches Java (? 8) 1824, Gen. Catal.
- caprata** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 490.
- Caprea** W. Ogilby, Proc. Zool. Soc. Lond. 1836 (48) June 1837, 135.—M.
- caprea** Callidium, Knoch in Melsheimer, Cat. Ins. Pennsylv. 1806, 37 [*n. n.*].
- capraea** Capreolus, J. E. Gray, List Mamm. Coll. B. M. 1843, 176. [Callidium.]
- caprea** Clytus (Knoch), T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 424.—
- capsaea** (*sic*) Taenia, C. A. Rudolphi, Arch. zool. zoot. II (1) 1801, 24 [= capraea].
- capreae** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 193.
- capreae** Buprestis (Agrilus), Chevrolat, Rev. Zool. (Soc. Cuv.) Ap. 1838, 56.
- capreae** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 132. [? L. 1761.]
- capraeae** Callimome (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Cynips,
- capreae** Nematus (Fab.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 163; N. Méth. class. Hyménopt. 1807, 60.—Tenthredo.
- capreae** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 90.—Apis.
- capreae** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 293.
- capreae** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 452.—Curculio, 1781.
- capreae** Seladerma (L.), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 112.—Cynips, 1761. [11] [*n. et f.*].
- caprealis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 23 (Fernaldo judice 1800—
- capreana** Apotomis, J. Huebner, Verz. bekannt. Schmett. 1826, 380.—Tortrix.
- capreana** Penthina (Huebner), Treitschke, Schmett. Europ. VIII. 1830, 27.—Tortrix.
- capreana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 40 (Fernaldo judice 1811—18)
- caprearum** Chiton, A. Scacchi, Cat. Conch. Neap. 1836, 9. [[*n. et f.*].
- caprearum** Fissurella, A. Costa, Exercit. Accad. Aspir. Nat. II (1) 1840, 71 [*n. n.*].
- caprearum** Pupa, R. A. Philippi in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II
- Caprella** Lamarck, Syst. Anim. 1801, 165.—Cr. [(5) June 1842, 11.]
- Caprella** G. Samouelle, Entom. Compend., June 1819, 105.—? Orth.
- Caprella** L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 341.—G.
- caprella** Auricula, Lamarck, An. s. vert. VI (2) 1822, 180.
- caprella** Depressaria, H. T. Stainton, Tr. Entom. Soc. Lond. V (6) May 1849, 157.
- caprella** Pupa (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 412.—Auricula.
- Capreola** *err. pro* Caprella, Lam.; Brébisson, Mém. Soc. Linn. Calvados, 1825, 252 [*teste* M. J. Rathbun]. [metra, 1775.]
- capreolaria** Colotois (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 288.—Geo-
- capreolaria** Fidonia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.— [Geometra, ? D. & S. 1775.]
- capreolaria** Hibernia (Esp.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 153.—
- capreolaria** Numeria (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1830, 476.—Geometra, 1775. [240.]
- capreolaria** Phalaena (Geometra), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802,
- capreolatus** Aglossa (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Pyralis.
- capreolatus** Crambus (Huebner), A. H. Haworth, Lepidopt. Brit. (2) 1809, 372.—Pyralis.
- capreolatus** Hylobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 342.
- capreolatus** Pyralis, Huebner, Samml. europ. Schmett. (Pyr.), pl. xiii f. 153 (1800—1811).
- capreolella** Depressaria, P. C. Zeller, Isis (Oken), 1839, 196.
- capreoli** Strongylus, C. A. Rudolphi, Entoz. II (1) 1809, 244.
- Capreolus** J. E. Gray, London Med. Repos. XV (88) Ap. 1821, 307.—M.
- Capreolus** C. H. Smith in Griffith's Cuvier, Anim. Kingd. V. 1827, Syn. p. 313.—M.
- Capreolus** W. Ogilby, Proc. Zool. Soc. London, IV (48) June 1837, 136.—M. [gen. caelebs].
- capreolus** Antilope, M. H. C. Lichtenstein, Darst. Säugth. (2) 1827, pl. viii.
- capreolus** Attus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 53.
- capreola** Baris, E. F. Germar, Ins. Spec. novae, I. 1824, 203.
- capreolus** Bolboceras, J. O. Westwood, Proc. Linn. Soc. London (35) May 1848, 366.
- capreolus** Buccinum, D. Solander, Catal. Portland Mus. 1786, 87 [*n. n.*].
- capreolus** Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 740. [Baris.]
- capreolus** Centrinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 741.—
- capreolus** Centrotus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 33.

- capreolus** Cervicapra, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 446.
capreolus Dasyprocta, Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 229.
capreolus Eleotragus, J. E. Gray, Ann. Mag. N. H. XVIII. Oct. 1846, 232.
capreolus Geobius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 340. [1821
capreolus Lampyris, E. F. Germar, Revue Entom. III (5) 1835, 261.—Centrotus,
capreolus Microterus, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 152
capreolus Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 8. [[*n. n.*].
capreolus Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 139.
capreolus Oscinis, A. H. Haliday, Ann. Nat. Hist. II (9) Nov. 1838, 187.
capreolus Philopterus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
 III. 1844, 353.
capreolus Redunca, A. Smith, S. African Quart. Journ. II. no. 3 (1) June 1834, 211.
capreola Saperda, E. F. Germar, Ins. Spec. novae, I. 1824, 492.
capreolus Saperda, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [*n. n.*].
capreolus Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 162.
capreolus Textularia (Orb.), L. Reeve, Conch. Syst. II. 1842, 292.—Vulvulina.
capreolus Vulvulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 264.
Capricalea C. T. Wood, Orn. Guide, 1835, 199.—A.
Capricornis W. Ogilby, Proc. Zool. Soc. London, IV (48) June 1837, 139.—M.
capricornis Antelope, J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848, 368.
capricornis Chlamys, E. F. Germar, Ins. Spec. novae, I. 1824, 552.
capricornis Noterus (Herbst), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus, 1784.
capricornis Piestus, F. L. de Laporte, Etudes Entom. (2) 1835, 129.
capricornu Hamites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 92.
Capricornus J. Gistl, Nat. Thierry. 1848, p. ix.—Col.
capricornus Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 71. [78 [*n. n.*].
capricornus Capra, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815),
capricornus Clytus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 182.
capricornus Pinna, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 240.
capri-cranium Crassatella, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., VI (3)
caprifolii Psen, F. v. P. Schrank, F. Boica, II (2) 1802, 257. [1839, 375.
caprimulgi Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 55 [*n. n.*].
caprimulgi Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 15 [*n. n.*].
caprimulgi europaei Nematoideum, Creplin, N. Acta Ac. Caes. Leop. Car. XIV (2)
 1829, 36 [teste Stiles & H.].
caprimulgus Hirundo, P. S. Pallas, Zoographia, I. 1811, 542.
caprimulgus Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 285.
caprimulgus Piazurus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 679.—
 Rhynchaenus, ? Fab.
caprimulgus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 480.
Caprina C. d'Orbigny, Mém. Mus. H. N. (Paris) VIII [1–3] May 1822, 105.—L.
Caprina Mathéron, Catal. méth. foss. B. du Rhône, 1843, 113.—G. [=Caprotina, teste
Caprina Wagner in Schreber, Säugth. Suppl. IV. 1844, pp. xi, 457.—M. [Scudder].
Caprinella A. d'Orbigny, C. R. Acad. Sc. (Paris) XXV. Aug. 1847, 269.—L.
Caprinula A. d'Orbigny, C. R. Acad. Sc. (Paris) XXV. Aug. 1847, 269.—L.
Caprinus Denys de Montfort, Conch. II. 1810, 142.—G.
caprinus Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 74.
caprinus Balistes, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 94.
caprinus Cysticercus (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 420.—Taenia,
 1790.
caprinum Dentalium, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 191.
caprina Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 372.—Taenia,
caprina Hydatis, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 322. [1790.
caprinus Pelekocheilus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 55.—
 Helix auriscaprina.
caprina Rhytiphora, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 362.
Caprios J. Wagler, Nat. Syst. Amph. 1830, 14.—M.
Capriscus C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 130.—M.

- Caprius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caprios, Wagl.
- caprodes** Etheostoma, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 419.
- caprodes** Pileoma (Raf.), J. L. R. Agassiz, Lake Superior, 1850, 299.—Etheostoma.
- caprodes** Sciaena, C. S. Rafinesque, Amer. Monthly Mag. III (5) Sept. 1818, 354.
- Caprodon** Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 64.—P.
- Caprolagus** E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* July), 247.—M.
- Capromys** A. G. Desmarest, Bull. Sci. Soc. Philom. Paris, 1822 (Dec.), 187.—M. [*non comp.* 1804, *apud* Agass.].
- Caprophonus** Müller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 670.—P.
- Caprorhis** J. J. Kaup in Jardine, Contr. Orn. 1849, 112.—A.
- Capros** B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 590.—P.
- capros** Antigonina, R. T. Lowe, Proc. Zool. Soc. London, XI (125) Dec. 1843, 86.
- Caprotina** A. d'Orbigny, Bull. Soc. géol. France, XIII. 1842, 151; Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 180.—L.
- caprotinus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 240.
- Caprovis** B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 702.—M.
- caprulensis** Labrus, G. D. Nardo, Giorn. di Fisica, etc. (2) VII. 1824, 251.
- Caprus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Capros, Lacep.
- capsa** Ostrea, G. Fischer, Mus. Démid. III. 1807, 271.
- capsaeformis** Nucula, H. Michelin, Mém. Soc. géol. France, III (1) 1838, 102.
- capsaeformis** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 31.
- Capsala** Bosc, N. Bull. Sci. Soc. Philom. Paris, II (51) Dec. 1811, 384.—Verm.
- Capsaria** *emend. pro* Capsa, Lam.; C. S. Rafinesque, Analyse, 1815, 147.—L. [*n. n.*].
- Capsella** Guilding, 1825 [*err.* Scudder, Nom. Zool. (Suppl.), *pro* Caprella, *q. v.*].
- capsellae** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 58.
- capsicum** Ascidia, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 77.
- capsicum** Loxia, Valenciennes in R. P. Lesson, Traité Ornith. (6) Feb. 1831, 448.
- capsiformis** Nabis, E. F. Germar, Revue Entom. V (3) 1840, 132. [1789.
- capsincola** Dianthoeia (Hueb.), Boissduval, Revue Entom. II (6) 1834, 248.—Noctua,
- capsincola** Hadenia (D. & S.), F. Ochsenheimer, Schmiett. Europa, IV. 1816, 71.—
Noctua, 1775. [[*n. n.*].
- Capsocerus** *emend. pro* Capsus, Fab.; C. S. Rafinesque, Analyse, 1815, 119.—Hem.
- Capsoides** H. M. de Blainville, Man. Malac. 1825, 567.—*teste* Agass., *vernac.*, et *non*
- Capsoides** L. Agassiz, Nom. Zool. (Moll.) 1845, 15.—L. [*usu gen.*]
- capsoides** Tellina, Lamarck, An. s. vert. V. 1818, 531.
- Capsula** C. F. Schumacher, Essai Vers test. 1817, 43 & 130.—L.
- Capsula** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Capsala, Bosc.
- capsularis** Etschielina, Bory de St V., Ency. Méth. (Zooph.) 1827, 536.
- capsularia** Ascaris, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 27.
- capsularia** Filaria, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 3.
- capsularia** Gordius, L. Oken, Lehrs. Nat. III (1) 1815, 189.
- Capsus** J. C. Fabricius, Syst. Rhyng. 1803, 241.—Hem.
- captans** Lycosa, C. A. Walckenaer, Tab. Aran. 1805, 14 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 306.
- captiosus** Olios, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 565.
- captiuncula** Apamea, F. Ochsenheimer, Schmiett. Europa, IV. 1816, 76 [*n. n.*].
- captiuncula** Apamea, F. Treitschke, Schmiett. Europa, V (2) 1825, 96.
- captiuncula** Noctua (Treitschke), Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1) 1828, 282.—Apamea.
- captivus** Cancer, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 5.
- captivus** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 199.
- captiva** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 88.
- captorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 255
[raptorius, Fab. *non* L. *est*].
- Capua** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 171.—Lep.
- capucinella** Oxybelia, J. Huebner, Verz. bekannt. Schmiett. 1826, 407.—Tinea, 1796.
- capucinellus** Vespertilio, K. L. Koch in Fürnrohr, Fauna Ratisbon. III. 1840, 4.
- capucina** Anthomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 1753.

- capucinus** Apiomerus, Herrich-S., Wanzenart. Ins. VIII (4) June 1846, 76.
capucina Aricia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3283.
capucinus Bombylius, W. Turton, Linnaeus, Syst. Nat. III. 1802, 685. [1802] [*n. et f.*].
capucina Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 5 [Fernaldo judice
capucina Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 107.
capucina Callitrix (L.), P. A. Latreille, H. N. Singes, II. An IX (1801); Sonnini's
 Buffon, XXXVI (1804), 281.—Simia, 1758.
capucinus Calymnaderus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 472.
capucinus Carabus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 82.
capucinus Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3499.
capucinum Comptosoma, A. White, Ann. Mag. N. H. XVIII. July 1846, 48.
capucinus Corysomerus (Beck), C. J. Schoenherr, Isis (Oken), 1825, 583.—Rhynchaenus.
capucinus Cyphodeirus, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 64.
capucinus Eucnemis, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 40. [237.
capucinus Gymnocephalus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIII (75) Mar. 1809,
capucinus Lepidocyrtus (Nic.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 410.—Cyphodeirus.
capucinus Leptocerus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 73.
capucinus Lycodon, Boie in Férussac, Bull. Sci. IX. 1826, 238 [*n. n.*].
capucinus Lycodon, L. J. Fitzinger, Neue Classif. Rept. 1826, 57 [*n. n.*].
capucinus Miccotrogus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
capucinus Murex, Lamarck, An. s. vert. VII. 1822, 164. [312.
capucinus Murex, L. Reeve (*ex* Chemn.), Conch. Icon. III.—Murex, no. 10, Ap. 1845.
capucinus Onthophagus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 177.—Scarab. 1781.
capucinus Orthogonius, C. H. Boheman, Ins. Caffr. I (1) 1848, 65. [366.
capucina Peronea, G. Capucina [=W. Johnson], Ann. Mag. Nat. Hist. X. Dec. 1842,
capucinus Phyllanthus, R. P. Lesson, Echo Monde Savant, XI. 23 June 1844, 1165.
capucinus Phyllonotus, W. Swainson, Treat. Malacol., May 1840, 296. [Rhynchaenus.
capucinum Poecilma (Beck), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 299.—
capucinus Quedius (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 531.—Staphy-
 linus.
capucina Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 157.—Cetonia, 1787.
capucinus Rynchaenus, [L. v. Beck], Beitr. baier. Insektenf. 1817, 21.
capucinus Sagouin, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
capucinus Scarabaeus, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*]. [[1802], 147.
capucinus Smynthurus, A. Herrich-Schaeffer in Fűrnröhr, Fauna Ratisbon. III. 1840, 352.
capucinus Staphylinus, Knoch in J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 40.
capucina Tingis, E. F. Germar, Fauna Ins. Europ. (18) 1835, 24.
capucinus Trichius, F. V. Melsheimer, Ins. Pennsylv. 1806, 5 [*n. n.*].
capucinus Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 433.
capueira Bulimulus (Spix), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 64.—Steno-
capueira Perdix, J. B. v. Spix, Avium Brasil. II. 1825, 59. [stoma.
capueira Stenostoma, J. B. v. Spix, Testac. Brasil. 1827, 14 [*n. n.*]. [621.
capulatus Drassus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
capuliformis Emarginula, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 116.
capuliformis Trochus, H. D. de Blainville, Faune Française (28) Malac. 1830, 282.
capulina Helcion (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 197.—
 Patella.
capulina Patella, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 92.
Capulis W. Swainson, Treat. Malacol., May 1840, 243.—G.
capuloidea Velutina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 261.
Capulus Denys de Montfort, Conch. II. 1810, 54.—G.
Capulus H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 296.—G.
capulus Amorphospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 188.
capulus Belemnites, F. Biguet, Cons. Bélemnites, 1819, 41.
capulus Brenthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 536.
capulus Caryophyllia, A. Risso, H. N. Europe, V. 1826, 354.
capulus Turbinolia, A. Risso, H. N. Europe, V. 1826, 356.

- caput anguis Cypraea, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 24.
- caput medusae Cynips, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 401.
- caput medusae Encrinus, Lamarck, Syst. Anim. 1801, 379.
- caput-medusae Euryale, L. Oken, Lehrb. Nat. III (1) 1815, 356.
- caput medusae Hibernula (Lam.), J. Fleming, Hist. Brit. Anim. 1828, 494.—Pentacrinus.
- caput medusae Ophiura (L.), Lamarck, Syst. Anim. 1801, 351.—Asterias, 1758.
- caput-medusae Ophiurus (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 161.—Asterias, 1758.
- caput medusae Pentacrinus (Lam.), J. S. Miller, N. H. Crinoidea, 1821, 46.—Encrinus.
- caput mortuum Dromia (L.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 230.—Cancer, 1767.
- caput ranae Aphophora, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
- caput serpentis Serpula, Defrance, Dict. Sci. Nat. XLVIII. 1827, 567.
- caput serpentis Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 90.
- caput serpentis Terebratulina (L.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 58.—Anomia, 1758.
- Capya [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A.—[*n. n.* = Alcedo, Cuv.]
- capybara Hydrochaerus (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 25.—Cavia, 1766.
- capya Trichromia, J. Huebner, Verz. bekannt. Schmett. [1822], 164.
- capys Priamides, J. Huebner, Verz. bekannt. Schmett. [1820], 87.
- capys Princeps, J. Huebner, Exot. Schmett., Tab. Princeps [*n. et f.*].
- cara *v. carus*.
- carabi Protocantharus, J. Gistel, Nat. Thierr. 1848, 188.
- carabi blapoides Filaria, C. A. Rudolphi, Entoz. Syn. 1819, 11.
- Carabicina Germar, G. v. Muenster, Beitr. zur Petref. (5) 1842, 83.
- carabinata Helix (Helicodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 38.—[*n. et f.*].
- carabinata Polygyra (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 23.—Helix.
- Carabodes Koch in Panzer, Fauna Ins. Germ., heft 136, 1835, 15.—Cr.
- caraboides Acanthopus (Pet.), H. C. Kuester, Käfer Europas, XIV. 1848, 91.—Tenebrio, L. 1758.
- caraboides Accanthopus (L.), Dejean, Catal. Coléopt. 1821, 71.—Tenebrio, 1758.
- caraboides Adelium, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 466.
- caraboides Anthophagus (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 120.—Staphylinus, L. 1758. [280.
- caraboides Centrioptera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- caraboides Crioceris (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 221.—Chrysomela, 1761.
- caraboides Dailognatha (Dej.), F. Eschscholtz, Zool. Atlas, IV. 1831, 9.—Hegeter.
- caraboides Elaphropus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 74.
- caraboides Hegeter, Dejean, Catal. Coléopt. 1821, 64 [*n. n.*]. [Staphylinus, L. 1758.
- caraboides Lesteva (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 367.—
- caraboides Melandrya (L.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 341.—Chrysomela, 1761.
- caraboides Nyctelia, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 279 [*n. n.*].
- caraboides Platycerus (L.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 150.—
- caraboides Statyra, F. E. Guérin-M., Iconographie, 1844, Ins. 128. [Scarabaeus, 1758.
- caraborum Acarus, F. v. P. Schrank, F. Boica, III (1) 1803, 197.
- caraborum Gamarus, J. C. Fabricius, Syst. Antliat. 1805, 363.—Acarus, 1794.
- Caracal J. E. Gray, List Mamm. Coll. B. M. 1843, 46.—M. [1829, 210.
- caracal Felis, Schreb. *varr.* algericus, nubicus, bengalensis; J. B. Fischer, Syn. Mamm.
- caracal Lynx (L.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 425.—Felis, Gueld. 1766.
- Caracala J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 16.—M. [*n. n.*].
- Caracanthus Krøyer, Nat. Tidskr. [2] I (3) 1844, 264.—P.
- Caracara B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 159.—A. [*vernac.* Cuv. 1817].
- caracara Crax, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- caracara Falco, J. Wilkes, Ency. Londin. VII. 1805, 194. [301.
- caracaras Coluber (Natrix), Gm., B. Merrem, Tent. Syst. Amph. 1820, 116.

- caraccasensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 580, Sept. 1849.
- caracco** Orthalida, J. Wagler, Isis (Oken), 1832, 1227.
- carachtheis** Ammonites, L. Zejszner, Nowe skam. Tatrow. 1846, pl. iv, f. 1.—[*n. et f.*]
- caraciae** Dorthesia, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 66.
- Caracolla** Ehrenberg, Symb. Phys., Moll. 1831 (pls. 1828) sign. *d.*—G.
- Caracolla** *emend.* Caraculus, Montf.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 31.
- Caracolla** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Carocolla, Schum.
- caracolla** Gyroidina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 97.
- caracolla** Helicina, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 444.
- caracolla** Rotalia (Roem.), H. G. Bronn, Index Pal. 1848, 1101.—Gyroidina.
- Caracollina** C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. *d.*—G.
- Caraculus** Denys de Montfort, Conch. II. 1810, 138.—G. [Trinucleus.
- caractaci** Ampyx (Cryptolithus) (Murch.), H. F. Emmrich, De Trilobitis, 1839, 51.—
- caractaci** Tretaspis (Murch.), F. McCoy, Ann. Mag. N. H. (2) IV. Dec. 1849, 411.—
- caractaci** Trinucleus, R. I. Murchison, Silurian System, Jan. 1839, 659. [Trinucleus.
- caractacus** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 149.
- Caradrina** F. Ochseneimer, Schmett. Europa, IV. 1816, 80.—Lep.
- Caradrina** J. Huebner, Verz. bekannt. Schmett. [1822], 230.—Lep.
- carae** Helix, F. Cantraine, N. Mém. Ac. Roy. Brux. XIII. 1841, 108.
- carae**→ *v.* **carib**→.
- caragan** Canis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 64 [*n. n.*].
- caraganae** Chrysomela, F. Gebler, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 121.
- caraganae** Spartophila, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 34.
- caragana** Chrysomela, Gebler; J. Sturm, Catal. Ins. Samml. 1826, 116.
- caragana** Mactra, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 160.
- caraganus** Trigonoecephalus, E. Eichwald, Zool. Spec. III. 1831, 170.
- carabaeorum** *v.* **caribaeorum**.
- caramote** Alpheus, A. Risso, H. N. Crust. 1816, 90.
- caramote** Peneus (Risso), Latreille, N. Dict. H. N., ed. 2, XXV. 1817, 154.—Alpheus.
- caramotes** Astacus (Peneaus), F. S. Voigt in Cuvier, Thierrreich, IV. 1836, 176.
- Caramus** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*]=Corallus, Daud.
- caranea** Bendis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 269.—Phalaena, 1780.
- carangoides** Rhonchus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- Carangomorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caranxomorus, Lacep.
- Carangopsis** J. L. R. Agassiz, Poiss. Foss. IV. 34 (1835); V (1) 39 (1844).—P.
- carangua** Caranx, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 59.
- Carangus** Cuvier & Valenc. 1833 [*teste* Agassiz, *sed vernac. est*].
- carangus** Caranx (Schn.), H. Cloquet, Dict. Sci. Nat. VII. 1817, 28.—Scomber, Bl. 1793.
- Caranistes** C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 270.—Col.
- Caranistes** W. F. Erichson, Gen. Spec. Staph. (2) 1840, 924.—Col.
- carantina** Cristellaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
- carantonensis** Amorphospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 188.
- carantonensis** Astrocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- carantonensis** Caprotina, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 259.
- carantonensis** Dactylosmilia, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.
- carantonensis** Ellipsosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 202.
- carantonensis** Isocardia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 48.
- carantonensis** Janira, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 170.
- carantonensis** Lithodomus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 293.
- carantoniensis** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 25.
- carantonensis** Ostrea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 713.
- carantonensis** Requienia, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 259.
- carantonensis** Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 665.
- carantonensis** Stephanocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- carantonensis** Terebratella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 122.
- carantonensis** Varigera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 149.
- carantoniana** Cryptocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.

- carantonianus Echinus, L. Agassiz, Cat. Ect. Ech. 1840, 12.
 carantoniana Pholadomya, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 357.
 caranus Brangas (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 80.—Papilio, 1780.
 Caranx B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 57.—P.
 Caranxomorus B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 82.—P.
 Carapeus A. Valenciennes in d'Orbigny, Amér. mérid. (Poiss.) 1847, 11.—P.
 Caraphractus F. Walker (ex Haliday MS), Ann. Mag. N. H. XVIII. July 1846, 50.—
 Carapo L. Oken, Isis (Oken), 1817 [1818].—P. [Hyni.]
 carapo Apterurus, J. Minding, Lehrb. Naturg. Fische, 1832, 76.
 carapo Carapus (Gm.), G. Cuvier, R. Anim. II. 1817, 237.—Gymnotus, L. 1758.
 Carapus C. S. Rafinesque-S., Ind. itt. Sic. 1810, 57.—P.
 Carapus Cuvier, R. Anim. II. 1817, 237.—P.
 cararia Anagoga, J. Huebner, Verz. bekannt. Schmett. 1825, 294.—Geometra, 1790.
 cararia Fidonia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—Geometra, [Helix.]
 carascalensis Campylaea (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 24.—
 carascalensis Helix (Fér.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 83.—Helix (Helicella).
 carascalensis Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, Carassa J. Gistl, Nat. Thier. 1848, 169.—G. [1821, 42 [n. et f.].]
 Carassa J. Gistl, Handb. Naturges. 1850 [1847], 555.—G.
 carassias Abramis, J. Minding, Lehrb. Naturg. Fische, 1832, 127.
 carassii Echinorhynchus, C. A. Rudolphi, Entoz. II (1) 1809, 317.
 carassii Ligula, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 262.
 Carassius F. P. Jarocki, Zoologia, IV. 1822, 71.—P.—[typus Cyprinus carassius.]
 carassius Cyprinopsis (L.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 334.—Cyprinus, 1758.
 Caratomus id. ac Cratomus, 1820; J. W. Dalman, K. Vet. Ac. Handl. 1822 (2) 1823, 403.
 Caratomus L. Agassiz, Cat. Ect. Ech. 1840, 7 & 16.—Ech.
 carau Aramis, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 300.
 carauna Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 384.
 caravella Arethusa, L. Oken, Lehrb. Nat. III (1) 1815, 128.
 caravella Physalia (Müll.), J. F. Eschscholtz, Syst. Acalephen, 1829, 160.—Medusa, 1776.
 caraya Cebus (Humb.), J. B. Fischer, Syn. Mamm. 1829, 44.—Simia.
 caraya Mycetes (Humb.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 182.—Simia.
 caraya Simia, A. v. Humboldt, Voy. inter. Amer. (Obs. Zool.) I (5 & 6) 1809, 355.
 Carbasea J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 146.—Pölyz.
 carbasea Flustrina (E. & S.), P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 651.—Flustra, 1786.
 carbaseoides Flustra, A. Eaton, Geol. Text Book, ed. 2, 1832, 44.
 Carbo B. G. de Lacepède, Mém. Inst. [Paris] III (1801), 515.—A.
 carbo Alle (Bechst.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806, 46.—
 Pelecanus, L. 1758.
 carbo Anas, P. S. Pallas, Zoographia, II. 1811, 244.
 carbo Aphanopus, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 79.
 carbo Cephus, P. S. Pallas, Zoographia, II. 1811, 350.
 carbo Cormoranus, C. T. Wood, Orn. Guide, 1835, 70.
 carbo Eulophus, F. Walker, Mon. Chalcid. I. 1839, 138.
 carbo Graucalus (L.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 101.—Pelecanus, 1758.
 carbo Grylle (Pall.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Petersburg. II (22) Aug. 1837,
 carbo Halieus (L.), C. Illiger, Prod. 1811, 279.—Pelecanus, 1758. [346.—Cephus.
 carbo Helops, H. C. Kuester, Käfer Europas, XXI. 1850, 33. [1758.]
 carbo Hydrocorax (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 83.—Pelecanus,
 carbo Phalacrocorax (L.), P. S. Pallas, Zoographia, II. 1811, 297.—Pelecanus, 1758.
 carbo Platynus, J. L. Leconte in Agassiz, Lake Superior, 1850, 205.
 carbo Tabanus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 337.
 carbo Uria (Pall.), G. R. Gray, Genera of Birds, III. Aug. 1848, 645.—Cephus.
 carboides Graculus (Gould), G. R. Gray, Gen. Birds, III. Jan. 1845, 667.—Phalacrocorax.

- carboides** Graucalus (Gould), G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 201.—Phalacrocorax.
- carboides** Phalacrocorax, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions
- carbonacea** Imbricaria, R. B. Hinds, Zool. "Sulphur," 1844, 41. [p. 7, Ap. 1838].
- carbonacea** Mitra (Hinds), L. Reeve, Conch. Icon. II.—Mitra, no. 217, Dec. 1844.—Imbricaria.
- carbonana** Penthina, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 22.
- carbonariella** Phycis, J. E. Fischer v. R., Abbild. Schmett. (12) 1839, 157.
- Carbonarius** C. S. Rafinesque, Analyse, 1815, 72.—A. [n. n.].
- Carbonarius** J. J. Kaup, Skizz. Europ. Thierw. 1829, 131.—A. [*typus* Picus martius].
- carbonarius** Accipiter (Licht.), G. R. Gray, Genera of Birds, I. June 1844, 29.—Falco.
- carbonarius** Acipenser, J. L. R. Agassiz, Lake Superior, 1850, 271.
- carbonarium** Acridium, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 252.
- carbonaria** Acteonina (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 118.—Chemnitzia. [—Goniatites.
- carbonarius** Aganides (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 116.
- carbonarium** Agathidium, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 61. [1763.
- carbonaria** Agenia (Scop.), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 90.—Sphecx,
- carbonarium** Agonum, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 156.
- carbonaria** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2739.
- carbonaria** Aleochara (Mann.), C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 351; & Ins. Fenn. I. 1834, 351.—Bolitochara.
- carbonaria** Aleochara, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [n. n.]; & Ill. Brit. Ent. (Mand. V) Ap. 1832, 123.
- carbonaria** Allecula, E. F. Germar, Linnaea Entom. III. Ap. 1848, 202.
- carbonaria** Alophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 290.—Hyalomyia, Rob.
- carbonarius** Amarygmus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
- carbonarius** Ammonites (Goldf.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 144.—Goniatites.
- carbonaria** Amphidesma (Sow.), J. G. Portlock, Rep. Londonderry, Jan. 1843, 438.—Venus. [1850 (3) 1850, 114.—Agonum.
- carbonarius** Anchomenus (Esch.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.
- carbonarius** Anisodactylus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 432.—Harpalus.
- carbonaria** Anisotoma (Sturm), C. R. Sahlberg, Ins. Fenn. I. 1834, 471.—Agathidium.
- carbonarius** Anolis, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 64.
- carbonarius** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 73 ["Mon. Anth." *poster. edit.*].
- carbonaria** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 154.
- carbonarius** Aphodius (L.), J. Sturm, Deutschl. Fauna (Insecten) I. 1805, 128.—Scara-baeus, Gm. 1789.
- carbonarium** Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 176.
- carbonarius** Asellus, J. Minding, Lehrb. Naturg. Fische, 1832, 83.
- carbonarius** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 454.
- carbonaria** Astraea, F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 125.
- carbonaria** Atomaria, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [n. n.]; & Ill. Brit. Ent. (Mand. III.) June 1830, 68.
- carbonaria** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 136.
- carbonarius** Axinus (Portl.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
- carbonaria** Balanus, A. Petzholdt, De Balano, 1841, 5 & 24. [63.—Amphidesma.
- carbonarius** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 676.
- carbonaria** Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [n. n.].
- carbonaria** Blaps, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 260.
- carbonaria** Blattina, E. F. Germar, Verst. Steinkohl. Wettin (7) 1851, 85.
- carbonaria** Boletobia (D. & S.), Boisduval, Gen. Index Europ. Lepid. 1840, 201.—Geometra, 1775. [1831, 489.
- carbonaria** Bolitochara, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I.

- carbonaria** Brachyphylla, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 76.
- carbonarius** Bracon, C. G. Nees v. E., Hymenopt. Ichne. aff. I. 1834, 58.
- carbonaria** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. *b*.
- carbonaria** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 437.
- carbonarius** Calliptamus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 691.
- carbonarius** Campoplex, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 93.
- carbonaria** Canistra (Klug), C. H. Boheman, Mon. Cassid. I. 1850, 175.—Cassida.
- carbonarius** Canthon, J. Sturm, Catal. Ins. Samml. 1826, 109 [*n. n.*].
- carbonaria** Capnodis (Klug), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis.
- carbonarius** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
- carbonaria** Cardinia (Schloth.), L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 72.—Tellinites.
- carbonaria** Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7.
- carbonarius** Centrinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 748.—
- carbonarium** Cerithium, G. A. Goldfuss, Petref. German. III (8) 1844, 34. [Calandra.
- carbonarium** Cerithium, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 142. [Potamides.
- carbonarium** Cerithium (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 72.—
- carbonarius** Ceroptatus, L. A. G. Bosc, N. Dict. H. N. IV. 1803, 542.
- carbonaria** Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 61; (10) 1836, 240.
- carbonarius** Ceutorynchus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 65 [*n. n.*].
- carbonaria** Chemnitzia, L. G. de Koninck, Descr. Anim. foss. (10) *exempte* 1843, 469.
- carbonarius** Chilodus, E. F. Germar, Verst. Steinkohl. Wettin (6) 1849, 69.—Lamna,
- carbonarius** Chironomus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 18. [1844.
- carbonaria** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 798.
- carbonaria** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-36, 57.
- carbonarius** Chrysops, F. Walker, List Dipt. Coll. B. M. (1) 1848, 203.
- carbonaria** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (6) June 1835, no. 128.
- carbonaria** Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 122 [*n. n.*].
- carbonarius** Coccosteus, F. M'Coy, Ann. Mag. N. H. (2) II. July 1848, 9.
- carbonarius** Colymbetes (Fab.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus, ? Gm. 1789.
- carbonarius** Conus, L. G. de Koninck in Omalius d'H., Précis élém. Geol. 1843, 517 [*n. n.*].
- carbonaria** Copris, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 43.
- carbonarius** Corynetes, Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
- carbonarius** Cosmacanthus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 119.
- carbonarius** Crabro, A. G. Dahlbom, Exam. Crabron. Scand. 1838 (Syn. Hymenopt. Scand. 1840), 34.
- carbonarius** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 127 [*n. n.*].
- carbonarius** Dasytes, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 130.
- carbonarius** Delphinus, J. A. Wagner in Schreber, Säugth. VII. 305 (1846-7) pl. ccclii.
- carbonarius** Dicourus, C. L. Bonaparte (*ex* Müller MS), Consp. gen. Avium, I. 1850, 352.
- carbonaria** Diglossa (O. & L.), G. R. Gray, Gen. Birds, I. Feb. 1846, 137.—Serrirostrum.
- carbonarius** Diorymerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 279. [Poiss. Foss. II (2) 159 & 162 (1844) [*n. n.*].
- carbonarius** Diplopterus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*];
- carbonaria** Discomorpha, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18
- carbonarius** Dytiscus, J. C. Fabricius, Syst. Eleuth. I. 1801, 263. [[*n. n.*].
- carbonaria** Emberiza, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 79.
- carbonarius** Ephialtes (Christ), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 240. —Ichneumon, 1791.
- carbonarius** Epitragus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
- carbonarius** Epomis, Dejean, Spec. gén. Coléopt. V. 1831, 669.
- carbonarius** Eumolpus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 47.
- carbonarius** Euomphalus, J. De C. Sowerby, Min. Conch. VII. 1844, 46.

- carbonaria** Eupisteria (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 158.—Phalaena, 1761. [Emberiza.]
- carbonaria** Euspiza (O. & L.), G. R. Gray, Genera of Birds, II. Aug. 1844, 376.—
- carbonarius** Falco, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 11.
- carbonaria** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 283. [1761.]
- carbonaria** Fidonia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Phalaena.
- carbonaria** Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 114.
- carbonaria** Fringilla (O. & L.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 94.—Emberiza.
- carbonaria** Galerita, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 24.
- carbonaria** Geniates, Dejean, Ann. Sci. Nat. XX (79) July 1830, 268 [n. n.]. [1761.]
- carbonaria** Gnophos (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Phalaena,
- carbonarius** Goniates, Goldfuss in Keferstein, Naturg. Erdkoerpers, II. 1834, 473.
- carbonarius** Goniattites, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 52. [1838], 335.
- carbonarius** Gryllus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- carbonaria** Gymnetis, Gory & Percheron, Mon. Cétoines (2) 1834, 72; (14) 1836, 366.
- carbonarius** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [n. n.]; Spec. gén. Coléopt. IV. 1829, 398. [Carabus.]
- carbonarius** Harpalus (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 33.—
- carbonaria** Helix, Sowerby in L. Pfeiffer, Symb. Helic. II. 1842, 24.
- carbonarius** Helops (Oplocheirus), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 40.
- carbonarium** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [n. n.].
- carbonarius** Hister, J. J. Hoffmann etc., Entom. Hefte, I. 1803, 54.
- carbonarius** Hister, Payk.; Dejean, Catal. Coléopt. 1821, 47 [n. n.].
- carbonaria** Homalota, O. Heer, Coleopt. Helvet. (3) 1841, 591.
- carbonaria** Homalota, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 8.
- carbonaria** Hyalomys, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 300.
- carbonaria** Hyatella, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 240 [n. n.].
- carbonarius** Hybodus, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 313.
- carbonaria** Hydraena, H. v. Kiesenwetter, Linnaea Entom. IV. Dec. 1849, 169.
- carbonarius** Hydrophilus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 52.
- carbonaria** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 240.
- carbonaria** Lamna, E. F. Germar, Verst. Steinkohl. Wettin (1) 1844, 1.
- carbonarius** Lathridius, Chevrolat in Germar, Zeitschr. f. d. Entom. V. 1844, 103.
- carbonaria** Leucostoma (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Musca, 1798.
- carbonaria** Limnophila (Bosc), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 70.—Tipula, ?Gm. 1790.
- carbonaria** Lissa, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1047.
- carbonarius** Lissonotus, J. Sturm, Catal. Ins. Samml. 1826, 163 [n. n.].
- carbonarius** Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 164 [n. n.].
- carbonarius** Lyctus, J. Walzl, Faunus, I (3) 1834, 167.
- carbonarius** [Macacus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (52) Oct. 1825, Mac. à face noire, p. 2.
- carbonaria** Macronota, J. Sturm, Catal. Ins. Samml. 1826, 167 [n. n.]. [Curculio.]
- carbonarius** Magdalinus (L.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 137.—
- carbonaria** Magdalis (Fab.), E. F. Germar, Ins. Spec. novae, I. 1824, 193.—Rhyn-
- carbonarius** Malthinus, J. Walzl, Isis (Oken), 1838, 269. [chaenus.]
- carbonaria** Melanophora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 230.—Scopolia. [1835, 176.—Tachina.]
- carbonaria** Melanophora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
- carbonarius** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 5.
- carbonaria** Membracis, E. F. Germar, Revue Entom. III (5) 1835, 129 [err. pro 229].
- carbonarius** Merlangus (L.), H. Cloquet, Dict. Sci. Nat. XXX. 1824, 124.—Gadus, 1758. [84.]
- carbonarius** Microconchus, J. Phillips in R. I. Murchison, Silurian System, Jan. 1839.

- carbonarius Microgaster, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 47.
carbonarius Microgaster, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 52.
carbonaria Mitra, W. Swainson, App. Cat. Bligh, 1822, 10.
carbonarius Muricites, E. F. v. Schlotheim, Die Petref. 1820, 150.
carbonarius Mytilus, E. F. v. Schlotheim, Tasch. Min. 1813, 42 [*n. n.*].
carbonaria Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 118.
carbonaria Nebria, M. H. Rathke in F. Eschscholtz, Zool. Atlas, V. 1833, 24.
carbonaria Nerita, R. A. Philippi, Abb. Conch. I (4) 1844, 84. [Musca, 1798.
carbonaria Ocyptera (Panz.), C. F. Fallen, K. Vet. Ac. Handl. 1815 (2) 1816, 239.—
carbonaria Oedipoda, E. Eversmann, Jubilaeum G. Fischer de W., 1847, 12.
carbonaria Omaloplia, Dejean, Catal. Coléopt. 1821, 59 [*n. n.*].
carbonarius Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*].
carbonaria Ophyra (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 308.—Anthomyia. [Bracon.
carbonarius Opius (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 152.—
carbonarius Otiorhynchus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 519. [1849, 171.
carbonarius Pachybrachis, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. IV (8) Ap.
carbonarius Pachymerus, P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 148.
carbonaria Paludina, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 160.
carbonaria Parascotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 314.—
carbonarius Parus, P. S. Pallas, Zoographia, I. 1811, 556. [Geometra, 1775.
carbonarius Passalus, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*].
carbonarius Pecten, C. Rominger, N. Jahrb. f. Min. 1847, 784 [*n. n.*].
carbonarius Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 139.
carbonarius Perilypus, M. Spinola, Ess. mon. Clérites, I. 1844, 105. [230.—Staph.
carbonarius Philonthus (Grav.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) July 1832,
carbonaria Phrygilia (Gr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 476.—
Fringilla.
carbonarius Phylan, J. Waltl, Isis (Oken), 1838, 463.
carbonarius Picnonotus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 226.
carbonaria Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 251.
carbonaria Placusa, C. Hampe, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 348.
carbonaria Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 389.
carbonarius Platynotus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 142.
carbonaria Platyura (Bosc), C. R. W. Wiedemann, Dipt. exot. 1821, 30.—Ceroplatus.
carbonaria Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 145, Nov. 1843.
carbonarius Pocadius, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 321.
carbonarius Pollachius, C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 45.
carbonarius Polydrusus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 41.
carbonarius Potamides, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 141.
carbonaria Praeugena, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 241. [360.
carbonarius Prionomerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
carbonarius Productus, L. G. de Koninck, Descr. Anim. foss. (4) Aug. 1842, 181.
carbonarius Promeces, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 368.
carbonarius Rathymus, Dejean, Spec. gén. Coléopt. V. 1831, 784. [III. 1822, 59.
carbonaria Rhamphomyia, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt.
carbonarius Rhinodes, Meg.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*]. [1758.
carbonarius Rhynchaenus (L.), J. C. Fabricius, Syst. Eleuth. II. 1801, 485.—Curculio,
carbonarius Rhyncophorus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 65.
carbonaria Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 22, Oct. 1846.
carbonaria Sciaira, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 306.
carbonaria Scolia, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. g.
carbonaria Scopolia (Panz.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 269.—Musca, 1798.
carbonarium Sepidium, Klug in M. H. C. Lichtenstein, Zweites Preisverz. Doubl. Zool.
carbonaria Serpula, C. Giebel, N. Jahrb. f. Min. 1847, 823. [Mus. Berlin, 1820, 20.

- carbonarius** Serpulites, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 170.
carbonarium Serrirostrum, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VIII. 1838, 25.
- carbonaria** Simia (Cuv. & Geoff.), J. B. Fischer, Syn. Mamm. 1829, 26.—Macacus.
carbonarium Sphaeridium, C. P. Thunberg, Mémoires. Ac. Imp. Sci. St Pétersb. VII. 1820, 371. [897.—Rhynchophorus.]
- carbonarius** Sphenophorus (Chevr.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
carbonaria Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 375.
carbonarius Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 23.
carbonarius Stenolophus (Dej.), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 409.—Harpalus.
- carbonarius** Stenus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 505.
carbonarius Tabanus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 33.
carbonaria Tachina (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 420.—Musca, 1798.
- carbonarius** Tachiporus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 35.
carbonaria Tachyusa (Mann.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 75.—Bolitochara. [273.]
- carbonarius** Tanyproctus, F. Faldermann, N. Mémoires. Soc. Imp. Nat. Moscou, IV. 1835,
carbonarius Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 189.
carbonaria Testudo, J. B. v. Spix, Testud. Brasil. 1824, 22.
carbonaria Tetrya, J. V. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 70.
carbonarius Thamnophilus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 273.—Rhynchaenus. [(2) 1850 [ineunte 1851], 148.]
- carbonarius** Trematodes, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I
carbonarius Trichius, C. P. Thunberg, Mémoires. Ac. Imp. Sci. St Pétersb. VI. 1818, 432.
carbonaria Trineura, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2865.
carbonaria Trochictis, H. v. Meyer, N. Jahrb. f. Min. 1842, 584 [n. n.]. [1849], 103.
carbonarius Trochus (Diloma), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb.
carbonarius Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 141.
carbonarius Turdus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 15.
carbonaria Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 150 [n. n.].
carbonarius Unio (Boué), H. G. Bronn, Zschr. Min. 1829, I. 76.—? Mytilus, Schl.
carbonarius Unio (Schloth.), G. A. Goldfuss, Petref. German. II (6) 1837, 181.—Tellinites. [VI (1) 1838, 37.]
- carbonarius** Unio, I. Lea, Syn. Naiades, 1836, 19 [n. n.]; Tr. Amer. Phil. Soc., n. s.,
carbonaria Venus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
carbonator Cryptus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 264.
carbonator Ichneumon, C. P. Thunberg, Mémoires. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
carbonator Polysphincta, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 123.—Cryptus, 1807.
- carbonatus** Acriditis, Germar in G. v. Muenster, Beitr. zur Petref. (5) 1842, 93. [580.
carbonata Chrysomela, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
carbonata Helinaia, J. J. Audubon, Synopsis, 1839, 68.—Sylvia, 1829.
carbonata Helmitheros (Aud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 315.—Sylvia.
- carbonata** Mniotilta (Aud.), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Sylvia.
carbonata Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 52. [308.
carbonata Sylvia, J. J. Audubon, Birds of Amer. pl. 60 (1829); Orn. Biogr. I. 1831,
carbonatus Tabanus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 199.
carbonata Vermivora (Aud.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 21.—Sylvia.
carbonella Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1414. [[n. et f.].
carbonella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 63 (Fernaldo judice 1811-17)
carbonea Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 151 (Fernaldo judice 1823) [n. et f.]. [Elatér.]
- carbonicolor** Ampedus (Eschsch.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 175.—
carbonicolor Elater, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.
carbonicus Psilotus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 283.

- carbonifera** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 721.
- carbonis** Ascaris, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 15.
- carbonis** Bryophila, C. F. Freyer, Neuere Beitr. Schmett. VI (91) 1850, 102.
- carbonis** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 16 [*n. n.*].
- carbonum** Buprestis, E. F. Germar, Fauna Ins. Europ. (19) 1837, 4.
- carbonum** Dicerca (Germ.), H. G. Bronn, Index Pal. 1848, 421.—Buprestis.
- carbonum** Empis, E. F. Germar, Fauna Ins. Europ. (19) 1837, 21.
- carbunculosum** Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 86.
- carbunculus** Buprestis, H. L. Gory, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 68.
- carbunculus** Chrysolampis (Gm.), F. Boie, Isis (Oken), 1831, 546.—Trochilus, 1788.
- carbunculus** Etelis, Cuvier & Valenc., H. N. Poiss. II. 1828, 127.
- carbunculus** Lybas, T. Lacordaire, Mon. Erotyl., Sept. 1842, 238.
- carbunculus** Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 281.
- carbunculus** Platycephalus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 461.
- carbunculus** Regulus, C. L. Bonaparte in Audubon, Orn. Biogr. I. 1831, 288.
- carbunculus** Sagra, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 128. [74.]
- carcajou** Meles, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 70 &
- carcarensis** Crassatella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 129. [lem (2) III (2) 1847, 21.]
- carcarensis** Cyclolites, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haar-
- carcarensis** Fusus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 279.
- carcassense** Terebellum, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 365.
- carcassonii** Buccinum, P. M. T. de Serres, Geogn. Terr. tert. 1829, 123.
- carce** Syngnathus, F. Hamilton, Fish. Ganges, 1822, 13.
- carcelii** Anthipna, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 411.
- carceli** Arpactus, Lepeletier de St F., Ann. Soc. Ent. France, I (1) c. Ap. 1832, 78.
- carcel** Carabus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 211.
- carceli** Dailognatha, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 265.
- carceli** Gorytes, Lepeletier de St F., Ann. Soc. Ent. France, I. 1832, 78.
- carceli** Harpactes (Lep.), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 151.—Gorytes.
- carcelii** Lamia, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 491. [140.]
- carceli** Medina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- carceli** Melanophora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 229.—
Nytia. [—Medina.]
- carceli** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 130.
- carcelii** Miris, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 325.
- carceli** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 348. [263.]
- carceli** Nyctia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- carcelii** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 355.
- carceli** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- carcelii** Spheoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 21. [170.]
- carcelii** Toxophora, F. E. Guérin, Magasin de Zool. I. 1831, 16.
- carceli** Trichodes, A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 39. [251.]
- carceli** Zodion, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- Carcelia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830.—
- Carcharhinus** de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—P. [Dipt.]
- Carcharhinus** H. M. de Blainville, Journ. Physique, LXXXIII. 1816, 264.—P.
- carchariae** Pandarus, W. E. Leach, Dict. Sci. Nat. XIV. 1819, 535.
- carchariarum** Nemesia, P. Roux, Crust. Medit. (4) 1830, pl. xx.
- Carcharias** C. S. Rafinesque, Caratt. n. gen. 1810, 10; Analyse, 1815, 93.—P.
- Carcharias** Cuvier, R. Anim. II. 1817, 125.—P.
- carcharias** Actaea, A. White, List Crustacea Coll. B. M. 1847, 15 [*n. n.*].
- carcharias** Actaea, A. White, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 224.
- carcharias** Anaerea (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 184.—
Cerambyx, 1758.

- carcharias** Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 142.
- carcharias** Carcharias (L.), Cuvier, Règne Anim. II. 1817, 126.—Squalus, 1758.
- carcharias** Lamia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 215.—Saperda, 1775. [1758.]
- carcharias** Lamia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 274.—Cerambyx,
- carcharias** Lamictis (Bl.), Jourdan, C. R. Acad. Sci. (Paris) V. 1837, 596.—Viverra.
- carcharias** Scymnus (Gunn.), G. Cuvier, R. Anim. II. 1817, 131.—Squalus, L. 1758.
- carcharias** Viverra, H. D. de Blainville, Ann. Sci. Nat. [2] (Zool.) VIII. Nov. 1837, 281.
- carchariella** Lita, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 291.
- Carcharinus** Blainville, 1816; *teste* Waterhouse, Carcharhinus *est*. [1846, 291.]
- carchariorhynchus** Bagrus, P. Bleeker, Nat. Genesck. Arch. Neerland's-Indie, III (2)
- carcharis** Polybothris (Klug), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 117.—Buprestis carcharias.
- Carcharodon** A. Smith, Mag. Nat. Hist., n. s., II. Jan. 1838, 37.—P.
- Carcharodus** J. Huebner, Verz. bekannt. Schmett. [1820], 110.—Lep.
- Carcharopsis** J. L. R. Agassiz, Poiss. Foss. III. 313 (1843).—P.
- Carcharorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Carcharinus,
- carchedonius** Monodonta, Lamarck, An. s. vert. VII. 1822, 33. [Bl.]
- Carchesium** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 41.—
- Carcina** J. Huebner, Verz. bekannt. Schmett. 1826, 410.—Lep. [Inf.]
- Carcineus** *id. ac* Carcinus, Latr.; L. Oken, Lehrb. Nat. III (1) 1815, 833.
- carcini** Peltogaster, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 247.
- Carcinion** F. P. Jarocki, Zoologia, V. 1825, 108.—Cr.
- carcinopados** Actinia, A. W. Otto, N. A. Ac. Caes. Leop. Car. XI (2) 1823, 288.
- Carcinium** Banks & Solander in Hawkesworth, Account of Voyages to S. Hemisphere, ed. 2, II. 1773, 3.—?Cr.
- Carcinium** F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 155.—Cr.
- Carcinobaena** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 647.—Col.
- Carcinococcus** Natalie, Descriz. Zool. 1850, —.—Cr. [*teste* Marschall, Nom. Zool., *mihi non visum*].
- carcinodea** Brongniartia, A. Eaton, Amer. J. Sci. XXII (1) Ap. 1832, 166.
- carcinoides** Chelifer, J. F. Hermann, Mém. Aptér. 1804, 118.
- carcinoides** Obisium (Herm.), C. de Théis, Ann. Sci. Nat. XXVII (105) Sept. 1832, 68.
- carcinopados** Actinia, A. G. Otto, Consp. anim. (1) 1821, 18. [—Chelifer.]
- Carcinophagus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cancrophagus, “Boie”; Kaup.
- carcinophaga** Lobodon (H. & J.), J. E. Gray, Zool. “Ereb. Terr.” (Mamm. 1844), 2 & 5.—Phoca. [*dict.* 1844.]
- carcinophaga** Phoca, Hombron & J., Voy. Pôle-Sud, Atlas Mamm. 1842, pl. x [Gray
- Carcinurus** H. G. Bronn, N. Jahrb. f. Min. 1850, 575.—Cr.
- Carcinus** Leach in Edinb. Ency. VII (2) 1814, 390.—Cr. [*non* Latr. 1796.—*teste* M. J. R.].
- carcinus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 229.
- carcio** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 181.
- carcitanense** Solarium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 234; Rep. trav. Soc. stat. Marseille, VI. 306.
- carcitanensis** Turrillites, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 267; Rep. trav. Soc. stat. Marseille, VI. 339.
- Carcris** *err. pro* Cancris, Montf.; G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 191.
- cardamines** Anthocharis (L.), Boissduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 564.—Papilio, 1758. [1758.]
- cardamines** Euchloe (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 94.—Papilio,
- cardamines** Ganoris (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 88.—Papilio,
- cardamines** Hydrellia, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 402. [1758.]
- cardaminis** Hydrina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 796.
- cardamines** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 83 & 84 (Fernaldo judice 1799) [*n. et f.*].

- cardamines** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 1858 [*i.e.* 159] (Fernaldo judice 1823) [*n. et f.*].
- cardamines** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 167.—Papilio, 1758.
- cardamines** Pontia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 31.—Papilio,
- Cardanus** J. O. Westwood, Ann. Sci. Nat. [2] (Zool.) I. Feb. 1834, 112.—Col. [1758.
- Cardellina** Du Bus, Esq. Orn., pl. 25 (1849); C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 563.—A.
- Cardia** E. Eichwald, Zool. spec. I. 1829, 280.—[*Fam. non gen.*]
- cardiacae** Anthocomus (Payk.), W. F. Erichson, Entomographien, 1840, 100.—Malachius.
- cardiacae** Malachius, Paykull, F. Suec. I. 1798, 272.
- cardiacae** Malachius, Fab.; Dejean, Catal. Coléopt. 1821, 38 [*n. n.*].
- Cardiacephala** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 399.—Dipt.
- Cardiacera** J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 108.—Dipt.
- Cardiacites** E. F. v. Schlottheim, Petref. 1820, 206.—[*teste* Herrm.; *non comp.*]
- Cardiaderus** Dejean, Spec. gén. Coléopt. III. 1828, 22.—Col.
- Cardiapoda** A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 154.—Moll.
- Cardiapus** J. Curtis, Brit. Entom. X (109) Feb. 1833, no. 435.—Col.
- Cardiapus** A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 18.—Nud. [*gen. caelebs*].
- Cardiapus** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 107.
- Cardiarius** C. Duméril, Zool. Anal. 1806, 333.—L. [—Col.
- Cardiaspis** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 158.—Hem. [*non*
- Cardiaster** E. Forbes, Ann. Mag. N. H. (2) VI. Dec. 1850, 442.—Ech. [*binom.*].
- cardice** Unio, T. Say, Dissem. Useful Knowledge, Sept. 1829, 292 [*n. n.*].
- cardiformis** v. **cardiiformis**.
- Cardigenius** A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 492.—Col.
- cardiiformis** Arca, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 76.
- cardiiformis** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 22.
- cardiiformis** Avicula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 78.
- cardiiformis** Hippagrus, J. De C. Sowerby, Min. Conch. VII. 1844, 68.
- cardiiformis** Lima (Sow.), H. G. Bronn, Index Pal. 1848, 643.—Plagiostoma.
- cardiiformis** Plagiostoma, J. Sowerby, Min. Conch. II. 1815, 26.
- cardiiformis** Pterinea, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 173.
- cardiiformis** Terebratula, A. Risso, H. N. Europe, IV. 1826, 391.
- cardiiformis** Verticordia, J. De C. Sowerby, Min. Conch. VII (112) Nov. 1844, pl. 639.
- Cardilia** G. P. Deshayes in Lamarck, Anim. s. vert., ed. 2, VI. 1835, 448.—L.
- cardilla** Cythera, Lamarck, An. s. vert. V. 1818, 580.
- Cardima** *err. pro* Cardium, L.; J. B. Férussac, Mém. Soc. Méd. Emul. Paris, IV. 1801,
- Cardinalia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*]. [402.
- Cardinalis** F. P. Jarocki, Zoologia, II. 1821, 133.—A. [*typus* Tanagra rubra].
- Cardinalis** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 52.—A.
- cardinalis** Aegithus, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 94.
- cardinalis** Ancylocera (Dalm.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post*
- Mar. 1834, 108.—Cerambyx.
- cardinalis** Attus, N. M. Hentz, Boston Journ. N. H. V (2) 1845, 200.
- cardinalis** Buprestis, E. Donovan, Nat. Repository, III. pl. 85 (Aug. 1824).
- cardinalis** Cerambyx, J. W. Dalman, Anal. Entom. 1823, 67.
- cardinalis** Certhia, F. S. Voigt in Cuvier, Thierreich, I. 1831, 637.
- cardinalis** Chalepus, F. E. Guérin-M., Iconographie, 1844, Ins. 269. [Picus, 1788.
- cardinalis** Chrysocolaptes (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 122.—
- cardinalis** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 130.
- cardinalis** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 71.
- cardinalis** Cinnyris, R. P. Lesson, Dict. Sci. Nat. L. 1827, 7.
- cardinalis** Coccinella, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 182.
- cardinalis** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 526.
- Loxia, L. 1758. [83.
- cardinalis** Fringilla, J. S. T. Frenzel (*non* Müll.), Besch. Vögel Wittenberg, Oct. 1801,
- cardinalis** Fringilla (L.), M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 25.
- Loxia, 1758.

- cardinalis** Guarica (L.), Swainson, Field Naturalist, I (8) Aug. 1833, 352.—Loxia, 1758.
- cardinalis** Libellula, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 583.
- cardinalis** Lorius (Bodd.), G. R. Gray, Genera of Birds, II. Oct. 1845, 416.—Psittacus.
- cardinalis** Lytta, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 51.
- cardinalis** Mastostethus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 638.—Megalopus.
- cardinalis** Megalopus, F. Klug, Jahrb. Insectenk. I. 1834, 219. [—Certhia, 1788.
- cardinalis** Meliphaga (Gm.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvii.
- cardinalis** Melithreptus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 326.—Certhia, Gm. 1788.
- cardinalis** Mitra (L.), G. Fischer, Mus. Démid. III. 1807, 168.—Voluta, Gm. 1790.
- cardinalis** Myzomela (Gm.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 316.—Certhia, 1788. [226.—Certhia, 1788.
- cardinalis** Nectarinia (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- cardinalis** Nerita, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 345.
- cardinalis** Picus (Chloronerpes), R. P. Lesson, Echo Monde Savant, XI. 5 Jan. 1845, 920.
- cardinalis** Pitylus (L.), J. J. Audubon, Synopsis, 1839, 131.—Loxia, 1758.
- cardinalis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 266, Dec. 1845.
- cardinalis** Psittacus, P. Boddaert, Tab. Planch. Enl. 1783, 30.
- cardinalis** Rhyncholophus, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 10.
- cardinalis** Scorpaena, J. Richardson (*ex* Solander MS), Ann. Mag. N. H. IX. May 1842,
- cardinalis** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 378. [212.
- cardinalis** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 46.
- cardinalis** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 28.
- cardinalis** Vedralia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 906.
- cardinatus** Diorymerus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 811.
- cardinatus** Orobitis, E. F. Germar, Ins. Spec. novae, I. 1824, 248. [—Orobitis.
- Cardinea** J. L. R. Agassiz in Stutchbury, Ann. Mag. N. H. VIII (Suppl.) March 1842, 482.—L., *see* Cardinia.
- Cardinia** L. Agassiz, Verh. Schweiz. nat. Ges. (25) 1838 (1838), 104.—L. [*n. n.*].
- Cardinia** L. Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1841, 57; Etudes crit. Moll. foss. (3) 1842, 250.—L.
- Cardinia** H. B. Geinitz, Grundr. Verst. 1846, 432.—L. [*sed non comp.*].
- Cardiocardita** H. M. de Blainville, Dict. Sci. Nat. XXXII. 1824, 326.—L. [*teste* Scudder,
- Cardiocardites** H. M. de Blainville, Dict. Sci. Nat. XXXII. 1824, 326.—L. [*vernac. est.*].
- Cardiocephala** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardiacephala, Macq.
- Cardiochiles** Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 307.—Hym.
- Cardioderus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardiaderus, Dej.
- cardiodera** Feronia (Omaseus), M. de Chaudoir, Enum. Carab. 1846, 143.
- cardioderus** Tachys, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3)
- Cardiodon** R. Owen, Odont. (1845), 291.—R. [1850, 170.
- Cardiogenius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardigenius, Sol.
- cardioides** Cardita, L. Reeve, Conch. Icon.—Cardita, no. 49, Sept. 1843.
- cardioides** Corbula, J. Phillips, Geol. Yorksh., ed. 2, I. 1835, 158 [*n. et f.*].
- cardioides** Donax, Lamarck, An. s. vert. V. 1818, 550.
- cardioides** Erycina, Lamarck, An. s. vert. V. 1818, 486.
- cardioides** Gresslya (Phill.), J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 204.—Corbula.
- cardioides** Lucina, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 371.
- cardioides** Mactromya (Ph.), J. Morris, Cat. Brit. Foss. 1843, 91.—Corbula.
- cardioides** Unicardium (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 218.—
- cardioides** Venus, Lamarck, An. s. vert. V. 1818, 590. [Corbula.
- cardioideum** Corbula, J. Phillips, Geol. Yorksh. I. 1829, 161 [*n. et f.*].
- Cardiola** W. J. Broderip in Murchison, Proc. Geol. Soc. London, II. Jan. 1834, tab. p. 13 [*n. n.*]; in Silur. Syst., Jan. 1839, 617.—L.
- Cardiomeria** C. Bassi, Ann. Soc. Ent. France, III (2) *post* Jan 1834, 320.—Col.

- Cardiomorpha** L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 101.—L.
- Cardiophora** d'Orbigny, Moll. Canaries, 1839 [*teste* Scudder *sed non comp.*].
- Cardiophorus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Col.
- Cardiophthalmus** J. Curtis, Ann. Nat. Hist. I (4) June 1838, 328.—Col.
- Cardiopoda** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardiapoda, Orb.
- Cardioptera** H. Burmeister, Handb. Ent. II (2) i, 1838, 540.—Orth. [1821, 100.]
- cardioptera** Cardiola, C. A. Le Sueur (*ex* Péron), J. Acad. Nat. Sci. Philad. II. Oct.
- cardioptera** Loligo, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxx.
- cardioptera** Onychia (Péron), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 56.—Loligo.
- cardioptera** Onychoteuthis (Pér.), A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 53.—
- cardioptera** Sepia, L. Oken, Lehrb. Nat. III (1) 1815, 343. [Loligo.]
- Cardiopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardiapus, Curt. 1833; Orb. 1842; Motsch. 1845.
- Cardiorhinus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Col.
- Cardiorrhinus** Scudder, Nom. Zool. (Suppl.) *emend. pro* Cardiorhinus, Esch., q. v.
- Cardiosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cardisoma, Latr.
- cardiospermiformis** Delthyris (His.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 124.—Terebratula. [tabl. *n. et f.*].
- cardiospermiformis** Terebratula, W. Hisinger, K. Vet. Ac. Handl. 1826 (2) 1827, 337 &
- Cardiotarsus** Eschscholtz, Rev. Ent. (Silbermann) IV. 1836, Classif. Elat.—Col.
- cardis** Turdus, C. J. Temminck in T. & Laugier, Pls. color. (87) Jan. 1831.
- cardisce** Coccinella, J. W. Randall, Boston Journ. N. H. II (1) 1838, 32.
- cardisce** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 169.
- Cardisoma** P. A. Latreille, Ency. Méth. (Ins.) X. 1824, 685; in G. Cuvier, R. Anim., ed. 2, IV. 1829, p. 50.—Cr.
- Cardissa** Megerle, Ges. nat. Fr. Berlin Mag. V. 1811, 52.—L.
- Cardissa** L. Oken, Lehrb. Nat. III (1) 1815, 232.—L.
- Cardissa** W. Swainson, Elem. Conch. 1835, 35.—L.
- cardissa** Arca, Lamarck, An. s. vert. VI (1) 1819, 38.
- cardissa** Hemicardium (L.), C. T. Menke, Syn. meth. Moll. 1828, 66.—Cardium.
- cardissa** Lyriodon (Ag.), H. G. Bronn, Index Pal. 1848, 684.—Trigonia.
- cardissa** Trigonia, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 45.
- cardissaeformis** Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 209.
- cardissaeformis** Buccardites, E. F. v. Schlotheim, Tasch. Min. 1813, 103.
- cardissaeformis** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 184.
- cardissoides** Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 208.
- cardissoides** Cardita (Lam.), G. A. Goldfuss, Petref. German. II (6) 1837, 186.—Trigonia.
- cardissoides** Cypricardia (Alb.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 174.—Myophoria.
- cardissoides** Inoceramus, G. A. Goldfuss, Petref. German. II (5) 1836, 112.
- cardissoides** Myophoria (Hartm.), F. A. Alberti, Beitr. Bunter, 1834, 55.—Bucardites, ? Schl. [—Cardita.]
- cardissoides** Myophoria (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 174.
- cardissoides** Opis (Goldf.), A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 15.—Cardita.
- cardissoides** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 129.
- cardissoides** Trigonia, Lamarck, An. s. vert. VI (1) 1819, 65.
- Cardita** Megerle, Mag. Ges. nat. Fr. Berlin, V (1) 1811, 68.—L.
- cardita** Terebratula, A. Risso, H. N. Europe, IV. 1826, 389.
- carditaeforme** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 127, Mar. 1845.
- carditaeformis** Chama, L. Reeve, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 119.
- carditaeformis** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 33, Jan. 1847.
- carditaeformis** Cyprina (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 364.—Venus.
- carditaeformis** Enocephalus, G. v. Muenster, Zeitung f. Geogn. IX. 1831, 92.
- carditaeformis** Venus, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 109.
- Carditamera** T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, 11.—L.
- Cardites** H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 153.—L.
- Cardites** J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 373.—L.

- cardites** Cyphoxis, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427 [*n. n.*].
- carditoides** Petricola, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 213. —Saxicava, 1837.
- carditoides** Pullastra (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 41. —Venerupis.
- carditoides** Saxicava, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 255.
- carditoides** Venerupis, Lamarck, An. s. vert. V. 1818, 508.
- carditoidea** Coralliophaga, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 343.
- carditoidea** Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 110.
- cardium** Lampsilis, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 298.
- cardium** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 255.
- cardium** Unio, C. S. Rafinesque, Ann. gén. Sc. Phys. (Bruxelles) V. Sept. 1820, 298.
- cardo** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 127.
- cardoides** Cytherea (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 137. —Erycina cardioides.
- cardopatii** Larinus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 446.
- Cardophorus** J. Curtis, Ann. Nat. Hist. V. June 1840, 278. —Col.
- Cardua** A. H. Hassall, Ann. Mag. N. H. VII (45) July 1841, 365. —Polyz.
- cardualis** Pyralis, F. v. P. Schrank, F. Boica, II (2) 1802, 67.
- carduana** Catoptria, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 188.
- "carduelem"** Cochleam, Schulze, N. Hamburg. Mag. VII. 1770, 49.
- carduelis** [Acanthis] (L.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. xli & 161.
- carduelis** Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 73. —[Fringilla, 1758.]
- "carduelis"** Helix, Schulze, *v.* **"carduelem"** Cochleam.
- carduelis** Liotheum (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 323. —Menopon, Denny.
- carduelis** Menopon, H. Denny, Mon. Anoplur. 1842, 228.
- carduelis** Passer (L.), P. S. Pallas, Zoographia, II. 1811, 15. —Fringilla, 1758.
- carduelis** Spermologa (L.), [G. J. Billberg], Syn. Fauna Scand. I (2) 1828, 29. —Fringilla, 1758.
- carduelis** Spinus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 233. —Fringilla, 1758.
- carduella** Depressaria (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48. —Tinea.
- carduella** Pinaris, J. Huebner, Verz. bekannt. Schmett. 1826, 411. —Tinea.
- carduella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 66 (Fernaldo judice 1817–18) [*n. et f.*].
- cardui** Acucephalus, J. Curtis, Brit. Entom. XIII (155) Nov. 1836, no. 620.
- cardui** Agapanthia (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 36. —Saperda, 1775.
- cardui** Aglais (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 65. —Papilio, 1758.
- cardui** Altica, Kirby; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- cardui** Amara, Dejean, Spec. gén. Coléopt. V. 1831, 798. [? Huebn.]
- cardui** Anthoecia (Esp.), Boisduval, Gen. Index Europ. Lepid. 1840, 162. —Phalaena,
- cardui** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 104.
- cardui** Aphrodes, J. Curtis, Guide Brit. Ins. (7) 1831, 193 [*n. n.*].
- cardui** Bruchus, C. H. Boheman, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 117.
- cardui** Catoplatus (L.), A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 163. —Cimex, 1758.
- cardui** Cetonina, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 124 & App. 1817,
- cardui** Coccinella, N. J. Brahm, Naturforscher, XXIX. 1802, 142. [47.]
- cardui** Coreus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 245. —Acanthia, 1775.
- cardui** Cynthia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281. —Papilio,
- cardui** Haltica, L. Gyllenhal, Ins. Suecica, I (4) 1827, 659. [1758.]
- cardui** Haltica, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 18 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 219.
- cardui** Heliothis (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 91. —Phalaena,
- cardui** Hesperia, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 784. [1790.]
- cardui** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 321. —Anthomyia.

- cardui** Lamia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 275.—Cerambyx, 1767.
- cardui** Larinus (Rossi), E. F. Germar, Ins. Spec. novae, I. 1824, 382.—Curculio, 1790.
- cardui** Libythea (L.), Lamarck, An. s. vert. IV. 1817, 29.—Papilio, 1758.
- cardui** Lixus, A. G. Olivier, Entom. V. 1807, 250.
- cardui** Melicleptria, J. Huebner, Verz. bekannt. Schmett. 1825, 262.—Noctua, 1790.
- cardui** Monanthia (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 260.—Tingis.
- cardui** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 64 (Fernaldo judice 1802) [*n. et f.*] [1758].
- cardui** Nymphalis (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 87.—Papilio,
- cardui** Oncocera (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Palparia.
- cardui** Oxyphora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cardui** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 484. [1830, 757.]
- cardui** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 15 (Fernaldo judice 1799) [*n. et f.*].
- cardui** Phycita (Haw.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Palparia.
- cardui** Pyrameis (L.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 205.—Papilio, 1758.
- cardui** Rhynchaenus, A. G. Olivier, Entom. V. 1807, 135.
- cardui** Saperda, Meg.; Dejean, Catal. Coléopt. 1821, 109 [*n. n.*] [108.—Bruchus.
- cardui** Spermothagus (Boh.), Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833,
- cardui** Sphaeroderma (Kirby), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 328.
- cardui** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 126. [—Haltica.
- cardui** Tephritis (L.), J. C. Fabricius, Syst. Antliat. 1805, 321.—Musca, 1758.
- cardui** Tingis (L.), J. C. Fabricius, Syst. Rhyng. 1803, 125.—Cimex, 1758.
- cardui** Tingis, P. S. Schilling, Uebers. Arb. schles. Ges. 1837 (1838), 105.
- cardui** Trupanea (L.), F. v. P. Schrank, F. Boica, III (1) 1803, 145.—Musca, 1758.
- cardui** Trypana (Huebner), A. Guénee, Ann. Soc. Ent. France, X (1) June 1841, 59.—Phalaena, 1790. [1758.]
- cardui** Trypeta (L.), F. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 326.—Musca,
- cardui** Urophora (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 769.—Tephritis.
- cardui** Urophora (L.), F. Walker, Entom. Mag. III (1) Ap. 1835, 69.—Musca, 1758.
- cardui** Vanessa (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 16.—Papilio, 1758.
- carduina** Aphis, F. Walker, Ann. Mag. N. H. (2) VI. July 1850, 44.
- cardunculus** Codonytes (Cav.), S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 48.—Millepora, Gm. 1790.
- carduorum** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 72.
- carduorum** Apis, F. v. P. Schrank, F. Boica, II (2) 1802, 364.
- carduorum** Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 158.
- carduorum** Rhizotrogus, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 173.
- carduorum** Sphenoptera, A. Chevrolat, Rev. Zool. (Soc. Cur.) III. Jan. 1840, 14.
- carduus** Caryophyllia (S. & E.), Lamarck, An. s. vert. II. 1816, 229.—Madrepora, 1786.
- cardua** Curculio, E. Donovan, Brit. Ins. XV. 1811, 15.
- carduus** Lobophyllia (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 321.—Caryophyllia.
- carduus** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 464.
- carduus** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 175.
- carduus** Mussa (E. & S.) J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 175.—Madrepora, 1786.
- carduus** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 381.
- carduus** Tetradon, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1357.
- carduus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 95, June 1844.
- Carebara** J. O. Westwood, Ann. Nat. Hist. VI. Oct. 1840, 86.—Hym.
- carectellus** Crambina, P. C. Zeller, Isis (Oken), 1847, 751.
- Carelophus** H. Krøyer, Naturhist. Tidsskrift [2] I (3) 1844, 227 & 236.—P.
- carena** Octopus, G. B. Verany in Descr. Genova, I. 1846, 97 [*n. n.*].
- caraena** Sanguisuga, A. Risso, H. N. Europe, IV. 1826, 429.
- carenae** Clepsine, A. Moquin-T., Mon. Hirudin., July 1827, 105.

- carenae** Glossiphonia, A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 362.—Clepsine, 1827.
- carenae** Glossobdella (Moq.-T.), de Blainville, Dict. Sci. Nat. LVII. 1828, 565.—Clepsine.
- carenae** Octopus, J. B. Vérany, Mem. R. Acc. Sci. Torino [2] I. 1839, 92.
- carenae** Pleurotoma, E. Sisonda, Syn. Meth. 1842, 33.
- carenariae** Distoma, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 139.
- carenata** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 509.
- carenatus** Lambrus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 358.
- carenata** Limax, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 47.
- carenea** Noctua (Cram.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 255.—Phalaena, 1780. [1840, 104.]
- careni collis** Bolboceras, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- carenifrons** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836],
- carenifrons** Colobogaster, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 155. [65.]
- carenoides** Broscus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 4.
- Carenostylus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 8.—Col.
- carens** Bufo, Sundevall in A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxxviii, 1848.
- carens** Hydrocephalus, J. Barrande, Not. prélim. Silur. 1846, 19.
- Carenum** F. A. Bonelli, Mém. Ac. Sci. Turin, 1811-12 (1813), 479.—Col.
- Caretta** C. S. Rafinesque, Specchio d. Sci. II (9) Sept. 1814, 66.—R.
- Caretta** B. Merrem, Tent. Syst. Amph. 1820, 12 & 17.—R. [1758.]
- caretta** Caouana (L.), J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 52.—Testudo,
- caretta** Chelonia (L.), J. Kirby, Brewster's Edin. Ency. XI (1) 1817, 16.—Testudo, 1758.
- caretta** Thalassochelys (L.), C. L. Bonaparte, Mem. R. Acc. Sci. Torino [2] II. 1840, 408.—Testudo, 1758.
- carettoides** Chelonia, Jaeger, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1849), 256.
- carex** Salicaria, S. D. W., The Analyst, IV (15) Ap. 1836, 119.
- cari** Actinia, S. d. Chiaje, Mem. An. s. vert. Napoli, II (—) 1827, 243.
- Caria** J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 14.—Lep.
- Caria** W. F. Erichson in Schomburgk, Reisen Brit.-Guiana, III. 1848, 601.—Col.
- Caria** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 231.—Col.
- caria** Tetradon, F. Hamilton, Fish. Ganges, 1822, 9.
- Cariacus** R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 173.—M.
- cariama** Dicholophus, C. Ranzani, Elem. Zool. III (8) 1825, 18.
- cariata** Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 56.
- [caribaeorum.]
- caribaeorum** Bulimulus (Lam.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 66.—
- caribaeorum** Bulimus, Lamarck, An. s. vert. VI (2) 1822, 124. [Bulimus.]
- caribaeorum** Cassidulus, Lamarck, Syst. Anim. 1801, 349.
- caribaeorum** Echinus, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. II. 1801, 96.
- caribaeorum** Helix (Bulimus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 83.
- caribeorum** Hughaea, P. Duchassaing, Anim. rad. Antilles [1850], 9.
- caribaeorum** v. caribaeorum.
- caribensis** (sic) Eryon, C. P. de Fréminville, Ann. Sci. Nat. XXV (99) Mar. 1832, 273.
- caripensis** Steatornis, A. Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1817), 141.
- caribaeensis** Truncatella, G. B. Sowerby, I., in L. Reeve, Conch. Syst. II. 1842, 94.
- caribaeum** Acetabulum, Lamarck, An. s. vert. II. 1816, 151. [[u. cf.].]
- caribaeum** Ateuchus (Hbst.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 66.—Scarab. 1789.
- caribaea** Belona, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Oct. 1821, 127.
- caribaea** Bulla, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 127.
- caribaeus** Canis, R. P. Lesson, Man. Mamm., May 1827, 163.
- caribaeus** Cultellus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post June 1837, 233.
- caribaea** Eriphia, J. V. Thompson, Entom. Mag. III (4) Jan. 1836, 373 [u. cf.].
- caribaea** Globulina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 135.
- caribaea** Liriozoa, Lamarck, An. s. vert. II. 1816, 133. [127.—Onychia.]
- caribaea** Loligo (Les.), H. D. de Blainville, Journ. de Physique, XCVI. Mar. 1823,
- caribaea** Loligo (Les.), A. Férussac, Dict. Class. H. N. III. Sept. 1823, 67.—Onychia.
- caribaea** Marginella, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 97.

- caribaea** Modiola (Lithophagus), R. A. Philippi, Zeitschr. f. Malakozool. Aug. 1847, 116.
- caribaea** Muscipeta, A. d'Orbigny in Sagra, Cuba (Orn.) 1839, 92.
- caribaeus** Myiobius (Orb.), G. R. Gray, Genera of Birds, I. May 1847, 249.—Muscipeta.
- carriboea** Onykia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Oct. 1821, 98.
- caribaea** Pica (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 125.—Corvus,
- caribaeus** Planorbis, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 193. [Gm. 1788.
- caribaeus** Procerus, P. M. T. de Serres, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XXII. 1835, 136 [*u. n.*].
- caribaea** Rissoa, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 21.
- caribaea** Rotalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 74.
- caribaeus** Solen, Lamarck, An. s. vert. V. 1818, 454.
- caribaea** Textularia, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 145.
- caribaea** Turritella, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 14. [202.
- caribea** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- caribe** Serrasalmus, Cuvier & Valenci., H. N. Poiss. XXII. 1849, 279.
- caribou** Cervus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–11 (1815), 69 [*u. n.*].
- carica** Helix, J. R. Roth, Moll. Orient. 1839, 17.
- carica** Pyrula, Lamarck, Ency. Méth. (Vers) 1816, pl. 433, Liste p. 8 [*u. et f.*].
- carica** Volema (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 116.—Murex, 1790. [248.—Noctua, 1775.
- caricae** Aganais (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832,
- caricae** Damalis (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 172.—Noctua, 1775.
- caricae** Erinnyis (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 139.—Sphinx, 1758.
- caricae** Erycina (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 575.—Papilio, 1758.
- caricae** Hipocrita, J. Huebner, Exot. Schmett., Tab. Hipocrita [*u. et f.*].
- caricae** Limnas, J. Huebner, Exot. Schmett., Tab. Limnas [*u. et f.*].
- caricae** Nymphidium, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 286.—Hesperia, 1793.
- caricae** Peplia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 20.—Papilio, 1758.
- caricae** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 303.
- caricana** Eriopsela, A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 163.
- Caricea** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 530.—
- Caricella** T. A. Conrad, Proc. Ac. Nat. Sci. Philad. III. 1846, 21.—G. [Dipt.
- caricetalis** Chrysoteuchia, J. Huebner, Verz. bekannt. Schmett. 1826, 366.
- cariceti** Calamodyta (Naum.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 118.—Sylvia.
- cariceti** Calamoherbe (Naum.), F. Boie, Isis (Oken), 1822, 552.—Sylvia.
- cariceti** Sylvia, J. F. Naumann, Isis (Oken), 1821, 785. [1801, 392.
- Carichium** *id. ac* Carychium, Müll.; J. B. Férussac, Mém. Soc. méd. Emul. Paris, IV.
- carichlea** Argynnis (Herbst), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 72.—Papilio chariclea, Schn. 1794.
- Caricicola** C. L. Brehm, Isis (Oken), 1835, 245.—A. [1830, 800.
- caricicola** Coenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- caricifolia** Locusta (Phaneroptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.), 1842, 193.
- caricinus** Corymbites, Eschscholtz in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 63.
- caricinus** Diacanthus, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846, 510.
- caricis** Aphidius, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 261.
- caricis** Aphidius (Monoctonus), A. H. Haliday, Entom. Mag. I (5) Oct. 1833, 488.
- caricis** Balanomorphia, Maerkel, Entom. Zeitung, Stettin, VIII (3) Mar. 1847, 86.
- caricis** Byturus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 42.—Ips, 1790.
- caricis** Capsus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 102.
- caricis** Cateretes, J. F. Stephens (*ex* Spence MS), Nom. Brit. Ins., Aug. 1829, 7 [*u. n.*]; & Ill. Brit. Ent. (Mand. III.) May 1830, 54. [—Ips, 1790.
- caricis** Cryptophagus (Ol.), L. Gyllenhal, Ins. Suecica, I (2) 1810, Add. ad part. 1, p. iv.
- caricis** Cylicocoris (Fall.), C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 100.—Capsus.
- caricis** Kleidocerys, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*u. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 342.

- caricis** Leucania, F. Treitschke, Schmett. Europa, X (2) 1835, 91.
- caricis** Linnaeus (Gyll.), J. Sturm, Catal. Käfer Samml. 1843, 93.—Cryptophagus.
- caricis** Lygaeus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 473.
- caricis** Phalacrus, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 80.
- caricis** Telmatophilus (Ol.), O. Heer, Coleopt. Helvet. (3) 1841, 417.—Ips, 1790.
- Carida** C. S. Rafinesque, Précis découv. Somiol. 1814, 24; Analyse, 1815, 98.—Cr. [*n. n.*].
- Caridina** H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 362.—Cr.
- Caridium** *emend. pro* Caris, Latr.; C. S. Rafinesque, Analyse, 1815, 108.—Ar. [*n. n.*].
- Carina** S. D. W., The Analyst, III (14) Jan. 1836, 214.—A. [Anatidae].
- carina** Aganides (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 116.—Goniattites. [Goniattites.]
- carina** Ammonites (Ph.), L. G. de Koninck, Descr. Anim. foss. (13) Dec. 1844, 582.—
- carina** Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 35.
- carina** Goniattites, J. Phillips, Geol. Yorksh. II. 1836, 237.
- carina** Helix, W. Wood (*ex* Fér.), Suppl. Index Test. 1828, 23 [*n. et f.*].
- carina** Ostrea, D. Solander, Catal. Portland Mus. 1786, 32 [*n. n.*].
- carinus** Pteromalus, F. Walker, Ann. Mag. N. H. (2) III. Mar. 1849, 205.
- carina** Taenia, C. A. Rudolphi, Arch. zool. zoot. II (1) 1801, 33 [=canina].
- carina** Trichogramma, F. Walker, Ann. Mag. N. H. XII. Aug. 1843, 104.
- carinaedorsis** Callianassa, A. White, List Crustacea Coll. B. M. 1847, 70 [*n. n.*].
- carinae-rostris** Liparus, Meg.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*]. [352.]
- carinaerostris** Molytes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
- Carinaria** Lamarck, Syst. Anim. 1801, 98.—Moll. [—Pter.]
- Carinaria** Péron & Lesueur, Ann. Mus. H. N. (Paris) XV (85) *inter* Ap.—Sept. 1810, 67.
- carinariae** Distoma, della Chiaje, Descr. e Notom. anim. Napoli, 1841, 139 [*teste* S. & H.].
- Carinarius** D. de Montfort, Conch. Syst. II. 1810, 2.—Pter.
- Carinaropsis** J. Hall, N. H. New York (Pal. I.) 1847, 183.—G.
- carinaticollis** Exema, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 858.
- carinator** Helcon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 218.
- carinatostriata** Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 104 [*n. n.*].
- carinatulus** Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 229.
- carinatulus** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 67.—Turbo, ? Jac. 1798. [1798.]
- carinatula** Rissoa (Jacob), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 11.—Turbo,
- carinatula** Spirulina (W. & J.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 1 & *errata* p. 145.—Nautilus, Jac. 1798.
- carinatula** Spirolina (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 228.—Nautilus, ? Jac.
- carinatula** Turritella, J. Fleming, Hist. Brit. Anim. 1828, 304. [1798.]
- carinatus** Abax (Dufts.), Dejean, Catal. Coléopt. 1821, 12.—Carabus.
- carinata** Acalypta (Panz.), J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 121.—
- carinatus** Acanthochites, A. Risso, H. N. Europe, IV. 1826, 269. [Tingis.]
- carinatum** Acanthosoma (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 330.—
- carinatus** Acanthurus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 216. [Diodon.]
- carinata** Achatina, L. Pfeiffer, Symb. Helic. III. 1846, 90.
- carinata** Acroculia, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 18 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 44.
- carinatum** Adelostoma, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 168.
- carinata** Adesmia, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 547.
- carinatus** Aganides (Beyr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Ammonites.
- carinatus** Agrauios, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 27.
- carinata** Akicera (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 605.—Gryllus, 1758.
- carinata** Akis (L.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 139.—Pimelia, Fab. 1775.
- carinata** Alecto, W. E. Leach, Zool. Miscell. II. 1815, 63.
- carinata** Alecto (Lam.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1841, 182.—Comatula.
- carinata** Amathia, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept. 1837, 375.

- carinata** Ambonychia (Goldf.), J. Hall, N. H. New York (Pal. I.) 1847, 294.—Pterinea.
carinata Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 23.
carinatus Ammonites, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 11.
carinatus Ammonites, E. Eichwald, Zool. Spec. II. 1830, 30.
carinatus Ammonites, H. E. Beyrich, De Goniatis, 1837, 10.
carinata Amphidesma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 229.
carinatus Amphiprion, J. G. Schneider, Bloch, Syst. Ichth. 1801, 551.
carinata Amphithoe, J. C. H. Reinhardt in Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 256.
carinata Ampullaria, G. A. Olivier, Voy. Othoman, III (1804), 68.
carinatus Amycterus, d'Urville in J. A. Boissudval in d'Urville, Voy. "Astrolabe," Ent.
carinatus Ananchites, A. Risso, H. N. Europe, V. 1826, 282. [(2) 1835, 385.
carinatus Ananchites, Deffrance, Dict. Sci. Nat. (ed. 2) II (Suppl.) 1816, 41.
carinata Ananchytes (Leske), Lamarck, An. s. vert. III. 1816, 26.—Spatangites, 1778.
carinata Anatifa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post June 1837, 262.
carinata Anatina (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 75.—Solen.
carinatus Anchonus, F. E. Guérin-M., Iconographie, 1844, Ins. 168.
carinata Anculosa, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 34.
carinatus Anculotus, J. G. Anthony, Boston Journ. N. H. III (3) 1840, 394.
carinatus Anisus (Müll.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 111.—Planorbis, 1774.
carinatum Anobium, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 187.
carinata Anthura, H. Krøyer, Naturhist. Tidsskrift [2] II (4) 1847, 402.
carinatus Aphodius, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 95.
carinatus Aphodius, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 105.
carinatus Apistus (Bl.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 395.—Scorpaena.
carinatus Apogon, Cuvier & Valenc., H. N. Poiss. II. 1828, 157.
carinata Arca, J. Sowerby, Min. Conch. I. 1813, 96.
carinata Arca, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 32.
carinata Arca (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 150.—Cucullaea.
carinata Arca, G. A. Goldfuss, Petref. German. II (7) 1840, 283.
carinata Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) post Aug. 1836, 426.
carinatus [Aspidonectes] (Geoff.), J. Wagler, Nat. Syst. Amph. 1830, 134.—Trionyx.
carinata Astarte, A. d'Orbigny, Pal. Franç., Crét. III. (Lam.) 1844, 63.
carinata Asterigerina, A. d'Orbigny in Sagra, Cuba (Foram.), 1839, 118.
carinata Atagema (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 104.—Doris.
carinatus Ateuchus, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841, 371.
carinatus Atylus (Fab.), W. E. Leach, Zool. Miscell. II. 1815, 22.—Gammarus, 1793.
carinatum Aulacium, L. Reiche, Ann. Soc. Ent. France, XI (1) May 1842, 68.
carinata Avicula (Con.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan 1850], 13.—Pterinea, ? Emm.
carinata Avicula (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 85.—
carinatus Baculites, S. G. Morton, Syn. Org. Rem. Cret. 1834, 44. [Pterinea.
carinatus Balanus, D. Solander, Catal. Portland Mus. 1786, 28 [n. n.].
carinatus Barynotus (Müll.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 313.—Curculio, ? L. 1767.
carinatus Belemnites, Hehl in C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 27.
carinatus Bellerophon, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 319.
carinatus Bellerophon, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan.
carinata Belone, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 437. [1839, 604.
carinata Biloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 164. [[1839], 131.
carinata Biloculina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840)
carinatus Blosyrus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 401.
carinata Boa, J. G. Schneider, Hist. Amph. II. 1801, 261.
carinata Boa, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 417.
carinatus Bostrychus, J. Waltl, Isis (Oken), 1839, 223.
carinatus Brissus, J. E. Gray, Ann. Phil. XXVI. 1825, 431.

- carinatus** Brissus (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 13.—
Spatangus.
- carinatus** Bronteus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 59.
- carinatus** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 83.
- carinata** Buccinella, G. Perry, Conchology, Ap. 1811, pl. 27.
- carinatus** Buceros, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* July), 187.
- carinatus** Bufo, J. E. Gray, Ill. Indian Zool. I [1830-2] (pl. 83).
- carinatus** Bulimus, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 174.
- carinata** Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 50.
- carinatus** Calanus, H. Krøyer, Naturhist. Tidsskrift [2] II (5) 1848, 554.
- carinatus** Calathus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 55.
- carinatus** Campylirhynchus, J. Sturm, Catal. Ins. Samml. 1826, 108 [*n. n.*]. [? Schn.
- carinata** Candoia (Merr.), J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 43.—Boa,
- carinata** Caprotina, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 184.
- carinatus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 66.
- carinatus** Carabus, T. v. Charpentier, Horae Ent. 1825, 185.
- carinatus** Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 80.
- carinatus** Carabus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 90.
- carinata** Cardiopoda, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 157.
- carinata** Carditamera, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843,
- carinatum** Cardium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 613. [305.
- carinatum** Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 54.
- carinata** Carinaropsis, J. Hall, N. H. New York (Pal. I.) 1847, 183.
- carinata** Cassidaria, Lamarck, An. s. vert. VII. 1822, 217.—Cassis.
- carinata** Cassis (Brug.), Lamarck, Ann. Mus. H. N. (Paris) II (2) June 1803, 169.—
Cassidea, 1792.
- carinata** Cassis, J. Sowerby, Min. Conch. I (2) Aug. 1812, 23.
- carinatus** Cataphractus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 108.—Silurus,
- carinatus** Catogenus, E. Newman, Ann. Nat. Hist. II. Feb. 1839, 397. [1766.
- carinatus** Catopygus (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
- carinatus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 21. [185.—Nucleolites.
- carinata** Cercaspi (Kuhl), J. Wagler, Nat. Syst. Amph. 1830, 191.—Hurria.
- carinatum** Cerithium, G. Perry, Conchology, Ap. 1811, pl. 35.
- carinatum** Cerithium (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 231.—Nassa.
- carinatum** Cerithium, W. Thompson, Ann. Nat. Hist. V. Ap. 1840, 99.
- carinata** Cetonia, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- carinatus** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- carinatus** Chamaeleon, B. Merrem, Tent. Syst. Amph. 1820, 162. [1837, 559.
- carinata** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.
—Turritella.
- carinatus** Chironius (L.), L. J. Fitzinger, Neue Classif. Rept. 1826, 60.—Coluber, 1758.
- carinatus** Cholus, F. E. Guérin-M., Iconographie, 1844, Ins. 157.
- carinata** Chrysis, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. May 1842, 147.
- carinatus** Cilibe, F. de Brême, Ess. Cossyph. (1) 1842, 41.
- carinata** Cingula, Mighels & Adams, Boston Journ. N. H. IV (1) 1842, 49.
- carinatus** Cirrus, J. De C. Sowerby, Min. Conch. V. 1823, 36.
- carinata** Cleonis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 166.
- carinatus** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 172.
- carinata** Clepsine, C. M. Diesing, Syst. Helminth. I. 1850, 450.
- carinatus** Clytus, J. Sturm, Catal. Ins. Samml. 1826, 121 [*n. n.*].
- carinatus** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836],
- carinata** Cochlearia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 104. [19.
- carinatus** Coelosternus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 223.—
Rhynchaenus. [212.—Ananchytes.
- carinata** Collyrites (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- carinatus** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 120.
- carinata** Columbella, R. B. Hinds, Zool. "Sulphur," 1844, 39.
- carinata** Comatula, Lamarck, An. s. vert. II. 1816, 534.

- carinata** Combophora, F. E. Guérin-M., Iconographie, 1844, Ins. 366.
carinata Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 14.
carinatus Conus, W. Swainson, Zool. Illust. (1) II (23) Aug. 1822, pl. 112.
carinatus Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2), 1838, 636.
carinata Corbula, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 7.
carinata Corbula, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 257.
carinata Corbula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 457.
carinatus Coretus (Müll.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 119.—Planorbis, 1774. [1848, 530.—Corixa.]
carinata Corixa (Sahlb.), F. X. Fieber, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2)
carinata Corixa, C. R. Sahlberg, Diss. Notonect. 1819, 12.
carinata Corixa, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 284.
carinatum Cornu, C. F. Schumacher, Essai Vers test. 1817, 255.
carinata Crassina, J. Phillips, Geol. Yorksh. I. 1829, 137 & 140 [*n. et f.*].
carinata Crisisina (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.—Hornera.
carinatus Crocodilus, J. G. Schneider, Hist. Amph. II. 1801, 164.
carinatus Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
carinata Cucullae, J. Sowerby, Min. Conch. III. 1818, 9.
carinatus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 299.
carinatus Curtonotus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
carinata Cyclas, G. A. Goldfuss, Petref. German. II (7) 1840, 232. [1847, 368.
carinatum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 26.
carinata Cyclostoma (Born), Lamarck, An. s. vert. VI (2) 1822, 143.—Turbo, 1778.
carinata Cyclura, R. Harlan, J. Acad. Nat. Sci. Philad. IV. Feb. 1825, 250.
carinata Cynira, G. Silbermann, Revue Entom. V (2) c. Sept. 1838, 107. [thorus.
carinatus Cyphorhinus (Sw.), G. R. Gray, Genera of Birds, I. Mar. 1847, 156.—Thryo-
carinata Cypricardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 45 (F*).
carinata Cypricardia, F. Sandberger, N. Jahrb. f. Min. 1846, 325.
carinata Cypricardites, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150,
 1841, 53.
carinata Cyprina (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 365.—
carinatus Cyprinus, P. S. Pallas, Zoographia, III. 1814, 323. [Venus.
carinatus Cyrtolites (Murch.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 72.—
 Bellerophon.
carinata Cytherina, F. A. Roemer, N. Jahrb. f. Min. 1838, 518.
carinata Delphinula, S. Woodward, Geol. Norf. 1833, 44.
carinata Delphinula, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 21.
carinata Delphinula (Sow.), H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3)
 1842, 73.—Turbo.
carinata Dendrostraea (Sow.), W. Swainson, Treat. Malacol., May 1840, 389.—Ostrea,
carinatus Dicaelus, Dejean, Spec. gén. Coléopt. V. 1831, 689. [Lam.
carinatus Diodon, S. L. Mitchell, Ann. Lyceum N. H. New York, II (9-11) Nov. 1827,
carinata Dipsas, Kuhl in Férussac, Bull. Sci. IX. 1826, 238 [*n. n.*]. [265.
carinata Dipsas, H. Schlegel, Essai phys. Serp. 1837, I. 163; II. 285.
carinatus Dipsas, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 119.
carinatus Disaster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
 183.—Spatangus.
carinatum Distoma, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 217.
carinatus Dolerus, H. Scholtz, Uebers. Arb. schles. Ges. 1847 (1848), 111.
carinata Donax, S. Hanley, Proc. Zool. Soc. London, XI (120) July 1843, 5.
carinatus Doras (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 116.—Silurus,
carinata Dorcadion, Pal.; Dejean, Catal. Coléopt. 1821, 108 [*n. n.*]. [1766.
carinatum Dorcadion (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 132.—Lamia, 1781.
carinata Doris, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 254.
carinata Dryinus, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1829, 82.
carinata Drymophila, C. J. Temminck in T. & Laugier, Pls. color. (56) Mar. 1825.
carinatus Echinus, de Blainville, Dict. Sci. Nat. XXXVII. 1825, 98. [1835, 65.
carinatus Echinus (Heterocentrotus) Lesson in J. F. Brandt, Prod. anim. Mertens. I,

- carinatus** Elachestus, J. T. C. Ratzeburg, Die Ichneum, II. 1848, 172.
carinatus Elater, J. F. Eschscholtz, Entomographien, I (1) 1822, 72.
carinata Emarginula, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 41.—Patella, 1844.
carinatus Endosiphonites, D. T. Ansted, Tr. Cambridge Phil. Soc. VI (3) 1838, 419.
carinatus Enygrus (Schn.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 479.—Boa.
carinatus Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 285.
carinata Eremobia (Fab.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 706.—Gryllus, 1775.
carinatus Erodus, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 549.
carinatus Erpetodryas (L.), Boie in Férussac, Bull. Sci. IX. 1826, 237.—Coluber, 1758.
carinatus Erpetodryas (Merr.), F. Boie, Isis (Oken), 1827, 528.—Natrix.
carinata Erpilites, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 426.
carinatus Euomphalus, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 616. [1823].
carinatus Euomphalus, J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 3.—Cirrus.
carinatus Euprepis (Schn.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 115.—Scincus.
carinata Everne, C. S. Rafinesque-S., Précis Som. 1814, 24.—Cr. [*n. n.*].
carinata Exogyra, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 66.
carinatus Exopodioides, F. E. Guérin-M., Iconographie, 1844, Ins. 187.
carinata Fastigiella, L. Reeve, Proc. Zool. Soc. London, XVI (180) Ap. 18, 1848, 15.
carinata Faujasina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 109 [*n. n.*].
carinata Faujasina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 194.
carinata Fenestella, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 10 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 200.
carinata Fenestrellina (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 153.—Fenestella.
carinata Feronia (Dufts.), Dejean, Spec. gén. Coléopt. III. 1828, 383.—Carabus.
carinata Formica, J. C. Fabricius, Syst. Piezat. 1804, 412.
carinata Formica, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 84.
carinata Fratercula, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 358.
carinatus Fusus (Penn.), Lamarck, An. s. vert. VII. 1822, 126.—Murex, 1777.
carinatus Fusus (Lask.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 31.—Murex.
carinatus Fusus, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 140.
carinatus Fusus, T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 60.—Murex striatus *var. carinatus*, Sow.
carinatus Fusus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 204.
carinatus Fusus (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 228.—Pyrula.
carinata Galleruca, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 329.
carinatus Gamarus, C. L. Koch, Deutsch. Crust., heft 24, 1839, tab. 16.
carinatus Gammarus, G. Johnston, Zool. Journ. IV (13) July 1828, 52.
carinata Geocoma (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 381.—Ophiurella.
carinatus Goniatites (Beyr.), Archiac & V., Tr. Geol. Soc. Lond. [2] VI (2) 1842, 382.—Gorgonia, F. v. Hagenow, N. Jahrb. f. Min. 1839, 262. [Ammonites].
carinata Gryphaea, Lamarck, Syst. Anim. 1801, 399.
carinatus Gymnetron, F. Jacobsen, 5 Forh. Skand. Naturf. 1847 (1849), 726.
carinata Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278 [*n. n.*].
carinata Haliotis, W. Swainson, App. Cat. Bligh, 1822, 2.
carinata Haltica, E. F. Germar, Ins. Spec. novae, I. 1824, 610.
carinatus Hammacherus, H. C. Kuester, Käfer Europas, II. 1845, 46.
carinatus Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 165.
carinatum Haustellum, C. F. Schumacher, Essai Vers test. 1817, 213.
carinatus Helcon (Triaspis) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 125.—Sigalphus.
carinata Helicina, G. B. Sowerby, II., Gen. Shells (36) 1831. [28].
carinata Helicina, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835.
carinata Helix (Müll.), G. Montagu, Test. Brit. II. 1803, 451.—Planorbis, 1774.

- carinata** Helix, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
carinatus Helix, J. Sowerby, Min. Conch. I. 1813, 34.
carinata Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [n. n.].
carinata Helix, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. July 1841, 62.
carinata Helix, O. G. Costa, Atti 7 Riun. Sci. Ital. 1846, 857 [n. n.].
carinatus Helluo, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 70.
carinatus Herpetodryas (L.), H. Schlegel, Essai phys. Serp. 1837, I. 150; II. 175.—
 Coluber, 1758.
carinatus Herpetodryas (L.), J. Wagler, Nat. Syst. Amph. 1830, 180.—Coluber.
carinata Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 63.
carinatus Holaster (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 28.—
 Ananchytes.
carinata Hoplophora, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 9.
carinata Hornera, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 63.
carinata Hurria, H. Kuhl, Beitr. Zool. I. 1820, 95.
carinatus Hybodus, J. L. R. Agassiz, Poiss. Foss. III. 52 (1837).
carinata Hyboma, J. O. Westwood, Mag. Zool. Bot. I (3) Oct. 1836, 256.
carinatus Hydrochus, E. F. Germar, Ins. Spec. novae, I. 1824, 89.
carinatus Hydroporus, Dejean, Catal. Coléopt. 1821, 20 [n. n.].
carinatus Hydroporus, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1838, 238.
carinata Idmonea, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 21.
carinata Idotea, H. Lucas, Explor. Algér. (Artic. I.) 1846, 60.
carinata Iguana (Cyclura) (Harl.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept.
 1830, Syn. 39.—Cyclura. [298].
carinatum Infundibulum, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
carinata Irena (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
 142.—Muscipeta.
carinata Ischnomera, E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 378.
carinata Isocardia, J. Phillips, Geol. Yorksh. I. 1829, 134 [n. et f.].
carinata Isocardia, Voltz in J. Thurmman, Mém. Soc. H. N. Strasbourg, I (2) 1833, 13
carinata Isocardia, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 150. [[n. n.].
carinatus Issus, J. C. Fabricius, Syst. Rhyng. 1803, 100.
carinatus Labrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 522.
carinata Lacerta, L. J. Fitzinger, Neue Classif. Rept. 1826, 52 [n. n.].
carinata Lacerta, H. R. Schinz, Nat. Abb. Rept. (—) 1834, 102.
carinata Lacuna, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 75.
carinatus Latridius, L. Gyllenhal, Ins. Suecica, I (4) 1827, 137.
carinatus Leioccephalus, J. E. Gray, Phil. Mag., n. s., II (9) Sept. 1827, 208.
carinatus Lepidopleura, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [n. n.].
carinata Lima, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 90.
carinatus Limax, A. Risso, H. N. Europe, IV. 1826, 56.
carinatus Limax, L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch.
 Wien), III. 1833, 90. [115].
carinatus Limax, J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840,
carinatus Limax, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [n. n.].
carinata Lingulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 257.
carinatus Liparus (L.), A. G. Olivier, Entom. V. 1807, 290.—Curculio, 1767.
carinata Litiopa, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 255.
carinatus Littorina (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 10.—
carinata Littorina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 209. [Turbo].
carinatus Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 34.
carinatus Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 164 [n. n.].
carinata Locusta (Phylloptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
 bezitt., Zool. (Ins.) 1842, 199.
carinatus Lopus, Herrich-S., Wanzenart. Ins. VI (3) May 1841, 49.
carinatus Lychnus, P. Matheron, Bull. Soc. géol. France, XIII. 1842, 496 [n. n.].
carinatus Lycodon, H. Schlegel, Essai phys. Serp. 1837, I. 142; II. 109.
carinatus Lyriodon, H. G. Bronn, Index Pal. 1848, 684.

- carinatum** Lysiopetatum, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VII (20-22) Oct. 1840, 322. [? Schn.]
- carinata** Mabuya (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 52.—Scincus,
- carinata** Mactra, Lamarck, An. s. vert. V. 1818, 473.
- carinata** Maeonia (Morris), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 696.—Pachydomus.
- carinata** Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 259.
- carinata** Mastigocerca, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 46 [n. n.]; *ibid.* 1831 (1832), 132.
- carinatus** Megalodus, G. A. Goldfuss, Petref. German. II (6) 1837, 183.
- carinata** Melania, S. V. Wood, I., Q. J. Geol. Soc. London, III. 1847, 354 [n. n.].
- carinata** Melanopsis, J. De C. Sowerby, Min. Conch. VI. 1826, 41.
- carinatus** Meleus, Ol.; Dejean, Catal. Coléopt. 1821, 88 [n. n.].
- carinata** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 182;
- carinata** Membracis, F. Weber, Obs. Ent. 1801, 112. [& App. 1817, 98.]
- carinatus** Minyops (Ol.), C. J. Schoenherr, Isis (Oken), 1823, 1143.—Liparus.
- carinatus** Minyops (L.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 317.—Curculio, 1767.
- carinatus** Miris, Schummel, Uebers. Arb. schles. Ges. 1831 (1832), 73 [n. n.].
- carinata** Mitra, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVII (33) Ap. 1824, 36.
- carinata** Modiola, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
- carinatus** Modiolopsis, J. Hall, N. H. New York (Pal. I.) 1847, 160.
- carinata** Monarcha (Sw.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 255.—Muscipeta.
- carinata** Monocentris, J. G. Schneider, Bloch, Syst. Ichth. 1801, 100.
- carinatus** Morio (Lam.), H. G. Bronn, Syst. urw. Konch. 1824, 51.—Cassidaria.
- carinatus** Morio (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 340.—Cassis.
- carinatus** Morio (Brug.), Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss., 1832, 12.—Cassidea, 1792.
- carinatus** Mugil, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XI. 1836, 148.
- carinatus** Murex, S. A. Renier, Tavole [1804] ix.
- carinatus** Murex, J. Laskey, Mem. Werner. Soc. I. 1811, 400.
- carinatus** Murex, A. Bivona-Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832, 23.
- carinata** Muscipeta, W. Swainson, Zool. Illust. (1) III (30) Mar. 1823, pl. 147.
- carinata** Myra, A. White, List Crustacea Coll. B. M. 1847, 49 [n. n.].
- carinatus** Mytilites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 57.
- carinatus** Mytilus, D. Solander, Catal. Portland Mus. 1786, 83 [n. n.].
- carinatus** Mytilus, G. Brocchi, Conch. Subap. 1814, 585.
- carinatus** Mytilus, G. A. Goldfuss, Petref. German. II (6) 1837, 179.
- carinata** Narica (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 150.—Natica.
- carinata** Nassa, J. De C. Sowerby in Sedgwick & M., Tr. Geol. Soc. Lond. [2] III (2) 1833, 419; (3) 1835, expl. pl. xxxix. [IV. 1836, 343.]
- carinata** Natica, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [n. et f.];
- carinata** Natica, F. A. Roemer, Verst. Norddeutsche. Kreidegeb. (2) 1841, 83.
- carinatus** Nautilus, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (7) 1827, 25.
- carinatus** Nematus, T. Hartig, Adelf. Deutschl. I. 1837, 199.
- carinata** Neritina, Kokeil in F. J. Schmidt, Syst. Verz. Krain. Conch. 1847, 24.
- carinata** Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.
- carinata** Nodosaria (Orb.), L. Reeve, Conch. Syst. II. 1842, 293.—Lingulina.
- carinatus** Nucleolites, G. A. Goldfuss, Petref. German. I (2) 1829, 142.
- carinata** Nucula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [n. n.]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 244.
- carinata** Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 68.
- carinata** Nyctipates, Dejean in G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 119.
- carinata** Ocyptera, H. Loew, Entom. Zeitung, Stettin, VI (6) June 1845, 176.
- carinata** Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 180.
- carinata** Oedipoda, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 384.

- carinata** Omaloplia, Schoenh.; J. Sturm, Catal. Ins. Samml. 1826, 176.
carinatum Opatrum, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 126.
carinata Ophiura, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 206.
carinata Ophiurella (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ophiura.
carinatus Oreaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 49.
carinata Orthis, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 267.
carinata Orthis (Conr.), D. Sharpe, Q. J. Geol. Soc. London, IV. 1848, 173.—Stropho-
carinatus Orthoceratites, G. v. Muenster, Beitr. zur. Petref. (3) 1840, 100. [mena.
carinata Orthonota, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 51.
carinata Ostrea, D. Solander, Catal. Portland Mus. 1786, 31, 36, 56, 72, 136, 162 [n. n.].
carinata Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 161.
carinata Ostrea, Lamarck, An. s. vert. VI (1) 1819, 216.
carinatus Otiorhynchus (Sturm), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 624.—
 Loborhynchus. [linus, 1798.
carinatus Oxytelus (Panz.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 106.—Staphy-
carinatus Pachydomus, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 273.
carinatus Pagurus, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 133.
carinatus Palaemon, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 667.
carinatus Palaeoniscus, J. L. R. Agassiz, Poiss. Foss. II (1) 104 (1835).
carinata Pallosoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
carinata Paludina, W. Swainson, Zool. Illust. (1) II (19) Ap. 1822, pl. 98. [494.
carinata Paludina, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
carinata Paludina, C. T. Menke, Conch.-Samml. Malsburg, 1829, 10. [1827], 252.
carinatus Pamphagus (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 37.—Gryllus, 1758.
carinata Pareas, J. Wagler, Nat. Syst. Amph. 1830, 181.
carinata Patella, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 201.
carinatus Pecten, J. De C. Sowerby, Min. Conch. VI. 1827, 145.
carinatus Peirates (Fab.), J. G. Audinet-S., Ann. Sci. Nat. XXIII (90) June 1831, 221.
 —Reduvius, 1798.
carinatum Pelicium, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (4) 1846,
carinatus Peneaus, A. G. Otto, Consp. anim. (1) 1821, 12. [532.
carinatus Peneroplis, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 33.
carinatus Pentacrinites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 26.
carinatum Phalacroma, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 44.
carinata Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 250.
carinata Pholadomya, G. A. Goldfuss, Petref. German. II (7) 1840, 267.
carinata Pholadomya, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [n. n.].
carinata Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 97.
carinatus Planorbis, Lamarck, Ency. Méth. (Vers), 1816, pl. 460, Liste p. 12 [n. et f.].
carinatus Platycephus, J. Gistl, Nat. Thierr. 1848, 190.
carinatus Platycephus, J. Gistl, Handb. Naturges. 1850 [1847], 625.
carinatus Plesiosaurus, G. Cuvier, Oss. foss., ed. 2, V (2) Dec. 1824, 486. [599.
carinata Pleurostoma, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834,
carinata Pleurotoma, DeFrance in G. P. Deshayes, Descr. Cog. foss. Paris, II. 1834, 489.
carinata Pleurotoma, A. Bivona, Giorn. Sci. Lett. Sicilia, LXI. 1838, 226.
carinatus Pleurotomaria (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 5.—Helix.
carinata Pleurotome, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (6) 1808, 36.
carinatus Plinthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 334.
carinatus Pollicipes, R. A. Philippi, N. Jahrb. f. Min. 1835, 512.
carinata Polydonta, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 101 [n. n.].
carinatus Prionites, B. Du Bus, Bull. Ac. Roy. Brux. XIV (2) 1847, 108.
carinatus Pselaphus, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 97.
carinata Pseudoboa, J. G. Schneider, Hist. Amph. II. 1801, 285. [paena.
carinatus Pterichthys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 265.—Scor-

- carinata** Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 136.
carinata Pterinea, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 402.
carinatus Pteroceras (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 250.—Fusus.
- carinatus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 22.
carinatus Ptinus, Robineau-D., C. R. Acad. Sci. (Paris) III. 1836, 442.
carinatus Ptinus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 210.
carinata Purpura, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII.
carinata Purpura, T. Brown, Ill. Foss. Conch. G. B. I. (12) 1838, 52. [1829, 141.
carinata Pyramidella, A. Risso, H. N. Europe, IV. 1826, 94.
carinata Pyramidella, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 113.
carinatus Pyrophorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
carinata Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 78.
carinata Pyrula, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 27.
carinata Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].
carinatus Ramphastos, W. Swainson, Zool. Illust. (1) I (8) May 1821, pl. 45.
carinatus Ramphastos, J. G. Wagler, Isis (Oken), 1829, 506.
carinatus Rasahus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
carinatus Rattulus, Lamarck, An. s. vert. II. 1816, 24. [326.—Reduvius.
carinata Requiènia, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 104; Rep. trav. Soc. stat. Marseille, VI. 176.
- carinata** Requiènia, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 260.—Capro-
carinatus Rhynchchaenus, J. C. Fabricius, Syst. Eleuth. II (1801), 464. [tina, 1842.
carinatus Rhynchophorus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 31 [*n. n.*].
carinata Rissoa, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 150.
carinata Rissoa, A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 74.
carinata Rostellaria, G. A. Mantell, Foss. South Downs, May 1822, 86.
carinata Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 273 [*n. n.*].
carinata Rotella, A. d'Orbigny in Sagra, Cuba (Moll. II.), 1842, 62.
carinata Rotella, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 263.
- carinata** Sanguinolaria, G. A. Goldfuss, Petref. German. II (7) 1840, 278.
carinatus Saurus, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (21) May 1823, 329.
carinata Scalaria, I. Lea, Contrib. to Geol. 1833, 116.
carinatus Scarites, Dejean, Spec. gén. Coléopt. I. 1825, 376.
carinatus Scaurus, Schmid in Solier, Ann. Soc. Ent. France, VII (2) *post* June 1838, 176.
carinatus Scincus, J. G. Schneider, Hist. Amph. II. 1801, 183.
carinata Scorpaena, J. G. Schneider, Bloch, Syst. Ichth. 1801, 193.
carinatus Scyllarus, L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 336.
carinata Serpula, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. I. 1801, 178.
carinata Serpula, G. Montagu, Test. Brit. II. 1803, 502.
carinata Serpula, J. H. Linsley, Amer. J. Sci. XLVIII (2) Ap. 1845, 272 [*n. n.*].
carinata Sicyonia (Ol.), H. M. Edwards, Ann. Sci. Nat. XIX (75) Mar. 1830, 346.—Palaemon.
- carinatus** Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 249.
carinatus Sigaretus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 13.
carinata Silpha, Ill.; Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].
carinatus [Sirthenae] (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 100.—Reduvius, 1798.
carinata Skenea (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 314.—Cirrus.
carinatum Solarium, A. Risso, H. N. Europe, IV. 1826, 139.
carinatum Solarium, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 130.
carinata Soldania, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281.
carinatus Solen, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 133; Rep. trav.
carinatus Sorex, J. Hermann, Obs. Zool. 1804, 46. [Soc. stat. Marseille, VI. 205.
carinatus Sparasion, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 412.
carinatus Spatangus, Lamarck, An. s. vert. III. 1816, 30.
carinatus Spatangus (Leske), G. A. Goldfuss, Petref. German. I (2) 1829, 150.—Spa-
carinata Spirorbis, Lamarck, An. s. vert. V. 1818, 359. [tangites, 1778.

- carinata Spirorbis, DeFrance, Dict. Sci. Nat. L. 1827, 303.
 carinatus Spirorbis (Mont.), J. Morris, Cat. Brit. Foss. 1843, 67.—Serpula.
 carinata Squatina, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 298. [matella].
 carinata Stanmatella, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 243 [= Sto-
 carinatum Stegostoma, E. Blyth, J. Asiatic Soc. Bengal, XVI. 1847, 725.
 carinatus Steironotus (Gray), L. Fitzinger, Syst. Rept. 1843, 70.—Leiocephalus.
 carinatus Stenocorus, J. Sturm, Catal. Ins. Samml. 1826, 199 [n. n.].
 carinata Stigmodera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 33.
 carinatus Stilicis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 635.
 carinata Stomatella, v. carinata Stanmatella.
 carinata Stomatia (Buv.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 9.—Stomatella.
 carinata Stomatia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 194.—
 Sigaretus. [Euomphalus].
 carinatus Straparollus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 29.—
 carinata Strophomena, T. A. Conrad [3 A. Rep. N. Y. Geol. Surv.], Assembl., no. 275,
 1839, 64.
 carinatus Synergus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 348.
 carinata Syneta, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843
 carinata Syrtis, J. C. Fabricius, Syst. Rhyng. 1803, 122. [(2) 1843, 307.
 carinata Tagenia, F. Eschscholtz, Zool. Atlas, IV. 1831, 12.
 carinatus Talitrus (Fab.), Lamarck, An. s. vert. V. 1818, 184.—Gammarus, 1793.
 carinatus Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836,
 529.
 carinata Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 216.
 carinata Terebratula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 22.
 carinata Terebratula, Lamarck, An. s. vert. VI (1) 1819, 251.
 carinata Teredo, J. E. Gray, Phil. Mag., n. s., II (12) Dec. 1827, 411.
 carinata Teredo, de Blainville, Dict. Sci. Nat. LII. 1828, 269.
 carinata Tetrix, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 71 [n. n.].
 carinata Tettigonia, C. P. Thunberg, Hemip. Capen. I. 1822, 7.
 carinata Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263 [n. n.].
 carinatus Thryothorus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 14.
 carinatus Tiliqua (Schn.), Hardwicke & Gray, Zool. Journ. III (10) July [i.e. Sept.] 1827,
 227.—Scincus.
 carinata Tingis, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 20.
 carinatus Tityus, C. L. Koch, Die Arachniden, XI (1) 1844, 2.
 carinatus Tmesiphorus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 76.
 carinatus Trachynotus, A. J. Sollier, Mém. R. Acc. Sci. Torino [2] VI. 1844, 321.
 carinata Trigonina, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 43.
 carinata Trigonosoma, E. F. Germar, Revue Entom. V (4) 1840, 188.
 carinata Triloculina, A. d'Orbigny in Sagra, Cuba (Foram.), 1839, 179.
 carinata Triloculina, G. Michelotti, Mém. Soc. Ital. Sci. XXII. 1841, 300.
 carinata Triloculina, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 43.
 carinatus Trimesurus, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 48. [365.
 carinatus Trionyx, E. Geoffroy St H., N. Bull. Sci. Soc. Philom. Paris, I (22) July 1809,
 carinatus Trochalus, F. L. de Laporte in Brullé, N. Anim. artic. (Coléopt.) II. 1840,
 carinata Trochotoma, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 417. [149.
 carinatus Trochus (ex Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 790.
 carinatus Trochus, S. Borson, Mém. R. Acc. Sci. Torino, XXVI. 1821 [?] 1822], 330.
 carinatus Trochus, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 209.
 carinatus Trochus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (3) 1843, 66.
 carinatus Tropiphorus (Schoenh.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 260.
 carinatus Trypoxylon, T. Say, Boston Journ. N. H. I (4) 1837, 374. —Barynotus.
 carinata Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug.
 carinatus Turbo, D. Solander, Catal. Portland Mus. 1786, 188 [n. n.]. [1820, 235.
 carinatus Turbo, J. Sowerby, Min. Conch. III. 1819, 69.
 carinatus Turbo, S. Woodward, Geol. Norf. 1833, 44.
 carinatus Turbo, Hoeninghaus, Verz. Hoen. Mus. Bonn Petref. Samml. 1829, 7 [n. n.].

- carinatus** Turbo, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 387.
- carinatus** Turbo, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 612.
- carinata** Turbo (Bors.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 48.—Trochus.
- carinata** Turritella, I. Lea, Contrib. to Geol. 1833, 129.
- carinata** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 118.
- carinatus** Unio, D. H. Barnes, Amer. J. Sci. VI (2) *post* Ap. 1823, 259.
- carinata** Venericardia, J. Sowerby, Min. Conch. III. 1820, 106.
- carinata** Venus, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 110.
- carinatus** Vermetus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 298. [*n. cf. f.*].
- carinatus** Vermetus, Rousseau in J. C. Chenu, Illustr. conch. I (23 & 24) 1844, pl. 2.
- carinata** Vermicularia, C. F. Schumacher, Essai Vers test. 1817, 262.
- carinata** Vipera (Echis) (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 149.—Pseudoboa.
- carinata** Xiphosoma (Cuv.), L. J. Fitzinger, Neue Classif. Rept. 1826, 54.—Boa, Schn.
- carinata** Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 630.
- Carine** J. J. Kaup, Skizz. Europ. Thierw. 1829, 29.—A.
- Carinea** W. Swainson, Treat. Malacol., May 1840, 326.—G.
- Carinella** G. Johnston, Mag. Nat. Hist. VI. May 1833, 232.—Verm. [Scudder].
- Carinella** G. B. Sowerby, II., Conch. Man. 1839, 19 [*err. pro* Cancinelle, Adanson; *teste*].
- carinellus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 141.
- carinella** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 76.
- carinella** Fusus, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. cf. f.*].
- carinella** Fusus (J. Sow.), J. De C. Sowerby, Min. Conch. Alph. Index, 1840, 5.—Murex.
- carinellus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 452.
- carinella** Murex, J. Sowerby, Min. Conch. II. 1818, 196. [Pterodonta].
- carinella** Pterocera (P. & R.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 132.—
- carinella** Pterodonta, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 131.
- carinella** Rostellaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 287.
- carinella** Serpula, J. De C. Sowerby, Min. Conch. VI. 1829, 201. [1777].
- carinentaria** Dryocostis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—Phalaena,
- carinenta** Hecarge (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 100.—Papilio, 1777.
- carinenta** Libythea, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Papilio, Cr. 1777.
- carinerostris** *v.* **carinirostris**.
- Carineta** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 482.—Hem.
- carinicaudus** Coluber, Max Wied, Isis (Oken), 1824, 666.
- carinicaudus** Helicops (Wied), J. Wagler, Descr. Icon. Amph. (1) 1828, pl. 7.—Coluber.
- carinicaudus** Homalopsis (Wied), F. Boie, Isis (Oken), 1827, 551.—Coluber.
- carinicaudus** Pseudoeryx (Wied), L. J. Fitzinger, Isis (Oken), 1826, 883.—Coluber.
- carinicaudus** Steirolepis, L. Fitzinger, Syst. Rept. 1843, 73. [241].
- carinicollis** Bothynoderes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834,
- carinicollis** Cleonus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 95.—Bothynoderes. [1845, 37].
- carinicollis** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2)
- carinicollis** Gryllus, D. H. Schneider, Verz. Insectensamml. 1828, 86 [*n. n.*].
- carinicollis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 448.
- carinicollis** Sphadasmus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 292.
- carinicollis** Sphaerorhinus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Oct. 1849, 506.
- carinicollis** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- carinicollis** Tychius, H. Lucas, Explor. Algér. (Artic. II.) 1849, 449. [882].
- Carinidea** W. Swainson, Treat. Malacol., May 1840, 216 & 350.—G.
- carinifacies** Odontomyia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 355.
- carinifera** Asterias, Lamarck, An. s. vert. II. 1816, 556.
- carinifera** Asterope (Lam.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 103.—Asterias.
- carinifera** Asteropsis (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 63.—Asterias.
- cariniferum** Buccinum (Purpura), F. S. Voigt in Cuvier, Thierreich, III. 1834, 335.

- carinifera** Cidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 335.
carinifer Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 92.
carinifera Corimya (Sow.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 264.—
 Lutraria.
cariniferum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 114.
carinifera Cypricardites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
 245.
cariniferus Fusus, Lamarck, Ency. Méth. (Vers), 1816, pl. 423, Liste p. 6 [*n. et f.*].
carinifer Fusus, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 43.
carinifera Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 16.
carinifera Litorina (Menke), R. A. Philippi, Abb. Conch. II (8) 1847, 227.—Phasianella.
carinifera Lucina, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 40.
carinifera Lutraria, J. De C. Sowerby, Min. Conch. VI. 1826, 66.
carinifera Lyonsia (Sow.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 385.—
carinifera Melania, Lamarck, An. s. vert. VI (2) 1822, 167. [Lutraria.
cariniferus Murex, W. Wood, Index Test. 1818, 126.
cariniferus Nautilus, J. De C. Sowerby, Min. Conch. V. 1824, 130.
cariniferus Nautilus (Tenniocheilus), Sow. ; F. McCoy in Griffith, Syn. Carb. Lst. foss.
carinifera Nucula, I. Lea, Contrib. to Geol. 1833, 198. [Ireland, 1844, 20.
carinifera Paludina, J. De C. Sowerby, Min. Conch. VI. 1826, 12.
carinifera Phasianella, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 141.
carinifera Pleurotoma, Grateloup, Actes Soc. Linn. Bordeaux, V (30) 1832, 317.
carinifera Plicatella, W. Swainson, Treat. Malacol., May 1840, 304.
carinifera Purpura, Lamarck, An. s. vert. VII. 1822, 241.
cariniferus Trochus, Beck in L. Reeve, Conch. Syst. II. 1842, 165 [*n. et f.*].
carinifera Turbinella, Lamarck, An. s. vert. VII. 1822, 108.—Fusus, 1816.
carinifera Turritella, Lamarck, An. s. vert. VII. 1822, 59.
carinifera Turritella, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 273.
carinifera Unio, Lamarck, An. s. vert. VI (1) 1819, 74.
carinifer Unio, F. S. Voigt in Cuvier, Thierreich, III. 1834, 497.
cariniferus Vermetus, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 242.
cariniformis Trineura, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2885. [506.
carinifrons Ceuthorrhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 Dexia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 45.—Musca.
carinifrons Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 243.
carinimanus Macrophthalmus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II.
 1837, 65.
carinirostris Balanus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 388.
carinirostris Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 176.
carinirostris Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 863.
carinirostris Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 198.
carinirostris Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 762.
carinirostris Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 121.
carinerostris Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 461.
carinirostris Platyomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 187.
carinerostris Ptchous, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 105.
carinirostris Scotasmus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 336.
carino-costata Melania, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 165.
carino-crenatus Fusus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 420.
carino-spinosus Cancer, W. Turton, Linnaeus, Syst. Nat. III. 1802, 760.
carino-spinosa Dexamine (Turt.), A. White, List Crustacea Coll. B. M. 1847, 87.—
carinthiacus Carabus, J. Sturm, Deutschl. Fauna (Insecten) III. 1815, 68. [Cancer.
carinthiacus Cryptocephalus, Dahl ; J. Sturm, Catal. Ins. Samml. 1826, 126.
carinthiacus Cryptocephalus, E. Suffrian, Ann. Soc. Ent. France [2] VIII (2) *post* June
 1850, 271.
karinthiaca Galerida, C. L. Brehm, Isis (Oken), 1841, 124.
carinthiacus Lobarhynchus, Dahl ; J. Sturm, Catal. Ins. Samml. 1826, 164.
carinthiacus Otiorhynchus, Dahl in E. F. Germar, Ins. Spec. novae, I. 1824, 349.
carynthiacus Pachygaster, Ziegler ; Dejean, Catal. Coléopt. 1821, 90 [*n. n.*].

- carynthiacus** Staphylinus, Dahl; Dejean, Catal. Coléopt. 1821, 21 [*n. n.*]. [125.]
- carinthiaca** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817.
- carinthiacus** Unio, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 21; (3) Mar. 1836, 30.
- carinula** Curculio, A. G. Olivier, Entom. V. 1807, 420. [1821, 65.]
- carinula** [Helix] (Cochlodina), Gm.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons.
- carinula** Sciaphilus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 551.—Curculio.
- carinula** Serpula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 54.
- carinula** Thylacites (Ol.), E. F. Germar, Ins. Spec. novae, I. 1824, 412.—Curculio.
- carinula** Turbo, E. Eichwald, Nat. Lithuanen, 1830, 220. [Tellina.]
- carinulata** Arcopagia (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 376.—
- carinulatus** Astynomus, Eschscholtz in Gebler, Bull. Soc. Imp. Nat. Moscou, XXI, 1848 (2) 1848, 397.
- carinulatus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 158, May 1847.
- carinulatus** Cleonus, C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 225.
- carinulatum** Cyclostoma, L. Partiot, Mem. Cyclost. 1848, 40.
- carinulatus** Lathridius, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 81.
- carinulatus** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 16.
- carinulata** Subulina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 77 [*n. n.*].
- carinulata** Tellina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 233.
- carinus** *v.* **carina**.
- cariococca** Pygopus, J. B. v. Spix, Lacert. Brasil. 1825, 26. [1790.]
- Cariophyllaeus** C. P. Thunberg, D. D. Mus. Ac. Upsal., App. XV. 1808, 6 [*v.* Caryoph→
- cariosella** Lita, Treitschke, Schmett. Europ. X (Suppl.) 1835, 203.
- cariosella** Roeslerstammia, P. C. Zeller, Isis (Oken), 1839, 203.
- cariosella** Tinea (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ex. ann.* 1838], 107.—Lita.
- cariosicollis** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 446.
- cariosula** Helix, Michaud, Mém. Soc. H. N. Strasbourg, I (2) 1833, 5.
- cariosula** Leucochroa (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—
- cariosum** Achilleum, G. A. Goldfuss, Petref. German. I (2) 1839, 94. [Helix.]
- cariosa** Anodonta, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Najadea (34) 1842, 43.
- cariosa** Calandra, A. G. Olivier, Entom. V. 1807, 91. [1776.]
- cariosa** Capnodis (Fab.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, ? Pall.
- cariosa** Carocolla (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 412.—Helix, Ol.
- cariosa** Caryophyllia (Goldf.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 312.—Lithodendron.
- cariosa** Cladocora (Goldf.), J. Morris, Cat. Brit. Foss. 1843, 33.—Madrepora.
- cariosa** Colaspis, A. G. Olivier, Entom. VI. 1808, 880.
- cariosus** Cryptorhynchus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 204. [dendron.]
- cariosa** Dendrophyllia (Goldf.), H. Michelin, Icon. Zoophyt. (13-19) 1845, 155.—Litho-
- cariosus** Empicoris, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- cariosa** Helix, G. A. Olivier, Voy. Othoman, IV (1804), 30. [609.]
- cariosa** Helix, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 602.
- cariosa** Helix (Helicigona), Olivier; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 41.
- cariosus** Helops, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 153 [*n. n.*].
- cariosa** Leucochroa (Ol.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- cariosum** Lithodendron, G. A. Goldfuss, Petref. German. I (1) 1826, 45.
- cariosa** Lobopsammia (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 105.—Lithodendron.
- cariosa** Madrepora, G. A. Goldfuss, Petref. German. I (1) 1826, 22.
- cariosa** Melanopsis (L.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 494.—Murex, 1767.
- cariosus** Murex, W. Wood, Suppl. Index Test. 1828, 15 [*n. cl f.*].
- cariosa** Nerita, W. Wood, Suppl. Index Test. 1828, 25 [*n. cl f.*].
- cariosa** Neritina, W. Wood, Suppl. Index Test. 1828, 45.—Nerita, 1828.

- cariosa** Ostrea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 337.
- cariosus** Pachybrachis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 164.
- cariosa** Purpura, W. Wood, Suppl. Index Test. 1828, 51.—Murex, 1828.
- cariosa** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 7. [Calandra.
- cariosus** Sphenophorus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 941.—
- cariosa** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 371.
- cariosa** Spongia, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 80.
- cariosus** Unio, T. Say, Nicholson's Brit. Ency. Arts Sci. (1, 2 & 3 Amer. eds. 1816, 1818, 1819) IV. sign. c₃.
- cariosus** Unio, W. Wood, Suppl. Index Test. 1828, 57.
- caripa** Pristipoma, G. Cuvier, R. Anim., ed. 2, II. 1829, 176.
- caripensis** v. **caribensis**.
- Caris** *id.* ac Carios, 1796; P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 67.—Ar.
- Caris** G. Fischer v. W., Entom. Imp. Russ. I (Gen. Ins.) *post* Sept. 1821, 99.—Col.
- caris** Chaetodon, F. Hamilton, Fish. Ganges, 1822, 125.
- caris** Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 422.
- carisochroma** Cuvieria, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxx.
- carissima** Agapete, E. Newman, The Zoologist, III (7) 1845, 1017.
- carissima** Agapete, W. W. Saunders, Tr. Entom. Soc. Lond., n. s., I (3) Nov. 1850, 84.
- carissima** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. 1839, 22. [June 1842, 6.
- carissima** Clausilia, *var.* bella, E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (5)
- carissima** Saperda, J. O. Westwood, Ann. Mag. N. H. VIII. Oct. 1841, 124.
- Carites** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 143.—A.
- carlavantii** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 113.
- Carlia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 271.—R.
- carlinae** Hesperia, P. Rambur, F. Ent. Andal. II. 1842, 314.
- carlinae** Larinus (Ol.), J. Sturm, Catal. Ins. Samml. 1826, 160.—Lixus.
- carlinae** Lixus, A. G. Olivier, Entom. V. 1807, 280.
- carlinae** Rhinobatus, Ol.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- carlinae** Syrichtus (Ramb.), Boisduval, Gen. Index Europ. Lepid. 1840, 36.—Hesperia.
- carlinoides** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 449. [Gm. 1788.
- carlsoni** Cardinalis (Daud.), G. R. Gray, Genera of Birds, II. June 1844, 358.—Loxia,
- carlsonii** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 547.
- carma** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 202.
- carmagnolae** Loborynchus, Villa & Villa, Coleopt. Europ. 1833, Suppl. 1835, 49.
- carmagnolae** Otiorhynchus, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 457 [*n. n.*]. [[*n. et f.*].
- carme** Eresia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 183
- carine** Idarnes, F. Walker, Ann. Mag. N. H. XII. July 1843, 47.
- carmelita** Apate, J. C. Fabricius, Syst. Eleuth. II. 1801, 379.
- carmelitus** Belopoeus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 873.—
- carmelita** Calandra, Germar, Ins. spec. nov. 1824, 296. [Calandra.
- carmelita** Calendra, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) I. Sept. 1819, 293.
- carmelita** Caracolla (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 32.—Helix.
- carmelita** Chariesterus, H. Burmeister, Handb. Ent. II (1) 1835, 317.
- carmelita** Cotinis, H. Burmeister, Handb. Ent. III. 1842, 260.
- carmelita** Helix, Fér.; L. Pfeiffer, Symb. Helic. III. 1846, 73.
- carmelita** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 36 [*n. et f.*].
- carmelita** Lophopteryx (Esp.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 27. —Bombyx, 1799. [177.—Bombyx, Esp. 1799.
- carmelitus** Notodon (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830,
- carmelita** Notodonta (Esp.), F. Ochsenheimer, Schmett. Europa, III. 1810, 61.—Bombyx, 1799. [1799.
- carmelita** Odontotia (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 146.—Phalaena,
- carmelita** Pachnoda (Fab.), H. Burmeister, Handb. Ent. III. 1842, 515.—Cetonia, 1787.

- carmellina** Borlasia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 196.
carmellina Meckelia, C. M. Dising, Syst. Helminth. I. 1850, 265.
carmellia Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 39.
Carmentis J. Gistl, Nat. Thierr. 1848, 123.—Col.
Carmentis J. Gistl, Handb. Naturges. 1850 [1847], 404.—Col. [[*n. et f.*].
carmentis Acraea, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 140
carmente Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 71. [654.
carmichaelii Medeterus, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (3) 1849,
carmichaelis Acanthopleura (Gray), L. Guilding, Zool. Journ. V (17) Feb. 1830, 28.—
carmichaelis Cheilodactylus, Cuvier & Valenc., H. N. Poiss. V. 1830, 360. [Chiton.
carmichaelis Chiton, J. E. Gray, Spec. Zool. 1828, 6. [68.—Chiton, 1828.
carmichaelis Plaxiphora, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847,
carminans Mygale, Latreille, N. Dict. H. N., ed. 2, XXII. 1818, 121.
carminans Mygale, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. July 1820, 103.
carminaria Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 39.
carminensis Glandina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 14.
carmineus Coccimorphus, T. Lacordaire, Mon. Erythr., Sept. 1842, 269.
carminiani Polia, S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 42.
carmuca Cyprinus, F. Buchanan, Journey from Madras, III. 1807, 344.
Carna J. Gistl, Nat. Thierr. 1848, 176.—Ech.
Carna J. Gistl, Handb. Naturges. 1850 [1847], 578.—Ech. [[*n. et f.*].
carna Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 50 (Fernaldo judice 1802-08)
carna Mitra, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 46.
carnulliana Turritella, Jos. Müller, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1849),
 239. [Brit. Ins., Aug. 1829, 304.
carnarida Musca, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 60 [*n. n.*]; & Syst. Cat.
carnarida Hemifusus (Lam.), W. Swainson, Treat. Malacol., May 1840, 308.—Fusus,
 ?Pyrula.
carnarida Lucina (L.), Lamarck, An. s. vert. V. 1818, 542.—Tellina, 1758.
carnarida Myophora (L.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
 II. 1830, 347.—Musca, 1758.
carnarida Platessa, T. Brown, Edinburgh Journ. Nat. Geogr. Sci. II. May 1830, 99.
carnarida Pyrula, Lamarck, Ency. Méth. (Vers) 1816, pl. 434, Liste p. 8 [*n. et f.*].
carnarida Pyralis, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 198. [Musca, 1758.
carnarida Sarcophaga (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 19.—
carnarida Strigilla (L.), W. Turton, Conch. Insul. Brit. 1822, 117.—Tellina, 1758.
carnaticus Aplocheilus, T. C. Jerdon, Madras Journ. XV (35) 1849, 331.
carnaticus Barbus, T. C. Jerdon, Madras Journ. XV (35) 1849, 311.
carnaticus Cobitis, T. C. Jerdon, Madras Journ. XV (35) 1849, 331.
carnaticus Pimelodus, T. C. Jerdon, Madras Journ. XV (35) 1849, 341.
carnaticus Systemus, T. C. Jerdon, Madras Journ. XV (35) 1849, 315.
carnatia Vespertilio (Megaderma), W. Elliot, Madras Journ. X (24) July 1839, 96.
carnatia Melania, G. Perry, Conchology, Ap. 1811, pl. 29.
carne Entedon, F. Walker, Mon. Chalcid. I. 1839, 123.
carnea *v.* **carneus**.
carnealis Botrys, F. Treitschke, Schmett. Europa, VII. 1829, 91. [carnella, 1767.
carnealis Eurhodope (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 371.—Phalaena
carneana Eupocilia, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 298.
carneipes Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
carneipes Puffinus, J. Gould, Proc. Zool. Soc. London, XII (133) Sept. 1844, 57. [665.
carnella Ilythia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836,
 148.—Tinea, 1767.
carnella Oncocera (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phalaena, 1767.
carnella Phycis (L.), Zincken, Mag. Entom. (Germar) III. 1818, 128.—Tinea, 1758.
carneolata Harpula (Lam.), W. Swainson, Treat. Malacol., May 1840, 317.—?Voluta.
carneolata Voluta, Lamarck, Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 67.
carneolus Attelabus (Euscelus), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana,
 III. 1848, 567.

- carneolus** Bulimus, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 166.
carneola Cetonia, H. Burmeister, Handb. Ent. V. 1847, 559. [1848, 609.
carneolus Coryssoraphis, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
carneolus Cryptocephalus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 104.
carneola Monodonta (Lam.), C. T. Menke, Conch.-Samml. Malsburg, 1829, 17.—Trochus.
carneolus Mytilus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 48.
carneola Oliva (Gm.), G. Fischer, Mus. Démid. III. 1807, 162.—Voluta, 1790.
carneola Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 321.
carneola Persicula, J. E. Gray, Figs. Moll. Anim. IV. 1850, 75.
carneolus Porphyria (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (2) 1807,
carneolus Trochus, Lamarck, An. s. vert. VII. 1822, 29. [98.—Voluta, 1790.
carneola Venus, Lamarck, An. s. vert. V. 1818, 602.
carnea Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 39.
carnea Anomia, Brocchi, Bibl. Ital. VIII. 1817, 276.
carnea Ascidia, L. Agassiz, P. Amer. Assoc. 1849 (1850), 159.
carnea Baetis, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 121.
carneus Bulimus, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (4) 1846, 114.
carneus Cardinalis, Less.; G. R. Gray, Genera of Birds, II. June 1844, 358.—Cocco-
carnea Cecidomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 98. [thraustes.
carneus Chironomus, J. C. Fabricius, Syst. Antliat. 1805, 41.
carnea Chrysopa, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) June 1836, 103. [210.
carneus Coccothraustes (Cardinalis), R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842,
carneum Cyclostoma, Menke in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Cyclo-
 stoma (74) 1848, 65. [1788.
carnea Diarsia (Thunb.), J. Huebner, Verz. bekannt. Schmett. [1822], 222.—Noctua,
carneum Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 180.
carnea Graphiphora (Thunb.), E. F. Germar, Fauna Ins. Europ. (6) [1822–25], 19.—
 Noctua, 1788.
carneum Halcyonium, L. Agassiz, P. Amer. Assoc. 1850 (1850), 211.
carnea Helix, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 87.
carneus Hippolyte, P. Roux, Mém. Crust. Salicoq. 1831, 28. [1846.
carneus Hydractinia, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 134.—Podocoryna,
carnea Iatrobella, de Blainville, Dict. Sci. Nat. LVII. 1828, 562.
carnea Ilithyia (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 422.—
carnea Lampyrus, Dejean, Catal. Coléopt. 1821, 36 [*n. n.*] [Crambus, 1798.
carnea Lestremia, H. Loew, Entom. Zeitung, Stettin, V (9) Sept. 1844, 324.
carnea Margarita (Lowe), G. B. Sowerby, I., Malac. Conch. Mag. (1) 1838, 25.—Turbo.
carnea Marginella, D. H. Storer, Boston Journ. N. H. I. (4) 1837, 465.
carnea Meckelia (Rathke), C. M. Diesing, Syst. Helminth. I. 1850, 267.—Planaria.
carnea Mitra, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 63.
carneus Nemotelus, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (3) 1849, 521.
carnea Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 24. [1788.
carnea Orthosia (Thunb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 79.—Noctua,
carnea Ovula (Poir.), Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 111.
 —Bulla, 1789. [5.—Ovula.
carneum Ovulum (Lam.), G. B. Sowerby, I., in Brod. & Sow., Spec. Conch. I (1) 1830,
carnea Palparia (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 484.—Crambus, 1798.
carnea Parnopes (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 318.—Chrysis,
carnea Pegæa, A. Risso, H. N. Europe, IV. 1826, 88. [1775.
carneum Phascosomata, Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
 Wirbellose Thiere (—) 1830 or 1831, 7. [nella, 1766.
carnea Phycita (L.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Phalaena car-
carnea Pinna, D. Solander, Catal. Portland Mus. 1786, 9 [*n. n.*].
carnea Planaria, J. Rathke, Skr. Nat. Selsk. V (1) 1799, 83 & 147 [*teste* S. & H.].
carnea Podocoryna, M. Sars, Fauna litt. Norveg. (1) 1846, 4.
carnea Psammotæa, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. iii.
carnea Sabella, W. Thompson (*ex* Johnston MS), Ann. Mag. N. H. XIII. June 1844,
carnea Sabella, G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 449. [438.

- carnea** Taeniocampa (Thunb.), Guénée, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 480.—Noctua, 1788. [Chironomus.]
- carneus** Tanytus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 67.—
- carnea** Tellina, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 162.
- carnea** Tellina, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- carnea** Terebra, G. Perry, Conchology, Ap. 1811, pl. 16. [19.]
- carnea** Terebratula, J. Sowerby, Min. Conch. I. 1813, 47.
- carnea** Tornatella, A. Bivona Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832, 17.
- carnea** Trivia, J. E. Gray, Penny Cyclop. VIII. 1837, 256.
- carneus** Turbo, R. T. Lowe, Zool. Journ. II (5) Ap. 1825, 107.
- carnea** Unio, G. Jan, Consp. meth. Testac. 1830, 7 [*n. n.*].
- carnicolor** Amphidesma, S. Hanley, Proc. Zool. Soc. London, XII (140) Feb. 1845, 162.
- carnicolor** Helix, Fér.; L. Pfeiffer, Symb. Helic. I. 1841, 37. [49.]
- carnicolor** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- carnicolor** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 164, Nov. 1844.
- carnicolor** Pileopsis, de Blainville, Dict. Sci. Nat. XL. 1826, 462.
- carnicolor** Polymita (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 45.—Helix.
- Carnifex** C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 78.—A.
- Carnifex** R. P. Lesson, Echo Monde Savant, IX. 15 Dec. 1842, 1084.—A.
- Carnifex** J. Gistl, Nat. Thier. 1848, p. ix.—Cr.
- carnifex** Ampelis, J. B. v. Spix, Avium Brasil. II. 1825, 4.
- carnifex** Antarctica (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 526.—Carabus, 1775.
- carnifex** Astemma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 129.—Lygaeus, 1794.
- carnifex** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 654.
- carnifex** Byomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 393.
- carnifex** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 563.
- carnifex** Cardisoma (Herbst), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 50. [1766.]
- carnifex** Carnifex (L.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 78.—Ampelis,
- carnifex** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 778.
- carnifex** Cheiracanthium (Fab.), C. L. Koch, Die Arachniden, VI (1) *ante* Ap. 1839, 14.
- carnifex** Chrysomela, Bon.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*]. [—Aranea, 1775.]
- carnifex** Cicada (Fab.), E. Donovan, Epit. N. H. Ins. New Holland, 1805.—Cercopis,
- carnifex** Copris, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 198. [1775.]
- carnifex** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 631.
- carnifex** Cynips, Kollar in Germar, Zeitschr. f. d. Entom. IV. 1843, 406.
- carnifex** Dermanyssus, C. L. Koch, Deutsch. Crust., heft 24, 1839, tab. 1.
- carnifex** Diplognata (Fab.), Gory & Percheron, Mon. Cétoines (1) 1833, 51.—Cetonia, 1781.
- carnifex** Encaustes, T. Lacordaire, Mon. Erotyl., Sept. 1842, 37.
- carnifex** Euryscopa, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 498.
- carnifex** Eysarcoris (Fab.), C. W. Hahn, Wanzenart. Ins. II (5) Oct. 1834, 117.—Cimex, 1775. [1796.]
- carnifex** Gecarcinus (Herbst), Latreille, N. Dict. H. N., ed. 2, XII. 1817, 511.—Cancer,
- carnifex** Magdalinus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 142.—
- carnifex** Malachius, W. F. Erichson, Entomographien, 1840, 69. [Thamnophilus.]
- carnifex** Musca (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 158.—Byomya.
- carnifex** Ocyropa (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 195.—Cancer, 1796.
- carnifex** Orchestes (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 491.—Salius.
- carnifex** Pentatoma (Fab.), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 275. —Cimex, 1775.
- carnifex** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 148.
- carnifex** Phanaeus (L.), W. S. Macleay, Horae Entom. I (1) 1819, 132.—Scarabaeus, 1758.
- carnifex** Phoenicircus (Licht.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*z. z.* Feb. 1832], 491.—Pipra.
- carnifex** P[ipra], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 39.

- carnifex** Pipra, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (2) 1832-3, 14.
- carnifex** Porphyronota (Fab.), H. Burmeister, Handb. Ent. III. 1842, 622.—Cetonia, 1775.
- carnifex** Pyrrhocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 286.—Lygaeus, 1794.
- carnifex** Rhizobius, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1003.
- carnifex** Salius, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 329.
- carnifex** Spirobolus (Fab.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (23) Ap. 1841, 368.—Julus, 1775. [272.]
- carnifex** Thamnophilus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- carnina** Helix, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 89.
- carniolensis** Clinopodes, C. L. Koch, Krit. Revision insect. Deutschl. 1847, 185.
- carniolica** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 189.
- carniolica** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 122.
- carniolicus** Chlaenius, J. Gistl, Faunus, I (3) 1834, 149.
- carniolica** Chrysomela, Meg.; Dejean, Catal. Coléopt. 1821, 123 [*n. n.*].
- carniolica** Chrysomela, Meg. in E. F. Germar, Ins. Spec. novae, I. 1824, 588.
- carniolica** Merula, C. L. Brehm, Isis, 1828, 1281 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- carniolica** Oedemera, J. Gistl, Faunus, I (3) 1834, 150. [1831, 374.]
- carniolicus** Phaedon (Meg.), H. C. Kuester, Käfer Europas, IX. 1847, 96.—Chrysomela.
- carniolicus** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*]. [1831, 126.]
- carniolica** Scops, C. L. Brehm, Isis, 1828, 1271 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- carniolica** Silpha, Hop.; Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].
- carniolicus** Unio, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 149. [Oedemera.]
- carniolica** Xanthochroa (Gistl), W. Schmidt, Linnaea Entom. I. Feb. 1846, 35.—
- carnipes** Coccothraustes, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 151.
- carnipes** Puffinus, Gould, Ann. Mag. N. H. XIII (85) May 1844, 365.
- carnium** Achlys, J. Gistl, Handb. Naturges. 1850 [1847], 610.
- carnium** Leucophrys, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 164 [*n. n.*]; Infusionthier. 1838, 313.—Trichoda, 1830.
- carnium** Trichoda, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 42 [*n. et f.*]; *ibid.* 1831 (1832), 103.
- carnivora** Aleochara, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 171.
- carnivora** Aleochara, Gyll.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- carnivora** Medetera, Fischer de W., Sur un mouche carnivore, 1819, plate.
- carnivorus** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 75.
- carnobarba** Averano, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 365.
- carnosa** Acera (Cuv.), Lamarck, An. s. vert. VI (2) 1822, 29.—Bulla.
- carnosa** Bulla, G. Cuvier, Ann. Mus. H. N. Paris, XVI (91) 1810, 14.
- carnosa** Corbula, R. B. Hinds in L. Reeve, Conch. Icon.—Corbula, no. 37, May 1844.
- carnosum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 93. [pl. 76 & 107.]
- carnosum** Doridium, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI. 1830,
- carnosa** Edessa, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 29.
- carnosa** Flustra, G. Johnston, Hist. Brit. Zooph. 1838, 288.
- carnosa** Halichondria, G. Johnston, Hist. Brit. Sponges, 1842, 146.
- carnosa** Tethya (Johnst.), J. Scouler, Ann. Mag. N. H. XVII. Mar. 1846, 176.—Halichondria. [1839 [1840], 28 & 71.—R. Carnufer J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II.
- carnulenta** Cassida, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 154.
- carnuntinum** Cardium, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 27
- Carnus** C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 284 & 305.—Dipt. [*n. n.*].
- carnus** Hepialus (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.), 1850, 268.—Bombyx carna, 1775.
- caroburgensis** Erycina, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 330.
- caroburgensis** Voluta, de Gerville, Mém. Soc. Linn. Calvados, 1825 (1825), 205.
- Carocolla** C. F. Schumacher, Ess. Vers test. 1817, 59 & 192.—G.
- Carocolla** Gistl, Naturg. Thierr. 1848, 166.—G. [1758.]
- carocolla** Caracolla (L.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 32.—Helix,
- carocolla** Helix (Helicigona), Linn.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- carocolla** Vortex, L. Oken, Lehrb. Nat. III (1) 1815, 314. [1821, 40.]

- carocollatum** Solarium, Lamarck, An. s. vert. VII. 1822, 6.
- Carocollina** H. Beck, Index Moll. Mus. Chr. Fred. (1) 1837, 28.—G.
- carolensis** Purpura, L. Reeve, Conch. Icon. III.—Purpura, no. 57, Sept. 1846.
- caroletta** Argynnis (Haw.), L. Jermyn, Butt. Coll. Vade mecum, ed. 2, 1827, 107.—
[Papilio.]
- caroli** Epeira, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 24.
- caroli** Hylocharis (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—Trochilus.
- caroli** Trochilus, J. Bourcier, Proc. Zool. Soc. London, XV (171) May 17, 1847, 48.
- carolii** Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 237.
- caroli alexandri** Actinopeltis, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 132.
- Carolia** F. Cantraine, Bull. Ac. Roy. Brux. V. 1838, 111.—L.
- caroliana** Auricula, R. P. Lesson, Echo Monde Savant, IX. 6 Nov. 1842, 818.
- carolina** Emesodema, Germar in Herrich-S., Wanzenart. Ins. IX (3) Sept. 1850, 115.
- carolinae** Ambystoma (L.), J. E. Gray, Cat. Amphib. Coll. B. M. (2) 1850, 35.—Lacerta
[non comp.].
- carolinae** Melania, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.
- carolinae** Monedula, Latreille, N. Dict. H. N., ed. 2, XXI. 1818, 326.—Hym.
- carolinae** Parthenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 232.
- carolinae** Turbinella, L. C. Kiener, Spec. Coquilles (Turbinella) 1841, 47.
- carolinae-augustae** Aratinga, J. B. v. Spix, Avium Brasil. I. 1824, 29.
- carolinarum** Aegina, R. P. Lesson, Prod. Meduses [auct. typ.] 1837, 25; (Roret's Suite à
Buffon), Acalèphes, 1843, 303.—Aequorea, 1838.
- carolinarum** Aequorea, R. P. Lesson in Duperry, Voy. "Coquille," Zool. (2) 2 (1838), 126.
- carolinarum** Aspisurus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 375.
- carolinarum** Naseus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 225.
- carolinensis** Ammothea, W. E. Leach, Zool. Miscell. I. 1814, 34.
- carolinensis** Ampelis, C. C. Gmelin, Naturg. (Vögel) II. 1807, 122.
- carolinensis** Ampelis, P. H. Gosse, Birds of Jamaica, 1847, 197. [1837, 120.]
- carolinensis** Anolis, Cuvier in Duméril & Bibron in Roret's Suite à Buffon (Erpét.) IV.
- carolinensis** Anolius, F. S. Voigt in Cuvier, Thierreich, II. 1832, 71.
- carolinensis** Antrostomus (Gm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 8.—
Caprimulgus, 1788.
- carolinensis** Arara (L.), P. J. Selby (Nat. Libr. XV.) 1836, 101.—Psittacus, 1758.
- carolinensis** Aratinga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
136.—Psittacus, 1758.
- carolinensis** Bombycilla, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 422.
- carolinensis** Cardita, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 297.
- carolinensis** Centurus (Wils.), W. Swainson, N. H. Classif. Birds, II. June 1837, 310.—
? Psittacus, L. 1758.
- carolinensis** Centurus (L.), J. J. Audubon, Synopsis, 1839, 189.—Psittacus (?), 1758.
- carolinensis** Cerithium, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 345.
- caroliniensis** Cestrorhinus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 [Aug.], 121.
- carolinensis** Coccyzus (Wils.), J. J. Audubon, Birds of Amer., pl. 2 (1827).—Cuculus.
- carolinensis** Colymbus (Lath.), A. d'Orbigny in Sagra, Cuba (Orn.), 1839, 285.—Podiceps,
1790. [L. 1758.]
- carolinensis** Conurus (Gm.), R. P. Lesson, Traité Ornith. (3) July 1830, 211.—Psittacus,
- carolinensis** Cuculus, A. Wilson, Amer. Ornith. IV. 1811, 13.
- carolinensis** Cypraea, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 346.
- caroliniensis** Cyrena (Bosc), Lamarck, An. s. vert. V. 1818, 553 (sign. 36).—Cyclas.
- carolinensis** Dactyloa (Harl.), L. Fitzinger, Syst. Rept. 1843, 68.—Anolis, D. & B.
- carolinensis** Ectopistes (L.), J. J. Audubon, Synopsis, 1839, 195.—Columba, 1766.
- carolinense** Engystoma, J. E. Holbrook, N. Amer. Herpet. I. 1835, 83.
- carolinensis** Erythrophrys (Wils.), W. Swainson, Mag. Zool. Bot. I (5) Feb. 1837, 436.
—Cuculus.
- carolinensis** Felis, Desmarest, Ency. Méth. (Mamm.) 1820, 234.
- carolinensis** Fringilla, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 958. [cicapa, 1766.]
- carolinensis** Galeoscoptes (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 82.—Mus-

- carolinensis** Gasterosteus, G. Shaw, Gen. Zool. (Pisc.) IV. (2) 1803, 608.—*carolinus*, L. 1766.
- carolinensis** Halys, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 22.
- caroliniensis** Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 102.
- caroliniensis** Helops, Palisot de E., Ins. Afr. Amér. (—) 1813-20, 162.
- carolinensis** Hydrola (Lath.), J. E. De Kay, N. H. New York (Birds) 1844, 277.—
- carolinensis** Lanius, A. Wilson, Amer. Ornith. III. 1811, 57. [Podiceps, 1790.]
- caroliniensis** Limax, Bosc; A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 77.
- carolinensis** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 457.
- carolinensis** Lycosa (Tarantula), N. M. Hentz, Boston Journ. N. H. IV (2) 1842, 230.
- caroliniensis** Lynx (Desm.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 427.—*Felis*.
- carolinensis** Micrommata, N. M. Hentz, Boston Journ. N. H. V (2) 1845, 194. [1766.]
- carolinensis** Mimus (L.), G. R. Gray, Genera of Birds, I. June 1847, 221.—*Muscicapa*,
- carolinensis** Mitra, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 345.—*Voluta*, 1840.
- carolinensis** Mniotilta (Lath.), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—*Sylvia*, 1790.
- carolinensis** Modiola, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 243.
- caroliniensis** Monochamus, Ol.; Dejean, Catal. Coléopt. 1821, 106 [*n. n.*].
- carolinensis** Mordella, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 158.
- carolinensis** Mosasaurus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
- carolinensis** Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 615.
- carolinensis** Mus, J. Bachman, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 306.
- carolinensis** Muscicapa, P. Boddaert [*non* L.], Tab. Planch. Enl. 1783, 42.
- carolinensis** Muscivora, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 229.
- carolinensis** Mygale, N. M. Hentz, Boston Journ. N. H. IV (1) 1842, 56.
- carolinensis** Myoturdus (L.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 94.—*Muscicapa*, 1766.
- carolinensis** Neria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 738.
- carolinensis** Nucula, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 297.
- carolinensis** Nymphum (Leach), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 534.—*Ammonothea*. [? *Trigla carolina*, L.
- carolinensis** Ornichthys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 262.—
- carolinensis** Orpheus (L.), J. J. Audubon, Synopsis, 1839, 88.—? *Muscicapa*, 1766.
- carolinensis** Ostrea, T. A. Conrad, Foss. Shells Tert. N. Amer. (2) Dec. 1832, 27.
- carolinensis** Otolithus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 475.
- carolinensis** Pandion (Gm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 3.—*Falco*, ? Daud. 1800.
- carolinensis** Parus, J. J. Audubon, Orn. Biogr. II. 1834, 341 (*antea* *Parus atricapillus*, Wilson, Birds of Amer. pl. 160 (1833)).
- carolinensis** Pectunculus, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 346.
- caroliniensis** [Philomycus] (Bosc), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaces, Jan. 1821, 15.—*Limax*.
- carolinensis** Podiceps, J. B. v. Spix, Avium Brasil. II. 1825, 78.
- carolinensis** Poecila (Audub.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 230.—*Parus*.
- carolinensis** Querquedula (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 148.—*Anas*, 1788. [258.]
- caroliniensis** Rhinopoma, Geoffroy; L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819.
- carolinensis** Scatophaga, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 629. [II. 1830, 811.]
- carolinensis** Scatophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- carolinensis** Scirus, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 292.
- carolinensis** Sorex, J. Bachman, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 366.
- carolinensis** Sylbeocyclus (Lath.), *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 209. *Podiceps*, 1790.
- carolinensis** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 149.

- carolinensis** Tebennophorus (Bosc), A. Binney, Proc. Boston Soc. N. H. I (—) 1844, 51; Boston Journ. N. H. IV (2) 1842, 171.—Limax. [1766.]
- carolinensis** Turdus (L.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 38.—Muscicapa,
- carolinensis** Tyrannus (Wils.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth. Jan. 1839, p. 24.—Lanius.
- carolinensis** Venericardia, Defrance, Dict. Sci. Nat. LVII. 1828, 235.
- carolinensis** Vespertilio, E. Geoffroy, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 193.
- carolinensis** Voluta, T. A. Conrad, Amer. J. Sci. XXXIX (2) Oct. 1840, 387.
- carolinianum** Acridium, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 147.
- caroliniana** Certhia, A. Wilson, Amer. Ornith. II. 1810, 61.
- caroliniana** Certhia, A. Wilson, Amer. Ornith. VI. 1812, p. x.
- carolinianus** Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 460.
- caroliniana** Cyclas, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 37.
- caroliniana** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 316.—Galleruca, 1792.
- carolinianus** Limax, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. I. 1801, 80.
- caroliniana** Mellita, E. Ravenel, Echinidae, Jan. 1848, 4.—[*n. n.*]
- caroliniana** Mellita, E. Ravenel, P. Amer. Assoc. 1850 (1850), 160.—Scutella, 1841.
- caroliniana** Motacilla, J. M. Bechstein in Latham, Vögel, II (2) 1795, 775.
- caroliniana** Natica, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 347.
- caroliniana** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 19 [*n. et f.*].
- carolinianus** Pectunculus, T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, later issue, Ap. 1839, wrapper p. 3.
- caroliniana** Polymesoda (Bosc), C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 319.—Cyclas. [69 [*n. n.*].
- carolinianus** Sciurus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 [1815],
- carolinianus** Scorpio, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 191.
- caroliniana** Scutella, E. Ravenel, Proc. Acad. Nat. Sci. Philad. I (6) Sept. 1841, 81.
- caroliniana** Sylvia, J. M. Bechstein in Latham, Vögel, IV (2) 1812, 359.—Motacilla.
- caroliniana** Tiphia, G. W. F. Panzer, Krit. Revis. II. 1806, Erkl. Kupfertaf. I. a b c.
- caroliniana** Unio, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 142.
- caroliniensis** *v.* **carolinensis**.
- carolinum** Acridium, F. de Tigny, s. à Deterville ed. Buffon, Ins. V. 1801, 110.
- carolinus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 310.
- carolinus** Anaperus, F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 62.
- carolina** Aquila, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- carolina** Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 208. [[1802], 219.
- carolina** Argentina, J. G. Schneider, Bloch, Syst. Ichth. 1801, 458.
- carolina** Arhappe, Herrich-S., Wanzenart. Ins. IX (4) Sept. 1850, 183.
- carolinus** Astacus (Cambarus), W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 96.
- carolina** Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 445.
- carolinus** Bombus (L.), J. C. Fabricius, Syst. Piezat. 1804, 342.—Apis, 1767.
- carolina** Brachycopris (Ol.), S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (6) Dec. 1846, 125.—Copris, 1790.
- carolinus** Callyodon, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 291.
- carolina** Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 296.
- carolinum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 29.
- carolina** Centris, J. C. Fabricius, Syst. Piezat. 1804, 357. [Gasterosteus, 1766.
- carolina** Centrionotus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 310.—
- carolinus** Centurus (L.), G. R. Gray, List Gen. Birds, 1840, 55.—Picus, 1758.
- carolinum** Cerithium, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 129.
- carolina** Custida (L.), J. E. Gray, Syn. Rept. 1831, 18.—Testudo, 1758.
- carolina** Crex, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 30 [*n. n.*].
- carolinum** Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 563.
- carolina** Donacia, Dejean, Catal. Coléopt., ed. 2 (4) 1835, 357 [*n. n.*].
- carolina** Donacia, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (1) May 1845, 114.

- carolinus** Dytiscus, Dejean, Catal. Coléopt., ed. 3, 1836, 60; C. Aubé, Spec. gén. Hydroc. Eurybia, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 459. [1838, 120.]
- carolina** Hamites, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 215.
- carolinus** Hister, G. Paykull, Mon. Histor. 1811, 45.
- carolinus** Hybosorus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 84.
- carolinus** Labrus, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 113.
- carolinus** Lanius, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- carolina** Leptura, F. Weber, Obs. Ent. 1801, 91. [[1802], 225.]
- carolina** Lichia, J. E. De Kay, N. H. New York (Fish) 1842, 114.
- carolina** Lima, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 132.
- carolina** Locusta, T. W. Harris, Treat. Ins. N. England, 1842, 142.
- carolina** Manduca, J. Huebner, Exot. Schmett., Tab. Manduca [*u. et f.*].
- carolina** Mantis, H. Burmeister, Handb. Ent. II. (2) i, 1838, 538.
- carolina** Megacephala (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 79.—Cicindela, ? L. 1767.
- carolina** Megilla (Fab.), F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 57.—Centris.
- carolina** Monedula (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 345.—Bembex, 1793.
- carolina** Oedipoda (L.), H. Burmeister, Handb. Ent. II (2) i, 1838, 643.—Gryllus, 1758.
- carolinus** Onthophagus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 177.—Copris, ? Ol. 1790. [1758.]
- carolina** Ortygometra (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 53.—Rallus,
- carolina** Papilio, Lepeletier de S. F., Faune Française (3 & 4) Lépidopt. 1821, 36.
- carolinus** Phidippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 136.
- carolina** Phlegthontius (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx,
- carolinus** Pholis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 276. [1764.]
- carolinum** Platysoma (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 114.—Hister.
- carolinus** Priacanthus, Cuvier & Valenc., H. N. Poiss. III. 1829, 105.
- carolinus** Prionotus (L.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 90.—Trigla, 1771.
- carolinus** Pteraclis, Cuvier & Valenc., H. N. Poiss. IX. 1833, 368. [1766.]
- carolinus** Scomber (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 35.—Gasterosteus,
- carolinus** Sigaretus, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 201. [1793.]
- carolina** Stictia (F.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 195.—Bembex,
- carolina** Terrapene (L.), T. Bell, Zool. Journ. II (7) Oct. 1825, 309.—Testudo, 1758.
- carolina** Testudo, J. Le Conte, Ann. Lyceum N. H. New York, III (3 & 4) Feb. 1830,
- carolinum** Theridion, C. A. Walckenaer, Tab. Aran. 1805, 75.—Aranea, 1802. [97.]
- carolinus** Trox, Dejean, Catal. Coléopt. 1821, 55 [*u. n.*].
- carolinus** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- carolinus** Vaejovis, C. L. Koch, Die Arachniden, X (1) 1842, 7. [[1802], 226.]
- carolina** Xylocopa (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 207.—Centris. [Picus, 1758.]
- carolinus** Zebrapicus (L.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 361.—
- Carollia** J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 488.—M.
- caron** Ringicula, R. B. Hinds, Proc. Zool. Soc. London, XII (136) Oct. 1844, 97.
- caronatus** *v.* **coronatus**.
- carunculatus** *v.* **carunculus**.
- caronii** Cymopolia, P. Roux, Crust. Medit. (5) 1830, pl. xxi.
- caroni** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 262 (Kk*).
- caroni** Mesopron, Cuvier & Valenc., H. N. Poiss. II. 1828, 489.
- caronis** Buccinum (Brongn.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 533.—Nassa.
- caronis** Nassa, Al. Brongniart, Mém. terr. Vicentin, 1823, 64.
- caronis** Nerita, Al. Brongniart, Mém. terr. Vicentin, 1823, 60.
- caronis** Turricula (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 10.—? Helix.
- Carophractus** *err.* Marschalli *pro* Caraphractus, Walk. *g. v.*
- Carotomus** *err.* *pro* Caratomus, Ag.; E. Forbes, Brit. Org. Rem., Dec. III (Geol. Surv. Engl.) 1850, 8.
- carouna** Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 125.
- carovei** Petalura, A. White in Dieffenbach, Trav. N. Z. II. 1843, 281.

- Carpalimus** (*olim errore* Carpelimus), W. Kirby in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24.—Col.
- Carpasus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 160.—Hem. [*non binom.*].
- carpata** Microgaster, T. Say, Boston Journ. N. H. I (3) 1836, 263.
- carpathicus** Carabus, Kuenburg in A. Palliardi, Besch. Carab. 1825, 37.
- carpathica** Nebria, A. Bielz in C. Fuss, Verh. siebenb. Ver. Nat. (2) 1849, 18.
- carpathica** Nerinea, Zejszner, Roczn. tow. nauk. Univ. Jagiell. Zlaczon. 1849 (2), 259.
- carpathicus** Scorpis (L.), C. L. Koch, Die Arachniden, III (6) *ante* May 1837, 114; IV (1) May 1837, 9.—Scorpio, 1767. [—Col.]
- Carpelimus** [*err. pro* Carpalimus], W. Kirby in G. Samouelle, Entom. Comp. 1819, 174.
- carpenteri** Ceraphron, J. Curtis, Brit. Entom. VI (62) Feb. 1829, no. 249.
- carpenteri** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- carpetanus** Aphodius, M. P. Graells, Rev. Zool. (Soc. Cuv.) IX. June 1846, 218.
- carphodactyla** Alucita, J. Huebner, Europ. Schmett., Tab. Alucita, 4 (Fernaldo judice 1804–18) [*n. et f.*]. [1835, 374.—Alucita.]
- carphodactylus** Pterophorus (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1820, 132.—Col.
- carphodactyla** Stenoptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 430.—Alucita.
- Carphograptus** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 170.—Hem. [*non binom.*].
- Carphophiops** Gervais in d'Orbigny, Dict. Univ. H. N. III. 1840, 191.—R. [—Col.]
- Carphophis** Gervais in d'Orbigny, Dict. Univ. H. N. III. 1840, 191.—R.
- carpi** W. F. Erichson, Entomographien, 1840, 132.—Col.
- carpi** Ovuliger, S. d. Chiaje, Elminth. umana, ed. 4, 1844, 29.
- Carpilius** W. E. Leach in Desmarest, Consid. Crust. 1825, 104.—Cr.
- carpinaria** Eunomos (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 428.—Geocarpinellae
- carpinellae** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 301. [—metra, 1800.]
- carpinetella** Tinea, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 7.
- carpini** Acalyptus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 447.—? Rhynchaenus, Fab. 1801.
- carpini** Acanthia, F. v. P. Schrank, F. Boica, II (1) 1801, 63.
- carpini** Apion, Stev.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
- carpini** Apion (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 269.—Rhynchaenus.
- carpini** Attacus (Borkh.), E. F. Germar, Syst. Gloss. Prod. 1811, 10.—Bombyx, ? D. & S. 1775. [—*n. et f.*].
- carpini** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 14 (Fernaldo judice 1802)
- carpini** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 60 (Fernaldo judice 1810–18) [*n. et f.*].
- carpini** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 65 (Fernaldo judice 1818–22)
- carpini** Cicones, J. Curtis, Brit. Entom. IV (37) Jan. 1827, no. 149. [—*n. et f.*].
- carpini** Curculio (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 135.—Rhynchaenus.
- carpini** Ellescus (Fab.), Dejean, Catal. Coléopt. 1821, 87.—Rhynchaenus.
- carpini** Emphytus, T. Hartig, Adelfl. Deutschl. I. 1837, 250.
- carpini** Heræa, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*].
- carpini** Pavonia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 157.—Bombyx,
- carpini** Psyche, F. v. P. Schrank, F. Boica, II (2) 1802, 90. [1775.]
- carpini** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 72.
- carpini** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 452.—Curculio, 1792.
- carpini** Saturnia (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 149.—Bombyx, 1775.
- carpini** Tenthredo, G. W. F. Panzer, Ins. Germ., heft 71, 1799, tab. 9. [—Huebner.]
- carpiniana** Lozotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix,
- carpiniana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 18 (Fernaldo judice 1797)
- Carpio** J. J. Heckel in Russegger, Reise, I (2) 1843, 1014.—P. [—*n. et f.*].
- carpio** Catostomus, C. S. Rafinesque, Western Review, II (5) June 1820, 400 [*i.e.* 302]; Ichth. Ohnensis [Dec.] 1820, 56. [1820, 149 [*n. n.*].]
- carpio** *v.* brachycephalus, Cyprinus, N. Desportes, Anal. Trav. Soc. Roy. Le Mans, I.
- Carpioecrinus** *err. pro* Carpoecrinus, Müll.; L. Agassiz, Nomen. Zool. Index Univ. 1846, 66.
- Carpiodes** C. S. Rafinesque, Western Review, II (5) June 1820, 400 [*i.e.* 302]; Ichth. Ohnensis [Dec.] 1820, 56.—P.
- carpionis** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. 1819, 144.

- carpionis** Lernaeopoda, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 268.
- carpionis** Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 29.
- carpis** Cyprinus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 23.
- Carpocampa** T. W. Harris, Rep. Insects Massach. 1841, 351.—Lep. [= *Carpocapsa*, Tr.].
- Carpocanium** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab. p. 385.
- Carpocapsa** F. Treitschke, Schmett. Europa, VII. 1829, 231.—Lep. [—P.
- Carpococcyx** G. R. Gray, List Gen. Birds, 1840, 56.—A.
- Carpocoris** F. A. Kolenati, Melet. Entom. (4) May 1846, 45.—Hem.
- Carpocorinithes** H. B. Geinitz, Grundr. Verstein. 1846, 550.—Crin.
- Carpocorinus** J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 92.—Ech.
- Carpodacus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 161.—A. [*typus* *Pyrrhula* sp.].
- Carpodes** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 301.—Col.
- Carpolegus** J. Gistel, Nat. Thierr. 1848, p. x.—Col.
- carpolegus** Simia, T. S. Raffles, Tr. Linn. Soc. London, XIII (1) 1821, 243.
- Carpolinus** J. Gistel, Nat. Thierr. 1848, p. ix.—Col.
- Carpolinus** J. Gistel, Nat. Thierr. 1848, 216.—Col.
- Carpolites** H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 27.—? Cor.
- carpomorphus** Cardites, J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 373.
- carpomorphum** Lunulacardium (Dalm.), H. G. Bronn, Index Pal. 1848, 677.—Cardites.
- carpomorphum** Megalodon (Dalm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—Cardites.
- carponemus** Cheilodactylus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 177.
- carponemus** Cheilodactylus, Cuvier & Valenc., H. N. Poiss. V. 1830, 362.
- carponotatus** Mesoprius, J. Richardson, Ann. Mag. N. H. IX. Mar. 1842, 28.
- Carpophaga** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A, *dorso*.—A. [*n. n.* = *Phoenicophaeus*, Vieill.].
- Carpophaga** P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 112.—A.
- Carpophagus** W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap. 1826], 447.—Col. [432.—*Geophilus*.
- carpophagus** Arthonomalus (Leach), G. Newport, Tr. Linn. Soc. London, XIX (4) 1845,
- carpophagus** Bostrichus, E. G. Hornung, Entom. Zeitung, Stettin, III (5) May 1842, 116.
- carpophaga** Chalceus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 252. [Ochs.
- carpophaga** Dianthoeia (Tr.), Boissduval, Revue Entom. II (6) 1834, 248.—Hadena,
- carpophagus** Geophilus, W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 384.
- carpophaga** Hadena (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 71.—*Phalaena*, 1792.
- Carpophilus** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Col.
- Carpornis** G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—A.
- carraræ** Hypochthon, Frey, Ber. Mitth. Wien, V. 1849, 58 [*n. n.*].
- carrenii** Cebrio, M. P. Graells, Rev. Zool. (Soc. Cuv.) IX. June 1846, 218.
- carrenoi** Mattiphus, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 168.
- carrenoi** Odontoptera, V. Signoret, Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 178.
- carrenoi** Raphigaster, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 262.
- carrib** → *v. carib* →.
- Carrillus** H. D. S. Goodsir, Ann. Mag. N. H. XVI. Nov. 1845, 326.—Cr.
- Carrocolla** G. B. Sowerby, II., Conch. Man. 1839, 124 [*err. pro* *Carocolla*].
- Carrolus** *err. pro* *Garrulus*, Cuv.; H. R. Schinz, Europ. Fauna, I. 1840, 146.
- carseolana** Helicogena (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 39.—*Helix*.
- carseolana** *Helix* (Helicogena), *emend. pro* *carsoliana*; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 71.
- Carsia** J. Huebner, Verz. bekannt. Schmett. 1826, 336.—Lep.
- carsoliana** *Helix* (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 36.—[*n. et f.*]
- Cartaba** W. Hillehouse, Indian Notices, 1825, 107 & 110.—P. [not a true generic name though so called by the author].
- carthagera** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 229.
- cartaginensis** Artia, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 332.
- cartagenensis** Oriolus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 128.

- cartagenensis** Psarocolius (Lath.), J. Wagler, Syst. Avium, I. 1827, sign. 233.—Oriolus, ? Bechst. [94.—Col. [Certallum in Dej. Cat. 1821].
- Cartallum** Megerle in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
- cartaria** Vespa, F. de Tigny, s. à Deterville ed. Buffon, Ins. III. 1801, 91.
- carteiansis** Elaphocera, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 356.
- Cartella** Guénée, Ann. Soc. Ent. France [2] III. 1845, 174.—Lep.
- carteretensis** Partula (Q. & G.), L. Reeve, Conch. Icon. VI.—Partula, no. 13 (pl. iv) May 1850.—Helix carteriensis.
- carteretensis** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 20.
- carteretii** Eumeces, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 651.
- carteretii** Galleruca, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 150.
- carteretii** Mabouya (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 95.—Eumeces.
- Carterica** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 352.—Col. [*n. n.*].
- carteriensis** Helix, Quoy & Gaimard in d'Urville, Voy. "Astrrolabe," Zool. II (1832), 117.
- carteriensis** Partulus (Q. & G.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 57.—Helix.
- Carterodon** G. R. Waterhouse, Nat. Hist. Mamm. II. 1848, 351.—M.
- carteronii** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 209.
- carteroni** Anatina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 375.
- carteroni** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 202.
- carteroni** Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 472.
- carteroni** Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 356.—Arca.
- carteroni** Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 78.
- carteroni** Etheria, H. Michelin, Magasin de Zool. I. 1831, 1.
- carteroni** Mactra, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 367.
- carteroni** Modiola, Forbes; H. G. Bronn, Index Pal. 1848, 735.—Mytilus (M.).
- carteroni** Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—Panopaea.
- carteroni** Mytilus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 266.
- carteroni** Mytilus (Modiola), Orb.; E. Forbes, Q. J. Geol. Soc. I. 1845, 248.
- carteroni** Natica, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 68.
- carteroni** Nerinia, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 83.
- carteroni** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 332.
- carteroni** Tellina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 420.
- carteroniana** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 525.
- carteronianus** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 589.
- carteroniana** Plicatula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 680.
- carteroniana** Terebratula, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 80.
- Carteronyx** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 162.—Col. [*sine type*].
- Carterus** Dejean & Boisduval, Icon. Coléopt. I. 1830, 232.—Col.
- Carterus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 9; I (2) 1833, 505.—Col.
- carthagera** *v.* **cartagera**.
- carthagenensis** *v.* **cartagenensis**.
- carthami** Hesperia (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 33.—Papilio.
- carthami** Larinus (Ol.), Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 61.—Lixus.
- carthami** Lixus, A. G. Olivier, Entom. V. 1807, 278.
- carthami** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 143 (Fernaldo iudice 1808—
- carthami** Pyrgus, J. Huebner, Verz. bekannt. Schmett. [1820], 109. [16] [*n. et f.*].
- carthami** Syriethus (Ochs.), Boisduval, Gen. Index Europ. Lepid. 1840, 36.—Hesperia.
- carthusiae** Pleurotomaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 99.
- carthusianella** Cernuella (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 6.—Helix.
- carthusianella** Fruticicola (Drap.), F. Held, Isis (Oken), 1837, 914.—Helix.
- carthusianella** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 86.
- carthusianella** Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 47.
- carthusianella** Monacha (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 95.—Helix.
- carthusianella** Teba (Drap.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix.
- carthusianella** Theba (Drap.), A. Risso, H. N. Europe, IV. 1826, 75.—Helix.

- carthusianus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 189.
carthusiana Bradybaena (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 19.—
 Helix, 1774.
carthusianum Diadema, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 318.
carthusiana Fruticicola (Drap.), F. Held, Isis (Oken), 1837, 914.—Helix, ? Müll. 1774.
carthusiana Helix, Baillon, Mém. Soc. Emul. Abbeville, 1834-35 (1836), 200 [n. n.].
carthusiana Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl.
 Limaçons, 1821, 47.—? Müller, 1774.
carthusianum Pomatias, D. Dupuy, Cat. extr. mar. Galliae Test., Feb. 1849, 4; H. N.
 Moll. France (5) May 1851, 516.
carthusiana Theba, A. Risso, H. N. Europe, IV. 1826, 74.
cartieri Microtherium, H. v. Meyer, N. Jahrb. f. Min. 1849, 547.
cartilaginea Gymnopus (Bodd.), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 615.—
 Testudo, 1770.
cartilaginea Leptoplana, O. G. Costa, Bull. Accad. Aspir. Nat. 1844, p. vi.
cartilaginosa Ascidia, S. A. Renier, Tavole [1804] xvii.
Cartilospongia J. S. Bowerbank, Ann. Mag. N. H. XVI. Dec. 1845, 408.—Sp.
cartinophilos Nemertes, A. Kölliker, 29 Verh. Allg. Schweiz. Gesellsch. 1844 (1845), 93.
caruca Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 877.
carudse Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 49.
caronculata Amphinoma (L.), Audouin & Edwards, Ann. Sci. Nat. XXVIII (110) Feb.
 1833, 197.—Terebella, 1790. [Aphrodita, 1766.
carunculata Amphinome (Pall.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 288.—
carunculata Anthochaera (Lath.), Vigers & Horsfield, Tr. Linn. Soc. London, XV (1)
 1826, 321.—Merops, 1790. [1831, 366.—Ampelis, 1788.
carunculata Arapunga (Gm.), R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb.
carunculata Astrapia (Less.), Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I.
carunculatus Buceros, J. Wagler, Syst. Avium, I. 1827, sign. 136. [1841, 83.
carunculata Bugaranus (Vieill.), C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 440.
 —Grus. [p. lxi. —Ampelis, 1788.
carunculatus Casmarchinos (Gm.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820,
carunculata Certhia, J. R. Forster, Anim. mar. Aust. 1844, 165.
carunculatus Charadrius, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835,
 28 [n. n.].
carunculatus Colius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 91.
carunculata Columba, C. J. Temminck in Knip, Les Pigeons, III (—) 1811, 19.
carunculatus Corvus, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 378.
carunculata Cossyphus (Gm.), C. Dumont, Dict. Sci. Nat. XXI. 1823, 263.—Sturnus,
carunculata Crax, C. J. Temminck, Fig. et Gallin. III. 1818, 44. [1788.
carunculatus Creadion (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 391.—
 Merops, 1790. [367.—Columba.
carunculata [Creogenys] (Temm.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841,
carunculatus Dilophus (Gm.), G. R. Gray, List Gen. Birds, 1840, 40.—Gracula, 1788.
carunculatus Geophilus (Temm.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 218.—
 Columba.
carunculatus Geronticus (Ruepp.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—Ibis.
carunculata Goura (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819,
 123.—Columba. [—Phalacrocorax.
carunculatus Graucalus (Steph.), G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 201.
carunculata Grus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 559.—
 Ardea, Gm. 1758. [Ibis.
carunculatus Harpiphion (Ruepp.), G. R. Gray, List Birds Coll. B. M. III. 1844, 92.—
carunculatus Hydrocorax (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 84.
 —Pelecanus, Gm. 1788.
carunculata Ibis, E. Rueppell, Neue Wirbelth. Abyssin. (9) 1837, 49. [—Sepia.
carunculata Loligo (Schn.), Férussac in A. D. d'Orbigny, Moll. viv. et foss. [1845], 352.
carunculatus Meliphaga (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820,
 p. lxxxvii.—Merops, 1790.

- carunculatus** Merops, J. White, Voy. N. S. Wales, 1790, 240 [*ante* Latham].
- carunculatus** Neophron, A. Smith, S. African Quart. Journ. I (1) Jan. 1830, 17.
- carunculatus** Oxystomus, W. Swainson, N. H. Classif. Birds, II. June 1837, 270.
- carunculata** Paradigalla, Lesson, Hist. Nat. Oiseaux Paradis, 1835, 242.
- carunculatus** Pastor (Gm.), J. Wagler, Syst. Avium, I. 1827, sign. 6₁₁.—Gracula, 1788.
- carunculatus** Pelecanus, J. R. Forster, Anim. mar. Aust. 1844, 102.
- carunculatus** Phalacrocorax (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 94.—Pelecanus, 1788.
- carunculata** Philedon (Gm.), Cuvier, Règne Anim. I. 1817, 359.—Certhia, 1788.
- carunculatus** Philedon (Lath.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 479.—Merops, 1790. [391.]
- carunculatus** Philesturnus, I. Geoffroy, N. Ann. Mus. H. N. (Paris) I [3] *post* May 1832,
- carunculata** Pleione (Pall.), Lamarck, An. s. vert. V. 1818, 330.—Aphrodita, 1766.
- carunculata** Procnias (Gm.), C. Illiger, Prod. 1811, 229.—Ampelis, 1788.
- carunculata** Sepia, J. G. Schneider, Schr. Ges. naturf. Freunde Berlin, XI. 1794, 42.
- carunculatus** Sturnus, J. Wagler, Syst. Avium, I. 1827, sign. 7₁.
- carunculatus** Sturnus, J. R. Forster, Anim. mar. Aust. 1844, 81. [bella, 1790.]
- carunculata** [Themisto] (Gm.), L. Oken, Goettingen gelehrte Anz. 1807, 1168.—Tere-
- carunculata** Verrulia (Temm.), J. Fleming, Phil. Zool. II. 1822, 232.—Columba.
- carunculatus** Xanthornis (Lath.), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 212.—Sturnus, 1788.
- Caruns** J. E. Gray, 1832; *err. pro* Carnus, Nitzsch; *teste* Scudder, Nom. Zool. (Suppl.)
- Carupa** J. D. Dana, 1850 [*teste* Marshall, 1851 *est*]. [1882, 61.]
- carus** Clerus, E. Newman, Entomologist (1) Nov. 1840, 15.
- carus** Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 334.
- cara** Equula, G. Cuvier, Règne Anim., ed. 2, II. 1829, 212.
- cara** Helix, C. B. Adams, Contr. to conch. (2) Oct. 1849, 29.
- carus** Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 643.
- carus** Tillus, A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 3.
- carusensis** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 284.
- carusensis** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 226.
- carusensis** Cypriocardia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 254.
- carusensis** Opis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 234.
- carusensis** Placosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 276.
- carutta** Corvina (Bl.), Cuvier & Valenc., H. N. Poiss. V. 1830, 124.—Johnius, 1793.
- carutta** Labrus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 447.—Johnnius,
- Carvanaca** B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 775.—A. [1793.]
- carvata** Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 13.
- carvillius** Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 341.
- Caryatis** J. Huebner, Verz. bekannt. Schmett. [1822], 171.—Lep.
- caryatis** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 454.
- caryatrypes** Balaninus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 276.
- Carybdea** Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 332.—Med.
- Caryccatactes** *err. pro* Caryocatactes, Koch; J. Fleming, Phil. Zool. II. 1822, 245.
- Carychium** W. E. Leach, Zool. Misc. I. 1814, 84.—G.
- carychium** Auricella, Hartmann, N. Alpina, I. 1821, 215.
- carychium** Auricula (Alt.), J. G. Klees, Diss. Test. Tubingam, 1818, 30.—Helix, ? Gm.
- carychium** Odostomia, J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 76. [1790.]
- carychium** Turbo (Gm.), G. Montagu, Test. Brit. II. 1803, 339.—Helix, 1790.
- carye** Hamadryas, J. Huebner, Exot. Schmett., Tab. Hamadryas [*n. et f.*].
- caryae** Lophocampa, T. W. Harris, Rep. Insects Massach. 1841, 258.
- carye** Pyrameis (Huebner), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 205.—Vanessa.
- carye** Vanessa, J. Huebner, Verz. bekannt. Schmett. 1818, 33.
- Caryoborus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 2 & 92.—Col. [*typus* Bruchus
- Caryocactes** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*]. [serripes].
- Caryocatactes** K. L. Koch, Syst. baier. Zool. I. 1816, 93.—A.
- caryocatactes** Caryocatactes (L.), G. Cuvier, R. Anim. I. 1817, 399.—Corvus, 1758.

- caryocatactis** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 373.—
Taenia, 1790.
- caryocatactes** Nucifraga (L.), C. L. Brehm, Beitr. Vögelk. II. 1822, 556.—Corvus, 1758.
- Caryocrinites** T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 289.—Crin.
- caryocrinoides** Cyathocrinus (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
157.—Phillipsocrinus. [183.]
- caryocrinoides** Phillipsocrinus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
Caryocrinus Agassiz (*ex* Say), Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 198.—Crin.
- Caryocystites** L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1844, 128.—Ech.
- Caryodes** J. C. Albers, Die Heliceen, 1850, 141.—G.
- caryophyllaceum** Callichen (Lath.), T. C. Eyton, Mon. Anatidae, 1838, 152.—Anas,
1790.
- caryophyllacea** Fuligula (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII
(2) 1824, 207.—Anas, 1788.
- Caryophyllacus** C. M. Diesing, Syst. Helminth. 1850, 480 [=C—aeus, 1790].
- Caryophyllaneus** *err. pro* C—aeus, 1790; Bosc, H. N. Vers. II. 1802, 16.
- caryophyllata** Cercaria, Bory de St V.; Dict. Class. H. N. III. 1823, 354.
- caryophyllatus** Eugeniocrinites, G. A. Goldfuss, Petref. German. I (2) 1829, 163.
- caryophyllata** Montivaltia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 78.
- Caryophylleus** *err. pro* C—aeus, 1790; Rafinesque, Analyse, 1815, 151 [*teste* Stiles & H.].
- caryophyllea** Asida, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 32.
- Caryophyllia** Lamarck, Syst. An. s. vert. 1801, 370.—Cor.
- caryophyllina** Festucaria, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 66.
- caryophyllinum** Monostoma (Rud.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803,
189.—Festucaria.
- cariophilites** Encrinites, E. F. Schlottheim, Taschen. Min. 1813, 68.
- caryophyllites** Galaxea, L. Oken, Lehrb. Nat. III (1) 1815, 73.
- caryophyllum** Monostoma, G. A. Goldfuss, Handb. Zool. (1) 1820, 130.
- caryophylloides** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 66. [Astrea.
- caryophylloides** Ovalastrea (Goldf.), A. d'Orbigny, Note Polyp. foss., Oct. 1842, 10.—
- caryophylloides** Parastrea (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII.
Sept. 1849, 174.—Astrea.
- Caryophyllus** *err. pro* C—aeus; Slawikowski, Abh. Würm. Menschen, 1819, 56 [*teste*
caryophyllus Actinea, J. Fleming, Hist. Brit. Anim. 1828, 499. [S. & H.].
- caryophyllum** Eustemma, C. M. Diesing, Syst. Helminth. I. 1850, 317.
- caryophyllus** Paracathus (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX.
June 1848, 322.—Turbinolia.
- caryophyllum** Rhynchobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 572.
- caryophyllum** Symphytocrinus, C. D. E. König, Icones foss. 1825, pl. 11 [*n. et f.*].
- caryophyllus** Turbinolia, Lamarck, Ency. Méth. (Vers) 1816, pl. 483, Liste p. 16 [*n. et f.*].
- caryophyllus** Turbinolia, Lamarck, An. s. vert. II. Mar. 1816, 232.
- Caryothraustes** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxviii (June 1850).—A.
- Carystus** J. Huebner, Verz. bekannt. Schmett. [1820], 114.—Lep. [*n. et f.*].
- caseablancae** Unio, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 176.
- casalis** Cheyletus, C. L. Koch, Deutsch. Crust., heft 23, 1839, tab. 21.
- casamanssae** Muscipara, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Nov. 1838, 277.
- casamanssae** Muscipara (Tchitreia), R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) IX. Mar.
[1838, 173.]
- casanella** Scardia, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 532.
- casani** Buccinum, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 325.
- casani** Thracia, Aradas & Calcara, Atti Acc. Gioenia, XIX. 1842(—3), 215.
- Casarca** C. L. Bonaparte, List Birds Eur. Amer. 1838, 56.—A.
- casarca** Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 341.—Anas,
L. 1758.
- casarca** Tadorna (L.), W. Macgillivray, Man. Brit. Orn. II. 1842, 163.—Anas, 1758.
- Casarea** J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 43.—R.
[casarettoi.]
- casareti** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 107.
- casaretto** Paludina, L. Rousseau in Dérnidoff, Voy. Russie, II. 1842, 793.

- Casarka** T. C. Eyton, Mon. Anatidae, 1838, 27; S. Palmer, The Analyst, IX (27) Ap.
casassi Crotophaga, R. P. Lesson, Man. Orn. II. June 1828, 134. [1839, 479.—A.
casca Anthrax, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 15.
cascaisia Mugil, F. Hamilton, Fish. Ganges, 1822, 217.
cascavella Crotalus, J. Wagler in Spix, Serp. Brasil. 1824, 60.
Cascellius J. Curtis, Ann. Nat. Hist. I (4) June 1838, 328.—Col.
caschmir→ *v.* **kashmir**→. [Journ. N. H. IV (1) 1842, 40.
cascoensis Nucula, Mighels & Adams, Proc. Boston Soc. N. H. I (—) 1842, 48; Boston
casei Mosillus, Latreille, N. Dict. H. N., ed. 2, XXI. 1818, 414.
casei Piophila (L.), C. F. Fallen, Heteromyzides Sveciae, 1820, 9.—Musca, 1758.
Casentula C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
cashmir→ *v.* **kashmir**→.
Casignetus W. S. Macleay, Horae Entom. I (1) 1819, 98.—Col.
casigneta Euprepia, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 469. [1758.
casina Dosina (Lam.), J. E. Gray, The Analyst, VIII (24) July 1838, 308.—Venus, L.
casina Venus, Renier; G. Brocchi, Conch. Subap. 1814, 539.
casinoides Venus, Lamarck, An. s. vert. V. 1818, 607.
casinula Venus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 101.
casiphone Elymnias, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*]. [Elymnias.
casiphone Melanites (Huebner), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 144.—
Casitinia *emend.* pro Castnia, Fab.; C. S. Rafinesque, Analyse, 1815, 128.—Lep.
Casmarhinchos C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxiii.—A.
Casmarhynchus Drapiez, Dict. class. H. N. II. 1822, 98.—A.
Casmarhynchus J. B. v. Spix, Avium Brasil. II. 1825, 3.—A.
casmarhynchus *v.* **chasmarhynchus**.
Casmerodius C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 412.—A.
casmilla Argynnis, D. H. Schneider, Verz. Insectensamml. 1828, 90 [*n. n.*].
casmilus Prometheus, J. Huebner, Exot. Schmett. II. Tab. [143] [*n. et f.*].
Casnoidea F. L. de Laporte, Etude Entom. 1834, 40.—Col.
Casnonia Latreille & Dejean, H. N. Icon. Col. Europ. (1) 1822, 77 [*vernac.*] & pl. vii.—
 Col. [=Cosmania, 1821, *errore*].
Casnonia Latr. in J. Sturm, Catal. Ins. Samml. 1826, 111; Berthold in Latreille, Nat.
 Fam. Thierr. 1827, 324.—Col.
Casoaris J. Fleming, Phil. Zool. II. 1822, 257.—A.
caspa Fringilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 559 [capsa, Gm.].
caspica Akis (L.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 139.—Pimelia, 1789.
caspicus Brachinus, Godet in Dejean, Spec. gén. Coléopt. V. 1831, 432. [Phoca, Ill.
caspicus Callocephalus (Nilss.), J. E. Gray, Zool. "Ereb. Terr." (Mamm. 1844), 3.—
caspicus Carabus, C. Steven, Mém. Soc. Imp. Nat. Moscou, I. 1806, 160; & ed. 2, 1811
 [i.e. 1812–13], 122.
caspicus Chlaenius, V. v. Mochulski, Kaef. Russl., post May 1850, 65. [1774.
caspica Clemmys (Gm.), J. Wagler, Descr. Icon. Amph. (2) 1830, pl. 24.—Testudo,
caspica [Clemmys] (Gm.), J. Wagler, Nat. Syst. Amph. 1830, 137.—Testudo, 1774.
caspicus Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 29.
caspicus Coniatus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 388.
caspica Emys (Gm.), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 428.—Testudo, 1774.
caspica Glycimeris, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 6.
caspicus Harpalus, Steven; Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
caspicus Lepus, C. G. Ehrenberg, Sym. Phys., Mam. II (1833), sign. y.
caspica Melolontha, Mannherheim in E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 184.
caspica Mutilla, F. A. Kolenati, Melet. Entom. (5) June 1846, 124.
caspicus Parallelomorphus, V. v. Mochulski, Kaef. Russl., post May 1850, 19.
caspica Phoca, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 64
 [=P. vitulina, *v.* **caspica**, Kerr.].
caspica Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 45.
caspicus Steropes, C. Steven, Mém. Soc. Imp. Nat. Moscou, I. 1806, 166; & ed. 2,
 1811 [i.e. 1812–13], 129. [Testudo, 1774.
caspica Terrapene (Gm.), *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 153.—

- caspia** Amphidesma, J. Krynicki, Bull. Soc. Imp. Nat.-Moscou, 1837 (2) 1837, 63.
caspius Aphodius, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 181.
caspius Astacus, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 149.
caspia Atherina, E. Eichwald, Arch. f. Naturg. IV (1) 1838, 100.
caspia Atherina, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 136.
caspium Cardium (Eichw.), L. Reeve, Conch. Icon. II.—Cardium, no. 96, Mar. 1845.—
caspius Charadrius, P. S. Pallas, Zoographia, II. 1811, 136. [Corbula.
caspia Chelido, [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 194.
caspia Cicindela, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 94.
caspia Clupea, E. Eichwald, Arch. f. Naturg. IV (1) 1838, 99.
caspia Clupea, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 134.
caspia Cobitis, E. Eichwald, Arch. f. Naturg. IV (1) 1838, 98.
caspia Cobitis, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 133.
caspia Corbis, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 147 [*n. n.*].
caspia Corbula, E. Eichwald, Zool. Spec. I. 1829, 281.
caspia Crassatella, E. Eichwald, Arch. f. Naturg. IV (1) 1838, 111 [*n. n.*].
caspia Crassatella, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 159.
caspia Emberiza, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 41.
caspius Enhydria, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 201.
caspia Evania, E. Eichwald, Zool. Spec. II. 1830, 214.
caspia Feronia (Omaseus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 120.
caspius Geotrupes, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
caspius Gobius, E. Eichwald, Zool. Spec. III. 1831, 76. [1845, 55.
caspius Gymnodactylus, E. Eichwald, Zool. Spec. III. 1831, 181.
caspius Gyrinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 142.
caspius Helopus (Pall.), J. G. Wagler, Isis (Oken), 1832, 124.—Sterna, 1770.
caspius Ixodes, E. Eichwald, Reise Casp. Kauk. I. 1834, 40 [*n. n.*].
caspium Lyrothorax, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 9.
caspia Mactra, E. Eichwald, Fauna Caspio-Caucasia, 1841, 208.
caspia Mactra, E. Eichwald, N. Mém. Soc. Imp. Nat. Moscou, VII. 1841, 260.
caspia Monodacna, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 168.—
 Corbula, 1829.
caspia Mylabris, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 206.
caspia Nacerdes, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 392.
caspia Omaloplia, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 370.
caspia Parandra, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 225.
caspius Parnus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 172.
caspius Platanomerus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
 1835, 44.—Pristonychus. [—Sterna, 1770.
caspia Pontocheilodon (Pall.), J. Hogg, Edinb. N. Phil. Journ. XLI (81) July 1846, 69.
caspius Pristonychus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 116.
caspius Psammosaurus, E. Eichwald, Zool. Spec. III. 1831, 190.
caspius Pterocles, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 47.
caspius Rhisotrogus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
 276.—Melolontha caspica.
caspia Rissoa, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 154.
caspia Strix, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 272.
caspia Sylocheilodon (Pall.), C. L. Brehm, Isis, 1830, 994.—Sterna, 1770.
caspius Syngnathus, E. Eichwald, Zool. Spec. III. 1831, 61.
caspia Tachys, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 75 [*spec. vel var.*].
caspia Thalasseus (Pall.), F. Boie, Isis (Oken), 1822, 563.—Sterna, 1770.
caspius Tityus, Kolenati, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846, 346.
caspius Varanus, E. Eichwald, Reise Casp. Kauk. I. 1834, 273 [*n. n.*]. [1793.
cassander Papilio (Fab.), W. Turton, Linnaeus, Syst. Nat. III. 1802, 159.—Hesperia,
cassandra Calonotos (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 123.—Sphinx,
 1758. [Mar. 1835, 70.—Saperda.
cassandra Colobotheca (Dalm.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post*
cassandra Glaucopsis, J. Huebner, Exot. Schmett., Tab. Glaucopsis [*n. et f.*].

- cassandra** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 185 (Fernaldo judice 1823-33) [*n. et f.*]. [1779.]
- cassandra** Rhescyntis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 156.—Phalaena,
- cassandra** Saperda, J. W. Dalman, Anal. Entom. 1823, 70.
- cassandra** Thais (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1834, 272.—Papilio.
- cassara** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1026.
- Cassaris** Flem. 1822; *err.* Waterhouse *pro* Casoar, *q. v.*
- Cassassus** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 208.—Hem. [*non binom.*].
- casse** Yphima (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 63.—Papilio cassus, 1764.
- cassentiniellus** Crambus, J. Mann in Zeller, Entom. Zeitung, Stettin, X (10) Oct. 1849,
- Casserium** S. d. Chiaje, Descr. An. invert. Sicilja, VIII. 1844, 31.—G. [312.]
- “**Cassia** Lam., Syst. 1801, 80.—G.”—*v.* Cassis.
- cassiac** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 85, June 1849.
- cassiae** Brassolis (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—Papilio, 1758.
- cassiae** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 95.
- cassiae** Coccus, A. Chavannes, Bull. Soc. Vaudoise, II (15) 1847, 209.
- cassiae** Morpho (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 454.—Papilio, 1758.
- cassiae** Papilio, J. Sepp, Surinaam Vlinders (? 1848-50), 119. [454.—Papilio, 1758.]
- cassiae** Pavonia (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- cassiae** Potamis, J. Huebner, Exot. Schmett., Tab. Potamis [*n. et f.*].
- cassiana** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 201.
- cassiana** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.
- cassianus** Conchorhynchus, H. v. Meyer in A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 145.
- cassianus** Flabellocrinites, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 277.
- cassiana** Melania, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 192. [1841, 114.]
- cassiana** Monodonta (Trochus), Wissmann in G. v. Muenster, Beitr. zur Petref. (4)
- cassianus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 202. [Melania.]
- cassiana** Phasianella (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 194.—
- cassianus** Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.
- cassianus** Straparolus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 191.
- cassiana** Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 204.
- cassianus** Trochus (Wissm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 189.—Monodonta.
- cassianus** Turbo (Litorina), G. v. Muenster, Beitr. zur Petref. (4) 1841, 117.
- cassiat** Larentia, F. Treitschke, Schmett. Europa, VI (2) 1828, 85.
- Cassculus** W. Swainson, Phil. Mag., n. s., I (6) June 1827, 436; Zool. Journ. III (11) Dec. 1827, 352.—A.
- cassiculum** Neritina, G. B. Sowerby, I., Conch. Illustr. (100) 1836, f. 55 [*n. et f.*].
- Cassicus** C. Illiger, Prod. 1811, 215.—A.
- Cassicus** L. P. Vieillot, Analyse, 1816, 34.—A.
- Cassicus** G. Cuvier, R. Anim. I. 1817, 393.—A. [1783.]
- cassicus** Cracticus (Bodd.), G. R. Gray, Genera of Birds, I. Aug. 1845, 300.—Ramphastos,
- Cassida** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Casida, Humph. 1797.
- cassida** Atrypa, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 134.
- cassida** Cyclodontina (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88.—Helix.
- cassida** Helicarion, Hutton & Benson, J. Asiat. Soc. Bengal, VII. 1838, 214.
- cassida** Helix Cochlodon, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 64.
- cassida** Patella, L. W. Dillwyn, Catal. Shells, 1817, 1037.
- cassida** Patella, W. Wood (*ex* Chemn.), Index Test. 1818, 179.
- cassida** Pupa (Lowe), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 187.—Helix.
- cassida** Vitrina (Hutton), L. Pfeiffer, Symb. Helic. III. 1846, 45.—Helicarion.
- cassidae** Eulophus, L. Dufour, Ann. Sci. Nat. [3] (Zool.) VII. Jan. 1847, 20.
- Cassidaemyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 162.—Dipt.
- Cassidaria** Lamarck, Anim. s. vert. VII. 1822, 214.—G. [1812 *vernac.*].

- cassidariaeforme** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 11, Dec. 1846.
- cassidatus** Linthurus, Denys de Montfort, Conch. I. 1808, 255.
- Cassidea** H. F. Link, Beschr. Nat. Samml. Rostock (3) 1807, 111.—G.
- Cassidea** Perry, Conch. 1811, pl. 31.—G.
- Cassidea** Schumacher, Essai Vers. 1817, 247.—G.
- Cassidea** W. Swainson, Elem. Conch. 1835, 18.—G.
- cassideus** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 295.
- cassideus** Alurnus, J. O. Westwood, Ann. Mag. N. H. VIII. Nov. 1841, 204.
- cassidea** Atrypa, J. W. Dalman, K. Vet. Ak. Handl. 1827 (1828), 134.
- cassidea** Blatta, J. F. Eschscholtz, Entomographien, I (1) 1822, 87.
- cassidea** Blatta, J. W. Dalman, Anal. Entom. 1823, 87.
- cassidea** Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 147.
- cassidea** Cancellaria (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 213.—
Voluta. [Pileopsis.]
- cassideus** Capulus (A. & V.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—
- cassideus** Cilliba (Herm.), C. v. Heyden, Isis (Oken), 1826, 613.—Notaspis.
- cassidea** Cypraea, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 9.
- cassidea** Doryphora, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 155. [1792.]
- cassideus** Licinus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 104.—Carabus,
- cassideus** Licinus, Illiger in Dejean, Catal. Coléopt. 1821, 8 [n. n.].
- cassideus** Notaspis, J. F. Hermann, Mém. Aptér. 1804, 93. [Notaspis.]
- cassidea** Oribata (Herm.), P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 149.—
- cassidea** Orthosteira (Fall.), F. X. Fieber, Entom. Monogr. 1844, 47.—Tingis.
- cassidea** Phoraspis, E. Blanchard, Ann. Soc. Ent. France, VI (3) *post* Sept. 1837, 295.
- cassidea** Phoraspis, Klug in H. Burmeister, Handb. Ent. II (2) 1, 1838, 493. [1782.]
- cassideum** Phyllosoma (Forst.), A. White, List Crustacea Coll. B. M. 1847, 82.—Cancer,
- cassideus** Pileopsis, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 366.
- cassidea** Polybothris (Klug) & M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 118.—Buprestis.
- cassidea** Spirifer (Br.), J. Morris, Cat. Brit. Foss. 1843, 128.—Trigonotreta.
- cassidea** Terebratula (Atrypa) (Dalm.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 83.—Atrypa.
- cassidea** Tingis, C. F. Fallen, Mon. Camicum Sveciae, 1807, 37.
- cassidea** Trigonotreta (Dalm.), H. G. Bronn, Lethaea Geogn. I (1) 1834, 78.—Atrypa.
- cassidea** Uropoda (Herm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, III. 1844, 221.—Notaspis.
- cassidea** Voluta, G. Brocchi, Conch. Subap. 1814, 314.
- cassidiforme** Buccinum, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 139.
- cassidiformis** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17)
June 1832, 53.
- cassidiformis** Nerita, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 416.
- cassidiformis** Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May
- cassidaeformis** Trichopoda, A. Brullé, H. N. Ins. V (Col.) 1835, 295. [1832, 230.]
- cassidiformis** Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 32, Aug. 1847.
- Cassidina** H. M. Edwards, L'Institut, May 1839, 152; Extr. P. V. Soc. Philom. Paris,
1839, 32.—Cr. [*sine typo*].
- Cassidina** H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 223.—Cr.
- Cassidites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 419.—G. [Gm.]
- Cassidix** R. P. Lesson, Traité Ornith. (6) Feb. 1831, 433.—A. [*typus* Corvus mexicanus,
- cassidix** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (36) July 1823.
- cassidix** Cassidix (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 90.—Buceros.
- cassidoïdes** Buprestis, F. E. Guérin, Magasin de Zool. II. 1832, pl. 29.
- cassidoïdes** Camerotus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 186.
- cassidoïdes** Celibe, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 265.
- cassidoïdes** Cephaloleia, F. E. Guérin-M., Iconographie, 1844, Ins. 284.
- cassidoïdes** Clypeaster (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829,
185.—Dermestes. [Dermestes.]
- cassidoïdes** Corylophus (Marsh.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 26.—

- cassidoides** Cossyphus (Marsh.), C. J. Schoenherr, Syn. Insect. I (3) 1847, 59.—Dermestes.
- cassidoides** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 77.
- cassidoides** Erodium, F. Weber, Obs. Ent. 1801, 39.
- cassidoides** Paropsis, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 570.
- cassidoides** Phalaea, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 111.
- cassidoides** Polybothris (Guér.), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar.
- Cassidula** Férussac, 1821; *teste* Marschall, *vernac. est.* [1837, 119.—Buprestis.
- Cassidula** J. E. Gray (*ex* Fér. MS?), Proc. Zool. Soc. 1847, 179.—G.
- cassidularis** Echinoneus, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 194.
- cassidularis** Pyrina (Bl.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 104.
—Echinoneus.
- Cassidulina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 282.—Rh.
- cassidulina** Moulinia (Des M.), L. Agassiz, Mon. Ech. II. 1841, 139.—Scutella.
- cassidulina** Scutella, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 78.
- Cassidulus** Lamarck, Syst. Anim. 1801, 348; An. s. vert. III. 1816, 34.—Ech.
- Cassidulus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 176.—G.
- Cassidulus** H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 105.—G.
- cassidula** Voluta, L. Reeve, Conch. Icon. VI.—Voluta, no. 60, Dec. 1849.
- cassilabra** Oliva, Bory de St V., Ency. Méth. (Vers) 1824, 165 [*n. et f.*].
- cassilabrum** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 118, June 1843.
- cassina** Clausina (Lam.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 15.—Venus
casina, L. 1758.
- cassinaefolia** Locusta, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 343.
- cassinaefolia** Phylloptera (L. & S.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb.
1831, 143.—Locusta.
- cassinea** *v.* **cassinia**.
- cassinii** Arctica (Gamb.), G. R. Gray, Genera of Birds, III. Aug. 1848, 645.—Mergulus.
- cassini** Conger, A. Risso, H. N. Europe, III. 1826, 203.—Muraena, 1810.
- cassinii** Mergulus, W. Gambel, Proc. Acad. Nat. Sci. Philad. II (10) Aug. 1845, 266.
- cassini** Muraena, A. Risso, Ich. Nice, 1810, 91.
- Cassinia** *emend. pro* Cassis, Brug.; C. S. Rafinesque, Analyse, 1815, 145.—G. [*n. n.*].
- cassinia** Asteroscopus (F.), Boissduval, Europ. Lepid. Index, 1829 [1828], 59.—Bombyx,
D. & S. 1775. [*n. et f.*].
- cassinia** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 2 (Fernaldo judice 1802)
- cassinia** Brachionycha (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 144.—
Bombyx, 1775. [178.—Phal.; ? Bombyx, D. & S. 1775.
- cassinia** Brachionyx (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832,
- cassinia** Noctua (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (1)
(Noct. 4, pt. 1) 1828, 216.—Bombyx, 1775.
- cassinea** Petasia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 32.—
Bombyx, D. & S. 1775.
- cassinia** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 218. [1775.
- cassinia** Xylena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 86.—Bombyx,
- cassiope** Brassolis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 50.—Papilio, 1775.
- cassiope** Erebia (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
457.—Papilio, 1787.
- cassiope** Hipparchia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 22.—Papilio.
- cassiope** Hipparchia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. I.) Jan. 1828, 63.—
Papilio, 1787. [Papilio, Fab. 1787.
- cassiope** Maniola (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 141.—
- cassiope** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4.
- cassiope** Oreina (Fab.), Westwood in Humphreys, Brit. Butterfl. 1841, 78.—Papilio, 1787.
- cassiope** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 123 (Fernaldo judice 1805)
[*n. et f.*].
- cassiope** Phasianella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cassiope** Pterocera, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 356.
- cassiope** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 535.—Papilio, 1787
- cassiope** Trigonía, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
- cassiope** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.

- Cassiopea* Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 356.—Med.
cassiopea Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 9.
cassipes Staphylinus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 520.
Cassis J. A. Scopoli, Introd. Nat. Hist. 1777, 395.—G.
Cassis Lamarck, Syst. An. s. vert. 1801, 80.—G.
Cassis "Browne," J. E. Gray, Proc. Zool. Soc. Lond. 1847, 137 [=Cassidea, Lam. *teste*
cassis Acmaea, M. H. Rathke in F. Eschscholtz, Zool. Atlas, V. 1833, 19. [Herrm.].
cassis Avellana, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 138.
cassis Cristellaria (F. & M.), Lamarck, Ency. Méth. (Vers) 1816, pl. 467, Liste p. 14.—
 Nautilus, 1798. [Nautilus, 1798.
cassis Linthurus (F. & M.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 188.—
cassis Tectura (Esch.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 92.—Acmaea.
cassis Vertebralina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 51.
cassianus Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 146.
cassianum Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 382.
cassiana Mitra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 154.
cassiana Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 166.
cassiana Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 266.
cassianus Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 152.
cassiterides Hippothoa, R. Q. Couch in G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 476.
cassia Belemnites, F. Biguet, Cons. Bélemnites, 1819, 44.
cassius Erebia (God.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 128.—Satyrus.
cassius Lycæna (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 44.—Papilio,
 1775. [Cr. 1775.
cassius Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 679.—Papilio,
cassius Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 526.
cassivelaunus Corystes (Penn), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 395.
 —Cancer, 1777.
cassotis Pteromalus, F. Walker, Ann. Mag. N. H. XIX. June 1847, 393.
cassotis Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 761.
Cassowara G. Perry, Arcana, 1811.—A.
casstroemi Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 978.
Cassulus E. Forbes, Mag. Nat. Hist. VIII. 1835, 592 [err. pro Capulus].
cassus Nephalius, E. Newman, Entomologist (6) Ap. 1841, 94.
cassus Satyrus (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 526.—Papilio, 1764.
Casta J. C. Albers, Die Heliceen, 1850, 208.—G.
casta v. *castus* -a -um.
Castalia Lamarck, An. s. vert. VI (1) 1819, 67.—L.
Castalia J. C. Savigny, Egypte, I (3) (Ann.) 1822, 46.—Ann.
Castalia Laporte & Gory, H. N. Coléopt. I. 1837, Buprestis p. 3.—Col.
castalia Callidryas (Fab.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
 (1847), 68.—Papilio, 1793.
castalia Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 198.
castalia Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 160.—Papilio, 1793.
castalis Pyrausta, F. Treitschke, Schmett. Europa, VII. 1829, 165.
Castalius J. Huebner, Verz. bekannt. Schmett. 1818, 70.—Lep.
castaneae Anthrenus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844,
castaneae Chermes, S. S. Haldeman, Amer. J. Sci. (2) IX (25) Jan. 1850, 108. [116.
castaneae Cremaſtocheilus, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 115.
castaneae Tettigonia, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 161.
castaneae pumilae Anthrenus, F. V. Melsheimer, Ins. Pennsylv. 1806, 8 [n. n.].
castaneae pumilae Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 27 [n. n.].
castaneae pumilae Hispa, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [n. n.].
castaneae pumilae Leptura, F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [n. n.] & var.
 rubrica, Knoch.
castaneae pumilae Melolontha, F. V. Melsheimer, Ins. Pennsylv. 1806, 5 [n. n.].
castaneana Cheimatophila (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—
castaneana Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 410. [Tortrix.

castaneiceps *v.* castaneiceps.

[castanei→.]

[667.

castaneocapilla Setophaga, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,

castaneiceps Abrornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].

castaneiceps Certhiparus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].

castaneiceps Columba, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 187.

castaneiceps Leiothrix (Hodgs.), G. R. Gray, Gen. Birds, I. Jan. 1845, 269.—Certhiparus.

castaneiceps Reguloides (Hodgs.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 292.—
Abrornis.

castaneiceps Regulus (Hodgs.), G. R. Gray, Gen. Birds, I. Aug. 1848, 175.—Abrornis.

castaneicollis Bolax, Dupont in H. Burmeister, Handb. Ent. IV (1) 1844, 489.

castaneocollis Petrocosophus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. June 1840, 166.

castaneicornis Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
1846, 381.

castaneicornis Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 156.

castaneo-coronata Sylvia, E. Burton, Proc. Zool. Soc. London, III (34) Feb. 1836, 152.

castaneo-coronata Tesia (Burton), E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845, 586.—
Sylvia.

castaneifrons Ara, de Lafresnaye, Rev. Zool. (Soc. Cuv.) X. Mar. 1847, 66.

castaneofusca Hyphantornis (Lafr.), G. R. Gray, Genera of Birds, II. Mar. 1849, 351.
—Ploceus, Less.

castaneo-fuscus Ploceus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Ap. 1845, 99.

castaneo-fuscus Textor (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 442.—
Ploceus.

castaneipennis Agonum, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
(1-3) Nov. 1844, 134.

castaneipennis Aleochara, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou,
XVI. 1843 (2) 1843, 224.

castaneipennis Bledius, Ziegler in Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb.
I (5) Feb. 1831, 459.

castaneipennis Carabus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 108.

castaneipennis Ceracis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 376.

castaneipennis Ceraspis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 92. [1008.

castaneipennis Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,

castaneipennis Dicrania, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 103.

castaneipennis Hadrocerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
83. [I. Oct. 1850, 66.

castaneipennis Heterochelus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.

castaneipenne Lathrobium, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 22.

castanipennis Leptura, J. Sturm, Catal. Ins. Samml. 1826, 162 [*n. n.*].

castaneipennis Notoxus, A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 56.

castaneipennis Oxytelus, Ziegler; Dejean, Catal. Coléopt. 1821, 25 [*n. n.*].

castaneipennis Stenaspis, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838,
[52.

castaneipes *v.* castanipes.

castaneoptera *v.* castanopteris.

castaneorhynchus Pteroglossus (Aulacorhynchus), J. Gould, Ann. Mag. N. H. IX. May

castaneothorax Amadina, J. Gould, Syn. Birds Austral. (2) Ap. 1837. [1842, 238.

castaneothorax Cinclosoma, J. Gould, Proc. Zool. Soc. London, XVI (189) June 1, 1849,
[1837.

castaneothorax Donacola, J. Gould, Birds of Australia, III (7) 1842, pl. 94.—Amadina,

castanei-thorax Elater, Palisot de B., Ins. Afr. Amér. (—) 1807, 79.

castaneo-ventris Doras, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr.
XXXII.) 1841, 161. [56.

castaneoventris Eulabeornis, J. Gould, Proc. Zool. Soc. London, XII (133) Sept. 1844,

castaniventris Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 556.

castaneoventris Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263. [121.

castaneoventris Sitta, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831,

- castaneiventris* Sitta, J. Gould, Birds of Asia, II (1) 1850, pl. 45. [679.
castaneiventris Sporophila, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
castaneiventris Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 152.
castaneo → *v. castanei* →.
castaneola Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 33.
castanea Achatina, Lamarck, An. s. vert. VI (2) 1822, 130.
castanea Achatinella, L. Reeve, Conch. Icon. VI.—Achatinella, no. 24, Ap. 1850.
castaneus Agelaius, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 712.
castaneus Agyrtes (Fab.), Dejean, Catal. Coléopt. 1821, 45.—Mycetophagus, 1792.
castanea Alcedo, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 15.
castanea Allecula, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 91 [*n. n.*].
castaneus Alpaeus, F. A. Bonelli, Mém. Ac. Sci. Turin, 1809–10 (1811) Mém. prés. 75.
castanea Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 250.
castaneus Amalus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 54.
castanea Amara, Ziegler in Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
castanea Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 31.
castanea Ancillaria, G. B. Sowerby, I. in Brod. & Sow., Spec. Conch. I (1) 1830, 5.
castanea Ancognatha, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 98.
castanea Anisotoma, Payk.; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].
castanea Anisotoma, Sturm; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].
castaneus Anthicus (Panz.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 58.—Notoxus, 1796.
castanea Apate, Ullrich, J. Sturm, Catal. Ins. Samml. 1826, 94.
castanea-vesca Aphis, S. S. Haldeman, Proc. Boston Soc. N. H. I (2–3) [1844–5], 168.
castaneus Aphodius, Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 194.
castaneus Aphodius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Scarabaeus.
castaneum Apion, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 194.
castaneus Arca (Pectunculus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 481.
castanea Astarte, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 151.—Venus, 1822.
castaneus Athyreus, F. E. Guérin-M., Iconographie, 1844, Ins. 83.
castanea Atomaria, J. F. Stephens (*ex* Kirby MS), Nont. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) June 1830, 66.
castanea Atopida, A. White, Zool. “Ereb. Terr.” (Ins. 1846), 8.
castaneus Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 353.
castanea Auricula, R. P. Lesson, Echo Monde Savant, IX. 6 Nov. 1842, 818.
castaneus Balistes, J. Richardson, Zool. “Sulphur,” 1845, 126.
castanea Boa, J. G. Schneider, Hist. Amph. II. 1801, 272.
castaneus Bolboceras, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 46.
castaneus Bostrichus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*]. [138.
castaneus Bothynus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
castaneus Botryllus, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 205.
castaneus Brachysternus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
castanea Brachytoma, W. Swainson, Treat. Malacol., May 1840, 314. [1840, 127.
castaneus Bracon, A. Brullé in Lepeletier (Roret’s Suite à Buffon), Hyménopt. IV. 1846,
castaneus Brentus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*]. [358.
castaneus Bubas, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 78.
castaneus Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 68.
castaneus Bulinus (Lam.), H. Beck, Index Moll. Mus. Ch. Fred (2) 1838, 118.—Physa.
castanea Bulla, A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 584.
castaneus Buphus (L.), C. L. Brehm, Isis, 1830, 988.—Ardea, Gm. 1770.
castanea Buprestis (Sternocera), Fabr.; J. C. F. Klug in Erman, Reise Erde, Atlas,
castanea Byrsopolis, H. Burmeister, Handb. Ent. IV (1) 1844, 425. [1835, 29.
castanea Calandra, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
castanea Calleida, C. H. Boheman, Ins. Caffr. I (1) 1848, 41.
castanea Capsa (Mont.), W. Turton, Conch. Insul. Brit. 1822, 128.—Donax.
castanea Casarka, T. C. Eyton, Mon. Anatidae, 1838, 108.—Tadorna on pl.
castaneus Catogenus (Pert.), E. Newman, Ann. Nat. Hist. II. Feb. 1839, 397.—Isonotus.

- castaneus** Catops, Andersch in J. Sturm, Deutschl. Fauna (Insecten) XIV. 1839, 9.
castaneus Catopygus (Brongn.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 185.—Nucleolites.
- castaneus** Ceratopogon, F. Walker, List Dipt. Coll. B. M. (1) 1848, 26.
castaneum Ceryon, O. Heer, Coleopt. Helvet. (3) 1841, 492.
castaneum Cerylon, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 259.
castaneus Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
castanea Chelonia, Eschscholtz, Die Quatember, I (1) 1829, 111.
castaneus Chelys (Stenotherus) (Bell), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 14.—Stenotherus.
- castanea** Chilina, R. P. Lesson, Echo Monde Savant, IX. 17 Nov. 1842, 899.
castaneus Chiton, W. Wood, General Conch. 1815, 13.
castaneus Chiton, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 387.
castanea Chromis, G. Cuvier, Bull. Sci. Soc. Philom. Paris, 1814 (Oct.), 88.
castanea Chrysochlora, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 202.
castaneus Cillaeus, F. L. de Laporte, Etudes Entom. (2) 1835, 133.
castaneus Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 351.
castanea Cistela (Marsh.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 338.—Cricocerus.
castanea Clavatula (Brown), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 57.—Fusus.
- castanea** Clemmys (Schw.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 125.—Emys.
castaneus Cleniocerus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Elater, 1758.
castanea Clivina, J. O. Westwood, Proc. Zool. Soc. London, V (59) June 1838, 128.
castanea Clubiona, C. A. Walckenaer, Faune Française (26) Aptères, 1830, 122.
castaneus Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 10.
castaneus Cnemopachus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 297.
- castaneus** Coilodes, J. O. Westwood, Ann. Mag. Nat. Hist. XV (100) June 1845, 440.
castanea Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].
castanea Colombella, P. L. Duclos in Chenu, Illustr. Conch. (76) 1848, pl. 23 [*n. et f.*].
castanea Columba, J. Wagler, Syst. Avium, I. 1827, sign. 1618.
castanea Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19) Aug. 1832, 118.
- castanea** Columbella, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 170.
castaneus Colymbetes, Sch.; Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
castaneus Conus, L. C. Kiener, Spec. Coquilles (Conus) 1848, 209.
castaneus Copris, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 73.
castaneus Corymbites (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 150.—Elater.
- castaneus** Cossonus, J. Sturm, Catal. Ins. Samml. 1826, 125 [*n. n.*].
castanea Crassatella, L. Reeve, Proc. Zool. Soc. London, X (109) Nov. 1842, 42.
castanea Cratopus, F. Eschscholtz, Zool. Atlas, IV. 1831, 8.
castanea Cricocerus, T. Marsham, Coleopt. Brit., Sept. 1802, 223.
castanea Cricocerus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 564.
castaneus Criomorphus Payk., E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 59.—Cerambyx, L. 1758. [Elater, 1758.]
- castaneus** Ctenicercus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 266.—
castaneus Curculio, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 145.
castanea Cyclocephala (Fab.), Dejean, Catal. Coléopt. 1821, 57.—Melolontha, ? Ol.
castaneum Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 31.
castanea Cymindis, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832) sign. b.
castaneus Cyrtomenus, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 91.
castanea Cythera, Lamarck, An. s. vert. V. 1818, 561.
castaneus Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 151.
castaneus Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 78.
castanea Diaperis, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
castaneus Dicrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 132.
castaneus Diorymerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 806.

- castanea Donax, G. Montagu, Test. Brit. II. 1803, 573.
- castanea Donax, A. Risso, H. N. Europe, IV. 1826, 340.
- castanea Dorcatoma, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 114.
- castaneus Drapetes, Dejean, Catal. Coléopt. 1821, 34 [n. n.]. [109 [n. n.].]
- castaneus Dysopes, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815),
- castaneus Dysopes (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 480.—
Molossus.
- castaneus Dytiscus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 21.
- castaneus Echinus, G. Perry, Arcana, 1810, 83.
- castanea Edessa, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 313.
- castanea Emphania, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 81.
- castanea Emys, A. F. Schweigger, Königsberger Archiv, I. 1812, 314 & 357.
- castaneum Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 180. [—Nitidula.
- castanea Epuraea (Dufts.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 146.
- castaneus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825, 60.
- castaneus Erpichthys (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—
Salarias.
- castanea Ervilia (Mont.), C. A. Récluz, Magasin de Zool. (2) VI. 1844, pl. 95.—Donax.
- castaneus Esthesopus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
- castanea Eucharia (Clerck), C. L. Koch, Die Arachniden, XII (4) 1845, 100.—Aranea,
1757.
- castaneus Eumorphus, F. W. Hope, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 55.
- castanea Euparia, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 357.
- castaneus Exetastes, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- castanea Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 326. [1846, 130.
- castanea Forficesila, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- castanea Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 118. [1838], 26.
- castaneus Fusus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 43 [n. et f.].
- castanea Galerites (Brongn.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839,
77.—Nucleolites.
- castanea Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 142 [n. n.].
- castanea Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [n. n.].
- castaneus Geniastes, H. Burmeister, Handb. Ent. IV (1) 1844, 511.
- castanea Geocichla (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 268.—
- castaneus Glomeris, A. Risso, H. N. Europe, V. 1826, 148. [Merula.
- castanea Goniodoris, J. Alder & A. Hancock, Ann. Mag. N. H. XVI. Nov. 1845, 314.
- castaneus Gulo, E. Griffith, Descr. Anim. (Carn.) 1821, 262.
- castaneus Hallomenus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [n. n.].
- castanea Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 260.
- castaneus Harpalus, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 356.
- castaneus Harpalus, Ziegler; Dejean, Catal. Coléopt. 1821, 15 [n. n.].
- castanea Helicina, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 13.
- castanea Helix, G. A. Olivier, Voy. Othoman, II (1801), 13.
- castaneus Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [n. n.].
- castaneum Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [n. n.].
- castaneus Hister, J. Curtis, Proc. Linn. Soc. London (20) May 1844, 196.
- castanea Hololepta, E. Ménétriés, Cat. Rais. Caucase, 1832, 171.
- castanea Homalomorpha, Buquet in Audouin & Brullé, H. N. Ins. V (Col.) 1835, 46.
- castanea Homalota, C. Aubé, Ann. Soc. Ent. France (2) VIII (3) post Sept. 1850, 306.
- castaneus Hydroporus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 91 [n. n.];
ibid. Coleopt. 54.
- castaneus Hydroporus, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1838, 302.
- castaneus Hypherpes, Eschscholtz, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 13.
- castaneus Hypophloeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [n. n.]. [606.
- castaneus Ibis, C. L. Brehm, Isis, 1830, 989 [n. n.]; Handb. Nat. Vögel Deutschl. 1831,
- castaneus Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820,
- castaneus Isonotus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 114. [352.

- castaneus** Itamus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 67.
- castanea** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- castanea** Kinixys, T. Bell, Tr. Linn. Soc. London, XV (2) 1827, 398. [287.]
- castaneus** Laemphloeus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 318.
- castanea** Lagria, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 288.
- castaneum** Lathrobium, J. L. C. Gravenhorst, Coleopt. micr. 1802, 52.
- castanea** Leiodes (Herbst), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 173.
—Tetratoma, 1792.
- castanea** Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 854.
- castaneus** Liogenys, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 85.
- castaneus** Lithobius, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 96.
- castanea** Lithocharis (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 512.—
Paederus. [1843, 206.]
- castanea** Littorina, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov.
- castanea** Littorina, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 49.
- castaneus** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 12.
- castaneus** Ludius (L.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.
- castaneus** Lumbricus, A. Risso, H. N. Europe, IV. 1826, 427. [—Elater, 1758.]
- castanea** Macraspis, Dejean, Catal. Coléopt. 1821, 60 [*n. n.*].
- castanea** Macrodonia, E. Blanchard, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848, 210.
- castanea** Macrotoma (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832,
- castanea** Mactra, Lamarck, An. s. vert. V. 1818, 478. [138.—Prionus, 1795.]
- castanea** Mancinella, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 115.
- castanea** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 48, June 1846.
- castanea** Mareca, T. C. Eyton, Mon. Anatidae, 1838, 119.
- castaneus** Megacronus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill.
Brit. Ent. (Mand. V.) May 1832, 166.
- castaneus** Megamerus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) II. July 1834, 50 & 52.
- castaneus** Megaproctus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- castanea** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 11. [1846, 468.]
- castanea** Melanopsis, A. E. J. d'A. de Férussac, Mém. Géol. 1814, 54 [*n. n.*].
- castanea** Melolontha, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 60.
- castaneus** Mephitis, A. d'Orbigny & P. Gervais, Amér. Mérid. (Mamm.) 1847, 19.
- castanea** Merula, J. Gould, Proc. Zool. Soc. London, III (36) Ap. 1836, 185.
- castanea** Mesodesma (Turt.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 54.—Capsa.
- castanea** Microplus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 69.
- castanea** Mniotilta (Wils.), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Sylvia.
- castanea** Modiola, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 266.
- castanea** Modiola, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 139.
- castaneus** Molossus, E. Geoffroy, Ann. Mus. H. N. (Paris) VI (32) May 1805, 155.
- castaneus** Molossus, E. Geoffroy, Bull. Sci. Soc. Philom. [Paris] no. 96, 1805, 279.
- castaneus** Mus, G. R. Waterhouse, Proc. Zool. Soc. London, X (117) Feb. 1843, 145.
- castanea** Muscipeta, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan.
1839, 23.
- castaneus** Mycetophagus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].
- castaneus** Mytilus, D. Solander, Catal. Portland Mus. 1786, 69.
- castaneus** Mytilus, Solander in L. W. Dillwyn in Lister, Index Conch., ed. 3, 1823, 47.
- castaneus** Mytilus, W. Wood, Suppl. Index Test. 1828, 8 [*n. et f.*].
- castanea** Nanina (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 4.—Helix,
- castanea** Natica, Lamarck, An. s. vert. VI (2) 1822, 202. [1774.]
- castanea** Natica, de Blainville, Dict. Sci. Nat. XXXII. 1824, 237.
- castanea** Natica, P. P. King & Broderip, Zool. Journ. V (19) July 1832, 345.
- castanea** Natica, J. E. Gray, Figs. Moll. Anim. IV. 1850, 25.
- castanea** Nebria (Bon.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 148.—Alpeus.
- castanea** Nitidula, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [*n. n.*]. [1834, 74.]
- castanea** Nitidula, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (6) 1820, 74, & Ins. Fenn. I.
- castanea** Nitidula, K. Duftschmid, Fauna Austriae, III. 1825, 135.

- castaneus Notaspis, J. F. Hermann, Mém. Aptér. 1804, 89.
- castanea Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 292.
- castanea Nucleolites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 399.
- castanea Ocalea, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 299.
- castaneum Ochina (Sturm), Dejean, Catal. Coléopt. 1821, 40.—Anobium, ? Ol. 1790.
- castanea Odontria, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 107. [1836], 572.—Thomisus.
- castaneus Olios (Latr.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837
- castaneum Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 207.
- castanea Omaloplia, J. Sturm, Catal. Ins. Samml. 1826, 176 [*n. n.*].
- castaneus Onitis, L. Redtenbacher in Hügél, Kaschmir, IV (2) 1844, 517.
- castaneus Onthophagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 134.
- castaneus Opilus, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 380.
- castanea Orchesia (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3) June 1846, 57.—Hallomenus. [Notaspis.]
- castanea Oribata (Herm.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) 1812, 532.—
- castanea Ortyx, J. Gould, Proc. Zool. Soc. London, X (119) Feb. 1843, 182.
- castanea Osmosita (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 106.—Nitidula.
- castanea Ozaena, Dejean, Spec. gén. Coléopt. V. 1831, 514.
- castanea Pachrodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 168.
- castanea Pachytricha, F. W. Hope, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 303.
- castanea Pacuvia, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 199.
- castaneus Paederus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 60.
- castanea Paludina, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. Pangonia, M. Perty, Del. anim. artic. Brasil. (3) 1833, 182. [1827], 256.
- castanea Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 94.
- castanea Pectinaria, A. Risso, H. N. Europe, IV. 1826, 411.
- castaneus Pectunculus, Lamarck, An. s. vert. VI (1) 1819, 53.
- castanea [Pelusios] (Schw.), J. Wagler, Nat. Syst. Amph. 1830, 137.—Emys.
- castanea Pentilia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1036.
- castaneus Pentodon, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 384.
- castanea Pepsis, Palisot de B., Ins. Afr. Amér. (—) 1809, 95.
- castanea Peristera (Wagl.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba.
- castaneus Phalacrus, J. Curtis, Guide Brit. Ins. (8) 1831, 244 [*n. n.*].
- castaneus Phalacrus, J. Curtis, Ann. Nat. Hist. V. June 1840, 276.
- castanea Phalaena Noctua, E. J. C. Esper, Die Schmett. IV. Abschn. 2, 1796, 27.
- castanea Phaleria (Herbst), L. Gyllenhal, Ins. Suecica, I (2) 1810, 588.—Colydium, 1797.
- castaneus Phasianus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 28.
- castaneum Philentoma, T. C. Eyton, Ann. Mag. N. H. XVI. Oct. 1845, 229.
- castaneus Phileurus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 304.
- castanea Physa, Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12 [*n. et f.*].
- castaneus Picus, J. G. Wagler, Isis (Oken), 1829, 515. [105.]
- castanea Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- castaneus Planaxis, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 18 [*n. n.*].
- castaneum Platysoma (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. - 1835, 231.—Hololepta.
- castanea Platysteira, L. Fraser, Proc. Zool. Soc. London, X (117) Feb. 1843, 141.
- castanea Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 191, Oct. 1845.
- castaneus Plotosus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 421. [Scarabus.]
- castanea Polydonta (Less.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 101.—
- castaneus Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834) sign. 2.
- castaneus Potamanthus, F. J. Pictet, H. N. Ins. Neuropt. Ephémér, 1845 [*i.e.* Dec. 1845], 215. [May 1849, 17.—Opilus.]
- castanea Priocera (Newm.), J. L. Le Conte, Ann. Lyceum N. H. New York, V (1)
- castaneus Psarocolius (Lath.), J. Wagler, Syst. Avium, I. 1827, sign. 2210.—Oriolus, 1790.

- castaneus Pselaphus, [L. v. Beck], Beitr. baier. Insektenf. 1817, 11.
 castanea Psylla (Gm.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes.
 castaneus Pterostichus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843
 (2) 1843, 202.—Hypherpes.
 castanea Ptilodactyla, Laporte, Revue Entom. IV (1) 1836, 22.
 castaneus Ptinus (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 83.—Anobium, Ol. 1790.
 castanea Pyrina (Brongn.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837
 104.—Nucleolites.
 castaneus Pytho, J. C. Fabricius, Syst. Eleuth. II. 1801, 96.—Cucuius, 1792.
 castanea Rana, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 128.
 castaneus Rhimanphus (Wils.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 19.—Sylvia.
 castaneus Rhizomys, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 1007.
 castanea Rissoa, H. P. C. Möller, Index Moll. Grœnl. 1842, 9.
 castanea Rissoa, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 82.
 castaneus Rutela (Kn.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 152.—Cremastochilus castaneae.
 castaneus Salarias, Cuvier & Valenc., H. N. Poiss. XI. 1836, 324.
 castaneum Scaphidium, M. Perty, Del. anim. artic. Brasil. (1) 1830, 34.
 castaneum Scaphidium, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
 (4) 1845, 361.
 castanea Scaptocoris, M. Perty, Del. anim. artic. Brasil. (3) 1833, 166.
 castaneus Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 12.
 castaneus Scarabus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 336.
 castaneus Scelosodis (Esch.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) post June
 1835, 284.—Cratopus.
 castanea Scolia, Percheron in F. E. Guérin-M. & P., Gen. Ins. (1) 1835, no. 7.
 castanea Scolopax, S. D. W., The Analyst, III (14) Jan. 1836, 207.
 castaneus Scotophilus, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 498.
 castaneus Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 21.
 castanea Setophaga, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 42.
 castanea Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 122.
 castaneus Silvanus, Dejean, Catal. Coléopt. 1821, 103 [*n. n.*].
 castanea Sitta, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 316.
 castaneus Sorex, L. Jenyns, Ann. Nat. Hist. I (6) Aug. 1838, 424 & II. Sept. 1838,
 castaneus Sphaerophorus, J. Waltl, Reise Tyrol etc. (2) 1835, 64. [43.
 castaneus Sphynx, G. Perry, Arcana, 1811, Ll1. [& 2) Oct. 1837, 84.
 castaneus Staphylinus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1)
 castanea Sternocera (Fab.), F. Eschscholtz, Zool. Atlas, I. 1829, 8.—Buprestis, Ol.
 castaneus Sternotherus (Schw.), J. E. Gray, Syn. Rept. 1831, 38.—Emys. [1790.
 castanea Sylvia, A. Wilson, Amer. Ornith. II. 1810, 97.
 castanea Sylvicola (Wils.), J. J. Audubon, Synopsis, 1839, 53.—Sylvia.
 castaneus Tabanus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 198.
 castaneus Tachinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 140.
 castaneus Tenebrio, A. W. Knoch, N. Beitr. Insektenkunde (1) 1801, 171.
 castaneus Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 483.
 castanea Terebra, L. C. Kiener, Spec. Coquilles (Terebra) 1838-9, 19.
 castaneus Termes, H. Burmeister, Handb. Ent. II (2) ii, 1839, 764.
 castaneum Theridium (Clerck), C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 263.
 —Aranea, 1757.
 castanea Thlipsomyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 391.
 castaneus Thomisus, Latreille, N. Dict. H. N., ed. 2, XXXIV. 1819, 30. [no. 15.
 castaneus Thorictus, E. F. Germar, Revue Entom. II (—) 1834, Descr. d'esp. nouv.,
 castanea Thyamis (Meg.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 314.
 —Haltica.
 castanea Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 58.
 castanea Tityra, Jardine & Selby, Ill. Orn., sign. D3, pl. 10, 1826.
 castanea Tonicia (Wood), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30 1847,
 67.—Chiton.

- castaneum** Tribolium (Hbst.), W. S. Macleay, *Annulosa Javanica*, 1825, 47.—Colydium, 1797. [—Brachysternus.
- castaneus** Tribostethes (Lap.), J. Curtis, *Proc. Linn. Soc. London* (21) June 1844, 198.
- castanea** Triplax (Marsh.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 8.—Silpha.
- castaneus** Trochus, Nuttall in J. C. Jay, *Cat. Shells*, ed. 3, 1839, 70 [*n. n.*].
- castaneus** Trogon, J. B. v. Spix, *Avium Brasil.* I. 1824, 48.
- castanea** Trogosita, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 55 [*n. n.*].
- castanea** Trogosita, F. V. Melsh.; F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (5) Oct. 1844, 109. [Aptères, III. 1844, 171.—Megamerus.
- castaneum** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (*Roret's Suite à Buffon*),
- castanea** Turbinella, J. E. Gray, *Zool. "Blossom,"* 1839, 114.
- castanea** Turbinella, L. Reeve, *Conch. Icon.* IV.—Turbinella, no. 26, July 1847.
- castaneus** Turdus (Gould), G. R. Gray, *Cat. Hodgson Coll. B. M.* 1846, 81.—Merula.
- castaneus** Tychus, C. Aubé, *Ann. Soc. Ent. France* [2] II (2) Aug. 1844, 124.
- castanea** Uloma, Sch.; Dejean, *Catal. Coléopt.* 1821, 68 [*n. n.*].
- castaneus** Unio, Rafinesque, *Cont. Mon. Shells Ohio*, Oct. 1831, 4.
- castaneus** Unio, I. Lea, *Tr. Amer. Phil. Soc.*, n. s., IV (1) 1831, 91. [III. 1833, 119.
- castaneus** Unio, L. Fitzinger, *Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien)*
- castanea** Venus, T. Say, *J. Acad. Nat. Sci. Philad.* II. Aug. 1822, 273.
- castanea** Voluta, J. K. Megerle, *Ges. Nat. Fr. Berlin, Mag.* VIII (1) 1816, 4.
- castanea** Voluta, L. W. Dillwyn (*ex Sol.* MS), *Catal. Shells*, 1817, 530.
- castanea** Voluta, W. Wood (*ex Chemn.*), *Index Test.* 1818, 94.
- castaneus** Vultur, G. Shaw, *Gen. Zool. (Aves)* VII (1) 1809, 29. [Oriolus, 1790.
- castaneus** Xanthornus (Lath.), C. W. Hahn, *Voegel aus Asien etc.* (5) 1819, pl. 5.—
- castaneus** Xystus, T. Hartig in Germar, *Zeitschr. f. d. Entom.* III. 1841, 352.
- castanea** Zephronia, G. Newport, *Ann. Mag. N. H. XIII.* Ap. 1844, 265.
- castanidens** Elater, Gyllenhal in C. J. Schoenherr, *Syn. Insect.* I (3) 1817, 280; & App.
- castanipennis** *v. castaneipennis*. [1817, 134.
- castanipes** Aleochara, J. F. Stephens (*ex Kirby MS*), *Nom. Brit. Ins.*, Aug. 1829, 21 [*n. n.*]; & III. *Brit. Ent. (Mand. V.)* Ap. 1832, 143.
- castanipes** Asilus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* II. 1820, 312.
- castaneipes** Cardiorhinus, E. F. Germar, *Zeitschr. f. d. Entom.* IV. 1843, 95.
- castanipes** Cratonychus (Payk.), W. F. Erichson in Germar, *Zeitschr. f. d. Entom.* III. 1841, 95.—Elater, 1800.
- castanipes** Elater, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 234. [II (4) July 1843, 59.
- castanipes** Feronia (Platysma), E. Ménétries, *Bull. Phys. Math. Ac. Imp. Sci. St Pétersb.*
- castanipes** Formica, W. E. Leach, *Zool. Journ.* II (7) Oct. 1825, 290.
- castanipes** Formica, Leach, A. Risso, *H. N. Europe*, V. 1826, 231.
- castanipes** Helobia, W. Kirby in J. Richardson, *F. Bor.-Amer.* (4) Oct. 1837, 20.
- castanipes** Helops, J. Sturm, *Catal. Ins. Samml.* 1826, 150 [*n. n.*].
- castanipes** Hister, J. F. Stephens (*ex Kirby MS*), *Nom. Brit. Ins.*, Aug. 1829, 9 [*n. n.*]; & III. *Brit. Ent. (Mand. III.)* Aug. 1830, 152.
- castanipes** Hister, J. Curtis, *Tr. Linn. Soc. London*, XIX (4) 1845, 442.—castaneus, 1844.
- castanipes** Monocrepidius (Fab.), E. F. Germar, *Zeitschr. f. d. Entom.* I (2) 1839, 228.—Elater.
- castanipes** Platypalpus (Meig.), F. Walker, *List Dipt. Coll. B. M.* (3) 1849, 508.—Tachydromia. [1847, 335.
- castanipes** Platysma, Mannerheim in Gebler, *Bull. Soc. Imp. Nat. Moscou*, XX. 1847 (2)
- castanipes** Pocciulus, W. Kirby in J. Richardson, *F. Bor.-Amer.* (4) Oct. 1837, 37.
- castanipes** Scaphium, W. Kirby in J. Richardson, *F. Bor.-Amer.* (4) Oct. 1837, 109.
- castanipes** Sphenophorus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VIII (2) 1845,
- castaneipes** Spheg, A. G. Dahlbom, *Hymenopt. Europaea* (1) 1844, 27. [249.
- castanipes** Tachydromia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 79.
- castanipes** Trupanea, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1838 (3) 1839, 223.
- castaniventris** *v. castaneiventris*.
- castanops** Strix, J. Gould, *Proc. Zool. Soc. London*, IV (48) June 1837, 140.
- castanoptera** Aleochara (Mann.), C. R. Sahlberg, *Diss. Ent. Ins. Fenn.* (24) 1831, 369; & *Ins. Fenn.* I. 1834, 369.—Bolitochara.

- castanopter** Anoplochilus, H. Burmeister, Handb. Ent. III. 1842, 509.
- castanoptera** Apate, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Jan. 1850, 50.
- castaneoptera** Athene (Horsf.), G. R. Gray, Genera of Birds, I. Aug. 1845, 35.—Strix.
- castanoptera** Bolitochara, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (2)
- castanopter** Carabus, Villa & Villa, Coleopt. Europ. 1833, 33. [Feb. 1831, 491.
- castanopter** Carpophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 256. [215.
- castanopter** Centropus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- castanopterum** Criodion, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 571. [222.
- castanoptera** Diphucephala, G. R. Waterhouse, Tr. Entom. Soc. Lond. I (3) Jan. 1837,
- castanopter** Elater, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 171.
- castanopter** Lucanus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22.
- castanoptera** Noctua (Horsf.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 69.—Strix.
- castanopter** Notaphus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 21.
- castanoptera** Omaloplia, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 176.
- castanopter** Oriolus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* July), 796.
- castanoptera** Popillia, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- castanopter** Quedius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) July 1832, 225.
- castanopter** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 962.
- castanopter** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 10.
- castanoptera** Strix, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 140.
- castanopter** Trechus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 73; *ibid.* Coleopt. 46.
- castanopter** Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 321.
- castanopyga** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 197.
- castanotis** Amadina, J. Gould, Syn. Birds Austral. (1) Jan. 1837.
- castanotis** Chaeropus, J. E. Gray, Ann. Mag. N. H. IX. Mar. 1842, 42.
- castanotis** Fringilla (Gould), G. Bennett, Cat. Austral. Mus. 1837, 20.—Amadina.
- castanotis** Pteroglossus, J. Gould, Proc. Zool. Soc. London, I (11) Mar. 1834, 119.
- castanotis** Sporothlastes (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 455.—Amadina.
- castanotus** Cinclosoma, J. Gould, Proc. Zool. Soc. London, VIII (92) May 1841, 113.
- castanotus** Hemipodius, J. Gould, Proc. Zool. Soc. London, VII (82) Mar. 1840, 145.
- castanotus** Turnix (Gld.), G. R. Gray, Gen. of Birds, III. Feb. 1847, 511.—Hemipodius.
- castanurus** Trochilus (Campylopterus), B. Du Bus, Bull. Ac. Roy. Brux. IX (1) 1842, 525.
- castellanensis** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 109.
- castellanensis** Crenaster, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 332.
- castellanensis** Dentalium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 320.
- castellanensis** Panopaea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 321.
- castellanensis** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 216.
- castellanensis** Solarium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 313.
- castellanus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- castellana** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 31. [466.
- castellini** Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 69.
- castellini** Turbinolia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 33.
- castellum** Adelocoenia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Astrea.
- castellum** Astrea, H. Michelin, Icon. Zoophyt. (9-12) 1844, 118.
- castelnaeana** (*sic*) Pellona, Cuvier & Valenc., H. N. Poiss. XX. 1847, 306.
- [**castelnaui**] *v. et laportei*.
- castelnaui** Camaragnathus, E. Bertrand-Bocande, Magasin de Zool. (2) VII. 1845 [1849], pl. 164.
- castelnaudii** (*sic*) Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 559.
- castelneaudii** (*sic*) Helix, Deville & Huppé, Rev. et Mag. de Zool. (2) II. Dec. 1850, 639.
- castelnaui** Lagothrix, I. Geoffroy & Deville, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 498.
- castelnaui** Onychorhynchus, E. Deville, Rev. et Mag. de Zool. (2) I. Feb. 1849, 56.

- castelnau Orthoceras, de Verneuil in Castelnau, Ess. Silur. Amér. sept. 1843, 29.
 castelnaudii (*sic*) Trochilus, Bourcier & Mulsant, Rev. Zool. (Soc. Cuv.) XI. Sept. 1848, 270.
 Castiaria Laporte & Gory, Mon. Buprest. 1838; *teste* Agassiz *sed non comp.*, ?Castiarina,
 Castiarina Laporte & Gory, H. N. Coléopt. II. 1837, Stigmodera p. 22.—Col. [q.v.
 castigaria Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 19.
 castigator Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
 (7) 1849, 19 ["Mon. Anth." *poster. edit.*].
 castigator Pteromalus, C. Rondani, N. Ann. Sci. Nat. (2) IX. 1848 [Feb.], 22. [142.
 castigatus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 castigata Eupithecia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
 IV (Noct.) 1842, 37.—Geometra. [1808-18] [*n. et f.*].
 castigata Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 89 (Fernaldo judice
 castigata Tarachia, J. Huebner, Verz. bekannt. Schmett. 1826, 324.—Geometra.
 castigatus Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 315.
 castillianus Carabus, Dejean, Catal. Coléopt. 1821, 6 [*n. n.*]; Spec. gén. Coléopt. II.
 Castnia J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Lep. [1826, 87.
 Castnius J. Huebner, Verz. bekannt. Schmett. [1820], 102.—Lep.
 castolata Cyclostoma, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 192 [*n. n.*].
 castor Ammonites (Rein.), H. G. Bronn, Zschr. Min. 1829, I. 73.—Nautilus.
 castor Campylirhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 108.—Rhynchaenus.
 castor Ceutorhynchus (Fab.), E. F. Germar, Ins. Spec. novae, I. 1824, 221.—Curculio,
 1792. [Papilio, ? Cr. 1775.
 castor Charaxes (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 110.—
 castor Cyclops (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 397.—Monoculus.
 castor Cyclopsina (Jur.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,
 427.—Monoculus.
 castor Diaptomus (Jur.), W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 219.—Monoculus.
 castor Helicella, Valenc.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.
 castor Merganser (L.), W. Macgillivray, Man. Brit. Orn. II. 1842, 195 (*sic*).—Mergus,
 castor Mitylus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 370. [1766.
 castor Monoculus, L. Jurine, Hist. Monocles, 1820, 50.
 castor Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 63.
 castor Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 4.
 castor Nucula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 339.
 castor Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 351.—Papilio,
 castor Papilio, J. O. Westwood, Ann. Mag. N. H. IX. Mar. 1842, 37. [? Cr. 1775.
 castor Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 220.
 castor Popillia, E. Newman, Mag. Nat. Hist., n. s., II. June 1838, 338.
 castor Rhinoncus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhynchaenus.
 castor Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 451.—Curculio, 1793.
 castor Scarabaeus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 266 [*n. n.*].
 castor Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 117.
 castor Trigonina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
 castor Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.
 castorides *v.* castoroides.
 castorinus Steneofiber, A. Pomel, Bull. Soc. géol. France (sér. 2) IV. 1847, 385.
 castoris Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 195.
 castoris Eriboea (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 47.—Papilio castor, 1775.
 castoris Trichoecephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 18 [*n. n.*].
 Castoroides J. W. Foster, 2 Ann. Rep. Geol. Surv. Ohio, 1838, 30.—M.
 castorides Mus, E. J. Burrow, Tr. Linn. Soc. London, XI (1) 1813, 167.
 castoroides Palaeomys, J. Kaup, Isis (Oken), 1832, 993.
 castoroides Palaeomys, Kaup & Scholl, Catal. plâtres, 1832, 6.
 castrator Bracon, J. C. Fabricius, Syst. Piezat. 1804, 103.—Ichneumon, 1798.
 castreneus Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 128 [= castrensis, Fab.].
 castrensis Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 40 (Fernaldo judice
 1802) [*n. et f.*].

- castrensis** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 115.
- castrensis** Circe (L.), J. E. Gray, The Analyst, VIII (24) July 1838, 307.—Venus, 1758.
- castrensis** Clisiocampa (L.), J. Curtis, Brit. Entom. V (57) Sept. 1828, no. 229.—Bombyx,
- castrensis** Conus, A. A. Gould, Proc. Boston Soc. N. H. I (2-3) [1844-5], 138. [1758.
- castrensis** Cytherea (L.), Lamarck, An. s. vert. V. 1818, 568.—Venus, 1758.
- castrensis** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 294.—
Bombyx, 1758.
- castrensis** Lasiocampa (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 155.—Bombyx, 1758.
- castrensis** Malacosoma (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 192.—Phalaena,
1758.
- castrensis** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 98.
- castrensis** Phidippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 140.
- castrensis** Solen, W. Wood, General Conch. 1815, 134.
- castresii** Fulgora, F. E. Guérin, Magasin de Zool. VII. 1837, pl. 173.
- castri** Jodamia, DeFrance, Dict. Sci. Nat. XXIV. 1822, 230.
- Castrinus** J. Sturm (*ex* Dej. MS), Catal. Käfer Samml. 1843, 152.—Col. = Cestrinus,
[castus -a -um.] [Erichs.]
- casta** Agnia, E. Newman, Entomologist (18) Ap. 1842, 291.
- casta** Arctornis (Fab.), E. F. Germar, Syst. Gloss. Prod. 1811, 22.—Bombyx, ? Esp. 1785.
- casta** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 31 (Fernaldo judice 1802)
[*n. et f.*].
- casta** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 51 (Fernaldo judice 1802-8)
[*n. et f.*].
- castus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 112.
- casta** Carpophaga, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 204.
- casta** Chelonia (Fab.), J. B. Godart, H. N. Lépid. France, IV (Noct. 1) 1823, 316.—
Bombyx, ? Esp. 1783.
- castus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 145, May 1847.
- castus** Conus, L. Reeve, Conch. Icon.—Conus, no. 267, Feb. 1844.
- castus** Cryptocephalus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847,
- casta** Cytherea (Gm.), Lamarck, An. s. vert. V. 1818, 563.—Venus, 1790. [171.
- casta** Daphnella, R. B. Hinds, Zool. "Sulphur," 1844, 25.
- castus** Endaeus, C. J. Schoenherr, Isis (Oken), 1825, 583 [*n. n.*].
- casta** Eucharis (Esp.), J. Huebner, Verz. bekannt. Schmett. [1822], 181.—Phalaena, 1783.
- casta** Euprepia (Huebner), F. Ochsenheimer, Schmett. Europa, III. 1810, 341.—Bombyx.
- casta** Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 118.
- castus** Hydrophilus, T. Say, Boston Journ. N. H. I (2) 1835, 170.
- casta** Leptalis, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 360.
- casta** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33.
- casta** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 55, June 1846.
- casta** Melitaea, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 52.
- casta** Mitra, Lamarck (*ex* Chemn.), Ann. Mus. H. N. (Paris) XVII (99-100) July 1811,
- casta** Mitra, W. Swainson, Zool. Illust. (1) I (8) May 1821, pl. 48. [202.
- casta** Mitrella, W. Swainson, Treat. Malacol., May 1840, 321.—Mitra, 1821.
- casta** Nassa, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 154.
- casta** Neaera, R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 77.
- casta** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 336, Jan. 1846.—
Daphnella.
- casta** Pontia, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 288.
- casta** Sylvia, J. Latham, Index Orn., Suppl. 1801, p. lv.
- casta** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 63.
- casta** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 156.
- castus** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 20.
- casta** Voluta, D. Solander, Catal. Portland Mus. 1786, 29 [*n. n.*].
- casuarinae** Cyclodomorphus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 23.—Cyclodus.
- casuarinae** Cyclodus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 749.
- casuarinae** Omolepida (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 88.—
Cyclodus.

- casuarinae Tiliqua (D. & B.), J. E. Gray in G. Grey, Journ. 2 Exped. Austral. II. 1841, 423.—Cyclodus.
- casuarinus Dinornis, R. Owen, Proc. Zool. Soc. XIV (158) July 1846, 47.
- casuarius Casuaris (L.), J. Fleming, Phil. Zool. II. 1822, 257.—Struthio, 1758.
- casuarius Casuarius (L.), C. Illiger, Prod. 1811, 247.—Struthio, 1758. [345.]
- casuarius Rhea, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802].
- casula Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841].
- catablastes Spongia, J. E. Lee, Mag. Nat. Hist., n. s., III. Jan. 1839; 13. [219.]
- Catablepas J. E. Gray, Lond. Med. Repos. XV. Ap. 1821, 307.—M.
- Catacanthus M. Spinola, Ess. Ins. Hémipt. 1837, 352.—Hem.
- Catachaenus C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 305.—Col.
- Catachilus C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 192.—Hem. [non binom.].
- Cataclysmes J. Huebner, Verz. bekannt. Schmett. 1826, 329.—Lep.
- cataclysmi Astacus, H. G. Bronn, Index Pal. 1848, 112.
- Cataclysta J. Huebner, Verz. bekannt. Schmett. 1826, 363.—Lep.
- Catacola L. Oken, Lehrb. Nat. III (1) 1815, 691.—Lep. [1826, 115.]
- Catacospus *err. pro* Catascopus, Kirby; Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 4.
- catacrita Helix, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 4.
- Catacus *emend. pro* Cacatoes, Dum.; C. S. Rafinesque, Analyse, 1815, 64.—A.
- Catadromus W. S. Macleay, Annulosa Javanica, 1825, 18.—Col.
- cataenata *v.* catenatus.
- Catagenus J. O. Westwood, Zool. Journ. V (18) June 1830, 221.—Col.
- Catageus Thorell, 1849; *teste* Waterhouse, *sed* ? 1889. [B. M.].—M.
- Cataglochis Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 2 Livr. 1826 [ex MS].
- Cataglyphis A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 493.—Hym.
- Catagramma Boisduval, s. à Buffon (Lép.) I. 1836, expl. pl. ix.—Lep.
- Catagrammus C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 192.—Hem. [non binom.].
- catagraphus Heilipus, E. F. Germar, Ins. Spec. novae, I. 1824, 400. [binom.].
- Catalalus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 99.—Col.
- Catalasis Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 159.—Col. [sine typo].
- Catalasis J. Sturm, Catal. Käfer Samml. 1843, 121.—Col.
- catalaunalis Botys, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1833, 330.
- cataleuca Agrotis, C. F. Freyer, Neuere Beitr. Schmett. V (67) 1842, 28.
- cataleuca Noctua, J. A. Boisduval, Ann. Soc. Ent. France, II (3) c. Oct. 1833, 377.
- cataleuca Spaelotis, Boisduval, Gen. Index Europ. Lepid. 1840, 107.—Noctua, 1833.
- catalea Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 128.
- cataleus Johnius, G. Cuvier, R. Anim., ed. 2, II. 1829, 180.
- catalonicus Lepidotus, I. de Asso, An. Cien. Nat. IV. 1801, 38.
- catalpa Belemnites, F. Biguet, Cons. Bélemnites, 1819, 45.
- Catamblyrhynchus de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 301.—A.
- Catamenia C. L. Bonaparte, Cons. gen. Avium, I. 1850, 493.—A. [binom.].
- Catamianus C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 149.—Hem. [non binom.].
- Catamiarus Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 323.—Hem.
- catamita Cleosiris, Boisduval, s. à Buffon (Lép.) I. 1836, expl. pl. xxiii.
- catamitus Tetragnathus, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 17.
- Catamonus C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 422.—Col.
- catanauiensis Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844,
- catanensis Holothuria, A. E. Grube, Actin. Adriat. 1840, 35. [27.]
- Catantes J. Gistel, Nat. Thierr. 1848, p. ix.—Ech.
- Catantostoma G. Sandberger, N. Jahrb. f. Min. 1842, 392.—G.
- Cataphagus J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 247.—Col.
- cataphanes Autophila, J. Huebner, Verz. bekannt. Schmett. 1825, 274.—Noctua, 1808.
- cataphanes Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 121 (Fernaldo judice 1808–18) [*n. et f.*].
- cataphanes Spintherops (Huebner), Boisduval, Gen. Index Europ. Lepid. 1840, 98.—Noctua.
- Cataphania J. Gistel, Nat. Thierr. 1848, p. x.—A.
- Cataphractus F. P. Jarocki, Zoologia, IV. 1828, 77.—P. [*typus* Silurus callichthys].

- cataphractus Acipenser, J. E. Gray, Proc. Zool. Soc. London, II (23) Mar. 1835, 122.
 cataphractus Actinocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
 cataphractus Actinocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 200.
 cataphractus Agonus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 104.—Cottus, 1758.
 cataphractus Aspidophorus (L.), L. Jenyns, Man. Brit. Vert. 1835, 346.—Cottus, 1758.
 cataphractus Cordylus, F. Boie, N. A. Ac. Caes. Leop. Car. XIV (1) 1828, 137.
 cataphractus Crangon, C. S. Rafinesque-S., Précis Som. 1814, 24 [*n. n.*].
 cataphractus Crangon (Olivi), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 343.—Cancer, 1792.
 cataphractus Crocodilus, G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 58.
 cataphractus Doras (L.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 276.—Silurus, 1758.
 cataphractus Dorthesia (Shaw), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 68.—Coccus,
 cataphractus Echinus, Bory de St V., Ency. Méth. (Vers) 1824, 142 [*n. et f.*]. [1794]
 cataphractus Egeon (Ol.), A. Risso, N. Bull. Sci. Soc. Philom. Paris, III (66) Mar. 1813,
 233.—Cancer, 1792.
 cataphractus Ericius, Tilesius, Denkschr. K. Ak. Wiss. München, 1811-12 (1812), 75.
 cataphractus Gasteracanthus, P. S. Pallas, Zoographia, III. 1814, 229.
 cataphractus Mecistops (Cuv.), J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 58.—
 cataphractus Murex, G. Brocchi, Conch. Subap. 1814, 427. [Crocodilus.
 cataphractus Peristedion, A. Risso, H. N. Europe, III. 1826, 402.
 cataphractus Peristethium, J. Minding, Lehrs. Naturg. Fische, 1832, 104.
 cataphractus Phalangistes (L.), P. S. Pallas, Zoographia, III. 1814, 113.—Cottus, 1758.
 cataphractus Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821
 [1822], 322.—Murex.
 cataphractus Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 196.
 cataphractus Zonurus, Boie in Férussac, Bull. Sci. IX. 1826, 235 [*n. n.*].
 cataphractus Zonurus, J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 388.
 Cataphronetis Dejean, Catal. Coléopt., ed. 2 (3) ante Oct. 1834, 199.—Col. [*n. n.*].
 Cataphronetis H. Lucas, Explor. Algér. (Artic. II.) 1846, 342.—Col.
 Catapicephala J. Macquart, 1850; [teste Marschall, 1851 *est*].
 Catapiesis A. J. J. Solier in Audouin & Brullé, H. N. Ins. (Col. II.) 1835, 42.—Col.
 Catapiestus M. Perty, Obs. Coleopt. Ind. 1831, p. xxxviii.—Col.
 Catapionus C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 245.—Col.
 Cataplus J. Gistl, Nat. Thierr. 1848, 123.—Col.
 Cataplus J. Gistl, Handb. Naturges. 1850 [1847], 404.—Col.
 Catapycnus C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 39.—Col.
 Catapyges C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 982.—Col.
 cataractae Donacia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 391.
 cataractae Gobio, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 315.
 Cataractes J. Fleming (*ex* Will.), Edinburgh Phil. Journ. I (1) June 1819, 98.—A.
 Cataractes S. D. W., Analyst, IV (16) July 1836, 296.—A. [Falconidae].
 [cataractes.]
 catarractes Chrysocoma (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1)
 1826, 61.—Aptenodytes, Forst. 1781.
 catharractes Lestris (L.), C. Illiger, Prod. 1811, 273.—Larus, 1766.
 catarractes Spheniscus (Forst.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. cxiii.
 —Aptenodytes, 1781.
 catarrhactes Stercorarius (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 154.
 —Larus, 1766.
 cataracti Trinucleus, *err. pro* caractaci, Murch.; H. Burmeister, Organ. d. Trilobit. 1845,
 [cataractus -a -um.] [65.
 cataracta Anodonta, T. Say, Nicholson's Brit. Ency. Arts Sci. (1, 2 & 3 Amer. eds
 1816, 1818, 1819) IV. sign. c₅.
 cataracta Buccinum, C. F. F. Krauss (*ex* Chemn.), Südafrik. Moll. 1848, 119.
 cataractus Chilonemus, Baird, P. Amer. Assoc. 1849 (1850), 406 [*n. n.*].
 catarrhactus Cycloderes, C. R. Sahlberg, Peric. Entom. 1823, 21.
 cataracta Purpura (Gm.), Lamarck, An. s. vert. VII. 1822, 245.—Buccinum, 1790.
 catarracta Purpura, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 234.

- cataractus** Thylacites (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 516.—Cycloderes. [donta.]
- cataracta** Unio (Say), G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 18.—Ano-
- Catarama** Guérin-M., Rev. Mag. Zool. II. 1850, 431.—Col. [teste Scudder].
- Catargyria** J. Huebner, Exot. Schmett. II. Tab. [62] *die indet.*—Lep. [n. et f.; 1822-26,
- Catarracta** S. Odmann, N. Acta Soc. Sci. Upsal. V. 1792, 70.—A.
- Catarrhactes** L. P. Vieillot, Gal. des Ois. II (5) 1826, 243.—A. [1760.
- Catarrhactes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Catarractes, Briss.
- Catasarcus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 812.—Col.
- Catascia** J. Huebner, Verz. bekannt. Schmett. 1826, 313.—Lep.
- catascopium** Hydroporus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 103. [Lymnaea.
- catascopium** Limnophya (Say), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 111.—
- catascopium** Lymnaea, T. Say, Nicholson's Brit. Ency. Arts Sci. (1, 2 & 3 Amer. eds. 1816, 1818, 1819) IV. sign. B₆.
- Catascopus** W. Kirby, Tr. Linn. Soc. London, XIV (1) 1823, 94.—Col.
- Catastia** J. Huebner, Verz. bekannt. Schmett. 1826, 372.—Lep.
- Catastomus** *id. ac* Catostomus, Les.; J. Richardson in Franklin, Journey Polar Sea, 1819—
- Cataulax** M. Spinola, Ess. Ins. Hémipt. 1837, 339.—Hem. [22, 1823, 720.
- catax** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 38 (Fernaldo judice 1802) [n. et f.].
- catax** Dasysoma (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 185.—Phalaena, 1758.
- catax** Eriogaster (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 16.—Phalaena, 1758.
- catax** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 285.—Bombyx,
- catax** Lachneis, J. Huebner, Tentamen (me judice 1806), 1.—[n. n.] [1758.
- catax** Lasiocampa (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 154.—Bombyx, 1758.
- Cataxopus** Hope, 1838; v. **Catascopus**.
- catbirdt** Turdus, Drapiez, Dict. Class. H. N. X. 1826, 432.
- catebus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 76.
- Categorus** J. Gistel, Nat. Thierr. 1848, p. x.—Cor. [1786.
- catellina** Cephalodella, Bory de St V., Ency. Méth. (Zooph.) 1827, 527.—? Cercaria, Müll.
- catellina** Dicranophorus (Müll.), Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 68.—Cercaria, 1786. [Cercaria, 1786.
- catellina** Diglena (Müll.), C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828) sign. c.—
- catellina** Furcocerca (Müll.), Lamarck, An. s. vert. I. 1815, 448.—Cercaria, 1786.
- catellina** Furcularia (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 152.—Cercaria, 1786. [1773.
- catellus** Cephalodella, Bory de St V., Ency. Méth. (Zooph.) 1827, 527.—? Cercaria, Müll.
- catellus** Dicranophorus (Müll.), Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 68.—Cercaria, 1773.
- catellus** Furcocerca (Müll.), Lamarck, An. s. vert. I. 1815, 448.—Cercaria, 1773.
- catellus** Trichocerca (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 150.—Cercaria, 1773. [nula, teste S. & H.].
- Cateluna** A. Dugès, Ann. Sci. Nat. XXVI (102) June 1832, 204.—Verm. [*err. pro* Cate-
- catena** Ammonites, J. De C. Sowerby, Min. Conch. V. 1823, 21.
- catena** Bulla, G. Montagu, Test. Brit. I. 1803, 215.
- catina** Bullaea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 33.—Bulla.
- catena** Bullaea (Mont.), J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 118.—Bulla.
- catena** Catostyrax (Dru.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- catena** Cochlea, Da Costa; *non* Helix [teste Winckworth]. [83.—Cimex, 1782.
- catena** Euphasia (Sow.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1830, 116.—
- catena** Lepralia, J. Morris, Cat. Brit. Foss. 1843, 40 [n. n.]. [Papilio.
- catena** Lepralia, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 19.
- catena** Natica, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 529.
- catena** Papilio, Jas. Sowerby, Brit. Miscell. (4) Mar. 1805, 29.
- catena** Pentatoma (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 64.—Cimex, 1782.
- catena** Philline (Mont.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 545.—Bulla.
- catena** Platynopus, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 337.

- catena** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 36, Feb. 1843.
- Catenaria** Savigny; *teste* Agassiz, Nom. Zool. *sed vernac.*
- Catenaria** Lamouroux (*ex* Sav.), Ency. Méth. (Zooph.) 1824, 176.—Polyz. [S. F. H.].
- Catenaria** S. V. Wood, Ann. Mag. N. H. XIII. 1844, 19.—Polyz.
- catenarius** Arcuatus, G. Perry, Arcana, 1811, 111. [Phalaena, 1770.
- catenarius** Bupalus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 116.—
- catenarius** Celleporites, E. F. v. Schlotheim, Die Petref. 1820, 366.
- catenaria** Melania, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 379.
- catenaria** Melania, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- catenaria** Orthostixis, J. Huebner, Verz. bekannt. Schmett. 1825, 304.
- catenaria** Orthostixis, J. Huebner, Exot. Schmett. II. Tab. [221] [*u. cf.*].
- catenator** Ichneumon, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 29. [Ichneumon.
- catenator** Lampronota (Schaeff.), J. Curtis, Brit. Entom. IX (102) June 1832, no. 407.—
- catenator** Lissonota (Panz.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 45.—
Ichneumon.
- catenator** Rogas (Colastes), A. H. Haliday, Entom. Mag. IV (2) Oct. 1836, 93.
- catenata** Agama, Max Wied, Reise Brasil. II. 1821, 247.
- catenatus** Ammonites, J. De C. Sowerby in De la Beche, Geol. Man. 1831, 320.
- catenatus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 241.
- catenatus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 114.
- catenatum** Buccinum, W. L. Powys, Proc. Zool. Soc. London, III (30) Sept. 1835, 94.
- catenata** Bulla, S. V. Wood, I., Mag. Nat. Hist., n. s., III. Sept. 1839, 461.
- catenatus** Carabus, *id. ac* catenulatus, Scop.; G. W. F. Panzer, Ins. Germ., heft 87,
- catenatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 49 [*u. n.*]. [1801–2, tab. 4.
- catenatus** Carabus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 110.
- catenatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 419.
- catenata** Clythra, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 184.
- catenata** Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 285.
- catenata** Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 361.
- catenatus** Coluber [*? non* Sol.], G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 516,
- catenatus** Coluber (Natrix), Shaw; B. Merrem, Tent. Syst. Amph. 1820, 132.
- catenatus** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 142.
- catenatus** Conus, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
- catenatus** Crotalinus, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 41.
- catenatum** Cyclostoma, A. A. Gould, Proc. Boston Soc. N. H. I (2–3) [1844–5], 138.
- catenatum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 30.
- catenata** Draconura, P. H. Gosse, Ann. Mag. N. H. (2) VI. Nov. 1850, 346.
- catenatus** Echinites, E. F. Schlotheim, Tasch. Min. 1813, 68.
- catenatus** Echinus, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 369.
- catenatus** Enyalius (Wied), J. Wagler, Nat. Syst. Amph. 1830, 150.—Agama.
- catenatus** Eutelus, F. Walker, Entom. Mag. II (4) Oct. 1834, 362.
- catenata** Felis, C. H. Smith, Griffith's Cuvier, Anim. Kingd., Mamm. II. 478 (1827);
Syn. 1827, 168.
- catenatus** Harmodites (Mart.), L. G. de Koninck, Descr. Anim. foss. (1) Sept. 1841, 14.
—Tubiporites.
- catenatus** Hypsilabus (Wied), L. Fitzinger, Syst. Rept. 1843, 57.—Agama.
- catenatus** Lycodon, J. E. Gray, Ill. Indian Zool. II [1832–5] (pl. 85).
- catenata** Mantis, H. Burmeister, Handb. Ent. II (2) i, 1838, 534. [Voluta.
- catenata** Marginella (Mont.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 82.—
- catenata** Miopristis (Thun.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 28.
—Clythra.
- catenata** Mitra (Sw.), Catlow & Reeve, Conch. Nomen. 1845, 295.—Tiara, ? Brod.
- catenata** Moluris, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 366.
- catenata** Muraena (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 28.—Gymnothorax,
1795.
- cataenata** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 219.—Bombyx, 1803.
- catenata** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 166.
- catenata** Pleurotoma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 223.

- catenata** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 374.
- catenata** Polytrema (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 122.
—Pleurotomaria. [1834.]
- catenatus** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 115.—Eutelus,
- catenata** Sarcodictyon, E. Forbes in G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 179.
- catenatus** Scaphander, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- catenatus** Scytale (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 162.
- catenatum** Solarium, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 349.
- catenata** Syringopora (Mart.), J. Morris, Cat. Brit. Foss. 1843, 45.—Tubiporites.
- catenatus** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 148.
- catenata** Tetanocera, H. Loew, Entom. Zeitung, Stettin, VIII (4) Ap. 1847, 122.
- catenata** Tiara, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 195.
- catenatus** Trochus, Defrance, Dict. Sci. Nat. LV. 1828, 484.
- catenata** Tubipora, J. Fleming, Hist. Brit. Anim. 1828, 529.
- catenatus** Tubiporites, W. Martin, Petr. Derb. 1809, pl. 42.
- catenatus** Turrillites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 574.
- catenata** Uraniscodon (Wied), J. J. Kaup, Isis (Oken), 1826, 91.—Agama.
- catenata** Voluta, Montagu, Test. Brit. 1803, 236; Suppl. 1808, 104 (catinata).
- catenata** Volvaria (Mont.), H. D. de Blainville, Faune Française (23) Malac. 1829, 231.
- Catenicella** de Blainville, Dict. Sci. Nat. LX. 1830, 426.—Polyz. [—Voluta.
- catenifera** Calamopora, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842, 93.
[annulatus.]
- catenifer** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 286.—& *var.*
- catenifera** Cidaris, L. Agassiz, N. D. All. Schweiz. Gesellsch. IV. 1840, 79.
- catenifer** Coluber, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct. 1835,
- catenifera** Monodonta, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 318. [290.]
- catenifera** Polytrema (Gein.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 209.—
Calamopora.
- catenifera** Syringopora (Gein.), H. G. Bronn, Index Pal. 1848, 1213.—Calamopora.
- catenifera** Venus, Lamarck, An. s. vert. V. 1818, 603. [Glossiphonia.
- catenigera** Clepsine (Moq.-Tandon), C. M. Diesing, Syst. Helminth. I. 1850, 451.—
- catenigera** Glossiphonia, A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 373.
- Catenipora** Lamarck, An. s. vert. II. 1816, 206.—Cor. [1840.]
- catenoides** Melania, I. Lea, Tr. Amer. Phil. Soc., n. s., VIII (2) 1842, 227.—catenaria,
- catenoides** Natica, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 529.
- catenuata** Nebria, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 59.
- Catenula** A. Dugès, Ann. Sci. Nat. XXVI (102) June 1832, 198.—Verm. [*v. et* Cateluna].
- Catenula** C. Leblond in Blainville's 1837 ed. of Bremser, Traité Vers intest. homme, Atlas
p. 39.—Verm.
- catenula** Bacterium, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 215.
- catenula** Halisidota, J. Huebner, Verz. bekannt. Schmett. [1822], 170.
- catenula** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 426.
- catenula** Muraena (Lacep.), J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844,
214.—Muraenophis. [Gymnothorax, 1795.]
- catenula** Muraenophis (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 628.—
- Catenularia** H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 27.—Cor.
- catenularis** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 253.
- catenularis** Helicites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 72.
- catenularis** Sibon (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 60.—Coluber.
- catenularis** Trochus, E. Eichwald, Nat. Lithuæn, 1830, 221.
- catenularis** Hippothoa, J. Fleming, Hist. Brit. Anim. 1828, 534.
- catenulatum** Adeliu, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
Agra, F. Klug, Entom. Mon. 1824, 29. [(2) 1835, 276.]
- catenulata** Ammonites, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 169.
- catenulatus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 647.
- catenulatus** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 3.
- catenulata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. c.
- catenulata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 82.

- catenulata** Cellaria, Lamarck, An. s. vert. II. 1816, 136. [1832, 104.]
catenulatus Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (18) July
catenulatus Conus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
catenulatum Dentalium, J. C. Chenu, Illustr. conch. IV. Dentalium, 1850, 2.
catenulata Doryphora, A. G. Olivier, Entom. V. 1807, 585.
catenulatus Euomphalus (Wahl.), W. Hisinger, Lethaea Svecica, 1837, 37.—Helicites.
catenulata Euparia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 110.
catenulatus Favites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 25.
catenulata Halysites (Gm.), A. Keyserling, Wiss. Beob. Petschora, 1846, 175.—Tubi-
 pora, 1790. [72.]
catenulatus Helicites, Wahlenberg, N. Acta R. Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
catenulata Hipocrita, J. Huebner, Exot. Schmett., Tab. Hipocrita [*n. et f.*].
catenulatus Hister, Dahl; Dejean, Catal. Coléopt. 1821, 48 [*n. n.*].
catenulatus Ischyru, T. Lacordaire, Mon. Erytyl., Sept. 1842, 97.
catenulatus Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 164 [*n. n.*].
catenulatus Lycodon (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 186.—Coluber.
catenulata Nebria, Gebler in G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.)
post May 1822, 74.
catenulata Pleurotomaria, G. Sandberger, N. Jahrb. f. Min. 1842, 399.
catenulata Pleurotomaria, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI.
catenulata Ronia, J. E. Gray, Ann. Mag. N. H. VII. Ap. 1841, 87. [1842, 359.]
catenulatus Straparollus (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 30.
catenulata Triplax, A. G. Olivier, Entom. V. 1807, 489. [—Euomphalus.]
catenulatus Trochus, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
 Trochus (86) 1849, 110.
catenulatus Turbo (Wahl.), F. W. Hoeninghaus, Jahrb. f. Min. 1830, 230.—Helicites.
catenulifera Bulla (Macgill.), Catlow & Reeve, Conch. Nomen. 1845, 112.—Bullaea.
catenulifera Bullaea, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 187.
Catephia F. Ochseneimer, Schmett. Europa, IV. 1816, 94.—Lep.
Catephia J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Lep.
Caterectus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 401.—Col.
Cateretes Illiger in Kugelan, Käfer Preussens, 1798, 395 [*v. Kateretes*, 1798].
Catergus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 399.—Col.
Caterictus L. Agassiz, Nomen. prodr. Index Univ. 1846.—*emend. pro* Caterectus, Schoenh.
Caterina J. Curtis; *err.* Scudder *pro* Craterina, *q. v.*
caternaultii Cicindela, F. E. Guérin-M., Magasin de Zool. (2) VII. 1845 [1849], pl. 160.
caternaultii Wolfella, M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1)
 1852), 162.
caternaulti Xiphicera, Feisthamel, Magasin de Zool. VII. 1837, pl. 181 (=184).
Caternaultiella M. Spinola, Tav. sin. Hem. 1850 (*ex* Mem. Soc. Ital. Sci. XXV (1) 1852),
 [catesby→.] [68.—Hem.]
catesbeii Chaetodon, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 325.
catesbeii Coluber (Natrix), Weigel; B. Merrem, Tent. Syst. Amph. 1820, 128 [Senz. sp.].
catesbyi Dendrophis, H. Schlegel, Essai phys. Serp. 1837, I. 156; II. 226.
catesbeii Dipsas (Merr.), F. Boie, Isis (Oken), 1827, 531.—Coluber (Natrix).
catesbaei Dipsas (Wieg.), F. Boie, Isis (Oken), 1827, 560 [=550].—? Coluber, Sentz. 1796.
catesbyi Dryiophis, H. Schlegel, Essai phys. Serp. 1837, I. 159; II. 252.
catesbyi Nodosaria, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 16.
catesbyi Phaethon, J. F. Brandt, Mém. Ac. Imp. Sci. St Pétersb. [6] V (2=Sci. Nat. III)
 (5 & 6) Oct. 1840, 270.
catesbei Pomotis, Cuvier & Valenc., H. N. Poiss. VII. 1831, 469. [1763.]
catesbaei Salticus (Scop.), Latreille, N. Dict. H. N., ed. 2, XXX. 1819, 100.—Aranea,
catesby Scarus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 4.
catesbyii Sciurus, J. E. Gray, List Mamm. Coll. B. M. 1843, 137.
catesby Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 42.
catesbeiana Rana, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 106.
catesbyana Rissolina, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 24.
catesbyana Rosalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 99.

- Cateschnus** C. J. Schoenherr in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 327.—Col. [*n. n.*].
- Catesthia** J. Leidy, Proc. Ac. Nat. Sci. Philad. V. 1852, 289 (Oct. 1851) *non* 1848 *apud* Marshall.
- Cathaemia** J. Huebner, Verz. bekannt. Schmett. [1820], 92.—Lep.
- Cathammites** K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 322.—Col.
- Catharactes** J. F. Brandt, Bull. Ac. Imp. Sci. St Pétersb. II (20) July 1837, 315.—A.
- catharina** Aglaophenia (Johnst.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 81.—
- catharina** Plumularia, G. Johnston, Mag. Nat. Hist. VI. Nov. 1833, 497. [Plumularia.
- catharinae** Bolax, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [incunte 1851], 236.
- catharinae** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 178.
- catharinae** Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 88.
- catharinae** Ornismia, A. Salé, Rev. et Mag. de Zool. (2) I. Oct. 1849, 498.
- catharinae** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 269.
- catharinae** Stenogaster, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 191.
- Catharista** L. P. Vieillot, Analyse, 1816, 21.—A.
- Catharsius** F. W. Hope, Coleopt. Manual, I. 1837, 21.—Col.
- Cathartes** C. Illiger, Prod. 1811, 236.—A.
- cathartoides** Buteogallus, R. P. Lesson, Traité Ornith. (2) May 1830, 83.
- Catharus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 278.—A.
- catharus** Portunus, A. White in Dieffenbach, Trav. N. Z. II. 1843, 265.
- cathcartiae** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 265, Oct. 1848.
- cathedralis** Turritella, Al. Brongniart, Mém. terr. Vicentin, 1823, 55.
- Catheretes** *id. ac* Cateretes, Herbst, 1797; L. Gyllenhal, Ins. Suecica, I. 1808, 245.
- cathetoplateus** Hypsonotus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 74.
- Cathetorhinus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 269.—R.
- Catheturus** W. Swainson, N. H. Classif. Birds, II, June 1837, 206.—A.
- catia** Mustela, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 214 [*n. n.*].
- Cathoessus** *err. pro* Chatoessus, Cuv.; Cuvier & Valenc., H. N. Poiss. XXI. 1848, pl. 612.
- Cathormiocerus** C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 120.—Col. [—P.
- cathphorius** Dendrocopus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- cathpharius** Picus (Dendrocopus), B. H. Hodgson, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 1006. [copus.
- cathphorius** Picus (Hodgs.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 115.—Dendro-
- cati** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 115.
- cati** Scarcoptes, E. Hering, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 605.
- catifrons** Bos, J. D. Godman, Amer. Nat. Hist., ed. 3, II. 1836, 266. [Dipt.
- Catilia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 310.—
- catilina** Dysschema (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 175.—Phalaena, 1775. [332.
- catilliformis** Fissurella, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., V (3) 1835,
- catillina** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 143.
- Catillocrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 60.—Crin. [*n. n.*]; C—crinus, Shum. 1866.
- catilloides** Euomphalus, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 429.
- catilloides** Inachus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 273.
- catilloides** Straparolus (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 119.—Euomphalus.
- Catillus** Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 386.—L.
- catillus** Ammonites, J. De C. Sowerby, Min. Conch. VI. 1827, 123.
- catillus** Bifrontia (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 107.—Euomphalus.
- catillus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 159, May 1849.
- catilla** Colias (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 95.—Papilio, ? Cr. 1779. [1848, 603.—Papilio, 1779.
- catillus** Eudamus (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.

- catillus** Euomphalus (Mart.), J. Sowerby, Min. Conch. I. 1814, 98.—Helicites.
- catillus** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 91, Aug. 1850.
- catillus** Goniurus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 104.—Papilio, 1779.
- catillus** Helicites, W. Martin, Petr. Derb. 1809, pl. 7.
- catillus** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 730.—Papilio,
- catillus** Monodacna, E. Eichwald, Fauna Caspio-Caucasia, 1841, 221. [1779.]
- catillus** Monodacna, E. Eichwald, N. Mém. Soc. Imp. Nat. Moscou, VII. 1841, 277.
- catillus** Planorbis, H. E. Anton, Verz. Conch. 1839, 51.
- catillus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 219.
- catillus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 480.
- catillus** Schizostoma (Sow.), H. G. Bronn, Lethaea Geogn. I (1) 1834, 95.—Euomphalus.
- catillus** Skenea (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 314.—Euomphalus.
- catillus** Solarium (Sow.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 162.—Euomphalus. [Euomphalus.]
- catillus** Straparolus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 120.—
- catillus** Unio, T. A. Conrad, Mon. Unionidae N. Amer. (3) Feb. 1836, 30.
- catinata** Voluta *v.* **catenata**.
- Catinus** O. Fabricius, Fortegnelse, 1823, 71.—Gast. undefined but evidently naticoid. The following *n. n.* are appended:—*haliotoides*; *velutinus*.
- Catinus** L. Oken, Allg. Nat. V (i) 1835, 416 [= *Stomatia*, *teste* Herrm.].
- catinus** Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 141 & 198.
- catina** Bullaea, *v.* **catena**.
- catius** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 323.
- catius** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 78.—Cirrospilus,
- Catla** Cuvier & Valenc., H. N. Poiss. XVII. 1844, 411.—P. [1839.]
- catla** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 287. [1832, 379.—Cyprinus.]
- catla** Leuciscus (Ham.), A. Valenciennes in C. Bélanger, Voy. Indes Orient. (6) Dec.
- Catlas** Val. 1844; Agassiz, Nom. Zool. (Pisces) 1845 [*vernac.* *v.* **Catla**].
- catlowae** Corbula, L. Reeve, Conch. Icon.—Corbula, no. 21, Jan. 1844.
- cato** Romaleosoma (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 101.—Papilio, 1787.
- Catoblepas** *id. ac* Catablepas, 1821; J. E. Gray, Ann. Phil. XXVI. Nov. 1825, 342.
- Catoblephas** *id. ac* Catablepas, J. E. Gray, Griffith's Cuvier, Anim. Kingd. Mamm. Syn.
- Catocala** Schrank, F. Boica, II (2) 1802, 158.—Lep. [1827, 367.]
- catocalae** Senometopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 107.—Winthemia. [1830, 174.]
- catocalae** Winthemia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- Catocalides** Boisduval, Gen. Ind. Méth. 1840, 166.—Lep. [*tribus non gen.*].
- Catocalia** J. Huebner, Verz. bekannt. Schmett. 1825, 276.—Lep.
- Catocelis** C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 440.—Hem. [*non binom.*].
- Catocha** A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 156.—Dipt.
- Catochaenum** T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1037.—P.
- Catocheilus** F. E. Guérin-M., Magasin de Zool. (2) IV. 1842, text to pl. 102.—Hym.
- Catochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Catocheilus, Guér.
- catochloris** Lycaena, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 78.
- Catochrysops** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 87.—Lep.
- Catodon** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 319.—R.
- Catodon** J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 21.—M.
- catodon** Beluga (L.), J. E. Gray, Ann. Mag. N. H. XVII. Feb. 1846, 85.—Physeter,
- Catogenus** J. O. Westwood, Zool. Journ. V. 1830 (1831), 221.—Col. [1788.]
- Catoglochis** G. Fischer, Zoognosia, 1813; *teste* Agassiz, *sed non comp.*
- Catoglochis** Croizet & Jobert, Rech. ossem. Puy-de-Dôme, expl. pl. xii bis (1826).—M.
- Catoglokis** F. Robert, Ann. Soc. Agric. Puy, 1829 [1830], 80.—M. [*typus* Cervus dama polignacus]. [pl. 138.—Lep.]
- Catogramma** J. A. Boisduval in Cuvier, Règne Anim., disciples' ed., 1836-49, expl. to
- catogramma** Pieris, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 361.
- Catograpta** J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Lep.
- catoirei** Brachinus, Dejean, Spec. gén. Coléopt. I. 1825, 301.

- catoirii Ceratitis, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 197.
 cattoirii Myoxus, J. B. Fischer, Syn. Mamm. 1829, 310.
 catoirei Pelecophora, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*]. [Col. [*n. n.*].]
 Catolethrus C. J. Schoenherr in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 330.—
 catoleuce Erythia, J. Huebner, Verz. bekannt. Schmett. 1818, 24 [*n. n.*].
 catolynx Felis, P. S. Pallas, Zoographia, I. 1811, 23.
 Catomismus Schoenherr in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 302.—Col. [*n. n.*].
 Catonephele J. Huebner, Verz. bekannt. Schmett. 1818, 40.—Lep.
 Catophaga J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Lep.
 Catophragmus G. B. Sowerby, II., Gen. Shells (28) 1826.—Cirr.
 Catopia Dana, 1847; *teste* Marschall *sed non comp.*
 catopina Allecula, M. Perty, Del. anim. artic. Brasil. (2) 1832, 63.
 Catoplatus M. Spinola, Ess. Ins. Hémipt. 1837, 167.—Hem.
 Catoplatys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Catoplatus, Spin.
 Catopomorphus C. Aubé, 1850; *teste* Marschall, *err. pro* Catopsimorphus.
 Catopriion Müller & Troschel, Arch. f. Naturg. X (1) 1844, 96.—P.
 Catopsilia J. Huebner, Verz. bekannt. Schmett. [1820], 98.—Lep.
 Catopsimorphus C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 324.—Col.
 Catoptera C. S. Rafinesque, Analyse, 1815, 61.—M. = Balenoptera, Lac.
 Catopterus J. L. R. Agassiz, Poiss. Foss. II (1) 3 & 23 (1833).—P.
 Catopterus Redfield, Ann. Lyc. N. H. N. York, IV (1-4) 1837, 39.—P.
 catopterus Palaeoniscus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 78 (1836) [*n. n.*].
 catopterus Palaeoniscus, P. de M. Grey Egerton (*ex* Ag. *n. n.*), Q. J. Geol. Soc. London, VI. 1850, 4.
 Catoptes C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 243.—Col.
 Catoptria J. Huebner, Verz. bekannt. Schmett. 1826, 365.—Lep.
 Catoptria A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 187.—Lep.
 Catoptria F. E. Guérin, Rev. Mag. Zool. 1849, 146.—Col. [—A.
 Catotrophorus C. L. Bonaparte, Ann. Lyc. N. H. N. York, II (9-11) Nov. 1827, 323.
 Catopyga Boyer de F., Rev. et Mag. de Zool. (2) I. Dec. 1849, 623.—Hym. [[*n. n.*]
 catopygoptera Clupea, J. L. R. Agassiz, Poiss. Foss. IV. 43 (1835), V (2) 120 (1844).—
 Catopygus L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 185.—Ech.
 Catopyrrha J. Huebner, Verz. bekannt. Schmett. 1825, 301.—Lep.
 Catorama F. E. Guérin-M., Rev. et Mag. de Zool. (2) II. Aug. 1850, 431.—Col.
 Catosparactes G. R. Gray, Gen. of Birds, III. 1845, 655.—[=Cetosparactes, *q.v.*]
 Catostoma J. Wagler, Nat. Syst. Amph. 1830, 194.—R.
 catostomi Argulus, J. D. Dana & E. C. Herrick, Amer. J. Sci. XXXI (2) Jan. 1837, 297.
 Catostomus C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 89.—P.
 catostomus Rhytidostomus (Forst.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1023.—
 Cyprinus, 1773.
 catostomus Sphagebranchus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 536.
 Catostyrax Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 82.—Hem.
 Catoxantha Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 75.—Col. [—Col.
 Catoxantha A. J. J. Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, II (2) *c.* July 1833, 266.
 Catoxanthia W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 89; (7) 1837,
 125.—Lep.
 catoxantha Aporocera, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 150.
 catoxantha Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 118.
 catoxanthus Geoplates, Germar in H. Burmeister, Handb. Ent. IV (1) 1844, 510.
 catreus Eulophus, F. Walker, Mon. Chalcid. I. 1839, 148.
 Catriscus J. Cabanis, Mus. Heineanum (1) 1850 [1851], 43.—A.
 catskillensis Cypricardites, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 188.
 Catta H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806, 7.—M.
 catta Anthrax, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 117.
 catta Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 35.
 catta Dermestes, K. Duftschmid, Fauna Austriae, III. 1825, 34.
 catta Elachestus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 69.—Eulophus, 1839.
 catta Eulophus, F. Walker, Mon. Chalcid. II. 1839, 71.

- catta** Gibelion (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1014.—Cyprinus
- catta** Onthophagus, Fab.; Dejean, Catal. Coléopt. 1821, 53 [*n. n.*]. [catla.]
- catta** Prosimia (L.), A. Smith, S. African Quart. Journ. II. no. 1 (1) Dec. 1833, 28.—Lemur, 1758.
- cattaroensis** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (2)
- cattaroense** Cyclostoma, L. Pfeiffer, Arch. f. Naturg. VII (1) 1841, 225. [Aug. 1835, 8.
- cattaroensis** Hydrocena, L. Pfeiffer, Zeitschr. f. Malakozool. 1847, 112.
- cattaroensis** Realia (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 63.—Cyclostoma.
- catticus** Otodus, R. A. Philippi, Palaeontographica, I (1) Aug. 1846, 24.
- Cattus** P. C. Schmerling, Rech. Oss. Foss. Liège, II (1) 1834, 92.—M.
- Cattus** *err. pro* Cottus, L.; [Anon.] Helvet. Almanach, 1815, 49.
- [catullo→.] [IV. 1838, 123.]
- catulli** Cycloconus, N. Da Rio, Oritt. Eugen. 1836, 79 & 80; N. Saggi R. Ac. Sci. Padova,
- catulli** Natica, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 193.
- catullus** Papilio (Fab.), E. Donovan, Ins. India, 1801.—Hesperia, 1793.
- Catulus** A. Smith (*ex* Will.), Proc. Zool. Soc. London, V (57) Feb. 1838, 85.—P.
- catula** Apis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 284.
- catulus** Furcularia (Müll.), Lamarck, An. s. vert. II. 1816, 39.—Vorticella, 1773.
- catulus** Scyllium (L.), G. Cuvier, R. Anim. II. 1817, 124.—Squalus, 1758.
- Caturates** Forster, Pocket Encycl. Nat. Phenom. 1827, 419 [*teste* Iredale].
- Caturus** J. L. R. Agassiz, Poiss. Foss., Feuilleton, 8 (1834); II (1) 194 (1835) [*n. n.*]; II (2) 115 (1844).—P.
- catus** Coius, F. Hamilton, Fish. Ganges, 1822, 90.
- catus** Conus, W. Wood (*ex* Chemn.), Index Test. 1818, 70.
- cata** Oenae, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 418.
- catus** Pimelodus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 95.—Silurus, 1758.
- catus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 373.
- Cauax** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 347.—A.
- caucasicum** Achenium, F. L. de Laporte, Etudes Entom. (2) 1835, 119.
- caucasicus** Aegoceros (Guelde), J. A. Wagner in Schreber, Säugth. V (1) 1302 (1835) pl. cclxxxi B (?).—Capra, 1779.
- caucasica** Aeschna, E. de Selys-L., Mém. Soc. R. Sci. Liège, VI. Mar. 1850, 300.—A. picta, *var.* caucasica, Kolen.
- caucasicus** Androctonus; A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 731.
- caucasicum** Apion, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 463.
- caucasicus** Aries, G. Fischer, Zoogn., ed. 3, III. 1814, 394.
- caucasicus** Bellerophon, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 318.
- caucasicus** Berytus, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 67.
- caucasica** Bufo (Pall.), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 74.—Rana.
- caucasicus** Calathus, M. de Chaudoir, Enum. Carab. 1846, 126.
- caucasicus** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817,
- caucasica** Cetonia, F. A. Kolenati, Melet. Entom. (5) June 1846, 30. [282.]
- caucasica** Chelonia, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 262.
- caucasica** Cicindela, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802, 335 [*n. n.*].
- caucasica** Cicindela, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817,
- caucasicus** Cis, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 224. [280.]
- caucasicus** Clytus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 54.
- caucasica** Coccinella, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 423.
- caucasicus** Coccothraustes, P. S. Pallas, Zoographia, II. 1811, 13.
- caucasicus** Corizus, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 59.
- caucasicus** Cucujus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- caucasicus** Cydnus, F. A. Kolenati, Melet. Entom. (4) May 1846, 70. [1845, 91.]
- caucasica** Dapsa, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- caucasicus** Ditomus, Dejean, Spec. gén. Coléopt. V. 1831, 520. [1845, 111.]
- caucasicus** Drapetes, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 160.
- caucasicus** Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*].
- caucasicus** Elater, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 155.
- caucasica** Euclidia, F. A. Kolenati, Melet. Entom. (5) June 1846, 104.

- caucasica Fallenia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 135.
caucasica Feronia (Omaseus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 119.
caucasicus Foenus, F. E. Guérin-M., Iconographie, 1844, Ins. 406.
caucasicus Gomphocerus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1840 (2) 1840, 171.
caucasica Harmonia (Vict.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1017.—
Coccinella.
caucasica Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 131.
caucasicus Homo, J. Gistel, Nat. Thierr. 1848, 74.
caucasica Hoplia, F. A. Kolenati, Melet. Entom. (5) June 1846, 27. [1845, 75.
caucasica Laena, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
caucasicus Lathridius, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 72.
caucasicus Leptinus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1840 (2) 1840, 176.
caucasicus Ludius (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
174.—Elater.
caucasicus Macronychus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 70.
caucasica Megachile, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
330.
caucasica Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 173; &
App. 1817, 82.
caucasica Metallina, V. v. Mochulski, Kaefer Russl., *post* May 1850, 13.
caucasica Miris, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 97.
caucasicum Monotoma, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 43.
caucasica Mordella, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802, 338 [*n. n.*].
caucasica Mutilla, F. A. Kolenati, Melet. Entom. (5) June 1846, 121.
caucasica Nebria, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 112.
caucasicum Nemozoma, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 224.
caucasica Odontoscelis, F. A. Kolenati, Melet. Entom. (4) May 1846, 7.
caucasica Oedemera, F. Kolenati, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847,
Omalium, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 27. [142.
caucasicus Ophonus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 59.
caucasica Oreotetrax (Pall.), Cabanis in Ersch & Gruber, Allgem. Ency. (3) XXII.
1846, 144.—Tetraogallus.
caucasicus Orthochaetes, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII.
1845 (1) 1845, 100.
caucasica Paramecosoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII.
1845 (1) 1845, 50 [*n. n.*].
caucasica Perdix (Pall.), K. Tyzenhaus, Orn. powisz. III. 1846, 102.—Tetrao.
caucasica Perdix (Megaloperdix), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb.
VIII (12) Feb. 1841, 190; Bull. Phys. Math. Ac. Imp. Sci. St Pétersb.
I (17 & 18) Mar. 1843, 282.
caucasica Perla, F. E. Guérin in F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 206.
caucasicus Peryphus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 10. [215.
caucasica Pterolepis, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846,
caucasicus Philonthus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV
(1 & 2) Oct. 1837, 99.
caucasicus Plectes, V. v. Mochulski, Kaefer Russl., *post* May 1850, 74.
caucasicus Poecilus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 53.
caucasicus Pristonychus, M. de Chaudoir, Enum. Carab. 1846, 120.
caucasicus Procerus (Adams), Dejean, Catal. Coléopt. 1821, 5 [*n. n.*].—Carabus.
caucasicus Pselaphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
(1) 1845, 43.
caucasicum Ptilium, F. A. Kolenati, Melet. Entom. (5) June 1846, 56.
caucasica Pyrrhula, Keyserling & B., Wirbelth. Europa, 1840, 40.
caucasica Rana, P. S. Pallas, Zoographia, III. 1811, 15.
caucasicus Rhynchocephalus, G. Fischer, Mém. Soc. Imp. Nat. Moscou, I. 1806, 220;
& ed. 2, 1811 [*é. é.* 1812–13], 188.
caucasicus Sciurus, P. S. Pallas, Zoographia, I. 1811, 186.
caucasicus Steroderus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 55 [*n. n.*].

- caucasica** Strobilophaga (Pall.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 110.—Pyrrhula, K. & B.
- caucasicus** Tachinus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 13.
- caucasicus** Tachyporus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 12.
- caucasica** Tenthredo, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847,
- caucasica** Tetrao, P. S. Pallas, Zoographia, II. 1811, 76. [53.]
- caucasicus** Tetraogallus (Pall.), G. R. Gray, Proc. Zool. Soc. London, X (114) Jan. 1843, 105.—Tetrao.
- caucasicus** Titus, E. Steven in Kolenati, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2)
- caucasicus** Trechus, M. de Chaudoir, Enum. Carab. 1846, 190. [1846, 346.]
- caucasicum** Trimum, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 31.
- caucasicus** Troglaphoeus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 194.
- caucasica** Volucella, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818,
- caucasicus** Xanthornus, P. S. Pallas, Zoographia, I. 1811, 428. [7.]
- caucasicus** Zabrus, C. Zimmermann, Mon. Carab. (1) 1831, 55.
- caucasica** Zonitis, Pall.; Dejean, Catal. Coléopt. 1821, 76 [n. n.].
- causius** Coluber, P. S. Pallas, Zoographia, III. 1811, 46.
- causius** Stellio, E. Eichwald, Zool. Spec. III. 1831, 187.
- caucasus** Chalcosoma (Fab.), H. Burmeister, Gen. Ins. (7) 1841, no. 1.—Geotrupes.
- caucasus** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 10.
- Cauchas** P. C. Zeller, Isis (Oken), 1839, 186.—Lep.
- cauchiata** Larentia, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 440.
- cauchyana** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 382.
- cauda-furcatus** Pimelodus, C. A. Lesueur, Mém. Mus. H. N. (Paris) V [1-3] Mar. 1819,
- caudolineata** Ahaetula, J. E. Gray, Ill. Indian Zool. II (—) [1832-5] (pl. 81). [152.]
- cauda lineatus** Leptophis (Gray), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 932.—Ahaetula.
- cauda nigricante** Genetta, P. Boitard, Jardin d. Plantes, 1842 [i.e. 1841], 221.
- cauda-schistosus** Coluber, R. Harlan, J. Acad. Nat. Sci. Philad. VI. Mar. 1827, 36 f. n.
- cauda vittata** Datnia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 24.
- cauda vittata** Dules, Cuvier & Valenc., H. N. Poiss. III. 1829, 117.
- cauda vittata** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 332.
- caudacuta** Acanthylis (Lath.), J. Gould, Birds of Australia, II (9) 1842, pl. 10.—Hirundo.
- caudacuta** Ammodramus (Wils.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 349.—
- caudacuta** Anas, P. S. Pallas, Zoographia, II. 1811, 280. [Fringilla, 1811.]
- caudacuta** Anas (Dafila) "Leach," J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [i.e. Feb. 1832], 441.
- caudacuta** Calyptomina, W. Swainson, Anim. in Menag., Dec. 1837, 296.
- caudacuta** Dafila, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 127.
- caudacutus** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 168.
- caudacuta** Fringilla, Wilson, Amer. Orn. IV. 1811, 70.
- caudacuta** Hirundo, J. Latham, Index Orn., Suppl. 1801, p. lvii. [[1802], 273.]
- caudacuta** Hirundo, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- caudacutus** Irrisor (Vieill.), G. R. Gray, Gen. Birds, I. July 1846, 90.—Falcinellus.
- caudacuta** Motella, D. H. Storer, Proc. Boston Soc. N. H. III. 1851 (1848), 5.
- caudacuta** Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 455.
- caudacuta** Myothera, F. de Lafresnaye, Magasin de Zool. III. 1833, pl. 10.
- caudacuta** Passerina (Wils.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 25.—Fringilla. [36.—Oriolus, ? Gm. 1788.]
- caudacutus** Ploceus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- caudacutus** Psarocolius, J. Wagler, Syst. Avium, I. 1827, sign. 231.
- caudacuta** Querquedula, W. Macgillivray, Man. Brit. Orn. II. 1842, 170.
- caudacutus** Sclerurus (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1846, 210.—Thamnophilus.
- caudacutus** Synallaxis, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 692.
- caudacutus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 310.
- caudacutus** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 347.

- caudalis** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1832, 8.
- caudalis** Coelacanthus, P. de M. G. Egerton in W. King, Perm. Fossils (Pal. Soc. III.)
- caudale** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 382. [Aug. 1850, 236.]
- caudalis** Leptolepis, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]; Poiss. Foss. II (2), 133 (1844).
- caudalis** Libellula (Diplax), T. de Charpentier, Libell. Europ. 1840, 89 & 177.
- caudalis** Mesoprion, Cuvier & Valenc., H. N. Poiss. VI. 1830, 537.
- caudalis** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 16.
- caudalis** Scymnus, J. L. Leconte in Agassiz, Lake Superior, 1850, 238.
- caudalis** Vipera (Cerastes), A. Smith, Ill. Zool. S. Afr. (Rept.) pl. vii, 1839.
- caudana** Glyphisia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis, 1775.
- caudana** Rhacodia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Pyralis, 1775.
- caudana** Teras (Fab.), F. Treitschke, Schmett. Europa, VIII. 1830, 248.—Pyralis, 1775.
- caudana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 409.—Pyralis, 1775.
- caudana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 37 (Fernaldo judice 1811–18) [*n. et f.*]. [caudata, 1787.]
- caudaria** Strophidia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1825, 290.—Phalaena
- caudator** Mus, B. H. Hodgson, Ann. Mag. N. H. (2) III. Mar. 1849, 203.
- caudator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 82.—Ichneumon, 1775.
- caudatula** Thecla, P. C. Zeller, Isis (Oken), 1847, 6.
- caudata** Acredula, K. L. Koch, Syst. baier. Zool. 1816, 200.
- caudata** Aegeria, T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 311.
- caudatus** Aegithalus (L.), F. Boie, Isis (Oken), 1822, 556.—Parus, 1758.
- caudatus** Agrilus, Mannerheim (*ex* Dej. Cat.), Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 108.
- caudata** Amphimonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 293.
- caudata** Anas, C. L. Brehm, Isis, 1830, 997 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- caudata** Apatura, Laporte & Gory, H. N. Coléopt. I. 1838, 8. [869.]
- caudatus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 206.
- caudatus** Aprostocetus, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., II (12)
- caudata** Arca, E. Donovan, Brit. Shells, 1801, pl. lxxviii. [June 1833, 444.]
- caudatus** Arctomys, V. Jacquemont, Voy. Inde, IV. 1843, 67. [1778.]
- caudatus** Arrenurus (De G.), C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 24.—Acarus,
- caudatus** Asaphus (Br.), Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822, 22. —Trilobus, 1781.
- caudatus** Asilus (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 191.—Dasypogon.
- caudatus** Atax (Deg.), J. C. Fabricius, Syst. Antliat. 1805, 366.—Acarus, 1778.
- caudata** Baetis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Ap. 1836, 63 [longicauda].
- caudatus** Binoculus, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 437.
- caudata** Blaps, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June 1844,
- caudata** Blaps, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 332. [103.]
- caudatum** Blephalum, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 162.
- caudata** Bodo (Amphimonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 48.—Amphimonas.
- caudatus** Bombylius, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 184.
- caudatus** Brachyrhynchus (L.), E. de Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831, App. p. 36.—Parus, 1758.
- caudatus** Bracon, J. T. C. Ratzeburg, Die Ichneumon. II. 1848, 40.
- caudatus** Brentus, Ol., *v.* **caudatus** Curculio.
- caudata** Buprestis, Dejean, Catal. Coléopt. 1821, 30 [*n. n.*].
- caudata** Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [*n. n.*].
- caudatus** Calanus, H. Krøyer, Naturhist. Tidsskrift [2] II (5) 1848, 550.
- caudatum** Cardium, G. A. Goldfuss, Petref. German. II (6) 1837, 219.
- caudatus** Ceocephalus (Latr.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 361.—Brentus, ? Ol.
- caudata** Chaetoglena, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 199.
- caudatus** Chalcis, F. E. Guérin-M., Iconographie, 1844, Ins. 413.

- caudatus** Cheiroleles, C. J. Temminck, Mon. Manim. II. 1841, 348. [? Sh. 1793.]
caudata Chiroxiphia (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 235.—Pipra,
caudatus Chlorophanus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 432.
caudatus Cinnyris, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 508.
caudatus Cirrospilus (Westw.), F. Walker, Mon. Chalcid. I. 1839, 324.—Aprostocetus.
caudata Cleodora (L.), de Blainville, Dict. Sci. Nat. IX. 1817, 388.—Clio, 1767.
caudata Clerodora, L. Oken, Lehrb. Nat. III (1) 1815, 326.
caudata Clione, J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 37.
caudata Coelioxys, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 535.
caudatus Colurus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
 202.
caudatus Conura, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 256.
caudatus Coptorhynchus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. June 1841, 192.
caudata Coracias (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 147.—Galgulus.
caudata Corbula, S. Nilsson, Petrif. Suec. 1827, 18.
caudata Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 734.
caudatus Corvus, G. Shaw, Nat. Misc. XIV. 1803, pl. 561.
caudatus Cossyphus, C. Dumont, Dict. Sci. Nat. XXIX. 1823, 268.
caudatus Curculio, *err. pro* Brentus, A. G. Olivier, Entom. V. 1807, 440.
caudatum Cylindrostoma, A. S. Orsted, Naturhist. Tidsskrift [2] I (4) 1845, 416.
caudata Cypriocardia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 235.—
 Cardium.
caudata Cyrena, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 117.
caudatus Dacus, J. C. Fabricius, Syst. Antliat. 1805, 276. [1781.
caudata Dalmannia (Brünn.), H. F. Emmrich, Naturg. Trilobiten, 1844, 15.—Trilobus,
caudata Dasyneura (Fab.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 1073.—Dacus.
caudatus Dasyopogon, J. C. Fabricius, Syst. Antliat. 1805, 171.
caudata Dasyprocta, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313 [*n. n.*].
caudata Dictyaeta (Fatl.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 62.—
caudata Dictyaeta, A. H. Haliday, Ann. Nat. Hist. III. June 1839, 222. [Notiphila.
caudata Diglena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
 205. [Gonorhynchus.
caudatus Discognathus (McClell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1028.—
caudatum Dolium, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
 601. [Megamyrmaekion.
caudatum Dyction (Reuss), H. Lucas, H. N. Anim. artic. (Annel. etc.) 1840, 368.—
caudatus Echinites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 213.
caudata Echinolampas (Cat.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
 198.—Galerites.
caudatus Echinorhynchus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 153.
caudata Eleodes, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 255.
caudatus Encyrtus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 45.
caudatus Entodon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 170.
caudatus Entomostracites (Brünn.), G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821
 [sep. 1819], 28.—Trilobus, 1781.
caudata Epeira, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 23.
caudata Fasciola, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 271.
caudata Ficula, W. Swainson, Treat. Malacol., May 1840, 85.
caudata Frondicularia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
caudatus Fusus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 503.
caudatus Galerites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 384.
caudatus Galgulus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 433.
caudatus Geronticus (Bodd.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—Scolo-
caudata Goniomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 22. [pax, 1783.
caudatus Gonorhynchus, McClelland, Asiatic Researches, XIX (2) 1839, 375
caudata Gregarina, L. Dufour, Ann. Sci. Nat. [2] (Zool.) I. Feb. 1834, 68.
caudatum Gyryneum (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (6) 1808,
 33.—Murex, 1790.]

- caudatus Heilipus, J. Sturm, Catal. Ins. Samml. 1826, 149 [*n. n.*] [—Sigalphus
caudatus Helcon (Triaspis) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 126.
caudata Hersilia, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 115.
caudata Hyalaea (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 242.—
caudata Idalla, A. S. Orsted, Reg. Mar. 1844, 73. [Clio, 1767.
caudatus Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
IV. 1847, 190.—Spirobolus.
caudata Lamna, J. E. De Kay, N. H. New York (Fish) 1842, 354.
caudata Leda (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 275.—Nucula.
caudatus L[epidopus], J. Minding, Lehrb. Naturg. Fische, 1832, 92.
caudatus Listroderes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 278.
caudatus Lithophagus, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*z. c.*
Ap. 1826], 477.
caudatus Loborhynchus, Rossi; J. Sturm, Catal. Ins. Samml. 1826, 164.
caudata Locusta, T. de Charpentier, Orthopt. (6) 1842, tab. 33.
caudata Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96.
caudatus Lyridon (Ag.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia.
caudata Mactra (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 59.—Venus.
caudatus Mecistura (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 231.—Parus,
caudata Medusa (Ephyra), F. Faber, Nat. Fische Islands, 1829, 195. [1758.
caudatum Megamyrmaeion, A. Reuss, Abh. Senckenb. Mus. I (3) 1834, 212.
caudata Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 272.
caudata Mycetophila, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 243.
caudata Naesa, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 482.
caudata Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 254 [*n. n.*].
caudata Notiphila, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 249.
caudata Nucula, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 31.
caudata Nyctelia, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 200. [coris.
caudatus Odontotarsus (Klug), H. Lucas, Explor. Algér. (Artic. III.) 1849, 96.—Pachy-
caudata Oolina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 19.
caudatus Ophisurus, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 185.
caudatus Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 142.
caudatus Orites (L.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 32.—Parus, 1758.
caudata Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 17. [1792.
caudatus Otiorhynchus (Rossi), E. F. Germar, Ins. Spec. novae, I. 1824, 346.—Curculio,
caudatus Ourachoeus, A. White, List Crustacea Coll. B. M. 1847, 100 [*n. n.*].
caudata Oxytricha, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
caudatus Pachycoris, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 392. [279.
caudatus Pachygaster, Ol.; Dejean, Catal. Coléopt. 1821, 90 [*n. n.*].
caudatus Paroides (L.), C. L. Brehm, Isis, 1828, 1284.—Parus, 1758. [1844, 110.
caudatum Peltarium, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
caudatus Phacops (Br.), H. F. Emrich, De Trilobitis, 1839, 24.—Asaphus.
caudatus Pholadites, E. F. Schlottheim, Tasch. Min. 1813, 105 [*n. n.*].
caudata Pholadomya, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 76.
caudata Pholadomya (Ag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 74.—
Goniomya.
caudatus Pholcus, L. Dufour, Ann. gén. Sc. Phys. (Bruxelles) V. Aug. 1820, 208.
caudatus Phrynus (L.), Lamarck, Syst. Anim. 1801, 175.—Phalangium, 1758.
caudata Pica, E. de Selys-L., Fauna Belg. 1842, 66.
caudata Pica, J. E. De Kay, N. H. New York (Birds) 1844, 131.
caudata Pica, C. L. Bonaparte (*ex Ray*), Consp. gen. Avium, I. 1850, 382.
caudata Pimpla, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 92.
caudata Pipra, J. Latham, Index Orn., Suppl. 1801, p. lvii.
caudata Pipra, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 284.
caudata Pipra, J. B. v. Spix, Avium Brazil. II. 1825, 5.
caudata Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 266 [*n. n.*].
caudata Polymorphina (Orb.), H. D. de Blainville, Faune Française (18) Malac. 1828,
37.—Textularia.

- caudatus** Priapulus, Lamarck, An. s. vert. III. 1816, 77.
- caudatus** Proctotrupes, T. Say in Keating, Exp. Peter River, II. 1824, 329; & ed. London, 1825 (App.), 65.
- caudatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 198.
- caudatus** Silopulus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 224.
- caudata** Pteroceras (Roem.), A. d'Orbigny, Frodr. Paléont. I. 1849 [Jan. 1850], 250.—[Rostellaria.]
- caudata** Pyrrhula, P. S. Pallas, Zoographia, II. 1811, 10.
- caudata** Ranella, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 236.
- caudata** Rhamphomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 565.
- caudatus** Rhynchaenus, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 311.
- caudata** Rostellaria, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 146.
- caudata** Salpa (L.), W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 366.—
- caudata** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 106. [Holothuria, 1758.]
- caudata** Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 667.
- caudatus** Setifer, F. Tiedemann, Zool. 1808, 384.
- caudatus** Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 250.
- caudatus** Sigalphus, Herrich-S. in Panzer, Ins. Germ., heft 153, 1838, tab. 16 c.
- caudata** Silpha, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 192.
- caudata** Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [n. n.].
- caudatus** Sorex, B. H. Hodgson, Ann. Mag. N. H. (2) III. Mar. 1849, 203 [n. n.].
- caudata** Sphinx, W. Turton, Linnaeus, Syst. Nat. III. 1802, 190.
- caudatus** Spio, Lamarck, An. s. vert. V. 1818, 319.
- caudatus** Spirobolus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 269.
- caudata** Spiroloculina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 376.
- caudata** Syrma, C. v. Heyden, Isis (Oken), 1826, 610. [Erinaceus (? ecaudatus).]
- caudatus** Trec (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 13.—
- caudata** Tesia, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post Sept.), 588.
- caudatus** Tetranychus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 29.
- caudatus** Tetrastichus (Westw.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 78.— [—Pachycoris.]
- caudata** Aprostocetus.
- caudata** Tetryx (Herr.-Sch.), F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. c.
- caudata** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263.
- caudatum** Thelyphonus (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 47.— Phalangium, 1758.
- caudatus** Thomisus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 447. [? Dum.]
- caudata** Timalia (Cuv.), G. R. Gray, Genera of Birds, I. Sept. 1846, 228.—Cossyphus,
- caudatus** Tormus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 365.
- caudatus** Tormus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 60.
- caudatus** Trebuis, H. Krøyer, Naturhist. Tidsskrift, II (1) 1838, 30.
- caudata** Trigonina, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 32.
- caudatum** Tritonium (Gm.), J. E. Gray, Zool. "Blossom," 1839, 111.—Buccinum, 1790.
- caudatum** Trombidium, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 168 [vernac. in Dugès].
- caudatus** Tryphon, T. Hartig, Arch. f. Naturg. III (1) 1837, 154.
- caudatus** Unio, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 35.
- caudata** Vaginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258.
- caudata** Venus, G. A. Goldfuss, Petref. German. II (7) 1840, 245.
- caudata** Vortex, A. S. Orsted, Naturhist. Tidsskrift [2] I (4) 1845, 416.
- caudellus** Chilo (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phalaena, 1767.
- caudea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 482.—Phal. Tin. caudella,
- caudex** Asilus, F. Walker, List. Dipt. Coll. B. M. (2) 1849, 404. [L. 1767.]
- caudex** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 83.
- caudex** Meandrina, Ehr.; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 266.—M. (Dendrogyra).
- caudex** Meandrina (Dendrogyra), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
- caudicalis** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 56. [(1834), 325.]
- caudicalis** Pterostichus (Say), Leconte in Agassiz, Lake Superior, 1850, 207.—Feronia.
- caudicola** Arcella, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 218.

- caudiculatum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 32.
- caudicula** Murex, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- caudifasciatus** Tyrannus, A. d'Orbigny in Sagra, Cuba (Orn.) 1839, 82. [59.]
- caudifer** Glossophaga, E. Geoffroy, Mém. Mus. H. N. (Paris) IV [4-6] Dec. 1818, 418.
- caudifer** Nicon (Geoff.), J. E. Gray, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 15.—Glossophaga.
- caudiferaria** Urapteryx, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 255.
- caudiger** Bracon, C. G. Nees v. E., Hymenopt. Ich. aff. I. 1834, 77.
- caudiger** Bracon, C. G. Nees v. E., Hymenopt. Ich. aff. I. 1834, 103.
- caudigera** Bulimina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 270.
- caudiger** Falco, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 47 [*n. n.*].
- caudigerus** Lithodomus, G. B. Sowerby, II., Gen. Shells (23) 1824.
- caudigera** Modiola, Lamarck, An. s. vert. VI (1) 1819, 116.
- caudigerus** Mytilus (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 572 (Cccc*).
—Modiola.
- caudigera** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.-Oct. 1814,
- caudilunaria** Mania, J. Huebner, Verz. bekannt. Schmett. 1825, 290. [455.]
- caudimacula** Alburnus, J. J. Heckel in Russeger, Reise, II (3) [1847], 264.
- caudimacula** Belone, G. Cuvier, Règne Anim., ed. 2, II. 1829, 285.
- caudimacula** Haemulon, G. Cuvier, Règne Anim., ed. 2, II. 1829, 176.
- caudimacula** Iulis, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 710.
- caudimaculatus** Chironectes, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1839, 141.
- caudimaculata** Strongylura, v. Hasselt, Allg. Konst. Letterbode, Aug. 1823, no. 35;
Bull. des Sci. Nat. II. 1824, 374.
- caudina** Cardiopoda (Rang), J. E. Gray, Figs. Moll. Anim. IV. 1850, 100.—Firola.
- caudina** Firola, P. S. Rang, Magazin de Zool. II. 1832, pl. 3.
- caudiporum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 96.
- caudisetus** Gammarus, D. Viviani, Phosph. maris, 1805, 7.
- caudiseta** Ranella, de Blainville, Dict. Sci. Nat. XLIV. 1826, 444.
- caudisata** Tritonium (Lam.), L. Pfeiffer, Rev. Zool. (Soc. Cuv.) VI. May 1843, 135.—
Ranella.
- caudius** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 301.
- caudius** Priamides, J. Huebner, Verz. bekannt. Schmett. [1820], 87.
- caudius** Princes, J. Huebner, Exot. Schmett., Tab. Princes [*n. et f.*]. [1758.]
- caudiverba** Thecodactylus (L.), J. E. Gray, Phil. Mag., n. s., II (7) July 1827, 56.—Lacerta,
- caudi-verbera** Gecko (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 52.—Lacerta, 1758.
- caudiverbera** Hemidactylus (L.), L. Fitzinger, Syst. Rept. 1843, 106.—Lacerta, 1758.
- Caudivolvulus** C. Duméril, Zool. Analyt. 1806, 14.—M. [*typus* Viverra caudivolvula, L.,
teste Fries, 1806].
- caudivolvula** Agama (Pall.), H. Lichtenstein in Eversmann, Reise Orenburg, 1823, 143.—Lacerta. [Lacerta.]
- caudivolvula** Agama (Pall.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 102.—
- caudivolvula** Cercoleptes (Pall.), C. Illiger, Prod. 1811, 128.—Viverra, L. 1758.
- caudivolvula** Didelphys, G. A. Goldfuss, Vergl. Naturb. Säugth. (2) 1812, 220.
- caudivolvula** Lacerta, P. S. Pallas, Zoographia, III. 1811, 27. [Lacerta.]
- caudivolvulus** Phrynocephalus (Pall.), E. Eichwald, Fauna Caspio-Caucasia, 1841, 85.—
- caudivolvulus** Phrynocephalus (Licht.), L. J. Fitzinger, Neue Classif. Rept. 1826, 48.—
Agama. [Viverra, L. 1758.]
- caudivolvulus** Potos (Schr.), A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 171.—
- caudo lineata** *v.* **cauda lineata**.
- Caudonia** F. Walker, Ann. Mag. N. H. (2) V. Feb. 1850, 125.—Hym.
- caudulatella** Ornix, P. C. Zeller, Isis (Oken), 1839, 210.
- caularum** Calyptobium, C. Aubé, Ann. Soc. Ent. France [2] I (3) Dec. 1843, 244.
- Caulastraea** J. D. Dana, Struct. & Classif. Zooph. 1846, 114; Wilkes, U. S. Exped.,
Zooph., c. Mar. 1848, 197.—Cor.
- caulicola** Apis, F. v. P. Schrank, F. Boica, II (2) 1802, 383.
- caulifera** Turbinolia, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 296.

- Caulina** S. d. Chiaje in Poli, Test. Sicil. III (1) 1826, 2 & 38.—Pt.
- Caulobius** Duponchel, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 134.—Lep.
- Caulobius** Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 224.—Col.
- Caulodromus** G. R. Gray, Proc. Zool. Soc. London, XV (168) Mar. 29, 1847, 6.—A.
- cauloni** Goniaster, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 144.
- caumas** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 479.
- caumatonotus** Aglaeactis, J. Gould, Proc. Zool. Soc. London, XVI (180) Ap. 18, 1848, 12.
- caumontii** Acteonina (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 226.—Conus.
- caumontii** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 406.
- caumontii** Conus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 165.
- caumonti** Echinus, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 366.
- caumontii** Teudopsis, J. A. Eudes-D., Mém. Soc. Linn. Normandie, V. 1835, 76.
- caumontii** Trochus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 149.
- Caunopora** J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 18.—Cor.
- caunus** Papilio, J. O. Westwood, Cab. Orient. Entom. 1847, 20.
- caurina** Bullaea, W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 487.
- caurinus** Cyprinus (Leuciscus), J. Richardson, F. Bor.-Amer. (3) 1836, 304.
- caurina** Natica, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 239.
- caurinus** Sebastes, J. Richardson, Zool. "Sulphur," 1845, 77.
- caurina** Vellea, J. F. Eschscholtz, Syst. Acalephen, 1829, 173. [1847, 10.
- caurlese** Asteracanthula, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto,
- Causima** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 226.—Col. [*n. n.*].
- Causima** F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 17.—Col.
- causonianus** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 99.
- causoniana** Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 221.
- causoniana** Teredo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 421. [127.
- caustelus** Mugil, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- causticus** Brachinus, Latreille in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*].
- caustica** Formica, V. Kollar in J. E. Pohl, Reise Brasil. I, 1832, 115.
- causticus** Pyrophorus, Klug in E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 36.
- Causus** J. Wagler, Nat. Syst. Amph. 1830, 172.—R.
- cautella** Anacamptis, Duponchel in J. B. Godart, II. N. Lépid. France, Suppl. IV (Noct.)
- cautella** Gelechia, P. C. Zeller, Isis (Oken), 1839, 200. [[1843], 433.
- cauterium** Cuterebra, B. Clark, Essay Bots, 1815, 70.
- cauterius** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 102.
- cautus** Calamanthus (Gould), G. R. Gray, Genera of Birds, I. Aug. 1848, 164.—Diomedea.
- cauta** Diomedea, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 177.
- cauta** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 35 & 127.
- cautus** Erpeinus (Esch.), V. v. Mochulski, Kaeferrussl., *post* May 1850, 25.—Harpalus.
- cauta** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 378.
- cautus** Harpalus, Eschscholtz in Dejean, Spec. gén. Coléopt. IV. 1829, 367.
- cauta** Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 334.
- cauta** Hylacola, J. Gould, Proc. Zool. Soc. London, X (117) Feb. 1843, 135.
- cauta** Linyphia, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 655.
- cautus** Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 464.
- cautus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 190.
- cautus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 446.
- cautus** Stenus, W. F. Erichson, Käfer Mark Brand. I (2), 1839, 553.
- covierii** Capreolus, J. de Christol, Ann. Sci. Ind. Midi France II (5) May 1832, 15 [cavvierii p. 19].
- cavvierii** Capraolus, J. de Christol, Ann. Sci. Nat. [2] (Zool.) IV. Oct. 1835, 226.
- cavvieri** Cervus, P. Gervais, Mém. Ac. Montpellier, I (4) 1850, 409 [*n. n.*].
- cava** *v.* **cavus**.
- cavalla** Cybium, G. Cuvier, Règne Anim., ed. 2, II. 1829, 200. [Polyz.
- Cavaria** *v.* Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 244 [*n. n.*].—

- cavasius** Bagrus (Ham.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 409.—Pimelodus.
- cavasius** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 203.
- Cavator** J. Blackwall, Proc. Linn. Soc. London (8) May 1840, 66.—Ar.
- cavatus** Agrilus, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 99.
- cavatus** Buceros, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 18.
- cavatus** Buceros, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 291 [n. n.].
- cavata** Cyllipodia, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 466.
- cavatus** Dichoceros, C. W. L. Gloger, Gemeinnütz. Naturges. (I) 1841, 335.
- cavata** Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 137.
- cavatus** Ventriculites, J. T. Smith, Ann. Mag. N. H. (2) I. Mar. 1848, 212.
- cavea** v. **caveus**.
- cavearea** Urrua, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 372.
- cavearius** Bubo, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 169.
- cavearia** Mesomorpha (Urrua), B. H. Hodgson, Zool. Miscell. (Gray) (6) June, 1844, 82 [n. n.].
- caveatus** Anchonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 406.
- cavedanus** Leuciscus, C. L. Bonaparte, Icon. Faune Ital. (22) 1838.
- cavedanus** Squallius, C. L. Bonaparte, Cat. meth. Cipr. Eur. 1845, 9.—Leuciscus, 1838.
- cavella** Lithocolletis, P. C. Zeller, Linnaea Entom. I. Feb. 1846, 213.
- cavensis** Meloë, L. Petagna, Atti R. Accad. Sci. [Napoli], I. 1819, 40.
- caverii** Leuciscus, T. C. Jerdon, Madras Journ. XV (35) 1849, 320.
- cavernarum** Brachyphylla, J. E. Gray, Proc. Zool. Soc. London, I (11) Mar. 1834, 123.
- cavernarum** Ocyptes (Temm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 30.—Vespertilio, Bl.
- cavernarum** Vespertilio (Gray), H. D. de Blainville, Ostéogr., Vespertilio, 1840, 35.—Brachyphylla.
- cavernata** Actinia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 221.
- cavernicola** Triura, T. Tellkampf, Arch. f. Naturg. X (1) 1844, 321.
- cavernosa** Ascidia, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 2.
- cavernosa** Astrea (Esp.), de Blainville, Dict. Sci. Nat. LX. 1830, 334.—Madrepora, L. 1767. [L. 1767]
- cavernosa** Astrea (Schloth.), de Blainville, Dict. Sci. Nat. LX. 1830, 336.—Madrepora,
- cavernosus** Blennius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 168.
- cavernosa** Brissopsis (Ph.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15.—Tripylus. [181.]
- cavernosus** Carabus, I. Frivaldszky, K. magyar tudos Tarsasag évkönyvei, III (3) 1838,
- cavernosa** Chama, A. Risso, H. N. Europe, IV. 1826, 329.
- cavernosus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 57.
- cavernosa** Favia, L. Oken, Lehrb. Nat. III (1), 1815, 67.
- cavernosus** Favites (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 162.—Madrepora, 1767.
- cavernosa** Favosites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 252.
- cavernosa** Ircinia (L.), Nardo, Isis (Oken), 1833, 521.—Spongia, Pall. 1766.
- cavernosa** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 8, May 1846.
- cavernosa** Orthosia, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 86.
- cavernosa** Orthosia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842, 547.
- cavernosa** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 303, Dec. 1845.
- cavernosa** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 38, Sept. 1846.
- cavernosus** Salarias (Bl.), Cuvier & Valenc., H. N. Poiss. XI. 1836, 351.—Blennius.
- cavernosa** Spatangus (Tripylus), R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 345.
- cavernosa** Tethya, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 70.
- cavernosus** Tripylus, R. A. Philippi, Arch. f. Naturg. 1845, 344.
- Cavernularia** Valenciennes in Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxxiv.—Cor.
- cavea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 149, Oct. 1844.
- cavia** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 188.

- caviae** Tetragulus, Bosc, N. Bull. Sci. Soc. Philom. Paris, II (44) May 1811, 269.
- caviaevora** Canis, P. Boitard, Jardin d. Plantes, 1842 [*z.e.* 1841], 202.
- cavicaudatus** Ozodectes, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 176.
- caviceps** Ephydra, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 270.
- cavicollis** Corticaria, C. G. Mannerheim (*ex* Dej. Cat.) in Germar, Zeitschr. f. d. Entom. V. 1844, 56.
- cavicollis** Uloma, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 447.
- cavicola** Locusta, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 80. [38.]
- cavidens** Carcharodon, J. L. Neugeboren, Arch. Ver. Siebenbürg. Landesk. IV (2) 1850, 200.
- cavidens** Lamna, J. L. Neugeboren, Arch. Ver. Siebenbürg. Landesk. IV (3) 1851, 200.
- cavifrons** [Ailurops] (Temm.), J. Wagler, Nat. Syst. Amph. 1830, 26.—Phalangista.
- cavifrons** Athous, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 154.
- cavifrons** Atractodes, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 224.
- cavifrons** Bibos, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 748.
- cavifrons** Bostrichus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 297.
- cavifrons** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 436.
- cavifrons** Braccon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 377.
- cavifrons** Cetonia, J. O. Westwood, Arcana Entom. (11) Jan. 1843, 172.
- cavifrons** Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon) Hyménopt. IV. 1846, 34.
- cavifrons** Cotinis, Dupont in H. Burmeister, Handb. Ent. III. 1842, 263. [p. lxxxvii.]
- cavifrons** Diagramma, Cuvier & Valenc., H. N. Poiss. V. 1830, 290. [p. lxxxvii.]
- cavifrons** Dicranorhina, J. O. Westwood, Proc. Entom. Soc. London, V (9) Feb. 1850, 307 [*n. n.*].
- cavifrons** Eurygnathus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 619.
- cavifrons** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 619.
- cavifrons** Leucothyreus, H. Burmeister, Handb. Ent. IV (1) 1844, 503.
- cavifrons** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 13.
- cavifrons** Notoxus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 11 ["Mon. Anth." *poster. edit.*].
- cavifrons** Phalangista, C. J. Temminck, Mon. Mamm. I. 1824, 17.
- cavifrons** Prosopocoilus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 4 [& 13].
- cavifrons** Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 226.
- cavifrons** Stenocara, A. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 568.
- cavillator** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 118.
- cavillone** Trigla, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 341.
- cavipes** Pagurus, A. White, List Crustacea Coll. B. M. 1847, 60 [*n. n.*].
- cavipes** Pagurus, A. White, Proc. Zool. Soc. London, XV (177) Nov. 10, 1847, 122.
- Cavipora** C. S. Rafinesque, Analyse, 1815, 157.—Coel. [*n. n.*].
- cavirostris** Platymus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1), 1840, 167.
- cavirostris** Ziphius, G. Cuvier, Oss. Foss., ed. 2, V (1) 1823, 352.
- cavisternum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 606.
- cavitibus** Eumenes, C. Rondani, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, 120.
- caviventris** Ulomascus, L. Fairmaire, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 173.
- Cavolina** Abildgaard, Skr. Nat. Selsk. I (2) 1791, 175.—Pter.
- Cavolinella** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 656.—Polyz.
- Cavolinia** A. F. Schweigger, Beob. naturh. Reisen, 1819, 99.—Coel.
- Cavolinia** Chiaje, 1828; *teste* Scudder *sed non comp.*, Cavolina *sed vernac. est, v.* Caulina.
- Cavolinia** G. Nardo, Isis (Oken), 1833, 523.—Sp. [*n. n.*].
- Cavolinia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148.—Nud. [*n. n.*].
- Cavolinia** C. T. Menke, Zeitschr. Malakoz. 1844, 73.—G. [= Cavolina, Brug. 1791].
- [**cavolinii.**]
- cavolinii** Campanularia, H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 133.
- cavolini** Cellepora, S. d. Chiaje, Descr. An. invert. Sicilia, V. 1841, 15.
- cavolinii** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 106.
- cavolini** Holothuria, S. d. Chiaje, Mem. An. s. vert. Napoli, I (2-4) 1824, 112.
- cavolini** Mytilus, A. Scacchi, Oss. Zool. I. Feb. 1833, 7.

- cavolinii** Pennaria, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 297.
- cavolini** Vorticella, S. d. Chiaje, Mem. An. s. vert. Napoli, I (1) 1823, 63.
- cavorum** Columba, C. L. Brehm, Isis, 1830, 985 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- Cavulites** C. S. Rafinesque, Atlantic Journ. (2) 1832, 70.—Sp. [1831, 492.]
- cavus** Elater, E. F. Germar, Reise Dalm. 1817, 218.
- cava** Galeruca, T. Say, Boston Journ. N. H. I (2) 1835, 198.
- cava** Orthix, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 209.
- cavus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 477.
- cava** Saperda, E. F. Germar, Ins. Spec. novae, I. 1824, 493.
- cawdori** Arca (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 81.—Cucullaea.
- cawdori** Asaphus, R. I. Murchison, Silurian System, Jan. 1839, 655.
- cawdori** Cucullaea, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 602.
- caxapregana** Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 426.
- caxis** Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 284. [111.]
- cay** Callithrix, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 107 & **cayanensis** v. **cayennensis**.
- cayaneus** Parus (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 133.—Motacilla cayanus, L. 1766. [cayanus, 1788.]
- cayanurus** Formicivorus (Gm.). C. J. Temminck, Cat. Syst. cab. Orn. 1807, 93.—Turdus
- cayanus** Agouti, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cayana** Arara, R. P. Lesson, Traité Ornith. (3) July 1830, 188. [[1802], 166.]
- cayana** Calliste (L.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Tanagra, 1766.
- cayana** Callospiza (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 670.—Tanagra, 1766. [1799 [1802], 274.]
- cayanus** Caprimulgus, E. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- cayanus** Coccyzus (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxiii.—Cuculus, 1766. [Certhia, 1766.]
- cayana** Coereba (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiv.—
- cayanus** Colymbus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- cayanus** Coracias, P. Boddaert, Tab. Planch. Enl. 1783, 38. [1799 [1802], 312.]
- cayana** Cotinga (L.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—Ampelis, 1766.
- cayanus** Cyanocorax (L.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus, 1766. [1844, 169.]
- cayannum** Cyclonotum, E. Mulsant (*ex* Dej. Cat.), Ann. Sci. Soc. Agric. Lyon, VII.
- cayana** Dacnis (Gm.), G. Cuvier, R. Anim. I. 1817, 395.—Motacilla, L. 1766. [1766.]
- cayana** Euphonia (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 31.—Tanagra,
- cayana** Euphonia (L.), G. R. Gray, Genera of Birds, III. App. 1849, 17.—Tanagra, 1766. [Jan. 1839, 44.—Coracias, 1790.]
- cayana** Fringilla (Lath.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth.,
- cayanus** Hoplopterus (Lath.), G. R. Gray, List Birds Coll. B. M. III. 1844, 65.—
- cayanus** Icterus, Cuvier, Règne Anim. I. 1817, 394. [Charadrius, 1790.]
- cayana** Libellula, G. C. Reich, Mag. Thierreichs (3) 1795, 132.
- cajianus** Megarynchus (L.), C. P. Thunberg, De Megarynchus, 1824, 3.—Lanius, 1766.
- cayana** Nectarinia (L.), C. Illiger, Prod. 1811, 210.—Certhia, 1766.
- cajanus** Pachyrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 32.
- cayanus** Philomachus (Lath.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1841), 127.—Charadrius, 1790.
- cayana** Piaya (Gm.), R. P. Lesson, Traité Ornith. (2) May 1830, 140.—Cuculus, L.,
- cayanus** Pica (L.), G. Cuvier, R. Anim. I. 1817, 398.—Corvus, 1766. [1766.]
- cayanus** Pristigaster, G. Cuvier, Règne Anim., ed. 2, II. 1829, 321 [*n. n.*].
- cayanus** Psaris (L.), G. Cuvier, R. Anim. I. 1817, 341.—Lanius, 1766.
- cayanus** Pyrrhococcyx (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 713.—Cuculus, 1766.
- cayana** Sterna, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 155.
- cayana** Strix, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 261. = cayennensis, ? Müll.
- cayana** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 478. [1776.]
- cayana** Tersa, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 260.—Ampelis, ? L. 1766.

- cayana** Tityra (L.), Jardine & Selby, Ill. Orn., sign. D₂, 1826.—Lanius, 1766.
- cayana** Tityra (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 135.—Lanius, ? L. 1766. [[1802], 226.
- cayanus** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cayanus** Uroleuca (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—Corvus,
- cayana** Vespa, G. C. Reich, Mag. Thierreichs (3) 1795, 131. [1766.]
- cajennae** Epicharis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 172.
- cajennae** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 203.
- cayennator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- cajennensis** Agra, P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 195.
- cayennensis** Aleochara, F. L. de Laporte, Etudes Entom. (2) 1835, 136.
- cayennensis** Allecula, Dejean, Catal. Coléopt. 1821, 71 [*n. n.*].
- cayennensis** Alysia, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 196.
- cajennense** Amblyomma (Fab.), C. L. Koch, Arch. f. Naturg. X (1) 1844, 226.—Acarus, 1787.
- cayennensis** Ampelis, *id. ac* cayana, Lath.; A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 297.
- cayennensis** Anchomenus, L. Buquet, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 619.
- cayanensis** Antrostomus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.—Caprimulgus, 1788. [—Gallinula, 1790.]
- cayanensis** Aramides (Lath.), Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 277.
- cayennensis** Arca, Lamarck, An. s. vert. VI (1) 1819, 45.
- cayennensis** Aspidoglossa, Dejean in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 633.
- cayanensis** Astur, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 219. [1776.]
- cayanensis** Athene (Gm.), G. R. Gray, Genera of Birds, I. Aug. 1845, 35.—Strix, Müll.
- cayennensis** Attagenus, Dejean, Catal. Coléopt. 1821, 46 [*n. n.*].
- cayennense** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 153.—Leja, 1821.
- cajennensis** Bombus, J. C. Fabricius, Syst. Piezat. 1804, 345.—Apis, 1798.
- cayennensis** Bradybaenus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 395.
- cayennensis** Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 259.—Bombus.
- cayennensis** Bruchus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- cayennensis** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 56.
- cayennensis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 125.
- cayennensis** Calandra, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 66 [*n. n.*].
- cajennensis** Calvia (Gm.); E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 148.—Cocci-
- cayennensis** Camptodontus, Dejean, Spec. gén. Coléopt. II. 1826, 477. [nella, 1789.]
- cayennensis** Cantharis, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*]. [1788.]
- cayennensis** Capito (Gm.). L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 500.—Bucco,
- cayennensis** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- cayanensis** Caryothraustes, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 504. [327.]
- cayennensis** Cassida, G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809, 45.
- cayennensis** Celioxys, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 144. [1788.]
- cayennensis** Ceryle (Gm.), G. R. Gray, Genera of Birds, I. Sept. 1847, 82.—Alcedo,
- cayennensis** Ch[aradrius] (Lath.), H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 51.—[Rept. 1830, Syn. 17.—Emys.
- cayennensis** Chelys (Hydraspis) (Schw.), J. E. Gray in Griffith's Cuvier, Anim. Kingd.,
- cayennensis** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 334.
- cayennensis** Chrysopicos (Gm.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849,
- cayennensis** Clytus, Dejean, Catal. Coléopt. 1821, 111 [*n. n.*]. [354.—Picus, 1788.]
- cayennensis** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 10. [123.]
- cayennensis** Cnemida, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- cayennensis** Colobogaster (Herbst), Laporte & Gory, H. N. Coléopt. II. 1835-1836, 5.—Buprestis, 1789.
- cayennensis** Conops, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 169.
- cayanensis** Conurus, G. R. Gray, Genera of Birds, III. App. 1849, 19.
- cayennensis** Corethrura (Gm.), G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—Rallus, 1788.

- cayennensis** Crex (Gm.), M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin, 1819, 43.—Rallus, 1788.
- cayennensis** Cuterebra, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 180.
- cayennensis** Cymindis (Gm.), G. Cuvier, R. Anim. I. 1817, 319.—Falco, 1788.
- cayennensis** Cypselus (L.), C. Illiger, Prod. 1811, 230.—Hirundo, Gm. 1788.
- cayennensis** Dailodontus (Dej.), E. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 338.—? Carabus, Ol. 1795. [1787.]
- caennensis** Dasypogon (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 220.—Asilus, 1788.
- cayennensis** Dendrocolaptes (Gm.), C. Illiger, Prod. 1811, 212.—Gracula, 1788.
- cayennensis** Discocera, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 72.
- caianensis** Donax, Lamarck, An. s. vert. V. 1818, 550.
- cayennensis** Drypta (Ol.), Lamarck, An. s. vert. IV. 1817, 506.—Carabus, 1795.
- cayennensis** Dryptelytra, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 129.
- cayennensis** Echimus, Desmarest, N. Dict. H. N., ed. 2, X. 1817, 59.
- cayanensis** Elaenea (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 701.—Muscicapa, 1766. [1766.]
- cayanensis** Elaenia (L.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 274.—Muscicapa, 1766.
- cayennensis** Elater, Dejean, Catal. Coléopt. 1821, 33 [n. n.].
- cayennensis** Emys, A. F. Schweigger, Königsberger Archiv, I. 1812, 298 & 340.
- cayennensis** Engis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 15.
- cayennensis** Echlora, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 38 [n. n.].
- cayennensis** Eulaema, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 14.
- cayennensis** Eumolpus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [n. n.].
- cayanensis** Euphonia (L.), G. R. Gray, Genera of Birds, II. July 1844, 367.—Tanagra cayana, 1766. [1840, 93.]
- cayennensis** Eurysternus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- cayanensis** Falcinellus (Gm.), W. Gambel, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 223.—Tantulus, 1788.
- cayennensis** Falco [= Buteo], J. B. v. Spix, Avium Brasil. I. 1824, 13.
- cayennensis** Fissurella, Lamarck, An. s. vert. VI (2) 1822, 12.
- cayennensis** Formicarius, P. Boddaert, Tab. Planch. Enl. 1783, 50.
- cayanensis** Fringilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 25.
- cayennensis** Galeruca, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 208. [pax, 1788.]
- cayanensis** Gallinago (Gm.), G. R. Gray, Genera of Birds, III. June 1846, 583.—Scolo-
- cayennensis** Gallinula (Gm.), Max Wied, Beitr. Naturges. Brasil. IV (2) 1833, 799.—Fulica, 1788. [1788.]
- cayanensis** Geronticus (Gm.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—Ardea,
- cayensis** Gynnocephalus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 265. [237.]
- cayennensis** Gymnoderus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIII (75) Mar. 1809,
- cayennensis** Harpignion, J. G. Wagler, Isis (Oken), 1832, 1232.
- cayennensis** Helix, L. Pfeiffer, Symb. Helic. II. 1842, 24.
- cayennensis** Helluo, Dejean, Spec. gén. Coléopt. II. 1826, 459.
- cayennensis** Hister, Dejean, Catal. Coléopt. 1821, 47 [n. n.].
- cayennensis** Hoplisus, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 116.
- cayennensis** Hydraspis (Schw.), J. E. Gray, Syn. Rept. 1831, 42.—Emys.
- cayanensis** Hydrogallina, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- cayennensis** Hydrophilus, Dejean, Catal. Coléopt. 1821, 50 [n. n.]. [1799 [1802], 337.]
- cayennensis** Hyphydrus, F. L. de Laporte, Etudes Entom. (2) 1835, 107.
- cayanensis** Ibis (Gm.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 334.—Tantulus, 1788. [47.—Oriolus, 1766.]
- cayanensis** Icterus (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- cayennensis** Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 354.—Acarus, 1787.
- cayennensis** Laccophilus, Dejean, Cat. Coléopt., ed. 3, 1837, 63; C. Aubé, Spec. gén. Hydroc. 1838, 434.
- caennensis** Lampyrus, J. C. Fabricius, Syst. Eleuth. II. 1801, 105.
- cayennensis** Laphria, J. C. Fabricius, Syst. Antliat. 1805, 162.—Asilus, 1787.

- cayennensis** Leja, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- cayennensis** Leptochirus, F. L. de Laporte, Etudes Entom. (2) 1835, 125. [Falco, 1788.
- cayanensis** Leptodon (Gm.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 114.—
- cayennensis** Leucospis (Metalloipsis), J. O. Westwood in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 264.
- cajennensis** Ligia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 212.
- cayennensis** Loncheres (Geoff.), J. B. Fischer, Syn. Mamm. 1829, 307.—Echimys, Desm.
- cayennensis** Luperus, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- cayanensis** Lutjanus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 196.
- cajennensis** Macroera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 94. [1839, 266.—Leucospis, 1839.
- cayennensis** Metalloipsis, J. O. Westwood in E. F. Germar, Zeitschr. f. d. Entom. I (2)
- cayennensis** Micropogon, Lafresnaye, Dict. Univ. Hist. Nat. II. 1842, 463.
- cayennensis** Morio, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*].
- cayennensis** Mus (Echimys), F. S. Voigt in Cuvier, Thierreich, I. 1831, 219.
- cayennensis** Muscipeta (Lath.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 317.—Muscicapula, L. 1766. [1830.—Bucco, 1788.
- cayanensis** Mycropogon (Gm.), C. J. Temminck in T. & Laugier, Pls. color. (85) July
- cayanensis** Myiobius (L.), G. R. Gray, Genera of Birds, I. May 1847, 249.—Muscicapula,
- cayennensis** Natica, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 383. [1766.
- cayennensis** Naupactus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 56 [*n. n.*].
- cayennensis** Neria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 737. [67.—Strix, Müll. 1776.
- cayanensis** Noctua (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
- cayanensis** Nycticorax (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 612.—Ardea, 1788.
- cayennensis** Onthophagus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 33 [*n. n.*].
- cayennensis** Oodes, L. Buquet, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 474.
- cayennensis** Ortygarchus (Gm.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 759.—Fulica, 1788. [1824, 220.—Rallus, 1788.
- cayanensis** Ortygometra (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1)
- cayennensis** Panyptila (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 345.—Hirundo, 1788.
- cayennensis** Passalus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 41 [*n. n.*].
- cayennensis** Peltoides, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 402.
- cayanensis** Pendulinus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 433.—Oriolus, 1766. [1840, 219.
- cayennensis** Phaleria, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- cayennensis** Pherbina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 689. [1849, 215.
- cayanensis** Piaya, W. Gambel (*ex* Briss.), Journ. Acad. Nat. Sci. Philad. I (4) July
- cayennensis** Picumnus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Jan. 1845, 6.
- cayennensis** Picus, A. Valenciennes, Dict. Sci. Nat. XL. 1826, 171.
- cayennensis** Pinophilus, F. L. de Laporte, Etudes Entom. (2) 1835, 122. [1788.
- cayennensis** Podiceps (Gm.), R. P. Lesson, Traité Ornith. (8) June 1831, 594.—Columbus,
- cayennensis** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 280.—Vespa, 1798.
- cayennensis** Prionus, Dejean, Catal. Coléopt. 1821, 104 [*n. n.*].
- cayennensis** Psammobia, Lamarck, An. s. vert. V. 1818, 514. [1788.
- cayennensis** Pseudoprocne (Gm.), A. B. Streubel, Isis (Oken), 1848, 357.—Hirundo,
- cayennensis** Psittacus, W. Swainson, Zool. Illustr. (1) I (1) Oct. 1820, pl. 1.
- cayanensis** Rallus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 197.—Fulica, 1788. [6.—Coracias, 1788.
- cayanensis** Saltator (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- cayennensis** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 262.
- cayennensis** Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I.
- cayennensis** Silpha, J. Sturm, Catal. Ins. Samml. 1826, 61. [1825, 384.
- cayennensis** Silpha, J. Sturm, Catal. Ins. Samml. 1826, 195 [*n. n.*].
- cayennensis** Silpha, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 5.

- cayanensis Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 477.
 cayennensis Staphylinus, Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
 cayennensis Sterna, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 54.
 cayennensis Stiretrus (Lap.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 154.—Discocera.
 cayennensis Strongylium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 47 [*n. n.*].
 cayennensis Syrnum (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 52.—Strix, Müll. 1776.
 cayennensis Tellina (Lam.), S. Hanley in G. B. Sowerby, II., Thes. Conch. I. (6) ante 21 Jan. 1846, 312.—Psammobia.
 cayennensis Tiphia, M. Spinola, Ann. Soc. Ent. France X (2), July 1841, 98.
 cayennensis Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 417.
 cayennensis Trachyderes, H. Dupont (*ex* Dej. Cat.), Mon. Trachyd. in Magasin de Zool. VI. 1836, 34.
 cayennense Trichoton, F. W. Hope, Coleopt. Manual, III. 1840, 112.
 cayennensis Tringa (Gm.), C. Illiger, Prod, 1811, 263.—Parra, 1788. [Muscicapa, 1766.
 cayennensis Tyrannula (Gm.), W. Swainson, Phil. Mag., n. s., I (5) May 1827, 367.—
 cayennensis Tyrannus (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 24.—Muscicapa, 1766.
 cayanensis Vanellus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 206.—
 [512.—Tringa, 1790.
 cayanensis Vanellus (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819,
 cajennensis Vespa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 172.—Polistes.
 cayanensis Xanthornus (L.), Cuvier, Règne Anim. I. 1817, 395.—Oriolus, 1766.
 cayennensis Xenurus, P. W. Lund, Overs. K. Danske Vid. Selsk. Forhandl. (6) 1843, 81.
 cayennensis Yunx, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 172.
 cayensis *v.* cayennensis.
 caylino *v.* caillino.
 cayopollin Didelphys, G. Fischer, Zoogn., ed. 3, II. 1813, 578.
 cayor Passalus, A. Percheron, Mon. Passales, 1835, 67.
 caystrus Panopeus, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
 Cazira Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 78.—Hem.
 Cea Haliday in J. Curtis, Guide Brit. Ins. (4), 1829–30, 112.—Hym. [*n. n.*].
 Cea A. H. Haliday in F. Walker, Entom. Mag. IV (4) Ap. 1837, 355.—Hym.
 Cebelura F. W. Erichson, Arch. f. Naturg. XIII (1) 1847, 149.—Col.
 cebennarum Ibec, F. L. P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 214 [*n. n.*].
 cebennarum Ibex, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 73.
 cebennensis Bithinia, D. Dupuy, Cat. extramar. Galliae Test., Feb. 1849, 3.
 cebennensis Hydrobia, D. Dupuy, H. N. Moll. France (5) May 1851, 569.—Bithinia, 1849.
 cebes Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 256.
 ceblebrachys Docophorus, H. Denny (*ex* Nitzsch MS), Mon. Anoplur. 1842, 92.
 Cebephyris Temminck, Man. Orn. I. 1820, p. lxi.—A.
 Cebephyris G. Cuvier, R. Anim. I. 1817, 348.—A. [“Horsf.” Temm.
 Cebephyris L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cebephyris,
 Cebochoerus Gervais; *post* 1850 *sed vide* Palmer, Ind. gen. Mamm. 1904, 166.—M.
 Cebogale L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cebugale, Less.
 cebrana Dapsilia, J. Huebner, Verz. bekannt. Schmett. 1826, 394.—Tortrix. [[*n. et f.*].
 cebrana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 31 (Fernaldo iudice 1811–18)
 cebraria Fidonia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 435.—Geometra, 1796.
 cebraria Perconia, J. Huebner, Verz. bekannt. Schmett. 1825, 296.—Geometra, 1796.
 cebraria Phalaena Geometra, E. J. C. Esper, Die Schmett. V (9) 1803, 235.
 cebrene Anthocharis, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 583.
 cebrenus Caelenorhynchus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 107.—
 [1777.
 cebrenus Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 761.—Papilio,
 cebriones Papilio, J. W. Dalman, Anal. Entom. 1823, 38.
 cebrionoides Beliochorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1), Jan. 1829, 34.

- Cebugale** R. P. Lesson, Spec. des Mamm., Nov. 1840, 213.—M.
- Cebus** C. S. Rafinesque, Analyse, 1815, 53.—M. = *Cercopithecus*, Erxl.
- Cechenochilus** *emend. pro* Cechenus, Fisch.; V. v. Mochulski, Kaefar Russl., *post* May 1850, 74.—Col.
- Cechenus** K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 191.—Hym. [Col.]
- Cechenus** G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 110.—
- Cecidogona** Loew, Stettin Ent. Zeit. IX (5) Sept. 1844, 324.—Dipt.
- Cecidomia** C. Passerini, Cont. Atti Acc. Georgofili, XXVII, 1849, 70 [*v.* Cecidomyia].
- cecidomyae** Callimome, F. Walker, Ann. Mag. N. H. XIV, July 1844, 15.
- Cecidomyia** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 261.—Dipt.
- cecidomyiae** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 192.
- cecidomyiarum** Diapria, P. F. Bouché, Nat. Ins. 1834, 176.
- cecidomyiarum** Eulophus, P. F. Bouché, Nat. Ins. 1834, 173. [1842, 10].
- Cecidomyza** J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3673.—Dipt. [Nom. fam. I.]
- Cecidoses** J. Curtis, Proc. Zool. Soc. London, III (26) Ap. 1835, 19.—Lep.
- cecilia** *v.* caecilia.
- ceciliae** *v.* caeciliae.
- cecileana** Mactra, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 126.
- ceciliana** Patella, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 482.
- cecilii** Anthus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 281.
- cecilii** Chloronperpes (Malh.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 117.—Mesopicus.
- cecilei** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 286.
- cecilii** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 239.
- cecilii** Mesopicos, A. Malherbe, Mém. Ac. Metz, XXX (*pos.* May) 1849, 341 [*n. n.*].
- cecilii** *v.* et cecillii.
- Cecilioides** A. E. J. d'A. de Férussac, Mém. Géol. 1814, 48.—G.
- Cecilius** *id. ac* Caecilius, 1833; J. Curtis, Guide Brit. Ins., ed. 2, 1837, 166.
- cecilliana** Dendrophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 102.
- cecillii** Ampullaria, R. A. Philippi, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 191.
- cecillii** Arca, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 131.
- cecillii** Buccinum, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 27.
- cecillii** Bulla, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 164.
- cecillii** Cerithium, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 23.
- cecillii** Clausilia, R. A. Philippi, Zeitschr. f. Malakozool., May 1847, 68.
- cecillei** Helix, R. A. Philippi, Zeitschr. f. Malakozool. (June) [Nov.] 1849, 82.
- cecillii** Mactra, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 26.
- cecillii** Melania (Pirena), R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May 1849], 28.
- cecillii** Modiola, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 114.
- cecillii** Scarabus, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 122.
- cecillii** Turbinella, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 166.
- cecillii** *v.* et cecilii.
- cecisor** Ichneumon, W. Turton, Linnaeus, Syst. Nat. III. 1802, 459.
- Cecilionides** de Blainville, Dict. Sci. Nat. V (Suppl.) 1817, 129 [*err. pro* Caecilioides].
- Cecolepis** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 503.—Hem. [*non binom.*].
- Cecractes** C. J. Schoenherr, Gen. et Sp. Curc. VI (1), 1840, 302.—Col.
- cecropia** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 67 (Fernaldo judice [1823]) [*n. et f.*]. [Phalaena, 1758.]
- cecropia** Hyalophora (L.), J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 132.—
- cecropia** Phalaena, J. F. Blumenbach, Handb. Naturg., ed. 11, 1825, 313. [1758.]
- cecropia** Samia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 156.—Phalaena, ? L.
- cecropia** Saturnia (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 32.—Phalaena,
- Cecropis** F. Boie, Isis (Oken), 1826, 971.—A. [1758.]
- Cecrops** W. E. Leach, Ency. Brit. (Suppl. to 4-6 eds.) I (2) June 1816, 405.—Cr.
- Cecrops** J. Huebner, Beiträge z. Exot. Schmett. I. 1818, 30.—Lep.
- Cecrops** J. Huebner, Verz. bekannt. Schmett. [1820], 104.—Lep.
- cecrops** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 127.
- cecrops** Thaumias (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 138.—Sphinx, 1779.

- ceculus Psithyros (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 132.—Sphinx,
? Papilio, 1777.
- Cecydomyza Germar, 1818; *teste* Scudder = Cecidomyia, 1803.
- Cedalia *err. pro* Oedalia; J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 101.
- Cedestis P. C. Zeller, Isis (Oken), 1839, 204.—Lep.
- Cedius J. L. Le Conte, Boston Journ. N. H. VI (1) 1850, 74.—Col.
- Cedola J. Brookes, Mus. Brookes, Feb. 1830, 97.—A. [*teste* C. W. R.]. [1781.
- cedonulli Parathyris (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 158.—Phalaena,
- cedo-nulli Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 117, June 1843.
- cedonulli Portunus (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 221.—
Cancer, 1794.
- cedra Megastoma, C. S. Rafinesque, Journ. de Physique, LXXXIX. Aug. 1819, 153.
- cedrenus Encyrtus, F. Walker, Entom. Mag. V (2) Jan. 1838, 112.
- cedri Sphaerosporostes, J. Gistel, Nat. Thierr. 1848, 188.
- cedri Zygaena, T. Bruand, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 202.
- cedrorum Ampelis (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1846, 278.—Bombycilla.
- cedrorum Bombycilla, L. P. Vieillot, Ois. Amér. sept. I. 1807, 83.
- cedrorum Bombyciphora (Vieill.), B. Meyer in B. Meyer & J. Wolf, Taschen. Deutsch.
Vögelk. III. 1822, 69.—Bombycilla.
- Cela L. Oken, Lehrb. Nat. III (2) 1816, 646.—A.
- Cela Illiger in Archiv der Naturges. I (1) 1826, 33.—A.
- celadon Eucyane (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 178.—Phalaena, 1777.
- Celadonia F. L. de Laporte, H. N. An. artic. (Col.) I. 1840, 256.—Col. [*non* 1829 *apud*
Agassiz].
- celadonius Phyllobius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 238.
- celadus Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 427.
- Celaena J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41.—Lep.
- Celaenephes H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 77.—Col.
- Celaeno C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- Celaeno W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 69 & 70.—M.
- Celaeno C. Koch in Panzer, Deutschl. Ins., heft 3, 1835.—Ar.
- Celaeno R. Owen, Phil. Trans. 1844, 84.—= Kelaeno, Müntz.
- celaeno *v.* caelaeno.
- Celaenorhinus J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 38.—Lep.
- Celaenorhinus J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Lep.
- celaenus *v.* caelaenus.
- celaeus *v.* caelaenus.
- celans *v.* caelans.
- celastri *v.* caelastri.
- celata *v.* caelata.
- celator *v.* caelator.
- celatus *v.* caelatus. [167.
- celebensis Ampullaria, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
(1834).
- celebensis Brachyurus (Forst.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 255.—Pitta.
- celebensis Bronchocela, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 241.
- celebensis Centropus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 230.
- celebensis Eulabeornis (Q. & G.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Rallus.
- celebensis Iulus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV.
1847, 173.
- celebensis Mangelia, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 46.
- celebensis Melania, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 152.
- celebensis Pitta, Forster in Müller & S. in Temminck, Verh. nat. ges. Ned. overz. bezitt.,
Zool. (Aves) 1840, 18.
- celebensis Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 238.—Mangelia.
- celebensis Rallus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 250.
- celebensis Sus, Müller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool.
(Mamm.) 1845, 177.
- celebense Trichostoma, H. E. Strickland in W. Jardine, Contrib. Ornith. II. 1849, 127.

- celebes** Sternoptix, P. D. Handyside, *Edinburgh New Phil. Journ.* XXVII (54) Oct. 1839, 324. [[1841], 222.]
- celebesiana** Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- celebicum** Dicaeum, Müll.; G. R. Gray, *Genera of Birds*, I. June 1847, 100.
- celebica** Locusta (Phaneroptera), W. de Haan in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, Zool. (Ins.) 1842, 193.
- celebicum** Phasma (Phyllium), W. de Haan in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, Zool. (Ins.) 1842, 111.
- celebius** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 74.
- Celepicos** A. Malherbe, *Mém. Ac. Metz*, XXX (*post May*) 1849, 332.—A.
- celer** Aleochara, J. F. Stephens (*ex Kirby MS*), *Nom. Brit. Ins.*, Aug. 1829, 21 [*n. n.*]; & *Ill. Brit. Ent. (Mand. V.)* May 1832, 161.
- celer** Anthrax, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* I. 1828, 310.
- celer** Bembidium (Fab.), L. Gyllenhal, *Ins. Suecica*, I (2) 1810, 17.—Carabus, 1792.
- celer** Carabus, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 52 [*n. n.*].
- celer** Catops, H. Lucas, *Explor. Algér. (Artic. II.)* 1846, 225.
- celer** Cistogaster, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 207.
- celer** Clubiona, N. M. Hentz, *Boston Journ. N. H. V* (4) 1847, 452.
- celer** Dolichopus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 84.
- celeris** Feronia, Dejean, *Spec. gén. Coléopt.* III. 1828, 246.
- celer** Gamasus (Herm.), P. A. Latreille in G. Cuvier, *R. Anim.* III. 1817, 118.—Trom-
- celer** Gamasus, C. L. Koch, *Deutsch. Crust.*, heft 2, 1835, tab. 7. [bidium.]
- celer** Hypoplatea, W. S. MacLeay, *Ann. Nat. Hist.* II. Sept. 1838, 6.
- celer** Leja, Sch.; Dejean, *Catal. Coléopt.* 1821, 17 [*n. n.*].
- celer** Macrotoma (Nic.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 407.—Tomocerus. [Trombidium.]
- celer** Megamerus (Herm.), A. Dugès, *Ann. Sci. Nat.* [2] (Zool.) II. July 1834, 50.—
- celere** Metallina (Dej.), V. v. Mochulski, *Kaefer Russl.*, *post May* 1850, 13.—Feronia.
- celer** Ocydromus (Fab.), J. R. Schellenberg, *Helvet. Entom.* II. 1806, 22.—Carabus,
- celer** Pezomachus, A. Foerster, *Arch. f. Naturg.* XVI (1) 1850, 206. [1792.]
- celer** Philonthus (Grav.), O. Heer, *Coleopt. Helvet.* (2) 1839, 266.—Staphylinus.
- celer** Pteromalus, A. Foerster, *Beitr. Monogr. Pteromal.* 1841, 14.
- celer** Selenops (MacLeay), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 471.—Hypoplatea.
- celer** Staphylinus, J. L. C. Gravenhorst, *Mon. Coleopt. micropt.* 1806, 66.
- celer** Tachydromia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 80.
- celer** Tachypus (Fab.), J. F. Stephens, *Ill. Brit. Ent. (Mand. II.)* July 1828, 26.—Car-
- celer** Thomisus, N. M. Hentz, *Boston Journ. N. H. V* (4) 1847, 446. [bus, 1789.]
- celer** Tomocerus, H. Nicolet, N. D. Allg. Schweiz. *Gesellsch.* VI. 1842, 69.
- celer** Trombidium, J. F. Hermann, *Mém. Aptér.* 1804, 44. [174.—Ichneumon.]
- celerator** Colpognathus (Grav.), C. Wesmael, *N. Mém. Ac. Roy. Brux.* XVIII. 1845 (1844),
- celerator** Ichneumon, J. L. C. Gravenhorst, *Vergl. Uebers. Zool. Syst.* 1807, 258.
- Celereon** T. Say, *Boston Journ. N. H. I* (3) 1836, 257.—Hym.
- Celerio** L. Oken, *Lehrb. Nat.* III (1) 1815, 761.—Lep.
- celerio** Chaerocampa (L.), Duponchel in J. B. Godart, *H. N. Lépid. France, Suppl.* II (Crepus.) 1836, 160.—Sphinx, 1758.
- celerio** Deilephila (L.), F. Ochsenheimer, *Schmett. Europ.* IV. 1816, 43.—Sphinx, 1758.
- celerio** Elpenor, L. Oken, *Lehrb. Nat.* III (1) 1815, 760.
- celerio** Hippotion (L.), J. Huebner, *Verz. bekannt. Schmett.* [1820], 135.—Sphinx, 1758.
- celerio** Lampides (Fab.), J. Huebner, *Verz. bekannt. Schmett.* 1818, 70.—Papilio, 1787.
- celerio** Lycæna (Fab.), T. Horsfield, *Cat. Lepidopt. Ins. Mus. E. I. C.* (1) 1828, 75.—
Papilio, 1787. [Sphinx, 1758.]
- celerio** Metopsilus (L.), J. Duncan, *Brit. Moths (Nat. Libr. XIV.)* Sept. 1836, 159.—
- celerio** Polyommatus (Fab.), J. B. Godart, *Ency. Méth.* IX (2) (Ins.) 1824, 654.—Papilio, 1787.
- celerio** Spectrum (L.), J. A. Scopoli, *Intro. Hist. Nat.* 1777, 414.—Sphinx, 1758.
- celerio** Sphinx, J. Huebner, *Europ. Schmett.*, Tab. Sphinx, 32 (Fernaldo judice 1818-22)
- Celeripes** G. Montagu, *Trans. Linn. Soc.* IX. 1808, 166.—Ar. [[*n. n. f.*].]

- celeripes** Cicindela, J. L. Conte, Ann. Lyceum N. H.: New York, IV (6 & 7) Aug. 1846,
celeripes Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 343. [183.
celeripes Tydeus, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 4.
celerimus Eupodes, C. L. Koch, Deutsch. Crust., heft 19, 1838, tab. 8.
Celesaurus J. C. Zenker, De primis anim. vert. 1836, 6.—R.
celestis *v.* **caelestis**.
Celestus J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 288.—R.
Celetes C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 22; & III (2) 1836, 634.—Col.
Celetes E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 381.—Col.
Celeus F. Boie, Isis (Oken), 1831, 542.—A.
celeus Phlegethontius, J. Huebner, Exot. Schmett. II. Tab. [164] [*n. et f.*].
Celeuthetes C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 250.—Col.
Celia C. Zimmerman, Faunus, I (1) 1832, 18.—Col.
Celia W. E. Shuckard, Foss. Hymenopt. 1837, 182.—Hym. [[*n. n.*]
celia Heliconia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 103
celia Satyrus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 485.—Papilio, 1779.
celia Taygetis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 56.—Papilio, 1779.
Celiasis Laporte & Brullé, H. N. An. artic. (Col.) I. 1840, 263.—Col.
Celibe W. Kirby; *non comp.*, ? Cilibe.
Celibe J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 262.—Col.
Celibs Sherborn, Smiths. Misc. Contr. (856), 1893, 38 *err. pro* Chelibs, *q. v.*
celidogaster Felis, C. J. Temminck, Mon. Mamm. I. 1824, 140.
Celidota H. Burmeister, Handb. Ent. III. 1842, 577.—Col.
celidotus Julis (Forst.), J. Richardson, 12th Rept. Brit. Assoc. (Manch. 1842) 1843, 24.—
celidotus Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 265. [Labrus, ? Schn.
celidoxus Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 426.
celidoxus Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 335.—Docophorus. [Papilio, 1782.
celimene Chionabas (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 31.—
Celina C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1837–38, 219.—Col.
celinae Trochus, A. Andrejewski, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 443.
celinde Discophora (Stoll), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 114.—
 Papilio, 1790.
celinde Moera (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 51.—Papilio, 1790.
celinde Morpha (Stoll), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 446.—Papilio, 1790.
celinde Nanina, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.–June 1850, 164.
celioides *v.* **caelioides**.
celioxys *v.* **coelioxys**.
Celistoma C. S. Rafinesque, Analyse, 1815, 159.—Coel. [*n. n.*]
Cellanthus Denys de Montfort, Conch. I. 1808, 206.—Rh.
Cellaria A. H. Haworth, Lepidopt. Brit. (4) 1828, 526.—Lep.
Cellarina P. J. van Beneden, Bull. Ac. Roy. Brux. XV (1) 1848, 70.—Polyz.
cellarioides Entalophora, J. Lamouroux, Exp. Méth. Polyp. 1821, 81.
cellariorum Clotho, A. Dugès, Ann. Sci. Nat. [2] (Zool.) VI. Sept. 1836, 161.
cellaris Acarus, J. F. Hermann, Mém. Aptér. 1804, 79 & 86.
cellaris Achorutes (Nic.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Ap-
 tères, III. 1844, 438.—Podura.
cellaris Agrio, E. de Selys-L. in P. v. d. Maelen, Dict. géogr. Liège, 1831, App. p. 58.
cellaris Conurus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Oxypterus, 1792.
cellaris Cryptophagus (Fab.), C. A. Walckenaer, Faune Paris, I. 1802, 265.—Dermestes,
 1792. [Musca, 1758.
cellaris Drosophila (L.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 549.—
cellaris Gamusus (Herm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 219.—Acarus.
cellaris Oinopota (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca, 1758.
cellaris Podura, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 56.
cellaris Tachyporus (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 131.—Staphylinus,
cellaria Aranea, P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 217. [1800.

- cellaria** *Helicella* (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 6.—*Helix*.
- cellaria** *Helix* (*Helicella*), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 45. [Gesch. Wien) III. 1833, 100.—*Helix*, 1774.
- cellaria** *Oxychilus* (Müll.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl.
- cellaria** *Polita* (Müll.), F. Held, Isis (Oken), 1837, 916.—*Helix*, 1774.
- cellaria** Vortex, L. Oken, Lehrb. Nat. III (1) 1815, 314.
- cellarius** *Zonites* (Müll.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840, 170.—*Helix*, 1774. [1830, 804.
- cellarum** Bacchis, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cellarum** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.] 1817, 296.
- cellarum** *Taphoxenus* (Ad.), V. v. Mochulski, Kaefer Russl., post May 1850, 45.—Carabus.
- Cellastraea** H. M. de Blainville, Man. Actin. 1834, 683.—Cor. [non 1830, vernac].
- cellensis** *Anodonta*, v. *zellensis*.
- celleporacea** Eschara, M. Münster in G. A. Goldfuss, Petref. German. I (2) 1829, 101.
- Celleporaria** J. Lamouroux, Exp. Méth. Polyp. 1821, 43.—Polyz.
- celleporatus** Alveolites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.
- celleporatus** Escharites, E. F. v. Schlotheim, Die Petref. 1820, 344.
- celleporatus** Milleporites, E. F. v. Schlotheim, Die Petref. 1820, 365.
- Celleporella** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 128 & 149.—Polyz.
- Celleporina** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 128 & 148.—Polyz.
- Celleporites** E. F. v. Schlotheim, Die Petref. 1820, 366.—Cor.
- celleri** Bombyx, E. Ménétriér, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 195.
- cellicola** *Mygale* (Sav.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 239.—*Nemesia*.
- cellicola** *Nemesia*, J. C. Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 107.
- cellicola** *Tentyria*, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 398.
- celline** *Papilio*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 62.
- cellorhynchus** *Ramphastos*, J. Wagler, Syst. Avium, I. 1827, sign. 13.
- cellulanus** *Linyphia* (Clerck), C. J. Sundevall, K. Vet. Ac. Handl. 1831 (1832), 108.—Aranea, 1757.
- cellulana** *Meta* (Clerck), C. L. Koch, Die Arachniden, VIII (6) post May 1841, 123.—
- Cellularia** G. Montagu, Mem. Werner. N. H. Soc. I. 1811, 192.—Ar. [Araneus, 1757.
- cellularis** *Atomacera*, T. Say, Boston Journ. N. H. I (3) 1836, 213.
- cellularis** *Bethylus*, T. Say, Boston Journ. N. H. I (3) 1836, 279.
- cellulare** *Cysticercus*, J. J. v. Tschudi, Die Blasenwürm. 1837, 53 [teste S. & H.].
- cellularis** *Mantis*, H. Burmeister, Handb. Ent. II (2) i, 1838, 532.
- cellularis** *Nematus*, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [n. n.].
- cellularis** *Phragmipora*, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 28.
- cellularis** *Pompilus*, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 452.
- Cellularites** W. G. Tilesius; teste Agassiz, sed non comp.—Cor.
- cellulata** *Calamopora*, Castelnau, Ess. Silur. Amér. sept. 1843, 46.
- cellulatus** *Coreus*, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 72.
- cellulata** *Pangonia*, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 303.
- Cellulia** Montfort, 1808; err. Agassizi pro *Cellanthus*, q.v.
- cellulifera** *Mitra*, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 289.
- Cellulina** A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 308.—? Polyz.
- Cellulipora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 500.—Polyz.
- cellulosae** *Cysticercus* (Gm.), C. A. Rudolphi, Entoz. II (2) 1810, 226.—*Taenia*, 1790.
- cellulosae** *Hydatigera* (Gm.), Lamarck, An. s. vert. III. 1816, 154.—*Taenia*, 1790.
- cellulosa** Alveolites, A. Risso, H. N. Europe, V. 1826, 345.
- cellulosus** *Cysticercus*, L. Oken, Lehrb. Nat. III (1) 1815, 143. [pora, 1758.
- cellulosa** Elasmopora (L.), W. King, Ann. Mag. N. H. (2) III. May 1849, 390.—Mille-
- cellulosa** Eudea (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.—*Scyphia*.
- cellulosa** *Fron dipora* (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 163.—Millepora, 1758.
- cellulosa** *Montlivaltia*, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 290.

- cellulosa** Murex, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 25.
- cellulosa** Nummulina (Ehr.), H. G. Bronn, Index Pal. 1848, 829.—Nummulites.
- cellulosus** Nummulites, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 93 [*n. n.*].
- cellulosus** Nyctelia, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 281 [*n. n.*].
- cellulosum** Phytopsis, J. Hall, N. H. New York (Pal. I.) 1847, 39.
- cellulosa** Porites, J. Fleming, Hist. Brit. Anim. 1828, 511.
- cellulosa** Retepora (L.), Lamarck, Syst. Anim. 1801, 375.—Millepora, 1758.
- cellulosa** Scyphia, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 92.
- cellulosa** Spongia, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 113.
- Celma** J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 242.—Lep.
- celmis** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 489.
- celmus** Oxyliodes (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 77.—Papilio, 1775.
- celmus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 33.—Papilio, 1775.
- Celonites** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 368.—Hym.
- celosia v. caelosia**.
- Celosterna** *err. pro* Cerosterna, E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 158.—Col.
- Celox** J. Gistel, Nat. Thierr. 1848, 126.—Col.
- Celox** J. Gistel, Handb. Naturges. 1850 [1847], 412.—Col.
- celox** Gyrinus, J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1842], 565.
- celox** Scaphula, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 750.
- Celsia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Lep.
- celsia** Calotaenia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Feb. 1830, 99.—Phalaena, 1758.
- celsia** Diacope (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 285.—Phalaena,
- celsia** Jaspidia (L.), Boisdual, Gen. Index Europ. Lepid. 1840, 128. [1758.
- celsia** Jaspidia (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 508.—Bombyx, 1758. [*n. et f.*].
- celsia** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 15 (Fernaldo judice 1802)
- celsia** Plusia (L.), F. Treitschke, Schmett. Europa, V (3) 1826, 147.—Bombyx, 1758.
- celsia** Polia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 74.—Noctua.
- celsia** Psylla (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 14.—Phalaena, 1758. [1758.
- celsii** Diacope (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 204.—Phalaena celsia,
- celsii** Noctua, *id. ac* celsia, L., J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 178.
- celsus** Anchonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 396.
- celsa** Blaps, T. Say, Boston Journ. N. H. I (2) 1835, 185.
- celsa** Colobogaster, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- celsa** Doryphora, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 155. [557.
- celsus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 177.
- celsus** Hesperia, J. C. Fabricius, Ent. Syst. III (1) 1793, 346 [*err. in* Sherborn, Index Anim. I. 191, celsias].
- celsus** Opus, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 209.
- celsus** Papilio (Fab.), E. Donovan, Ins. India, 1803.—Hesperia, 1793.
- celsus** Pteroptrix, F. Walker, Mon. Chalcid. I. 1839, 16.
- celta** Agrotis, E. F. Germar, Fauna Ins. Europ. (4) [? 1822], 16.
- celtibericus** Carabus, Illiger in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
- celtibericus** Carabus, Illiger; Dejean, Spec. gén. Coléopt. II. 1826, 97.
- celtibericus** Cryptocephalus, E. Suffrian, Linnaea Entom. III. Ap. 1848, 53.
- celticum** Cyathophyllum (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 105.—Petraia.
- celtica** Petraia (Lamx.), W. Lonsdale, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 58.—Turbinolia.
- celtica** Turbinolia, J. Lamouroux, Exp. Méth. Polyp. 1821, 85.
- celtica** Turbinolopsis (Lamx.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 3.—Turbinolia.
- celtis** Apatura, Boisdual & Leconte, Hist. lépidopt. Amér. sept. (24) 1837, 210.
- celtis** Corticus, Dejean, Catal. Coléopt. 1821, 67 [*n. n.*].
- celtis** Hecarge (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 33.—Papilio, 1787.

- celtis** Libythea (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Papilio, 1787. [1787.]
- celtis** Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 88.—Papilio,
- celtis** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 89 (Fernaldo judice 1802)
- celtis** Sarrotrium (Dej.), J. Sturm, Catal. Ins. Samml. 1826, 193.—Corticus. [[*u. f.*]]
- celtis** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 124.
- Celuro** F. P. Jarocki, Zoologia, II. 1821, 156.—A. [*typus* "Podarge, Bulcock"].
- Celypha** J. Huebner, Verz. bekannt. Schmett. 1826, 382.—Lep.
- Celyphus** J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 72.—Dipt.
- Cemas** L. Oken, Lehrb. Nat. III (2) 1816, 727.—M. [*non* "Gattung," Oken].
- Cemas** *id. ac* Kemas, Og.; C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 153.
- cemas** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 738.
- cembrae** Bostrichus, O. Heer, Obs. Ent. 1836, 28.
- cembrae** Eudorea (Haw.), J. Curtis, Brit. Entom. IV (42) June 1827, no. 170.—Scoparia.
- cembrae** Scoparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 498.—Phal. Tin. cembrella, L. 1761. [1761.]
- cembrana** Evetria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 379.—Tinea, L.
- cembrella** Eudorea (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phalaena. 1761.
- cembricola** Cantharis, J. F. Eschscholtz, Entomographien, I (1) 1822, 62.
- cemenelea** Helix (Risso), L. Pfeiffer, Mon. Helic. I (2) 1848, 423.—Theba.
- cemenelea** Theba, A. Risso, H. N. Europe, IV. 1826, 75. [Rhinobatus.]
- cemiculus** Glaucoctegus (Geoffr.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 14.—
- cemiculus** Rhinobatus, I. Geoffroy St. H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge),
- Cemiostoma** P. C. Zeller, Linnaea Entom. III. Ap. 1848, 272.—Lep. [338.]
- Cemisostoma** Marshall, Nom. Zool. 1873; *err. pro* Cemiostoma, Zell. *q.v.*
- Cemolus** Walker in J. Curtis, Guide Brit. Ins. (4) 1829-30, 114.—Hym. [*n. n.*]
- Cemonus** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 164; N. Méth. class. Hyménopt. 1807, 213.—Hym.
- Cemoria** R. T. Lowe (Leach MS), Zool. Journ. III. 1826, 76.—G. [*non* 1820, *q. MS est.*]
- Cemoria** A. Risso, H. N. Europe, IV. 1826, 258.—G.
- cenchoa** Coluber (Natrix), L.; B. Merrem, Tent. Syst. Amph. 1820, 114.
- cenchoa** Dipsas (L.), L. J. Fitzinger, Neue Classif. Rept. 1826, 59.—Coluber, 1758.
- Cenchrea** J. O. Westwood, Proc. Linn. Soc. London (10) Dec. 1840, 85.—Hem.
- cenchría** Boa, H. Schlegel, Ess. phys. Serp. 1837, I. 175; II. 385.
- Cenchrídium** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 357.—Prot.
- Cenchrís** F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 356.—R.
- Cenchrís** J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 97.—R.
- Cenchrís** "Boje," C. L. Brehm, Hand. Stuben-Vögel, 1832, 323.—A. [*teste* C. W. R.].
- cenchrís** Aegyptius (Naum.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 29.—Falco.
- cenchrís** Cerchneis (Naum.), F. Boie, Isis (Oken), 1828, 314.—Falco.
- cenchrís** Dolerus, T. Hartig, Adelf. Deutschl. I. 1837, 240.
- cenchrís** Epicrates (L.), J. Wagler, Nat. Syst. Amph. 1830, 168.—Boa cenchria, 1758.
- cenchrís** Falco, Naumann, Vögel Deutschl. I. 1822, 318.
- cenchrís** Milvus, L. P. Vieillot, Ois. Amér. sept. I. 1807, 38*.
- cenchrís** Tichornis (Naum.), J. J. Kaup, Classif. Säug. 1844, 108.—Falco.
- cenchrís** Tinnunculus (Naum.), G. R. Gray, Genera of Birds, I. Nov. 1844, 21.—Falco.
- cenchrís** Trigonoecephalus, H. Schlegel, Essai phys. Serp. 1837, I. 191; II. 553.
- Cenchródus** H. v. Meyer, N. Jahrb. f. Min. 1847, 574.—P.
- cenchróides** Falco, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 183.
- cenchróides** Tinnunculus (V. & H.), J. Gould, Birds of Australia, I (10) 1843, pl. 13.—Falco. [1826, 34 & 112.—Col.]
- Cenchroma** Germar in Dejean, Cat. Coléopt. 1821, 95; J. Sturm, Catal. Ins. Samml.
- cenchrus** Cleonus (Pall.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 207.—Curculio, 1781.
- cenchrus** Coronella (Bonn.), F. Boie, Isis (Oken), 1827, 523.—Coluber, 1790. [1790.]
- cenchrus** Duberria (Lac.), L. J. Fitzinger, Neue Classif. Rept. 1826, 55.—Coluber. Bonn.
- cencoalt** Bungarus, M. Oppel, Ann. Mus. H. N. (Paris) XVI (95) *inter* Jan.-Mar. 1811,
- Cencus** J. Gistel, Nat. Thierw. 1848, p. viii.—Moll. [392.]

- Ceneona** J. Gistel, Nat. Thierr. 1848, 169.—G.
Ceneona J. Gistel, Handb. Naturges. 1850 [1847], 555.—G. [125.
cenerinus Salmo, G. D. Nardo (ex Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
ceneus Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 579.—Papilio, ? L.
Cenia J. Alder & A. Hancock, Ann. Mag. N. H. (2) I. June 1848, 404.—G. [1758.
cenia Pimelodus, F. Hamilton, Fish. Ganges, 1822, 174.
cenidaria Euchera (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 305.—Phalaena *cenis*,
cenisia Helix, J. de Charpentier, N. D. Allg. Schweiz. Gesellsch. I. 1837, 12. [1777.
cenisia Stratiomys, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 136.
Cenisophius C. L. Bonaparte, Cat. Meth. Cipr. Eur. 1845, 7.—P.
cenisophius Leucos, Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 395 [*n. n.*].
Cenobita P. A. Latreille, Fam. Nat. 1825; *vernac. v.* Cenobites.
Cenobites A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 263.—Cr.
cenoceph→ *v. coeno*→.
Cenocoelius J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 62.—Hym.
Cenogaster A. M. C. Duméril, Zool. Anal. 1806, 282.—Dipt.
cenomana Acrosmilía, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 181. [phyllia.
cenomana Actinosmilía (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Caryo-
cenomana Actinosmilía (E. & H.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 181.—
 Lophosmilía.
cenomana Bulimina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
cenomana Caryophyllia, H. Michelin, Icon. Zoophyt. (20-23) 1846, 198.
cenomana Centrastra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 183.
cenomana Ceriopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 184.
cenomana Dactylosmilía, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
cenomana Defrancia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 175.—
 Lichenopora.
cenomana Dentalina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
cenomana Entalophora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 176.
cenomana Eschara, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 175.
cenomana Flabellina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
cenomana Gryphaea, Defrance, Dict. Sci. Nat. XIX. 1821, 537.
cenomana Lichenopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 204.
cenomana Lophosmilía (Mich.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov.
 1848, 467.—Caryophyllia.
cenomana Membranipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 108.
cenomana Placopsilina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
cenomana Spiropora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 176.
cenomana Vincularia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 108.
cenomanensis Actinoseris, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.
cenomanensis Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 146.
cenomanensis Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 223.
cenomanensis Arcopagia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 158.
cenomanensis Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 476.
canomanensis Caprotina, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 261.
cenomanensis Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 94.
cenomanense Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 37.
cenomanense Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Lam.) 1847, 382.
cenomanensis -Crania, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 138.
cenomanensis Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 356.—Arca.
cenomanensis Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 552.
cenomanensis Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 603.
cenomanensis Pentacrinus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 180.
cenomanensis Polymorphina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
cenomanensis Requienia, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 261.
cenomanensis Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 148.
cenomanensis Venus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 159.
cenomaniana Clavagella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 157.

- Cenomus** B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 436.—Hym.
cenopt→ *v. coenopt*→.
Cenoramphus C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
censor Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 19 ["Mon. Anth." *poster. edit.*].
censor Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 269.
censoriensis Acrocidaris, H. G. Cotteau, Bull. Soc. Sci. Yonne, IV. 1850, 485.
censoriensis Cidarid, H. G. Cotteau, Bull. Soc. Sci. Yonne, IV. 1850, 212.
centaureae Aphidius (Trioxys), A. H. Haliday, Entom. Mag. I (5) Oct. 1833, 490.
centaureae Haltica, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 18 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 219 [*n. n.*].
centaureae Rhy[s]motes, G. Fischer, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 420.
centaureae Sphaeroderma (Kirby), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 329.—Haltica.
centaureae Syrichtus, Boisduval, Gen. Index Europ. Lepid. 1840, 36.
centaureae Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 322.—Musca, 1794.
centaureae Trypeta (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 324.—Musca, 1794. [France, II. 1830, 772.—Musca, 1794.
centaureae Urophora (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. Zygaena, G. Fischer, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 358.
centaurearia Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, 19. [1775.
centaureata Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geom.
centaureata Eupithecia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geometa, 1775. [Geometa, D. & S. 1775.
centaureata Larentia (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 126.—
centaureata Leucocora (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 325.—Geometa, 1775.
centaureata Phaesyloides (D. & S.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II. Tom. 2 (5 & 6) 1846, 104.—Geometa, 1775. [258.
centaureata Phalaena (Geometa), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802,
centaurii Larinus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 139.—Lixus.
centaurii Lixus, A. G. Olivier, Entom. V. 1807, 278. [351.
centauroides Ammonites, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850,
centaurus Amblypodia (Fab.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 102.—Papilio, 1775.
centaurus Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Ceph.) 1844, 266. [1775.
centaurus Augosoma (Schoen.), H. Burmeister, Gen. Ins. (7) 1841, no. 1.—Scarab., Fab.
centaurus Catochrysops (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 88.—Papilio, 1775.
centaurus Dynastes (Fab.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 75.—
centaurus Illaenus, H. G. Bronn, Index Pal. 1848, 608. [Scarabaeus, 1775.
Centemerus Chevrolat, Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 277.—Col. [*sine typo*].
Centemerus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 329.—Col.
centenaria Arca, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 138.
centenaria Petricola, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
Centenes *err. pro* Centetes, Ill.; Cuvier, R. Anim. I. 1817, 136 [*err.* 166].—M.
Centenus J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 581.—M.
Centeterus C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 166 & 176.—Hym.
Centetes C. Illiger, Prod. 1811, 124.—M.
Centetes L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Centenes, Cuv.
centetes Hispa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. May 1840, 141.
centho Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 431. [ponica.
Centrophanes J. J. Kaup, Skizz. Europ. Thierw. 1820, 158.—A. [*typus* Emberiza lap-
centifoliae Athalia (Panz.), Le Peletier, Mon. Tenthred. 1823, 24.—Tenthredo, 1798.
centifoliae Rhodites, T. Hartig, E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 194.
centifoliae Tenthredo, J. v. d. Hoeven, Bijdr. Nat. Wetensch. I (1) 1826, 435.
centiquadrus Gonyostomus, Val.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 53.
centiquadrus Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 437.

- centiquadra** Purpura, P. L. Duclos, Ann. Sci. Nat. XXVI (101) May 1832, 109.
- centiquadrus** Vermetus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. centisquama Acanthobrama, J. J. Heckel in Russegger, Reise, I (2) 1843, 1074. [1846].
- Centistes** A. H. Haliday, Ent. Mag. II. 1835, 462.—Hym.
- centonalis** Hercyna (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—Pyralis, 1796. [Noct. 5, pt. 2] 1833, 275.—Pyralis, 1796.
- centonalis** Nola (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2)
- centonalis** Nolites (Huebn.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II. Tom. 2 (5 & 6) 1846, 114.—Pyralis, 1796.
- centonana** Roelsia, J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Pyralis centonalis,
- Centor** C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 113.—Col. [1796].
- Centracantha** C. S. Rafinesque, Analyse, 1815, 84.—P. [n. n.].
- Centracanthus** C. S. Rafinesque-S., Car. n. gen. 1810, 42.—P.
- Centracron** *err. pro* Cestracron, Walb.; J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 5.
- centrago** Atethmia (Haw.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 127.—[Noctua.
- centrago** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 236. [Noctua.
- centralis** Altica, T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 88.
- centralis** Anisotamia, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 360.
- centralis** Athyreus, J. O. Westwood, Proc. Linn. Soc. London (34) Mar. 1848, 359.
- centralis** Axinus, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 63.
- centralis** Caryophyllea (Mant.), J. Fleming, Hist. Brit. Anim. 1828, 509.—Madrepora.
- centralis** Cassida, Dejean, Catal. Coléopt. 1821, 116 [n. n.].
- centralis** Cyclosmilia (Mant.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Turbinolia.
- centralis** Echinoneus (Gm.), G. Fischer, Mus. Démid. III. 1807, 286.—Echinus, 1790.
- centralis** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 685.
- centralis** Infundibulum, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 348.
- centralis** Kleidocerys, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [n. n.].
- centralis** Limnephilus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [n. n.].
- centralis** Lyonsia (McCoy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Venus.
- centralis** Macrocera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 225.
- centralis** Madrepora, G. A. Mantell, Foss. South Downs, May 1822, 159.
- centralis** Membracis, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 22.
- centralis** Milliolites, T. Say in Long, Exped. Rocky Mts. I. 1823, 107 [n. n.]; & London ed. I. 1823, 329. [repora.
- centralis** Monocarya (Mant.), W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 244.—Mad-
- centralis** Myctophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 300.
- centralis** Nanina, A. Mousson, Mitth. Nat. Ges. Zuerich, I (3) no. 30, 1848 [1849], 266.
- centralis** Nautilus, J. Sowerby, Min. Conch. I. 1812, 11.
- centralis** Ortalis (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 380.—
- centralis** Orthoceratites, W. Hisinger, Lethaea Svecica, 1837, 29. [Tephritis.
- centralis** Parasmilia (Mant.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 467.—Madrepora. [244.—Madrepora.
- centralis** Parasmilia (Mant.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848,
- centralis** Pecten, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 253.
- centralis** Rotalia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 375.
- centralis** Smilia, E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 177.
- centralis** Smilia, E. F. Germar, Revue Entom. III (5) 1835, 235.—Membracis, 1821.
- centralis** Solen, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 316.
- centralis** Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 319.
- centralis** Turbinolia (Mant.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 62.—Madrepora.
- centralis** Unio, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
- centralis** Venus, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 53.
- Centranodon** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 138.—P.
- centrana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 356.
- Centrarchus** Cuvier, R. Anim., ed. 2, II. 1829, 147.—P.
- Centrastraea** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 208.—Cor.
- Centrastrea** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor.
- centrator** Ichneumon, T. Say, Amer. Entom. II. 1825, pl. xxii.

- centratus** Bithylus, T. Say, Boston Journ. N. H. I (3) 1836, 281.
- centrata** Emys (Bosc), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 422.—Testudo, Latr. 1801.
- centrata** Lampyrus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 163.
- centrata** Ptychopoda (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geometra, [1777].
- centrata** Sapyga, T. Say, Boston Journ. N. H. I (3) 1836, 301.
- centrata** Testudo, P. A. Latreille, Deterville ed. Buffon, Rept. I. 1801, 145.
- Centricnemus** C. J. Schoenherr, Isis (Oken), 1823, 1144 [*n. n.*]; Curc. disp. meth. 1826, 193.—Col.
- Centridermichthys** J. Richardson, Zool. "Sulphur," 1845, 73.—P.
- Centridion** J. Gistl, Nat. Thier. 1848, p. ix.—Cr.
- Centrifugus** His. 1831; A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846, 199 [*err. pro nom. triv.* in Hisinger, Anteckn. V (2) 1831, 114].
- Centrifugus** His. 1835 *in litt.*; Bronn, Index Pal. 1848, 256.—G.
- centrifuga** Cristatella, L. Oken, Lehrb. Nat. III (1) 1815, 54.
- centrifuga** Murex, R. B. Hinds, Proc. Zool. Soc. London, XI (128) Mar. 1844, 126.
- centrifuga** Pleurotomaria, F. A. Roemer, Verst. Harzgeb. 1843, 28.
- centrifuga** Porpita, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 26.
- centrifuga** Serpularia, F. A. Roemer, Verst. Harzgeb. 1843, 31.
- centrifuga** Tubularia, F. v. P. Schrank, F. Boica, III (2) 1803, 307. [71.]
- centrifugus** Turbinites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
- centrilineata** Orthis, J. Hall, N. H. New York (Pal. I.) 1847, 289.
- centrimaculatum** Cercyon (Sturm), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 218.
—Sphaeridium.
- centrimaculatus** Cryptocephalus, E. Suffrian, Entom. Zeitung, Stettin, X (1) Jan. 1849,
- centri-maculatum** Sphaeridium, Sturm; Dejean, Catal. Coléopt. 1821, 51 [*n. n.*]. [20.]
- Centrina** G. Cuvier, R. Anim. II. 1817, 130.—P.
- Centrinus** C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 308.—Col.
- centrinus** Acanthorhinus (L.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1758.
- centrina** Calymene, Dalman, Arsberätt. K. Svenska Vet. Ak. 1828, 135 [*teste* Bronn].
- centrina** Centrina (L.), G. Cuvier, R. Anim. II. 1817, 130.—Squalus, 1758.
- centrina** Odontopleura (Dalm.), H. F. Emmrich, Naturg. Trilobiten, 1844, 17.—Calymene.
- centrina** Oxynotus, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 45 [*n. n.*].
- Centrioptera** Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 279.—Col.
- centripeta** Porpita, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 26.
- centriquadrata** Cassis, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 310.
- Centris** J. C. Fabricius, Syst. Piezat. 1804, 354.—Hymn.
- centrisci** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 57 [*n. n.*].
- Centrites** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 256.—A.
- Centrocerus** L. Fitzinger, Syst. Rept. 1843, 18 & 86.—R. [342.—A.]
- Centrocerus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832],
- Centrocerum** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 330.—Col. [*n. n.*].
- Centrocheila** T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [sep. 1842], 98.—Col.
- Centrochila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Centrocheila,
- Centrochir** L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 14.—P. [Lacord.]
- centrochir** Cobitis, L. Agassiz, Jahrb. f. Min. 1832, 134 [*n. n.*].
- centrochir** Cobitis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 37 (1835); 11 (1839).
- Centrocircus** W. Swainson, N. H. Classif. Birds, II. June 1837, 344.—A.
- Centrocopis** Kolenati, 1845; *err.* Marschalli *pro* Centrocoris, *q.v.*
- Centrocoris** F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 45.—Hem.
- Centrocorone** A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 333.—Verm.
- Centrocrinus** T. & T. Austin, Monogr. Crin., Ap. 1843, 6.—Crin. [*teste* F. A. B.].
- Centrodera** J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 325.—Col.
- centrodonti** Caligus, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 272. [Sparus.]
- centrodontus** Boops (Delar.), H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 9.—
- centrodontus** Cantharus (Delar.), G. Cuvier, R. Anim. II. 1817, 279.—Sparus.
- centrodontus** Pagellus (Delar.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 180.—Sparus.
- centrodontus** Sparus, Delaroche, Ann. Mus. II. N. (Paris) XIII (77) June 1809, 345.

- Centrodus** F. M'Coy, Ann. Mag. N. H. (2) II. July 1848, 3.—P.
- Centrodus** C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 344.—P.
- Centrogaster** Houttuyn, Verh. Haarlem, XX (2) 1782, 333.—P.
- Centrogenys** J. Richardson, Ann. Mag. N. H. IX (56) Ap. 1842, 120.—P.
- Centroglossa** A. Matthews, Entom. Mag. V (2) Jan. 1838, 194.—Col.
- Centrognathus** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 79.—Col.
- centrognathus** Zanchus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 528. [P. [u. n.].
- Centrolepis** P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss. II (1), 304 (1844).—
- centrolinea** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 218.
- centrolineatus** Aphodius (Panz.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 246.—Scarabaeus, 1798.
- centro-lineatus** Atelocerus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 20.
- centrolineata** Cantharis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 51 [u. n.].
- centrolineatus** Hypselonotus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 211.
- centrolineata** Saperda, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 94 [u. n.].
- centrolophi** Bothriocephalus, C. M. Diesing, Syst. Helminth. 1850, 594.
- Centrolophus** B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 441.—P.
- centromaculatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 329.
- centromaculatus** Cratoparis, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 225.—
Euparius, 1833. [143.]
- centromaculatus** Euparius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833,
- centromaculata** Labidostomus, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 81.
- centromaculata** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 386.
- centromaculatus** Onthophagus, L. Redtenbacher in Russegger, Reise, I (2) 1843, 985.
- centromaculata** Scaphula, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847,
- centromaculata** Sibiria, Villa & Villa, Coleopt. Europ. 1833, 35. [495.]
- centrimaculatum** Sphaeridium, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 23.
- centromaculatus** Tychius (Villa), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 312.
—Sibiria.
- centron** Asaphus, M. v. Leuchtenberg, Beschr. Thierr. Tarskoji-selo, 1843, 6.
- Centronia** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 19.—Lep.
- Centronia** J. Huebner, Verz. bekannt. Schmett. [1820], 122.—Lep.
- Centronipus** Dejean, Catal. Coléopt., ed. 2 (3) ante Oct. 1834, 205.—Col. [u. n.].
- Centronodon** L. Oken, Lehrb. Naturg. III (2) 1816, 87.—P.
- Centronopus** L. Agassiz, Nom. Zool. Index Univ. 1846.—*emend. pro* Centronipus, Dej.
- Centronotus** J. G. Schneider, Bloch, Syst. Ichth. 1807, 165.—P.
- Centronotus** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 309.—P.
- Centronotus** W. Swainson, Zool. Illust. (2) III (22) 1833, pl. 100.—G.
- Centronycteris** J. E. Gray, Mag. Zool. Bot. II (12) 1838, 499.—M.
- Centropages** H. Krøyer, Naturhist. Tidsskrift [2] II (6) 1849, 588.—Cr.
- Centrophanes** J. Cabanis, Ber. k. pr. Ak. Wiss. 1845, 217.—A.
- Centrophanes** G. R. Gray, Gen. of Birds, II. 1849, 378.—A.
- Centrophis** Hemprich in Duméril & Bibron, Roret's Suite à Buffon (Erpét.) VII (2) 1854,
Table alphab. 1530.—R. [*in pri. scr. irrep.*].
- Centrophorus** Müller & Henle, Ber. Verh. k. pr. Ak. Wiss. 1837, 115.—P.
- Centrophorus** Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 180.—Col.
- Centrophorus** G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 361.—
- Centrophthalmus** H. M. Schmidt, Beytr. Mon. Pselaphen, 1838, 7.—Col. [Orth.]
- centroplagiatum** Bembidium, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 415.
- Centropodus** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 303.—P.
- Centropomus** B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 248.—P.
- centropomus** Podabrus, J. Richardson, Zool. "Samarang" (Fish, 1848), 11.
- Centropristes** Cuvier & Valenc., H. N. Poiss. III. 1829, 37.—P.
- Centropristis** Cuvier, R. Anim. II. 1829, 145; *emend.* C. L. Bonaparte, Giorn. Arcad.
LII. 1831, 167.—P.
- centropunctata** Cicindela, Klug in Dejean, Spec. gén. Coléopt. V. 1831, 245.
- centropunctata** Heleomyza, J. F. Stephens (*ex* Meig. MS), Nom. Brit. Ins., Aug. 1829,
62 [u. n.].

- centropunctatus** Loborhynchus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 164.
- centro-punctatus** Pachygaster, Ziegler; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*]
- Centropus** C. Illiger, Prod. 1811, 205.—A.
- Centropyx** J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 278.—R.
- Centropyx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kentropyx, Spix.
- Centroscelis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 403.—Col.
- Centroscyllium** Joh. Mueller & Henle, Syst. Plagiost. (3) 1841, 191.—P.
- Centrostromum** C. M. Diesing, Syst. Helminth. I. 1850, 199.—Verm.
- centrostrigalis** Margaritia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46 [*n. n.*]; & Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 49.
- centrotoides** Hemiptycha, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 317.
- Centrotoma** C. H. G. v. Heyden, Entom. Zeitung, Stettin, X (6) June 1849, 182.—Col.
- Centrotus** J. C. Fabricius, Syst. Rhyng. 1803, 16.—Hem.
- centrotus** Asaphus, Dalm.; H. F. Emmrich, De Trilobitis, 1839, 34.
- centrotus** Asaphus (Illaenus), J. W. Dalman, K. Vet. Ac. Handl. 1826 (2) 1827, 248.
- centrotus** Dysplanus (Dalm.), H. Burmeister, Organ. d. Trilobit. 1843, 120.—Asaphus.
- centroura** *v.* **centrurus**.
- Centrourus** W. Swainson, N. H. Classif. Birds, II. June 1837, 303.—A.
- centrovittana** Peronea, J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16 [*n. n.*]; & ed. 2, *ibid.* 1835-9, 5.
- Centrura** F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 61.—Col.
- Centrura** T. Bell, Zool. "Beagle" (Rept. 1843), 25.—R.
- Centrurus** Ehrenberg, Verh. nat. Freunde Berlin, I (6) 1829, 350.—Ar.
- Centrurus** H. E. Strickland, Ann. Nat. Hist. VII. 1841, 34.—A. [=Centrourus, Sw.].
- centrura** Notommata, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 185 & 211.
- centroura** Raja, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 479.
- centum-notata** Harpalyce (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena, ? Schulzen, 1775.
- centum notata** Polyphasia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 230.—Phalaena, ? Schulzen, 1775.
- centuncularis** Anthophora (L.), J. C. Fabricius, Syst. Piezat. 1804, 378.—Apis, 1758.
- centuncularis** Megachile (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 383.—Apis, 1758. [thophora.]
- centuncularis** Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 252.—An-
- centuriensis** Euclystis, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 20.
- centuriella** Galleria (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 202.—?Tinea, D. & S. 1775.
- centuriella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 362.
- Centurio** J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 259.—M.
- centurio** Ametrida, J. E. Gray, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 15.
- centurio** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 11 ["Mon. Anth." *poster. edit.*].
- centurio** Conus, L. Reeve, Conch. Icon.—Conus, no. 21, Jan. 1843.
- centurio** Diagramma, Cuvier & Valenc., H. N. Poiss. V. 1830, 308.
- centurio** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
- centurio** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 301.
- centurio** Locusta (Rutidoderes) (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 88.—Gryllus, 1773.
- centurio** Rhomalea, H. Burmeister, Handb. Ent. II (2) i, 1838, 620.
- centurio** Turbo, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 98.
- centurionalis** Gesneria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 368.—Tinea centuriella, 1775.
- Centurus** W. Swainson, N. H. Classif. Birds, II. June 1837, 310.—A.
- Ceocephalus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 6 & 357.—Col.
- Ceonix** C. J. Temminck, Mon. Mamm. I. 1824, 10.—M.
- Ceonyx** *emend. pro* Ceonix, Temm.; L. Agassiz, Nom. Zool. (Mamm. 1842).
- ceonyx** Manis, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) VII. Feb. 1821, 215.

- Ceophonus** Bosc, N. Dict. H. N., ed. 2, V. 1816, 491.—Rh.
Ceophyllus J. Le Conte, Boston Journ. N. H. VI (1) 1850, 73.—Col.
cepa *v.* **caepa**.
cepacea *v.* **caepacea**.
Cepaea F. Held, Isis (Oken), 1837, 910.—G.
cepai Sciurus, A. Smith, Rpt. Exp. C. Afr. 1836, 43.
ceparum *v.* **caeparum**.
Cepatia J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
[cepedeanus.] [(Aug.), 121.—Squalus.
cepedianus Acanthorhinus (P. & L.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816
cepedeanus Anoplopus (Cuv.), J. Wagler, Nat. Syst. Amph. 1830, 142.—Gecko, Merr.
cepedianus Aulaeosaurus (Daud.), J. Wagler, Isis (Oken), 1833, 895.—Tupinambis.
cepedianus Chatoessus (Les.), G. Cuvier, R. Anim., ed. 2, II. 1829, 320.—Megalops.
cepediana Chelonia (Daud.), J. Kirby, Brewster's Edin. Ency. XI (1) 1817, 16.—Testudo.
cepedianus Esox, G. Shaw, Gen. Zool. (Pisc.) V (1) 1804, 117.
cepedianus Gekko (*sic*), B. Merrem, Tent. Syst. Amph. 1820, 43.
cepedianus Gomphosus, Quoy & Gaimard in Cuvier & Valenc., H. N. Poiss. XIV. 1839,
cepedianus Gymnetrus, A. Risso, Ich. Nice, 1810, 146. [18.
cepediana Megalops, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (13) Sept. 1818, 361.
cepedianus Monitor, H. Schlegel, Abb. Amph. (2) 1839, 74.
crepidianus (*sic*) Phelsuma (Merr.), J. E. Gray, Ann. Phil. XXVI. 1825, 199.—Gecko.
cepedianus Phelsuma (Péron), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 166.—Gecko,
Merr. [1830, Syn. 47.—Gecko.
cepedianus Platydactylus (Merr.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept.
cepedianus Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 473.
cepedianus Squalus, Péron & Lesueur, Voy. Aust. I. 1807, 337.
cepediana Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 50.
cepedianus Tupinambis, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 43.
[cepedei.]
cepedii Anolis, B. Merrem, Tent. Syst. Amph. 1820, 44.
cepedii Caretta, B. Merrem, Tent. Syst. Amph. 1820, 18.—Testudo *cepediana*, Daudin.
cepedii Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 122.
cepedii Mabouya (Coct.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 95.—Scincus, Merr.
cepedii Phaenobrachius, L. J. Fitzinger, Neue Classif. Rept. 1826, 66.
cepedii Scincus, B. Merrem, Tent. Syst. Amph. 1820, 71.
cepedii Squalus (Lamna), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 93.
Cepha G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 98.—Hym. [*n. d.*, 1 nom. triv.
cepha *v.* **cephus**. [append.].
Cephaecandia C. S. Rafinesque, Analyse, 1815, 85.—P. [*n. n.*].
Cephacerus C. S. Rafinesque, Analyse, 1815, 113.—Col. [*n. n.*]=Erodus, Fab.
Cephachisma C. S. Rafinesque, Atlantic Journ. (1) 1832, 20.—Verm.
Cephalacanthia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephaecandia,
Cephalacanthus B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 323.—P. [Raf.
cephalaeus Carabus, T. Descourtilz, Mém. Soc. Linn. Paris, V. 1826, 159.
Cephalalgæ C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 467.—Col.
cephalargæ Gobius, P. S. Pallas, Zoographia, III. 1814, 155.
Cephalaspis J. L. R. Agassiz, Poiss. Foss. II (1), 135 (1835).—P.
cephalaspis Paecilodus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 468.
cephalatra Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (4-9) *inter* May & Nov.
1829, 78.
Cephalax C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
Cephalcia [*i.e.* Cephalcia], L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 163.—Hym.
Cephalcia L. Jurine, N. méth. class. Hyménopt. 1807, 67 [*v.* Cephalcia, *err.* 1801].
Cephalelus Percheron, Magasin de Zool. II. 1832, pl. 48.—Hem.
Cephaemyia P. A. Latreille, N. Dict. H. N. XXIII. 1818, 273.—Dipt. [*non* Clark *apud*
Cephaletis C. S. Rafinesque-S., Ind. itt. Sic. 1810, 54.—P. [Ag.
Cephaletis C. L. Bonaparte, Consp. gen. Avium, I. 1850, 83.—A.
cephaleucos Pipra, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 286.

- Cephaleutherus** C. S. Rafinesque-S., Ind. itt. Sic. 1810, 61.—P.
Cephalia J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 293.—Dipt.
cephalicum Acridium (Tetrix), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 169.
Cephalipus C. S. Rafinesque, Analyse, 1815, 152.—Verm. [*n. n.*].
Cephalispheira T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 38.
Cephalites J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 279.—Sp. [—Lep.
Cephallepis Loddiges, Proc. Zool. Soc. 1830, 12.—A.
cephalo Caretta (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 18.—Testudo, 1783.
cephalo Chelonia, Temminck & Schlegel in Siebold, F. Japon. (Rept. 1834), 23.
Cephalobarus C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 517.—Col.
Cephalocera P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 480.—Dipt.
Cephalocera F. Klug, Jahrb. Insectenk. I. 1834, 252.—Hym. [—Orth.
Cephalocoema Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 577.
Cephaloctaeus E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 153 [*v. C*—teus].
Cephalocteis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephaloctenus, Er.
Cephalocteis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephalocteus, Duf.
Cephaloctenus Erichson, Arch. f. Naturg. 1843 (2) 266.—Cephalocteus, Duf. *q.v.*
Cephalocteus L. Dufour, Ann. Soc. Ent. France, III (2) *post* June 1834, 342.—Hem.
Cephaloctinus Amyot, Ann. Soc. Ent. France [2] V. 1847, 507 [*v. Cephalocteus*].
Cephaloculus Lamarck, Syst. Anim. 1801, 170.—Cr.
Cephalodella Bory de St V., Ency. Méth. (Zooph.) 1827, 527.—Inf. [Col.
Cephalodendron P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 166.—
Cephalodesmius J. O. Westwood, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 66.—Col.
Cephalodonta Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 364.—Col.
Cephalodonta F. E. Guérin-M., Iconogr. 1844, Ins. 276.—Col.
Cephaloleia Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col. [*sine*
Cephaloleia F. E. Guérin-M., Iconogr. 1844, Ins. 281.—Col. [*typo*].
Cephalolepis Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 314.—R.
Cephalolepis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephalolepis, Raf.
Cephalolepta C. M. Diesing, Syst. Helminth. I. 1850, 189.—Verm.
Cephalolia Blanchard, 1845; *err.* Scudderi *pro* Cephaloleia, *q.v.*
Cephaloloxes J. Gistel, Nat. Thierr. 1848, p. viii.—R. [Lam.
Cephalomma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephaloculus,
Cephalomyia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephalemyia,
 Clark = Latr.
cephalon Gastrancistrus, F. Walker, Ann. Mag. N. H. XI. Jan. 1843, 30.
cephalon Leuciscus, Zenker, N. Jahrb. f. Min. 1833, 395.
Cephalonomia J. O. Westwood, Mag. Nat. Hist. VI. Sept. 1833, 420.—Hym.
Cephaloon E. Newman, Entom. Mag. V (4) Ap. (*i.e.* July) 1838, 376.—Col.
Cephalopachus W. Swainson, N. H. & Classif. Quadr. 1835, 352.—M.
Cephalopachys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephalopachus,
Cephalopeltis J. Mueller, Zeitschr. physiol. IV (2) 1832, 269.—R. [Swains.
Cephalophis Dupont in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 318.—Col. [*n. n.*].
Cephalophis L. Fitzinger, Syst. Rept. 1843, 27.—R.
Cephalopholis J. G. Schneider, Bloch, Syst. Ichth. 1801, 311.—P.
Cephalophora J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 266.—M.
Cephalophorus J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 267.—M.
Cephalophractus L. Fitzinger, Syst. Rept. 1843, 30.—R. [*n. n.*].
Cephalophorus C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 344.—
Cephaloplatus A. White, Tr. Entom. Soc. London, III. 1842, 90.—Hem. [M.
Cephalops C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 10.—Dipt.
Cephalops C. S. Rafinesque, Analyse, 1815, 100.—Cr. [*n. n.*] = Cephaloculus, Lam.
Cephalops Billberg, Enum. Ins. 1820, 131.—Cr.
Cephalopsis C. S. Rafinesque, Analyse, 1815, 90.—P. [*n. n.*].
cephalopsis Squalius, J. J. Heckel in Russegger, Reise, I (2) 1843, 1041 & 1080.
Cephaloptera J. Fleming, Phil. Zool. II. 1822, 378.—P.

- Cephalopterus** E. Geoffroy, Ann. Mus. H. N. (Paris) XIII (75) Mar. 1809, 238.—A.
Cephalopterus A. Risso, Ichth. Nice, 1810, 14.—P.
cephaloptera Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 52.
cephaloptera Coracina, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 5.
cephalopterus Presbytes (Zimm.), J. E. Gray, List Mamm. Coll. B. M. 1843, 4.—Cerro-
cephaloptera Raja, J. G. Schneider, Bloch, Syst. Ichth. 1801, 365. [pithecus, 1780.
cephalopterus Semnopithecus (Zimm.), W. C. L. Martin, N. H. Quad. [1841], 483.—
 Cercopithecus, 1780.
cephaloptera Simia (Zimm.), J. B. Fischer, Syn. Mamm. 1829, 17.—Cercopithecus, 1780.
Cephalopus A. Smith, S. African Quart. Journ. II. no 3 (1) June 1834, 214.—M.
Cephalorhynchus J. E. Gray, Zool. "Ereb. Terr." I (Mamm.) 1846, 36.—M.
cephalorhynchus Delphinus, F. Cuvier (Roret's Suite à Buffon), Cétacés, 1836 [Dec.
 1835], 158.
Cephalosphaerus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 287.—Col. [*n. n.*].
Cephalostenus A. J. J. Solier, Ann. Soc. Ent. France, VII (2) *post* June 1838, 184.—Col.
Cephalotes P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 357.—Hym.
Cephalotes F. A. Bonelli, Obs. Entom. 1813, Table; Dejean, Sp. gén. Col. III. 1828,
 426.—Col.
Cephalotes E. Geoffroy, Ann. Mus. H. N. (Paris) XV (86) *inter* Ap.—Sept. 1810, 104.—M.
cephalotes Acrognathus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 817.
cephalotes Agaricophagus, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III.
cephalotes Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 231. [1841, 192.
cephalotes Amara, J. Sturm, Catal. Ins. Samml. 1826, 90 [*n. n.*].
cephalotes Amblygnathus, Dejean, Spec. gén. Coléopt. IV. 1829, 63.—Harpalus, 1821.
cephalotes Anthia, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 285.
cephalotes Atta (L.), J. C. Fabricius, Syst. Piezat. 1804, 421.—Formica, 1758.
cephalotes Badister, Dejean, Spec. gén. Coléopt. II. 1826, 406. [1848, 556.
cephalotes Barysomus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
cephalotes Bisnius (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
cephalotes Bombylius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 287.
cephalotes Brachinus, Dejean, Spec. gén. Coléopt. I. 1825, 317.
cephalotes Bythinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 1845, 45.
cephalotes Calliptamus, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846,
cephalotes Carabodes, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 16. [243.
cephalotes Cephaleia (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 67.—Tarpa.
cephalotes Cephalotes, Fab.; Dejean, Catal. Coléopt. 1821, 5.
cephalotes Cephalotrix, P. Duchassaing, Anim. rad. Antilles [1850], 28.
cephalotes Cistela, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 147.
cephalotes Cobitis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 37 (1835); V (2) 13 (1839).
cephalotes Corydalis, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 441.
cephalotes Crabro, Herrich-S. in Panzer, Ins. Germ., heft 179, 1841, tab. 15. [Atta.
cephalotes Crematogaster (Fab.), P. W. Lund, Notizen (Froriep) XXXII. 1831, 104.—
cephalotes Cteniscus (Grav.), A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 113.—
 Tryphon. [1781.
cephalotes Dipiron (Fabr.), F. v. P. Schrank, F. Boica, II (2) 1802, 252.—Tenthredo,
cephalotes Ditomus, Dejean, Spec. gén. Coléopt. II. 1826, 482.
cephalotes Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 181.
cephalotes Euplectus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 1845, 46.
cephalotes Gematis, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
cephalotes Gonatopus, S. I. Ljungh, K. Vet. Ac. Handl. 1823 (2) 1824, 267.
cephalotes Halictus, P. S. Schilling, Uebers. Arb. schles. Ges. 1839 (1840), 123 [*n. n.*].
cephalotes Harpalus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 70.—Cara-
cephalotes Harpalus, Dejean, Cat. Coléopt. 1821, 15 [*n. n.*]. [bus, ? L. 1758.
cephalotes Harpyia (Pall.), C. Illiger, Prod. 1811, 119.—Vespertilio, 1767.
cephalotes Hesperomys (Desm.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843,
 542.—Mus.

- cephalotes** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 125 [1834], tab. 6.
cephalotes Lathrobium, J. Sturm, Catal. Ins. Samml. 1826, 160.
cephalotes Lebias, J. L. R. Agassiz, Poiss. Foss. V (2) 48 (1839).
cephalotes Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 328.
cephalotes Malthinus, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*].
cephalotes Megalodontes (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 302.—
 Tenthredo, 1781.
cephalotes Meloe, J. Curtis, Guide Brit. Ins. (2) 1829–30, 38 [*n. n.*].
cephalotes Micropeza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1057.
cephalotes Molops, J. Sturm, Catal. Ins. Samml. 1826, 170 [*n. n.*].
cephalotes Mus, Desmarest, N. Dict. H. N., ed. 2, XXIX. 1819, 63.
cephalotes Mutilla, D. H. Schneider, Verz. Insectensamml. 1828, 88 [*n. n.*].
cephalotes Myrmeleon, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834) sign. e.
cephalotes Myrmica (L.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 179.—
 Formica, 1758. [[1802], 190.
cephalotes Noctilio, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV, 1799
cephalotes Odacantha, Dejean, Spec. gén. Coléopt. II. 1826, 439.
cephalotes Oecodoma (Latr.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth, etc.)
 III. 1840, 382.—Formica, L. 1758.
cephalotes Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1833, 149.
cephalotes Oryctes, Dejean, Catal. Coléopt. 1821, 56 [*n. n.*].
cephalotes Oxyporus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 752. [1849, 86.
cephalotes Paederus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
cephalotes Panurgus, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 719.
cephalotes Passalus, Dejean, Catal. Coléopt. 1821, 62 [*n. n.*].
cephalotes Passalus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 20.
cephalotes Perla, J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 190.
cephalotes Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 108.
cephalotes Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 197.
cephalotes Phileurus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
 116. [Staphylinus.
cephalotes Philonthus (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 459.—
cephalotes Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 644.
cephalotes Phytoecia, H. C. Kuester, Käfer Europas, VII. 1846, 61.
cephalotes Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 119.
cephalotes Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 481.
cephalotes Pteropus (Pall.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (1) 1806,
 10.—Vespertilio, 1767.
cephalotes Pyrophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 144.
cephalotes Rhagium, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 224.
cephalotes Scarites, G. W. F. Panzer, Ins. Germ., heft 83, 1801, tab. 1.
cephalotes Scarites, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 126.
cephalotes Sparasion, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 316.
cephalotes Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 22.
cephalotes Staphylinus, Gyll.; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
cephalotes Tarpa, J. C. Fabricius, Syst. Piezat. 1804, 19.—Tenthredo, 1781.
cephalotes Termes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 309.
cephalotes Thrissops, L. J. R. Agassiz, Poiss. Foss., Feuilleton, 3 (1834) [*n. n.*].
cephalotes Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
cephalotes Trigonodactyla, Dejean, Spec. gén. Coléopt. V. 1831, 289.—Odacantha, 1826.
cephalotes Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 246.
cephalotes Vespertilio, E. Geoffroy, Bull. Sci. Soc. Philom. [Paris] no. 74, 1803, 102.
Cephalothrix A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 573.—Verm.
cephalothrix Borlasia, C. M. Diesing, Syst. Helminth. I. 1850, 241.
Cephalotrichia W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 102.—Col.
Cephalotrix P. Duchassaing, Anim. rad. Antilles [1850], 28.—Polyz. [316.
cephalota Haemocharis, H. Carena, Mem. R. Acc. Sci. Torino, XXV. 1820 [? 1822].
cephalota Hirudo, H. Carena, Mem. R. Acc. Sci. Torino, XXV. 1820 [? 1822], 298.

- cephalotus** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 110.
Cephaloxys V. Signoret, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 294.—Hem.
Cephalus G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 437.—P.
Cephalus C. L. Bonaparte, Cat. meth. Cipr. Eur. 1845, 8.—P.
cephalus Docophorus, H. Denny, Mon. Anoplur. 1842, 81.
cephalus Ello, J. Gistl, Nat. Thierr. 1848, 109.
cephalus Ello, J. Gistl, Handb. Naturges. 1850 [1847], 356.
cephalus Gardonus (L.), Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 396; Cat. méth. Cipr. Eur. 1845, 8.—Cyprinus, 1758.
cephalus Gobiomorus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 253.
cephalus Gobius, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 65.
cephalus Hesperia, F. Weber, Obs. Ent. 1801, 109.
cephalus Homodon (Lac.), Brisout de B., Echo Monde Savant, XIII. 4 June 1846, 1045.—Gobiesox, 1800.
cephalus Labeo, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 347.
cephalus Lepadogaster, W. Thompson, Ann. Nat. Hist. III. Mar. 1839, 34.
cephalus Leuciscus (L.), J. Fleming, Hist. Brit. Anim. 1828, 187.—Cyprinus, 1758.
cephalus Mugil, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 33 & 56,—*varr.* cestreo, myxone, chelone.
cephalus Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 336.—Docophorus.
cephalus Semotilus, C. S. Rafinesque, Western Review, II (4) May 1820, 239; Ichth. Ohienis [Dec.] 1820, 49.
cephalus Thrissops, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 13 (1834); II (2) 293 (1844).
cephala Tristoma, A. Risso, H. N. Europe, V. 1826, 262.
cephalus Trochilus, Bourcier & Mulsant, Rev. Zool. (Soc. Cuv.) XI. Sept. 1848, 269.
cephalus Xantholinus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 452.
Cephanomus C. S. Rafinesque, Analyse, 1815, 64.—A. [*n. n.*].
Cepharcus C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
Cephax F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 175.—Col.
Cephea Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 360.—Med.
Cephemnus C. S. Rafinesque, Analyse, 1815, 85.—P. [=Gymnocephalus, Bl.].
Cephenemyia P. A. Latreille, N. Dict. H. N. XXIII. 1818, 271.—Dipt.
Cephenes Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 505.—Dipt.
Cephenymia 1825; *teste* Scudder, *non comp.* ? Cephenemyia.
Cephennum P. L. S. Mueller, Mon. Ameisenkäfer, 1822, 188.—Col. [Latr.
Cephenomyia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephenemyia,
Cephenus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 506.—Dipt. [*vernac.* 1825].
Cepheus C. Koch in Panzer, Deutschl. Crust. (3) 1835.—Ar.
cephesus Asteriscus, Valenciennes in Joh. Mueller & Troschel, Syst. Asterid. 1842, 41.
cephesa Euchromia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Sphinx cephus, 1779.
cephesus Glaucopsis (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 605.—Sphinx cephus, 1779.
cephesa Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 15.
cephesa Telchinia (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 27.—Papilio, 1758.
cephiformis Sesia, F. Ochsenheimer, Schmett. Europa, II. 1808, 169. [Lep.
Cephimallota T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 32.—
Cephimnus C. S. Rafinesque, Analyse, 1815, 85.—P. [*n. n.*] = Gymnocephalus, Bl.
Cephinus C. S. Rafinesque, Analyse, 1815, 161.—Prot. [*n. n.*].
Cephiotus C. S. Rafinesque, Analyse, 1815, 76.—R. [*n. n.*].
cephise Chalciope (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 268.—Phalaena, 1779.
cephise Melanchroia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 173.—Phalaena, 1779.
cephise Melanchroia, J. Huebner, Exot. Schmett. II. Tab. [183] [*n. et f.*].
cephise Noctua (Cram.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 275.—Phalaena, 1779.
Cephisus C. S. Rafinesque, Analyse, 1815, 121.—Hem. [*n. n.*].

- cephisus** Teleas, F. Walker, Entom. Mag. III (4) Jan. 1836, 359.
- Cephites** O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 173.—Hym.
- Cephonodes** J. Huebner, Verz. bekannt. Schmett. [1820], 131.—Lep.
- Cephthalmus** C. S. Rafinesque, Analyse, 1815, 221.—Cr. [*n. n.*].
- Cephus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 303.—Hym.
- Cephus** G. J. Billberg, Syn. Faunae Scand. I (2) 1828, 188.—A.
- Cephus** J. Fleming, Hist. Brit. Anim. 1828, 134.—A.
- Cephus** *id. ac* Cephus, Pall.; II. R. Schinz, Nat. Abb. Vögel, 1831-3 [1833], 368.
- Cephus** W. Swainson, N. H. Fishes, etc. I. Oct. 1838, 319.—P.
- cephus** Acraea (L.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 141.—Papilio, ? Fab. 1775.
- cephus** Anthrax, J. C. Fabricius, Syst. Antliat. 1805, 124.
- cepha** Astarte, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 51.
- cephus** Bolbocerat, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 461.
- cephus** Cercopithecus (L.), P. A. Latreille, H. N. Singes, II. An IX (1801); Sonnini's Buffon, XXXVI (1804), 288.—Simia, 1758.
- cepha** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2. [? Steph.
- cepphus** Lestris (Leach), T. Nuttall, Man. Ornith., Water Birds, 1834, 318.—Stercorarius,
- cephus** Mitylus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 255.
- cephus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 238.
- cepphus** Stercorarius (Brünn.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 211.—Cataracta, 1764.
- cepina** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 37.
- cepio** *v.* **caepio**.
- Cepioptera** Zborzewski, Bull. Soc. Imp. Nat. Moscou, 1843, 364.—Rh.
- cepoides** *v.* **caepoides**.
- cepolae** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 144 [*n. n.*].
- Cepolis** Denys de Montfort, Conch. II. 1810, 150.—G.
- Cepolum** Denys de Montfort, Conch. II. 1810, 151.—G.
- Cepon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kepon, Duv.
- Cepora** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 76.—Lep. [*n. d.*, 14 nom. triv. append.].
- cepphicus** Dasypogon, T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 158.
- Cepphis** J. Huebner, Verz. bekannt. Schmett. 1825, 294.—Lep.
- Cepphus** J. Wagner, Syst. Avium, I. 1827, sign. 101.—A. [Ardeidae].
- Cepphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cephus, Cuv. [*vernac.*].
- cepphus** *v.* **cephus**.
- Cepsua** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*].
- cupula** Ovula, C. F. Schumacher, Essai Vers test. 1817, 259.
- cupularis** Alveolites, S. G. Morton, Syn. Org. Rem. Cret. 1834, 80.
- cupulla** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 182.
- cupuricus** Gamasus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 12.
- Cepurus** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 14; & II (2) 1834, 347.—Col.
- "Ceracampa** Kirby" T. W. Harris in Hitchcock, Geol. Massach. 1835, 592.—Lep.
- Ceracantha** C. S. Rafinesque, Analyse, 1815, 82.—P. [*n. n.*].
- Ceracis** J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 375.—Col.
- Ceraclea** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28.—Neur.
- ceracollis** Altica, T. Say, Boston Journ. N. H. I (2) 1835, 200.
- Ceraegidion** Boisduval, Magasin de Zool. V. 1835, pl. 127.—Col. [Boisd.
- Ceraegidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceraegidion,
- Ceragenia** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 32.—Col.
- cerago** Citria (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Noctua, 1775.
- cerago** Xanthia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Noctua,
- Ceraleptus** A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 375.—Hem. [1775.
- ceralepta** Ceratocephala, J. G. Anthony, Amer. J. Sci. XXXIV (2) July, 1838, 379.
- ceramanthea** Cucullia, C. F. Freyer, Neuere Beitr. Schmett. V (72) 1844, 85.
- Cerambices** Redtenbacher, Gatt. Deutsch. Ins. Fauna, 1845.—Col. [*nom. fam. me judice*].

- ceramboides** *Crioceris* (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 222.—*Chrysomela*,
ceramboides *Elater*, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*]. [1758.
ceramboides *Leptura*, W. Kirby, Tr. Linn. Soc. London, XII (2), 1819, 472.
ceramboides *Loxoprosopus*, F. E. Guérin-M., Iconographie, 1844, Ins. 306.
ceramboides *Macromalocera*, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 14.
ceramboides *Tenebrio*, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 192.
cerambus *Epicalia*, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
 258 [*n. n.*]. [1839, 244.—*Leptura*, 1781.
cerambyciformis *Pachyta* (Schr.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct.
Cerambycinus Muenster in Germar, N. Acta Ac. Caes. XIX (1) 1839, 208.—Col.
Cerambycites H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (1) 1839, 13.—Col.
Cerambyx J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
ceramicum *Cerithium* (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807,
 130.—Murex, 1758.
ceramica *Cynodonta* (L.), C. F. Schumacher, Essai Vers test. 1817, 241.—*Voluta*, 1767.
ceramica *Cynodonta* (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—*Turbinellus*,
 ? *Voluta*, L. 1767.
ceramica *Euplagia*, J. Huebner, Verz. bekannt. Schmett. [1822], 180. [L. 1767.
ceramica *Scolymus* (Mart.), W. Swainson, Treat. Malacol., May 1840, 304.—? *Voluta*,
ceramica *Turbinella* (L.), Lamarck, An. s. vert. VII. 1822, 106.—*Voluta*, 1767.
ceramina *Chamina*, J. Huebner, Verz. bekannt. Schmett. 1825, 271.
ceramina *Chamyna*, J. Huebner, Exot. Schmett. II. Tab. [205] [*n. et f.*].
Ceramius P. A. Latreille, Consid. gén. Crust. etc., 1810, 329.—Hym.
Ceramurus P. de M. G. Egerton in P. B. Brodie, Hist. foss. Ins. 1845, 17.—P.
Ceramus C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
Cerana J. Gistel, Nat. Thierr. 1848, p. viii.—L.
Cerandria Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 200.—Col. [*sine typo*].
Cerandria H. Lucas, Explor. Algér. (Artic. II.) 1846, 344.—Col.
Ceranisis F. Walker in J. Curtis, Guide Brit. Ins. (4) 1829-30, 114.—Hym. [*n. n.*].
Ceranisis F. Walker, Entomologist, 1842, p. vi, expl. to pl. n.—Hym.
ceranoides *Dichotomaria* (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert.,
 ed. 2, II. Aug. 1836, 204.—*Liagora*.
ceranoides *Flustra*, J. V. F. Lamouroux, Hist. Polyp. 1816, 103.
ceranoides *Liagora*, J. V. F. Lamouroux, Hist. Polyp. 1816, 239.
ceranoides *Spongia*, Lamarck, An. s. vert. II. 1816, 383.
Ceranota J. F. Stephens, Man. Brit. Col. 1839, 351.—Col. [Dipt.
Ceranthia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 88.—
ceranus *Papilio*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 130.
ceranus *Polyommatus* (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 627.—*Papilio*
caranus, 1780. [*caranus*, 1780.
ceranus *Thecla* (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 36.—*Papilio*
cerapalus *Opsanus*, C. S. Rafinesque, Amer. Monthly Mag. II (3) Jan. 1818, 204.
Ceraphon Thienemann, Lehrb. Zool. 1828, 170.—Hym. [*teste* Waterhouse].
Ceraphron L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 165 [*n. n.*]; N. Méth.
 class. Hyménopt. 1807, 303.—Hym.
Ceraplastes J. Gistel, Nat. Thierr. 1848, p. x.—Hym.
Cerapodina H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 62.—Cr.
Cerapogon *emend. pro* *Ceratopogon*, Meig.; C. S. Rafinesque, Analyse, 1815, 130.—Dipt.
 [*n. n.*].
Cerapsilon Haliday in J. Curtis, Guide Brit. Ins. (4), 1829-30, 109.—Hym. [*n. n.*].
Cerapsilum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cerapsilon*, Halid.
Cerapterocerus J. O. Westwood, Mag. Nat. Hist. VI. Nov. 1833, 495.—Hym.
Cerapterus J. O. Westwood; Blanchard in B. & Brullé, H. N. Anim. artic. (Hym.)
 1840, 276.—Hym.
cerapterus *Ithyporus*, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 70.
Cerapteryx J. Curtis, Brit. Entom. X (113) June 1833, no. 451.—Lep.
Ceraptocerus Blanchard in B. & Brullé, H. N. Anim. artic. (Hym.) 1840, 276.—Hym.
 [= *Cerapterus* & *Ceraptocerus*].

- Cerapus** T. Say, J. Acad. Nat. Sci. Philad. I. no. 4, Aug. 1817, 49.—Cr.
- cerapus** Gamassus, P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 95.
- cerarius** Trichodes, Hoff.; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
- cerasana** Lozotaenia (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- cerasana** Pandemis, J. Huebner, Verz. bekannt. Schmett. 1826, 388.
- cerasana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 19 (Fernaldo judice 1797) [*n. et f.*].
- cerasana** Tortrix, J. Huebner, Lepidopt. Zutraege, 1820, 13.—[*n. n.*]
- Cerascopus** C. Heineken, Zool. Journ. V (17) Feb. 1830, 36.—Hem.
- cerasi** Cecidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 34.
- cerasi** Hylotoma (L.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (1) 1808, 46.—Tenthredo, 1758.
- cerasi** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 203. [1758.]
- cerasi** Magdalinus (L.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 137.—Curculio,
- cerasi** Magdalis (L.), E. F. Germar, Ins. Spec. novae, I. 1824, 192.—Curculio, 1758.
- cerasi** Orsodacna (Fab.), A. G. Olivier, Entom. VI. 1808, 752.—Cricocoris, ? Th. 1787.
- cerasi** Orsodacna (L.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 508.—Chrysomela, 1758. [1758.]
- cerasi** Ortalis (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 282.—Musca,
- cerasi** Pegomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- cerasi** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 311. [599.]
- cerasi** Phalaris, Leach in Risso, H. N. Europ. V. 1827, 217.
- cerasi** Phyllotoma (L.), C. F. Fallen, Mon. Tenthred. Sueciae (3) 1829, 35.—Tenthredo, 1758. [1758.]
- cerasi** Rhina (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 199.—Curculio, L.
- cerasi** Rhinodes (Fab.), Dejean, Catal. Coleopt. 1821, 98.—Curculio, L. 1758.
- cerasi** Rhynchaenus (L.), J. C. Fabricius, Syst. Eleuth. II. 1801, 486.—Curculio, 1758.
- cerasi** Rhynchaenus, W. D. Peck, Massach. Agric. Journ. V (3) Jan. 1819, 312.
- cerasi** Selandria (Blennocampa), T. W. Harris, Rep. Insects Massach. 1841, 383.
- cerasi** Tenthredo (Selandria) L.; A. G. Dahlbom, Conspect. Tenthred. 1835, 10.
- cerasi** Tephritis (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.—Musca, L. 1758.
- cerasi** Thamnophilus (Fab.), L. Gyllenhal, Ins. Suecica I (4) 1827, 561.—Rhynchaenus.
- cerasi** Trupanea (L.), F. v. P. Schrank, F. Boica, III (1) 1803, 151.—Musca, 1758.
- cerasi** Trypeta (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger), II. 1803, 277.—Musca, L. 1758.
- cerasiae** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 119.
- cerasiella** Swammerdamia, J. Huebner, Verz. bekannt. Schmett. 1826, 425.—Tinea.
- cerasiella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 48 (Fernaldo judice 1811–17) [*n. et f.*]. [Tinea, 1796.]
- cerasifoliella** Argyromiges (Huebner), H. T. Stainton, The Zoologist, VI (7) 1848, 2158.—
- cerasi-foliella** Elachista (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) Jan. 1844, 518.—Tinea, 1796.
- cerasifoliella** Lyonetia, J. Huebner, Verz. bekannt. Schmett. 1826, 423.—Tinea, 1796.
- cerasiformis** Liriope, R. P. Lesson, Prod. Médusés [*auct. typ.*] 1837, 40; (Roret's Suite à Buffon), Acaléphes, 1843, 332.
- cerasinus** Acanthophis, T. Cocteau in Dict. pittoresque H. N. I. Oct. 1833, 15; N. Dict. class. H. N., ed. 2, I. Mar. 1844, 58.
- cerasina** Aphis, F. Walker, Ann. Mag. N. H. (2) VI. July 1850, 43.
- cerasinus** Brachysphoenus, T. Lacordaire, Mon. Erytyl., Sept. 1842, 400.
- cerasinus** Caligonus, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 16.
- cerasina** Cerastis, C. F. Freyer, Neuere Beitr. Schmett. IV (52) 1840, 38.
- cerasinus** Chiton, L. W. Dillwyn (*ex Chemn.*), Catal. Shells, 1817, 9.
- cerasinus** Lamprosoma, M. Perty, Del. anim. artic. Brasil. (2) 1832, 105.
- cerasina** Segetia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 87. [[*n. n.*].]
- cerasina** Tonicia, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 67
- cerasogaster** Psammophis, T. Cantor, Proc. Zool. Soc. London, VII (75) July, 1839, 52.

- cerasogaster** Tropidonotus, T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 939.—Psam-mophis, 1839.
- cerasorum** Balaninus, Fab.; Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- cerasorum** Balaninus (Payk.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 295.—Curculio, F. 1775. [Deutschl. 1831, 257.]
- cerasorum** Coccothraustes, C. L. Brehm, Isis, 1828, 1276 [*n. n.*]; Handb. Nat. Vögel
- cerasorum** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 488.—Curculio, 1775.
- cerasorum** Tenthredo (Selandria), A. G. Dahlbom, Conspect. Tenthred. 1835, 11.
- cerasorum** Urophora, L. Dufour, Mém. Soc. R. Sci. Lille, 1845, 1846, 1846, 212.
- Cerasphorus** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 10.—Col.
- Ceraspis** Lepeletier & Serville, Ency. Méth. (Ins.) X. 1825, 370.—Col.
- Cerastes** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*].
- Cerastes** J. Huebner, 1816; *err.* Agassiz *pro* Cerastis, 1822, *q. v.*
- Cerastes** J. Wagler, Nat. Syst. Amphib. 1830, 178.—R.
- cerastes** Aspis (L.), L. J. Fitzinger, Neue Classif. Rept. 1826, 62.—Coluber, 1758.
- cerastes** Cerastes (L.), J. Wagler, Nat. Syst. Amph. 1830, 178.—Coluber, 1758.
- cerastes** Eryx (L.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 254.—Anguis, 1758.
- cerastes** Gonyechis (Latr.), L. Fitzinger, Syst. Rept. 1843, 28.—Vipera.
- cerastes** Piaurus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1839, 673.—Rhyn-
- cerastes** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 469. [chaenus.
- cerastes** Vipera (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 313.—Coluber, 1758.
- Cerastia** J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 79.—Lep.
- cerastii** Aphis, J. H. Kaltenbach, Entom. Zeitung, Stettin, VII (6) June 1846, 171.
- cerastii** Psylla (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1758.
- cerastii** Psylla, H. Loew, Entom. Zeitung, Stettin, VIII (11) Nov. 1847, 344.
- cerastinus** Acanthopsis, F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 289.
- Cerastis** F. Ochsenheimer, Schmett. Europa, IV. 1816, 84.—Lep.
- Cerastis** J. Huebner, Verz. bekannt. Schmett. [1822], 228.—Lep.
- Cerastoma** C. L. Koch, Uebers. Arachnidensyst. II. 1839, 29.—Ar.
- Cerastoma** Conrad; *teste* Wiegmann, Hermannsen *et* Agassiz *err. pro* Cerostoma, *q. v.*
- cerasulata** Phalaena Geometra, Bechstein & S., Vollst. Nat. schäd. Forstinsect. III.
- cerasum** Actinia, J. G. Dalyell, Rare Anim. Scotland, II. 1848, 219. [1805, 720.]
- cerasus** Cryptocrinites, L. v. Buch, Arch. f. Min. XV. 1840, 36.
- cerasus** Cryptocrinus, L. v. Buch, Monatsb. k. pr. Ak. Wiss. Berlin, 1840, 60.
- cerasum** Guinaria (Trosch.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 114.—
- cerasum** Linnaeus, F. H. Troschel, Arch. f. Naturg. III (1) 1837, 170. [Linnaeus.
- cerasus** Schizaster, L. Agassiz, Cat. Ect. Ech. 1840, 3.
- cerata** *v.* **ceratus**.
- Ceratacanthus** *err.* Waterhouse *pro* Ceratoc~~anus~~, *q. v.*
- Cerataspis** J. E. Gray, Spec. Zool. 1828, 7.—Cr.
- ceratentoma** Eolidia, A. G. Otto, Consp. anim. (1) 1821, 9.
- Cerathophya** Wiedemann, *v.* **Ceratophya**.
- Ceratii** H. Krøyer, Naturhist. Tidsskrift [2] I (6) 1845, 639.—Cr.
- Ceratidium** C. G. Ehrenberg, Infusionthier. 1838, 367.—Inf.
- Ceratina** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 381.—Hym.
- Ceratinia** J. Huebner, Verz. bekannt. Schmett. 1816, 10.—Lep.
- ceratinus** Bulimus (*ex* Benson MS), L. Reeve, Conch. Icon. V.—Bulimus, no. 569, Sept. [1849.]
- Ceratiocaris** F. McCoy, Ann. Mag. N. H. (2) IV. Dec. 1849, 412.—Cr.
- Ceratisolen** E. Forbes in Forbes & Hanley, Hist. Brit. Moll. I. 1848, 255.—L.
- Ceratistes** G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 35.—
- Ceratites** W. de Haan, Mon. Ammon. 1825, 39.—Ceph. [Col.
- Ceratites** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 34.—Col.
- Ceratites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceratitis, Guér.
- ceratites** Cyathophyllum, G. A. Goldfuss, Petref. German. I (1) 1826, 57.
- ceratites** Glypta, J. L. C. Gravenhorst, Ichneum, Europ. III. 1829, 18.
- ceratites** Pimpla, J. L. C. Gravenhorst, Schles. Ges. nat. Kultur, Beitr. Entom. 1829, 21.

- Ceratitis** W. S. MacLeay, Zool. Journ. IV (16) May 1829, 475.—Dipt.
- Ceratitis** Guérin, Rev. Zool. (Soc. Cuv.) 1843, 194.—Dipt.
- ceratitoides** Aganides (Buch.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 115.—Goniatites.
- ceratitoides** Ammonites, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (3) 1847, 239.
- ceratitoides** Goniatites, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1838, 33; Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 155.
- Ceratium** Albertini & S., Consp. Fung. Agro Nisk. 1805, 358.—Rh. [*teste* Waterh.].
- Ceratium** Thienemann, Lehrb. Zool. 1828, 218.—Lep. [*teste* Waterhouse].
- Ceratium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keratella, Bory.
- Ceratobasis** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May, 1848, 362.—Col.
- Ceratoblepharum** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug. 1837, 348.—A. [*typus* Alca arctica, L. ?].
- Ceratocampa** T. W. Harris in Hitchcock, Geol. Massach. 1835, 592.—Lep.
- Ceratocanthus** A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 93.—Hem.
- Ceratocarcinus** Adams & White, Proc. Zool. Soc. London, XV (172) May 25, 1847, 57; List Crust. Coll. B. M. 1847, 125.—Cr.
- Ceratocephala** J. A. Warder, Amer. J. Sci. XXXIV (2) July 1838, 377.—Cr.
- ceratocephalus** Cladomorphus, G. R. Gray, Syn. Phasmodae, 1835, 15.
- Ceratocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keratocera, Rob.
- Ceratocis** Mellié, 1848; *err.* Marschalli *pro* Ceracis, q. v. [739.—Hym.
- Ceratocolus** Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835,
- Ceratocolus** Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 179, 1841, 46.—Hym.
- Ceratocoris** A. White, Trans. Ent. Soc. London, III. 1842, 90.—Hem.
- Ceratoderus** J. O. Westwood, Proc. Linn. Soc. London (12) June 1841, 112.—Col.
- Ceratodes** L. Guilding, Zool. Journ. III (12) Ap. 1828, 537.—G.
- ceratodes** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 128.
- ceratodes** Mestyriles, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [n. n.].
- Ceratodirus** G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1845 (2) 1845, 340.—Col.
- Ceratododera** E. Blanchard, Hist. Insect. II. 1845, 40.—Col.
- Ceratodoris** J. E. Gray, Figs. Moll. Anim. IV. 1850, 103.—Nud. [129 (1838).—P.
- Ceratodus** J. L. R. Agassiz in Egerton, Catal. Foss. Fish, 1837 [n. n.]; Poiss. Foss. III
- Ceratogenia** *emend.* Ceragenia; J. Gistl, Nat. Thierr. 1848, 132.—Col.
- Ceratognathus** J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 260.—Col.
- Ceratognonyx** M. Perty, Del. anim. artic. Brasil. (1) 1830, 24.—Col.
- Ceratoides** Catlow, Conch. Nom. 1845, 193 [=Ceratodes, Guild.].
- Ceratolena** C. Ranzani, Opusc. Sci. I. 1817, 201; *teste* Agassiz, *sed* *fam. non* *gen.*—Cirr.
- Ceratomia** T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 293.—Lep.
- ceratomorpha** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 80.
- Ceratomus** Dalman, K. Sv. Vet. Ac. Handl. XLIII. 1822, 405.—Hym. [Cratomus, 1820].
- Ceratonina** O. G. Costa, Corresp. Zool. I. 1839, 33.—? M.
- ceratoninae** Myeloides, P. C. Zeller, Isis (Oken), 1839, 176. [320.—Phycis.
- ceratoniella** Ephestia (Fisch.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845,
- ceratoniella** Phycis, F. J. Schmidt in J. E. Fischer v. R., Abbild. Schmett. (12) 1839, 147.
- Cerotopacha** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 389.—Lep.
- Ceratopachys** J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 22.—Hem.
- ceratophaga** Bakevella (Schl.), W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 10. —Mytulites. [Petref. 1820, 297.
- ceratophagus** Mytulites, E. F. v. Schlotheim, Taschenb. Min. 1815, 291 [n. n.]; Die
- ceratophillon** Capsus, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 72.
- Ceratophyllus** O. Heer, Coleopt. Helvet. (3) 1841, 500 [*v.* Ceratophyllus].
- Ceratophora** J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 68).—R.
- Ceratophorus** W. E. Shuckard, Foss. Hym. 1837, 198.—Hym.
- Ceratophorus** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Ceratophorus** K. M. Diesing, Sitz. k. Ak. Wiss. (Wien) I. 1848, 574.—Inf. [*gen. caelebs*].
- Ceratophrys** Max Wied, Isis (Oken), 1824, 673; Beitr. Naturges. Brasil. I. 1825, 569.—R.
- Ceratophthalma** W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 64.—Cr.

- ceratophthalmus** Phacops, Goldfuss, N. Jahrb. f. Min. 1843, 564.
Ceratophya C. R. W. Wiedemann, Anal. Entom. 1824, 14.—Dipt.
ceratophylli Linnaeus, F. v. P. Schrank, F. Boica, III (2) 1803, 311.
Ceratophyllum A. Eaton, Amer. Journ. Sci. XXI. 1832.—Cor. [*teste* Agass., *non comp.*].
Ceratophyllus *err. pro* Ceratopsyllus; J. Curtis, Guide Brit. Ins. (7) 1831, 201; Brit. Entom. IX (104) Aug. 1832, no. 417.
ceratophyllus Haplopus, H. Burmeister, Handb. Ent. II (2) i, 1838, 577.
Ceratophyta J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 488.—Dipt.
Ceratophytes E. F. v. Schlotheim, Denkschr. k. Ak. Wiss. München, VI (Math. Phys.) 1816, 27.—Coel.
Ceratophytum *emend. pro* Cerophytum, Latr.; Leach in G. Samouelle, Entom. Compend., June 1819, 161.
Ceratophytum J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 10 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Nov. 1830, 246.—Col.
Ceratophytum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keratophyton, Ellis, 1756.
Ceratophyus G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 143.—Col.
Ceratopogon J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 261.—Dipt.
Ceratops C. S. Rafinesque, Analyse, 1815, 66.—A. [*n. n.*] [*errata in Index.*]
Ceratopsyllus *emend. pro* Ceratophyllus; J. Curtis, Brit. Entom. XV (180) Dec. 1838,
Ceratoptera Müller & Henle, Ber. Verh. k. pr. Ak. Wiss. 1837, 118.—P.
Ceratopus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 120.—Col.
Ceratopyge Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 161.—Cr.
Ceratorrhina J. O. Westwood, Arcana Entom. (11) Jan. 1843, 170.—Col.
Ceratorrhina L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceratorrhina, Bonap.
Ceratorhyncha L. Bonaparte, List Birds Eur. Amer. 1838, 66.—A.
Ceratorhynchus L. Agassiz in Spix, Pisc. Brasil. 1829, 10.—P.
Ceratorhynchus J. J. Audubon, Birds of Amer. pl. 402 [? 1838].—*emend. pro* Cerorhinca, Bonap. [C—ornix].
Ceratornis J. Cabanis in Ersch & Gruber, Allg. Ency. (3) XXII. 1846, 150.—A. [*v.*]
Ceratornix J. Cabanis in Ersch & Gruber, Allg. Ency. (3) XXII. 1846, 144.—A. [*as* Ceratornis on p. 150.]
Ceratorrhina C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 61.—A.
Ceratosoma Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 67.—Nud.
Ceratospyris C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab. p. 385.—P.
Cerastoma *emend. pro* Cerastoma, Conrad; A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846, 206.
Ceratotrochus Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848, 248.—Cor.
Ceratupis M. Perty, Del. anim. artic. Brasil. (1) 1830, 57.—Col.
Ceraturgus C. R. W. Wiedemann, Anal. Entom. 1824, 12.—Dipt.
Ceraturus H. G. Bronn, Index Pal. 1848, 260 [*? emend. pro* Ceraurus].
cerata Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 15.
cerata Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 847.
cerata Murex, W. Wood, Suppl. Index Test. 1828, 15 [*n. et f.*].
cerata Ometis, P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 554.
cerata Turbinella, W. Wood, Suppl. Index Test. 1828, 57.—Murex, 1828.
ceraunus Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 142.
ceraunus Polymmatas (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 681.—Hes-
Ceraurus J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.—Cr. [*peria*, 1793.
cerberi Monodonta, Al. Brongniart, Mém. terr. Vicentin, 1823, 53.
cerberi Trochus (Brong.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 568.—Monodonta.
Cerberodon M. Perty, Del. anim. artic. Brasil. (2) 1832, 119.—Orth.
Cerberus G. Cuvier, R. Anim., ed. 2, II. 1829, 81.—R.
cerbera Amata (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 289.—Zygaena, 1775.
cerberus Bombylius, W. Turton, Linnaeus, Syst. Nat. III. 1802, 684.
cerberus Cerberus (Daud.), G. Cuvier, R. Anim., ed. 2, II. 1829, 81.—Coluber.

- cerbera** Coenochromia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Sphinx,
cerberus Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 167. [Pall. 1772.
cerberus Conoparia (Barr.), Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 82.—Cy-
cerberus Cyphaspis, J. Barrande, Not. prélim. Silur. 1846, 77. [phaspis.
cerberus Exoprosopa (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 316.—
 Anthrax, 1794.
cerberus Homalopsis (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 55.—Coluber.
cerbera Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 312.
cerberus Pythonides, J. Huebner, Verz. bekannt. Schmett. [1820], 111. [[*n. et f.*].
cerbera Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 23 (Fernaldo judice 1802-08)
cerbera Syntomis (L.), F. Ochsenheimer, Schmett. Europa, II. 1808, 112.—Sphinx, 1764.
cerberus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 149.
Cerbus C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 7.—Hem.
Cercaërtus H. Burmeister, Handb. Naturg. 1837, 814.—M.
Cercaetus H. Burmeister, 1837; *v.* Cercaërtus.
cercaphrus Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 191.
cercarioides Cyclidium, Bory de St V., Ency. Méth. (Zool.) 1824, 234.
cercarioides Plagiotricha, Bory de St V., Ency. Méth. (Zool.) 1827, 623.
cercarioides Rutilus, Bory de St V., Ency. Méth. (Zool.) 1827, 667.
Cercartetus C. W. L. Gloger, Gemeinnütz. Naturges. (I) 1841, 85.—M.
Cercaspis J. Wagler, Nat. Syst. Amph. 1830, 191.—R.
Cerceis C. S. Rufesque, Analyse, 1815, 135.—Verm. [*n. n.*].
Cerceis H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 220.—Cr.
Cerceis J. Gistel, Nat. Thierr. 1848, 172.—L.
cerceis Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 747.
cerceleti Nucleolites, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 155.
Cerceris P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 367.—Hym.
Cerchanotus W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 257.—Col.
Cerchne F. O. Morris, The Naturalist, II (9) June 1837, 123.—A.
Cerchneis F. Boie, Isis (Oken), 1826 [976]=970.—A.
Cerchnotus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cerchonotus, Erichs.
Cerchonotus *err.* Agassiz *pro* Cerchanotus, Erichs.
Cerchysius J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., I (2) Aug. 1832, 127.
Cercibis J. G. Wagler, Isis (Oken), 1832, 1232.—A. [—Hym.
cercides Pteromalus, F. Walker, Proc. Linn. Soc. London (27) Nov. 1845, 262.
Cercidocerus Guérin in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 850.—Col. [*non*
Cercis J. Gistel, Nat. Thierr. 1848, 117.—Col. [1832 *apud* Agassiz].
Cercis J. Gistel, Handb. Naturges. 1850 [1847], 382.—Col.
cercius Closterocerus, F. Walker, Ann. Mag. N. H. XI. Jan. 1843, 31.
cercius Entedon, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 62.—Closterocerus,
cercio Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 349. [1843.
Cercobelus F. Walker, Entomologist, 1842, p. vi, expl. to pl. N.—Hym.
Cercocebus E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 97.—M.
Cercolabes J. F. Brandt, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 = Sci. Nat. I) (4) Jan.
cercopleptes C. Illiger, Prod. 1811, 127.—M. [1835, 391.—M.
Cercomonas F. Dujardin, C. R. Ac. Sci. (Paris) XI. 1840, 285.—Inf.
Cercomya J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 143.—L.
Cercomys F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (60) Sept.
 1829, Cercomys du Brésil, p. 1.—M.
Cerconectes J. G. Wagler, Isis (Oken), 1832, 282.—A.
Cercopeus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 154.—Col.
Cercophis L. Fitzinger, Syst. Rept. 1843, 26.—R.
cercopidis Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 78.
cercopithecii Spermatogonius, J. Gistel, Nat. Thierr. 1848, 188.
cercopithecii cynomolgi Cysticercus, F. S. Leuckart, Zool. Bruchst. III. 1842, 3.
Cercops H. Krøyer, Naturhist. Tidsskrift, IV (6) 1843, 496.—Cr.
Cercopenus C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 85.—M.
Cercoptera M. Spinola, Magasin de Zool. (2) I. 1839, pl. 12.—Col.

- Cercopteropus** G. T. Burnett, Q. Journ. Sci. (R. Inst. Gt Brit.), June 1829, 269.—M.
- Cercoptochus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 41.—M.
- Cercoronus** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 335.—A.
- Cercosaura** J. Wagler, Nat. Syst. Amph. 1830, 158.—R.
- Cercosaurus** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 60.—R.
- Cercosoma** V. Brera, Mem. fis.-med. Vermi umano, 1811, 106. [This word is used as "Spec. 3, Cercosoma; species nova"].
- Cercosoma** S. d. Chiaje (*ex* Brera), Comp. Elmint. umana, 1825, 37.—Verm.
- Cercotmetus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 441.—Hem.
- Cercotricha** *emend. pro* Trichocerca, Bory; H. G. L. Reichenbach, Zoologie, II. 1836, 186.
- Cercotrichas** F. Boie, Isis (Oken), 1831, 542.—A.
- Cercotrichas** Cabanis, 1850; *non* Arcotrichias, *err.* Sherborni, p. 431.
- cercurus** Gyrimus, J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1842], 564.
- Cercyon** W. E. Leach, Zool. Miscell. III. 1817, 95.—Col.
- Cerdistus** H. Loew, Linnaea Entom. IV. Dec. 1849, 74.—Dipt.
- Cerdo** J. Gistel, Nat. Thierry. 1848, p. viii.—P.
- zerda** Canis, *id. ac* cerdo, L.; G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 332.
- cerdo** Fennecus (L.), J. G. Children in Denham & Clapperton, Narr. Trav. Africa, 1826, App. 184.—Canis, Gm. 1788.
- zerda** Fennecus (Gm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 39.—Canis, 1788.
- cerdo** Hamaticherus (Fab.), Dejean, Catal. Coléopt. 1821, 105.—Cerambyx, L. 1758.
- cerda** Megalotis (Gm.), C. Illiger, Prod. 1811, 131.—Canis, 1788.
- cerdo** Monocrepidius, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 137.
- cerdo** Ochlerus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 609.
- cerdo** Ocypus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 417.
- Cerdocyon** C. H. Smith, Dogs (Nat. Libr. XXV.) Dec. 1839, 259.—M.
- cerea** *v.* **cereus**. [(Noct.) 1843], 444.—Alucita, 1789.
- cerealella** Butalis (Ol.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
- cerealella** Oecophora (Ol.), Lamarck, An. s. vert. III. 1816, 546.—Alucita, 1789.
- Cereales** Féruccac, H. N. gén. et partic. Moll., Tab. Syst. Limaçons, 1819, 64.—G. [*teste* Herm. *sed fam. non gen.*].
- cerealis** Achatinella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 201.
- cerealis** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 16. [Clythra.
- cerealis** Barathroea (Ol.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 165.—
- cereale** Buccinum, Menke in C. F. F. Krauss, Südafrik. Moll. 1848, 122.
- cerealis** Clytra, A. G. Olivier, Entom. VI. 1808, 844.
- cerealis** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 232.
- cerealis** Galleria (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 369.—Phalaena, 1767.
- cerealis** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 460.
- cerialis** Ochlia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 357.—Phalaena, 1782.
- cerealiun** Perilitus, A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 37.
- cerealiun** Thrips (Limothrips), A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 445.
- cereana** Pupa, Megerle in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa (42) ? 1843, 47.
- cerebralis** Coenurus (Bat.), C. A. Rudolphi, Entoz. II (2) 1810, 243.—Hydatula, 1786.
- cerebralis** Hydatia (Gm.), Lamarck, Syst. Anim. 1801, 335.—Taenia, 1790.
- cerebralis** Polycephalus, T. Laennec, Mém. Vers. vésic. 1805, 81.
- Cerebratulus** S. A. Renier, Tavole [1804] xxi.—Verm. [(1835), 625.
- cerebriforme** Aplidium, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III
- cerebriformis** Apsendesia (Bl.), H. G. Bronn, Index Pal. 1848, 88.—Apsedesia.
- cerebriformis** Apsedesia, de Blainville, Dict. Sci. Nat. LX. 1830, 373 [*n. n.*].
- cerebriformis** Chirocampta (Less.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 189.—Dianea. [(1835), 625.
- cerebriformis** Dianea, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
- cerebriformis** Dilorla (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 493.—Meandrina.
- cerebriformis** Meandrina, Lamarck, An. s. vert. II. 1816, 246. [Wiss. 1832 (1834), 324.
- cerebriformis** Meandrina (Platygyra), Lam.; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak.

- cerebriformis** Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph. c. Mar. 1848, 182.
- cerebriformis** Patera, R. P. Lesson, Prod. Méduses [*aut. typ.*] 1837, 35; (Roret's Suite à Buffon), Acalèphes, 1843, 322.—Dianeia, 1838.
- cerebrites** Alcyonium, Brocchi, Bibl. Ital. XIV. 1819, 51.
- cerebrum** Meandrina (Sol.), G. Fischer, Mus. Démid. III. 1807, 297.—Madrepora, 1786.
- Cerebus** W. Swainson, N. H. Fishes etc. II. July 1839, 346 & 366.—R. [*err. pro Cer-*]
Cerechetus Rees' Cyclop. VIII (1) 1807, sign. 3 B.—Dipt. [berus, Cuv.].
- cerella** Galleria (Huebner), Zincken, Mag. Entom. (German) IV. 1821, 234.—Tinea cereana, L., Fab. 1775.
- cerella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 361.
- cereoides** Cellaria, J. V. F. Lamouroux, Hist. Polyp. 1816, 127.
- ceroides** Cereola (Lam.), G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 23.—Cellaria.
- cereoides** Margaretta (Ellis), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 293.—
- Cereola** G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 23.—Polyz. [Cellaria, 1786.
- cereola** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 24 (Fernaldo judice 1802) [*n. et f.*].
- cereola** Bombyx, J. Huebner, Europ. Schmett. (Ziefer), 126 [me judice 1806].
- cereolus** Helix, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 11.
- cereolus** Serpula, DeFrance, Dict. Sci. Nat. XLVIII. 1827, 570.
- cereola** Systropha, J. Huebner, Verz. bekannt. Schmett. [1822], 166.
- Cereopsis** J. Latham, Index Orn., Suppl. 1801, p. lxxvii.—A.
- Cereopsis** Dupont in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 370.—Col. [*n. n.*].
- Cerephrasia** Sw. 1840; *teste* Scudder *sed non comp.*, v. Ceriphrasia.
- cereris** Chlorops (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 150.—
- cereris** Oscinis, C. F. Fallen, Oscinides Sveciae, 1820, 5. [Oscinis.
- ceres** Euphaedra (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 39.—Papilio, 1775.
- ceres** Heliconia (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 55.—Papilio, 1776. [106.—Papilio, 1776.
- ceres** Lycorea (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
- ceres** Romaleosoma (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1), 1844, 100.—
Papilio, 1775. [bratula.
- ceres** Spirigera (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 43.—Tere-
- ceres** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 395.
- Ceresa** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1848, 539.—Hem.
- Ceresium** E. Newman, Entomologist (20) June, 1842, 322.—Col.
- Cereus** L. Oken, Lehrb. Nat. III (1) 1815, 349.—Coel.
- cereus** Actinia (Entacmaea), Ellis; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 259.
- cereus** Anemonia (E. & S.), N. Contarini, Tratt. della Attinie, 1844, 169.—Actinia, 1786.
- cereus** Anthea (E. & S.), G. Johnston, Hist. Brit. Zooph. 1838, 221.—Actinia, 1786.
- cerea** Baetis, F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i. e.* Dec. 1844], 183.
- cereus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 501, July 1849.
- cereus** Charis (L.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 16.—Papilio, 1766.
- cerea** Clausilia, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 30.
- cerea** Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 51.
- cerea** Edessa, E. F. Germar, Revue Entom. V (3) 1840, 161.
- cereus** Emphytus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- cerea** Galleria, A. H. Haworth, Lepidopt. Brit. (3) 1811, 392.—Phal. cereana, L. 1767.
- cerea** Glaucanome, L. Reeve, Conch. Icon. II.—Glaucanome, no. 8, Ap. 1844.
- cerea** Helix, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 194.
- cereus** Hister, Dejean, Catal. Coléopt. 1821, 48 [*n. n.*].
- cereus** Jassus, E. F. Germar, Fauna Ins. Europ. (17) [1831-35], 14.
- cereus** Limax, F. Held, Landmoll. Bayerns (Jahresb. Landwirths. Gewerbe Schule München, 1848-9), 1848, 15 [*teste* B. B. W.].
- cerea** Muricea (Esp.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 359.—Gorgonia, 1796.
- cereus** Onthophagus, F. W. Hope, Ann. Mag. Nat. Hist. [2] I (2) Feb. 1848, 143.
- cereus** Panagaeus, W. S. Macleay, Annulosa Javanica, 1825, 12.

- cerea** Patella, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 89.
cerea Patella, H. P. C. Möller, Index Moll. Groenl. 1842, 16.
cereus Phorus, L. Reeve, Conch. Icon.—Phorus, no. 9, Mar. 1845.
cerea Platacantha, Herrich-S., Wanzenart. Ins. VII (6) Nov. 1844, 124.
cerea Polystichtis (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 18.—Papilio, i766.
cerea Pupa, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 177.
cerea Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 289.
cerea Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 70.
cerea Turretella, L. Reeve, Conch. Icon. V.—Turretella, no. 25, May 1849.
cerea Venus, D. Solander, Catal. Portland Mus. 1786, 4 [n. n.].
cerevisiae Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 90.
ceriaeformis Conopilla (Meg.), C. Rondani, Magasin de Zool. (2) VII. 1845, text to pl. 153, 9.—Conops. [132.
ceriaeformis Conops, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
ceriaeformis Sesia, H. Lucas, Explor. Algér. (Artic. III.) 1849, 369.
cerialis v. *cerealis*.
Ceriana *emend. pro* Ceria, Fab.; C. S. Rafinesque, Analyse, 1815, 131.—Dipt.
Cerianthus S. Della Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 82;
 Descr. An. invert. Sicilia, IV. 1841, 124.—Coel.
Cerichthys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cerictius, Raf.
Cerictius C. S. Rafinesque, Caratt. n. gen. 1810, 78; Analyse, 1815, 93.—P.
cerify Thais, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 812.
Cerigo J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 106.—Lep.
cerinoguttatus Agrilus, L. A. A. Chevrolat, Coléopt. Mex. (6) June 1835, no. 142.
cerino-nigra Muraena, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 314.
cerinops Anomalon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 658.
cerinops Therion (Grav.), J. Curtis, Brit. Entom. XVI (184) Ap. 1839, no. 736.—Ano-
cerinopus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 18. [malon.
cerinostomus Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 61.
cerinostomus Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 714.
Cerinthia C. S. Rafinesque, Analyse, 1815.—P. [teste Agass. *sed non comp.*].
cerinthe Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 140.—Cimex, 1787.
cerinthe Trigonosoma (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 57.—
cerinthia Acontia, F. Treitschke, Schmett. Europa, V (3) 1826, 240. [Cimex, 1787.
cerinthus Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 303.
cerinum Agrion, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 279.
cerinus Conus, L. Reeve, Conch. Icon.—Conus, no. 283, Ap. 1848.
cerinus Eupodes, C. L. Koch, Deutsch. Crust., heft 19, 1838, tab. 24.
cerinus Gamusus, C. L. Koch, Deutsch. Crust., heft 24, 1839, tab. 21.
cerina Gouldia, C. B. Adams, Catal. gen. sp. Shells Coll. Adams, 1847, 29.—Thetis,
cerinus Ophonus, Stev.; J. Sturm, Catal. Ins. Samml. 1826, 179. [1845.
cerina Psammobia, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 10.
cerinus Scyphius, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 1.
cerinus Solen, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 118.
cerina Thetis, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 9.
cerinus Thomisus, C. L. Koch, Die Arachniden, XII (3) 1845, 60.
cerinus Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 95. [typho].
Cericlepta W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 93.—Lep. [sine
Cericrocrinus C. D. E. König, Icones foss. 1825, pl. 10 [n. et f.].—Crin.
Ceriodocrinus L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I, 1836, 195.—Crin.
Ceriodaphnia Dana, 1847; teste Waterhouse, 1852 est.
Cerioides C. Rondani, Ann. Soc. Ent. France (2) VIII. June 1850, 211.—Dipt.
Ceriolina A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 307.—Cor.
Ceripora G. A. Goldfuss, Petref. German. I (1) 1826, 32.—Polyz.
cerioporacea Delopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850,
 246.—Eschara, 1840.
cerioporacea Eschara, F. v. Hagenow, N. Jahrb. f. Min. 1840, 643.
Ceriornis W. Swainson, N. H. Classif. Birds, II. June 1837, 341.—A.

- Ceriphasia** W. Swainson, Treat. Malacol., May 1840, 204 & 342.—G.
- Ceriphrasia** W. Swainson, Treat. Malacol., May 1840, 409.—G.
- Ceris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keris, C. & V.
- cerisanus** Calliptamus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 695.
- cerisyi** Cicada, F. E. Guérin-M., Iconographie, 1844, Ins. 356.
- cerisy** Eremiaphila, A. Lefebvre, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 484.
- cerisyi** Gryllus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 342.
- ceresyi** Hydroporus, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1836-38, 260.
- cerisyi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 181 [*i.e.* 180] (Fernaldo judice 1823-33) [*n. et f.*]. [41] [*n. et f.*].
- cerisyi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 204 (Fernaldo judice 1834-).
- cerisyi** Procrustes, Dejean, Spec. gén. Coléopt. II. 1826, 30.
- cerisyi** Smerinthus, W. Kisby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 301.
- cerisyi** Sperchaeus, F. E. Guérin-M., Iconographie, 1844, Ins. 71.
- cerisii** Squilla, P. Roux, Crust. Medit. (1) 1828, pl. v. [1 (1838), 40.
- cerisii** Squilla, *id. ac* crisii, Roux; Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2)
- cerisyi** Thais, J. Huebner, Exot. Schmett. II. Tab. [119] [*n. et f.*]. [Huebner.]
- cerisyi** Zerynthia (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 82.—Thais,
- Ceritella** J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 418.—G.
- Cerites** Delaméthérie, Journ. de Phys. LXV. 1807, 411.—G.
- Cerithia** ?*err. pro* Certhia, G. Perry, Arcana, 1810, 21.—A.
- Cerithidea** W. Swainson, Treat. Malacol., May 1840, 203 & 342.—G.
- Cerithidia** Sw. 1840; *teste* Scudder, *sed non comp.*
- cerithium** Buccinum (Terebra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 350.
- cerithina** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 73.
- cerithina** Risso, R. A. Philippi, Zeitschr. f. Malakozool. (Mar.) [July] 1849, 33.
- cerithina** Terebra, Lamarck, An. s. vert. VII. 1822, 288.
- cerithioides** Melania, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253. [165.
- cerithioides** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842,
- Cerithiopsis** Forbes & Hanley, Hist. Brit. Moll. III. 1851, 364.—G.
- Cerithites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 409.—G.
- cerithius** Turbinites, E. F. v. Schlotheim, Die Petref. 1820, 167. [139.
- cerithium** Turritella, Quoy & Gaimard in d'Urville, Voy. "Astrrolabe," Zool. III (1834),
- Ceritium** C. Prévost, Journ. de Phys. XCII. 1821, 427 [= Cerithium].
- Ceritius** C. S. Rafinesque-S., Car. n. gen. 1810, 12.—P.
- Cerium** = Cerion, Bolten, 1798; H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 131.—G.
- cerium** Astraea, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 245.
- cerium** Goniastrea (Dana), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 163.—Astraea.
- Cerma** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14.—Lep.
- Cerma** J. Huebner, Verz. bekannt. Schmett. [1822], 207.—Lep.
- Cermatia** Illiger in Rossi, Fauna Etrusca, ed. 2, II. 1807, 298.—Myr. [*in syn.*].
- Cermatia** W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 430.—Myr.
- Cerna** C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 58.—P. [Agass. dict. Icon. F. Ital. 1834, *sed vernac.*]
- cernica** Tornatellina, W. H. Benson, Ann. Mag. N. H. (2) VI. Oct. 1850, 254.
- Cernina** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
- cernium** Polyprion, A. Valenciennes, Mém. Mus. H. N. (Paris) XI [4] Jan. 1825, 265.
- Cerno** Agassiz, Nomen. Zool., Pisces, 14.—*err. pro* Cerna, Bonaparte, *q. v.*
- Cernua** J. Fleming, Hist. Brit. Anim. 1828, 212.—P.
- Cernua** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cerna, Bonap.
- Cernua** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cerno, Bonap.
- cernuae** Cucullanus, Nordmann in Lamarck, H. N. An. s. vert., ed. 2, III. 1840, 652.
- cernuae** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 376.
- Cernuella** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 6.—G.
- cernus** Holocentrus (L.), C. S. Rafinesque-S., Ind. itt. Sic. 1810, 17.—Perca cernua, 1758.

- cernus** Miscogaster, F. Walker, Mon. Chalcid. II. 1839, 22. [1839.]
- cernus** Seladerma, F. Walker, List Hymenopt. Coll. B. M. (1), 1846, 33.—Miscogaster,
- cernua** Acerina (L.), G. Cuvier, R. Anim. II. 1817, 283.—Perca, 1758. [? Goldf.]
- cernua** Acrosmilina (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—Turbinolia,
- cernuus** Capulus (Gm.), G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 128.—Patella, 1790.
- cernua** Gymnocephalus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 345.—Perca, 1758.
- cernuus** Megacronus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Tachinus.
- cernuus** Strongylus, F. C. H. Creplin, N. Obs. de Entozois, 1829, 9.
- cernuus** Tachinus, Knoch in J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 31.
- cernua** Trochosmilina (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 242.—Turbinolia.
- cernua** Turbinolia, G. A. Goldfuss, Petref. German. I (1) 1826, 53.
- Cerobalana** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kerobalana, Bory.
- Cerobates** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 487.—Col.
- Cerocala** Boisdual, Europ. Lepid. Index, 1829 [1828], 100.—Lep.
- Cerocampa** J. A. Boisdual, Suite à Buffon (Lep.) I. 1836, 42.—Lep.
- Cerocatus** C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 99.—Dipt.
- Cerocephala** J. O. Westwood, Magasin de Zool. II. 1832, pl. 4.—Hym.
- Cerochetus** A. M. C. Duméril, Zool. Anal. 1806, 282.—Dipt.
- Ceroclastis** P. C. Zeller, Linnaea Entom. III. Ap. 1848, 295.—Lep.
- Cerocatus** C. S. Rafinesque, Analyse, 1815, 114.—Col. [*n. n.*].
- Ceroctenus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 319.—Col. [*n. n.*]. [196.—Col.]
- Ceroctenus** J. G. Audinet-S. (*ex* Dej. Cat.), Ann. Soc. Ent. France, I (2) c. July 1832,
- ceroderes** Cratoparis, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 352.
- Cerodon** P. L. Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313.—*emend. pro* Keronodon, Cuv.
- Cerogenia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceragenia, Serv.
- Ceroglossus** A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.—Col.
- ceroides** *vs.* **cereoides**. [Dipt.]
- Ceromya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 86.—
- Ceromya** J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 25.—L.
- Cerona** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kerona, Müll. 1786.
- Cerona** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceranota, Steph.
- ceronus** Papilio Plebius, E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. 1793, 50.
- ceronus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 61 (Fernaldo judice 1799) [*n. et f.*]. [23.—Papilio, 1793.]
- ceronus** Polyommatus (Esp.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (1) 1829,
- Ceropacha** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Lep.
- Ceropachys** A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 150.—Col.
- ceropasades** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 214.
- ceropegia** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 199.
- ceropegia** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 60.—Aranea, 1802.
- ceropegia** Miranda (Walck.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 4.—Epeira.
- cerophagus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 470.
- Cerophas** C. S. Rafinesque, Précis Som. 1814, 26; Analyse, 1815, 100.—Cr. [*n. n.*].
- Cerophasia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceriphasia, Swains.
- Cerophora** A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 151.—Nud.
- Cerophora** A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 18.—Nud. [*gen. caelebs*].
- Cerophorus** H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 74.—M.
- Cerophorus** F. L. de Laporte, H. N. An. artic. (Col.) II. 1840, 10.—Col. [*sine typo*].
- Cerophthalmus** C. S. Rafinesque, Analyse, 1815, 97.—Cr. [*n. n.*].
- Cerophysa** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 379.—Col.
- Cerophyta** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 190.—Col.
- Cerophytum** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 375.—Col.
- Ceropia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keropia, Gray.
- Ceroplastes** J. E. Gray, Spec. Zool. 1828, 7.—Hem.
- Ceroplata** J. W. Meigen, Syst. Besch. Zweifl. Ins. I. 1818, 241 [= Ceroplatys, Bosc, 1798].

- Ceroplateus** Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 451 [=Ceroplatys, Bosc, 1798].
- Ceroplatys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Keroplatys, Bosc.
- Ceroplesis** Serville, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 93.—Col. [1792].
- Ceropogon** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 328.—Col.
- Ceropria** Laporte & Brullé, Ann. Sci. Nat. XXIII (91) July 1831, 332.—Col.
- Ceropsina** C. S. Rafinesque, Analyse, 1815, 129.—Lep. [*n. n.*].
- Ceropsis** Gay & Solier, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 19.—Col. [*typi* Eublepharus schoenherri *et* germari].
- Ceroptera** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 564.—Dipt.
- Ceroptres** T. Hartig, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1840, 197.—Hym.
- Ceropus** ? *err. pro* Cerapus, 1827; A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 569 & 275.
- Cerorhina** C. L. Bonaparte, Arch. f. Nat. 1838 (2) 367.—A. = Cerorhyncha.
- Cerorhinca** C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan. 1828, 427.—A.
- Cerorhinca** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 61.—A. [*err. pro* Ceratorrhina].
- Cerorhyncha** C. L. Bonaparte, Comp. List Birds, 1838, 66.—A.
- cerorhyncha** Phaleris, C. L. Bonaparte, Zool. Journ. III (9) Jan. 1827, 53.
- Cerostena** A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 325.—Col.
- Cerosterna** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 341.—Col. [*sine typo*].
- Cerosterna** L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 552.—Col.
- Cerostoma** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 416.—Lep.
- Cerostoma** T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 263.—L.
- Cerotoma** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 379.—Col. [*sine*].
- Cerotoma** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 190.—Col. [*typo*].
- Cerotopacha** (*sic*) Steph., *v. sub* Ceratopacha.
- Cerous** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceroyis, Serv.
- Ceroxys** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 437.—Dipt.
- Ceroys** Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 264.—Orth.
- Cerozodia** J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (34) Ap. 1835, 281.—
- cerpheres** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 255. [Dipt.]
- cerretanus** Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 328. [*n. et f.*].
- cerri** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 175 (Fernaldo judice 1823–33)
- cerriifoliae** Cedicomia, C. Passerini, Cont. Atti Acc. Georgofili, XXVII. 1849, 70.
- cerriis** Lasioptera, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 347.
- Cerrorhinca** *err. pro* Cerorhyncha, Bon. ; L. Agassiz, Nomen. Zool. Index Univ. 1846, 74.
- Certallum** *err. pro* Cartallum, Dejean (*ex* Meg. MS), Catal. Coléopt. 1821, 111.—Col.
- certaria** Triphosa, E. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 18.
- certator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 266.
- certata** Acidalia (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 72.—Geometra.
- certata** Amathia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 495.—Geometra. [*n. et f.*].
- certata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 109 (Fernaldo judice 1834)
- certata** Larentia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 365.—Geometra.
- certata** Plerocymia, J. Huebner, Verz. bekannt. Schmett. 1826, 330.—Geometra cervinata.
- certata** Triphosa (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 209.—Geometra.
- certata** Umbrosina (Huebner), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II. Tom. 2 (5 & 6) 1846, 105.—Geometra.
- certella** Blastotere, P. C. Zeller, Linnaea Entom. II. July 1847, 289.
- certhia** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 196.
- certhia** Saturnia (Fab.), G. R. Gray, Lepid. Nepal, 1846, 15.—Bombyx, 1793.
- certhiaria** Motacilla, P. S. Pallas, Reise Russ. Reichs. III. 1776, 229 [*n. n.*].
- Certhiaxis** R. P. Lesson, Compl. de Buffon (éd. Lévêque) XX. Ap. 1847, 287.—A. [*teste*].
- Certhidea** J. Gould, Proc. Zool. Soc. London, V (49) Oct. 1837, 7.—A. [C. W. R.].
- Certhilauda** W. Swainson, Zool. Journ. III (11) Dec. 1827, 344.—A.
- certhioides** Anabates, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VIII. 1838, 15.

- Certhiola** C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 99.—A.
- certhiola** Calamodyta (Pall.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—Motacilla.
- certhiola** Calamoherpe (Pall.), F. Boie, Isis (Oken), 1822, 552.—Motacilla.
- certhiola** Curruca (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 212.—Sylvia.
- certhiola** Locustella (Pall.), J. Gould, Birds of Europe, II. 1837, pl. 105.—Motacilla.
- certhiola** Motacilla, P. S. Pallas, Zoographia, I. 1811, 509.
- certhiola** Sylvia, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 186.
- certhiola** Turdus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 15.
- Certhionyx** R. P. Lesson, Traité Ornith. (4) Sept. 1830, 306.—A.
- Certhiopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Certhiparus*, Lafr.
- Certhiparus** de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 69.—A.
- Certhiparus** B. H. Hodgson, J. Asiatic Soc. Bengal, XIII. 1844 (1845), 939.—A.
- certhis** Aphnaeus, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 26 [*n. n.*].
- certima** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 873.
- certus** Aenictus, J. O. Westwood, Arcana Entom. (5) Jan. 1842, 79.
- certus** Anurophorus, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 386.
- certa** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxii.
- Ceruchus** W. S. Macleay, Horae Entom. I (1) 1819, 115.—Col.
- Cerura** F. v. P. Schrank, F. Boica, II (2) 1802, 155.—Lep.
- Cerurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Ceraurus*, Green.
- [**cerussanus -a -um.**]
- cerusana** Acleris (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 163.—Tortrix, 1796.
- cerusana** Aphania, J. Huebner, Verz. bekannt. Schmett. 1826, 386.—Tortrix, 1796.
- cerusana** Glyphiptera, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6), 1836, 532.
- cerusana** Leptogramma (Hueb.), J. Curtis, Guide Brit. Ins. (6) 1831, 173.—Paramesia.
- cerusana** Paramesia (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix, 1796.
- cerusana** Sciaphila (Hueb.), F. Treitschke, Schmett. Europa, VIII. 1830, 182.—Tortrix,
- cerussatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 537 [*err. pro 536*] Aug. 1849.
- cerussata** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- cerussatum** Elaphidion, E. Newman, Entomologist (7) May 1841, 111.
- cerussata** Eustalis (Dej.), J. Sturm, Catal. Ins. Samml. 1826, 141.—Chlorima.
- cerussatus** Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 319.
- [**cerussellus -a -um.**]
- cerusella** Amaurosetia (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 355.—Tinea, 1796.
- cerusellus** Crambus, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Dec. 1834, 324.
- cerusella** Leucoptera, J. Huebner, Verz. bekannt. Schmett. 1826, 426.—Tinea, 1796.
- cerussellus** Platytes, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 324.
- cervago** Gortyna, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 612.
- cervana** Paedisca, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 507.
- cervantes** Hesperia, C. F. Freyer, Neuere Beitr. Schmett. V (70) 1844, 56.
- cervantes** Thanaos, A. Graslin, Ann. Soc. Ent. France, V (4) post Jan. 1837, 558.
- cervaria** Felis, C. J. Temminck, Mon. Mamm. I. 1824, 106.
- cervaria** Lynx (Temm.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 425.—Felis.
- cervaria** Silpha, Eschscholtz in Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 252.
- Cervequus** R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 173.—M. [*typus Cervus*
- cervi** Ascaris, F. v. P. Schrank, F. Boica, III (2) 1803, 196. [*andicus*, Less.].
- cervi** Cephaemyia (Clark), N. Joly, Ann. Soc. Agric. Lyon, IX (2) 1846, 291.—Oestrus.
- cervi** Fasciola, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 34. [? Schr.
- cervi** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 8 [*n. n.*].
- cervi** Haematopinus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63.—Pediculus, 1758.
- cervi** Leptotena (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 645.—Melophagus.

- cervi** Melophagus (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 237.—Pedicul.
cervi Oestrus, F. v. P. Schrank, F. Boica, III (1) 1803, 61. [culus, 1758.
cervicalis Carphurus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 183.
cervicalis Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 77.
cervicalis Dacelo, J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 68.
cervicalis Eos (Lath.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (December 1832), 561.—Psittacus, 1790.
cervicalis Pediculus, P. A. Latreille. Sonnini's Buffon, Ins. VIII (1804), 94.
cervicalis Schizotus, E. Newman, Entom. Mag. V (4) Ap. (i.e. July) 1838, 374.
cervicalis Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 984.
Cervicapra A. Sparrman, N. Handl. K. Vet. Ak. I. Oct.—Dec. 1780, 275-281.—M. [*typus* Antilope cervicapra]. [*typus* Antilope redunda].
Cervicapra H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—M.
cervicaprae Haematopinus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 269.
cervicis Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov.
cervicollis Cyphoderus, v. **curvicollis**. [1844, 197.
cervicolor Mus, B. H. Hodgson, Ann. Mag. N. H. XV. Ap. 1845, 268.
cervicolor Musculus, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 220
cervicornis Alveolites, de Blainville, Dict. Sci. Nat. LX. 1830, 369. [[*n. n.*].
cervicornis Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 188.
 —Siphonia.
cervicornis Atelocerpa, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 21.
cervicornis Bidiastopora (Mich.), Rev. et Mag. de Zool. (2) I. Oct. 1849, 502.—Diastopora.
cervicornis Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (3) 1803, 49.
cervicornis Cellepora (Pall.), J. Fleming, Hist. Brit. Anim. 1828, 532.—Millepora, 1766.
cervicornis Ceriopora (Pusch), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 278.—
 Millepora.
cervicornis Chrysaora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 289.
cervicornis Dactylopora, A. Risso, H. N. Europe, V. 1826, 346.
cervicornis Diastopora, H. Michelin. Icon. Zoophyt. (20-23) 1846, 241.
cervicornis Ergyne, A. Risso, H. N. Crust. 1816, 150.
cervicornis Eschara (E. & S.), Lamarck, Syst. Anim. 1801, 375.—Millepora, 1786.
cervicornis Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 43. [1766.
cervicornis Halichondria (Pall.), G. Johnston, Hist. Brit. Sponges, 1842, 96.—Spongia,
cervicornis Heteropora (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
 (1834), 334.—Madrepora. [1832, 140.—Prionus, 1775.
cervicornis Macrodonia (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July
cervicornis Macrodonia (L.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
 II. 1840, 390.—Cerambyx, 1758.
cervicornis Madrepora, Lamarck, An. s. vert. II. 1816, 281.
cervicornis Maia (Hbst.), Lamarck, An. s. vert. V. 1818, 242.—Cancer.
cervicornis Manon, L. Oken, Lehrb. Nat. III (1) 1815, 76.
cervicornis Millepora, G. G. Pusch, Polens Palaeont. (1) 1836, 6.
cervicornis Milleporites, E. F. v. Schlotheim, Die Petref. 1820, 365.
cervicornis Monticulipora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 279.
cervicornis Murex, Lamarck, An. s. vert. VII. 1822, 163.
cervicornis Nullipora, F. A. Roemer, Verst. Norddeutsche. Kreidegeb. (1) 1840, 25.
cervicornis Onthophagus, W. Kirby, Tr. Linn. Soc. London, XIV (3) 1825, 565.
cervicornis Oryctes, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 89 [*n. n.*].
cervicornis Pentapora (Sol.), G. Fischer, Mus. Dénid. III. 1807, 308.—Millepora, 1786.
cervicornis Phyllonotus, W. Swainson, Treat. Malacol. May 1840, 296.
cervicornis Porella (Sol.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 127.—Mille-
cervicornis Siphonia, G. A. Goldfuss, Petref. German. I (1) 1826, 18. [pora, 1786.
cervicornis Tabanus, J. C. Fabricius, Syst. Anthiat. 1805, 100.
cervicornu Anobium, Knoch in F. V. Melsheimer, Ins. Pennsilv. 1806, 9 [*n. n.*].
cervinaria Eubolia (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)
 (Noct. 5, pt. 1) 1830, 173.—Larentia.
cervinaria Larentia, F. Treitschke, Schmett. Europa, V (2) 1825, 440.

- cervinata** Eubolia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 184.—
Geometra, 1775. [1796.]
- cervinata** Phalaena (Hueb.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 318.—Geometra,
- cervinata** Plerocymia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 330.—Geo-
metra, 1775.
- cervinata** Triphosia (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geometra,
- cervinella** Lita, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 585. [1796.]
- cervinella** Tinea (Scop.), F. v. P. Schrank, F. Boica, II (2) 1802, 134.—Phalaena, 1763.
- cervinetta** Cypraea, L. C. Kiener, Spec. Coquilles (Cypraea) 1845, 74.
- cerviniceps** Lyncornis, J. Gould, Icones Avium (2) Aug. 1838, pl. 14.
- cerviniventris** Chlamydera, Gould in Jardine, Contr. Orn. 1850, 160 (106) [teste G. M. M.].
- cervina** Altica, A. G. Olivier, Entom. VI. 1808, 695. [Dichobune.]
- cervinum** Anoplothierum (Ow.), H. D. de Blainville, Ostéogr., Anoploth. 1849, 70.—
- cervinus** Anthicus, F. de la Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8)
1849, 81 ["Mon. Anth." *poster. edit.*].
- cervinus** Anthribus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 188.
- cervinus** Anthus (Pall.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 77.—Motacilla.
- cervinus** Capsus, Herrich-S., Wanzenart. Ins. VI (2) June 1841, 57.
- cervinus** Capsus, L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 103.
- cervina** Cerastis, J. Huebner, Verz. bekannt. Schmett. [1822], 228.
- cervinus** Charax, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 177.
- cervinus** Cimex, E. F. Germar, Revue Entom. V (4) 1840, 178.
- cervina** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 339.
- cervinus** Coryssomerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- cervinus** Cosmiocomus, H. C. Kuester, Käfer Europas, XXI. 1850, 12. [270.]
- cervinus** Cosmorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 169.
- cervina** Crioceris (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 220.—Chrysomela, 1758.
- cervina** Cypraea *id. ac* cervus, L. 1771; Lamarck, An. s. vert. VII. 1822, 375.
- cervina** Dacelo, Gould, Birds Austr. & Adj. Isl. (2) Feb. 1838, pl. 2.
- cervina** Dascillus (Payk.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 98.—Atopa,
- cervinum** Dichobune, R. Owen, Proc. Geol. Soc. London, III. 1838, 3. [1799.]
- cervinum** Dichobunes, R. Owen, Tr. Geol. Soc. London [2] VI. 1841, 45.
- cervinus** Elater, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 244.
- cervinus** Elater (Agrypnus), W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834,
230.
- cervina** Filaria, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 49.
- cervina** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- cervinus** Isonychus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 103.
- cervina** Mamestra, E. F. Germar, F. Ins. Europ. (22) Aug. 1842, 19.
- cervina** Mamestra, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 76.
- cervina** Monarthia (*sic*) (Germ.), Herrich-S., Wanzenart. Ins. IV (2) Nov. 1837, 26.—
- cervinus** Monochamus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27. [Tingis.]
- cervina** Motacilla, P. S. Pallas, Zoographia, I. 1811, 511.
- cervinus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 17.
- cervina** Orthosteira (Germ.), F. X. Fieber, Entom. Monogr. 1844, 48.—Tingis.
- cervina** Ovis, A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 33.
- cervinus** Pantopoeus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 253.
- cervinus** Phyllobius, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847,
- cervina** Platypleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 16. [498.]
- cervinus** Polydrusus, Gyll.; Dejean, Catal. Coléopt. 1821, 93 [*u. n.*].
- cervinus** Polydrusus (L.), E. F. Germar, Ins. Spec. novae, I. 1824, 452.—Curculio, 1758.
- cervina** Porites, Lamarck, An. s. vert. II. 1816, 271.
- cervinus** Praepodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 351.
- cervinus** Sargus (Lowe), A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 29.
—Charax.
- cervina** Schizonycha, Dejean, Cat. Coléopt., ed. 2 (2) July 1833, 161; L. Reiche in
Ferret & Galinier, Voy. Abyssin. III. 1850, 351.
- cervina** Seriatopora (Lam.), H. D. de Blainville, Man. Actin. 1834, 397.—Porites.

- cervinus** Sibynes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 322.
cervinus Tanymecus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 237.
cervinus Thylacites (Fab.), E. F. Germar, Ins. Spec. novae, I. 1824, 411.—Curculio, L. 1758.
cervina Tingis, E. F. Germar, Fauna Ins. Europ. (18) 1835, 22.
cervina Tipula, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 181.
cervina Tritonia (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 92.—Doris, Gm. 1790.
cervina Volucella, F. v. P. Schrank, F. Boica, III (1) 1803, 136.
Cervirostra C. L. Brehm, Vögel Deutschl. 1831, 240.—A. [*err. pro* Crucirostra].
cervius Encyrtus, F. Walker, Ann. Mag. N. H. XVII. Mar. 1846, 177. [*typo*].
Cervulus H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 74.—M. [*sine*].
cervulum Lophiotherium, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXIX. 1849, 573.
cervus Conus, G. B. Sowerby, I., Conch. Illustr. (147) 1838, f. 94 [*n. et f.*].
cervus Dicrania (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 196.—
cervus Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 146.—Cimex, 1787. [Pangonia.
cervus Hemiptycha, E. F. Germar, Revue Entom. III (5) 1835, 246.
cervus Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 94.
cervus Synanceja, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. III. 1811, 278.
Cerycium R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 24.—G.
cerycus Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 178.
Ceryle F. Boie, Isis (Oken), 1828, 316.—A.
Cerylon P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 205.—Col.
Cerylus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cerylon, Latr.
ceryne Junonia (Boisd.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 210.—Salamis.
ceryne Salamis, Boisduval in A. Delegorgue, Voy. Afrique austr. II. 1847, 592.
Cerythium C. Porro, Not. Bibl. Malac. 1841, 34 [=Cerithium; *teste* Scudder].
ceryx Melanitis, Boisduval, Suite à Buffon (Lep.) I. 1836, expl. pl. ix.
caesonia Colias (Stoll), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 98.—Papilio.
caesonia Papilio, Stoll in Cramer, Utit. Kapellen, Suppl. 176 (1790).
caesonia Zereus (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio.
caesonia Zereus, J. Huebner, Exot. Schmett. II. Tab. [129] [*n. et f.*].
Cespitularia Edwards & Haime (*ex* Valenciennes MS), Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxviii.—Cor.
cespitus *v.* **caespitius**. [Pachynolophus.
cesserasicum Lophiodon, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXIX. 1849, 575.—
cesserasicum Pachynolophus, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXIX. 1849, 383.
cesta *v.* **cestus**.
cestatus Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 218.
cesticulatus Ammonites, A. de Leymerie, Mém. Soc. géol. France. IV (2) 1841, 320 [*n. n.*]; *ibid.* V (1) 1842, 15.
cesticulatus Ammonites, Leymerie in A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 275.
cesticulosa Turritella, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 240; Rep. trav. Soc. stat. Marseille, VI. 312.
cestis Catephia, E. Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 290.
cestius Eurytoma, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 152.
Cestocephala C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 232.—Hem. [*non*
cestoni Dinops, P. Savi, N. Giorn. Lett. (Pisa) X. 1825, 229. [*binom.*].
cestoni Molossus (Savi), J. B. Fischer, Syn. Mamm. 1829, 91.—Dinops.
Cestracion Oken, Isis, 1817, 1183.—P. [*non* Cuv., *vernac.*].
Cestracion H. R. Schinz in Cuvier, Thierreich, II. 1822, 221.—P. [*non* Cuvier, *vernac.*].
Cestracion L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cestracion, M. & H.
Cestraeus Cuvier & Valenc., H. N. Poiss. XI. 1836, 157.—P.
Cestrallion Müller & Henle, Arch. f. Naturg. IV (1) 1838, 85.—P.
Cestreus J. McClelland, Calcutta Journ. Nat. Hist. II (5) Ap. 1841, 151.—P.
cestri Coccus, F. Bouché, Nat. Garten-Ins. 1833, 50.

- Cestrinus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 172.—Col.
- Cestrophorus** *err. pro* Centrophorus; J. L. R. Agassiz, Poiss. Foss. III. 171 (1843) & "Fautes à corriger" [1] (1843).
- Cestrorhinus** de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—P.
- cestrotus** Centrinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 788.—Ceutorhynchus.
- cestrotus** Ceutorhynchus, E. F. Germar, Ins. Spec. novae, I. 1824, 226.
- Cestum** C. A. Lesueur, N. Bull. Sci. Soc. Philom. Paris, III (69) June 1813, 282.—Coel.
- cestus** Allantus, T. Say, Boston Journ. N. H. I (3) 1836, 216.
- cestus** Caranx, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 274.
- cestus** Carocollina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28 [*n. n.*].
- cestus** Cryptus, T. Say, Boston Journ. N. H. I (3) 1836, 234.
- cesta** Ephydra, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 177.
- cestus** Helix, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 353.
- cestus** Heterochroa, W. C. Hewitson, Ann. Mag. N. H. XX. Oct. 1847, 261.
- Cetaceum** H. v. Meyer, N. Jahrb. f. Min. 1838, 414.—M. [*n. n.*].
- cetacea** Halicore, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 79 & 87.
- cetacea** Rytina, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 70 [*n. n.*].
- Cetalion** Leach in Brewster's Edin. Ency. IX (1) 1815, 125.—Hem. [*err. pro* Aetalion].
- Cete** J. G. Schneider, Beitr. nat. Wallfisch. 1795, 135.—M.
- Ceteochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cetoichilus, Rouss.
- Ceteopirus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cetopirus, Rang.
- Ceteopsis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cetopsis, Ag.
- Ceterorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ceterhinus, Bl.
- Ceteotherium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cetotherium,
- Ceterhinus** de Blainville; *teste* Agassiz, ? Ceterhinus, *q. v.* [Brandt.
- cethegus** Bithys (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 75.—Papilio, 1790.
- cethegus** Polyommatus (Stoll), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 640.—Papilio, 1790.
- Cethera** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 348.—Hem.
- Cethosia** J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Lep. [1793.
- cethosia** Argynnis, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio,
- cethosia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 13 (Fernaldo judice 1799) [*n. et f.*].
- ceti** Cyamus (L.), Lamarck, Syst. Anim. 1801, 166.—Oniscus, 1758.
- ceti** Larunda (L.), W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 364.—Oniscus, 1758.
- ceti** Odontobius, Roussel de Vauzème, Ann. Sci. Nat. [2] (Zool.) I. June 1834, 326.
- ceti** Panope, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 404.
- ceti** Pirolina, Roussel de Vauzème, Ann. Sci. Nat. [2] (Zool.) I. June 1834, 332.
- ceticephalus** Agrauios, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 27.
- ceticephalus** Arion, J. Barrande, Not. prélim. Silur. 1846, 13. [320.
- ceticephalus** Arionellus, J. Barrande, Sitz. k. Ak. Wiss. (Wien) [5] 1850 (2) Oct. (Nov.),
- ceticephalus** Arionides (Barr.), H. G. Bronn, Index Pal. 1848, 103.—Arion, 1846.
- cetii** Andrena (Schr.), F. Smith, The Zoologist, V (4) 1847, 1668.—Apis, 1781.
- Cetiosaurus** R. Owen, Proc. Geol. Soc. London, III. 1841, 460.—R.
- Ceto** J. Gistel, Nat. Thierr. 1848, 174.—Ech.
- ceto** Amphitrite, A. White, List Crustacea Coll. B. M. 1847, 127 [*n. n.*].
- ceto** Gorgo, J. Huebner, Verz. bekannt. Schmett. 1818, 64.
- ceto** Hipparchia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 22.—Papilio.
- ceto** Maniola (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 137.—Papilio, Huebner.
- ceto** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 112 (Fernaldo judice 1804)
- ceto** Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 34. [*n. et f.*].
- ceto** Satyrus (Ochs.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 537.—Papilio.
- ceto** Trochilium, J. O. Westwood, Cab. Orient. Entom. 1847, 62.
- Cetoichilus** Roussel de Vauzème, Ann. Sci. Nat. [2] (Zool.) I. June 1834, 333.—Cr.
- Cetocis** Denys de Montfort, Conch. I. 1808, 370.—Ceph.
- Ceto-diodon** Jacob, Dublin Phil. Journ. I. Mar. 1825, 72.—M.

- cetoides** *Basilosaurus* (Owen), R. W. Gibbs, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 15.—*Zeuglodon*.
- cetoides** *Zeuglodon*, R. Owen, Tr. Geol. Soc. London [2] VI. 1841, 70.
- Cetoniinus** W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 11.—Col.
- cetonioides** *Ometis* (P. & S.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 554.—*Rutela*.
- cetonioides** *Rutela*, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 316.
- Cetophaga** *emend. pro* *Setophaga*, Sw.; R. P. Lesson, Man. Orn. II. June 1828, 430.
- Cetophagus** C. S. Rafinesque, Analyse, 1815, 137.—Cirr. [*n. n.*].
- Cetopirus** C. Ranzani, Opusc. Sci. (Bologna) I. 1817, 276.—Cr.
- Cetopius** Potiez & Michaud, Gal. Moll. Douai, II. 1844, 285 & *errata*.—*err. pro* *Cetopirus*,
- Cetopsis** L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 11.—P. [Ranz.]
- Cetoptera** Rafinesque, Analyse, 1815, 219.—M.
- Cetorhinus** de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—P.
- Cetosparactes** W. Macgillivray, Man. Brit. Orn. II. 1842, 251.—A.
- Cetotherium** J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (10-12) Jan. 1843, 148.—M.
- Cetotolites** R. Owen, Brit. Foss. Mamm. 1846, 526 [ear-bones of Cetacea].
- Cetra** C. v. Heyden, Isis (Oken), 1826, 612.—Ar.
- cetratus** Crabro, W. E. Shuckard, Foss. Hymenopt. 1837, 131.
- cetrata** Popillia, E. Newman, Entomologist (14) Dec. 1841, 223.
- Cettia** C. L. Bonaparte, Icon. F. Italica, I. 1834 (fasc. 9) text to pl. 29.—A.
- Cettia** C. L. Bonaparte, List Birds Eur. Amer. 1838, 11.—A.
- [*cettii*.]
- cetti** *Bradypterus* (Mar.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 43.—Sylvia.
- cetti** *Calamodyta* (Marm.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—Sylvia.
- cetti** *Calamotherpe* (Mar.), F. Boie, Isis (Oken), 1822, 552.—Sylvia.
- cetti** *Cettia* (Mar.), C. D. Degland, Orn. Europ. I. 1849, 578.—Sylvia.
- cetti** *Curruca* (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 209.
- cetti** *Dentex*, A. Risso, H. N. Europe, III. 1826, 365.—Sparus, 1810. [—Sylvia, Mar.]
- cettii** *Labrus*, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 23 & 54.
- cetti** *Natrix*, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 272.
- cetti** *Salmo*, C. S. Rafinesque-S.; Ind. itt. Sic. 1810, 32 & 55.
- cetti** *Sparus*, A. Risso, Ich. Nice, 1810, 256.
- cetti** *Sylvia*, A. de la Marmora, Mem. R. Acc. Sci. Torino, XXV. 1820, 254.
- Cetus** L. Oken, Lehrb. Nat. III (2) 1816, 674.—M.
- ceutensis** *Rosacea*, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 176.
- Ceuthorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Ceutorhynchus*, Germ.
- Ceutocerus** Schueppel in E. F. Germar, Ins. Spec. novae, I. 1824, 85.—Col.
- Ceutorhynchus** Schueppel in E. F. Germar, Ins. Spec. novae, I. 1824, 217.—Col.
- Ceycis** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 338.—A.
- ceycoides** *Galbula*, G. Such, Zool. Journ. II (5) Ap. 1825, 112.
- ceylonensis** *Dicrurus*, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 140.
- ceylonensis** *Eclectus* (Bodd.), G. R. Gray, Genera of Birds, II. Oct. 1845, 418.—*Psittacus ceclanensis*, 1783.
- ceylonensis** *Francolinus* (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 331.—*Perdix*, 1790.
- ceylonensis** *Ketupa* (Gm.), G. R. Gray, List Birds Coll. B. M. I. 1844, 45.—*Strix*, 1788.
- ceylonensis** *Ketupu* (Gm.), G. R. Gray, List Gen. Birds, 1840, 6.—*Strix*, 1788.
- ceylonensis** *Muscipeta* (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 111.—*Platyrrhynchus*.
- ceylonensis** *Platyrrhynchus*, W. Swainson, Zool. Illust. (1) I (3) Dec. 1820, pl. 13.
- ceylonensis** *Rhipidura* (Sw.), G. R. Gray, Genera of Birds, I. Aug. 1846, 259.—*Platyrrhynchus*.
- ceylonensis** *Scolopendra*, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 391.
- ceylonensis** *Scops* (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 54.—*Strix*, Gm. 1788.

- ceylonensis Solen, W. E. Leach, Zool. Miscell. I. 1814, 22.
 ceylonensis Spizaetus (Gm.), G. R. Gray, Genera of Birds, I. May 1845, 14.—Falco, 1788.
 ceylonensis Trimesurus, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 49.
 ceylonensis Triton, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 71.
 ceylanica Achatina, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 157.
 zeylonicus Apogon, Cuvier & Valenc., H. N. Poiss. III. 1829, 491.
 ceylonica Auricula, S. Petit de la S., Proc. Zool. Soc. London, X (119) Feb. 1843, 202.
 ceylanicus Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 83.
 ceylanica Bulla, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 69.
 ceylonicus Buthus (Herbst), C. L. Koch, Die Arachniden, IX (1) post May 1841, 9.—Scorpio, 1800.
 ceilonicus Canis, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 312.
 ceylanicus Canis (Gm.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 90.—Viverra, 1788. [Gm. 1788.
 zeilanicus Capito (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 499.—Bucco,
 zelanica Cassidea, W. Swainson, Treat. Malacol., May 1840, 299.
 zeylanica Cassis, Lamarck, An. s. vert. VII. 1822, 226. [—Canis.
 ceylonicus Chryseus (Sh.), C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 181.
 zeilonica Cinnyrus (L.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia, 1766.
 ceilonicus Coluber, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 70.
 zeylanica Corethrura (Gm.), G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—Callus, 1788.
 zeylanica Cyclas, Lamarck, Ann. Mus. H. N. (Paris) VII (42) June 1806, 420.
 ceylanicum Cyclostoma, G. B. Sowerby in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Cyclostoma (85) 1849, 171.
 zeylonicus Cynnyris (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1822, 594.—Certhia, L. 1766.
 zeylanica Cyrena, Lamarck, H. N. Anim. s. Vert. V. 1818, 554 (sign. 36).
 zeylanica Eburna, Lamarck, Ency. Méth. (Vers), 1816, pl. 401, Liste p. 3 [n. et f.].
 ceylanicus Gryllus (Locusta), M. Houttyn in Stoll, Spoken [Index Locust. (1813)], 12.
 ceylanica Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 67.
 ceylonica Iora (Gm.), G. R. Gray, Genera of Birds, I. Dec. 1848, 199.—Motacilla, 1788.
 zeylonicus Julis, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 183.
 zeylonicus Lanius (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 16.—Turdus, Penn. 1781. [1766.
 zeylonica Leptocoma (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 104.—Certhia,
 zeylonicus Leuciscus, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 184.
 ceylonicus Loris, G. Fischer de W., Lettre au Geoffroy sur esp. de Loris, Ap. 1804, 10.
 zeylanica Nectarinia, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 11 [n. n.]. [1766.
 zeylonica Nectarinia (L.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 976.—Certhia,
 ceylonicus Nycticebus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 164.
 zeilanica Oliva, Lamarck, An. s. vert. VII. 1822, 436. [Viverra, Gm. 1788.
 zeylanicus Paradoxurus (Schreb.), J. E. Gray, List Mamm. Coll. B. M. 1843, 55.—
 ceylonicus Phrynus, C. L. Koch, Die Arachniden, X (2) 1842-43, 35.
 ceylonicus Physocrotaphus, J. F. S. Parry, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 180.
 ceylanicus Pseudo-Typhlops, H. Schlegel, Abb. Amph. (2) 1839, 45.
 zeylanica Sanguisuga, A. Moquin-T., Mon. Hirudin., July 1827, 120.
 ceylonicus Siluboura (Cuv.), J. E. Gray, Cat. Lizards, Coll. B. M. 1845, 142.—Uropeltis.
 ceilonicus Simiolus, L. Oken, Lehrb. Nat. III (2) 1816, 1206.
 zeylanicus Solenoglossus, C. Ranzi, Elem. Zool. III (2) 1821, 21.
 ceilanicus Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan. 1841, 107. [88 [n. n.].
 ceylonicus Stenops, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815),
 zeylonica Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 481.
 zeylonicus Tetrao, W. Turton, Linnaeus, Syst. Nat. I. 1802, 458.
 ceylanica Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 216.

- ceylonicus** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
zeylonicus Upeneus, Cuvier & Valenc., H. N. Poiss. III. 1829, 459. [[1802], 235.
ceylanicus Uropeltis, G. Cuvier, Règne Anim., ed. 2, II. 1829, 76 [*u. n.*].
ceylanica Vitrina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 2 & "sp. nov.," 1.
zeylonus Laniarius (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 360.—Turdus, 1766.
zeylonus Lanius (Gm.), Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 19.—Turdus, L. 1766. [213; ed. 2, 1890, 326.
ceylonus Mus, E. F. Kelaart, Journ. Ceylon Br. R. Asiat. Soc. [II (5) 1849–50], 1850.
ceylonus Picus, G. Cuvier, Règne Anim., ed. 2, I. 1829, 451.
zeylonus Telophorus (L.), G. R. Gray, Genera of Birds, I. Feb. 1847, 292.—Turdus, 1766.
Ceyx A. M. C. Duméril, Zool. Anal. 1806, 282.—Dipt.
chabannii Adelocera, Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 781.
chabreyanus Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 323.
chabrias Cirrospilus, F. Walker, Ann. Nat. Hist. I (6) Aug. 1838, 451.
chabrieri Decticus, H. Burmeister, Handb. Ent. II (2) i, 1838, 712.
chabrieri Locusta, T. v. Charpentier, Horae Ent. 1825, 119.
chabrieri Pterolepis (Charp.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 493.—Locusta.
chabrolii Crenilabrus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 133.
chabrolii Nephthea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 230
chabrontera Peristedion, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 368.
Chaca J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 9.—P.
Chaca Cuvier & Valenciennes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1839, 386.—P.
chaca Calliomorus, F. Hamilton, Fish. Ganges, 1822, 133.
chaca Platystacus, F. Hamilton, Fish. Ganges, 1822, 140.
chacca Platycephalus, J. E. Gray, Ill. Indian Zool. II [1832–5] (pl. 93).
Chaceus *err. pro* Chalceus, Cuv. 1829 (*ex* Latreille, Fam. Règne Anim. 1825, 119 *in vernac.*); A. A. Berthold in Latreille, Nat. Fam. Thierreich, 1827, 117.—P.
Chactas F. L. P. Gervais, C. R. Ac. Sci. Paris, XVIII. Jan. 1844, 37.—Ar.
chactas Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 47.
chactas Perna, Castelnau, Ess. Silur. Amér. sept. 1843, 44.
Chactiles G. Fischer, "Oryct. Mosc. 1810"; L. Agassiz, Nom. Zool. (Polypi, 1844).—Polyz. [*non comp.*, ? Chaetetes]. [panodon.
chacunda Chatoessus (Ham.), Cuvier & Valenc., H. N. Poiss. XXI. 1848, 111.—Clu-
chacunda Clupanodon, F. Hamilton, Fish. Ganges, 1822, 246.
Chacura B. H. Hodgson, Madras Journ. Lit. Sci. V (15) Ap. 1837, 305.—A.
chacuru Bucco, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 239.
chacuru Tamatia (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 146.—Bucco.
Chadirus C. S. Rafinesque, Analyse, 1815, 66.—A. [*u. n.*].
chadri Scarus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 2.
Chaelodus *err. pro* Chelodus, L. Agassiz, Nomen. Zool. (Mamm.) 1842, 7.
Chaemarrhornis L. Agassiz, Nom. Zool. (Aves, 1842)=Chaimarrornis, Hodgson, *q. v.*
Chaemelio *id. ac* Chamaeleo, Laur.; A. Smith, S. Afr. Q. Journ. (3) Oct. 1831, 17.
Chaemepelia W. Swainson, Zool. Journ. III (11) Dec. 1827, 361.—A.
Chaemepelia W. Swainson, N. H. Classif. Birds, II. June 1837, 349.—A.
Chaeneirhynchus F. P. Jarocki, Zoologia, II. 1821, 17.—A. [*typus* Psittacus aterrimus].
Chaenichthys *id. ac* Channichthys, *q. v.*; J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 12.
Chaenocetus D. F. Eschricht, Overs. k. Danske vid. Selsk. Forh. 1845, 17.—M.
Chaenodelphinus D. F. Eschricht, Förh. Skand. Nat. 1842 (1843), 655.—M.
Chaenon A. H. Haliday in J. Curtis, Brit. Entom. VI (72) Dec. 1829, no. 289.—Hym.
Chaenoramphe C. Dumont, Dict. Sci. Nat. VIII. 1817, 51.—A.
Chaenusa A. H. Haliday, Hymenopt. Brit. (2) 1839, 19.—Hym.
Chaeradodis H. Burmeister, Handb. Ent. II (2) i, 1838, 536.—Orth.
Chaeridium Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 356.—Col.
chaerilus Encyrtus, F. Walker, Entom. Mag. IV (5) July 1837, 450. [159.—Lep.
Chaerocampa Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836,
Chaerocydnus White; *teste* Waterhouse, Choerocydnus, 1841, *q. v.*

- Chaerodes** A. White, Zool. "Ereb. Terr." (Ins. 1846), 12.—Col.
- Chaeromeryx** A. Pomel, Bull. Soc. géol. France (sér. 2) V. 1848, 257.—M.
- chaerophyllaria** Baptria (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 306.—Phalaena.
- chaerophyllaria** Odezia (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 537.—Geometra ch—ata, 1767. [1767.]
- chaerophyllata** Minoa (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 445.—Phalaena.
- chaerophyllata** Odezia (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 218.—Phalaena, 1767.
- chaerophyllata** Tanagra (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1829, 112.—Phal. (Geom.), 1767.
- chaerophylli** Depressaria, P. C. Zeller, Isis (Oken), 1839, 196.
- chaerophylli** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 95.
- chaerophylli** Euthycera (Fabr.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 529.—Scatophaga.
- chaerophylli** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 207.—Musca, 1798.
- chaerophylli** Tetanocera (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 35.—Musca, 1798.
- Chaeropithecus** H. D. de Blainville, Ostéogr., Pithecus, 1839, 47.—M.
- chaeropithecus** Hamadryas, R. P. Lesson, Spec. des Mamm., Nov. 1840, 109.
- "Chaeropotame"** G. Cuvier, Oss. Foss., ed. 2, III. 1822, 260.—M.
- Chaeropotamus** A. G. Desmarest, Ency. Méth. (Mamm.) II. Suppl. 1822, 544.—M.
- [**chaeropotamus**.] [162.—Sus, ? Griff.
- koiropotamus** Phacochoerus (Desm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842,
- koiropotamus** Sus, Griffith in Cuvier, Anim. Kingd., Mamm., Syn. 1827, 288.
- Chaeropus** W. Ogilby, Proc. Zool. Soc. London, VI (63) July 1838, 26.—M. [*typus* Perameles ecaudatus]. [Sparus.
- chaerorhynchus** Lethrinus (Schn.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 308.—
- choerorhynchus** Sparus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 278.
- Chaerosoma** *id. ac* Chaerosoma, Curt.; M. Spinola, Ess. Ins. Hemipt. 1837, 222.
- Chaerotherium** Cautley & Falconer, Asiat. Res. XIX (1) 1836, 59.—M. [*v. Choer*—].
- Chaetarthria** G. R. Waterhouse in J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 22.
- Chaetaster** J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 102.—Ech. [—Col.
- Chaetactetorus** C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 383.—Col.
- Chaetectorus** L. Agassiz, Nom. Zool. Index Univ. *err. pro* Chaetactetorus, Schoenh. *q. v.*
- Chaeteessa** H. Burmeister, Handb. Ent. II (2) i, 1838, 527.—Orth.
- Chaeteprosopa** J. Macquart, Dipt. exot., Suppl. IV. 1851, 196.—Dipt. [*non* 1850, *apud*
- Chaetetes** E. Eichwald, Zool. Spec. I. 1829, 197.—Cor. [Marsch.
- Chaetetes** G. Fischer v. W., Oryct. Moscou, 1830, sign. *d⁴*.—Cor.
- Chaetiana** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 163.—Ech.
- Chaetiana** C. S. Rafinesque, Analyse, 1815, 152.—Verm. [*n. n.*].
- Chaëtichthys** J. Gisl, Nat. Thierr. 1848, p. xi.—P.
- Chaetilia** J. D. Dana, Amer. J. Sci. (2) VIII (24) Nov. 1849, 427.—Cr.
- Chaetites** *err. pro* Chaetetes, Eichw.; H. Michelin, Icon. Zoophyt. (9-12) 1844, 112.
- Chaetoblemma** W. Swainson, N. H. Classif. Birds, II. June 1837, 8 & 219.—A.
- Chaetobranchus** J. Heckel, Ann. Wiener Mus. II [3] 1840, 401.—P.
- Chaetocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chetocera, Rob.
- Chaetoceros** C. G. Ehrenberg, Monatsb. k. pr. Ak. Wiss. Berlin, 1844, 198.—? Plantae.
- Chaetochilus** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Dec. 1834, 337.—Lep.
- Chaetocnema** J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 325.—Col.
- Chaetoderma** W. Swainson, N. H. Fishes etc. II. July 1839, 194.—P.
- Chaetoderma** S. Loven, Ofvers. K. Vet. Ac. Förh. I (5) 1844, 116.—Ech.
- Chaetodermis** W. Swainson, N. H. Fishes etc. II. July 1839, 327.—P.
- Chaetodipterus** B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 503.—P.
- chaetodon** Cottus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 62.
- chaetodonoides** Plectorhinchus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 134.
- chaetodontoides** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 476.
- Chaetodus** J. O. Westwood, Ann. Mag. Nat. Hist. XV (100) June 1845, 440.—Col.
- Chaetoessus** J. Mueller, Arch. f. Naturg. IX (1) 1843, 317 [= Chatoessus].

- Chaetogaster** K. E. v. Baer, N. A. Ac. Caes. Leop. Car. XIII (2) 1827, 614.—Verm.
Chaetoglena C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 286.—
Chaetolabrus W. Swainson, N. H. Fishes etc. II. July 1839, 216.—P. [Inf.
Chaetomonas C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 77.—Inf.
Chaetomus J. McClelland, Calcutta Journ. N. H. IV. 1843, 405.—P.
Chaetomys J. E. Gray, Proc. Zool. Soc. London, XI (121) July 1843, 21.—M.
chaetonoides Lutjanus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 195. [Rot.
Chaetonotus C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 44.—
Chaetophora W. Kirby, Introd. Ent., ed. 3, II. 1823, ?; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Col.
Chaetophorus W. Kirby, Introd. Ent. 1828; *teste* Agassiz, Nom. Zool. (Col.) 1845, 34.
chaetophorus Strophosomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Sept. 1831, 129.
chaetophora Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 93. [Col.
Chaetopisthes J. O. Westwood, Ann. Mag. Nat. Hist. XVII (Suppl.) June 1846, 497.—
Chaetops W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832],
Chaetopterus G. Cuvier, R. Anim., ed. 2, III. 1830, 208.—Ann. [486.—A.
Chaetopterus Temminck & Schlegel in Pisebold, F. Japon. (Pisc. 1844), 78.—P.
Chaetopteryx J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28.—Neur.
Chaetopus W. Swainson, N. H. Classif. Birds, II. June 1837, 344.—A.
Chaetornis G. R. Gray, Genera of Birds, I. Aug. 1848, 167.—A.
Chaetosoma Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 340.—Col. [*n. n.*].
Chaetosphyrus G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 24.—Col.
Chaetostoma J. J. Tschudi, Fauna Peru. (Ichth.) 1846, 26.—P.
Chaetotaulius F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 16.—Neur.
Chaetothypha C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 287.
Chaetura J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 76.—A. [—Inf.
Chaeturichthys J. Richardson, Zool. "Sulphur," 1844, 54.—P.
Chaetusia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chetusia, Bonap.
[**chagra**.]
tschagra Lanius, M. H. C. Lichtenstein, Verz. Samml. südafr. Nat., June 1834, 9 [*n. n.*].
tchagra Lanius, H. Schlegel, Rev. Crit. Ois. Europ. 1844, 47.
tchagra Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 317.
chagrinea R. G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 281.
chagsuries Chetodon, J. Desjardins [Soc. Hist. Nat. Maurice, 1831], J. Asiat. Soc. Bengal,
chagunio Cyprinus, F. Hamilton, Fish. Ganges, 1822, 295. [I. 1832, 303 [*n. n.*].
chagunio Rohita (Ham.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 257.—Cyprinus.
chaia Chauna, Drapiez (*ex* Azara), Dict. Class. H. N. III. 1823, 529.—A.
chaidea Purpura, P. L. Duclous, Ann. Sci. Nat. XXVI (101) May 1832, 106. [Purpura.
chaidea Ricinula (Duclous), L. Reeve, Conch. Icon. III.—Ricinula, no. 21, Aug. 1846.—
Chaimarrornis B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82.—A. [*n. n.*].
chairecacos Dendrophis, H. Boie, Isis (Oken), 1827, 541.
Chaitairis *err. pro* Chaitaris, Hods.; E. Blyth, Ann. Nat. Hist. XII (75) Aug. 1843, 99.
Chaitaris B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 29.—A.
chaiziana Anodonta, P. S. Rang, N. Ann. Mus. H. N. (Paris) IV [4] Ap. 1836, 307.
Chaja L. Oken, Lehrb. Nat. III (2) 1816, 939.—A. [*non* "Gattung," Oken].
Chalacophora A. J. J. Solier, *teste* Waterhouse, *sed ? err. pro* Chalcophora, 1833.
Chalacus C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 483.—Hem. [*non binom.*].
Chalarus F. Walker, Entom. Mag. II (3) July 1834, 269.—Hym.
chalca Cetonia, Gory, Mon. Cétoines (1836), 235.
chalcanthum Arca, L. Reeve, Conch. Icon. II.—Arca, no. 43, Feb. 1844.
Chalcas L. Buquet, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, p. lxviii.—Col. [1775.
chalcas Euphoeades (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 83.—Papilio,
chalcaspis Hydrophilus, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 457.
chalcedon Phidippus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 159.
chalcedona Melitaea, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 180 [*n. et f.*].
chalcedonicus Nautilus, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 272.

- chalcedonica** Patella, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 47.
- chalcedonia** Bryophila (Huebner.), F. Treitschke, Schmett. Europa, V (1) 1825, 74.—
- chalcedonia** Cyprea, G. Perry, Conchology, Ap. 1811, pl. 19. [Noctua.
- chalcedonia** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 86 (Fernaldo judice 1802-08) [*n. et f.*].
- chalcedonia** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 188.
- chalcedonia** Poecilia (Huebner.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 64.—
- chalcedonia** Trigonophora, J. Huebner, Verz. bekannt. Schmett. [1822], 217. [Noctua.
- Chalcentis** H. Burmeister, Handb. Ent. IV (1) 1844, 369.—Col.
- “Chalceodème” E. Blanchard, Hist. Insect. II. 1845, 12.—Col.
- Chalceodemus** L. Agassiz, Nom. Zool. (Col. 1845).—Col. [*vernac.* Blanchard].
- Chalceus** G. Cuvier, Mém. Mus. H. N. (Paris) IV [4-6] Dec. 1818, 454.—P.
- chalceum** Agonum, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. [1846, 224.
- chalcea** Agra, F. Klug, Jahrb. Insectenk. I. 1834, 62.
- chalcea** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 476.
- chalceum** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 89.
- chalcea** Camaria, J. Gistel, Nat. Thierr. 1848, 126.
- chalcea** Camaria, J. Gistel, Handb. Naturges. 1850 [1847], 412.
- chalceus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 460.
- chalcea** Celia (Dej.), C. Zimmerman, Faunus, I (1) 1832, 29.—Amara.
- chalcea** Ceratina, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 139.
- chalcea** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 183.
- chalceus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 243.
- chalceus** Diphyrhynchus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 445.
- chalcea** Donacia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 188.
- chalceus** Dyschirius, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 38.
- chalcea** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 308. [36.
- chalceus** Harpalus (Anisodactylus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838,
- chalceus** Homonys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 214.
- chalcea** Hyboma, L. Buquet (*ex* Dej. Cat.), Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 19.
- chalceus** Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 238.
- chalcea** Macraspis, H. Burmeister, Handb. Ent. IV (1) 1844, 349.
- chalceus** Ochthedromus (Dej.), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 455.—Bembidium. [chalca.
- chalcea** Pachnoda (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 528.—Cetonia
- chalceus** Pelobatus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 71.
- chalceus** Philonthus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) July 1832, 227.
- chalceus** Platynus, J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—Agonum, 1846.
- chalceus** Pogonus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Ap. 1828, 107.—Carabus.
- chalceus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 491.
- chalceus** Sphaeromorphus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 114.
- chalceus** Tachypus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 27.
- chalceus** Tetragnonopterus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 70.
- Chalchas** E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 53.—Col.
- Chalciclerus** M. Spinola, Ess. mon. Clérites, I. 1844, 278.—Col. [chalcidium, 1775.
- chalcidea** Sarcinula (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 314.—Madrepora
- chalcides** Lygosoma (L.), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 655.—Lacerta, 1758.
- chalcides** Podophis (L.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 88.—Lacerta, 1758.
- Chalcidica** J. Huebner, Verz. bekannt. Schmett. [1822], 197.—Lep.
- chalcidica** Sarcinula (Forsk.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 314.—Madrepora chalcidium, 1775.
- chalcidica** Seps, B. Merrem, Tent. Syst. Amph. 1820, 75.
- chalcidicus** Tetradactylus, B. Merrem, Tent. Syst. Amph. 1820, 75.

- chalcidica** Zygnis (Merr.), L. J. Fitzinger, *Neue Classif. Rept.* 1826, 53.—Seps.
- chalcidiformis** Bembecia, J. Huebner, *Verz. bekannt. Schmett.* [1820], 129.
- chalcidiformis** Sphinx, J. Huebner, *Europ. Schmett.* (Ziefer) [me judice 1805], 90. [Dipt.]
- Chalcidimorpha** J. O. Westwood, *Ann. Soc. Ent. France*, IV (4) *post* Feb. 1836, 684.—
- Chalcidomorpha** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Chalcidimorpha, Westw.
- chalciformis** Sesia, E. J. C. Esper, *Europ. Schmett.*, Suppl. II. 1806, 44.
- chalciformis** Sphinx, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 180.
- chalciformis** Sphinx, J. Huebner, *Europ. Schmett.*, Tab. Sphinx, 19 (Fernaldo judice
- Chalcimon** J. W. Dalman, *Ephem. Entom.* 1824, 1.—Col. [1802–08] [*n. et f.*].
- Chalcinus** *emend. pro* Chalcis, Fab.; C. S. Rafinesque, *Analyse*, 1815, 126.—Hym. [*n. n.*].
- Chalcinus** Cuvier & Valenc., H. N. Poiss. XXII. 1849, 258.—P.
- Chalciope** J. Huebner, *Verz. bekannt. Schmett.* 1825, 268.—Lep.
- chalciope** Isanthrene, J. Huebner, *Zuträge z. Exot. Schmett.* III. 1825, 20.
- chalciope** Megamede, J. Huebner, *Verz. bekannt. Schmett.* 1818, 50.
- chalciope** Morpho, J. Huebner, *Exot. Schmett.* II. Tab. [58] [*n. et f.*].
- chalciope** Prepona (Huebn.), J. O. Westwood in Doubleday & W., *Gen. diurn. Lepidopt.*
- Chalcis** B. Merrem, *Tent. Syst. Amph.* 1820, 13 & 75.—R. [II (1850), 300.—Morpho.
- Chalcis** Wagl., *emend.* C. L. Bonaparte, *Giorn. Arcad.* LII. 1831, 144.—R.
- chalcis** Chamaesaurus, J. G. Schneider, *Hist. Amph.* II. 1801, 207.
- chalcis** Coracinus, P. S. Pallas, *Zoographia*, III. 1814, 256.
- chalcis** Phalaena (Noctua), W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 287.
- Chalcitella** J. O. Westwood, *Proc. Zool. Soc. London*, III (29) Sept. 1835, 70.—Hym.
- Chalcites** R. P. Lesson, *Traité Ornith.* (2) May 1830, 153.—A. [*typus* Cuculus auratus,
- chalcites** Arrhenodes, M. Perty, *Del. anim. artic. Brasil.* (2) 1832, 69. [Gm.].
- chalcites** Carabus, Helwig in Melsheimer, *Cat. Ins. Pennsylv.* 1806, 50 [*n. n.*].
- chalcites** Chrysococyx, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 489 [*n. n.*].
- chalcitis** Chrysodeixis (Esp.), J. Huebner, *Verz. bekannt. Schmett.* [1825], 252.—Noctua.
- chalcites** Chrysomela, Dahl in E. F. Germar, *Ins. Spec. novae*, I. 1824, 587.
- chalcites** Coprobius, S. S. Haldeman, *Proc. Acad. Nat. Sci. Philad.* I (31) Oct. 1843, 304.
- chalcites** Cuculus, M. H. C. Lichtenstein, *Verz. ausgest. Säug. Vög.* 1818, 8.
- chalcites** Feronia (Melsh.), T. Say, *Tr. Amer. Phil. Soc.*, n. s., II. 1825, 56.—Carabus.
- chalcites** Hister, K. Illiger, *Mag. f. Insektenk.* (Illiger) VI. 1807, 40.
- chalcites** Megilla, K. Illiger, *Mag. f. Insektenk.* (Illiger) V. 1806, 139 [*n. n.*].
- chalcitis** Poecilus, E. F. Germar, *Ins. Spec. novae*, I. 1824, 15.
- chalcites** Saprinus (Ill.), W. F. Erichson, *Jahrb. Insektenk.* I. 1834, 182.—Hister.
- chalcites** Stenus, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 721.
- chalco** Goniurus, J. Huebner, *Zuträge z. Exot. Schmett.* II. 1823, 22. [—Ixos.
- chalcocephalus** Brachypus (Temm.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 264.
- chalcocephala** Campephaga (Temm.), G. R. Gray, *Genera of Birds*, I. June 1846, 283. —Ixos.
- chalcocephalus** Colobathristes, H. Burmeister, *Handb. Ent.* II (1) 1835, 325.
- chalcocephala** Galbula, E. Deville, *Rev. et Mag. de Zool.* (2) I. Feb. 1849, 55.
- chalcocephalus** Ixos, C. J. Temminck in T. & Laugier, *Pls. color.* (76) Mar. 1828.
- chalcocephalus** Lygaeus, J. C. Fabricius, *Syst. Rhyng.* 1803, 226.
- chalcocephalus** [Micropus] (Temm.), W. Swainson in J. Richardson, *F. Bor.-Amer.* (2) Feb. 1831 [*z. e.* Feb. 1832], 486.—Ixos.
- chalcocephalus** Panagaeus, C. R. W. Wiedemann, *Zoologisches Magazin*, II (1) 1823, 57
- Chalcochiton** H. Loew, *Entom. Zeitung*, Stettin, V (5) May 1844, 157.—Dipt.
- Chalcochrous** M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, 1838 (1) 1838, 24.—Col.
- chalcochrysea** Buprestis, F. Klug, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1832 (1834) [1833], 148.
- chalcochrysea** Polybothris (Klug), M. Spinola, *Ann. Soc. Ent. France*, VI (1) *post* Mar. 1837, 118.—Buprestis.
- Chalcocopriss** H. Burmeister, *Gen. Ins.* (10) 1846, no. I A.—Col.
- chalcoactylus** Lathrobium, F. A. Kolenati, *Melet. Entom.* (3) Jan. 1846, 23.
- Chalcodemus** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Chalceodemus,
- Chalcoderes** Erichson, 1847; *err.* Marshall *pro* Chalcoderus. [Blanch.
- chalcoderes** Agrilus, L. A. A. Chevrolat, *Coléopt. Mex.* (6) June 1835, no. 143.

- Chalcodermus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 297.—Col.
Chalcodermus C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 377.—Col. [*sine typo*].
Chalcoderus W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 763.—Col.
Chalcodes J. O. Westwood, Ann. Sci. Nat. [2] I. Feb. 1834, 118.—Col.
chalcodes Buprestis, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 122.
chalcodes Coraebus (Wied.), Laporte & Gory, H. N. Coléopt. II. 1839, 6.—Buprestis.
chalcodes Eurybia, Hope in Laporte & Gory, H. N. Coléopt. II. 1838, 1.
chalcodes Halictus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 87.
chalcodes Stenochia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 120.
chalcodi Lepidodes, J. O. Westwood, Ann. Mag. N. H. VIII. Oct. 1841, 124.
chalcogastra Andrena, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 87.
chalcogaster Anthomyia, C. R. W. Wiedemann, Anal. Entom. 1824, 52.
chalcogaster Asilus, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 35.
chalcogastra Dioctria, L. Dufour, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850,
chalcogrammella Coleophora, P. C. Zeller, Isis (Oken), 1839, 207. [146.
chalcogrammum Gadus, P. S. Pallas, Zoographia, III. 1814, 198. [521.
chalcogrammum Thylacites, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
chalcographa Buprestis (Evides), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 30.
chalcographum Sinodendron, G. W. F. Panzer, Ins. Germ., ed. 2, heft 15, 1796-99,
 tab. 1. [17.
chalcoides Anthrax, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818,
chalcoides Aspius (Güld.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1036.—Cyprinus,
 1772.
chalcoides Leuciscus (Güld.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, 1772.
chalcolampus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 18.
Chalcolepidius J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.—Col.
chalcomelas Onitis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 40.
chalcomelas Pteromalus, F. Walker, Entom. Mag. III (5) Apr. 1836, 476.
chalcomera Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 75.
chalcomera Macrocnema (Ill.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831,
chalconatus *v.* **chalconotus**. [318.—Haltica.
Chalconotus Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 136.—Col.
chalconotus Agabus (Panz.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 158.—
 Dytiscus, 1796.
chalconotum Agonum, E. Ménétries, Cat. Rais. Zool. Caucase, 1832, 118.
chalconotus Anchomenus (Ménétr.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou,
 XXIII. 1850 (3) 1850, 129.—Agonum.
chalconatus Carabus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 57.
chalconota Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 363.
chalconotus Colymbetes (Ill.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 76.
 —Dytiscus, Panz. 1796. [1843, 312.
chalconatus Cryptocephalus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2)
chalconatus Dasytes, E. F. Germar, Reise Dalm. 1817, 209.
chalconotus Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 169.
chalconotus Geotrupes, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 15.
chalconotus Graculus, G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 20.
chalconotus Hydrobius, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Jan. 1829, 128.
chalconotus [Hyla], Kuhl & v. Hasselt, Isis (Oken), 1822, 476 [*n. n.*].
chalconota Hyla, Schlegel, Abbild. Amph. pl. 9 (2) 1837 *vel* 1839.
chalconotus Limnodytes (Schleg.), Duméril & Bibron (Roret's Suite à Buffon), Erpét.
 VIII. Jan. 1841, 513.—Hyla, K. & H. [Tachina.
chalconota Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 229.—
chalconotus Polypedotes (Schl.), J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc.
 Sci. Nat. Neuchâtel, II. 1839 [1840], 34.—Hyla, K. & H.
chalconatum Strongylium, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 418.
chalconota Tachina, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV.
 1824, 270.
Chalcoparia J. Cabanis, Mus. Heineanum (1) 1850 [1851], 103.—A.

- chalcopelplus** Cuculus (Vig.), G. R. Gray, Genera of Birds, II. July 1847, 463.—Lampro-morpha. [Aug. 1831, 92.]
- chalcopelpla** Lampromorpha, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8)
- Chalcophana** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 407.—Col.
- Chalcophana** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 161.—Col. [*sine typo*].
- Chalcophanes** Wagler, Syst. Avium, 1827, [305].—A.
- Chalcophanes** J. Cabanis in Schomburgk, Reisen Brit.-Guiana, III. 1848, 683.—A.
- chalcophanes** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 27.
- chalcophana** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. *d*.
- chalcophana** Chrysobothris (K. & E.), Laporte & Gory, H. N. Coléopt. II. 1835–1836, 7.—Buprestis.
- Chalcophaps** J. Gould, Birds of Australia, V (13) 1843, text to pl. 62.—A.
- Chalcophora** A. J. J. Solier (*ex* Audinet-S. MS), Ann. Soc. Ent. France, II (2) *c*. July 1833, 278.—Col.
- Chalcoplacis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 409.—Col.
- Chalcoplacis** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 162.—Col.
- Chalcoplethis** H. Burmeister, Handb. Ent. IV (1) 1844, 410.—Col.
- Chalcopsitta** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 3.—A.
- chalcoptera** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 287.
- chalcoptera** Anas, v. Kittlitz, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 471.
- chalcopterus** Anchomenus, L. Reiche, Rev. Zool. (Soc. Cuv.) VI. Feb. 1843, 41.
- chalcoptera** Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 281. [1821.
- chalcoptermum** Bembidium, Ziegler; Dejean, Spec. gén. Coléopt. V. 1831, 154.—Leja,
- chalcoptera** Camaria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 182.
- chalcoptera** Chirodica, E. F. Germar, Revue Entom. II (—) 1834, Descr. d'esp. Nouv. no. 16.
- chalcopterus** Cursorius, C. J. Temminck in T. & Laugier, Pls. color. (50) Sept. 1824.
- chalcopterus** Dyscolus, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Dec. 1842, 375.
- chalcoptera** Gypona, H. Burmeister, Gen. Ins. (4) 1838, no. 7.
- chalcoptera** Ibis, L. P. Vieillot, N. Dict. H. N., ed. 2, XVI. 1817, 9.
- chalcoptera** Leja, Ziegler; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- chalcoptera** Lema, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 352.
- chalcoptera** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 270. [1790.
- chalcoptera** Phaps (Lath.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 195.—Columba,
- chalcopterus** Philonthus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) July 1832, 231.
- chalcopterus** Psittacus, L. Fraser, Proc. Zool. Soc. London, VIII (90) Mar. 1841, 59.
- chalcopterus** Tachydromus (Temm.), W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 233.—Cursorius.
- chalcopterus** Tentalus, C. J. Temminck in T. & Laugier, Pls. color. (86) Sept. 1830.
- chalcopterus** Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 312.
- chalcoptera** Xylocopa, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 150 [*n. n.*].
- chalcopygus** Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 178.
- chalcopygus** Staphylinus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 113.
- chalcos** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 52.
- Chalcosia** J. Huebner, Verz. bekannt. Schmett. [1822], 173.—Lep.
- Chalcosoma** F. W. Hope, Coleopt. Manual, I. 1837, 86.—Col.
- chalcosoma** Anomala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris; Coléopt. I (2) 1850 [*incunte* 1851], 189.
- chalcosomus** Selenophorus, L. Reiche, Rev. Zool. (Soc. Cuv.) VI. May, 1843, 142.
- chalcospilos** Columba, J. Wagler, Syst. Avium. I. 1827, sign. 172. [Columba.
- chalcospilos** Peristera (Wagl.), G. R. Gray, List Birds Coll. B. M. III. 1844, 17.—
- chalcospilus** Turtur (Wagl.), W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 210.—Columba.
- Chalcostetha** J. Cabanis, Mus. Heineanum (1) 1850 [1851], 103.—A.

- chalcostomus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 341.
Chalcothea H. Burmeister, Handb. Ent. III. 1842, 319.—Col.
chalcothorax Chlaenius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 51.
chalcothorax Pelidnota, M. Perty, Del. anim. artic. Brasil. (1) 1830, 48.
chalcotis Trochilus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 10 [*n. n.*].
chalcoventriss Agrilus, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 219.
chalcurus Diplectropus, C. Gloger, Hand- u. Hilfsb. 1842, 382.
chalcura Juida (Erm.), G. R. Gray, Genera of Birds, II. Ap. 1846, 327.—Lamprotornis, Nordm.
chalcura Lamprotornis, A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 8.
chalcurum Polyplectron, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
chalcus Princeps, J. Huebner, Exot. Schmett., Tab. Princeps [*n. et f.*].
chaldacica Caradrina, C. F. Freyer, Neuerè Beitr. Schmett. IV (51) 1840, 27.
chaldaica Caradrina, E. F. Germar, F. Ins. Europ. (22) 1842, 21.
chaldaica Orthosia, Boisduval, Gen. Index Europ. Lepid. 1840, 140.
chaldeus Conus (Bolt.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 106.—Cucullus, 1798.
chaldoeus Notoxus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 29 [*"Mon. Anth." poster. edit.*].
Chalea C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 190.—Hem. [*non binom.*].
chaleopterum Ethon, E. F. Germar, Linnaea Entom. III. Ap. 1848, 177.
Chalepotaton J. Gistel, Nat. Thierr. 1848, p. ix.—Verm.
Chalepus C. P. Thunberg, Goettingen gelehrte Anz. 1805, 282.—Col.
Chalepus W. S. Macleay, Horae Entom. I (1) 1819, 149.—Col.
Chalicocorus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chalicorus, Erichs.
chalicoda Dioxys, Lepeletier in H. Lucas, Explor. Algér. (Artic. III.) 1849, 207. [Hym.
Chalicodoma Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 309.—
Chalicomys *id. ac* Chalicomys, Kaup; H. v. Meyer, Mag. Nat. Hist., n. s., II. Nov. [1838, 586.—M.
Chalicomys J. Kaup, Isis (Oken), 1832, 994.—M. [1838, 586.—M.
chalicophila Helicella (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.—Helix.
chalicophila Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 6.
Chalicorus W. F. Erichson, Entomographien, 1840, 124.—Col.
Chalicotherium J. J. Kaup, Descr. Oss. foss. (2) 1833, 4.—M.
Chalides Quatr. 1844; *teste* Scudder, *non comp.*, v. Chalcidus.
Chalidis A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) I. Mar. 1844, 129 & 155.—Nud.
Chalimus H. Burmeister, N. A. Ac. Caes. Leop. Car. XVII. 1835, 294.—Cr.
Chalinura J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 397.—Ar. [*typus* Aranea (Chalinura) longipes].
Chalisomus W. Swainson, N. H. Fishes etc. II. July, 1839, 194.—P. [C—a on p. 325].
chalsitis Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 57 (Fernaldo judice 1802) [*n. et f.*].
chalsytis Plusia (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 89.—Noctua.
Chalurus F. Rossi, Syst. Verz. Zweifl. Ins. 1848, 34 [=Chalarus, Walk.].
chalusii Ampedus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. Jan. 1847, 7.
chalybaeella Coleophora (Costa), Zeller, Linnaea Entom. IV. Dec. 1849, 212.—Plutella.
chalybaeella Plutella, O. G. Costa, Fauna Regno Napoli, Lepidott., Plutella, 3 (1832-40).
Chalybaeus G. Cuvier, R. Anim., ed. 2, I. 1829, 354.—A. [Cyprinus].
chalybatus Barbus (Pall.), A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 474.—
chalybatus Cyprinus, *id. ac* bulatmai [Persis], S. G. Gm.; P. S. Pallas, Zoographia, III. 1814, 292.
chalybdea Nucras (Eichw.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 34.—Zootoca.
chalybdea Zootoca, E. Eichwald, Fauna Caspio-Caucasia, 1841, 73.
chalybdea Zootoca, E. Eichwald, N. Mém. Soc. Imp. Nat. Moscou, VII. 1841, 91.
Chalybe Laporte in Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 56.—Col. [*n. n.*].
Chalybe Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1837, 296.—Lep.
chalybeana Tortrix, F. v. P. Schrank, F. Boica, II (2) 1802, 71.
chalybeata Andrena, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 268.

- chalybeata** Beris (Forst.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 4.—Musca, 1770-71.
- chalybeata** Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 149.
- chalybeata** Chrysogaster, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 267.
- chalybeata** Colaspis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [*n. n.*].
- chalybeata** Cosmorhoe, J. Huebner, Verz. bekannt. Schmett. 1826, 326.—Geometra.
- chalybeata** Diaperis, Ziegl.; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- chalybeata** Felis, J. Hermann, Obs. Zool. 1804, 36.
- chalybeata** Felis, C. H. Smith [*non* Hermann] in Griffith's Cuvier, Anim. Kingd., Mamm. II. 474 (1827), Syn. 1827, 166.
- chalybeata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 67 (Fernaldo judice 1808-18) [*n. et f.*].
- chalybeatus** Hydrophilus, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 197.
- chalybeatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 448.
- chalybeata** Lampetis (Klug), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 114.—Buprestis.
- chalybeata** Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 229.—Tachina, 1824.
- chalybeata** Myobia (Meig.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 611.—Tachina.
- chalybeata** Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 252.
- chalybeatus** Pompilus, J. Schiodte, Naturhist. Tidsskrift, I. 1837, 338.
- chalybeata** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 271. [294.]
- chalybeatus** Syrphus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822,
- chalybeata** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 271.
- chalybeata** Zophomyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 161.—Tachina.
- chalybeicaudus** Trochilus, G. A. Suckow, Naturges. II (1) 1800, 682.
- chalybeocephala** Muscicapa, R. P. Lesson, Man. Orn. I. June 1828, 187.
- chalybeicollis** Strigoderma, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 202.
- chalybeicornis** Clythra, Dahl; Dejean, Catal. Coléopt. 1821, 126 [*n. n.*].
- chalybeicornis** Clythra, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 268.
- chalybeipennis** Altica, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 561.
- chalybeipennis** Chlaenius, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 24.
- chalybeipennis** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
- chalybeipennis** Hypherpes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 768.
- chalybaeipennis** Lebia, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 510.
- chalybeipennis** Lema, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 111.
- chalybeipennis** Staphylinus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 198.
- chalybeipennis** Staphylinus, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 143.
- chalybeipes** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1), 1840, 47.
- chalybeosoma** Minturnia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 528.
- chalybeitarsis** Belionota, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 32.
- chalybeitarsis** Chrysobothris (Chevr.), Laporte & Gory, H. N. Coléopt. II. 1835-1836, 2.—Belionota.
- chalybeius -a -um** *v.* **chalybeus -a -um.** [479.]
- chalybeiventris** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- chalybella** Phycis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 549.
- chalybeo** → *v.* **chalybei** →.
- chalybescens** Volucella, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 204. [chalybeus -a -um.]
- chalybeus** Abax, Palliardi, Besch. Carab. 1825, 41.
- chalybea** Actina, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 117.
- chalybeus** Aegithus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 279.—Erotylus.
- chalybea** Agapanthia, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 303.

- chalybeum Agonum, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 219.
 chalybeus Alopecophis, J. E. Gray, Ann. Mag. N. H. (2) IV. Oct. 1849, 247.
 chalybea Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*] [287.
 chalybaea Amphicomma, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
 chalybeus Anchomenus, Dejean, Spec. gén. Coléopt. V. 1831, 720.
 chalybaea Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 282. [428.
 chalybea Anthomyia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
 chalybea Aporocera, W. W. Saunders, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 59.
 chalybeia Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 245.
 chalybeya Aranea, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 344.
 chalybea Ardea, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 326.
 chalybea Ardea, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 582.
 chalybea Ardea, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1124.
 chalybeus Asopus, Herrich-S., Wanzenart. Ins. III (4) July 1836, 68.
 chalybeius Attus, C. A. Walckenaer, Tab. Aran. 1805, 23.—Aranea, 1802.
 chalybaeus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 126.
 chalybea Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [*n. n.*].
 chalybea Barita (Lath.), C. J. Temminck in T. & Laugier, Pls. color. (74) Sept. 1827.
 —Paradisca, 1790.
 chalybea Buprestis, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 100.
 chalybeum Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
 chalybaeum Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 163.
 chalybeia Cassida, E. F. Germar, Ins. Spec. novae, I. 1824, 532.
 chalybeum Catostoma, J. Wagler, Nat. Syst. Amph. 1830, 194.
 chalybaeus Ceutorhynchus, E. F. Germar, Ins. Spec. novae, I. 1824, 237.
 chalybea Cheilonycha (Dej.), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843
 [separata 1842], 108.—Cicindela.
 chalybaeus Chilotomus (Fald.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV.
 1842 (4) 1842, 848.—Ditomus.
 chalybea Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 25.
 chalybea Chrysochroa, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 56.
 chalybea Chrysomela, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
 chalybea Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 38.
 chalybaea Cinnyris (L.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia, 1766.
 chalybeia Cinnyris (L.), W. Swainson, Zool. Illust. (1) II (18) Mar. 1822, pl. 95.—
 Certhia, 1766.
 chalybea Clitellaria, C. R. W. Wiedemann, Anal. Entom. 1824, 30.
 chalybaea Clytra, E. F. Germar, Ins. Spec. novae, I. 1824, 546.
 chalybaeum Cnodalon, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 153.
 chalybea Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
 (2) 1835, 595.
 chalybea Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*] [Ditomus.
 chalybaeus Colochilus (Fald.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 21.—
 chalybea Coptocephala (Germ.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May
 1848, 359.—Clythra.
 chalybeus Corynetes, Knoch ; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
 chalybeus Cracticus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 355.—
 Paradisca, 1790.
 chalybaeus Dasytes, E. F. Germar, Ins. Spec. novae, I. 1824, 78.
 chalybeus Dasytes, E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 164.
 chalybeus Dicaelus, Dejean, Spec. gén. Coléopt. II. 1826, 385.
 chalybeus Ditomus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 13.
 chalybeus Dolichopus, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 72.
 chalybeus Elater, Jas. Sowerby, Brit. Miscell. II (12) Aug. 1806, 23.
 chalybeus Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 115.
 chasybeus (*sic*) Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept.
 1825, 157.

- chalybaeus** Eulissus, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 449.
- chalybeus** Eumerus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 275.
- chalybea** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 234.
- chalybea** Galleruca, MacL.; Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- chalybea** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- chalybaeus** Geotrupes, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 358.
- chalybaea** Gymnetis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 37.
- chalybeus** Gyrimus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 15.
- chalybeus** Hadrus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 183.
- chalybea** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 115.
- chalybeus** Harpalus, Sch.; Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].
- chalybeus** Harpalus (Dej.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 71.—Selenophorus.
- chalybeus** Hedyphanes, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 96.
- chalibeus** Heliophanus (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 30.—Salticus.
- chalybeum** Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 73.
- chalybaea** Hirundo, C. Dumont, Dict. Sci. Nat. XXI. 1821, 224.
- chalybea** Ischnopoda, Rudd in J. F. Stephens, Man. Brit. Coleopt. 1839, 355.
- chalybea** Juida (Ruepp.), G. R. Gray, Gen. Birds, II. Ap. 1846, 327.—Lamprotornis.
- chalybea** Lacerta, E. Eichwald, Zool. Spec. III. 1831, 188.
- chalybaeus** Lamprotornis, C. G. Ehrenberg, Sym. Phys., Aves (1833), pl. 1828.
- chalybaeus** Lamprotornis, E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 27.
- chalibaea** Leptura, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [*n. n.*], & *var. rufipes*, F. V. M. [*n. n.*].
- chalybea** Lonchaea, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 476.
- chalybeus** Lophornis (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 84.—Trochilus. [*non comp.*].
- chalybeus** Lydus (Tausch.), H. C. Kuester, Käfer Europas, III. 1845, 59.—Mylabris
- chalybea** Lytta (Sch.), Dejean, Catal. Coléopt. 1821, 75.—Oenas, ? Tausch.
- chalybaea** Lytta (Tausch.), G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824,
- chalybea** Lytta, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 258. [229.—Oenas.
- chalybea** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orth. 1839 [Dec. 1838], 202.
- chalybea** Mantispia, W. F. Erichson in Germar, Zeitschr. f. d. Entom. I (1) 1839, 160.
- chalybaea** Megacephala, T. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 56.
- chalybea** Megathopa, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 158.
- chalybea** Mellisuga (Vieill.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 253.—Trochilus.
- chalybeus** Merodon, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III.
- chalybea** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 248. [1822, 365.
- chalybeia** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 59, Sept. 1844.
- chalybea** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 632.
- chalybaea** Musca, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 378.
- chalybea** Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 402.
- chalybea** Muscicap, G. A. Suckow, Naturg. II [2] 1801, 1049.
- chalybea** Muscicap, J. M. Bechstein in Latham, Vogel, IV (2) 1812, 320.
- chalybeus** Myas, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 171.
- chalybeus** Myas (Palliard), Dejean, Spec. gén. Coléopt. III. 1828, 424.—Abax.
- chalybea** Nectarinia (L.), M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 12.—Certhia, 1766.
- chalybea** Oedemera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 149.
- chalybaeus** Oenas, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 153.
- chalybeus** Onthophagus, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. a.
- chalybea** Oplocephala, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 341.
- chalybeus** Orcus (Boisd.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 471.—Coccinella.

- chalybea Ortalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 464.
 chalybea Pachylosticta, M. Perty, Del. anim. artic. Brasil. (3) 1833, 129.
 chalybea Pachyta (Kn.), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 60.
 —Leptura.
- chalybeus Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 664.
 chalybea Paradisea, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 258.
- chalybaeus Phonygama (Vieill.), R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 344.—Cracticus.
- chalybea Pirene, A. H. Haliday, Entom. Mag. I (4) July 1833, 338.
 chalybea Platysma, J. Sturm, Catal. Ins. Samml. 1826, 185 [*n. n.*].
 chalybaeum Pogonostoma, F. Klug, Arch. f. Naturg. I (1) 1835, 383.
 chalybeus Pristonychus, Dejean, Spec. gén. Coléopt. III. 1828, 57. [1788.
 chalybea Progne (Gm.), G. R. Gray, Genera of Birds, I. Mar. 1845, 59.—Hirundo,
 chalybea Psamatha, W. E. Shuckard, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 69.
 chalybaeus Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 112.
 chalybeius Salticus (Walk.), C. W. Hahn, Die Arachniden, II (4) Oct. 1834, 42.—Aranea.
 chalybea Scaphura, Marschall, Ann. Wiener Mus. I [2] 1836, 210.
 chalybeus Scatonomus, W. Erichson, Arch. f. Naturg. I (1) 1835, 258.
 chalybaea Schizoccephala, H. Burmeister, Handb. Ent. II (2) i, 1838, 552.
 chalybeus Selenopalpus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 13.
 chalybeus Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 110.—Harpalus, 1821.
 chalybea Siphonura, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 207.
 chalybea Sphecomorpha, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 397.
 chalybea Sphenoptera, E. Ménétries, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (1 & 2) Feb. 1848, 46. [Asopus.
- chalybaeus Stiretrus (Hahn), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 11.—
 chalybea Strangalia (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 331.—Pachyta.
- chalybea Tanagra, Natterer in J. C. Mikán, Delect. Brasil. (4) 1825 [*teste* C. W. R.].
 chalybeus Telephorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 271. [—Buccinum, 1790.
- chalybaea Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 20.
 chalybea Tilliceria, A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 11 [*n. n.*] & 51.
 chalybaeus Tormus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
 chalybeus Trechus, J. Sturm, Catal. Ins. Samml. 1826, 203 [*n. n.*].
 chalybeus Trochilus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 222.
 chalybeus Trochilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 574.
 chalybeus Turdus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 148.
 chalybea Uranophora, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 14.
 chalybea Xylota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 98.
- chalybicolor Bothriopterus, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835,
 Chalybion A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 21.—Hym. [447.
 Chalybium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chalybion, Dahlb.
 Chalybs J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Lep.
- Chama L. Oken, Lehrb. Naturg. III. 1815, 243.—L. [=Tridacna].
 chama Canis, A. Smith, S. African Quart. Journ. II. no. 1 (3) Dec. 1833, 89.
 chama Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 30.
 chama Spirifer, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 145.
 Chamaea W. Gambel, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 154.—A.
 chamaeformis Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 208.
 chamaeformis Cardita (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 189.—Veneri-
 chamaeformis Gryphaea, J. Phillips, Geol. Yorksh. I. 1829, 135 [*n. et f.*]. [cardia.
 chamaeformis Gryphites, E. F. v. Schlotheim, Die Petref. 1820, 291.
 chamaeformis Ostracites, E. F. v. Schlotheim, Die Petref. 1820, 237.
 chamaeformis Venericardia, J. De C. Sowerby, Min. Conch. V. 1825, 145.
 [chamaeleo, etc.]
 chamaeleo Scaphidomorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 489.

- Chamaeleolis** J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.), 1839, 145.—R.
- Chamaeleon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chamaeleo, Laur.
- chamaeleon** Actinia, A. E. Grube, Actin. Adriat. 1840, 8. [1768.]
- chamaeleon** Amnites (Grube), J. Gistl, Nat. Thierry. 1848, p. x.—Polyporus.
- chamaeleon** Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [*n. n.*].
- chamaeleon** Chamaeleo (Gm.), G. Cuvier, R. Anim. II. 1817, 52.—Lacerta, 1758.
- chamaeleon** Chamaeleo (L.), J. E. Gray, Phil. Mag., n. s., II (7) July 1827, 57.—Lacerta, 1758. [Rhynchaenus.]
- chamaeleon** Cnemargus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 193.—
- chamaeleon** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 588.
- chamaeleon** Mysis, J. V. Thompson, Zool. Res. (II) Ap. 1829, 28.
- chamaeleon** Pelidnota (Herbst), H. Burmeister, Handb. Ent. IV (1) 1844, 408.—Scara-
- chamaeleon** Polyporus, A. E. Grube, Actin. Adriat. 1840, 50. [baeus, 1789.]
- cameleon** Prepodes (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 18.—
- Curculio, ? Rhynchaenus.
- chamaeleon** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 461. [168.]
- chamaeleonides** Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837,
- chamaeleontina** Gonyocephalus (Laur.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 238.
- Iguana, 1768.
- Chamaeleopsis** A. F. Wiegmann, jun., Isis (Oken), 1831, 298.—R.
- Chamaeleopsis** J. E. Gray (*ex* Wiedemann MS), Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 45.—R. [Oct. 1837, 176.]
- chamaeleopsis** Corythophanes, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV.
- chamaemorus** Uvella, Bory de St V., Ency. Méth. (Zooph.) 1827, 766.
- chamaemorum** Uvella (Euuvella), Bory; C. M. Diesing, Syst. Helminth. I. 1850, 37.
- Chamaemya** J. W. Meigen in Panzer, Ins. Germ., heft 105, 1809, tab. 12.—Dipt.
- Chamaemyia** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 278.—Dipt.
- chamaenerii** Deilephila, T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 305.
- Chamaepelia** W. Swainson, N. H. Classif. Birds, II. June 1837, 169.—A.
- Chamaepetes** J. G. Wagler, Isis (Oken), 1832, 1227.—A.
- chamaeropsis** Derelomus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 583.—Rhynchaenus.
- chamaeropsis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 448.—Curculio, 1798.
- Chamaerhipes** P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 169.—Col.
- Chamaesaura** J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 392.—R.
- Chamaesaurus** J. G. Schneider, Hist. Amph. II. 1801, 205.—R.
- Chamaeza** N. A. Vigors, Zool. Journ. II (7) Oct. 1825, 395.—A.
- Chamaezosa** J. Cabanis, Arch. f. Naturg. XIII. 1847, 218.—A.
- Chamaepetes** G. R. Gray, List Gen. Birds, 1840, 59 = Chamaepetes, *g.v.*
- chamatus** Ostracites, E. F. v. Schlottheim, Die Petref. 1820, 232.
- chambereti** Strachia, L. Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 262.
- chamek** Ateles (Humb.), R. P. Lesson, Spec. des Mamm., Nov. 1840, 133.—Simia.
- chamek** Cebus (Humb.), J. B. Fischer, Syn. Mamm. 1829, 38.—Simia.
- chameck** Simia, Humboldt, Voy. intér. Amér. (Rec. obs. Zool., 2nd issue) Tabl. Syn. 1811,
- Chameleo** J. P. Bonnaterre, Ency. Méth. (Erp.) 1789, 31.—R. [353.]
- Chameleon** Bory de St V., Dict. Class. H. N. III. 1823, 97.—R.
- Chamepelia** R. P. Lesson, Traité Orn. 1831, 474.—A.
- Chamina** J. Huebner, Verz. bekannt. Schmett. 1825, 271.—Lep.
- chamissonia** Papilio, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 203.
- chamissonis** Brachysoma (Eysenh.), R. P. Lesson (Roret's Suite à Buffon), Acaléphes, 1843, 493.—Rhizophysa. [Suite à Buffon], Acaléphes, 1843, 281.
- chamissonis** Campanella, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 11; (Roret's
- chamissonis** Carabus, Eschscholtz in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
- chamissonis** Carabus, Eschscholtz in G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 88. [1835, 246.]
- chamissonis** Coronella, Hemp.; A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII.
- chamissonis** Coryne (Ehr.), G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 43.—Syncoryna.
- chamissonis** [Epibulia], (Eysenh.), J. F. Eschscholtz, Syst. Acalephen, 1829, 149.—
- chamissonis** Mnemia, J. F. Eschscholtz, Syst. Acalephen, 1829, 32. [Rhizophysa.]

- chamissonis Oikopleura, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] I (2) June 1830,
chamissonis Orophis (Wieg.), L. Fitzinger, Syst. Rept. 1843, 26.—Coronella. [219.
chamissonis Polyptera (Esch.), R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. Ap. 1836,
247.—Mnemia.
- chamissonis Rhizophysa, K. W. Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 416.
chamissonis Syncoryna, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 295.
chamissonis Tubipora, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
chamiticus Pectinites, E. F. v. Schlotheim, Die Petref. 1820, 227. [1832 (1834), 280.
chamoaleo→ v. chamaeleo→.
- chamoides Cardium, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 19.
chamoides Cleidotherus, S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 98.
chamoides Petricola, Lamarck, An. s. vert. V. 1818, 505.
chamomillae Anthaxia, Dahl, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 90.
chamomillae Callaenia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1825], 246.—
Noctua, 1775.
- chamomillae Cucullia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 88.—
chamomillae Leptura, J. C. Fabricius, Syst. Eleuth. II. 1801, 359. [Noctua, 1775.
chamomillae Trachyphlaeus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 203.
Chamostraea De Roissy, 1805; teste Scudder, *non comp.*
- Chamostrea De Roissy, 1805; teste Herrm., *non comp.* [non Roissy.
Chamostrea L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Camostrea, Desh.
Chamostrea J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 136 & 150.—L. [n. n.]
chamusseti Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1847, 437.
chamousseti Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 79.
Champa = Champsia, Wagl.; L. Agassiz, Nomen. Zool. Index Univ. 1846, 77.
Champaetes J. G. Wagler, Isis (Oken), 1832, 1227.—A.
- champil Alausa (C. & V.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850),
champil Clupea, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 91). [1284.—Clupea.
champil Pellona (Gray), Cuvier & Valenc., H. N. Poiss. XX. 1847, 324.—Clupea.
champole v. chanpole.
- Champsia J. Wagler, Descr. Icon. Amph. (2) 1830, 140 & pl. 17.—R.
Champsodactylus D. & B. 1839; teste Agassiz, Campsodactylus *est.*
champsoides Crocodilus, R. Owen, Rept. London Clay (Pal. Soc. III.) Aug. 1850, 31.
chamses Crocodilus, Bory de St V., Dict. Class. H. N. V. 1824, 105.
chamusseti v. chamousetti.
- Chamyna J. Huebner, Exot. Schmett. II. Tab. [204] *die indet.*—Lep. [n. et f.].
Chanda F. Hamilton, Fish. Ganges, 1822, 103 & 370.—P.
- chandramara Pimelodus, F. Hamilton, Fish. Ganges, 1822, 162.
chandramara Silundia (Ham.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 52.—Pimelodus.
changra Capra, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 1017.
- Changua J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 149.—P. [n. n.].
changua Apocryptes (Ham.), Cuvier & Valenc., H. N. Poiss. XII. 1837, 145.—Gobius.
changua Gobius, F. Hamilton, Fish. Ganges, 1822, 41.
- Changulia J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 86).—R. [chagunio.
changunio Rohita (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1026.—Cyprinus
Chanithus C. J. B. Anyot, Ann. Soc. Ent. France, V (1) 1847, 160.—Hem. [non binom.].
Channichthys J. Richardson, Ann. Mag. N. H. XIII. June 1844, 461.—P.
- channus Perca, J. Couch, Mag. Nat. Hist. V. Jan. 1832, 19.
Chanos B. G. B. de Lacepède, Hist. Nat. Poiss. V. 1803, 395.
- chanos Lutodeira (Forsk.), E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (10) 1828, 18.—Mugil, 1775.
- champole (*sic*) Alosa (Ham.), G. Cuvier, R. Anim., ed. 2, II. 1829, 320.—Clupanodon.
chanpole Chatoessus (Ham.), Cuvier & Valenc., H. N. Poiss. XXI. 1848, 116.—Clupano-
chanpole Clupanodon, F. Hamilton, Fish. Ganges, 1822, 249. [don.
chantana Peronea, J. Curtis, Brit. Entom., ed. 2, I (4) 1835-9, no. 16, p. 4.
chantenay Raia, C. A. Lesueur, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 106.
- chanus Holocentrus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 327.—
Labrus, 1775.

- Chaon** C. H. Smith, *Dogs*, I (Nat. Libr. XXV.) Dec. 1839, 129.—M. [*lypus* *Canis lupus*].
- chaon** Papilio, J. O. Westwood, *Arcana Entom.* II (19) May 1844, 97.
- chaonaria** Geometra, C. F. Freyer, *Beitr. Gesch. europ. Schmett.* (6) 1828, 118.
- chaonaria** Psodos, C. F. Freyer, *Beitr. Gesch. europ. Schmett.* (6) 1828, 118.
- Chaonia** J. F. Stephens, *Ill. Brit. Ent.* (Haust. II.) Nov. 1828, 29.—Lep.
- Chaonites** *err. pro* Choanites, Mant.; A. Passy, *Descr. géol. Seine-inf.* 1832, 339.
- chaonia** Aphelinus, F. Walker, *Mon. Chalcid.* I. 1839, 4. [*n. et f.*].
- chaonia** Bombyx, J. Huebner, *Europ. Schmett.*, Tab. Bombyx, 3 (Fernaldo *judice* 1802)
- chaonium** Buccinum, G. D. Nardo (*ex* Chiereghini MS), *Sin. mod. spec. Lag. Veneto*, 1847, 51.
- chaonia** Drymonia (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* [1820], 144.—Bombyx, 1775.
- chaonia** Notodonta (D. & S.), F. Ochsenheimer, *Schmett. Europa*, III. 1810, 82.—
- chapalio** Cyprinus, F. Hamilton, *Fish. Ganges*, 1822, 324. [Bombyx, 1775.]
- chapalio** Esomus (Ham.), J. J. Heckel in Russegger, *Reise*, I (2) 1843, 1035.—Cyprinus.
- chapmani** Mystriosaurus (Buckl.), Bronn & Kaup, *Abh. Gavial-art. Rept. Lias, Nachtrag*, 1844, 47.—Teleosaurus.
- chapmanni** Teleosaurus, W. Buckland, *Geol. & Min.* II. 1836, 35.
- chapra** Alausa, Cuvier & Valenc., *H. N. Poiss.* XX. 1847, 440.
- chapra** Alosa, J. E. Gray, *Ill. Indian Zool.* II [1832–5] (pl. 92).
- chapra** Clupanodon, F. Hamilton, *Fish. Ganges*, 1822, 248.
- chaptali** Clio, J. E. Gray, *Cat. Moll. Coll. B. M.* (2) 1850, 14.
- chaptalii** Mugil, Eydoux & Souleyet in Vaillant, *Voy. "Bonite," Zool.* I. 1842, 171.
- chaptalii** Portunus, Audouin in Savigny, *Egypte*, H. N. I (Crust.) 1826, 84.
- chaptalii** Thalamita (Aud.), H. M. Edwards (Roret's *Suite à Buffon*), *Crustacés*, I. 1834,
- Chaptia** B. H. Hodgson, *India Rev. I.* 1837, 326.—A. [460.—Portunus.]
- chaptis** Bola, F. Hamilton, *Fish. Ganges*, 1822, 77.
- chaptis** Corvina (Ham.), Cuvier & Valenc., *H. N. Poiss.* V. 1830, 130.—Bola.
- chapu** Capra, B. H. Hodgson, *J. Asiat. Soc. Bengal*, XVI. 1847, 1020.
- Char** de Blainville; *teste* Scudder, *vernac. in* Dict. Sci. Nat. VIII. 1817, 163, *pro* Gioenia,
- chara** Corallina, Lamarck, *Mém. Mus. H. N. (Paris)* II [4] Sept. 1816, 240. [1789.]
- chara** Papilio, J. O. Westwood, *Ann. Mag. N. H.* IX. Mar. 1842, 37.
- characias** Cyphoma, J. Gistel, *Nat. Thierr.* 1848, 151.
- characias** Cyphoma, J. Gistel, *Handb. Naturges.* 1850 [1847], 495.
- Characinus** B. G. E. de Lacepède, *Hist. Nat. Poiss.* V. 1803, 269.—P.
- characteralis** Botys, C. F. Freyer, *Neuere Beitr. Schmett.* VI (87) 1848, 67.
- characterana** Cacoecia, J. Huebner, *Verz. bekannt. Schmett.* 1826, 388.—Tortrix.
- characterana** Tortrix, J. Huebner, *Europ. Schmett.*, Tab. Tort. 20 (Fernaldo *judice* 1797) [*n. et f.*]. [Tinea, 1775.]
- characterella** Haemylis (D. & S.), F. Treitschke, *Schmett. Europa*, IX (1) 1832, 254.—
- characterrea** Cicada, E. F. Germar in Thon, *Entom. Archiv*, II (2) May 1830, 4 (=40).
- characterrea** Cicindela, J. Sturm, *Catal. Ins. Samml.* 1826, 117 [*n. n.*].
- characterrea** Eugraphe (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* [1822], 224.—Noctua, 1775.
- charactericus** Cardiophorus, J. F. Eschscholtz in Thon, *Entom. Archiv*, II (1) Jan. 1829,
- characteristica** Buprestis, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 45 [*n. n.*]. [34.]
- characteristicus** Conus, L. W. Dillwyn (*ex* Chemn.), *Catal. Shells*, 1817, 367.
- characteristica** Siphonaria, L. Reeve, *Proc. Zool. Soc. London*, X (110) Nov. 1842, 49.
- characterosa** Depressaria, A. H. Haworth, *Lepidopt. Brit.* (3) 1811, 511.
- Characteres** S. S. Haldeman, *Proc. Acad. Nat. Sci. Philad. I* (31) Oct. 1843, 303.—Col.
- Charactus** Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 98.—Col. [*sine typo*].
- Charactus** E. Blanchard (*ex* Dej.), *Hist. Insect.* II. 1845, 55.—Col.
- charadrii** Filaria, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 10 [*n. n.*].
- charadrii** Halysis, J. G. H. Zeder, *Anleit. Eingeweidewürm.* 1803, 374.
- charadrii** Taenia, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 708.
- charadrii** Trichosoma, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 16 [*n. n.*].
- charadrii himantopodis** Taenia, C. A. Rudolphi, *Entoz. II* (2) 1810, 208.
- charadrii pluvialis** Echinorhynchus, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 78 [*n. n.*].

- Charadrina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caradrina, Huebn.
charadrioides Cursor, J. Wagler, Syst. Avium, I. 1827, sign. 61.
charadriorum Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 55 [*n. n.*].
charadroides Ammoptila, W. Swainson, N. H. Classif. Birds, II. June 1837, 364.
Charadronota H. Burmeister, Handb. Ent. III. 1842, 619.—Col.
Charaeas J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 108.—Lep.
Charagmus C. J. Schoenherr, Curc. disp. meth. 1826, 135.—Col.
Charamus C. Steven; *teste* Scudder, *sed non comp.*—Col.
Charanyca G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 85.—Lep. [n. d., 2 nom. triv. append.].
chararum Spermatinus, J. Gistl, Nat. Thierr. 1848, 188.
Charasia J. E. Gray, Cat. Lizards Coll. B. M. 1845, 246.—R.
charasii Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 379.
Charax A. Risso, H. N. Europe, III. 1826, 353.—P.
Charaxes F. Ochsenheimer, Schmett. Europa, IV. 1816, 18.—Lep.
Charaxia A. G. Desmarest, Consid. gén. Crust. 1825, 395.—Cr. [*n. n.*, Leach *vernac.* 1818].
charaxus Entedon, F. Walker, Mon. Chalcid. I. 1839, 68.
Charcharodon *id. ac* Carcharodon, Sm.; R. W. Gibbes, Proc. Ac. Nat. Sci. Philad. III (2) Ap. 1846, 42.
chardignii Triphaena, G. Fischer v. W., Oryct. Moscou, 1830, sign. *f*³ [*n. et f.*].
chardingi Hadena, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1838, 231.
Charelia W. Sodosky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 88.—Lep. [*sine typo*].
chares Cirrospilus, F. Walker, Ann. Nat. Hist. III. May 1839, 180.
chares Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 146.—Cirrospilus,
Charelea J. Curtis, Brit. Ent. II. 1825, 76.—Lep. [1839.
chariclea Argynnis (Schn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 15.—Papilio, [1818–22] [*n. et f.*].
chariclea Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 153 (Fernaldo judice
chariclea Pieris (Steph.), Westwood in Humphreys, Brit. Butterfl. 1841, 24.—Pontia.
chariclea Pontia, J. F. Stephens, Ill. Brit. Ent. (Haust. I.) Aug. 1827, 17.
chariclo Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 146.
Charidea Dalman, K. Sv. Vet. Ac. Handl. 1816, 225; in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 81.—Lep. [n. d., 7 nom. triv. append.].
Charidemus J. Gistl, Nat. Thierr. 1848, 123.—Col.
Charidemus J. Gistl, Handb. Naturges. 1850 [1847], 405.—Col.
Chariea J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 197.—Col.
Chariotoptenus L. Agassiz (*ex* Chevr. MS) Nom. Zool. (Col. 1845).—Col.
Chariessa M. Perty, Del. anim. artic. Brasil. (2) 1832, 109.—Col.
Chariesterus F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 44.—Hem.
charillo Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
Charina J. E. Gray, Cat. Snakes Coll. B. M. 1849, 113.—R. [*n. n.*].
charina Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 525.
Charineus W. E. Leach, Dict. Sci. Nat. XXVIII. 1823, 266.—Cr.
charino Entedon, F. Walker, Mon. Chalcid. I. 1839, 96.
Charinotes Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
Charinotus Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col. [39.—Col.
Chariodema [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 117.—Col.
Chariotheca Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col.
Chariptera A. Guénée, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 124.—Lep.
Charis J. Huebner, Verz. bekannt. Schmett. 1818, 21.—Lep.
Charis E. Newman, Entomologist (2) Dec. 1840, 21.—Col.
Charis J. C. Albers, Die Heliceen, 1850, 152.—G.
Charissa J. Curtis, Brit. Entom. III (26) Feb. 1826, no. 105.—Lep.
Charitodon H. v. Meyer, N. Jahrb. f. Min. 1847, 575; Palaeontographica, I (5) Dec. 1849, 205.—P.
Charitonia Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 411.—Col. [*n. n.*].

- charitonia** *Apostrophia* (L.), J. Huebner, Verz. bekannt. Schmett. 1816, 13.—*Papilio*, 1767.
- charitonia** *Heliconia* (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 210.—*Papilio*, *Charitosaurus* H. v. Meyer, N. Jahrb. f. Min. 1838, 415.—R. [*n. n.*] [1767].
- Charitotheca** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Chariotheca*, Dej.
- charlesworthii** *Melicerta*, H. M. Edwards, Ann. Sci. Nat. VI. 1836, 345.
- charlesworthii** *Melicertina* (Edw.), J. Morris, Cat. Brit. Foss. 1843, 41.—*Melicerta*.
- charlesworthii** *Ulidium* (Edw.), S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 17.—*Melicerta*.
- charloni** *Anthocharis*, H. Donzel, Ann. Soc. Ent. France, XI (2) Oct. 1842, 197.
- charlotia** *Clausilia*, A. Risso, H. N. Europe, IV. 1826, 86.
- charlotta** *Papilio*, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 3 [*n. n.*].
- charlotta** *Papilio*, Jas. Sowerby, Brit. Miscell. (3) Feb. 1805, 23.
- charltonii** *Felis*, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 211.
- charltonii** *Francolinus* (Eyton), G. R. Gray, Gen. Birds, III. Jan. 1846, 505.—*Perdix*.
- charltonii** *Perdix*, T. C. Eyton, Ann. Mag. N. H. XVI. Oct. 1845, 230.
- charmassei** *Ammonites*, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 296.
- charmassei** *Orbiculoidea*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 222.
- Charmides** J. Gistl, Nat. Thierr. 1848, 130.—Col.
- Charmides** J. Gistl, Handb. Naturges. 1850 [1847], 427.—Col.
- charmione** *Papilio*, J. C. Fabricius, Ent. Syst. III (1) 1793, 205.
- charmione** *Papilio*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 73.
- charmione** *Pieris* (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 122.—*Papilio*, 1793.
- charmione** *Terias* (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 677.—*Papilio*, 1793.
- Charmon** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.—Hym.
- Charmona** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 82.—Lep. [n. d., 3 nom. triv. append.].
- Charmosina** C. L. Bonaparte, Consp. gen. Avium, 1850, 3.—A.
- Charmosyna** J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 493.—A.
- charmus** *Telenomus*, F. Walker, Mon. Chalcid. II. 1839, 59.
- charmuth** *Macropteronotus*, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 84.
- charoba** *Cirrospilus*, F. Walker, Ann. Nat. Hist. IV. Sept. 1839, 30.
- charoba** *Tetrastichus*, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 75.—*Cirrospilus*, 1839.
- charoides** *Amphiroa*, J. V. F. Lamouroux, Hist. Polyp. 1816, 301.
- charon** *Cercopis*, A. White, Ann. Mag. N. H. XV. Jan. 1845, 35.
- charon** *Euploea* (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], pl. vi.—*Trichoda*, 1773. [*Trichoda*, 1773.]
- charon** *Euplotes* (Müll.), C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828) sign. c.—
- charon** *Himantophorus* (Müll.), C. G. Ehrenberg, Infusionthier. 1838, 376.—*Himantopus*, 1773.
- charon** *Kerona* (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 156.—*Trichoda*,
- charon** *Plaesconia* (Müll.), Bory de St V., Ency. Méth. (Zooch.) 1827, 629.—*Trichoda*, 1773.
- charon** *Ploesconia*, F. Dujardin (Roret's Suite à Buffon), Infusioires, June 1841, 438.
- charon** *Sphinx*, J. Huebner, Europ. Schmett. (Ziefer) (me judice 1805), 81.
- charon** *Thermophila*, J. Huebner, Verz. bekannt. Schmett. [1820], 118.
- charon** *Zygaena* (Huebner.), Boisduval, Essai Zygen. 1829 [1828], 65.—*Sphinx*.
- charondas** *Elachestus*, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 68.—*Eulophus*,
- charondas** *Eulophus*, F. Walker, Mon. Chalcid. I. 1839, 174. [1839.]
- Charonia** J. Gistl, Nat. Thierr. 1848, 170.—G.
- Charonia** J. Gistl, Handb. Naturges. 1850 [1847], 559.—G.
- Charonia** J. Gistl, Nat. Thierr. 1848, 178.—Med.
- Charonia** J. Gistl, Handb. Naturges. 1850 [1847], 586.—Med.
- charonia** *Eugonia* (Dru.), J. Huebner, Verz. bekannt. Schmett. 1818, 37.—*Papilio*, 1770.
- charonia** *Vanessa* (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 308.—*Papilio*, 1770.
- Charopota** G. F. Jaeger, Nova Acta Acad. Caes. XXII (2) 1850, 867.—M.
- charops** *Eutерpe*, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 407.
- charops** *Pteromalus*, F. Walker, Mon. Chalcid. I. 1839, 242.

- Charopus** W. F. Erichson, Entomographien, 1840, 119.—Col.
charopus Gryllus, F. Weber, Obs. Ent. 1801, 99.
charopus Papilio, J. O. Westwood, Arcana Entom. (12) Mar. 1843, 189.
charpentiera Theba, A. Risso, H. N. Europe, IV. 1826, 76.
charpentierana Eudemis, J. Huebner, Verz. bekannt. Schmett. 1826, 382.—Tortrix.
charpentierana Syricoris (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 231.—
 Tortrix. [1818-22] [*n. et f.*].
charpentierana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 45 (Fernaldo judice
charpentieri Aeschna, F. A. Kolenati, Melet. Entom. (5) June 1846, 114.
charpentieri Agrion, E. de Selys, Rev. Zool. (Soc. Cuv.) III. July 1840, 214.
charpentieri Ammonites, Schafhautl, N. Jahrb. f. Min. 1846, 819.
charpentierii Anodonta, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
 Najadea (34) 1842, 49.
charpentieri Bulimus, Grateloup, Zeitschr. f. Malakozool., Jan. [Ap.] 1850, 14.
charpentieri Cerithium, B. de Bastérot, Mém. Soc. H. N. Paris, II (1) 1825, 56.
charpentieri Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850,
 140. [1850, 298.—Aeschna.
charpentieri Cordulegaster (Kolen.), E. de Selys-L., Mém. Soc. R. Sci. Liège, VI. Mar.
charpentieri Cyamobolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 182. [268.
charpentieri Cyclostoma, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849],
charpentieri Cyclostoma (Cyclophorus), Mousson; O. A. L. Morch, Catal. Conch.
 Kierulf. 1850, 30.—*var.*
charpentieri Cyrena, Arnaud in Potiez & Michaud, Gal. Moll. Douai, II. 1844, 191.
charpentieri Ehippiger, J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 166.
charpentieri Gryllacris, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 12.
charpentieri Hamites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 387.
charpentieri Helix, H. Scholtz, Schlesien's Land- und Wasser-Moll. 1843, 28.
charpentieri Helix, H. Scholtz, Uebers. Arb. schles. Ges. 1843 (1844), 145.
charpentieri Panorpa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 958.
charpentieri Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1068.
charpentieri Physa, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
 Limnaeacea (90) 1850, 23.
charpentieri Turbo, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 564.
charpentiernana Tortrix, F. Froelich, Enum. Tortric. Wuert. 1828, 70.
charreyi Melania, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 97.
charruana Paludestrina, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 385.
charruana Unio, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 35.
charruani Bembidium, E. J. F. Le Guillou, C. R. Acad. Sci. (Paris) XIII. 1841, 222 [*n. n.*].
charruani Bembidium, H. M. Edwards, L'Institut, Aug. 1841, 280; Extr. P. V. Soc.
chartacea Eschara, Lamarck, An. s. vert. II. 1816, 175. [Philom. Paris, 1841, 89.
chartacea Forficula (Apachya), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
 bezitt., Zool. (Ins.) 1842, 239.
chartaria Epipona (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 349.—Vespa,
chartaria Polistes (Ol.), Lamarck, An. s. vert. IV. 1817, 90.—Vespa, 1791. [1791.
chartaria Vespa, Olivier, Ency. Méth. (Ins.) VI. 1791, 687.
Chartella J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 104 & 145.—Polyz. [Hym.
Chartergus Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 542.—
chartersi Nummulites, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 465.
charteus Planorbis, F. Held, Isis (Oken), 1837, 305.
chartifex Vespa, J. N. Vallot, Concord. à Réaumur, 1802, 171.
Chartopteryx J. O. Westwood (*ex* Hope MS), Arcana Entom. (3) Sept. 1841, 43.—Col.
charus Arhopalus (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850,
charus Clytus, T. Say, Boston Journ. N. H. I (2) 1835, 193. [17.—Clytus.
charus Pimelodius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 159.
Charybdea L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Carybdea, P. & L.
Charybdis A. Cocco, Effem. Sci. Lett. Sicil. II. 1832, 204.—Cr. [*n. n.*].
Charybdis W. de Haan in Siebold, F. Japon. (Crust. 1833), 10.—Cr.

- Charybs** Denys de Montfort, Conch. I. 1808, 106.—Rh.
- Charytonia** J. Gistel, Nat. Thierr. 1848, 127.—Col.
- Charytonia** J. Gistel, Handb. Naturges. 1850 [1847], 418.—Col.
- Chascax** F. A. Ritgen, N. Acta Ac. Caes. Leop. Car. XIV (1) 1828, 278.—R.
- Chasiempis** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 207.—A.
- Chasiempsis** J. Cabanis in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 327.—A.
- Chasmagnathus** W. de Haan in Siebold, F. Japon. (Crust. 1835), 27.—Cr.
[chasmarhynchus.]
- caesmarynchos** Chloropsis, S. R. Tickell, J. Asiat. Soc. Beng. II (23) Nov. 1833, 577.
- casmarhynchus** Phyllornis (Tick.), G. R. Gray, Genera of Birds, I. Oct. 1846, 124.—
- Chasmatopterus** Dejean, Catal. Coléopt. 1821, 60 [n. n.].—Col. [Chloropsis.]
- Chasmatopterus** Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 378.—Col.
- Chasme** Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 378.—Col.
- Chasmodes** Cuvier & Valenc., H. N. Poiss. XI. 1836, 295.—P.
- Chasmodes** Wesmael, N. Mém. Ac. Brux. XVIII. 1845, 13.—Hym.
- Chasmodia** W. S. Macleay, Horae Entom. I (1) 1819, 155.—Col.
- Chasmodon** A. H. Haliday, Ent. Mag. V (3) Ap. 1838, 214.—Hym. [Haan.]
- Chasmognathus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chasmagnathus,
- Chasmops** F. McCoy, Ann. Mag. N. H. (2) IV. Dec. 1849, 399.—Cr.
- Chasmorhynchus** H. E. Strickland, Ann. Mag. N. H. VIII. 1842, 373.—*emend. pro*
Casmarrhynchus, Temm. [chus, Temm.]
- Chasmorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cosmarhynchus.
- Chasolium** F. L. de Laporte, Etudes Entom. (2) 1835, 132.—Col.
- chassaryana** Nucula, A. d'Orbigny, Prodr. Paléont. I. 1849 (Jan. 1850), 339.
- chassyanus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 220.
- chastellii** Creseis, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 44.
- chastellii** Helix, A. E. Férussac, H. N. g. et p. Moll. I. 1850, 106.
- chasybeus** *v.* **chalybeus**.
- chata** Tetrao *id. ac* alchata, Linn.; P. S. Pallas, Zoographia, II. 1811, 73.
- chatareus** Coius, F. Hamilton, Fish. Ganges, 1822, 101. [Timalia.]
- chatarhaea** Malacocercus (Frankl.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 369.—
- chataraea** Timalia, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 118.
- chatchas** Seymnus, E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 986. [binom.]
- Chathaphus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (4) 1847, 405.—Hem. [non]
- chati** Felis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 169.
- Chatoessus** G. Cuvier, R. Anim., ed. 2, II. 1829, 320.—P.
- Chatoesus** J. Richardson, Zool. "Ereb. Terr." (Pisces) 1846, 62 [=Chatoessus].
- chaudoiriii** Acalles, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 571.
- chaudoiri** Alcides, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 154.
- chaudoiriii** Anthicus (Kol.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 8.—Formicoma ["Mon. Anth." *poster. edit.*].
- chaudoiriii** Bembidium, V. v. Motschulsky in M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 179. [1845 (3) 1845, 173.]
- chaudoiriii** Bythinus, Hochhuth in M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVIII.
- chaudoiri** Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 911.
- chaudoiriii** Cicindela, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 287.
- chaudoiriii** Cybister, H. Hochhuth in M. de Chaudoir, Enum. Carab. 1846, 213.
- chaudoiri** Emphanes, V. v. Mochulski, Kaefer Russl. *post* May 1850, 13 [n. n.].
- chaudoiriii** Feronia (Trirammatus), F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 14.
- chaudoiri** Formicoma, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 34.
- chaudoiriii** Leptaleus (Kol.), F. de La Ferté-S., Mon. Anthicus, 1848 [*i. e.* 1849], 332.—
Formicoma. [1847 (2) 1847, 488.]
- chaudoiriii** Minyops, V. v. Motschulsky in Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX.
- Chaelelasmus** C. L. Bonaparte, Comp. List Birds Europ. 1838, 56.—A.
- Chauliodes** T. C. Eytton, Mon. Anat. 1838, 43.—A.
- Chauliodes** F. Rambur (Roret's Suite à Buffon), Nevroptères, 1842, 443, 444.—Neur.

- Chauliodus** J. G. Schneider, Bloch, Syst. Ichth. 1801, 430.—P.
Chauliodus G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 95.—Neur. [n. d.].
Chauliodus W. Swainson, Journ. R. Inst. Gt Brit. II. Aug. 1831, 19.—A.
Chauliodus W. Swainson, F. Bor.-Amer. (2) 1831 [i. e. Feb. 1832], 440.
 —A. [*typus* *Anas strepera*].
Chauliodus F. Treitschke, Schmett. Europa, IX (2) 1833, 31.—Lep.
Chauliognathus N. M. Hentz, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 460.—Col.
Chauliomorpha E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 555.
 —Lep.
Chaulodius *err. pro* Chauliodus, Sw.; S. D. W., The Analyst, III (14) Jan. 1836, 209.
Chauna C. Illiger, Prod. 1811, 253.—A.
Chauna H. Loew, Entom. Zeitung, Stettin, VIII (12) Dec. 1847, 370.—Dipt.
Chaunax R. T. Lowe, Proc. Zool. Soc. London, XIV (163) Nov. 1846, 81.—P.
Chaunonotus G. R. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 487.—A.
Chaunopora L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caunopora, Phill.
Chaunoproctus Bonaparte & Schlegel, Mon. Loxiens, 1850, 31.—A.
Chaunornis G. R. Gray, List Gen. Birds, ed. 2, 1841, 13.—A.
Chaunus Wagler, Isis (Oken), 1828, 744.—R.
Chaus J. E. Gray, List Mamm. Coll. B. M. 1843, 44.—M.
chaus Lynx (Güld.), Boitard, Dict. Univ. Hist. Nat. III. 1843, 426.—Felis, 1776.
chauseicus Alibrotus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 23.
 —Lysianassa.
chauseica Arpacticus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 430.
chauseica Lysianassa, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 365.
chauveli Nucula, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
chauveneti Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 440.
chauveneti Erodium, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 568.
chauveti Pleurotoma, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 101.
chauvinianus Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1847, 460.
chauviniana Arca, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 340.
chauvinianus Mitylus, A. d'Orbigny, Prodr. Paléont. II. [Nov. 1850], 165.
chauviniana Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 332.
chauviniana Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 344.
chauviniana Thracia, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. 1845, 471
 [n. n.]; Prodr. Paléont. I. 1849 [Jan. 1850], 336.
Chavarria C. S. Rafinesque, Analyse, 1815, 70.—A. [n. n.].
chavarria Chauna (L.), C. Illiger, Prod. 1811, 254.—Parra, 1766.
tschawytscha Salmo, J. G. Schneider, Bloch, Syst. Ichth. 1801, 407.
chazali Monocrepidius, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 220.
chechra Silurus, F. Hamilton, Fish. Ganges, 1822, 152.
chedra Cyprinus, F. Hamilton, Fish. Ganges, 1822, 273. [nus.
 [Leuciscus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 293.—Cypri-
chedra Pachystomus (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—Cypri-
chedrio Cyprinus, F. Hamilton, Fish. Ganges, 1822, 268. [nus.
Chedrus W. Swainson, N. H. Fishes etc. II. July 1839, 185 & 285.—P.
cheeheil Spirifer, L. de Koninck, Bull. Ac. Roy. Brux. XIII (2) 1846, 420. [1790.
cheela Haematornis (Lath.), E. Blyth, J. Asiat. Soc. Bengal, XIX. 1850, 328.—Falco,
cheela Milvus (Lath.), G. R. Gray, List Birds Coll. B. M. I. 1844, 20.—Falco, 1790.
cheela Spilornis (Daud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 17.—Falco, Lath.
cheele Milvus, T. C. Jerdon, Madras Journ. X (24) July 1839, 71. [1790.
cheet Erythura (Sykes), Jardine & Selby, Ill. Orn., pl. 34, n. s., 1839.—Lonchura.
cheet Lonchura, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 95.
cheet Spermestes (Sykes), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 27.—Lonchura.
chefkini *v.* chevkinii.
Cheilichthys J. Mueller, Abh. k. pr. Ak. Wiss. (Berlin) 1839 (1841), 252.—P.
Cheilinus B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 529.—P.
Cheilio B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 432.—P.
Cheilobarbus A. Smith, Ill. Zool. S. Afr. (Pisc.) pl. x, 1841.—P.

- Cheilobranchus** J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 50.
- Cheilocace** J. Gistel, Nat. Thierr. 1848, 150.—Hem.
- Cheilocace** J. Gistel, Handb. Naturges. 1850 [1847], 491.—Hem. [84.—Hem.
- Cheilocheirus** M. Spinola, Tav. sin. Hem. 1850, *ex* Mem. Soc. Ital. Sci. XXV (1) 1852,
- Cheilocolpus** A. J. J. Solier in C. Gay, Hist. Chile (Zool.) IV. 1849, 320.—Col.
- Cheilodactylus** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 5.—P.
- Cheilodipterus** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 539.—P.
- Cheilodromas** E. Rueppell, Mus. Senckenb. II. 1837, 208.—A.
- Cheilodromus** *err.* Agassiz *pro* Cheilodromas, *q. v.*
- cheilogona** Helix Cochlodon, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 63.
- cheilogona** Pupa (Lowe), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 193.—Helix.
- Cheilomenes** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 435.—Col.
- Cheilomenes** Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 444.—Col. [*sine typo*].
- Cheiloneurus** J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., III (17) Nov. 1833, 343.—Hym. [Col.
- Cheilonycha** T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [separata 1842], 108.—
- Cheilopogon** R. T. Lowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 38.—P. [*nom. caelebs*]. [1847.
- Cheilopogon** H. Loew, Linn. Ent. 1841, 11.—Dipt. *teste* Scudder, *non comp.*, Holopogon,
- Cheilopogonus** J. O. Westwood, Zool. Journ. V (20) 1832–34 (*post* Ap. 1835), 441.—Ar.
- cheilopora** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 91.
- Cheilosa** G. W. F. Panzer, Ins. Germ., heft 108 [1809] tab. 14.—Dipt.
- Cheilosia** J. W. Meigen, Syst. Besch. zweifl. Ins. III. 1822, 289.—Dipt.
- Cheilosporum** Zanardini, Atti R. Ist. Veneto, III. 1844, 187.—Coel.
- Cheilostomum** C. M. Diesing, Syst. Helminth. I. 1850, 293.—Verm. [1835, 3.
- cheilostropha** Helix, A. d'Orbigny, Syn. Moll. Amer. mérid. in Magasin de Zool. V.
- Cheilotoma** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420; N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 376.—Col.
- Cheilotoma** Lacordaire, Mém. Soc. Sci. Liège, V. 1848, 341.—Col.
- cheilotoma** Pleurotoma, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 66.
- Cheilotrema** J. J. Tschudi, Fauna Peru. (Ichth.) 1846, 13.—P.
- Cheilotrichia** Rossi, Syst. Verz. zweifl. Ins. Oesterr. 1848, 12.—Dipt.
- Cheimaphasia** J. Curtis, Entom. Mag. I (2) Jan. 1833, 190.—Lep.
- Cheimarra** Burmeister, 1839; *teste* Agassiz *sed non comp.*, *v.* Chimarra.
- Cheimatobia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Lep.
- Cheimatophila** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Lep.
- Cheimonea** J. J. Kaup, Skizz. Europ. Thierw. 1829, 84.—A. [*typus* Larus tridactylus].
- Cheimonophila** Duponchel, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 113.—Lep.
- Cheimophasia** Curtis, 1833; *err.* Agassiz *pro* Cheimaphasia, *q. v.*
- Cheimophila** J. Huebner, Verz. bekannt. Schmett. 1826, 403.—Lep.
- Cheir**→ *v. et* Chir→.
- cheir**→ *v. chir*→.
- Cheiracanthium** C. L. Koch, Die Arachniden, VI (1) *ante* Ap. 1839, 9.—Ar.
- Cheiracanthus** J. L. R. Agassiz, Poiss. Foss. II (1) 125 (1835).—P.
- Cheiracanthus** C. M. Diesing, Ber. XV. Vers. Deutsch. Nat. Aertze, 1837 (1838), 189 [*n. n.*]; Ann. Wiener Mus. II [2] 1839, 221.—Verm.
- Cheiragonus** W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 347.—Cr. [*non usu gen.*].
- Cheiragonus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 256.—Cr.
- cheiranthi** *v. chiranthi*.
- Cheiro**→ *v. et* Chiro→.
- cheiro**→ *v. chiro*→.
- Cheirocephalus** *v.* Chirocephalus.
- Cheirochela** F. W. Hope, Tr. Linn. Soc. London, XVIII (3) 1840, 442.—Col.
- Cheirodes** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 194.—Col. [*n. n.*].
- Cheirodes** J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 73.—Col.
- Cheiroidus** F. M'Coy, Ann. Mag. N. H. (2) II. 1848, 131.—P.

- Cheirogaleus** E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 172.—M.
- Cheiolasia** J. O. Westwood, Arcana Entom. (11) Jan. 1843, 171.—Col. [*typhus* Ceratrhina burkei].
- Cheirolepis** J. L. R. Agassiz, Poiss. Foss. II (1) 128 (1835).—P.
- Cheiolites** v. H. G. Bronn, Index palaeont. 1848, 454 (Elephas primig.).—= dent. molar. lamellae singulae [ex Aldrovandi "Chirites"]].
- Cheiolithes** H. G. Bronn, Index Pal. 1848, 286.—M.
- Cheiromeles** T. Horsfield, Zool. Researches Java (8) 1824.—M. [1802] 195.—M.
- Cheiomys** B. G. L. de Lacépède in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- Cheiromyza** H. Jensen, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 337.—Dipt.
- Cheiron** G. T. Burnett, Q. Journ. Sci. (R. Inst. Gt Brit.) Dec. 1828 (1829), 307.—M.
- Cheironectes** R. T. Lowe, Proc. Zool. Soc. Lond. VII (77) 1839, 84.—P.
- Cheiropacha** L. Agassiz, Nom. Zool. (Orth.) 1845.—*emend. pro* Chiropacha, Charp.
- Cheiropachus** J. O. Westwood, Zool. Journ. IV (13) July 1828, 23.—Hym.
- Cheiroplatys** W. Kirby in F. W. Hope, Coleopt. Man. I. 1837, 84.—Col. [v. Chirop→.
- Cheiropristis** "Cocco"; G. de Natale, Descr. Zool. n. sp. Plojaria, 1850, 8.—Cr.
- Cheirosaurus** Agassiz, Nom. Zool. (Rept. 1844).—*emend. pro* Chirosaurus, Kaup.
- Cheirotherion** [Cheirotherium], F. K. L. Sickler, Vorzügl. Fahrten-Abdrucke, 1836, 7.—R., v. Chirot→, 1835.
- Cheirotherium** Bruno, Mem. R. Acc. Sci. Torino (2) I. 1839, 160.—M.
- Cheirotonus** F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 78.—Col.
- Cheiroxiphia** *id. ac* Chiroxiphia, Cab.; H. G. L. Reichenbach, Avium Syst. Nat., pl. lxiii
- Chirurus** H. E. Beyrich, Böhm. Trilobiten, 1845, 5.—Cr. [(Mar. 1850).
- Chela** F. Hamilton, Fish. Ganges, 1822, 383.—P.
- chela** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 258. [Bris.].
- Chelarga** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A.—[n. n. = Casuarius,
- Chelaria** E. Haworth in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Lep.
- chelata** Cellaria, Lamarck, An. s. vert. II. 1816, 140.
- chelata** Crisia (Pall.), G. Johnston, Hist. Brit. Zooph. 1838, 261.—Cellularia, 1766.
- chelata** Eucratea (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 149.—? Sertularia,
- chelata** Scruparia, L. Oken, Lehrb. Nat. III (1) 1815, 90. [L. 1758.
- chelata** Unicellaria (Pall.), de Blainville, Dict. Sci. Nat. LX. 1830, 426.—Cellularia, 1766.
- Chelencrinus** H. G. Bronn, Index Pal. 1848, 286.—Crin.
- Chelenodon** J. Mueller, Abh. k. pr. Ak. Wiss. 1841, 252.—P.
- Chelenodus** A. A. Berthold in Latreille, Nat. Fam. Thiecr. 1827, 369.—Col.
- Chelepteryx** G. R. Gray, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 121.—Lep.
- cheles** Encyrtus, F. Walker, Mon. Chalcid. II. 1839, 37.
- Chelibs** Denys de Montfort, Conch. I. 1808, 306.—Rh.
- Chelichnus** W. Jardine, Ann. Mag. N. H. (2) VI. Sept. 1850, 209.—R. [—P.
- Chelichthys** J. Mueller & Troschel in Schomburgk, Reisen Brit.-Guiana, III. 1848, 641.
- chelicornis** Galeodes (Fab.), Lamarck, An. s. vert. V. 1818, 79.—Solpuga, Licht. 1796.
- chelicornis** Philopterus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 293.
- Chelictinia** R. P. Lesson, Echo Monde Savant, X. 12 Jan. 1843, 63.—A.
- chelicuti** Alauda, E. S. Stanley in Salt, Voy. Abyssin. 1814, App. IV. p. lvi.
- chelicuti** Halcyon (Stanl.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alauda.
- Chelidis** C. Gloger, Notizen (Froriep) XVI. 1827, 278.—A.
- Chelido** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 193.—A.
- Chelidon** T. Forster, Syn. Cat. Brit. Birds, 1817, 17 & 55.—A.
- Chelidon** F. Boie, Isis (Oken), 1822, 550.—A.
- chelidonaria** Cassida, Demay, Rev. Zool. (Soc. Cuv.) Feb. 1838, 23.
- chelidonii** Alcyrodes, G. Samouelle, Entom. Compend., June 1819, 233.
- chelidonii** Aleurodes, H. Burmeister, Handb. Ent. II (1) 1835, 83.
- chelidonii** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 41.
- "Chelidonia Sav. 1811," *err.* Waterhouse *pro* "Chlidonie" Sav., *vernac.*
- Chelidonia** Streubel, Isis (Oken), 1848, 370.—A.
- Chelidonis** Gloger in Froriep, Notizen, XVI. 1827, 279.—A.
- chelidonius** Pediculus, F. v. P. Schrank, F. Boica, III (1) 1803, 194.
- Chelidonura** A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 561 & 601.—G.

- Chelidoptera** J. Gould, Proc. Zool. Soc. 1836, 81.—A.
- Chelidoptera** C. Wesmael, Bull. Ac. R. Brux. V. 1838, 591.—Orth.
- Chelidopteryx** J. J. Kaup, Isis (Oken), 1847, 87.—A.
- Chelidorhynch** L. Agassiz, Nom. Zool. (Aves) 1842-5.—*emend. pro Chelidorynx*, Hodgs.
- Chelidorynx** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].—A. [1843
teste Agass. sed non comp.]. [VIII. 1846, 49.]
- Chelidoura** *err. pro Chelidura*, Latr.; G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou,
- Chelidura** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 409.—Orth.
- chelifér** Aegus, W. S. Macleay, Horae Entom. I (1) 1819, 113.
- cheliferus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
[1841], 364.—Theridion.
- chelifér** Arpacticus (Müll.), W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846],
154.—Cyclops, 1776. [295.—Cyclops, 1776.]
- chelifér** Dactylops (Müll.), J. Fleming, Edinburgh Phil. Journ. VIII (16) Ap. 1823,
- chelifera** Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 188.
- chelifér** Lucanus (MacL.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
1835, 235.—Aegus. [I. 1836 [1835], 186.—Formica.]
- chelifér** Odontomachus (Latr.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
- cheliferum** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 231.
- Chelifera** J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 150.—Dipt.
- cheliferoïdes** Scorpio, J. Gisl, Nat. Thierr. 1848, 191.
- cheliferoïdes** Scorpio, J. Gisl, Handb. Naturges. 1850 [1847], 626.
- Cheligaster** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 479.—Dipt.
- Chelimorpha** F. E. Guérin-M., Iconogr. 1844, Ins. 290.—Col. [*non gen.*]
- Chelina** C. L. Bonaparte, Saggio distr. metod. Anim. 1832, 5; *teste Agassiz, sed fam.*
- Chelinotus** W. Swainson, Treat. Malacol., May 1840, 234 & 355.—G.
- cheliopertus** Tabanus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 192.
- chelipes** Idotea (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 372.—Cymothoa,
- Cheliphus** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*]. [1793.]
- Chelipoda** J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 148.—Dipt.
- Cheliurus** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*].
- Chelmo** H. R. Schinz in Cuvier, Thierreich, II. 1822, 532.—P.
- Chelmon** H. Cloquet, Dict. Sci. Nat. VIII. 1817, 370.—P. [*non Cuvier, vernac.*].
- Chelmonus** *emend. pro Chelmon*, Cuv.; F. P. Jarocki, Zoologia, IV. 1822, 260.
- chelo** Mugil, G. Cuvier, R. Anim., ed. 2, II. 1829, 232.
- Chelobasis** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 143.—Col.
- Chelobasis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col.
- Chelochirus** M. Spinola, Rev. Zool. (Soc. Cuv.) II. Nov. 1839, 332.—Hem.
- Chelocrinites** H. B. Geinitz, Grundr. Verstein. 1846, 540.—Crin.
- Chelocrinus** H. v. Meyer, N. Jahrb. f. Min. 1837, 316.—Ech.
- Chelocrinus** H. v. Meyer, Abh. Senckenb. Mus. II (3) 1837, 260.—Ech.
- Cheloderus** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 784.—Col.
- Chelodina** L. J. Fitzinger, N. Class. Rept. 1826, 45.—R.
- Chelodon** Gloger, Hand- u. Hilfsb. I. 1841, 105.—M.
- Chelodus** J. Kaup, Catal. plâtres, 1832, 6; Isis (Oken), 1832, 995.—M.
- Chelogyne** A. H. Haliday, Entom. Mag. V (5) Oct. 1838, 518.—Hym.
- Chelomeles** Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 774.—R.
- Chelona** J. Fleming, Brit. Anim. 1828, 149.—R.
- Chelonarium** J. C. Fabricius, Syst. Eleuth. I. 1801, 101.—Col.
- chelonarius** Brachysphoenus, T. Lacordaire, Mon. Erytyl., Sept. 1842, 343.
- Chelone** R. L., Allg. Lit. Zeitung, 1817 (1), 288.—Lep.
- Chelone** F. A. Ritgen, N. Acta Ac. Caes. Leop. Car. XIV (1) 1828, 269.—R.
- chelone** Doryphora, M. Perty, Del. anim. artic. Brasil. (2) 1832, 107.
- Chelonia** J. B. Godart, H. N. Lépid. France, IV (Noct. 1) 299, 1823.—Lep.
- Chelonia** Brongn. 1800, *emend.* C. L. Bonaparte, Giorn. Arcad. LXIX. 1836, 64.—R.
- Chelonia** R. Harlan, Amer. J. Sci. XLIII. 1842, 144.—R.
- Chelonia** F. E. Guérin-M., Iconogr. 1844, Ins. 514.—Lep.
- chelonia** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 289, Mar. 1845.

- chelonion** Monachidium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 638.
- chelonionae** Ascaris, S. d. Chiaje, Mem. An. s. vert. Napoli, I (1) 1823, 72.—? *usu spec.*
- chelonionae** Pentelasmis, W. E. Leach in Tuckey, Exp. Zaire, 1818, 413.
- Chelonias** C. S. Rafinesque, Specchio d. Sci. II (9) Sept. 1814, 66.—R.
- Chelonias** J. Huebner, Verz. bekannt. Schmett. 1826, 398.—Lep.
- Chelonibia** W. E. Leach, J. de Physique, LXXXV. July 1817, 68.—Cirr.
- Chelonichthys** L. Agassiz in Morris, Cat. Brit. Foss. 1843, 189; 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 195 [n. n.].—P.
- Chelonichthys** L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 404.—P.
- Cheloniger** Lacepède (*ex* Plumier), H. N. Poiss. IV. 1803, 542.—P. [*teste* Jordan, *sed* **chelonina** Furcocerca, Bory de St V., Ency. Méth. (Zooth.) 1827, 424. [*non binom.*].
- Chelonionides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chelonides, Boisd.
- Cheloniscus** J. Wagler, Nat. Syst. Amph. 1830, 35.—M.
- Chelonites** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 9.—Col. [n. n.].
- Chelonobia** W. E. Leach, 1817; *teste* Agassiz, Chelonibia *est*, q. v.
- Chelonobia** W. E. Leach, Zool. Journ. II (6) 1825, 209.—Cirr.
- Chelonodema** F. L. de Laporte, Etudes Entom. (1) 1834, 49.—Col.
- Chelonodon** J. Mueller, Abh. k. pr. Ak. Wiss. (Berlin) 1839 (1841), 252.—P.
- Chelonoidis** L. J. Fitzinger, Syst. Rept. 1843, 29.—R. [1826 *teste* Ag. *sed non comp.*].
- chelonophilus** Cineras, W. E. Leach in Tuckey, Exp. Zaire, 1818, 412.
- Chelonura** C. S. Rafinesque, Analyse, 1815, 74.—R. [n. n.].
- Chelonura** J. Fleming, Phil. Zool. II. [1822], 270.—R.
- Chelonus** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt. 1801, 164; N. Méth. class. Hyménopt. 1807, 289.—Hym.
- Chelopsis** C. S. Rafinesque, Analyse, 1815, 75.—R. [n. n.].
- Chelopus** C. S. Rafinesque, Analyse, 1815, 75.—R. [n. n.].
- chelopus** Acarus, J. F. Hermann, Mém. Aptér. 1804, 82.
- chelopus** Analges (Herm.), Nitzsch, Ersch & Gruber, Allg. Ency. I. 1818, 252.—Acarus.
- chelopus** Gamasus (Herm.), J. C. Fabricius, Syst. Antliat. 1805, 360.—Acarus.
- Chelorrhina** Burmeister in J. O. Westwood, Arcana Entom. (11) Jan. 1843, 168.—Col.
- Chelosania** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 245.—R.
- Chelostoma** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 161.—Hym.
- chelseaensis** Aspidetes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [n. n.].
- cheltensis** Turbo, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 416.
- cheltiensis** Ammonites, R. I. Murchison, Outline Geol. Cheltenham, 1834, 19.
- Chelura** R. A. Philippi, Arch. f. Naturg. V (1) 1839, 120.—Cr.
- Chelura** F. W. Hope, Tr. Linn. Soc. London, XVIII (3) 1840, 444.—Lep.
- Chelus** C. Duméril, Zool. Analyt. 1806, 76.—R. [*typus, teste* Froriep, 1806, T. fimbriata].
- Chelus** = Chelys, G. Fischer, Tabl. Syn. Zoog., ed. 2, 1808, Rept., col. (1).—R. [n. n.].
- Chelybs** L. Oken, Lehrb. Nat. III (1) 1815, 323.—Coel.
- Chelyda** C. S. Rafinesque, Analyse, 1815, 75.—R. [n. n.].
- Chelydra** A. F. Schweigger, Koenigsberger Archiv, I. 1812, 292.—R. [[*sine typ.*].
- Chelymorpha** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 369.—Col.
- Chelymorpha** E. Blanchard (*ex* Chevr.), Hist. Ins. II. 1845, 183.—Col.
- Chelymors** J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 42.—R.
- chelyonides** Barbus, J. McClelland, Asiat. Researches, XIX (2) 1839, 271.
- Chelyodina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chelodina, Fitz.
- Chelyomorpha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chelymorpha, Chevr. [1846, 221.
- Chelyonotus** *emend. pro* Chelionotus, Sw.; A. N. Herrmannsen, Ind. Gen. Malacoz. I.
- Chelyophorus** J. L. R. Agassiz, Poiss. F. V. G. R. 126 & 135 (1845).—P.
- Chelyophorus** L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 413.—P.
- Chelyosoma** Broderip & G. B. Sowerby, I., Zool. Journ. V (17) Feb. 1830, 46.—Tun.
- Chelyra** C. S. Rafinesque, Analyse, 1815, 74.—R. [n. n.].
- Chelys** M. Oppel, *emend. pro* Chelus, Dum., Die Ordn. Rept. 1811, 11.—R.
- chelys** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 484.—Papilio, 1793.
- chelytrypetes** Balanus, W. Hincks, Ann. Nat. Hist. V. July 1840, 333.

- Chemaeza** *err. pro* Chamaeza, Vig.; Lesson, Rev. Zool. II. 1839, 136.—A.
- Chemelys** C. S. Rafinesque, Analyse, 1815, 75.—R. [*n. n.*].
- Chemerina** Boisduval, Gen. Index Europ. Lepid. 1840, 193.—Lep.
- Chemidotus** C. Aubé, Spec. gén. Hydroc. 1838, 38.—Col. [*err. pro* Cnemidotus].
- chemnitzii** Avicula, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 19.
- chemnitzii** Bulimus, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Bulimus (47) 1844, 47.
- chemnitzii** Cassidulus, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 105.
- chemnitzii** Conus, L. W. Dillwyn, Catal. Shells, 1817, 363.
- chemnitzii** Cyclotoma, W. Wood, Suppl. Index Test. 1828, 36.—Turbo, 1828.
- chemnitzii** Emarginula, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 140. [126.]
- chemnitzii** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835,
- chemnitzii** Fusus, H. E. Anton, Verz. Conch. 1839, 74 & 76.
- chemnitzii** Galatea, R. A. Philippi, Abb. Conch. III (8) 1850, 124.
- chemnitzii** Lucina, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 151.
- chemnitzii** Lutraria, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 26.
- chemnitzii** Mactra, J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 372. [Voluta.]
- chemnitzii** Marginella (Dillwyn), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 82.—
- chemnitzii** Mesodesma, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 443 (Kkk*).
- chemnitzii** Modiola, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 129.
- chemnitzii** Mytilus, Férussac, Ann. Sci. Nat. [2] (Zool.) III. Ap. 1835, 194.
- chemnitzii** Natica, L. Pfeiffer, Krit. Reg. Martini & Chemnitz, 1840, p. viii.
- chemnitzii** Natica, Récluz in J. C. Chenu, Illustr. conch. I (12 & 13) 1843, pl. 3 [*n. et f.*].
- chemnitzii** Nerita, S. Petit, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 103.
- chemnitzii** Ostrea, S. Hanley, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 106.
- chemnitzii** Separatista, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850,
- chemnitzii** Solarium, L. C. Kiener, Spec. Coquilles (Solarium) 1838–39, 12. [45.]
- chemnitzii** Solen, G. Fischer, Mus. Démid. III. 1807, 253.
- chemnitzii** Solen, J. C. Chenu, Illustr. conch. I (6) 1843, pl. 1 [*n. et f.*].
- chemnitzii** Strombus, L. Pfeiffer, Krit. Reg. Martini & Chemnitz, 1840, p. viii.
- chemnitzii** Strombus, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 716. [Ap. 1835, 113.—Mytilus.]
- chemnitzii** Tichogonia (Fér.), E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (1)
- chemnitzii** Tritonium, J. E. Gray, Zool. "Blossom," 1839, 110.
- chemnitzii** Trochus, A. Valenciennes in Du Petit-Thouars, Voy. "Venus" (Tab. Pls. 1846).
- chemnitzii** Trochus, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Trochus (79) 1848, 63.
- chemnitzii** Turbo, W. Wood, Suppl. Index Test. 1828, 18 [*n. et f.*].
- chemnitzii** Venus, S. Hanley, Proc. Zool. Soc. London, XII (140) Feb. 1845, 160.
- chemnitzii** Voluta, L. W. Dillwyn, Catal. Shells, 1817, 529.
- Chemnitzia** A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 77.—G. [217.]
- chemnitziana** Clausilia, Deshayes in Lamarck, H. N. An. s. vert., ed. 2, VIII. 1838,
- chemnitziana** Cyllindrella (Desh.), L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 42.—Clausilia.
- chemnitziana** Cyllindrella (Fér.), R. A. Philippi, Abb. Conch. II (2) 1845, 49.—Helix.
- chemnitzianus** Delphinus, de Blainville, N. Dict. H. N., ed. 2, IX. 1817, 175.
- chemnitziana** Eburna, G. Fischer, Mus. Démid. III. 1807, 178.
- chemnitziana** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845, 43.
- chemnitziana** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 66.
- chemnitzianum** Heterodon (Bl.), R. P. Lesson, Man. Mamm., May 1827, 418.—Delphinus.
- chemnitziana** Pupa (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Helix. [141.]
- chemnitziana** Triloculina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839,
- chemnitzianus** Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 36, Mar. 1848.
- chemnitzoides** Bulimus, E. Forbes, Proc. Zool. Soc. London, XVIII (204) Nov. 12, 1850, 55. [265.]
- chemungensis** Atrypa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,

- chemungensis** Avicula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 243. [263.]
- chemungensis** Delthyris, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
- chemungensis** Inoceramus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 246.
- chemungensis** Mytilus (Conr.), Phillips & Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 365.—Inoceramus. [247.]
- chemungensis** Nuculites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
- chemungensis** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
- Chen** F. Boie, Isis (Oken), 1822, 563.—A. [1842, 257.]
- chena** Ophiocephalus, F. Hamilton, Fish. Ganges, 1822, 62.
- Chenalopex** Dumont, Dict. Sci. Nat. VIII. 1817, 393.—A. [Alcidae]—*non usu gen.*
- Chenalopex** J. F. Stephens, Gen. Zool. XII (2) 1824, 41.—A.
- chendoola** Alauda, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 119.
- Chendoola** Cherthilauda (Frankl.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 962.
- Chenelopex** R. P. Lesson, Traité Orn. 1831, 627.—A. [—Alauda.]
- Chenendopora** J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 77.
- cheneros** Anas, J. R. Forster, Anim. mar. Aust. 1844, 92.
- Chenesia** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 151.—Dipt.
- cheniana** Megalophonus (A. Smith), G. R. Gray, Genera of Birds, II. Nov. 1844, 382.—Mirafr.
- cheniana** Mirafr, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxxix, 1843.
- Cheniscus** J. F. Stephens, Gen. Zool. XIV (1) 1826, 344.—A.
- Chennium** P. A. Latreille, Gen. Crust. Ins. III. 1807, 77.—Col.
- chennium** Pselaphus, Lamarck, An. s. vert. IV. 1817, 275.
- Chenocetus** Eschricht; v. J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 52.
- Chenococoncha** d'Orbigny in Froriep, Notizen, XXXVI. 1845, 130 [*err. pro* Ctenococoncha].
- Chenodelphinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chaeno-
- Chenonetta** J. F. Brandt, Descr. Icon. An. Ross. 1836, 5.—A. [delphinus, Esch.]
- chenonii** Dendrophis, I. T. Reinhardt, Afhandl. K. Danske Vid. Selsk. X. 1843, 246.
- chenoni** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 821.
- chenophyllum-canadense** Aphis, C. S. Rafinesque, Amer. Monthly Mag. I (5) Sept.
- Chenopis** J. G. Wagler, Isis (Oken), 1832, 1234.—A. [1817, 361.]
- Chenopoda** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Anseropoda, Nardo.
- chenopodaria** Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 303.—*c*—*ata*, L. 1758. [1847], 16.
- chenopodiaria** Harpalyce, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov.
- chenopodiaria** Phalaena, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 78.—*c*—*ata*, L. 1758. [1758.]
- chenopodiata** Cidaria (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Phalaena,
- chenopodiata** Electra (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 189.—Phalaena, 1758. [1758.]
- chenopodiata** Larentia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena,
- chenopodiata** Mesotype (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 338.—Phalaena, 1758. [Tinea.]
- chenopodiella** Lepidocera (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—
- chenopodiella** Röslerlammia (*sic*) (Huebner), T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 43.—Tinea.
- chenopodiella** Scythris, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea.
- chenopodiella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 46 (Fernaldo judice 1811–17) [*n. et f.*].
- chenopodii** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 109. [Noctua, 1775.]
- chenopodii** Diataraxia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 219.—
- chenopodii** Hadena (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 505.—Noctua, ? D. & S. 1775.
- chenopodii** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 74.
- chenopodii** Mamestra (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 77.—Noctua, 1775.

- chenopodii** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 77.—Lygaeus, 1807.
- chenopodiphaga** Apamea (Hueb.), C. F. Freyer, Neuere Beitr. Schmett. III (35) 1837, 26.—Noctua.
- chenopodiphaga** Mamestra, Boisduval in P. Rambur, Ann. Soc. Ent. France, I (3) c. Oct. 1832, 283. [1834] [*n. et f.*].
- chenopodiphaga** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 175 (Fernaldo judice)
- Chenopus** R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 214.—G.
- Chenorhamphus** *id. ac* Chaenoramphus, Dum.; G. R. Gray, Gen. of Birds, III. 1848, 562.
- chenuanus** Mytilus, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 649.
- chenui** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1847, 145.
- chenui** Mytilus (Modiola), C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 306.
- chenu** Satyrus, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 77.
- cheonea** Fuligula, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- Chepora** J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
- Cheporus** Megerle in Dahl, Coleopt. und Lepidopt. 1823, 6.—Col.
- Chera** J. Huebner, Verz. bekannt. Schmett. [1822], 211.—Lep.
- Chera** G. R. Gray, Gen. Birds, I (1) May 1844, p. 4 of Ploceinae [*teste* C. W. R., *mihi non visum*, *sed v.* II. Mar. 1849, 355].
- chera** Noctua (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 38.—Phalaena,
- Cheramoeca** J. Cabanis, Mus. Heineanum (1) 1850 [1851], 49.—A. [1773.]
- Cheraps** W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 101.—Cr. [cheric.]
- tscheric** Motacilla, J. Wilkes, Ency. Londin. XVI (1095) 1818, 94.
- tscheric** Motacilla (Regulus), F. S. Voigt in Cuvier, Thierreich, I. 1831, 524.
- cherina** Drymoica, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxvii, 1843.
- cheriway** Polyborus (Jacq.), J. Cabanis in R. Schomburgk, Reisen Brit. Guiana, III. 1848, 741.—Falco, 1784.
- [cherkessicus -a -um.] [4°.—Glis, Pall. 1777.]
- tscherkessicus** Arctomys (Erx.), A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 329.
- circassiae** Arctomys (Erx.), R. P. Lesson, Man. Mamm., May 1827, 247.—Glis tscherkessicus, Pall. 1777. [23.—Glis, Pall. 1777.]
- tscherkessicus** Cricetus (Pall.), A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804,
- circassicus** Dipus, G. A. Goldfuss, Vergl. Naturb. Säugeth. (2) 1812, 189.
- [chermes.]
- kermes** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 753.
- chermes** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 58.
- chermesina** Amphinome, S. Renier, Tavole [1804] xviii [*vernac.*, *coccinea est*].
- kermesinus** Cimex, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 270.
- chermesina** Myzomela, G. R. Gray, Genera of Birds, I. Oct. 1846, 118 [*n. et f.*].
- chermesina** Nerinella (Ren.), G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 13.—Amphinome.
- chermesina** Rodolia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 905.
- kermesinus** Stigmaeus, C. L. Koch, Deutsch. Crust., heft 37, 1844, tab. 20.
- chermetis** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 308.
- chermetula** Bombyx, F. v. P. Schrank, F. Boica, II (1) 1801, 298.
- chermis** Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 297.
- chermis** Pteromalus (Boyer), C. G. Nees v. E., Hymenopt. Ichth. aff. II. 1834, 426.—
- cherna** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 310. [Cynips.]
- [cherniki.]
- tschernikhii** Brachinus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- Chernites** J. Gistel, Nat. Thierr. 1848, 168.—G. [184.]
- Chernites** J. Gistel, Handb. Naturges. 1850 [1847], 553.—G.
- cherokeus** Pentremites, G. Troost, P. Amer. Assoc. 1849 (1850), 60 [*n. n.*].
- Cheropotamus** *id. ac* Choeropotamus, Cuv.; H. v. Meyer, Mag. Nat. Hist., n. s., II. Nov. 1838, 587.
- Cheropus** P. A. Latreille; *teste* Scudder, *non comp.* ? Ceropus, *g. v.*
- cheroti** Vorticella, P. Duchassaing, Anim. rad. Antilles [1850], 24.
- cherotonum** *v.* chirotonum.

- Cherrhus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cherrus, Dalm.
- cherrug** Falco, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 25).
- Cherrus** Dalman in Schoenherr, Disp. meth. Curc. 1826, 89.—Col.
- Chersea** J. Fleming, Phil. Zool. II. 1822, 295.—R.
- chersea** Pelias (L.), C. L. Bonaparte, Icon. Faune Ital. (12) 1835.—Coluber, 1758.
- chersea** Vipera (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 297.—Coluber, 1758.
- cherseoides** Coluber (Wagl.), L. J. Fitzinger, Isis (Oken), 1826, 884.—Natrix.
- cherseoides** Natrix, J. Wagler in Spix, Serp. Brasil. 1824, 29.
- Chersina** J. E. Gray, Syn. Rept. 1831, 7 & 14.—R.
- Chersina** H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 74.—G.
- chersina** Helix, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 156.
- Chersine** B. Merrem, Tent. Syst. Amph. 1820, 12 & 29.—R.
- chersipho** Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 864.
- Chersis** Savigny, 1826; *teste* Agassiz, Nom. Zool. (Arach.) 1845, *sed non comp.*
- Chersis** C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 (1836), 390.—Ar.
- Chersis** A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1846, 339.—Lep.
- chersis** Lethia, J. Huebner, Exot. Schmett. II. Tab. [167] [*n. et f.*].
- Chersobius** L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 112.—R.
- Chersodromia** F. Walker (*ex* Haliday MS), List Dipt. Coll. B. M. (4) 1849, 1157.—Dipt.
- chersoideus** Conus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, [1847, 41.
- Chersomanes** Cabanis, 1850; *teste* Marschall, 1851 *est.*
- chersonensis** Lacerta, A. Andrezejowski, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 327.
- chersonensis** Lycosa, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, 1837 (5) 1837, 84.
- chersonesica** Anomalia, Megerle in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 33.
- Chersophis** L. Fitzinger, Syst. Rept. 1843, 28.—R.
- Chersotis** Boisdual, Gen. Index Europ. Lepid. 1840, 103.—Lep.
- Chersus** J. Wagler, Nat. Syst. Amph. 1830, 138.—R.
- Chersydrus** G. Cuvier, R. Anim. II. 1817, 75.—R.
- cherubim** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 370.
- cheruscus** Fusus, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 59.
- Chesias** F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Lep.
- chesias** Teleas, F. Walker, Entom. Mag. III (4) Jan. 1836, 362.
- chesneii** Coluber, W. Martin, Proc. Zool. Soc. London, VI (67) July 1838, 81.
- chesneii** Rissoa, A. G. L. Michaud, Descr. genre Rissoa, 1830, 15.
- Chetetes** *id. ac* Chaetetes, Fisch.; J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 711 [Chetetes, Fisch. 1837 *teste* Scudder, *non comp.*].
- chetifer** Porphyrops, F. Walker (*ex* Haliday MS), List Dipt. Coll. B. M. (3) 1849, 653.
- Chetocera** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 697.
- Chetogaster** Macq. 1850; *teste* Marschall, 1851 *est.* [—Dipt.
- Chetopterus** M. Sars, Beskr. Bergenske Kyst Dyr. 1835, 47.—[? Chaetopt.] [—A.
- Chettusia** C. L. Bonaparte, Icon. Fauna Italica (23) 1838; & Introd. Uccelli, 1841 [12].
- Chetusia** *id. ac* Chettusia, Bonap.; G. R. Gray, List Gen. Birds, ed. 2, 1841, 84.
- chevalierii** Helix, Souleyet, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 101.
- chevanella** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 358.
- [chevkini.] [439.
- tchefkini** Ammonites, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- tchefkini** Ammonites, Orb. *var.* stenolobus, A. Keyserling, Wiss. Beob. Petschora, 1846, 329. [363.
- tcheffkini** Nautilus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- tschevkini** Palaeoniscus, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XV. 1842 (2) 1842, 464. [—Spirifer.
- tcheffkini** Platystrophia (Vern.), W. King, Perm. Fossils (Pal. Soc. III) Aug. 1850, 106.
- tcheffkini** Porambonites (V. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 18.—Spirifer. [129.
- tcheffkini** Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- chevola** Gallichtys, Cuvier & Valenc., H. N. Poiss. IX. 1833, 175.

- chevrieri** Acrotrichis (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848
(2) 1848, 568, Table.—Trichopteryx.
- chevrieri** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 33.
- chevrieri** Apate, Villa & Villa, Coleopt. Europ. 1833, Suppl. 1835, 49.
- chevrieri** Bryaxis, C. Aubé, Ann. Soc. Ent. France [2] II (2) Aug. 1844, 114. [45.]
- chevrierii** Harpalus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 69; *ibid.* Coleopt.
- chevrieri** Naenophyes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 193. [19.]
- chevrierii** Nebria, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 27; *ibid.* Coleopt.
- chevrierii** Scydmaenus, O. Heer, Coleopt. Helvet. (3) 1841, 368.
- chevrierii** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
- Chevrieria** O. Heer, Coleopt. Helvet. (2) 1839, 188.—Col.
- chevrolatii** Acmaeodera, M. Spinola, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 380.
- chevrolatii** Acrotrichis (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Trichopteryx.
- chevrolat** Agra, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 186.
- chevrolatii** Agrilus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 111.
- chevrolatii** Altica, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 152.
- chevrolatii** Anthrasomus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 32.
- chevrolati** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 260.
- chevrolatii** Apocytus, G. R. Waterhouse, Ann. Mag. N. H. XI. Ap. 1843, 251.
- chevrolati** Arrhenodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 469.
- chevrolatii** Aulacochelilus, H. Lucas, Explor. Algér. (Artic. II.), 1846, 220.
- chevrolatii** Blaps, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 298.
- chevrolati** Brachycerus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 657.
- chevrolatii** Brenthus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 313.
- chevrolatii** Buthinus, C. Aubé, Pselaph. Mon. in Magasin de Zool. III. 1833, 41.
- chevrolatii** Calognathus, F. E. Guérin in Magasin de Zool. VII. 1837, pl. 172.
- chevrolati** Carabus, Cristofori & Jan in Magasin de Zool. VII. 1837, pl. 182.
- chevrolatii** Cebrio, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. July 1844, 255.
- chevrolatii** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 249.
- chevrolati** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 (1835, *sed me judice* 1836),
- chevrolatii** Coccinella, F. E. Guérin-M., Iconographie, 1844, Ins. 321. [26.]
- chevrolatii** Collyris, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII.
- chevrolati** Copelatus, C. Aubé, Spec. gén. Hydroc. 1838, 389. [1838, 1.]
- chevrolatii** Ctenodactyla, Dejean, Spec. gén. Coléopt. I. 1825, 227.
- chevrolatii** Cydianerus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 201.
- chevrolatii** Cymindis, J. Gistel, Syst. Insect. I (2) 1839, 131.
- chevrolati** Cyphus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 142.
- chevrolatii** Diacantha, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 330.
- chevrolatii** Dorcus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 364.
- chevrolati** Elater, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 20 [*n. n.*].
- chevrolatii** Epipedorhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- chevrolatii** Erotylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 421. [43.]
- chevrolatii** Eucamptognathus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 28.
- chevrolatii** Eupholus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 117.
- chevrolatii** Formila, de Romand, Ann. Soc. Ent. France [2] IV (1) July 1846, p. xxxii.
- chevrolatii** Fornax, F. E. Guérin-M., Ann. Soc. Ent. France [2] I (3) Dec. 1843, 185.
- chevrolat** Gymnetis, Gory & Percheron, Mon. Cétoines (2) 1834, 71; (13) 1836, 346.
- chevrolatii** Haemonia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 215.
- chevrolatii** Heilipus, F. E. Guérin-M., Iconographie, 1844, Ins. 149.
- chevrolatii** Heterogomphus, H. Burmeister, Handb. Ent. V. 1847, 233.
- chevrolati** Hydaticus, C. Aubé, Spec. gén. Hydroc. 1838, 164.
- chevrolati** Hymenopia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 471.
- chevrolati** Hypsonotus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 170.
- chevrolatii** Julodis, Laporte, Revue Entom. III (4) 1835, 159.
- chevrolatii** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-36, 8.

- chevrolatii Laemosaccus, F. E. Guérin-M., Iconographie, 1844, Ins. 145.
 chevrolatii Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 22.
 chevrolatii Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 420.
 chevrolatii Loncophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
 chevrolatii Lucanus, Chenu, Magasin de Zool. (2) II. 1840, pl. 44. [393.
 chevrolatii Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 285.
 chevrolatii Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 85.
 chevrolatii Neda (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 291.—Coccinella.
 chevrolatii Ocypus, E. Truqui, Baudi & Truqui, Studi Ent. I. 1848, 121.
 chevrolatii Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 135.
 chevrolatii Onitis, H. Lucas, Explor. Algér. (Artic. II.) 1846, 253.
 chevrolatii Oryctes, F. E. Guérin-M., Iconographie, 1844, Ins. 85. [358.
 chevrolatii Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
 chevrolatii Oxymerus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 36.
 chevrolatii Pachyrhynchus, Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) II. Sept. 1839, 266.
 chevrolatii Passalus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 41 [*n. n.*].
 chevrolat Passalus, A. Percheron, Mon. Passales, 1835, 26.
 chevrolatii Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 371.
 chevrolatii Plinthus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 92 [*n. n.*].
 chevrolatii Praocis (Guér.), A. J. J. Solier, Ann. Soc. Ent. France IX (3) *post* Ap. 1841,
 229.—Anthrasmus.
 chevrolatii Stenocnemus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 10.
 chevrolatii Stenolophus, Gaubil, Rev. Zool. (Soc. Cuv.) IX. Feb. 1846, 57.
 chevrolatii Trichophorus, F. E. Guérin-M., Iconographie, 1844, Ins. 228.
 chevrolatii Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
 chevrolatii Tricondyla, Laporte, Revue Entom. II (1) 1834, 38.
 chevrolatii Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 456.
 chevrolatii Vesta, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 133.
 chevrolatii Zuphium, Laporte, Revue Entom. I (6) *extremo* 1833, 254. [Col.
 Chevrolatia C. Jacquelin-D., Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, 45.—
 chi Antitype (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 212.—Phalaena, 1758.
 chi Polia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Phalaena, 1758.
 chi Tragopa, Klug in H. Burmeister, Revue Entom. IV (5) 1836, 190.
 chia Echenais, J. Huebner, Verz. bekannt. Schmett. 1818, 19.
 chia Venus, A. d'Orbigny, Coq. Fos. Colomb. 1842, 47.
 chiaia R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 77.—Coel.
 [chiaiei.]
 chiajii Amphiura, E. Forbes, Proc. Linn. Soc. London (18) June 1843, 176.
 chiajii Beroe, R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. Ap. 1836, 256.
 chiaii Chiridota, A. E. Grube, Actin. Adriat. 1840, 41.
 delle chiaje Murex, A. Scacchi, Lettera Test. Nap., Dec. 1832 [5].
 delle chiaii Pleurobranchidium, G. B. Verany in Descr. Genova, I. 1846, 96 & 99.
 chiaiei Solenocotyle, C. M. Diesing, Syst. Helminth. I. 1850, 420.
 Chiamela J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 332.—R.
 chiametla Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 440.
 chiametla Natix (Shaw), J. Wagler in Spix, Serp. Brasil. 1824, 14.—Coluber.
 Chiasmia J. Huebner, Verz. bekannt. Schmett. 1825, 295.—Lep.
 Chiasognathus J. F. Stephens, Tr. Cambridge Phil. Soc. IV (2) 1832, 213.—Col.
 Chiasorampe - Dumont, Dict. Sci. Nat. IV. 1805, 177.—A.
 Chiastolepis E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 830.—P.
 Chibia B. H. Hodgson, India Rev. I. 1837, 324.—A.
 chibi-gouazon Felis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827,
 chibiguazu Felis, H. R. Schinz, Syst. Verz. Säug. I. 1844, 440. [167.
 chichi Numenius, C. Dumont, Dict. Sci. Nat. XI. 1818, 253.
 chickara Antilope, T. Hardwicke, Tr. Linn. Soc. London, XIV (3) 1825, 520.
 chicara Antilope, J. J. Kaup, Das Thierreich, I. 1835, 179.
 chicarra Antilope, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm., Table
 chickara Cervicapra, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 447. [gén. 1842, 5.

- Chicoracea** Griffiths, An. Kingd. XII. 1834, 79; *teste* Scudder, *sed fam. non gen.*
- Chicorax** = *Chicoreus*, Montf.; G. G. Pusch, Polens Palaeont. (2) 1837, 130 *etc.*
- Chicoreus** Denys de Montfort, Conch. II. 1810, 610.—G.
- chicquera** *Hypotriorchis* (Shaw), G. R. Gray, Genera of Birds, I. Nov. 1844, 20.—Falco, Daud. 1800.
- chielynoides** Barbus, J. McClelland, J. Asiat. Soc. Bengal, VII. 1838, 945.
- Chiereghina** G. D. Nardo, Sin. mod. spec. Lag. Veneto, 1847, 108.—Verm.
- chiereghini** Caninoa, L. Nardo, Atti 3 Riun. Sci. Ital. 1841, 313.
- chiereghini** Pagurus, G. D. Nardo, Sin. mod. spec. Lag. Veneto, 1847, 4 [*n. n.*].
- chiereghini** Pagurus, G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 13 [*n. n.*].
- chierichinus** Trochus, S. A. Renier, Tavole [1804] x.
- Chierocephalus** J. V. Thompson, Zool. Res. (6) 1834, 107.—Cr. [*v. Chirocephalus*].
- chiesi** Mutilla, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 457.
- chiguanco** Turdus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 16.
- chihhi** Numenius, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 303.
- chii** *Alauda* (Anthus), J. B. v. Spix, Avium Brasil. I. 1824, 75.
- chii** Anthus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 490.
- [**chikhachevi**.]
- tchihatcheffi** *Astraea*, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 416 [*n. n.*].
- tchihatcheffi** *Cerithium*, d'Archiac, Bull. Soc. géol. France (sér. 2) VII. 1850, 405 [*n. n.*].
- tchihatcheffi** *Clypeaster*, d'Archiac, Bull. Soc. géol. France (sér. 2) VII. 1850, 416 [*n. n.*].
- tchihatcheffi** *Michelinia*, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 389 [*n. n.*].
- tchihatcheffi** *Terebratula*, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 328.
- Chilabothrus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 562.—R.
- childrenae** Cyrena, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 137.
- childrenae** *Eumaeus* (Gray), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 20.—*Eumenia*.
- childrenae** *Eumenia*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 787 & 677 & pl. 112.
- childrenae** *Lucina*, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 136.
- childrenae** *Papilio*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 673.
- childrenalis** Botys, J. A. Boisduval, F. Ent. Madag. 1833 (8), 118.
- childrenalis** Botys, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, [266].
- childreni** *Acherusia*, Laporte & Gory, H. N. Coléopt. I. 1838, 2.
- childreni** *Acmaeodera*, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 10.
- childreni** *Ageneiosus*, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 165.
- childreni** *Argynnis*, G. R. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 33.
- childreni** *Calliaster*, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 280.
- childreni** *Callirhipis*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 365.
- children** *Cetonia*, Gory, Mon. Cétoines, 1833, 275.
- childrenii** *Chartopteryx*, J. O. Westwood, Arcana Entom. (3) Sept. 1841, 44.
- childreni** *Cheloderus*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 784 & pl. 119.
- childreni** *Creusia*, J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 103.
- childrini** (*sic*) *Cypraea*, J. E. Gray, Zool. Journ. I (4) Jan. 1825, 518.
- childreni** *Cypraea*, J. E. Gray, Penny Cyclop. VIII. 1837, 255.
- childrenii** *Diphucephala*, G. R. Waterhouse, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 218.
- childreni** *Dolichocera*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 65.
- childreni** *Dynastes*, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22.
- childrenii** *Euphoria* (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 382.—*Cetonia*.
- childreni** *Exochomus*, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1035.
- childrenii** *Heterorhina*, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
- childreni** *Liasis*, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 44.
- childreni** *Lucina*, G. B. Sowerby, II., Gen. Shells (27) 1826.
- childreni** *Orsodacna*, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 221.
- childreni** *Phyllostoma*, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 488.
- childreni** *Pleurotoma*, I. Lea, Contrib. to Geol. 1833, 137.

- childreni** Poecilocoris (A. White), W. S. Dallas, Tr. Entom. Soc. Lond. V (5) Aug. 1848, 106.—Tectocoris (Poecilochroma).
- childreni** Scolopendra, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 96.
- childreni** Stellaster, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 278.
- childreni** Sylvia, J. J. Audubon, Birds of Amer., pl. 35 (1828); Orn. Biogr. I. 1831, 180.
- childreni** Tectocoris, A. White, Mag. Nat. Hist., n. s., III. Nov. 1839, 542.
- childreni** Tectocoris (Poecilochroma), A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 184.
- childreni** Tellina, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*].
- childreni** Trictenotoma, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 534.
- childrenii** Trigonoderus, G. R. Gray, Entom. Austral. I. Phasma, 1833, 18.
- childreni** Tropicoderus, G. R. Gray, Syn. Phasmidae, 1835.—Trigonoderus, 1833.
- childreni** Unio, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 600.
- childreni** Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].
- childrenii** Zeus, T. E. Bowdich, Excur. Madeira, 1825, 124.
- Chilea** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 79.—Lep. [*n. n.*].
- Chilenodus** Latr. [*vernac.* 1825, *sed v.* Chelenodus].
- chilensis** Achatina, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 317.—[Bulimus on
- chilensis** Acinia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 385. [pl.]
- chilensis** Acmaeodera, Laporte & Gory, H. N. Coléopt. I. 1835-36, 24.
- chilensis** Actinia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 76.
- chilensis** Acupalpus, Dejean, Spec. gén. Coléopt. V. 1831, 850.
- chilensis** Aglaia, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (15) Mar. 1832, 3.
- chilense** Agonum, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 208.
- chilense** Alcedo, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
- chilensis** Amphitoe, H. Nicolet in Gay, Chili (Crust.) 1849, 235.
- chilensis** Anchomenus, Dejean, Ann. Sci. Nat. XX (78) June 1830, 231 [*n. n.*].
- chilensis** Anoura, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 389.
- chilensis** Antarctica, Dejean, Spec. gén. Coléopt. V. 1831, 805. [—Pieris.
- chilensis** Anthocharis (Guér.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 566.
- chilensis** Anthomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 328.
- chilensis** Apaté, J. T. Lacordaire, Ann. Sci. Nat. XXI (82) Oct. 1830, 169 [*n. n.*].
- chilensis** Aptenodytes, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 202.—Diomedea, 1782. [bdella, ? M.-T.
- chilensis** Astacobdella (Gay), C. M. Diesing, Syst. Helminth. I. 1850, 434.—Branchio-
- chilensis** Astacus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 333.
- chilensis** Astacus (Cambarus), H. M. Edw.; W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 100.
- chilensis** Atelecyclus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 143.
- chilensis** Aulacus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, pl. 124; II. 1832, 783.
- chilensis** Bathycyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 294.
- chilensis** Batrachus, A. Guichenot in Gay, Chili (Peces) 1849, 297.
- chilensis** Bembex, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 184.
- chilense** Bembidium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 162.
- chilensis** Bittacus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 100.
- chilensis** Brama, A. Guichenot in Gay, Chili (Peces) 1849, 218.
- chilensis** Branchiobdella, A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 300.
- chilensis** Bulimus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 52.
- chilensis** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 36.
- chilensis** Buprestis, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 66.
- chilensis** Calleida, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 137.
- chilensis** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 288.
- chilensis** Callirhipis, Laporte de C., Ann. Soc. Ent. France, III (2) *post* June 1834, 257.
- chilensis** Calliste (Vig.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Aglaia.
- chilensis** Calotes, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (1) 1831, 36.
- chilensis** Calyptraea (Crepipatella), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 394.
- chilensis** Canis, W. Turton, Linnaeus, Syst. Nat. I. 1802, 46.
- chilensis** Carabus, F. Eschscholtz, Zool. Atlas, II. 1829, 9.

- chilensis** Caranx, A. Guichenot in Gay, Chili (Peces) 1849, 235.
- chilensis** Cebilepyris, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 74.
- chilensis** Centropages, H. Krøyer, Naturhist. Tidsskrift [2] II (6) 1849, 603.
- chilensis** Ceroglossus, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.
- chilensis** Certhia, P. Garnot, Voy. "Coquille," Zool. I (2) 1829, 599.
- chilensis** Chiton, J. Fremby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 204.
- chilensis** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 17, Feb. 1847.
- chilensis** Chthamalus, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 70.
- chilensis** Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839,
- chilensis** Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 419. [133.]
- chilensis** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* judice 1836],
- chilensis** Coccus (Ceroplastes), J. E. Gray, Spec. Zool. 1828, 7. [11.]
- chilensis** Coilodes, J. O. Westwood, Ann. Mag. Nat. Hist. XV (100) June 1845, 440.
- chilensis** Colaptes (Less.), A. N. Vigors, Zool. "Blossom," 1839, 24.—Picus.
- chilensis** Colymbetes, F. L. de Laporte, Etudes Entom. (2) 1835, 100.
- chilensis** Conger, A. Guichenot in Gay, Chili (Peces) 1849, 339.
- chilensis** Coronella, H. Schlegel, Essai phys. Serp. 1837, I. 136; II. 70.
- chilensis** Corydalla, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 101.
- chilensis** Clytus, Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 32.
- chilensis** Cyclas, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 568.
- chilensis** Dasypogon, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 372.
- chilensis** Desmarestia, H. Nicolet in Gay, Chili (Crust.) 1849, 287.
- chilensis** Donacilla, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 530.
- chilensis** Dromius, Dejean, Ann. Sci. Nat. XX (78) June 1830, 223 [*n. n.*].
- chilensis** Elegendus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 480.
- chilensis** Ensina, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 387.
- chilensis** Entodesma, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 53.
- chilensis** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 487.
- chilensis** Erax, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 389.
- chilensis** Erebia (Guérin), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 127.—Pieris.
- chilensis** Eurygona, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- chilensis** Evania, M. Spinola, Rev. Zool. (Soc. Cuv.) V. June 1842, 189. [188.]
- chilensis** Exops (Esch.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 88.—Psoa.
- chilensis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 251.
- chilensis** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835, 124.
- chilensis** Fringilla, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
- chilensis** Fringilla, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 88.
- chilensis** Furnarius, R. P. Lesson, Man. Orn. II. June 1828, 17.
- chilensis** Gamasus, P. Gervais in Gay, Chili, IV (Acar.) 1849, 42.
- chilensis** Gammarus, H. Nicolet in Gay, Chili (Crust.) 1849, 239.
- chilensis** Gobiesox, A. Guichenot in Gay, Chili (Peces) 1849, 334.
- chilensis** Gonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 207.
- chilensis** Gonoleptes, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Arachn. 1833, 539,
- chilensis** Gordius, E. Blanchard in Gay, Hist. Chile (Zool.) III. 1849, 109. [pl. 20.]
- chilensis** Grammicus, G. R. Waterhouse, Ann. Mag. N. H. XVI. Nov. 1845, 324.
- chilensis** Guillinomys, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 126.
- chilensis** Gyrinus, C. Aubé, Spec. gén. Hydrot. 1838, 703.
- chilensis** Halcyone, H. Burmeister in F. J. F. Meyen, Reise Erde, I. 1834, 143 [*n. n.*].
- chilensis** Harpalus, Eschscholtz in Dejean, Spec. gén. Coléopt. IV. 1829, 294.
- chilensis** Helophilus, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 344.
- chilensis** Helophilus, F. E. Guérin-M., Iconographie, 1844, Ins. 545.
- chilensis** Henicops, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 239.
- chilensis** Hepatus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 117.
- chilensis** Heterognatha, H. Nicolet in Gay, Chili, III (Arach.) 1849, 470.
- chilensis** Hippurites, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 107.
- chilensis** Hirmoneura, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 297.
- chilensis** Hirundo, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].

- chilensis Hydrachna, P. Gervais in Gay, Chili, IV (Acár.) 1849, 38.
 chilensis Hydroporus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 289. [193.
 chilensis Iulus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
 chilensis Leiodera (Less.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 210.—Calotes.
 chilensis Limnophysa, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 112 [*n. n.*].
 chilensis Lucina, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 124.
 chilensis Lutra, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (15) Mar. 1832, 1.
 chilensis Malacorhynchus, Kittlitz in Ménétries, Mém. Ac. Imp. Sci. St Pétersb. [6] III
 (2=Sci. Nat. I.) (5) July 1835, 527.
 chilensis Malletia, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 90.
 chilensis Marputius (Geoff.), J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 581.—
 chilensis Megacephala, Laporte, Revue Entom. II (1) 1834, 29. [Mephitis, ? Ill.
 chilensis Megalometis, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 269.
 chilensis Melanotus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 19.
 chilensis Meloe, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 108.
 chilensis Mephitis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 110
 [*n. n.*]. [pterus.
 chilensis Merganetta (Gay), Des Murs, Icon. Ornith., livr. 1 (*post* Aug. 1845).—Raphi-
 chilensis Mugiloides (Mol.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 393.—
 Mugil, 1782.
 chilensis Musca, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 354.
 chilensis Musca, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 311.
 chilensis Mygale, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 185.
 chilensis Mygale, H. Nicolet in Gay, Chili, III (Arach.) 1849, 332.
 chilensis Nycticeus, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836, 120.
 chilensis Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 643.
 chilensis Ophiolopis, Müller & Troschel, Arch. f. Naturg. IX (1) 1843, 120.
 chilensis Orchesella, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 367.
 chilensis Orchestia, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 18.
 chilensis Ornithomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 437.
 chilensis Ornithomyia, F. E. Guérin-M., Iconographie, 1844, Ins. 556.
 chilensis Panopaeus, H. Milne-Edw. & H. Lucas in d'Orbigny, Amér. Mérid. (Crust.)
 chilensis Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 104. [1844, 16.
 chilensis Pelamys, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 163.
 chilense Pentatoma, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 323.
 chilensis Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 480.
 chilensis Phasma, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 182.
 chilensis Picus, R. P. Lesson, Man. Orn. II. June 1828, 113.
 chilensis Pieris (Boisd.), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
 274.—Antocharis.
 chilensis Pimelodus (Mol.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 97.—Silurus,
 chilensis Pinguipes, Cuvier & Valenc., H. N. Poiss. IX. 1833, 457. [1782.
 chilensis Pinnotheres, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 33.
 chilensis Pitangus, R. P. Lesson in Bougainville, Journ. "Thétis et Espér." II. 1837, 323.
 chilensis Planorbis, H. E. Anton, Verz. Conch. 1839, 51.
 chilensis Plesiosaurus, A. Guichenot in Gay, Chili (Rept.) 1848, 133.
 chilensis Podiceps, P. Garnot in R. P. Lesson, Man. Orn. II. June 1828, 358.
 chilensis Podiceps, P. Garnot, Voy. "Coquille," Zool. I (2) 1830, 601.
 chilensis Polycæon, F. L. de Laporte, Revue Entom. IV (1) 1836, 30.
 chilensis Polycæon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 283.
 chilensis Pompilus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 257.
 chilensis Porcellio, H. Nicolet in Gay, Chili (Crust.) 1849, 272.
 chilensis Potamia, H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 22.
 chilensis Pristonychus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 232.
 chilensis Proctotretus (L. & G.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV.
 Oct. 1837, 269.—Calotes.
 chilensis Psilorhinus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 381. [1834, 266.
 chilensis Psoa, W. Erichson (Eschsch. *in litt.*), N. A. Ac. Caes. Leop. Car. XVI (Suppl.)

- chilensis** Raia, A. Guichenot in Gay, Chili (Peces) 1849, 367.
chilensis Rhipipterus, C. Gay, Chili, Atlas [1844] pl. "Zoologia."
chilensis Rhipipterus, O. Des Murs in Gay, Chili (Aves) 1847, 459.—Merganetta, 1845.
chilensis Rugilus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 309.
chilensis Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 261.
chilensis Satyrus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 280.
chilensis Scalaria, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 114.
chilensis Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 60.
chilensis Scolia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 249.
chilensis Scolopendra, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 285.
chilensis Scorpis, A. Guichenot in Gay, Chili (Peces) 1849, 220.
chilense Scyllium, A. Guichenot in Gay, Chili (Peces) 1849, 362. [1850, 114.
chiliensis Sericoides, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
chiliensis SpheX, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 341.
chilensis Spirifer, E. Forbes in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 267.
chilensis Spiriferina (Forbes), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 221.—
chilensis Staphylinus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 315. [Spirifer.
chilensis Stenoderma, C. Gay, Chili (Mamm.) 1847, 30.
chilensis Stictia, J. F. Eschscholtz, Entomographien, I (1) 1822, 94.
chiliensis Stigmodera (Guér.), Laporte & Gory, H. N. Coléopt. II. 1837, 67.—Buprestis.
chilensis Sturnus, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
chilensis Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 145.
chilensis Talitrus, H. Nicolet in Gay, Chili (Crust.) 1849, 229.
chilensis Telephorus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 76.
chiliensis Terebratula, W. J. Broderip, Proc. Zool. Soc. London, I (11) Mar. 1834, 124.
chilensis Terebratula, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 163.
chilensis Tettigades, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 470.
chilensis Thereva, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 303.
chilensis Thiosmus (Geoff.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 66.—
Mephitis, ? Ill.
chilensis Thyrsites, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 204.
chilensis Tomicondon, Brisout de B., Echo Monde Savant, XIII. 22 Mar. 1846, 535.
chilensis Torpedo, A. Guichenot in Gay, Chili (Peces) 1849, 368.
chilensis Trochilus, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
chilensis Troglodytes, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1831, 665.
chilensis Tropidurus, A. F. A. Wiegmann in Meyen, Reise Erde, I. 1834, 206; N. A. Ac.
Caes. Leop. Car. XVII. 1835, 233 & 268^b.
chilensis Turdus, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
chilensis Turritella, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
chilensis Unio, J. E. Gray, Spec. Zool. 1828, 7. [257.
chilensis Upucerthia, O. Des Murs in Gay, Chili (Aves) 1847, 281.
chiliensis Vanellus, P. A. J. Drapiez, Dict. class. Sci. Nat. X. 1845, 605.
chilensis Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (27) June 1835, 41.
chilensis Venus, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 124.
chilensis Viverra, G. A. Goldfuss, Vergl. Naturb. Säugeth. (2) 1812, 237.
chilensis Zophorus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, pl. 124;
II. 1832, 796.
chiliarchus Alcides, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 609.
Chilichthys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilichthys, Müll.
chilensis *v.* **chilensis**.
chili-huque Lama, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 427.
Chilina J. E. Gray, Spec. Zool. 1828, 5.—G.
Chilina J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840; 127 & 149.—G.
chilinoides Paludomus, L. Reeve, Conch. Icon. IV.—Paludomus, no. 7, July 1847.
Chilinus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilinus, Lacep.
chilina Escharina, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 11.
Chilio L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilio, Lacep.

- chiloprīsta** Scorpaena, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 107.
chilipora Pentetagonaster (Desm.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.—
 Asterias chilipora.
- Chilo** Zincken in Germar, Mag. Ent. II. 1817, 34; Fauna Ins. Europ. (3) 1817, 17.—Lep.
chilo Entedon, F. Walker, Mon. Chalcid. I. 1839, 63.
chilo Gobius, P. S. Pallas, Zoographia, III. 1814, 156.
Chilobothrus *err. pro* Chilabothrus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 378.
Chilocorus W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 116.—Col. [Lacep.
Chilodactylus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilodactylus,
Chilodes Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1848-9, 226.—Lep.
Chilodipterus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clodipterus, Raf.
Chilodipterus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilodipterus,
 Lacep.
- Chilodon** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 287.—Inf.
Chilodon C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. d.—G.
Chilodon L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Euodon, Ehr.
Chilodromus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilodromas *et*
 Cheilodromus, Ruepp.
- Chilodus** Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 85.—P.
chilodus Citharinus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 103.
chiloensis Anas, P. P. King, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 15.
chiloensis Aptenodytes, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 202.—Diomedea,
chiloensis Aspidophorus, L. Jenyns, Zool. "Beagle" (Fish, 1840), 30. [1782.
chiloensis Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June
 1832, 58. [Aptenodytes, Gm. 1788.
chiloensis Eudyptes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 307.—
chiloensis Gobius, A. Guichenot in Gay, Chili (Peces) 1849, 293.
chiloensis Mareca (King), T. C. Eyton, Mon. Anatidae, 1838, 117.—Anas.
chiloensis Nerite, Molina, Sag. stor. nat. Chili, ed. 2, 1810, 177.
chiloensis Petricola, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 53.
chiloensis *v. parva*, Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov.
 1834, 69.
chiloensis Spheniscus (Mol.), G. R. Gray, Genera of Birds, III. July 1846, 640.—Dio-
chiloensis Succinea, Philippi in L. Pfeiffer, Mon. Helic. II. 1848, 527. [medea, 1782.
chiloensis Tetrothamna, R. P. Lesson, Illustr. de Zool. (8) Aug. 1833, pl. 24.
chiloensis Vespertilio, G. R. Waterhouse, Zool. "Beagle" (Mam. 1838), 5.
Chilogymnus C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. b.—G.
Chilolepis L. Fitzinger, Syst. Rept. 1843, 26.—R.
chiloleuca Cicindela, G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822,
chiloleuca Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 56. [5.
Chiloloba H. Burmeister, Handb. Ent. III. 1842, 501.—Col.
Chiloma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kiloma, Less.
Chilomeles J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 38.—R. [*n. n.*].
Chilomenes L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilomenes, Chevr.
Chilomma C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1847, Tab. p. 54.—Prot.
Chilomonas C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 64.—Inf.
Chilomycterus Bibron, Rev. Zool. (Soc. Cuv.) IX. 1846, 140.—P.
Chilona *emend. pro* Chilo, Zinck.; W. Soderovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6)
chilonella Harpipteryx, F. Treitschke, Schmett. Europa, IX (2) 1833, 36. [1837, 94.
Chilonemus Baird, P. Amer. Assoc. 1849 (1850), 406.—P.
Chiloneus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 234.—Col.
Chilonevrus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiloneurus,
chilonis Gonia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 799. [Westw.
Chilonopsis G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 233.—G.
Chilonycha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilonycha, Lacord.
Chilonycteris J. E. Gray, Ann. Nat. Hist. IV. Sept. 1839, 4.—M.
Chilophryne L. Fitzinger, Syst. Rept. 1843, 32.—R.

- Chilopogon** J. O. Westwood, Zool. Journ. V (20) [1835], 441.—Hym.
- Chilopogon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilopogon, Lowe.
- chilopora** Asterias, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (28) 1832, 201.
- Chiloscyllium** Joh. Mueller & Henle, Ber. Verh. k. pr. Ak. Wiss. 1837, 112; Syst. Plagiost. (1) 1838, 17.—P.
- Chilosia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilosia, Meig.
- Chilostoma** L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 98.—G.
- Chilostomella** A. E. Reuss, Ber. Mitth. Fr. Nat. Wien, V. 1849, 50; Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 379.—Rh.
- chilostomum** Distoma, Mehlis, Nov. Obs. Entozois, 1831, 186 [*teste* Stiles & H.].
- Chilotoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheilotoma, Chevr.
- Chilotomus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 846.—Col.
- Chilotrema** J. E. Gray in proofsheets of Syn. Brit. Moll. 1820, 106.—*v.* Turton, 1831.
- Chilotrema** Turton (*ex* Leach MS), Man. L. F. W. Shells, 1831, 66.—G. [non 1820, *apud*]
- Chilotrichia** Rossi, 1848; *teste* Scudder, *sed non comp.*, *v.* Cheilotrichia. [Turton].
- Chilus** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 93.—Lep. [n. d., 9 nom. triv.]
- Chimabache** J. Huebner, Verz. bekannt. Schmett. 1826, 402.—Lep. [append.]
- chimachima** Haliaetus (Vieill.), R. P. Lesson, Traité Ornith. (1) Feb. 1830, 43.—Polyborus.
- chimachima** Milvago (Vieill.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 2.—Polyborus.
- chimachima** Polyborus, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 259.
- Chimadia** Speyer, Isis (Oken), 1839, 109.—Lep.
- Chimaera** F. Ochseneheimer, Schmett. Europa, II. 1808, 2.—Lep.
- chimera** Atychia, Lepeletier de S. F., Faune Française (21) Lépidopt. 1829, 142.
- chimaera** Graptolithus, J. Barrande, Grapt. Bohême, 1850, 52. [[*n. et f.*].]
- chimaera** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 64 (Fernaldo iudice 1802)
- chimaera** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 86 (Fernaldo iudice 1802-8) [*n. et f.*].]
- chimaera** Poroppleura, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 867.
- chimango** Caracara (Vieill.), O. Des Murs in Gay, Chili (Aves) 1847, 211.—Polyborus.
- chimango** Milvago (Vieill.), J. Gould, Zool. "Beagle" (Birds, 1838), 14.—Polyborus.
- chimango** Polyborus, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 260.
- chimanzo** Haliaetus (Vieill.), R. P. Lesson, Traité Ornith. (1) Feb. 1830, 43.—Polyborus chimango. [Rhynchaenus.]
- chimaridis** Macromerus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 184.—
- chimaridis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 462.—Curculio chimaris, 1792.
- Chimarra** Leach in J. Curtis, Brit. Entom. XII (140) Aug. 1835, no. 561.—Neur.
- Chimarrha** *emend. pro* Chimarra, Leach; H. Burmeister, Handb. Ent. II (2) ii, 1839, 910.
- Chimarrha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheimarrha, Burm.
- Chimatobia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheimatobia, Steph.
- Chimatophila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheimatophila, Steph.
- chimborasensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 275, Oct. 1848.
- chimborazo** Oreotrochilus (Bourc.), J. Gould, Proc. Zool. Soc. London, XV (168) Mar. 29, 1847, 10.—Trochilus.
- chimborazo** Trochilus, de Lattre & Bourcier, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.]
- Chimerina** F. Eschscholtz, Zool. Atlas, III. 1829, 2.—A. [1846, 305.]
- Chimerina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chemerina, Boisd.
- chimista** Erebus, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 475.
- Chimonea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheimonea, Kaup.
- Chimonophila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheimonophila, Dup.
- Chimotrema** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 425.—G.
- Chincha** R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 67.—M.
- chinchia** Mephitis, R. P. Lesson, Man. Mamm., May 1827, 152.
- Chinchia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 16.—M. [*n. n.*].]
- Chinchilla** E. T. Bennett, Gard. & Menag. Zool. Soc. (1) 1829, 1.—M.

- Chinchilla** J. E. Gray, Spec. Zool. 1830, 11.—M.
chinchilla Cricetus, G. Fischer, Zoogn., ed. 3, III. 1814, 55.
chinchilla Eriomys, M. H. C. Lichtenstein, Darst. Säugth. (6) [1830–34] pl. xxviii.
chinchilla Lagostomus (Licht.), F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (2) 1833, 586.—Eriomys.
chinchilloides Reithrodon, G. R. Waterhouse, Zool. "Beagle" (Mam. 1839), 72.
Chine *err. pro* Chione; G. B. Sowerby, II., Man. Conch. 1839, 120.
chinensis *v.* **sinensis**.
chinga Mephitis (Mol.), F. Tiedemann, Zool. 1808, 362.—Viverra, 1782.
chingha Mephitis (Mol.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–11 (1815),
Chingia Rees, Cyclop. VIII (1) 1807, sign. 3B.—Dipt. [109.—Viverra, 1782.
chingola Fringilla, J. Miers, Trav. Chile, II. 1826, 532 [*n. n.*].
chiniana Drymoica, A. Smith, Ill. Zool. S. Afr. (Aves) pl. lxxix, 1843.
Chinobas J. W. Zetterstedt, Ins. Lapp. descr. 1840, 902.—Lep.
Chinospina Kaup, 1825; ?*err. Agassiz pro* Chionospina, Kaup, 1829.
chinquis Polyplectron, C. J. Temminck, Pig. et Gallin. II. *post* June 1813, 363.
chinta Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 445.
chiococca Actinia, Cocks in G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 214.
chioleuca Polia, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850, 255.
Chiomyza Robineau-D. 1830; L. Agassiz, Nom. Zool. (Dipt.) 1845.—[*non comp.* ? *Chiomyza vel* Chyromyza.]
Chion E. Newman, Entomologist (2) Dec. 1840, 23.—Col.
Chionabas E. Doubleday, List Lepid. Coll. B. M. (App.) 1848, 31 [? = Chionobas].
chionaea Cythera, K. T. Menke, Zeitschr. f. Malakozool., Dec. 1847, 190.
Chionaema Herrich-S., 1850; *teste* Waterhouse, 1856 *est.*
chionanthi Acherontia (Smith), J. Huebner, Verz. bekannt. Schmett. [1820], 139.—Sphinx,
Chione Megerle, Ges. nat. Fr. Berlin Mag. V. 1811, 51.—L. [1797].
Chione J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 679.—
Chione J. E. Gray, The Analyst, VIII (24) July 1838, 305.—L. [Dipt.
Chione J. Gistl, Nat. Thierr. 1848, 176.—Ast.
Chione J. Gistl, Handb. Naturges. 1850 [1847], 578.—Ast.
chione Catonephele (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 40.—Papilio, 1776.
chione Colias, J. Curtis in Ross, App. 2 Voy. 1835, p. lxvi.
chione Cythera (L.), Lamarck, An. s. vert. V. 1818, 566.—Venus, 1758.
chione Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 290.
chione Pieris, E. Doubleday, Ann. Mag. N. H. XIV. Dec. 1844, 421.
Chionea J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 104.—Dipt.
Chionea A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 311.—Lep.
chionippe Danaüs (Huebner), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 50.—
chionippe Euploea, J. Huebner, Exot. Schmett. II. Tab. [6] [*n. et f.*]. [Euploea.
chionis Cygnus, M. H. C. Lichtenstein, Verz. Säug. Vog. Z. M. Berlin, 1835, 31 [*n. n.*].
Chionobas J. A. Boisduval, Ic. hist. lepidopt. Europe, I (—) 1833, 182.—Lep.
Chionobas L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chinobas, Zett.
Chionobates J. J. Kaup, Skizz. Europ. Thierw. 1829, 170.—M.
Chionodes J. Huebner, Verz. bekannt. Schmett. 1826, 420.—Lep.
Chionoecetes H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 313.—Cr.
Chionoecetes H. Krøyer, Naturhist. Tidsskrift, II (3) 1838, 249.—Cr.
chionogaster Polytmus (Tsch.), G. R. Gray, Gen. Birds, I. Dec. 1848, 108.—Trochilus.
chionogaster Trochilus, J. J. Tschudi, Fauna Peru. (Orn.) 1846, 247.
chionoides Venus, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 175.
chionomus Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 91.
Chionophilus Petenyi in C. L. Brehm, Handb. Stuben...Vögel, 1832, 296.—A.
chionops Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 797.
Chionospina J. J. Kaup, Skizz. Europ. Thierw. 1829, 139.—A. [*typus* Fringilla nivalis].
Chionospiza Kaup, 1829; ?*err. Agass.*, Nom. Zool., Aves, Add. p. 3, *pro* Chionospina.
Chionospiza H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxv (June 1850).—A. [*n. et f.*].
chionus Trochus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
chiopterus Ceratopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 263. [63.

- chiopterus** Chironomus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 17.
chioptera Empis, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 221.
Chironomus *err. pro* Chironomus, Meig.; C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 65.
Chippium P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 448.—Dipt. [*err. pro* Ephemeroidea]
chiqueroides Falco, A. Smith, S. African Quart. Journ. I (3) June 1830, 233. [pium].
chiquitana Anodontes, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835,
chiquitensis Ceratodes, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 367. [41.
chiquitensis Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 458.
Chiracanthium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiracanthium,
 Koch. [Ag. 1833; Dies. 1839.
Chiracanthus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiracanthus,
cheiracanthus Phrynus, P. Gervais, L'Institut, Mar. 1842, 76; Extr. P. V. Soc. Philom.
 Paris, 1842, 20.
Chiragonus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiragonus, Latr.
cheiragonus Cancer, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 347.
chiragra Aphanus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
 1840, 133.—Lygaeus, 1794. [Squilla, 1781.
chiragra Gonodactylus (Fab.), P. A. Latreille, Ency. Méth. X (2) (Ins.) 1828, 473.—
chiragra Lissa (Herbst), W. E. Leach, Zool. Miscell. II. 1815, 70.—Cancer, 1793.
chiragra Maja (Fab.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 255.—Inachus, 1795.
chiragra Merodon, J. C. Fabricius, Syst. Antliat. 1805, 198. [1794.
chiragra Pachymeria (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus,
chiragrus Pallene, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 535.
chiragra Pecten, R. A. Philippi, N. Jahrb. f. Min. 1837, 295.
chiragra Pisa (Fab.), P. A. Latreille, Ency. Méth. X (Ins.) 1825, 143.—Inachus, 1795.
chiragra Prionomerus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 247.—
 Rhynchaenus.
chiragra Pterocera (L.), G. Fischer, Mus. Démid. III. 1807, 191.—Strombus, 1758.
chiragra Pteroceras (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 109.
 —Strombus, 1758.
chiragra Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 278.
chiragra Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 481.
chiragra Rhyparochromus (Fab.), J. Curtis, Guide Brit. Ins. (7) 1831, 199.—Lygaeus, 1794.
chiragra Squilla, P. A. Latreille in J. Milbert, Voy. Ile de France, II. 1812, 280.
chiragra Strombus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 213.
chiragricus Alpheus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1834, 354.
chiragricus Carabus, G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 181.
chiragricus Heterochelus (Thunb.), H. Burmeister, Handb. Ent. IV (1) 1844, 90.—
 Trichius.
chiragricus Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 439.
cheiranthi Catophaga, J. Huebner, Exot. Schmett. II. Tab. [124] [*u. et f.*].
cheiranthi Catophaga, J. Huebner, Verz. bekannt. Schmett. [1820], 93. [322.
cheiranthi Noctua, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.] 1809,
cheiranthi Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 127 (Fernaldo judice 1808)
cheiranthi Papilio, J. Huebner, Nachtraege Europ. Schmett. 1824, 4. [*u. et f.*].
cheiranthi Pieris (Huebner), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 159.—Papilio.
cheiranthicola Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 57.
cheiranticola Obelus (Lowe), J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 168.
 —Helix.
cheiranthicola Ochtheiphila (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.
cheiri Helix, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 308. [—Helix.
chiricote Aramides (Vieill.), G. R. Gray, Genera of Birds, III. Nov. 1846, 594.—Rallus.
chiricote Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 551.
Chiridota F. Eschscholtz, Zool. Atlas, II. 1829, 12.
chiriguanus Bulimulus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 68.
chirigui Fringilla, J. Miers, Trav. Chile, II. 1826, 532 [*u. n.*].
chiripepe Conurus (Vieill.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psittacus.

- chiripepe** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 361.
- chiripepe** Sittace (Vieill.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 644.—Psittacus.
- chiriri** Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 273.
- chiriri** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 359.
- "Chirites"** v. **Cheiolites**.
- Chiro**→ v. **et** **Cheiro**→.
- Chirocampta** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 189.—
- Chirocentrites** J. J. Heckel, Sitz. k. Ak. Wiss. (Wien) II (1) Jan. 1849, 17.—P. [Med.]
- Chirocentrus** G. Cuvier, R. Anim. II. 1817, 178.—P.
- chirocentrus** Esch, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 296.
- Chirocephalus** Bénédicte-Prévost; A. G. Desmarest, Consid. gén. Crust. 1825, 388 (in syn).—Cr. [vernac. 1803].
- chirocephalus** Branchipus, F. E. Guérin-M., Iconographie, 1844, Crust. 38.
- Chirocera** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 447.—Hym.
- Chirochela** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheirochela, Hope.
- Chirocolus** J. Wagler, Nat. Syst. Amph. 1830, 157.—R.
- chirodamas** Menelaides, J. Huebner, Exot. Schmett. II. Tab. [104] [*n. et f.*].
- chirodamus** A. H. Haldy, Tr. Linn. Soc. London, XVII (3) 1836, 326.—Hym.
- Chirodes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheirodes, Dej.
- Chirodica** E. F. Germar, Revue Entom. II (—) 1834, Descr. d'esp. nouv., no. 16.—Col.
- Chirodota** G. F. Jaeger, De Holothur. 1833, 16.—Ech.
- Chirodus** F. McCoy, Ann. Mag. N. H. (2) II. Aug. 1848, 130.—P.
- Chirogale** C. Gloger, Hand- u. Hilfsb. I. 1841, 44.—M.
- Chirogaleus** *id. ac* Cheirogaleus, Geoff.; L. Oken, Lehrb. Nat. III (2) 1816, 1168.
- chirographus** Curculio, A. G. Olivier, Entom. V. 1807, 334. [Curculio.]
- chirographus** Lachnopus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 381.—
- chirographus** Ptilopus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 31.—Curculio.
- Chirolepis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheirolepis, Ag.
- Chiroleptes** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 280.—Hem.
- chirologostinus** Ichthyosaurus, T. Hawkins, Mem. Ichthy. 1834, 14.
- Chirolophis** W. Swainson, N. H. Fishes etc. II. July 1839, 73, 182 & 275.—P.
- Chiromachaeris** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 235.—A.
- Chiromantes** J. Gistel, Nat. Thierr. 1848, p. x.—Cr.
- Chiromeles** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheiromeles, Horsf.
- Chiromia** d'Orbigny, Voy. Amér. mérid.; teste Scudder, *sed non comp.*
- Chiromya** L. Agassiz, Nom. Zool. (Dipt.) 1845, *emend. pro* Chyromya, Rob., q. v.
- Chiromyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chyromyia, Rob.
- Chiromys** Illiger, Prodr. Syst. Mamm. 1811, 75.—*emend. pro* Cheiromys, Cuv.
- Chiromyza** C. R. W. Wiedemann, N. Dipt. Gen. 1820, 19.—Dipt.
- Chiron** W. S. Macleay, Horae Entom. I (1) 1819, 107.—Col.
- chiron** Chalcosoma (Ol.), H. Burmeister, Gen. Ins. (7) 1841, no. 4.—Scarabaeus, 1789.
- chiron** Deilephila (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 51.—Sphinx, 1770.
- chiron** Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 4.—Scarab. 1789.
- chiron** Nephela (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 133.—Sphinx, 1777.
- chiron** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 359.—Papilio, 1775.
- chiron** Timetes (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.—Papilio, 1775.
- chiron** Trigonía, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- chiron** Zonites, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.-June 1850, 166.
- Chirona** J. E. Gray in Lyell, Phil. Trans. CXXV (1) 1835, 37.—Cirr.
- Chironectes** C. Illiger, Prodr. 1811, 76.—M.
- Chironectes** C. S. Rafinesque, Analyse, 1815, 92.—P. [*n. n.*].
- Chironectes** G. Cuvier, Mém. Mus. H. N. (Paris) III [4-6] Oct. 1817, 418.—P.
- chironectes** Antennarius, J. Minding, Lehrb. Naturg. Fische, 1832, 59.
- Chironemus** Cuvier & Valenc., H. N. Poiss. III. 1829, 78.—P.

- Chironia** G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 357.—L.
chironias Marpesia, J. Huebner, Verz. bekannt. Schmett. 1818, 47.
Chironius L. J. Fitzinger, Neue Classif. Rept. 1826, 29 & 60.—R.
chironomiformis Brachycercus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 122. [Brit. Ent. (Mand. VI.) Ap. 1836, 62.
chironomiformis Caenis, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, App.; & III.
Chironomus J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 260.—Dipt.
Chironosus C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 92.—Hem. [*non binom.*].
Chiropacha T. de Charpentier, Orthopt. (3) 1841, tab. 15.—Orth.
chiroparemekostinus Ichthyosaurus, T. Hawkins, Mem. Ichthy. 1834, 32.
Chiroperus A. F. A. Wiegmann, Herpet. Mex. 1834, 20.—R.
Chiropetes C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 49.—M.
Chiroplatys Kirby, 1837; *teste* Agassiz, Cheiroplatys *est*.
chiropolyostinus Ichthyosaurus, T. Hawkins, Mem. Ichthy. 1834, 25.
Chiropotes R. P. Lesson, Spec. des Mamm., Nov. 1840, 178.—M.
chiropotes Cebus (Kuhl), J. B. Fischer, Syn. Mamm. 1829, 56.—Pithecia, ? Geoffr.
chiropotes Pithecia (Humb.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 116.—Simia.
chiropotes Simia, Humboldt, Voy. Intér. Amér. (Obs. Zool. I. 1812), 312.
Chiropristis A. Cocco, Effem. Sci. Lett. Sicilia, II. 1832, 204.—Cr. [*n. n.*].
chiropterus Asopus, Hagenbach; Herrich-S., Wanzenart. Ins. V (5) Jan. 1840, 78.
cheiropteryx Spirifer, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 370.
chiroopus Dysopes, C. J. Temminck, Mon. Mamm. I. 1826, 218.
cheiropus Molossus (Temm.), R. P. Lesson, Man. Mamm., May 1827, 100.—Dysopes.
Chirosaurus [J. J. Kaup], N. Jahrb. f. Min. 1885, 328 [*n. n.*].
Chiroscelis Lamarck, Ann. Mus. H. N. (Paris) III (16) ? Feb. 1804, 261.—Col.
Chirosciurus v. Palmer, Index gen. Mamm. 1904, 183.—*non comp.*; *nom.* "Khoyak" *solutus*; ? J. E. Gray, 1863.
Chirostoma W. Swainson, N. H. Fishes etc. II. July 1839, 176 & 243.—P.
Chirostrema Cristofori & Jan, Cat. Rev. Nat.; *teste* Scudder, *sed non comp.*—Moll.
chirostrongulostinus Ichthyosaurus, T. Hawkins, Mem. Ichthy. 1834, 29.
Chirotenu Labram & Imhoff, Gen. Curcul. I (7) 1840.—Col.
Chirotetes G. Cuvier, R. Anim. II. 1817, 57.—R.
Chirotetes B. Merrem, Tent. Syst. Amph. 1820, 16 & 161.—R.
Chirotetes J. Fleming, Phil. Zool. II. 1822, 278.—R.
chirotetes Eugnathus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [*n. n.*]; Poiss. Foss., Feuilleton, 136 (1841); II (2), 102 (1844).
Chiroteuthis d'Orbigny, Ann. Sci. Nat. [2] XVI. 1841, 23; Céph. Acétab. 1839, Calmar. pl. 2 & 4; Moll. viv. et foss. 1845, 161.—Ceph.
Chirotheca J. Gisl, Nat. Thierr. 1848, p. ix.—Med. [257.
chirothecator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
Chirotherium J. J. Kaup, N. Jahrb. f. Min. 1835, 327; Das Thierreich, I. 1835, 246.—M.
Chirothrips A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 444.—Thys.
Chirotonus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cheirotonus, Hope.
cheirotonium Achilleum, G. A. Goldfuss, Petref. German. I (1) 1826, 1.
cherotonom Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391.—Achilleum.
Chiroxiphia J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 235.—A.
chirrhocephalus v. *cirrrhocephalus*.
chirtah Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 488.
chiru Antelope, R. P. Lesson, Man. Mamm., May 1827, 371.
Chirurgon J. Gisl, Nat. Thierr. 1848, p. x.—Cr. [N. Dict. H. N. XXVII. 1818, 353.
Chirurgus Blainville, 1818; *teste* Agassiz, *sed non comp.*—? Chaetodon chirurgus, Bl.,
Chirurgus L. Agassiz, Nom. Zool. (Pisces) 1845, 16.—P. [*non Bl. err.*]. [1787.
chirurgus Acanthurus (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 214.—Chaetodon,
chirurgus Jacana, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 338.
chirurgus T[euthis], J. Minding, Lehrb. Naturg. Fische, 1832, 111.

- Chirurus** *id. ac* Cheirurus, Beyr.; Hawle & Corda, Prodr. Mon. böhm. Trilob. 1847, 134.
—Cr. [ed. 2, II. 1829, 249.—P.]
- Chirus** Pallas (*ex* Steller MS), Zoogr. Rosso-Asiat. III. 1811, 279; Cuvier, R. Anim.,
- Chirus** H. Krøyer, Naturhist. Tidsskrift, I. 1837, 25.—P.
- Chisma** W. Lonsdale, Q. J. Geol. Soc. London, III. 1847, 327*.—Cor. [*n. n.*].
- chitala** Mystus, F. Hamilton, Fish. Ganges, 1822, 236.
- chitala** Notopterus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 16. [1847, 121.]
- chitarus** Pleuronectes, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto,
- chiton** Cynus (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 81.—Hesperia, 1793.
- chiton** Dorthesia, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 562.
- chiton** Nileus, C. H. Pander, Beitr. Zoogn. Russ. Reich. 1830, 132. [1846, 134.—Col.]
- Chitona** W. Schmidt, Cat. Col. Europ. 1844 [*teste* Agassiz]; Linnaea Entom. I. Feb.
- Chitonella** G. P. Deshayes, Ency. méth. (Vers) II. 1830, 236 [Blainv. 1825, *vernac.*].—
- Chitonellus** Lamarck, An. s. vert. VI (1) 1819, 317.—Chit. [Chit.]
- chitoniformis** Trebratulites, E. F. Schlotheim, Tasch. Min. 1813, 113.
- Chitoniscus** A. N. Hermannsen, Ind. Gen. Malacoz. I. 1846, 230.—Chit.
- Chitonites** E. F. v. Schlotheim, Petref. 1820, 168.—Chit.
- chitonnosus** Spatangus, E. Sismonda, Atti 2 Riun. Sci. Ital. 1841, 116.
- Chitra** J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 49.—R.
- chitra** Myrina (Horsf.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 22.—Thecla.
- chitra** Thecla, T. Horsfield, Cat. Lepid. Ins. Mus. E. I. C., expl. pl. 1 (1828) [*n. et f.*];
& (2) 1829, 97.
- chittiyana** Helix, C. B. Adams, Contr. to conch. (2) Oct. 1849, 30.
- chittyanum** Stoaostoma, C. B. Adams, Mon. Stoaost. 1849, 10.
- chittyi** Cyclostoma, C. B. Adams, Contr. to conch. (1) Sept. 1849, 1.
- chitul** Leuciscus, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 161.
- chitul** Tylognathus (Sykes), J. J. Heckel in Russegger, Reise, I (2) 1843, 1027.—Leuciscus.
- Chitulia** J. E. Gray, Cat. Snakes Coll. B. M. 1849, 56.—R.
- chivi** Phyllomanes (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 63.—Sylvia.
- chivi** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 174.
- Chizaerhis** J. Wäglar, Syst. Avium, I. 1827, sign. 715.—A. [*z.* Schizorhis, 1829].
- Chizaeris** *err.* Agassizi *pro* Chizaerhis, Wäglar, *q. v.*
- Chizarhis** E. Rueppell, Abh. Senckenburg. Mus. III (2) 1842, 127 [=Chizaerhis].
- Chladocrinus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1836, 195.—Crin. [*teste*
- Chladorhynchus** Braun, Beitr. Ersch. Verjüng. Natur, 1850, 147.—Inf. [*teste* Waterhouse].
- chlaenioides** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].
- chlaenioides** Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 182.—Harpalus, 1821.
- Chlaenius** F. A. Bonelli, Obs. Entom. 1813, Table; Dejean, Sp. gén. Col. II. 1826, 297.
—Col.
- Chlaenobia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chloenobia, Dej.
- Chlaenobia** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 116.
- Chlaenocoris** H. Burmeister, Handb. Ent. II (1) 1835, 383.—Hem. [—Col.]
- Chlamidococcus** Braun, Beitr. Ersch. Verjüng. Natur, 1850, 147.—Inf. [*teste* Waterhouse].
- Chlamidodon** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 175.
—Inf. [288.—Inf.]
- Chlamidomonas** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
- Chlamiphora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Chlamisus** *emend. pro* Chlamys, Latr.; C. S. Rafinesque, Analyse, 1815, 116.—Col. [*n. n.*].
- chlamitulalis** *z.* **chlamytulalis**.
- Chlamophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clamophora,
- Chlamydatus** J. Curtis, Entom. Mag. I (2) Jan. 1833, 198.—Hem. [Chevr.]
- Chlamydephorus** Lenz, Nat. Säugeth. 1831, p. xi.—M. [Chlamyphorus, Harl. 1825].
- Chlamydera** J. Gould, Birds of Australia & adj. islands (1) Aug. 1837, text to pl. 3.—A.
- chlamydiformis** Cryptocephalus (Cadmus), E. F. Germar, Linnaea Entom. III. Ap. 1848,
- Chlamydis** J. Gistel, Nat. Thier. 1848, p. x.—Col. [241.]
- chlamydocephalus** C. M. Diesing, Syst. Helminth. I. 1850, 255.—Verm.
- Chlamydodera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chlamydera,
Gould.

- Chlamydodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chlamidodon, Ehr. [monas, Ehr.]
- Chlamydomonas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chlamidomonas
- Chlamydophorus** Wagler, Nat. Syst. Amph. 1830, 35.—M. [Chlamyphorus, Harl. 1825].
- chlamydophorus** Lybas, T. Lacordaire, Mon. Erytyl., Sept. 1842, 234.
- Chlamydosaurus** J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 424.—R.
- Chlamydothorium** H. G. Bronn, Lethaea Geogn. II (9—) 1838, 1258.—M.
- Chlamydothorium** Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 217.—M.
- Chlamydotis** R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 47.—A.
- chlamydulalis** Hercyna (Huebn.), F. Treitschke, Schmett. Europa, X (3) 1835, 41.—*Pyralis chlamytulalis*.
- Chlamyphorus** R. Harlan, Ann. Lyceum N. H. New York, I (8) c. Ap. 1825, 237.—M.
- Chlamys** A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 122.—Col.
- Chlamys** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 401.—Col.
- chlamys** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 60, Ap. 1847.
- chlamys** Lymnaea, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 744.
- Chlamytherium** Lund, Overs. K. Danske Vid. Selsk. Forhandl. 1838, 11.—M. [*chlamytulalis*.]
- chlamitulalis** Hercyna (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—*Pyralis c—lalis*.
- chlamitulalis** Nola (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1833, 277.—*Pyralis*. [1811–18] [*n. et f.*].
- chlamitulalis** *Pyralis*, J. Huebner, Europ. Schmett., Tab. *Pyralis*, 25 (Fernaldo judice)
- chlamitulalis** *Pyralis*, J. Huebner, Europ. Schmett., Tab. *Pyralis*, 28 (Fernaldo judice)
- clathrata** *v. clathrata*. [1818–22] [*n. et f.*].
- Chledripole** C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 362.—Coel. [*n. n.*].
- Chledristoma** C. S. Rafinesque, Précis Som. 1814, 34; Specchio d. Sci. II (8) Aug. 1814, 41; II (12) Dec. 1814, 165; Analyse, 1815, 155.—Coel.
- Chleuasiscus** E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 578.—A.
- Chleuastes** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Chlidnitoma** C. S. Rafinesque, Journ. de Physique, LXXXIX. Aug. 1819, 154.—? [*n. n.*].
- Chlidonia** Lamouroux, Ency. Méth. (Zooth.) 1824, 192.—Polyz.
- Chlidonia** Savigny; *teste* Agassiz, Nomen. Zool. *sed vernac.*
- Chlidonia** J. Huebner, Verz. bekannt. Schmett. 1826, 393.—Lep.
- Chlidonia** Herrich-S. in Panzer, Ins. Germ., heft 157, 1838, tab. 24.—Hym. [C. W. R.].
- Chlidonias** Rafinesque, Kentucky Gazette, XXXVI (8) Feb. 21, 1822 [3].—A. [*teste*]
- Chloantha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cloantha, Guén.
- Chloapala** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 231.—Hem. [*non binom.*].
- Chloë** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 560.—
- Chloë** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cloë, Burm. [Dipt.]
- chloe** Ageronia (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 42.—Papilio.
- chloe** Ageronia, J. Huebner, Exot. Schmett. II. Tab. [42] [*n. et f.*].
- chloë** Colias, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 73.
- chloe** Danaïs (Euplaea), F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 71.
- chloe** Dexia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 383.
- chloe** Hylaeus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 59 [*n. n.*].
- chloe** Nymphalis (Stoll), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 429.—Papilio.
- chloe** Papilio, Stoll in Cramer, Uitl. Kapellen, Suppl. p. 22 (1787).
- Chloëaltis** T. W. Harris, Rep. Insects Massach. 1841, 148.—Orth. [[*n. n.*].]
- Chloeibius** C. J. Schoenherr, Isis (Oken), 1823, 1145; Curc. disp. meth. 1826, 211.—Col.
- Chloeia** Lamarck, An. s. vert. V. 1818, 328.—Ann.
- Chloenius** A. Brullé in Bory de S. V., Exp. Morée (Ins.) 1832, 125 [= Chlaenius].
- Chloenobia** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 161.—Col. [*n. n.*].
- Chloenocoris** Burm.; *teste* Waterhouse, *v.* Chlaenocoris.
- Chloephaga** T. C. Eyton, Mon. Anatidae, 1838, 13.—A.
- Chloëphaga** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chloephaga, Eyt.

- chloridium** Agrion, Charp.; H. Burmeister, Handb. Ent. II (2) ii, 1839, 821.
- chloridion** Agrion (Erythromma), T. de Charpentier, Libell. Europ. 1840, 177.
- chloridipennis** Callida, V. v. Mochulski, Kaefer Russl., *post* May 1850, 39.
- chlorida** Galleruca, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 550.
- chlorigaster** *v.* **chlorogaster**.
- Chlorima** E. F. Germar, Mag. Entom. (German) II. 1817, 341.—Col.
- chlorimene** Euptychia, J. Huebner, Verz. bekannt. Schmett. 1818, 54. [Dipt.
- Chlorina** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 602.—
- chlorinus** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 129.
- chlorina** Calyptraea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 161.
- chlorinus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 364.
- chlorina** Nerita, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 141.
- chlorinus** Torymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32.
- chlorio** Picus, P. S. Pallas, Zoographia, I. 1811, 408.
- Chlorion** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 333.—Hym.
- Chlorion** C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 40.—A.
- chlorion** Hemipipo, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 234. [pipo.
- chlorion** Piprites (Cabanis), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 174.—Hemi-
- chlorion** Popillia, E. Newman, Mag. Nat. Hist., n. s., II. June 1838, 337.
- chlorionis** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- chloripennis** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
- Chlorippe** Boisduval in Doubleday, List Lepid. Brit. Mus. 1844, 108.—Lep.
- Chloris** F. Boie, Isis (Oken), 1826, 972.—A.
- chloris** Acanthisitta (Sp.), G. R. Gray, Zool. "Ereb. Terr." (Birds, 1844), 4.—Sitta, 1787.
- chloris** Alcedo, P. Boddaert, Tab. Planch. Enl. 1783, 49.
- chloris** Anaphaeis (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1775.
- chloris** Anthus, [H. Lichtenstein], Verz. Samml. Käferrn. 1842, 13.
- chloris** Apion, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 199. [chaenus.
- chloris** Baridius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 709.—Rhyn-
- chloris** Baris, Ziegl.; Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
- chloris** Baris (Fab.), Dejean, Catal. Coléopt. 1821, 99.—Rhynchaenus.
- chloris** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 223, Sept. 1848.
- chloris** Bulimus, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 58.
- chloris** Calyptorhina, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 83.
- chloris** Cannabina, E. F. v. Homeyer, Vögel Pommerns, 1837, 45.
- chloris** Cassida, E. Suffrian, Entom. Zeitung, Stettin, V (5) May 1844, 188.
- chloris** Ceratinia, E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 149.
- chloris** Cetonia, E. Newman, Entomologist (11) Sept. 1841, 170.
- chloris** Cheilosia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 558.—
Syrphus chlorus.
- chloris** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 28.
- chloris** Chlorospiza (L.), C. L. Bonaparte, Distr. metod. Vert. 1832, 83.—Loxia, 1758.
- chloris** Chrysomela, H. Lucas, Explor. Algér. (Artic. II.) 1849, 536.
- chloris** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 227.
- chloris** Cicindela, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 21.
- chloris** Clythra, Dahl, J. Sturm, Catal. Ins. Samml. 1826, 120.
- chloris** Coccothraustes (L.), P. S. Pallas, Zoographia, II. 1811, 13.—Loxia, 1758.
- chloris** Creophilus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2)
Oct. 1837, 26.
- chloris** Dolichotoma, F. W. Hope, Ann. Nat. Hist. III. Ap. 1839, 95.
- chloris** Drymoica, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 104.
- chloris** Epeira, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 133.
- chloris** Eristalis (Meig.), J. W. Zetterstedt, Dipt. Scand. II. 1843, 788.—Syrphus.
- chloris** Fringilla (L.), C. Illiger, Prod. 1811, 222.—Loxia, 1758.
- chloris** Halcyon (Bodd.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo.
- chloris** Hemipipo (Natt.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 234.—Pipra.
- chloris** Himantion, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 99.
- cloris** Hydrophis, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 377.

- chloris Hydrus (Pelamis) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 139.—Hydrophis.
 chloris Hylaecis (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 59.—Megilla.
 chloris Iora, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 794. [[*n. n.*]
 chloris Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
 chloris Lampetis, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 58.
 chloris Lanius, A. Valenciennes, Dict. Sci. Nat. XL. 1826, 226.
 chloris Ligurinus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 230.—Loxia, 1758.
 chloris Locusta (Phaneroptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 192.
 chloris Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 282.
 chloris Megilla, J. C. Fabricius, Syst. Piezat. 1804, 440 (*errata*).
 chloris Melania, F. H. Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 550.
 chloris Mixornis (Blyth), B. H. Hodgson, J. Asiat. Soc. Bengal, XIII. 1844, 380.—Iora.
 chloris Musca, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 165.
 chloris Muscicapa, J. R. Forster, Anim. mar. Aust. 1844, 87.
 chloris Necrosia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
 chloris Obliquaria, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4. [253.
 chloris Ophion, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 509.
 chloris Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 148.
 chloris Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 38.
 chloris Phyllobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 21.
 chloris Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 160.—Papilio, 1775.
 chloris Pipra, Natterer in C. J. Temminck in T. & Laugier, Pls. color. (29) Dec. 1822.
 chloris Psittacus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 6.
 chloris Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 467.
 chloris Pyrgita (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 23.—Loxia, 1758.
 chloris Rhaphigaster (Pal.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 59.—Pentatoma.
 chloris Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 446.—Curculio, Panz. 1794.
 chloris Scarus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 289. [philus.
 chloris Staphylinus (Nordm.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 401.—Creo-
 chloris Sycalis, J. Cabanis in J. J. Tschudi, Fauna Peru. (Orn.) 1846, 216.
 chloris Timalia, E. Blyth (*ex* Hodgson MS), J. Asiat. Soc. Bengal, XI. 1842 (*post* July),
 chloris Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4. [79+
 chloris Viperia, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 415.
 chloris Zosterops, S. Mueller in C. L. Bonaparte, Cons. gen. Avium, I. 1850, 398.
 Chlorisoma W. Swainson, N. H. Classif. Birds, II. June 1837, 25 & 230.—A.
 Chlorissa J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 315.—Lep.
 Chlorisses W. Swainson, Zool. Illust. (2) II (19) — 1831, pl. 89.—Lep.
 Chlorites *err. pro* Chloritis, Beck; L. Agassiz, Nom. Zool. (Moll.) 1845, 19.
 chlòrites Colaspis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 160.
 chlorites Trochus, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Tro-
 chloriteus Fusus, A. Risso, H. N. Europe, IV. 1826, 210. [chus (79) 1848, 60.
 chloritea Hamites, A. Risso, H. N. Europe, IV. 1826, 11.
 chloriteus Spatangus, A. Risso, H. N. Europe, V. 1826, 281.
 chloriticum *v.* chloroticum.
 Chloritis H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 29.—G.
 chlorizans Baridius, Müller in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 710.
 chlorizans Lygaeus, Block in G. W. F. Panzer, Ins. Germ., ed. 2, heft 18, c. 1798, tab. 21.
 chlorizans Phyllobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 33.
 Chlorocala *dict.* W. Kirby, App. to Introd. Entom. *teste* J. O. Westwood, Arcana Entom. (9) Sept. 1842, 130.—Col. [*Cypus* Cetonia africana].
 chlorocapilla Pipra, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 255.
 chlorocentrotus Echinus, J. F. Brandt, Prod. anim. Mertens. I. 1835, 64.
 chlorocephala Anthaxia, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 76.
 chlorocephala Anthaxia, H. Lucas, Explor. Algér. (Artic. II.), 1846, 155.
 chlorocephalus Carabus, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 117.
 chlorocephalus Carabus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 93.

- chlorocephalus** Chloronerpes (Gm.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 716.—Picus, 1788. [161.]
- chlorocephala** Chrysobothris, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1840,
- chlorocephala** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 8.
- chlorocephalus** Cybocephalus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 442. [1788.]
- chlorocephala** Dacelo (Gm.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 246.—Alcedo,
- chlorocephalus** Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 146.
- chlorocephalus** Halcyon (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 100.—Alcedo, Gm. 1788.
- chlorocephala** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 790.
- chlorocephalus** Idiococcyx (Raffl.), H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 489.—Cuculus chlorophaeus.
- chlorocephalus** Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 254.
- chlorocephalus** Lamprias, G. Samouelle, Entom. Compend., June 1819, 155.
- chlorocephalus** Lamprias (Hoffm.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) July 1827, 30.—Carabus.
- chlorocephala** Lebia (Hoffm.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 180.—Carabus.
- chlorocephalus** Panagaeus, V. Kollar, Ann. Wiener Mus. I [2] 1836, 335.
- chlorocephala** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 38.
- chlorocephalus** Pluvianus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 130.
- chlorocephala** Pyrrangula, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 294.
- chlorocephalus** Serranus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 522.
- chlorocephalus** Todiramphus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 156.—Alcedo, 1788.
- Chloroceryle** J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 68.—A. [*typi* 5 spp. Ceryle].
- Chlorochria** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 217.—Hem. [*non binom.*].
- chlorochroa** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (96) Sept. 1841, 2.
- Chlorochroma** P. A. J. Duponchel, Cat. méth. Lepid. Europe (2) 1845, 224.—Lep.
- Chloroclysta** J. Huebner, Verz. bekannt. Schmett. 1826, 332.—Lep.
- Chloroclystis** J. Huebner, Verz. bekannt. Schmett. 1826, 323.—Lep.
- chlorocnemis** Callithryx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII., May 1840, 313 [*n. n.*].
- chlorocomus** Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- chlorocopes** Torymus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 377. [359.]
- Chlorocoris** M. Spinola, Ess. Ins. Hémipt. 1837, 288.—Hem. [Tanagra.]
- chlorocyanea** Euphonia (Vieill.), G. R. Gray, Genera of Birds, II. July 1844, 367.—
- chlorocyanea** Tanagra, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 427.
- chloro-cyanus** Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837,
- chloro-cyana** Dactyloa (D. & B.), L. Fitzinger, Syst. Rept. 1843, 67.—Anolis. [117.]
- Chlorocystis** J. Huebner, Verz. bekannt. Schmett. 1826, 323.—Lep.
- chlorodactyla** Actinia, J. F. Brandt, Prod. anim. Mertens. I. 1835, 10.
- chlorodera** Chariodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 117.
- chlorodera** Euthora, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 152.
- Chlorodius** H. M. Edwards, Roret's Suite à Buffon (Crust. I.), 1834, 400.—Cr.
- Chlorodius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clorodius, Leach.
- chlorodius** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 162.
- chlorodius** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 365.
- chlorodia** Trogosita, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,
- chlorodon** Scarus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 105. [301.]
- Chloroechis** C. L. Bonaparte, Proc. Zool. Soc. Lond. 1849, 145.—R. [*n. d.*].
- Chlorogaster** W. Swainson, N. H. Fishes etc. II. July 1839, 172.—P.
- Chlorogaster** Macq. 1850; *teste* Marschall, 1851 *est*.
- chlorogaster** Anthomyia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- chlorogaster** Bufo, F. M. Daudin, H. N. Rainettes, 1802, 74. [427.]
- chlorogaster** Centris, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 144 [*n. n.*].
- chlorogaster** Cicada, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 614.

- chlorogaster** Dundubia (Boisd.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 47.—
- chlorigaster** Picus, T. C. Jerdon, Madras Journ. XIII (31) Dec. 1844, 139. [Cicada.
- chlorogaster** Sanguisuga, Brandt & Ratzeburg, Thiere Arzneimittel. II (1832), 238. [359.
- chlorogaster** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- chlorigaster** Treron, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post May 1846), 850.
- chlorigaster** Vinago, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (post Feb.), 167.
- chlorogena** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 88.
- chlorogenys** Conurus (Wagl.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Sittace.
- chlorogenys** Sittace, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 643.
- Chlorogonium** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 172.
—Inf. [VIII (91) Ap. 1841, 103.
- chlorogrammica** Helix, A. Valenciennes in G. B. Sowerby, I., Proc. Zool. Soc. London,
- chlorographa** Leptosia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 13.
- chlorolepidota** Euphonia (Sw.), G. R. Gray, Genera of Birds, III. Ap. 1849, 17.—
- chlorolepidota** Pipreola, W. Swainson, Anim. in Menag., Dec. 1837, 357. [Pipreola.
- chlorolepidotus** Psittacus, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 48.
- chlorolepidotus** Trichoglossus (Kuhl), J. F. Stephens in G. Shaw, Gen. Zool. (Aves)
XIV (1) 1826, 130.—Psittacus.
- chlorolepis** Calliodon, J. Richardson, Zool. "Sulphur," 1845, 137.
- chloroleuca** Cenchroma, Wied.; J. Sturm, Catal. Ins. Samml. 1826, 112.
- chloroleucus** Curculio, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 176.
- chloroleuca** Nerita, R. A. Philippi, Zeitschr. f. Malakozool., Jan. 1848, 14.
- chloroleucus** Tanyecmus (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 79.—
- chloroleuca** Tellina, Lamarck, An. s. vert. V. 1818, 524. [Curculio.
- chlorolineatus** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov.
1841, 219.
- chloroloma** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 260.
- chlorolophos** Centurus (Vieill.), G. R. Gray, Genera of Birds, II. Sept. 1846, 442.—Picus.
- chlorolophus** Chloropicos (Vieill.), A. Malherbe, Mém. Ac. Metz, XXX (post May 1849),
350.—Picus.
- chlorolophus** Chrysophlegma (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 128.
- chlorolophus** Orthorhynchus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 83.
- chlorolophus** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 78.
- chloromaura** Chrysomela, A. G. Olivier, Entom. V. 1807, 553.
- chloromaura** Chrysomela, T. v. Charpentier, Horae Ent. 1825, 233.
- chloromelas** Eupodes, C. L. Koch, Deutsch. Crust., heft 19, 1838, tab. 6.
- chloromerus** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 128.
- chloromerus** Pipra, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 271.
- chloromera** Thopha, F. Walker, List Homopt. Coll. B. M. (1) 1850, 43.
- chlorommatus** Attus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 491.
- Chloromyia** J. Duncan, Mag. Zool. Bot. I (2) Aug. 1836, 164.—Dipt.
- Chloromys** Rafinesque, Analyse, 1815, 56; F. Cuvier, Dict. Sci. Nat. IX. 1817, 42.—M.
- Chloronerpes** W. Swainson, N. H. Classif. Birds, II. June 1837, 307.—A.
- chloronevra** Oligotricha, P. Rambur (Roret's Suite à Buffon) Névroptères, 1842, 473.
- chloronitens** Eumolpus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [n. n.].
- chloronopus** Abrornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [n. n.].
- chloronotis** Pelamis, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.
- chloronotus** Abrornis, J. E. Gray, Cat. Mamm. Birds Hodgson B. M. 1846, App. p. 152.
- chloronotus** Acanthiza (Gould), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—
Gerygone. [136.
- chloronotus** Cinnryis, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.), Sept. 1837,
- chloronota** Clinteria, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 38.
- chloronothos** Dicaeum, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 408. [353.
- chloronotos** Garrulus, J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839,
- chloronotus** Gerygone, J. Gould, Proc. Zool. Soc. London, X (117) Feb. 1843, 133.
- chloronota** Lacerta, C. S. Rafinesque-S., Car. n. gen. 1810, 7.
- chloronotos** Pica, J. Wagler, Syst. Avium, I. 1827, sign. 219.

- chloronota** Platyleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 8.
chloronotum Pristipoma, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 228.
chloronotus Regulus (Hodgs.), G. R. Gray, Genera of Birds, I. Aug. 1848, 175.—Abrornis.
chloronotos Stichopus (Perideris), J. F. Brandt, Prod. anim. Mertens. I. 1835, 50.
chloronotus Zosterops, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 165.
Chloroperla E. Newman, Entom. Mag. III (5) Ap. 1836, 500.—Neur.
Chloropeta A. Smith, Ill. Zool. S. Africa, 1847, pl. 112.—A.
chloropha Xestia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 16.
chlorophaeator Arrenurus, C. L. Koch, Deutsch. Crust., heft 13, 1837, tab. 13.
chlorophaea Certhia, J. R. Forster, Anim. mar. Aust. 1844, 264.
chlorophaeus Cuculus, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 288.
chlorophaea Empusa, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 11.—Mantis, 1836.
chlorophaea Mantis, E. Blanchard, Magasin de Zool. V. 1835, pl. 135.
chlorophaeus Phoenicophaeus (Raffl.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 671.—Cuculus.
chlorophaea Rinortha (Raffl.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 790.—Cuculus.
chlorophaea Theoclytes (Blanch.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 153.—Mantis.
Chlorophanus Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 24.—Col.
Chlorophanus Dalmann in E. F. Germar, Ins. Spec. novae, I. 1824, 440.—Col.
chlorophana Amara, J. Sturm, Catal. Ins. Samml. 1826, 90 [n. n.].
chlorophanus Ateuchus, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 38.
chlorophanum Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 187.
chlorophanus Carabus, G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 3.
chlorophanus Cerambyx, G. Fischer v. W., Entom. Imp. Russ. II. post Nov. 1824, 237.
chlorophanus Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 662.
chlorophana Chrysopa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 979.
chlorophana Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 286.
clorophanus Harpalus (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 348. —Carabus. [—Ptilopus.
chlorophanes Lachnopus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 386.
chlorophanus Loborhynchus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 164.
chlorophana Macaria, Koch in O. Heer, An die zuercherische Jugend, 1845, 15.
chlorophana Macraspis, H. Burmeister, Handb. Ent. IV (1) 1844, 358.
chlorophanus Oodes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 72.
chlorophanus Ophonus, Panz.; Dejean, Catal. Coléopt. 1821, 13 [n. n.]. [1843, 330.
chlorophanus Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
chlorophanus Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
chlorophana Psylliodes, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 237.
chlorophanus Ptilopus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 39.
chlorophanus Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 532.
chlorophanus Tachypus (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 28.—Bembidium.
chlorophana Typhlocyba, Herrich-S. in Panzer, Ins. Germ., heft 124, 1834, tab. 9.
chlorophaeus Gecinus "Vieill."; G. R. Gray, Genera of Birds, III. App. 1849, 21.
chlorophoenicea Euglena, L. K. Schmarda, Kleine Beitr. Nat. Infus. 1846, 18.
Chloropholus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 263.—Col.
Chlorophoneus J. Cabanis, Mus. Heineanum (1) 1850 [1851], 70.—A.
Chlorophora J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
Chlorophthalmus C. L. Bonaparte, Icon. Faune Ital. (28) 1840.—P. [733.—Dipt.
chlorophthalmus Bracon, M. Spinola, Ins. Liguriae, II. 1808, 133.
chlorophthalmus Chrysopilus, H. Loew, Isis (Oken), 1840, 527. [54.
chlorophthalmus Gelasimus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837,
chlorophthalmus Helcon (Zele), (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 142.—Rogas.
chlorophthalmus Labrus, C. S. Rafinesque-S., Car. n. gen. 1810, 40.

- chlorophthalmus** Perilitus (Meteoros), (Spin.), A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 26.—Bracon. [—Rogas.
- chlorophthalmus** Phylax (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 162.
- chlorophthalmus** Rogas (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 201.—
- chlorophthalmus** Sapromyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 752. [Bracon.
- chlorophthalmus** Tabanus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 58. [188.
- chlorophyllus** Micronyx, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- chlorophylla** Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 77.
- chlorophyllum** Phyllium (Stoll), G. R. Gray, Syn. Phasmidae, 1835, 31.—Phasma.
- Chloropicoides** A. Malherbe, Mém. Ac. Metz, XXX (post May) 1849, 345.—A.
- Chloropicos** A. Malherbe, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 399.—A.
- Chloropicus** A. Malherbe, Mém. Ac. R. Metz, XXVIII. 1847, 130.—A.
- Chloropisma** Saunders, 1847; *err.* Marschalli *pro* Chloroplisma. [binom.].
- Chloroplegma** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 230.—Hem. [non
- Chloroplisma** W. W. Saunders, Tr. Entom. Soc. Lond. IV (5) June 1847, 293.—Col.
- chloropodia** Sterna, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 171.
- chloropodis** Pediculus, F. v. P. Schrank, F. Boica, III (1) 1803, 189.
- chloropoides** Fulica, P. P. King, Zool. Journ. IV (13) July 1828, 95.
- Chlorops** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 278.—Dipt.
- chlorops** Ascalaphus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 218.
- Chloropsis** Jardine & Selby, Ill. Orn. I. 1826, pl. v; & II. Addenda 1829, 1.—A.
- chloropsis** Crithagra, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 521.
- chloropsis** Melithreptus, J. Gould, Birds of Austral. (30) 1 Mar. 1848; Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 220.
- chloroptera** Anomala, Klug in H. Burmeister, Handb. Ent. IV (1) 1844, 262.
- chloropterum** Astroma, T. de Charpentier, Orthopt. (1) 1841, tab. 4.
- chloroptera** Calleida, Dejean, Spec. gén. Coléopt. V. 1831, 340.
- chloropterus** Chanos, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 195.
- chloroptera** Colaspis, E. F. Germar, Ins. Spec. novae, I. 1824, 573.
- chloropterus** Culex, Anon., Notizen (Frörlep) III. 1822, 100. [1848, 558.
- chloropterus** Dicrepidius, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
- chloropterus** Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 109.
- chloroptera** Haltica, E. F. Germar, Ins. Spec. novae, I. 1824, 609.
- chloropterus** Harpalus, J. F. Stephens (*ex* Kirby MS), Ill. Brit. Ent. (Mand. I.) June 1828, 148. [Bl., 1791.
- chloropterus** Ichthyallus, W. Swainson, N. H. Fishes etc. II. July 1839, 232.—? Labrus.
- chloroptera** Juida (Sw.), G. R. Gray, Genera of Birds, II. Ap. 1846, 327.—Lamprotornis.
- chloropterus** Julis (Bl.), G. Cuvier, R. Anim. II. 1817, 262.—Labrus, 1791.
- chloropterus** Lamprocolius (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 416. —Lamprotornis.
- chloropterus** Lamprotornis, W. Swainson, Anim. in Menag., Dec. 1837, 359.
- chloroptera** Lebia, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) post June 1835, 437.
- chloropterus** Nedyus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.), Feb. 1831, 29.
- chloropterum** Plectropoma, Cuvier & Valenc., H. N. Poiss. II. 1828, 398.
- chloropterus** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1390.
- chloropterus** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 51.
- chloroptera** Sphinx, M. Perty, Del. anim. artic. Brasil. (3) 1833, 155.
- chloropterus** Staphylinus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 319.
- chloroptera** Tanagra, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 407.
- chloropterus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 310.
- chloropterus** Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 311.
- chloroptera** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 207. [1837.
- chloropus** Acercus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 233.—Tiphys.
- chloropum** Acridium (Pyrgomorpha), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 149.

- chloropus** Amonia, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 8.
- chloropus** [Brachyrhinus] (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 171.—Curculio, 1758.
- chloropus** Chrysomela, Zenker in E. F. Germar, Ins. Spec. novae, I. 1824, 583.
- chloropus** Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839, 134. [Culio, L. 1758.]
- chloropus** Cossonus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 106.—Cur-
- chloropus** Crex (L.), C. Illiger, Prod. 1811, 266.—Fulica, 1758.
- chloropus** Gallinula, [M. Tunstall], Orn. Britt. 1771, 3.
- chloropus** Glottis (Meyer), S. Nilsson, Orn. Suec. II (2) 1821, 57.—Totanus.
- chloropus** Glottis (L.), W. Macgillivray, Man. Brit. Orn. II. 1842, 91.—Scolopax; ? Totanus, Meyer.
- chloropus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- chloropus** Hydrogallina, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 336.
- chloropus** Hylesinus (L.), J. C. Fabricius, Syst. Eleuth. II. 1801, 393.—Curculio, 1758.
- chloropus** Ortygometra (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 165.—Fulica, 1758.
- chloropus** Rallus (Gm.), P. Savi, Ornith. Toscana, II. 1829, 382.—Fulica, L. 1758.
- chloropus** Rhyncolus, Gyll.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*].
- chloropus** Rhyncolus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1064.—Cossonus, ? Latr.
- chloropus** Sitona, Kirby in J. Walton, Entom. Mag. V (1) Oct. 1837, 19 [*n. n.*].
- chloropus** Stagnicola, C. L. Brehm, Isis, 1830, 992 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 706.
- chloropus** Tiphys, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 11. [371.]
- chloropus** Totanus, B. Meyer in B. Meyer & J. Wolf, Taschen. Deutsch. Vögelk. II. 1810,
- chloropyga** Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 281.
- chloropyga** Certhiola, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 97. [Musca.
- chloropyga** Lucilia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 301.—
- chloropyga** Musca, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 44.
- chloropyga** Rutela, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 311.
- Chloropygia** W. Swainson, N. H. Classif. Birds, II. June 1837, 333.—A.
- chloropygia** Anthodiaeta (Jard.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 100.—Nectarinia. [Nectarinia.]
- chloropygia** Cinnyris (Jard.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 407.—
- chloropygia** Nectarinia, W. Jardine, Ann. Mag. N. H. X. Nov. 1842, 188.
- chloropygius** Totanus, L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 401.
- chloropyra** Rutela, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II., Oct. 1819, 44.
- Chlororhynchus** L. Agassiz, Nom. Zool. (Aves, Add.) 1845, 3.—A.
- Chlororhynchus** Platalea, Drapiez, Dict. Class. H. N. XV. 1829, 531.
- Chlororhynchus** Puffinus, R. P. Lesson, Traité Ornith. (8) June 1831, 613.
- Chlororhynchus** Ramphastos, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxvi.
- Chlorornis** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxvii (June 1850).—A. [*n. et f.*].
- Chloros** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx 28 (Fernaldo giudice 1808—18) [*n. et f.*]. [Scop. 1763.]
- chlorosata** Ischnopterix (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 332.—Phalaena,
- Chloroscotus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 146.—Hem. [*non binom.*].
- chlorosina** Voluta, Lamarck, Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 66.
- chlorosochrus** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 387.—Lutjanus.
- chlorosochrus** Lutjanus, A. Risso, Ich. Nice, 1810, 275.
- Chlorosoma** J. Wagler, Nat. Syst. Amph. 1830, 185.—R.
- Chlorosoma** T. de Charpentier, Libell. Europ. 1840, 12.—Neur.
- Chlorosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chlorisoma, Swains.
- chlorosoma** Cobitis, J. McClelland, Asiat. Researches, XIX (2) 1839, 305.
- chlorosoma** Dasytes, H. Lucas, Explor. Algér. (Artic. II.) 1846, 199.
- chlorosoma** Elampus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 311.

- chlorosoma** Lepisma, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 254.
- chlorospilota** Cribrina, J. F. Brandt, Prod. anim. Mertens. I. 1835, 16.
- chlorospila** Chrysis, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *e*.
- chlorospilus** Eutelus, F. Walker, Entom. Mag. II (4) Oct. 1834, 368.
- chlorospilus** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 38.—Eutelus, [1834.]
- Chlorospiza** C. L. Bonaparte, Giorn. Acad. LII. 1831, 206.—A.
- Chlorostactus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 129.—Hem. [*non binom.*].
- chlorosticta** Buprestis, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 421.
- chlorostictum** Calosoma, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *d*.
- chlorosticta** Cicindela, V. Kollar, Ann. Wiener Mus. I [2] 1836, 332.
- chlorosticta** Maypa, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 115. [568.]
- chlorostictus** Platymus, W. F. Erichson in Schomburgk, Reisen Brit.-Guiana, III. 1848,
- chlorostigma** Carchesium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 93. [1837, 426.]
- chlorostygma** Chironectes, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XII.
- chlorostigma** Curculio, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 177.
- chlorostigma** Cyphus, J. Sturm, Catal. Ins. Samml. 1826, 129 [*n. n.*].
- chlorostigma** Dicerca, Mannenheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 55.
- chlorostigma** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-Moluk.), 27.
- chlorostigma** Monitor, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 26.
- chlorostigma** Monitor, E. Schlegel, Abb. Amph. (2) 1839, 75.
- chlorostigma** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 352.
- chlorostigma** Varanus (Gray), Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July 1836, 489.—Monitor.
- chlorostigma** Vorticella, C. G. Ehrenberg, Infusionthier. 1838, 273.—Carchesium, 1831.
- chlorostigmatoides** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda-Moluk.), 26.
- Chlorostoma** W. Swainson, Treat. Malaccl., May 1840, 218 & 350.—G.
- chlorostoma** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- chlorostoma** Choanopoma (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 53.—Cyclostoma.
- chlorostoma** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 113.
- chlorostoma** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 146.
- chlorostomus** Cyphus, E. F. Germar, Ins. Spec. novae, I. 1824, 430. [73.]
- chlorostoma** Lagenia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
- chlorostomus** Macropterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 424.
- chlorostomum** Megapterum (Schoen.), J. Gisl, Nat. Thierr. 1848, p. xi.—Macropterus.
- chlorostomus** Murex (Tritonium), F. S. Voigt in Cuvier, Thierreich, III. 1834, 375.
- chlorostoma** Nerita, Lamarck, Ency. Méth. (Vers) 1816, pl. 454, Liste p. 11 [*n. et f.*].
- chlorostoma** Neritina, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 201. [1835], 521.
- chlorostoma** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
- chlorostomus** Stigmatrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1)
- chlorostomum** Triton, Lamarck, An. s. vert. VII. 1822, 185. [1840, 136.]
- chlorostomus** Tritonium (Lam.), H. G. Bronn, Index Pal. 1848, 1292.—Triton.
- chlorostomus** Trochus, C. T. Menke, Moll. N. Holl. 1843, 17.
- chlorostoma** Turbinella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xv.
- Chlorota** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 154.—Col. [*n. n.*].
- Chlorota** H. Burmeister, Handb. Ent. IV (1) 1844, 360.—Col.
- chlorothorax** Trochilus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 224.
- chlorotica** Altica, A. G. Olivier, Entom. VI. 1808, 690.
- chlorotica** Bembex, Klug in Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 469.
- chloroticus** Bruchus, Dalman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 41.
- chlorotica** Cantharis, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 56.

- chloroticus** Cardiaderus (Gebler), Dejean, Spec. gén. Coléopt. III. 1828, 22.—Daptus.
- chlorotica** Cassida, A. G. Olivier, Entom. VI. 1808, 931.
- chlorotica** Cercaria, C. M. Diesing, Syst. Helminth. I. 1850, 296.
- chlorotica** Cerckeris, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 496.
- chlorotica** Ceresa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 289.
- chloroticus** Chlorospiza, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 514.
- chloroticus** Coreus, L. Dufour, Mém. présentés Ac. Roy. Sci. Inst. France, IV. 1833, 163.
- chlorotica** Crioceris, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 295.
- chloroticus** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 787.
- chloroticus** Curculio, A. G. Olivier, Entom. V. 1807, 348. [40.]
- chloroticus** Daptus, Gebler in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824,
- chloroticus** Echinus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- chloriticum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 183.
- chlorotica** Ephemera, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 296.
- chlorotica** Euclhora, Guérin-M. in Duperry, Voy. "Cocoille", Zool. II (2) 1 (1838), 87.
- chlorotica** Euphone (L.), M. H. C. Lichtenstein, Zweites Preisverz. Doubl. Zool. Mus. Berlin, 1820, 9.—Tanagra, 1766.
- chlorotica** Euphonia (L.), G. R. Gray, Genera of Birds, II. July 1844, 367.—Tanagra,
- chlorotica** Galeruca, A. G. Olivier, Entom. VI. 1808, 624. [1766.]
- chloroticus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 234.
- chlorotica** Heliocidarid (Val.), Desm. in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 371.—Echinus.
- chlorotica** Lebia, Dejean, Spec. gén. Coléopt. V. 1831, 384. [Enterion.]
- chloroticus** Lumbricus (Sav.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 347.—
- chlorotica** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 178, & App. 1817, 93. [1838], 252.
- chlorotica** Necroschia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- chloroticus** Odynerus, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 500.
- chlorotica** Orsodacna, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 350.
- chlorotica** Paropsis, A. G. Olivier, Entom. V. 1807, 604.
- chloroticus** Phytoscaphus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- chlorotica** Protactia, H. Burmeister, Handb. Ent. III. 1842, 500. [413.]
- chloroticus** Tachyporus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 12.
- chlorotica** Venus, R. A. Philippi, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 186.
- chlorotis** Anas, G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 15.
- chlorotrema** Fissurella, K. T. Menke, Zeitschr. f. Malakozool., Dec. 1847, 186.
- Chlorotus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 120.—Hem. [*non binom.*].
- chlorourus** *v.* chlorurus.
- chlorozona** Helix, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 162.
- chlorozostus** Chrysoptilus (Wagl.), G. R. Gray, Genera of Birds, III. App. 1849, 22.—
- chlorozostus** Picus, J. G. Wagler, Isis (Oken), 1829, 513. [Picus.]
- Chlorurus** W. Swainson, N. H. Fishes etc. II. July 1839, 227.—P.
- chlorourus** Cheilinus (Bl.), H. Cloquet, Dict. Sci. Nat. VIII. 1817, 344.—Sparus, 1791.
- chlorura** Embrenagra (Aud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 483.—
- chlorura** Fringilla, J. J. Audubon, Orn. Biogr. V. 1839, 336. [Fringilla.]
- chlorurum** Plectropoma, Cuvier & Valenc., H. N. Poiss. II. 1828, 406.
- chlorura** Zonotrichia (Aud.), W. Gambel, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 51.—Fringilla.
- chlorus** Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 284.
- chlorynotus** Porphyrio, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1050.
- Chlorysus** C. S. Rafinesque, Princ. Som. 1814, 27.—M. [*emend. pro Chrysochloris*].
- Chlumis** J. Gistl, Nat. Thierr. 1848, 216.—Hym.
- chlymene** Najas, J. Huebner, Exot. Schmett., Tab. Najas [*n. et f.*].
- Chnaunanthus** H. Burmeister, Handb. Ent. IV (1) 1844, 31.—Col. [May 1850, 180.]
- Chnemidium** *err. pro* Cnemidium, Goldf.; A. d'Orbigny, Rev. et Mag. de Zool. (2) II.
- Chnoodes** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 437.—Col. [*sine typo*]. [Univ. H. N. III. 1843, 613.—Col.]
- Chnootriba** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 436; in Dict.

- Choanites G. A. Mantell, Foss. South Downs, May 1822, 178.—Sp.
 Choanopoma L. Pfeiffer, Zeitschr. f. Malakozool., Mar. 1847, 47.—G.
 choava Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 135, Oct. 1844.
 chochi Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 272.
 chochi Diplopterus (Vieill.), G. R. Gray, Genera of Birds, II. Sept. 1846, 456.—Turdus.
 chochi Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 226.
 Chochylis *err. pro* Cochylis, Treitschke; Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 409.
 chocolatina Curruca, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 37.
 chocolatina Muscicapa, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 107.
 chocolatum Purpura, P. L. Duclos, Ann. Sci. Nat. XXVI (101) May 1832, 108. [326.
 Choecochoerus *err. pro* Cebochoerus, Gerv.; Pomel, Arch. Sci. Phys. Nat. VIII. 1848,
 Choelicotherium A. Pomel, C. R. Acad. Sci. (Paris) XXVI. 1848, 687.—M. said by
 Palmer, Index Gen. Mamm. 1904, 178, to be misprint for Chalico-
 therium.
 Choelopus M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 20.—M.
 Choelopus Tschudi, Arch. f. Naturg. X. 1844 (1), 253.—*v.* Choloepus, Ill.
 Choena Hermannsen, Ind. gen. Malac. I. 1846, 231 [= Chaena, 1788].
 choenorrhini Cleophana, Rambur in Duponchel in J. B. Godart, H. N. Lépid. France,
 Suppl. III (Noct.) 1839, 379.
 Choerades F. Walker, 1850; *teste* Marshall, *sed* 1851 *est*.
 Choeradodis J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 50.—Orth.
 Choerelaphus C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 130.—M.
 Choeridium *err. pro* Chaeridium, Lep.; Agassiz, Nom. Zool. (Col. 1845), 36.
 choerilus Otus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 142.—Sphinx, 1779.
 Choeriphyllum L. Agassiz, Nom. Zool. (Orth.) 1845, *emend. pro* Choriphyllum, Serv.
 Choerocampa P. A. J. Duponchel, Hist. Nat. Lépid. France, Suppl. II. 1835, 159.—Lep.
 Choerocydnus A. White in G. Grey, Journ. 2 Exp. Austral. II. 1841, 472.—Hem.
 Choerodes A. White, Zool. "Ereb. Terr." (Ins. 1846), 12.—Col.
 Choeromeryx A. Pomel, C. R. Acad. Sci. (Paris) XXVI. 1848, 687.—M.
 Choerommatus Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 204.—Hem.
 Choeromorpha Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 343.—Col. [*n. n.*].
 Choeronycteris Lichtenstein, Arch. f. Naturg. 1844 (1), 247.—M.
 Choeropithecus H. M. D. de Blainville, Ostéogr., Primates, 1839, 39.—M.
 Choeropotamus Cuv. 1822; *teste* Agassiz, *vernac. est*; *v.* Chaerop.—
 Choeropus T. L. Mitchell, Three Exped. Australia, I. 1838, p. xvii.—M.
 Choeropus Ogilvy, *teste* Agassiz, *v.* Chaeropus.
 choerorhynchus *v.* chaerorhynchus.
 Choerosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chaerosoma,
 Erichs. [Curt.
 Choerosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chorosoma,
 Choerotherium Falconer & Cautley, J. Asiat. Soc. Bengal, IV (48) Dec. 1835, 706.—M.
 choerotherium Sus, H. D. de Blainville, Ostéogr., Sus, 1847, 195.
 Choetodon *v.* Chaetodon, G. Cuvier, R. Anim. II. 1817, 333.
 Choetomus J. McClelland, Calcutta Journ. Nat. Hist. IV (15) Oct. 1843, 405.—P.
 chogset Ctenolabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 237.
 chogset Labrus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 402.
 chogset Tautoga, S. L. Mitchell, Med. Reposit. [N. Y.] (3) II. 1816-17, 284.
 choicus Heilipus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 228.—
 choicus Pissodes, E. F. Germar, Ins. Spec. novae, I. 1824, 319. [Pissodes.
 Choiropotamus J. E. Gray, List Spec. Mamm. Coll. B. M. 1843, 185.—M. [Koir- on
 p. xxvii]. [191.
 Choirotherium *id. ac* Chaerotherium, F. & C.; H. D. de Blainville, Ostéogr., Sus, 1847,
 choka Aquila, A. Smith, S. African Quart. Journ. I (2) Mar. 1830, 114.
 chola Cyprinus, F. Hamilton, Fish. Ganges, 1822, 312.
 chola [Systemus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 286.—Cyprinus.
 Choleia J. C. Savigny; *err.* Waterhouse *pro* Chloea & Cloeia, *q. v.*
 Cholera *err. pro* Choleva, 1796; P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 121.

- cholericæ** Neritina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 237.
- Cholevocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cholevocera.
- choliba** Ephialtes (Vieill.), G. R. Gray, Genera of Birds, I. Sept. 1845, 38.—Strix.
- choliba** Scops (Vieill.), A. d'Orbigny, Amér. Mérid. (Ois.), 1837, 132.—Strix.
- choliba** Strix, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 39.
- Cholipus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 206.—Col. [*n. n.*].
- Cholius** A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 332.—Lep.
- Choloepus** C. Illiger, Prod. 1811, 108.—M.
- Cholopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cholipus, Dej.
- Cholopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Choloepus, Ill.
- Cholopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Choelopus, Tsch.
- Cholotrema** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Xolotrema, Raf.
- Cholovocera** T. Victor, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 177.—Col.
- Cholus** E. F. Germar, Ins. Spec. novae, I. 1824, 212.—Col.
- Chomatodus** J. L. R. Agassiz, Poiss. Foss. III. 107 (1838).—P.
- Chondestes** W. Swainson, Phil. Mag., n. s., I (6) June 1827, 435.—A. [—Cr.]
- Chondracanthus** F. Delaroche, N. Bull. Sci. Soc. Philom. Paris, II (44) May 1811, 270.
- Chondras** J. E. Gray, London Med. Reposit. XV. 1821, 239.—G. [*tyfus* *Helix cinerea*, Drap.].
- chondriformis** Clausilia, Cristofori & Jan, Cat. Mus. (Mantissa Test.), 1832, 3.
- Chondrina** *emend. pro* Chondrus, Cuv.; H. G. L. Reichenbach, Zoologie, I. 1828, 93.
- Chondrites** F. McCoy, Q. J. Geol. Soc. London, IV. 1848, 223.—Plantae.
- Chondrocera** F. L. de Laporte, Ess. Hémipt. in Magazin de Zool. II. 1832, 44.—Hem.
- Chondrochilus** Heckel in Russegger, Reise, I (2) 1843, 1077.—*v.* Chondrochylus, Heck.
- Chondrochylus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1031.—P.
- Chondrodela** C. S. Rafinesque, Analyse, 1815, 78.—R. [*n. n.*].
- Chondrohierax** R. P. Lesson, Echo Monde Savant, X. 12 Jan. 1843, 61.—A.
- Chondronotus** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 163.—Ech.
- Chondropoma** L. Pfeiffer, Zeitschr. f. Malakoz., Aug. 1847, 124.—G.
- chondropterygius** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 162 & 170.
- chondropus** Sillago, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Percoid. Malayo-Chondrorhynchus G. Fischer, Zoogn., ed. 3, III. 1814, 142.—M. Moluk.), 61.
- Chondrorhynchus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1031.—P.
- Chondrosepia** E. Rueppell & Leuckart, Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 *vel* 1831, 21.—Ceph.
- Chondrosia** G. D. Nardo, Atti R. Ist. Veneto, VI. 1847, 272.—Sp. [*non* 1833, *apud*]
- Chondrostes** J. Gistel, Nat. Thierr. 1848, 188.—Prot. [Vosmaer in Bronn].
- Chondrostes** J. Gistel, Handb. Naturges. 1850 [1847], 617.—Prot.
- Chondrosteus** J. L. R. Agassiz, Poiss. Foss. II (2) 280 (1844).—P. [*n. n.*].
- Chondrostoma** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 38.—P.
- Chondrostomus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1030.—P.
- Chondrula** H. Beck, Index Moll. Mus. Ch. Fred. (I) 1837, 87.—G.
- Chondrus** G. Cuvier, R. Anim. II. 1817, 408.—G.
- chondyliatus** *v.* condyliatus. [(App.), 3.—Cor.]
- Chonembla** T. Say in Keating, Exp. Peter River, II. 1824, 253; & ed. London, 1825
- Chonemonas** M. Perty, Mitth. Nat. Ges. Bern, 1849, 29.—Inf.
- Chonetes** G. Fischer, Oryct. Gouv. Moscou, 1830, sign. *d*₁.—Br.
- choniformis** [Ventriculites], G. A. Mantell, Foss. South Downs. May 1822, 168.
- chonoides** Alcyonium, G. A. Mantell, Tr. Linn. Soc. London, XI (2) 1815, 402.
- Chonophyllum** Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxx.
- chopi** Agelaius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 537. [—Cor.]
- chopi** Icterus (Vieill.), Dumont & Lesson, Dict. Sci. Nat. LV. 1828, 511.—Agelaius.
- chopi** Psarocolius (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 425.—Agelaius.
- Chopis** L. Agassiz, Nom. Zool. (Aves) 1845.—*non* Lesson 1831, *vernac.* [C. W. R.].
- Chopis** "Verreaux," C. L. Bonaparte, Consp. gen. Avium, I. 1850, 425.—A. [*teste*]
- Choporus** J. Gistel, Nat. Thierr. 1848, p. viii.—Inf.
- Choraebus** Scudder; *err. pro* Coraebus, Lap. & Gory, 1839.

- Choragus** W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 447.—Col.
choram Belone, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 72.
Choraptenodytes Rigen, 1828; *teste* Agassiz, *fam. non gen.*
choras Cynocephalus, W. Ogilby, Proc. Zool. Soc. London, XI (120) July 1843, 12.
chorda Serpula, A. Risso, H. N. Europe, IV. 1826, 403.
chorda Syngnathus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 516. [1847, 346.
Chordediles *emend. pro* Chordeiles, Swainson; J. Cabanis, Arch. f. Naturg. XIII (1)
Chordeiles W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i. e.* Feb. 1832],
 337.—A. [*typus* Caprimulgus virginianus].
Chordeuma C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 51.—Myr.
Chordiles J. J. Tschudi, Fauna Peru. (Orn.) 1846, 130 [=Chordeiles].
chordinus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2), 1833, 573.
Chordodera H. Burmeister, Handb. Ent. III. 1842, 202.—Col. [*teste* S. & H.].
Chordodes Creplin, N. Notiz. Geb. Nat. Heilk. (Weimar) III (11) July 1847, 161.—Verm.
chordotonum Cardium, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 220.
chordula Fusus (Turt.), J. Fleming, Hist. Brit. Anim. 1828, 351.—Murex.
chordula Murex, W. Turton, Conch. Dict. 1819, 94.
Chorea S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 150.—Col.
chorebe Platytia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 268.—Phalaena chor-
chorebus A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 264.—Hym. [ebus, 1777.
Chorega J. Gistel, Nat. Thierry. 1848, p. ix.—Dipt.
Choregon J. Minding, Lehrb. Naturg. Fische, 1832, 119.—P.
choregonoides Paralepis, J. Minding, Lehrb. Naturg. Fische, 1832, 130.
Choreia J. O. Westwood, Mag. Nat. Hist. VI., Mar. 1833, 122.—Hym.
choreiformis Epicopterus, J. O. Westwood, Mag. Nat. Hist. VI., Sept. 1833, 419.
Choreius *id. ac* Choreia, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. X (63)
 June 1837, 442.
Chorenta J. Gistel, Nat. Thierry. 1848, p. viii.—Col.
chorea Anthomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 582. [336.—Delia.
chorea Anthomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
chorea Delia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 577.—Musca, 1781.
chorea Dicranomyia (Wied.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53.—Limnobia.
chorea Limnobia, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 134.
chorea Lonchaea (Fab.), C. F. Fallen, Ortalides Sveciae (3) 1820, 26.—Musca, 1781.
choreus Tanytus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 23.
Choreutes F. Treitschke, Schmett. X (3) 1835, 31.—Lep.
Choreutis J. Huebner, Verz. bekannt. Schmett. 1826, 373.—Lep.
Choria L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Choreia, Westw.
chorica Empis, C. F. Fallen, Empidiae Svec. (2) 1816, 24.
chorica Hilara (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 4.—Empis.
Choridactylus J. Richardson, Zool. "Samarang" (Fish, 1848), 8.—P.
choridamas Papilio, Bois-duval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 318.
chorimene Junonia (Guér.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
 (1849), 210.—Vanessa.
chorimene Vanessa, F. E. Guérin-M., Iconographie, 1844, Ins. 476.
Chorina H. M. Edwards (Roret's Suite à Buffon), Crust. I. 1834, 315.—Cr.
chorinaea Arpidea (Fab.), Westwood in J. Duncan, For. Butterfl. (Nat. Libr. XVIII.)
 June 1837, 180.—Papilio, 1793. [1780.
chorinea Athysania (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 263.—Phalaena,
chorinaeus Bagous, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 78.
chorineus Erycina (Cr.), W. W. Saunders, Tr. Entom. Soc. Lond. V (9) Feb. 1850,
 228.—Papilio, 1775.
chorinaeus Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 5.—Scarab. 1775.
chorinaeus Megaceras (Fab.), W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 82.—
 Geotrupes, 1798. [Papilio, 1775.
chorinaeus Paphia (Cr.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—

- chorinaeus** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 480.—Papilio, 1793. [1798.]
- chorinaeus** Scarabaeus (Fab.), Palisot de B., Ins. Afr. Amér. (—) 1813, 137.—Geotrupes,
- chorinea** Syrmata (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 23.—Papilio, 1775.
- chorinaeus** Zeonia (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 3.—Papilio,
- Chorinea** J. E. Gray in Griffith, Cuvier, An. Kingd. (Ins.) 1832, pl. 102.—Lep. [1775.]
- Chorinemus** Cuvier & Valenc., H. N. Poiss. VIII. 1831, 367.—P.
- Chorinus** P. A. Latreille (*ex* Leach MS), Ency. Méth. (Ins.) X. 1825, 139.—Cr.
- Choriphyllum** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 754.
- choris** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 172. [—Orth.
- chorisii** Phoca, R. P. Lesson, Dict. Class. H. N. XIII. 1828, 417.
- Chorisochismus** Brisout de B., Rev. Zool. (Soc. Cuv.) IX. June 1846, 209.—P.
- Chorista** F. Klug, Ber. Verh. K. pr. Ak. Wiss. 1836 (1836), 54; & Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 87.—Neur.
- Choristes** Walker, 1850; *teste* Marshall, *sed* Choristus, 1851 *est*.
- Choristides** Kefenstein, Zeitschr. Geogn. 1829, 43 [*err. pro* Choristites, *teste* Scudder].
- Choristites** G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1825, 6.—Br.
- choristites** Spirifer, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837], 45.
- Choristodon** J. H. Jonas, Zeitschr. f. Malakozool., Dec. 1844, 185.—L.
- Choristodon** A. Smith, Ill. Zool. S. Afr. (Rept.) App. p. 18, 1849.—R.
- Choristoma** Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 3.—G.
- Choristoma** J. D. W. Hartmann, Erd- u. Süßw. Gast., Syst. Uebers. 1840.—G.
- Choristopetalum** W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 69.—Cor.
- Choristopus** T. C. Eytton, Mon. Anatidae, 1838, 9.—A.
- chorizans** Lygaeus, C. F. Fallen, Mon. Cim. Suec. 1818, 77.
- chorizans** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 82.—Lygaeus, 1818.
- Chorodromus** L. Fitzinger, Syst. Rept. 1843, 20.—R. [*typus* Acanthodactylus lineo-maculatus, D. & B.].
- choromandus** Hylobates, W. Ogilby, Proc. Zool. Soc. London, V (55) Jan. 1838, 69.
- Chorophyllum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Choriphyllum,
- Choroscopus** L. Fitzinger, Syst. Rept. 1843, 21.—R. [Serv.]
- Chorosoma** J. Curtis, Brit. Entom. VII (74) Feb. 1830, no. 297.—Hem.
- Chorotypus** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 751.—Orth. [*typus* biguttulus, Burm.].
- Chortippus** G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (4) 1846, 482.—
- Chortophila** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 323.—Dipt.
- Chortophilus** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 237.—Hem. [*non binom.*].
- Chorus** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 136.—G.
- chorzowensis** Nephrotus, H. v. Meyer, Palaeontographica, I (5) Dec. 1849, 242.
- chorzowiensis** Omphalodus, H. v. Meyer, N. Jahrb. f. Min. 1847, 574 [*n. n.*].
- choucador** Corvus, Wilkes, Ency. Londin. V (269) 1802, 243.
- Choucalcyon** R. P. Lesson, Traité Ornith. (4) Sept. 1830, 248.—A.
- choucari** Graucalus, Laugier, Cat. Ois. 1836, 8.
- Choucas** Cuv. 1817; *teste* Agassiz *sed vernac.*
- choucou** Nisuelia (Lath.), R. P. Lesson, Echo Monde Savant, X. 10 Sept. 1843, 469.—Strix, Daud. 1800. [311.—Strix, Daud. 1800.]
- chouchou** Surnia (Lath.), A. Smith, S. African Quart. Journ. II. no. 4 (1) Sept. 1834,
- Chourtka** V. Motschulsky, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 94.—A.
- Chraecocephalus** H. E. Strickland, Ann. Mag. N. H. VII (41) Mar. 1841, 40.—*emend.*
- Chremylus** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.—Hym. [*pro* Chroi—lus.
- Chresmoda** Muenster in Germar, N. Acta Ac. Caes. XIX (1) 1839, 201.—Orth.
- Chria** J. Gisl, Nat. Thierry. 1848, p. xi.—Col.
- Chriorhina** Zetterstedt, 1843; *teste* Scudder, *sed non comp.* [= Criorhina, Meig.].
- Chrisomela** v. **Chrysomela**; G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 182.
- [christi.]
- christii** Locusta, J. Curtis, Brit. Entom. XIII (152) Aug. 1836, no. 608.
- [christiei.]
- christii** Astropecten, Düben, 4 Förh. skand. Naturf. 1844 (1847), 265.

- christi** Gazella, E. Blyth, J. Asiat. Soc. Bengal, XI (125) May 1842, 452.
- christii** Plecotus, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 495.
- christii** Tragops (Blyth), B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 695.—Gazella.
- christii** Virgularia, Koren & Danielssen, Nyt Mag. for Naturvid. V (3) 1847, 269.
- christiani** Bulimus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 52 [*n. n.*]. [274.]
- christiani** Productus, L. G. de Koninck, Mém. Soc. R. Sci. Liège, IV (1) ante July 1847,
- christianum** Holocentrum, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. III. 1829,
- christiana** Mantis, T. v. Charpentier, Horae Ent. 1825, 93. [219.]
- christiernauta** Hypercallia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Phalaena, 1767. [*n. et f.*].
- christiernauta** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 24 (Fernaldo judice 1797)
- christiernauta** Adela (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 299.—Tinea.
- christiernauta** (sic) Carcina (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 410.—Phalaena c—ana, 1767. [Tinea.]
- christiernauta** Lampros (Huebner), F. Treitschke, Schmett. Europa, IX (2) 1833, 65.—
- christiernauta** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 69 (Fernaldo judice 1827) [*n. et f.*].
- christiernauta** Hypercallia, P. C. Zeller, Isis (Oken), 1839, 191.—christiernauta, L.
- Christolepis** *err. pro* Chiastolepis, 1844; E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (4) 1846, 301.
- christolii** Antilope, P. M. T. de Serres, Journ. de Géol. III. 1831, 260.
- christolii** Felis, F. L. P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 213 [*n. n.*].
- christolii** Felis, F. L. P. Gervais, Zool. Pal. Franç., expl. to pl. viii (1849).
- christolii** Halitherium, L. J. Fitzinger, 6 Ber. Mus. Franc.-Carol. 1842, 61.
- christolii** Helix, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 201; Rep. trav. Soc. stat. Marseille, VI. 273.
- christolii** Manatus, H. D. de Blainville, Ostéogr., Manatus, 1843, 122. [therium.]
- christolii** Metaxytherium (Fitz.), C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 230.—Hali-
- christolii** Physa, M. de Serres, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 55 [*n. n.*].
- Christolia** A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 246.—Hym. [trav. Soc. stat. Marseille, VI. 279.]
- christolianus** Bulimus, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 207; Rep.
- christoliana** Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 137; Rep. trav. Soc. stat. Marseille, VI. 209. [238.]
- christophori** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- chrisypa** Anguilla, C. S. Rafinesque, Amer. Monthly Mag. II (2) Dec. 1817, 120.
- Chroecocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chroicocephalus, Eyt. [Mar. 1836, 57.—A.]
- Chroicocephalus** T. C. Eyton, Catal. Brit. Birds, Jan. 1836, 53; Hist. rarer Brit. Birds,
- Chroma** J. E. Gray in Griffith, Cuvier, An. Kingd. XV. 1832, pl. 102.—Lep.
- Chromatocochlias** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chromocochlea, Hartm.
- Chromatomyia** F. Walker, List Dipt. Coll. B. M. (4) 1849, 801.—Dipt.
- Chromatoptera** Schummel, Uebers. Arb. schles. Ges. 1827 (1828), 66.—Neur. [Westw.]
- Chromatoptilia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chromoptilia,
- Chromidoleptes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cromileptes, Swains.
- Chromis** G. Cuvier, Bull. Soc. Sci. Philom. Paris, 1814 (Oct.), 88.—P. [*non* Plumier, *non*]
- Chromis** J. Huebner, Verz. bekannt. Schmett. [1820], 138.—Lep. [*binom.*].
- chromis** Chromis, G. D. Nardo, Isis, XX (6) June 1827, 481.
- chromis** Haemulon, Cuvier & Valenc., H. N. Poiss. V. 1830, 242. [*n. et f.*].
- chromis** Myscelia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 222
- chromis** Pogonias (L.), Cuvier & Valenc., H. N. Poiss. V. 1830, 206.—Labrus, 1766.
- chromis** Sciaena (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 308.—Labrus, 1766.
- Chromocochlea** J. D. W. Hartmann, Erd- u. Süßw. Gast. (5, 6) 1842, 137.—G.
- Chromoptilia** J. O. Westwood, Arcana Entom. (8) July 1842, 128.—Col.
- chromus** Coeliades (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Papilio, 1780.

- chromus** *Hesperia* (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 744.—*Papilio*,
chromus *Nymphalis* (Prepona), F. E. Guérin-M., Iconographie, 1844, Ins. 478. [1788.
Chondrostoma J. J. Heckel in Russegger, Reise, I (2) 1843, 1030.—P. ["Sykes" *sed*?
 Agass., *Chondrostoma*].
- chronos** *Acrophylla*, G. R. Gray, Syn. Phasmidae, 1835, 39.—*Diura*, 1833.
chronus *Diura*, G. R. Gray, Entom. Austral. I. Phasma, 1833, 20.
Chrosis A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 300.—Lep.
Chrosomus C. S. Rafinesque, Western Review, II (4) May 1820, 237; Ichth. Ohiensis
 [Dec.] 1820, 48.—P.
- Chrossorhinus** Müll. & H., Ann. Nat. Hist. I. 1838; *teste* Agassiz, *sed non comp.*, v.
Crossorhinus.
- Chrostogastria** J. Huebner, Verz. bekannt. Schmett. [1822], 189.—Lep.
Chrostosoma J. Huebner, Verz. bekannt. Schmett. [1820], 126.—Lep. [—Orth.
Chrotogonus Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 702.
chrysacanthophora *Holothuria*, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 58.
chrysaeti *Distoma*, C. A. Rudolphi, Ent. Syn. 1819, 119.
chrysaetos *Aquila* (L.), C. Dumont, Dict. Sci. Nat. (ed. 1) I. 1804, 339.—Falco, 1758.
Chrysaetus Sweeting in N. Wood, Naturalist, II (12) Sept. 1837, 303.—A.
Chrysaetus *id. ac* Chryseus, C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 186.
chrysagaster *Malaconotus*, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May
 1837, 244.
chrysalidea *Cyprella*, L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 19.
chrysalidiformis *Bulinus*, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833,
Chrysalidina A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 109.—Rh. [37.
Chrysalis Albers, 1850 [*teste* Herrm. *err. v.* *Chrysallis*].
chrysalis *Acanthosoma*, v. Mayer, Med. corresp. rhein. Westph. Aerzte, 1844, no. 5. 73;
 Arch. Anat. Phys. 1844, 409.
chrysalis *Bulimus*, L. Reeve, Conch. Icon. V.—*Bulimus*, no. 382, Dec. 1848.
chrysalis *Bursaria* (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 161.—*Paramae-*
cium, 1786.
chrysalis *Clausilia*, W. Wood, Suppl. Index Test. 1828, 34.—*Turbo*, 1828; ? *Turt.* 1810.
chrysalis *Cypraea*, L. C. Kiener, Spec. Coquilles (*Cypraea*) 1845, 92.
chrysalis *Dentalina*, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 251.
chrysalis *Mitra*, L. Reeve, Conch. Icon. II.—*Mitra*, no. 200, Dec. 1844.
chrysalis *Panophrys*, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 492.
chrysalis *Pupa*, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 82.
chrysalis *Pupa*, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 163.
chrysalis *Terebratula* (Schl.), Hoeninghaus, Jahrb. f. Min. 1830, 468.—*T*—*lites*.
chrysalis *Terebratulina* (Buch), A. d'Orbigny, Pal. Franc., Crét. IV (Brach.) 1849, 58.—
Terebratula, Hoen.
- chrysalis** *Terebratulites*, E. F. Schlotheim, Tasch. Min. 1813, 113.
chrysalis *Turbo*, W. Turton, Conch. Dict. 1819, 220.
Chrysalis J. C. Albers, Die Heliceen, 1850, 140.—G.
- chrysame** *Dexia*, F. Walker, List Dipt. Coll. B. M. (4) 1849, 866.
chrysammos *Pteromalus*, F. Walker, Entom. Mag. III (5) Ap. 1836, 487.
chrysampyx *Lemur*, T. Schuermans, Mém. cour. et mém. Sav. étrang. Ac. Roy. Belg.
 XXII. 1848. [(Noct.) 1843], 410.
- crysantheana** *Sciaphila*, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
Chrysantheda M. Perty, Del. anim. artic. Brasil. (3) 1833, 147.—Hym.
chrysanthellum *Actinia*, G. Johnston, 16 Rept. Brit. Assoc. (South. 1846) 1847, Trans.
crysanthaemi *Altica*, Sch.; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*]. [86.
chrysanthemi *Ceutorhynchus*, E. F. Germar (*ex* Müll. *litt.*), Ins. Spec. novae, I. 1824, 221.
chrysanthemi *Cucullia* (Hueb.), F. Treitschke, Schmett. Europa, V (3) 1826, 114.—
Noctua.
chrysanthemi *Ensina*, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
chrysanthemi *Eucalimia*, J. Huebner, Verz. bekannt. Schmett. [1825], 245. [1830, 752.
chrysanthemi *Haltica*, J. J. Hoffmann, etc., Entom. Hefte, II. 1803, 45.
chrysanthemi *Lasioptera*, H. Loew, Dipterologische Beiträge, IV. 1850, 39.

- chrysanthemi Lopus, C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 11.
 chrysanthemi Mantura, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 324.
 chrysanthemi Miris, J. F. Wolff, Icon. Cimicum (4) 1804, 157.
 chrysanthemi Nedyus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.
 chrysanthemi Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 149 (Fernaldo judice 1818-22) [*n. et f.*].
 chrysanthemi Platypygus, H. Loew, Entom. Zeitung, Stettin, V (4) Ap. 1844, 127.
 chrysanthemi Rhynchaenus (Germ.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 596.—Ceuto-rhynchus. [329.—Tipula, Fab. 1787.
 chrysanthemi Xestomyza (Gm.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830,
 Chrysanthia W. Schmidt, Linnaea Entom. I. Feb. 1846, 125.—Col.
 Chrysaor J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
 Chrysaor J. Huebner, Exot. Schmett., Tab. Chrysaor.—Lep. [*n. et f.*].
 Chrysaor Denys de Montfort, Conch. I. 1808, 378.—Ceph.
 Chrysaora Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 364.—Med.
 Chrysaora C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
 Chrysaora J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 83.—Polyz.
 chrysaora Cyanaea, G. Cuvier, R. Anim. IV. 1817, 56.
 Chrysaores Huebn.; teste Agassiz, *fam. non gen. est.*
 Chrysargus Steiropis (Kuhl), L. Fitzinger, Syst. Rept. 1843, 27.—Tropidonotus.
 chrysargus Tropidonotus, Kuhl in Férussac, Bull. Sci. IX. 1826, 236 [*n. n.*].
 chrysargus Tropidonotus, H. Boie, Isis (Oken), 1827, 534.
 chrysargyus Amphiprion, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 254.
 chrysargyra Chrysopris, G. Cuvier, Règne Anim., ed. 2, II. 1829, 182.
 chrysargyus Crabro, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 711.
 chrysarrhous Geobasileus (Q. & G.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 32.—*Saxicola chrysorrhoea*.
 Chrysarthritis Schmidt, Cat. Coleopt. Europa, 1844.—Col. [*mihi non visum*].
 Chryspidia J. Huebner, Verz. bekannt. Schmett. [1825], 252.—Lep.
 chrysaster Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 393.
 chrysater Xanthornus, R. P. Lesson, Echo Monde Savant, XI. 1 Aug. 1844, 204.
 chrysauchenia Peristera, "Reich," G. R. Gray, Genera of Birds, III. App. 1849, 24.
 Chrysauge J. Huebner, Exot. Schmett. II. Tab. [201], 18.—Lep. [*n. et f.*].
 Chrysaurus C. S. Rafinesque, Analyse, 1815, 76.—R. [*n. n.*].
 chrysoma Leptura, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 179.
 chryscus Ericydus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 53.—Pteromalus,
 chryscus Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 34. [1839.
 chrysealis Calopterychia (Stoll), J. Huebner, Verz. bekannt. Schmett. 1826, 359.—Phalaena,
 Chryseida M. Spinola, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 18.—Hym. [1790.
 Chryseis H. R. Schinz in Cuvier, Thierreich, II. 1822, 438.—P.
 chryseis Chrysophanus (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 72.—Papilio,
 1775. [—Papilio, 1775.
 chryseis Chrysophanus (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 18.
 chryseis Cupido (D. & S.), F. v. P. Schrank, F. Boica, II (1) 1801, 207.—Papilio, 1775.
 chryseis Lycaena (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 27.—Hesperia,
 1793. [1799] [*n. et f.*].
 chryseis Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 68 & 71 (Fernaldo judice
 chryseis Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 667.—Papilio,
 D. & S., 1775. [Hesperia, 1793.
 chryseis Zephyrus (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 92.—
 chryselis Smaris, Cuvier & Valenc., H. N. Poiss. VI. 1830, 419.
 chrysellus Chilo, F. Treitschke, Schmett. Europa, IX (1) 1832, 132.
 chrysella Hydrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 792. [1830, 339.
 chrysella Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 chryselytria Buprestis, M. Perty, Del. anim. art. Brasil. (1) 1830, 19.
 chryselytra Eumerus (Perty), Laporte & Gory, H. N. Coléopt. II. 1839, 3.—Buprestis.

- chrysendetetus** Hypsonotus, E. F. Germar, *Ins. Spec. novae*, I. 1824, 375.
chryserydros Mullus, B. G. E. de Lacepède, *Hist. Nat. Poiss.* III. 1802, 384.
chryserydros Upeneus, Cuvier & Valenc., *H. N. Poiss.* III. 1829, 470.
chryserythrus Phanaeus, M. Perty, *Del. anim. artic. Brasil.* (1) 1830, 41.
Chrysesthes A. J. J. Solier (*ex Audinet-S.* MS), *Ann. Soc. Ent. France*, II (2) c. July 1833, 290.—Col. [Huebner].
Chrysesthia L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro Chrysoesthia*,
Chryseus C. H. Smith, *Dogs*, I (Nat. Libr. XXV.) Dec. 1839, 167.—M.
chrysea Buprestis, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 45 [*n. n.*].
chrysea Buprestis, Froehl.; Dejean, *Catal. Coléopt.* 1821, 30 [*n. n.*].
chrysea Colaspis, D. H. Schneider, *Verz. Insectensamm.* 1828, 84 [*n. n.*].
chrysea Dicerca (F. V. Melsh.), F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (6) Dec. 1844, 143.—Buprestis.
chrysea Maevia, C. L. Koch, *Die Arachniden*, XIV (2) Dec. 1846, 83.
chrysaeca Nemura (Hodgs.), G. R. Gray, *Genera of Birds*, I. May 1846, 181.—Tarsiger.
chrysaecus Proparus, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 84 [*n. n.*].
chrysaeca Sericornis (Hodgs.), E. Blyth, *J. Asiat. Soc. Bengal*, XIV. 1845, 549.—Tarsiger.
chrysaeca Stachyris, B. H. Hodgson, *J. Asiat. Soc. Bengal*, XIII. 1844 (*post Oct.*), 379.
chrysaeca Stachyris, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 83 [*n. n.*].
chrysaecus Tarsiger, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 83 [*n. n.*].
chrysaecus Tarsiger, B. H. Hodgson, *Proc. Zool. Soc. London*, XIII (146) Aug. 1845, 28.
chrysaeca Timalia (Hodgs.), G. R. Gray, *Genera of Birds*, III. App. 1849, 10.—Stachyris.
Chrysis T. Bruand, *Mém. Soc. Emul. Doubs*, Vol. III (Tom. 3) (5 & 6) 1850, 44.—Lep.
chrysiceps Jurinia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 37.
chrysiceps Tachina (Desv.), F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 715.—Jurinia.
chrysidice Pontia, C. F. Freyer, *Neuere Beitr. Schmett.* VI (86) 1848, 52.
chrysidiformis Aegeria (Huebner), J. F. Stephens, *Ill. Brit. Ent.* (Haust. I.) June 1828, 141.—Sphinx, *Esp.* 1782.
chrysidiformis Bembecia (Esp.), J. Huebner, *Verz. bekannt. Schmett.* [1820], 129.—Sphinx, 1782.
chrysidiforme Pyropteron (de Vill.), E. Newman, *Entom. Mag.* I (1) Sept. 1832, 76.—Sphinx, *Esp.* 1782.
chrysidiformis Sesia (Esp.), J. H. Laspeyres, *Sesiae Europ.* 1801, 15.—Sphinx, 1782.
chrysidiformis Setis, J. W. Meigen, *Syst. Besch. Europ. Schmett.* II (3) 1829, 108.
chrysidiforme Trochilium (Vill.), Humphreys & Westwood, *Brit. Moths*, I. 1840–1, 37.—Sphinx, *Esp.* 1782.
chrysidioides Sternocera, Laporte & Gory, *H. N. Coléopt.* I. 1835–1836, 7.
Chrysina W. Kirby, *Zool. Journ.* III (12) Ap. 1828, 523.—Col. [1830, 792].
chrysina Hydrellia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
chrysippe Cethosia (Fab.), E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I (1848), 152.—Papilio, 1775. [1788].
chrysippe Danaïs (L.), J. B. Godart, *Ency. Méth.* IX (1) (Ins.) 1819, 187.—Papilio,
chrysippe Euploea, J. Huebner, *Verz. bekannt. Schmett.* 1816, 15.
chrysippe Idia, F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 810.
chrysippus Danaïs (L.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.)* III. 1840, 435.—Papilio, 1758.
chrysippus Euploea, A. & O. Speyer, *Isis* (Oken), 1843, 170.
chrysippus Limnas, J. Huebner, *Tentamen (me judice 1806)*, 1 [*n. n.*].
chrisippus Limnas, J. Huebner, *Exot. Schmett.*, Tab. Limnas [*n. et f.*].
chrysippus Papilio, J. Huebner, *Europ. Schmett.*, Tab. Papilio, 133 (Fernaldo judice 1808–16) [*n. et f.*].
chrysippus Platygaster, F. Walker, *Entom. Mag.* III (3) Oct. 1835, 250.
Chrysiptera W. Swainson, *N. H. Fishes etc.* II. July 1839, 171 & 216.—P.
Chrysidiria J. Huebner, *Verz. bekannt. Schmett.* 1825, 289.—Lep.
chrysis Altica, A. G. Olivier, *Entom.* VI. 1808, 698. [Cetonia, 1775].
chrysis Anticheira (Fab.), Eschscholtz, *Mém. Ac. Imp. Sci. St Pétersb.* VI. 1818, 476.—
chrysis Ateuchus, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 66.

- chrysis** Attus, C. A. Walckenaer, Tab. Aran. 1805, 25 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 454.
- chrysis** Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [*n. n.*]. [Torymus.]
- chrysis** Callimome (Nees), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 103.—
- chrysis** Cicindela, J. C. Fabricius, Syst. Eleuth. I. 1801, 238.
- chrysis** Cinipsillum (F.), Lamarck, An. s. vert. IV. 1817, 157.—Ichneumon, 1787.
- chrysis** Colaspis, A. G. Olivier, Entom. VI. 1808, 886. [Mar. 1835, 770.]
- chrysis** Crossocerus, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post*
- chrysis** Cynips (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 313.—Ichneumon, [Ol. 1792.]
- chrysis** Cyphus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 630.—Curculio,
- chrysis** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 150.—Ichneumon, 1787.
- chrysis** Eumolpus, A. G. Olivier, Entom. VI. 1808, 901.
- chrysis** Eylais (Théis), H. Lucas, H. N. Anim. artic. (Annel. etc.) 1840, 504.—Hydrachna.
- chrysis** Hydrachna, C. de Théis, Ann. Sci. Nat. XXVII (105) Sept. 1832, 59.
- chrysis** Macraspis (Fab.), Dejean, Catal. Coléopt. 1821, 60.—Cetonia, 1775.
- chrysis** Poecilosoma, J. Huebner, Verz. bekannt. Schmett. [1820], 126 [*n. n.*].
- chrysis** Poecilosoma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 8. [*n. n.*]
- chrysis** Pteroglossus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 7
- chrysis** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 26.
- chrysis** Rutela (Fab.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 106.—Cetonia, 1775.
- chrysis** Staphylinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 124.
- chrysis** Sternocera (L.), F. Eschscholtz, Zool. Atlas, I. 1829, 8.—Buprestis, Fab. 1775.
- chrysis** Torymus (Fab.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 67.—Ichn.
- chrysitana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 38. [1787.]
- chrysitana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 50 (Fernaldo judice 1830) [*n. et f.*].
- chrysitana** Xanthosetia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 407.—Tortrix.
- chrysitaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 107 (Fernaldo judice
- Chrysitella** P. C. Zeller, Isis (Oken), 1839, 203.—Lep. [1828–33] [*n. et f.*].
- chrysitella** Adela, F. Treitschke, Schmett. Europa, IX (2) 1833, 114. [310.]
- chrysitis** Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820,
- chrysitis** Campaea (L.), Lamarck, An. s. vert. III. 1816, 570.—Noctua, 1758.
- chrysitis** Carabus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 86.
- chrysitis** Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 162.
- chrysitis** Diachrysis (L.), J. Huebner, Verz. bekannt. Schmett. [1825], 252.—Phalaena, [Nymphalis.]
- chrysitis** Epiphile (Latr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 23.—
- chrysitis** Glaucopis, F. E. Guérin-M., Iconographie, 1844, Ins. 502.
- chrysitis** Machimus (Meig.), H. Loew, Linnaea Entom. IV. Dec. 1849, 1.—Asilus.
- chrysites** Nymphalis, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 390. [1758.]
- chrysitis** Phytometra (L.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 255.—Phalaena,
- chrysitis** Plusia, J. Huebner, Tentamen (me judice 1806), 2 [*n. n.*].
- chrysitis** Plusia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 89.—Phalaena, 1758.
- chrysitis** Tinea, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 37.
- chrysites** Vanessa, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 822. [248.]
- chrysobalion** Pristipoma, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. V. 1830,
- Chrysobalus** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 267.—Col.
- chrysobapta** Melobasis, A. White, Nomen. Coleopt. Coll. B. M. (3) 1848, 22 [*n. n.*].
- Chrysoblephus** W. Swainson, N. H. Fishes etc. II. July 1839, 171 & 221.—P.
- Chrysobothris** Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 311.—Col. [v. Chryso-
- Chrysobothris** L. Agassiz, Nom. Zool. (Col.) *emend. pro* Chrysobotris, Esch. [botris].
- Chrysobotris** F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Col.
- chrysobroncha** Cicigna (Sm.), J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 389.—Pleurostichus, *i.e.* Pleurotuchus.
- chrysobronchos** Phrethornis (Shaw), F. Boie, Isis (Oken), 1831, 548.—Trochilus.

- chrysobronchus** Pleurotuchus, A. Smith, Mag. Zool. Bot. I (2) Aug. 1836, 144.
chrysobronchus Polytum (Sh.), G. R. Gray, Gen. Birds, I. Dec. 1848, 108.—Trochilus.
chrysobronchus Trochilus, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 287.
chrysocarpus Cacicus (Vig.), O. Des Murs in Gay, Chili (Aves) 1847, 345.—Xanthornus.
chrysocarpus Xanthornus, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (15) Mar. 1832, 3.
Chrysocephalus W. Swainson in Griffith's Cuvier, An. Kingd. VIII. 1829, 684.—A. [teste Waterhouse, *sed triv. non gen.*].
chrysocephalus Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 19.
chrysocephalus Aratinga, J. B. v. Spix, Avium Brasil. I. 1824, 30.
chrysocephala Atychia, F. A. Nickerl, Entom. Zeitung, Stettin, VI (3) Mar. 1845, 93.
chrysocephala Atychia, C. F. Freyer, Neuere Beitr. Schmett. V (77) 1845, 126.
chrysocephala Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 58 (Fernaldo judice 1808-10) [*n. et f.*]. [18.—Torynius.
chrysocephalus Callimome (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846,
chrysocephalus Chlaenius (Rossi), Dejean, Catal. Coléopt. 1821, 8.—Carabus, 1790.
chrysocephala Chlamys, F. Klug, Entom. Mon. 1824, 105.
chrysocephala Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 536.
chrysocephala Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 542.
chrysocephala Coscinia, J. Huebner, Verz. bekannt. Schmett. [1822], 169.
chrysocephala Cynomya (Deg.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 364.—Musca, 1776.
chrysocephalus Emus (Fourc.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 129.—Staphylinus, 1785. [1830, 46.—Bombyx.
chrysocephala Emydia (Huebner), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1)
chrysocephalus Harpalus (Rossi), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 46.—Carabus, 1790. [Nereis, 1788.
chrysocephala Hermella (Pall.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 83.—
chrysocephalus Icterus (Merr.), Cuvier, Règne Anim. I. 1817, 394.—Oriolus, L. 1766.
chrysocephala Laphria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 299.
chrysocephala Loxia, G. A. Suckow, Naturg. II [2] 1801, 843. [208.
chrysocephala Lucilia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
chrysocephalus Luxilus, C. S. Rafinesque, Western Review, II (4) May 1820, 238;
 Ichth. Ohiensis [Dec.] 1820, 48.
chrysocephala Macrocnema (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 319.—Chrysomela, 1758.
chrysocephalus Megalopes, A. Risso, Journ. de Physique, XCI. Oct. 1820, 244.
chrysocephala Meliphaga, J. W. Lewin, Birds of N. Holland, 1808, 10.
chrysocephalum Ophidium, C. S. Rafinesque-S., Car. n. gen. 1810, 19. [1825.
chrysocephalus Oregilus (Sw.), Jardine & Selby, Ill. Orn., sign. D2, 1830.—Sericulus,
chrysocephala Pallasia (Pall.), A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 23.—Nereis, 1788. [Nereis, 1788.
chrysocephala [Pasitheia] (Pall.), L. Oken, Goettingen gelehrte Anz. 1807, 1168.—
chrysocephalus Pendulinus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 317. —Oriolus, 1766. [1840, 1070.
chrysocephala Phryganea, J. W. Zetterstedt, Iter. Lappon. 1832, 103; Ins. Lapp. descr.
chrysocephala Pithecia, I. Geoffroy, C. R. Ac. Sci. (Paris) XXXI. 1850, 875.
chrysocephalus Psarocolius (L.), J. Wagler, Syst. Avium, I. 1827, sign. 2212.—Oriolus, 1766.
chrysocephala Psyllodes (L.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 154.—Chrysomela, 1758. [Deutschl. 1831, 481.
chrysocephalus Regulus, C. L. Brehm, Isis, 1828, 1285 [*n. n.*]; Handb. Nat. Vogel
chrysocephala Sabellaria (Pall.), E. Grube, Arch. f. Naturg. XIV (1) 1848, 49.—Nereis, 1788.
chrysocephalus Scaphorhynchus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1841, 272.
chrysocephalus Sericulus, W. Swainson, Zool. Journ. I (4) Jan. 1825, 478.
chrysocephala Spermorphila (Vieill.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386 —Coccothraustes.

- chrysocephalus** Staphylinus, Grav.; Dejean, Catal. Coléopt. 1821, 21 [*n. n.*].
chrysocephala Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 459.
chrysocephala Sylvicola (Gm.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 309 —
 Motacilla, 1788.
chrysocephala Tachina, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 351.
chrysocephalus Tormus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 340.
chrysocephalus Xanthornus (L.), G. R. Gray, Genera of Birds, II. Oct. 1844, 344. —
 Oriolus, 1766. [Platyrhynchus.
chrysoceps Muscipeta (Spix), Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 940. —
chrysoceps Myiobius (Spix), G. R. Gray, Gen. Birds, I. May 1847, 249. — Platyrhynchus.
chrysoceps Platyrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 10.
Chrysocestis Tyrannula (Spix), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 190. — Platyrhynchus.
Chrysocestis J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 32. — Lep. [rhynchus.
Chrysocestis J. Huebner, Verz. bekannt. Schmett. 1826, 307. — Lep.
chrysocheilus Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (96) Sept. 1841, 3.
Chrysochloa F. W. Hope, Coleopt. Manual, III. 1840, 165. — Col.
Chrysochlora J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 258. — Dipt.
Chrysochloran (*sic*) A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 503. — Dipt.
 [Chrysochlore in Index; *vernac.* 1825].
chrysochloris Carabus, Fisch.; J. Sturm, Catal. Ins. Samml. 1826, 110.
chrysochlore Dicaeum, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.) 1009.
chrysochloris Myiobius (Wied), G. R. Gray, Gen. Birds, I. May 1847, 249. — Muscipeta.
chrysochloris Muscipeta, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 793.
chrysochloris Odontocheila, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 9.
chrysochloris Pomolobus, C. S. Rafinesque, Western Review, II (3) Ap. 1820, 171; [Curculio.
 Ichth. Ohiensis [Dec.] 1820, 39.
chrysochlorus Astycus (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 249. —
chrysochlora Buprestis, Palisot de B., Ins. Afr. Amér. (—) 1807, 44.
chrysochlorus Carabus, G. Fischer, Mém. Soc. Imp. Nat. Moscou, III. 1812, 311.
chrysochlora Chalcophaps (Wagl.), J. Gould, Birds of Australia, V (13) 1843, pl. 62. —
 Columba. [68. — Buprestis.
chrysochlora Chrysodema (Pal.-B.), Gory in Laporte & G., H. N. Coléopt. IV. 1840,
chrysochlora Chrysophora, Latr.; Dejean, Catal. Coléopt. 1821, 60 [*n. n.*].
chrysochlora Chrysophora, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 807.
chrysochlora Columba, J. Wagner, Syst. Avium, I. 1827, sign. 1616.
chrysochlora Coniates, H. Lucas, Ann. Soc. Ent. France [2] VI (1) June 1848, p. xviii.
chrysochlorus Cratopus, C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 48.
chrysochlorus Curculio, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 122.
chrysochlora Halticoptera, Haliday in Curtis, Guide Brit. Ins. 1829–30, 118. [90.
chrysochlorus Lamprotatus, Haliday in F. Walker, List Hymenopt. Coll. B. M. (1) 1846,
chrysochlora Melolontha, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
 1809, 201. [Halticoptera.
chrysochlora Miscogaster (Hal.), F. Walker, Entom. Mag. I (5) Oct. 1833, 461. —
chrysochloros Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 98. [577.
chrysochlora Racoma, McClelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan. 1842,
chrysochlora Sagra, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 35.
chrysochlora Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV.
 1847, 478. [— Col.
Chrysochroa Garcel & Laporte in Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 270.
Chrysochus Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 413. — Col.
 [*sine typo*]. [106. — Col.
Chrysochus F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June 1844,
chrysocilla Emberiza, P. S. Pallas, Reise Russ. Reichs, III. 1776, 186 = E. chrysophrys,
Chrysococcyx F. Boie, Isis (Oken), 1826, 977. — A. [1776.
Chrysocolaptes E. Blyth, Journ. Asiat. Soc. Bengal, XII (2) 1843, 1004; Ann. Mag.
 N. H. XIII. Feb. 1844, 115. — A.
chrysocolla Neritina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 237.
chrysocolis Callichroma, J. Sturm, Catal. Ins. Samml. 1826, 107 [*n. n.*].

- chrysocollis** Euporus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 368.
- Chrysocoma** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 57.—A.
- chrysocome** Catharactes (Forst.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (20) July 1837, 315.—Aptenodytes, 1781.
- chrysocome** Eudytes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 308.—Aptenodytes, Forst. 1781.
- chrysocome** Spheniscus (Forst.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. cxiii. —Aptenodytes, 1781. [Bucco c—conus.
- chrysocoma** Barbatula (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 145.—
- chrysocoma** Cheilosia (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 210. —Syrphus.
- chrysocomus** Diacanthus, Dahl in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 69.
- chrysocomus** Elater, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 135.
- chrysocoma** Eristalis (Meig.), J. W. Zetterstedt, Dipt. Scand. II. 1843, 784.—Syrphus.
- chrysocoma** Galba, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 64.
- chrysocomus** Otiorhynchus, Megerle in E. F. Germar, Ins. Spec. novae, I. 1824, 355.
- chrysocomus** Pachygaster, Dahl; Dejean, Catal. Coléopt. 1821, 91 [n. n.]. [58.
- chrysocoma** Porpita, R. P. Lesson in Duperry, Voy. “Coquille,” Zool. II (2) 2 (1838),
- chrysocomus** Staphylinus, Mannenheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 435.
- chrysocomus** Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 280.
- chrysoconus** Bucco, C. J. Temminck in T. & Laugier, Pls. color. (90) July 1832.
- chrysocona** Megalaima (Temm.), G. R. Gray, Genera of Birds, II. Mar. 1846, 430.—
- Chrysocoris** C. W. Hahn, Wanzenart. Ins. II (2) Feb. 1834, 38.—Hem. [Bucco.
- Chrysocorys** J. Curtis, Entom. Mag. I (2) Jan. 1833, 191.—Lep.
- Chrysocorys** J. F. Stephens, Ill. Brit. Ent. (Haust.) IV. 1834, 282.—Lep.
- chrysoconsmia** Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 523.
- chrysocrotaphum** Todirostrum, H. E. Strickland in W. Jardine, Contrib. Ornith. III. 1850, 48.
- chrysocyaneum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 602.
- Chrysocyon** C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 241.—M.
- chrysodactyla** Amblyptilia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 430.—
- Chrysodeixis** J. Huebner, Verz. bekannt. Schmett. [1825], 252.—Lep. [Alucita, 1775.
- Chrysodema** Laporte & Gory, H. N. Coléopt. (Buprest.) 1837, 1.—Col.
- chrysodes** Ichneumon, W. Turton, Linnaeus, Syst. Nat. III. 1802, 467.
- chrysodesmella** Elachista, P. C. Zeller, Entom. Zeitung, Stettin, XI (6) June 1850, 203.
- Chrysodixis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chrysodeixis,
- Chrysodomus** W. Swainson, Treat. Malacol., May 1840, 90 & 308.—G. [Huebner.
- Chrysodon** L. Oken, Lehrb. Nat. III (1) 1815, 377.—Verm. [1767.
- chrysodon** Terebella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 6.—Sabella, L.
- chrysodona** Colias, Kindermann in Boisduval, Gen. Index Europ. Lepid. 1840, 7.
- Chrysodonta** S. L. Mitchell, N. Y. Med. Rep. I. 1822.—R. [*teste* Agassiz; *mihi non*
- chrysodora** Mutilla, M. Perty, Del. anim. artic. Brasil. (3) 1833, 137. [*visum*].
- chrysodora** Cyphomyia, M. Perty, Del. anim. artic. Brasil. (3) 1833, 184.—Dipt.
- Chrysoesthia** J. Huebner, Verz. bekannt. Schmett. 1826, 422.—Lep.
- Chrysogaster** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.—Dipt.
- Chrysogaster** J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 265.—Dipt.
- chrysogaster** Amphiprion, Cuvier & Valenc., H. N. Poiss. V. 1830, 400.
- chrysogaster** Budytes, C. L. Brehm, Isis (Oken), 1842, 582.
- chrysogaster** Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 104 [n. n.]. [167.
- chrysogaster** Chloropsis, J. McClelland, Proc. Zool. Soc. London, VII (82) Mar. 1840,
- chrysogaster** Coccoborus (Less.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 292.—Pitylus.
- chrysogaster** Coluber, Max Wied, Isis (Oken), 1824, 667.
- chrysogaster** Crithagra, [A. Smith], Cat. S. A. Mus. 1837, 32 [n. n.].
- chrysogaster** Duberia (Wied), L. J. Fitzinger, Isis (Oken), 1826, 883.—Coluber.
- chrysogaster** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 53. [167.
- chrysogaster** Galidictis, C. H. Smith, Introd. Mamm. (Nat. Libr. XXXV.) Dec. 1842,
- chrysogastra** Glaucopsis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 157.

- chrysogaster** Hydromys, E. Geoffroy, Bull. Sci. Soc. Philom. [Paris] No. 93, 1804, 254.
chrysogaster Hylaëus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 59 [*n. n.*].
chrysogaster Hylocharis (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—
 Trochilus. [Ploceus.]
chrysogastra Hyphantornis (Vig.), G. R. Gray, Genera of Birds, II. Mar. 1849, 351.—
chrysogastra Lacerta, A. Andrezejowski, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 325.
chrysogaster Lamprocolius (Gm.), C. L. Bonaparte, Conspect. gen. Avium, I. 1850, 415.—
 Turdus, 1788.
chrysogaster Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 626.
chrysogaster Lamprotornis (Gm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 18.—
 Turdus, 1788. [Stenocorus.]
chrysogaster Leptura (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 310.—
chrysogaster Malaconotus, W. Swainson, Birds W. Africa, I., May 1837, 244.
chrysogaster Moschus, B. H. Hodgson, J. Asiatic Soc. Bengal, VIII. 1839, 203.
chrysogastra Motacilla, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, III. 1807, 466.
chrysogaster Nematius, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 27.
chrysogaster Piaya, R. P. Lesson, Traité Ornith. (2) May 1830, 140.
chrysogaster Pitylus, R. P. Lesson, Cent. Zool. (13-16) ante May 1832, 204. [92.
chrysogaster Ploceus, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831,
chrysogaster Psittacus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxix.
chrysogaster Setophaga, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 276.
chrysogastra Sylvia, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 726.
chrysogaster Tanagra, G. Cuvier, Règne Anim., ed. 2, I. 1829, 366.
chrysogaster Toxotus, Ol.; Dejean, Catal. Coléopt. 1821, 112 [*n. n.*].
chrysogaster Toxotus (Schr.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839,
 235.—Cerambyx, 1781.
chrysogaster Trochilus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 222.
chrysogaster Trochilus, J. Bourcier, Rev. Zool. (Soc. Cuv.) VI. Ap. 1833, 101.
chrysogaster Trogon, W. Swainson, Anim. in Menag., Dec. 1837, 330.
chrysogenys Arachnothera, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth.,
 Jan. 1839, 71.—Nectarinia, 1826.
chrysogenys Cinnerys (Temm.), R. P. Lesson, Dict. Sci. Nat. L. 1827, 11.—Nectarinia.
chrysogenys Cinnerys, C. J. Temminck in T. & Laugier, Pls. color. (65) May 1826.
chrysogenys Picus, A. N. Vigors, Zool. "Blossom," 1839, 24.
chrysographa Cicindela, Klug in Dejean, Spec. gén. Coléopt. V. 1831, 254.
chrysographellus Chilo, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 494.
Chrysoides L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chryseida, Spin.
chrysolaema Alauda, J. G. Wagler, Isis, 1831, 530. [27.
chrysolaimos Cobitis, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XVIII. 1846,
chrysolaimus Merops, Jardine & Selby, Ill. Orn., pl. 99, 1830.
chrysolaima Otocoris (Wagl.), C. L. Bonaparte, Conspect. gen. Avium, I. 1850, 246.—
Chrysolampis F. Boie, Isis (Oken), 1831, 546.—A. [Alauda.
Chrysolamprus L. Fitzinger, Syst. Rept. 1843, 20.—*R. typus* Lacerta ocellata, Daud.
Chrysolampus M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 147.—Hym.
chrysolaus Telenomus, F. Walker, Mon. Chalcid. II. 1839, 80. [laus on pl.].
chrycolaus Turdus, C. J. Temminck in T. & Laugier, Pls. color. (87) Jan. 1831 [chryso-
chrysolepidella Micropteryx, Kollar, Ber. lepidopt. Tauschver. [Jena] 1850, 70 [*n. n.*].
chrysolepis Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 94.
chrysolepis Draconura (D. & B.), A. A. Berthold, Goettingen gelehrte Anz. 1840, 899;
 Abh. k. Ges. Wiss. Göttingen, I. 1843, 65.—Anolis.
crysoleucas Cyprinus, S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 23.
chrysoleucos Hapale, J. Natterer, Arch. f. Naturg. VIII (1) 1842, 357.
chrysoleucus Leucosomus (Mitch.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1042.—
 Cyprinus. [Cyprinus.]
chrysoleucas Stilbe (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 204.—
chrysolithus Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*]. [655.
chrysologus Medeterus, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (3) 1849,
Chrysoloma Megerle in Dahl, Coleopt. und Lepidopt. 1823, 61.—Col.

- chrysoloma** Melanophila, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 72.
Chrysolophus E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col.
Chrysolophus J. E. Gray, Ill. Indian Zool. II (—) 1833-34, pl. 41, f. 2.—A. [Phasia-
Chrysolophus W. Swainson, N. H. Classif. Birds, II. June 1837, 225.—A. [nidae].
chrysolophus Cacus, R. P. Lesson, Traité Ornith. (3) July 1830, 182.
chrysolophus Catharactes, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (20) July 1837, 315. [Catharactes.
chrysolophus Euterpe (Brandt), G. R. Gray, Genera of Birds, III. July 1846, 641.—
chrysolopha Euterpe, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 359.
chrysolopha Liparis, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 470.—Lep.
chrysolopha Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (3) Ap. 1829, 55.
Chrysolopus W. S. Macleay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 445.—Col.
Chrysolus Denys de Montfort, Conch. I. 1808, 26.—Rh.
Chrysoma A. Risso, H. N. Europe, V. 1826, 88.—Cr.
chrysomallus Zesius, J. Huebner, Verz. bekannt. Schmett. 1818, 77 [*n. n.*].
chrysomallus Zesius, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 20.
chrysomela Curculio, A. G. Olivier, Entom. V. 1807, 415.
chrysomela Helix, L. Pfeiffer, Symb. Helic. III. 1846, 72. [142.—Muscicapa.
chrysomela Monacha (G. & L.), W. Swainson, Flycatchers (Nat. Libr. XXI.) June 1838,
chrysomela Muscicapa, R. P. Lesson, Man. Orn. I. June 1828, 189. [Curculio.
chrysomela Polydrosus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 146.—
chrysomelae Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 430.
chrysomelae alni Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 77.
chrysomelanus Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 53.
chrysomelas Hapale, Max Wied, Reise Brasil. II. 1821, 137.
chrysomelas Jacchus, Kuhl in A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 95.
chrysomelas Midas, Max Wied in H. Kuhl, Beitr. Zool. I. 1820, 51.
chrysomelas Nemastoma (Herm.), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 38.—
chrysomelas Phalangium, J. F. Hermann, Mém. Aptér. 1804, 108. [Phalangium.
chrysomelas Presbytes (Müll.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 3.—Semno-
 pithecus. [138.
chrysomelas Semnospithecus, S. Müller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838,
chrysomelina Amphicyrta, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843,
chrysomelinus Calopus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 51. [40.
chrysomelinus Dermaleichus, C. L. Koch, Deutsch. Crust., heft 33, 1844, tab. 4.
chrysomelina Epilachna (Fab.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 195.—Coccinella, 1775. [[1833], 179.
chrysomelinus Heterophylus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834)
chrysomelinum Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 623.
 Lytta, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 446.
chrysomelina Marginella, J. H. Redfield, Ann. Lyceum N. H. New York, IV (12) Sept. 1848, 492.
chrysomelinus Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 191.
chrysomelina Mylabris (Actenoda), W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 258.
chrysomelina Nemognata (Fab.), Dejean, Catal. Coléopt. 1821, 76.—Zonitis, 1775.
chrysomelinus Ochodaeus (Fab.), Dejean, Catal. Coléopt. 1821, 56.—Melolontha, 1792.
chrysomelina Osmia, G. W. F. Panzer, Ins. Germ., heft 110, 1823, tab. 15.
chrysomelina Phaleria (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 304.—
 Tenebrio, ? Rossi, 1790. [pithecus.
chrysomelina Presbytis (Müll.), L. Fraser, Cat. Knowsley Coll. 1850, 5.—Semno-
chrysomelinus Scarabaeus (Fab.), K. Duftschmid, Fauna Austriae, I. 1805, 84.—
 Melolontha, 1792. [160.
chrysomelinum Sphaeridium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833],
chrysomelinus Staphilin (Fab.), C. A. Walckenaer, Faune Paris. I. 1802, 272.—
 Oxyporus, 1792.
chrysomelinus Tachyporus (L.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 118.—
 Staphylinus, 1758.

- chrysomelina** Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 68.—Tenebrio, ? Rossi, 1790.
- chrysomeloides** Catops, Latr.; Dejean, Catal. Coléopt. 1821, 45 [*n. n.*]. [1798.]
- chrysomeloides** Catops (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Helops,
- chrysomeloides** Choleva (Panz.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 29.—Helops, 1798.
- chrysomeloides** Cyphon, J. F. Stephens (*ex* Wilkins MS), Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 283.
- chrysomeloides** Eumolpus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [*n. n.*].
- chrysomeloides** Gynandrophthalma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 268.
- chrysomeloides** Lytta (L.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 28.—Meloe, 1763.
- chrysomeloides** Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 888.
- Chrysometris** J. Gould, Zool. "Beagle" (Birds, 1839), 89 [*err. pro* Chrysomitris].
- Chrysometris** Yarrell, Ann. Mag. N. H. XIII (Suppl.) June 1844, 503.—A. [*err. pro* Chrysomitris].
- Chrysomitris** F. Boie, Isis (Oken), 1828, 322.—A.
- Chrysomma** B. H. Hodgson, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 602.—A.
- Chrysomus** W. Swainson, N. H. Classif. Birds, II. June 1837, 274.—A. [170.]
- chrysomus** Symplectes, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
- Chrysonmya** A. J. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 444.—Dipt.
- Chrysomyia** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 262.—Dipt.
- Chrysomyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chrysomya, Rob.
- Chrysomys** J. E. Gray, List Mamm. Coll. B. M. 1843, 150.—M.
- Chrysomyza** C. F. Fallen, Scenopinii Sueciae, 1817, 3.—Dipt.
- chrysonoe** Cethosia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 249. [—Pontia.]
- chrysonome** Idmais (Klug), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 585.
- chrysonome** Pontia, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. g.
- chrysonotis** Lamprotornis, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May
- Chrysonotus** W. Swainson, N. H. Classif. Birds, II. June 1837, 309.—A. [1837, 143.]
- Chrysonotus** Ahrens; *teste* Scudder, *sed non comp.*—Col.
- chrysonota** Amphicomma, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 181.
- chrysonotus** Attus, F. W. Rossi, Naturw. Abhandl. (Haidinger) I. 1847, 14.
- chrysonotus** Brachypternus (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 121.—Picus.
- chrysonotus** Cacicus (O. & L.), G. R. Gray, Genera of Birds, II. Oct. 1844, 342.—Cassicus. [Cassicus.]
- chrysonotus** Cassiculus (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 428.—
- chrysonotus** Cassicus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VIII. 1838, 3.
- chrysonotum** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 579.
- chrysonotus** Picus, R. P. Lesson, Traité Ornith. (3) July 1830, 220.
- chrysonotus** Scirurus, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 379 [*n. n.*].
- chrysonotus** Vidua, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 178.
- chrysonuchalis** Thisanotia (Scop.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Phalaena chrysonuchella, 1763. [1763.]
- chrysonuchellus** Chilo (Scop.), Zincken, Mag. Entom. (Germar) II. 1817, 69.—Phalaena,
- chrysonuchellus** Crambus (Scop.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phalaena, 1763.
- chrysonus** Loborhynchus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 164. [304.]
- chrysonus** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- chrysotoos** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 197.
- Chrysopa** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 138.—Hym.
- Chrysopelea** Boie in Férussac, Bull. Sci. IX. 1826, 237.—R.
- chrysopelea** Anartia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 34.
- Chrysopeplis** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 409.—Col. [*n. n.*].
- chrysopeplus** Coccoborus (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 504.—Coccothraustes.

- chrysopeplus** Coccothraustes, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (15) Mar. 1832, 4. [thraustes.
- chrysopeplus** Pitylus (Vig.), G. R. Gray, Genera of Birds, II. July 1844, 362.—Cocco-
- chrysopes** [Simia], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (51) Sept. 1825, Sajou à pieds dorés, p. 2.
- chrysophaeus** Calonotos, J. Huebner, Verz. bekannt. Schmett. [1820], 123 [n. n.].
- Chrysophanus** J. Huebner, Verz. bekannt. Schmett. 1818, 72.—Lep.
- chrysophanus** Agrilus, Dejean, Cat. Coléopt., ed. 3, 1837, 93 [n. n.]; Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 212.
- chrysophekadion** Rohita, P. Bleeker, Verh. Batav. Genootsch. XXIII. 1850 (Ichth. fauna Java), 20. [fauna Bali], 10.
- chrysophekadion** Stomianodon, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth.
- Chrysophila** J. Huebner, Zütrage z. Exot. Schmett. III. 1826, 20.—Lep.
- chrysophilus** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 155.
- Chrysophlegma** J. Gould, Birds of Asia, VI (1850), pl. 36.—A.
- Chrysophora** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [n. n.].
- Chrysophora** Dejean, Catal. Coléopt. 1821, 60 [n. n.].—Col.
- Chrysophora** Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 806.—Col.
- Chrysophorus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 361.—Col. [*non* 1825, *vernac.*].
- chrysophora** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 316.
- Chrysophris** G. Cuvier, R. Anim., ed. 2, II. 1829, 181.—P.
- chrysophris** Crenilabrus, A. Risso, H. N. Europe, III. 1826, 319.
- Chrysophris** Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 299.—P.
- Chrysophris** Cuvier & Valenc., H. N. Poiss. VI. 1830, 81.—P.
- Chrysophris** L. Agassiz, Nom. Zool. (Pisces, 1845).—*emend. pro* Chrysophris, Cuv. q. v.
- chrysophris** Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 77.
- chrysophris** Conurus, W. Swainson, Anim. in Menag., Dec. 1837, 320. [Zanthopygia.
- chrysophris** Muscicapa (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 12.—
- chrysophris** Zanthopygia, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 124.
- chrysophthalmi** Docophorus, H. Denny, Mon. Anoplur. 1842, 99.
- chrysophthalmi** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 339.—Docophorus.
- chrysophthalmus** Aeschna, T. v. Charpentier, Horae Ent. 1825, 33. [182.
- chrysophthalmus** Clangula, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
- chrysophthalmus** Lologopsis (Tiles.), A. D. d'Orbigny, Moll. viv. et foss. [1845], 373.—Sepia.
- chrysophthalmus** Luprops, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.
- chrysophthalma** Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. e.
- chrysophthalmus** Opithiocheirus, W. E. Leach, Trans. Plymouth Inst. 1830, 172.
- chrysophthalmus** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 34.
- chrysophthalma** Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2343.
- chrysophthalmus** Scartelaos, W. Swainson, N. H. Fishes etc. II. July 1839, 280.
- chrysophthalmos** Sepia, Tilesius in Krusenstern, Voy., Atlas, pl. 38 [*i.e.* 88]; teste Orbigny, Moll. viv. 1845, 373, *sed non comp.*
- chrysophthalma** Tettigonia, Bory de St V., Voy. îles afriq. II. 1804, 414.
- Chrysopicos** A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 352.—A.
- Chrysopila** J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1825, 1826, 403.—Dipt.
- Chrysopilus** H. Loew, Posener Zweiflügler, 1840, 9.—Dipt.
- chrysopila** Pangonia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 194.
- chrysopleuron** Mullus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 29.
- chrysopoda** Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 140 [n. n.].
- Chrysopoga** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 480.—A.
- chrysopogon** Bucco, C. J. Temminck in T. & Laugier, Pls. color. (48) July 1824. [Bucco.
- chrysopogon** Megalaima (Temm.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—
- crisopogon** Phibalura, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxx.
- chrysopogon** Phibalura, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835,
- chrysopogon** Pipra, Wagler, Isis (Oken), 1830, 930. [16 [n. n.].

- chrysopogon** Psittacus (Caica), R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. May 1842, 135.
chrysopolita Chrysotoxum, C. Rondani, Ann. Soc. Ent. France [2] III (2) Oct. 1845,
chrysopoma Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 165. [199.
chrysopomus Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 163.
chrysopras Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 373.
chrysopras Lamia (Sternotomis), J. O. Westwood, Arcana Entom. II (22) Nov. 1844, 155.
chrysoprasi Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 646.
chrysoprasinus Asopus, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 88.
chrysoprasina Callidea, Herrich-S., Wanzenart. Ins. III (6) Dec. 1836, 103.
Chrysoprasia J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 5.—Col.
chrysoprasius Abramis (Pall.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1032.—
chrysoprasius Cyprinus, P. S. Pallas, Zoographia, III. 1814, 318. [Cyprinus.
Chrysoprasus F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7.—Col.
chrysoprasus Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 18.
chrysoprasus Mimela, F. W. Hope, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 116.
chrysoproctus Pteropus, C. J. Temminck, Mon. Mamm. II. 1837, 67.
chrysoprocta Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 309.
Chrysops J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 267.—Dipt.
chrysops Brius, Herbst; Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
chrysops Crenilabrus (Bl.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 390.—Lutjanus, 1790.
chrysops Emberiza, P. S. Pallas, Zoographia, II. 1811, 45.
chrysops Latilus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 496.
chrysops Lepibema, C. S. Rafinesque, Western Review, I (6) Jan. 1820, 371; Ichth. Ohienensis [Dec.] 1820, 23.—Perca, 1820.
chrysops Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 308. [315.—Sylvia.
chrysops Meliphaga (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826,
chrysops Osmylus, C. Wesmæel, Bull. Ac. Roy. Brux. VIII (1) 1841, 220.
chrysops Perca, C. S. Rafinesque, Western Review, I (6) Jan. 1820, 370; Ichth. Ohienensis [Dec.] 1820, 22.
chrysops Pica, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 124.
chrysops Ptilotis (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 193.—Sylvia.
chrysops Sylvia, J. Latham, Index Orn., Suppl. 1801, p. liv.
chrysops Tenebrio (Herbst), F. V. Melsheimer, Ins. Pennsylv. 1806, 54.—Upis, 1797.
chrysops Tyloderes (Herbst), C. J. Schoenherr, Curc. disp. meth. 1826, 207.—Curculio, 1797.
chrysops Tylotus (Herbst), C. J. Schoenherr, Isis (Oken), 1823, 1145.—Curculio, 1797.
chrysopserus Liophloeus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
Chrysopsis A. M. C. Duméril, Zool. Anal. 1806, 278.—Dipt. [237.
chrisopsis Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 13 [*n. et f.*].
chrysopsis Hiodon, J. Richardson, F. Bor.-Amer. (3) 1836, 232.
Chrysoptera C. F. Zincken, Allg. Lit. Zeit. III. 1817, 75.—Lep. [*teste* Waterh.].
Chrysoptera A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 483.—Lep. [*non* 1825, *vernac.*]. [Swains.
Chrysoptera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chrysiptera,
chrysopteron Haemulon (L.), Cuvier & Valenc., H. N. Poiss. V. 1830, 240.—Perca, 1766.
chrysopteron Hemulon (L.), J. E. De Kay, N. H. New York (Fish) 1842, 85.—Perca,
Chrysopterus W. Swainson, Classif. Birds, I. 1836, 69.—A. [*teste* C. W. R.]. [1766.
chrysoptera Abrobapta, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 80.
chrysopterus Agelaius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 539.
chrysoptera Aglaia, W. Swainson, Anim. in Menag., Dec. 1837, 356. [1813], 54.
chrysoptera Altica, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
chrysoptera Ampelis, A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 15.
chrysopterus Amphiprion, Cuvier & Valenc., H. N. Poiss. V. 1830, 401.
chrysopterus Asopus, Herrich-S., Wanzenart. Ins. VII (6) Nov. 1844, 115.
chrysopterus Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 466.
chrysoptera Bucco, W. Swainson, Anim. in Menag., Dec. 1837, 322.
chrysoptera Buprestis (Dej.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 95.—Abrobapta.

- chrysopterus** Cheilodipterus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 539.
chrysoptera Chloris, C. L. Landbeck, C.B. k. Württ. Landw. Ver., n. f. VII. 1835, 46.
chrysoptera Cinnerys (Lath.), R. P. Lesson, Dict. Sci. Nat. L. 1827, 14.—Certhia, 1790.
chrysoptera Clupea, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 425.
chrysoptera Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 122 [*n. n.*].
chrysopterus Crateropus (Gould), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 178.—
 Ianthocincla.
chrysoptera Engraulis (Lac.), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 508.—Clupea.
chrysoptera Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 214.
chrysoptera Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].
chrysopterus Garrulax (Gould), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 929.—
 Ianthocincla. [1766].
chrysopteron Haemulon (L.), G. Cuvier, Règne Anim., ed. 2, II. 1829, 176.—Perca,
chrysoptera Helinaia (L.), J. J. Audubon, Synopsis, 1839, 67.—Motacilla, 1766.
chrysoptera Helminthophaga (Lath.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 20.
 —Sylvia, 1790. [Motacilla, 1766].
chrysoptera Helmitheros (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 315.—
chrysoptera Ianthocincla, J. Gould, Proc. Zool. Soc. London, III (27) June 1835, 48.
chrysopterus Icterus (Vieill.), Dumont & Lesson, Dict. Sci. Nat. LV. 1828, 513.—
chrysoptera Languria, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*]. [Agelaius.
chrysopterus Leuciscus, J. E. De Kay, N. H. New York (Fish) 1842, 211.
chrysopterus Lutjanus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 186.—
 Perca, 1766.
chrysopterus Masius (Laf.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 175.—Pipra.
chrysoptera Meliphaga (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
 1826, 259.—Merops.
chrysopterus Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiii. [Muscipapa.
chrysoptera Miro (Q. & G.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 300.—
chrysoptera Mniotilta, G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Motacilla.
chrysoptera Musca, F. v. P. Schrank, F. Boica, III (1) 1803, 126.
chrysoptera Muscipapa, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830,
 177. [1790].
chrysoptera Nectarinia (Lath.), Drapiez, Dict. class. H. N. XV. 1829, 509.—Certhia.
chrysoptera Neops (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 337.
 —Sitta.
chrysopterus Philodon (Lath.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 490.—Merops.
chrysopterus Philemon, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 422.
chrysopterus Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818,
 425.—Merops.
chrysoptera Pipra, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 97.
chrysopterus Pleuronectes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 151.
chrysopterus Proparus, *emend. pro* chrysotis, B. H. Hodgson; E. Blyth, J. Asiat. Soc.
 Bengal, XVI. 1847, 448.
chrysopterus Psarocolius (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 2212.—Agelaius.
chrysoptera Psittacula (Gm.), R. P. Lesson, Traité Ornith. (3) July 1830, 203.—Psit-
 tacus, L. 1766. [Ianthocincla].
chrysopterus Pterocyclus (Gould), G. R. Gray, Genera of Birds, I. Sept. 1846, 226.—
chrysopterus Scarus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 286.
chrysoptera Sitta, J. Latham, Index Orn., Suppl. 1801, p. xxxii.
chrysoptera Sittella (Lath.), W. Swainson, N. H. Classif. Birds, II. June 1837, 317.
 —Sitta.
chrysopterus Sparus (L.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 465.—Perca, 1766.
chrysopterus Staphylinus, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 41.
chrysopterus Staphylinus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 80.
chrysopterus Systomus, J. McClelland, Asiat. Researches, XIX (2) 1839, 285.
chrysoptera Vermivora (L.), J. E. De Kay, N. H. New York (Birds) 1844, 84.—
 Motacilla, 1766.
chrysopterus Xanthornus, N. A. Vigors, Zool. Journ. II (6) July 1825, 190.

- chrysopterus** Xanthornus (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1841), 106.—Agelaius.
- chrysoptera** Xylcopa, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 150 [*n. n.*].
- chrysoptera** Xylcopa, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 93. [492.—A.]
- Chrysopteryx** W. Swainson in J. Richardson, F. Bor.-Amer. (2) 1831 [*i. e.* Feb. 1832].
- Chrysoptilopicus** A. Malherbe, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 403.—A.
- Chrysoptilus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) 1831 [*i. e.* Feb. 1832], 300.—A.
- chrysopus** Arachnothera, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82.—[*n. n.*].
- chrysopus** Mnioilta (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1848, 197.—Sylvia.
- chrysopus** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 208.
- chrysopus** Tryphon (Gm.), J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 302.—Ichneumon, 1790.
- chrysopygella** Chalybe, F. A. Kolenati, Melet. Entom. (5) June 1846, 111.
- chrysopygis** Haltica, [L. v. Beck], Beitr. baier. Insektenf. 1817, 17.
- chrysopygius** Coraebus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 178.
- chrysopygium** Lamprosoma, E. F. Germar, Ins. Spec. novae, I. 1824, 575.
- chrysopyga** Amphicoma, C. Steven, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 284. [206.]
- chrysopyga** Crithagra, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837.
- chrysopygus** Eristalis, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 15.
- chrysopyga** Hapale (Mik.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 249.—Jacchus.
- chrysopygus** Hemiteles, J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 839.
- chrysopygus** Jacchus, Natterer in J. C. Mikan, Delect. Brasil. (3) 1823 [*teste* C. W. R.].
- chrysopyga** Lyrops, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 112.
- chrysopygus** Megaspis (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille. 1841 (1) 1842, 87.—Eristalis. [1833, 510.—Eristalis.]
- chrysopyga** Phytomia (Wied.), Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug.
- Chrysopyla** J. Macquart, Mém. Soc. R. Sci. Lille, 1840 [1841], 310.—[= Chrysopila].
- Chrysoris** *emend. pro* Chrysochloris, Cuv., C. S. Rafinesque, Analyse, 1815, 59.—M.
- chrysorrhoea** Acanthiza (Q. & G.), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—Saxicola.
- chrysorrhoea** Aleochara, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 160. [198.]
- chrysorrhoea** Saxicola, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830.
- chrysorrhoea** Acanthiza (Q. & G.), J. Gould, Syn. Birds of Australia & adj. islands (4) Ap. 1838.—Saxicola c—rhea. [Bombyx, 1775.]
- chrysorrhoea** Arctia (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 133.—
- chrysorrhoea** Arctornis (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 18.—Phalaena, 1758.
- chrysorrhoea** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 18 (Fernaldo judice 1802) [*n. et f.*]. [1808—10] [*n. et f.*].
- chrysorrhoea** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 58 (Fernaldo judice
- chrysorrhoeus** Brachypus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 189. [1835, 263.—Musca.]
- chrysorrhoea** Calliphora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
- chryorhoeus** (*sic*) Cercopeus (Say), C. J. Schoenher, Gen. et Sp. Curc. VII (1) 1843, 155.—Peritelus. [128.]
- chrysorrhoea** Conops, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
- chrysorrhoeus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].
- chrysorrhoeum** Diceum, C. J. Temminck in T. & Laugier, Pls. color. (80) Sept. 1829.
- chrysorrhoea** Euproctis (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 160.—Phalaena, 1758. [1838.]
- chrysorrhoea** Hypothymis, Lichtenstein in Temminck & Laugier, Pls. color. (76) Mar.
- chrysorrhoea** Laria (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 150.—Bombyx, 1758.
- chrysorrhoea** Liparis (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 202.—Bombyx, 1758. [Bombyx, 1775.]
- chrysorrhoea** Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 191.—

- chrysorrhoea** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 60.
chrysorrhoeus Pachycoris (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 95.—
chrysorrhoeus Peritelus, T. Say, Descr. N. Amer. Curcul., July 1831, 13. [Tetyra.
chrysorrhoeus Peritelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 517.
chrysorrhoea Porthesia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 65.
 —Phalaena, 1758. [Tenthredo.
chrysorrhoea Selandria (Klug), E. Newman, Entom. Mag. IV (3) Jan. 1837, 262.—
chrysorrhoea Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816,
chrysorrhoea Tetyra, J. C. Fabricius, Syst. Rhyn. 1803, 138. [60.
chrysorrhoeella Phycis, Zincken, Mag. Entom. (Germar) III. 1818, 170. [367.
chrysorrhoides Haematomis, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Oct. 1845,
chrysorrhos [Ailurops] (Temm.), J. Wagler, Nat. Syst. Amph. 1830, 26.—Phalangista.
chrysorrhos Cuscus (Temm.), R. P. Lesson, Man. Mamm., May 1827, 220.—Phalangista.
chrysorrhos Phalangista, C. J. Temminck, Mon. Mamm. I. 1824, 12. [n. n.]
chrysorrhous Pycnonotus, H. Boie, N. Staatsburg. Mag. (Schleswig) I (1) 1832, 214
crysos Caranx (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 121.—Scomber.
chrysos Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 491.
crysos Scomber, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 424.
chrysosceles Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 69.—Melitta.
chrysosceles Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 143. [1845, 32.
chrysoschistos Chelidorynx, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug.
Chrysosoma F. E. Guérin, 1826.—Dipt. [teste Scudder, *sed non comp.*].
Chrysosoma J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 255.—Dipt.
chrysosoma Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 626.
chrysosomus Systomus, J. McClelland, Asiat. Researches, XIX (2) 1839, 284.
chrysosplenium Actinia, Cocks in G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 214.
chrysosternus Picus, W. Swainson, Mem. Werner. N. H. Soc. III. 1821, 289.
chrysostictus Agrilus (Klug), Laporte & Gory, H. N. Coléopt. II. 1839, 11.—Buprestis.
chrysosticta Buprestis, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 425.
chrysostictus Campoplex (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 522.
 —Ichneumon, 1790.
chrysostictus Epilamnus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
chrysostictus Hypochthon, Freyer, Ber. Mitth. Fr. Nat. Wien, V. 1849, 56. [n. n.]
chrysostictos Icterus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 13
chrysostictus Otiiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
 585.
Chrysostigma W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 19.—Col.
chrysostigmus Aplocheilus, J. McClelland, Asiat. Researches, XIX (2) 1839, 301.
chrysostigma Chrysobotris (Fab.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis,
 L. 1758. [fauna Madura], 14.
chrysostigma Leptonurus, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth.
chrysostigma Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 857.
chrysostigma [Odontomus] (L.), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct.
 1837, 156.—Buprestis, 1758.
chrysostigma Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828,
Chrysostoma W. Swainson, Treat. Malacol., May 1840, 222 & 353.—G. [100.
Chrysostomus ? *err. pro* Chrysodomus, Sw.; W. Swainson, Treat. Malacol., May 1840, 91.
chrysostoma Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17)
chrysostomus Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 469. [June 1832, 54.
chrysostomus Chaetodon, Lay & Bennett, Zool. "Blossom," 1839, 62.
chrysostomus Crabro, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post*
chrysostoma Diomedea, J. R. Forster, Anim. mar. Aust. 1844, 24. [Mar. 1835, 704.
chrysostomus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 174.
chrysostoma Euphema (Kuhl), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30
 (Dec. 1832), 544.—Psittacus.
chrysostomus Heniochus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 99.
chrysostoma Hydrellia, J. W. Meigen, Besch. Zweifl. Insekt. VII. 1838, 373.—Noti-
 phila, 1830.

- chrysostomus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV.
chrysostoma Labrus, C. S. Rafinesque-S., Car. n. gen. 1810, 37. [1820, 370.
chrysostomus Lethrinus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 118.
chrysostoma Lucina, R. A. Philippi, Zeitschr. f. Malakozool., Dec. 1845, 181.
chrysostoma Marmarostoma (L.), W. Swainson, Zool. Illust. (2) I (3) — 1829, pl. 14.
 —Turbo, 1758. [neumon, 1820.
chrysostomus Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 103.—Ich-
chrysostoma Mitra, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 194.
chrysostoma Nerita, S. Petit, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 104.
chrysostoma Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 67.
chrysostomus Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 940.
chrysostomus Psittacus, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 50.
chrysostoma Purpura, G. P. Deshayes, Magasin de Zool. (2) VI. 1844, pl. 86.
chrysostoma Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
chrysostoma Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 35. [356.
chrysostomus Turbo, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 140 [n. n.]. [31.
chrysostoma Voluta, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVII (33) Ap. 1824,
Chrysotoxum *err. pro* Chrysotoxum, Meig.; Eversmann, Bull. Soc. Imp. Nat. Moscou,
 VII. 1834, 425.
Chrysostromus B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 697.—P.
Chrysoteuchia J. Huebner, Verz. bekannt. Schmett. 1826, 366.—Lep. [Esp. 1781.
chrysotheme Colias (Sch.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 103.—Papilio,
chrysotheme Colotis (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio,
 1781. [1799] [n. et f.].
chrysotheme Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 85 (Fernaldo judice
chrysotheme Pontia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 32.—Papilio.
Chrysothemis G. C. Berendt, Die im Bernstein befindl. org. Reste, I (1) 1845, 57.—Dipt.
 [n. n.].
Chrysothemis H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 38.—Dipt.
chrysotheme Colias (Esp.), L. Jermyn, Butt. Coll. Vade Mecum, ed. 2, 1827, 91.—
 Papilio c—theme, 1781.
chrysothorax Chlaenius, C. Steven, Bull. Soc. Imp. Nat. Moscou, V. 1832, 79.
Chrysothrix J. J. Kaup, Das Thier. I. 1835, 50.—M.
chrysothrix Felis, C. J. Temminck, Mon. Mamm. I. 1827, 251. [[n. n.].
chrysotrix Sciuropterus, B. H. Hodgson, Journ. Asiat. Soc. Bengal, X (119) [1842], 915.
Chrysotis W. Swainson, N. H. Classif. Birds, II. June 1837, 300.—A.
chrysotis Calliste, B. L. Du Bus de G., Esq. Ornith. (2) 1846.
chrysotis Certhia, J. Latham, Index Orn., Suppl. 1801, p. xxxviii.
chrysotis Juida (Sw.), G. R. Gray, Genera of Birds, II. Ap. 1846, 327.—Lamproternis.
chrysotis Lamprocolius (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 415.—Lam-
chrysotis Lamproternis, W. Swainson, Birds W. Africa, I. 1837, 143. [proternis.
chrysotis Leiothrix (Hodgs.), G. R. Gray, Genera of Birds, III. App. 1849, 12.—Proparus.
chrysotis Leiothrix (Proparus), B. H. Hodgson, Ann. Mag. N. H. XV. May 1845, 326.
chrysotis Meliphaga, J. W. Lewin, Birds of N. Holland, 1808, 9.
chrysotis Philedon, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 645. [Certhia.
chrysotis Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 426.—
chrysotis Proparus, B. H. Hodgson, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 938.
chrysotis Ptilotis (Lath.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 20.—Certhia.
chrysotis Siva (Hodgs.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 94.—Proparus.
chrysotis Tropidorrhynchus (Less.), G. R. Gray, Genera of Birds, I. Oct. 1846, 125.—
 Philedon.
Chrysotos L. Oken, Lehrb. Naturg. VI. 1816, 118.—P.
Chrysotos *id. ac* Chrysotosus, Lacepède; G. Bakker, Osteogr. piscium, 1822, 163.
Chrysotosus B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 586.—P.
chrysotoxoides Sericomymia, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 79.
Chrysotoxum J. W. Meigen, Mag. f. Insektenk. (Illiger), II. 1803, 275.—Dipt.
Chrysotoxus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chrysotosus,
 Lacep.

- chrysotrema** Bulimulus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 63 [*n. n.*].
- Chrysotus** J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 40.—Dipt.
- chrysota** Limnephila, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 480.
- Chrysoura** Waterhouse, Ind. Zool. *emend. pro* Chrysura, Dahlb. 1845.
- chrysourus** *v.* **chrysurus**.
- chrysoventre** Callichroma, J. Sturm, Catal. Ins. Samml. 1826, 107 [*n. n.*].
- chrysozonella** Lampros, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) II. 1832, 95.
- chrysozona** Caesio, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. VI. 1830, 440.
- chrysozonus** Chaetodon, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. VII. 1831,
- chrysozonus** Scomber, E. Rueppell, Neue Wirbelth. Abyssin. (6) 1836, 37. [82.]
- chrysozygus** Dolichopus, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 71.
- chrySTALLINA** *v.* **crystallina**.
- Chrysura** A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 6.—Hym.
- Chrysures** R. P. Lesson, Colibris, 1829; Trochil. 1832, pl. xl [*vernac.*].
- Chrysuronia** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 75.—A.
- Chrysurus** C. L. Bonaparte, C. R. Ac. Sci. Paris, XXX. 1850, 382.—A.
- chrysura** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 73.—Melitta.
- chrysurus** Boops (Bl.), G. Cuvier, R. Anim. II. 1817, 271.—Sparus, 1791.
- chrysurus** Campothera (Sw.), G. R. Gray, Genera of Birds, II. July 1846, 439.—Den-
- chrysurus** Canis, J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 577. [dromus.]
- chrysurus** Caranx (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 57.—Scomber,
- chrysura** Centris, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 144 [*n. n.*]. [1766,
- chrysura** Cercopithecus, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post* Oct.), 477.
- chrysurus** Chaetodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 228.
- chrysura** Chrysochroa, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 55.
- chrysura** Chrysuronia (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 75.—
- chrysura** Colaspis, E. F. Germar, Linnaea Entom. III. Ap. 1848, 239. [Ornismya.]
- chrysurus** Coryphaena, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 174.
- chrysurus** Cynalopex (Gray), C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 227.
- Canis. [Dendromus.]
- chrysurus** Dendrobates (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 123.—
- chrysurus** Dendromus, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837,
- chrysourus** Dipteron, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 166. [158.]
- chrysurus** Echimys (Bodd.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 218.—Myoxus, Zimm. 1780.
- chrysura** Eucera, Erichson in Ménétrés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 304.
- chrysurus** Glyphisodon, Cuvier & Valenc., H. N. Poiss. V. 1830, 476.
- chrysurus** Grammistes (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 187.—Sparus,
- chrysurus** Holacanthus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 188. [1791.]
- chrysura** Kirbya (Kirby), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 146.—Melitta. [1834, 220.]
- chrysurus** Lithurgus, Foudras in Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar.
- chrysuros** Loncheres (Link), C. Illiger, Prod. 1811, 90.—Hystrix, 1795.
- chrysura** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 173.
- chrysurus** Mesoprion (Bl.), Cuvier & Valenc., H. N. Poiss. II. 1828, 459.—Sparus, 1791.
- chrysurus** Mycetes, I. Geoffroy, Mém. Mus. H. N. (Paris) XVII [2] *inerte* 1829, 166.
- chrysurus** Mycetes, R. P. Lesson, Spec. des Mamm., Nov. 1840, 118.
- chrysuros** Mylabris, J. B. Fischer, Tent. Consp. Canth. 1827, 12.
- chrysura** Ornismya, R. P. Lesson, H. N. Colibris, Jan. 1832, 107.
- chrysura** Oxygonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 302.
- chrysurus** Philonthus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 108.
- chrysurus** Polytmus (Sh.), G. R. Gray, Gen. of Birds, I. Dec. 1848, 108.—Trochilus.
- chrysura** Polytmus (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 109.—Ornismya.
- chrysura** Pomacentrus (Bl.), Cuvier & Valenc., H. N. Poiss. V. 1830, 423.—Chaetodon.
- chryseurus** Psittacus, W. Swainson, Zool. Illust. (1) III (29) Feb. 1823, pl. 141.

- chrysurus** Quedius, Kiesenwetter in H. C. Kuester, Käfer Europas, XII. 1847, 55.
chrysuros Sciurus, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Sept. 1845, 337.
chrysurus Staphylinus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 94.
chrysurus Staphylinus (Nordm.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 367.—
 Philonthus.
chrysurus Stentor, J. Geoffroy, Mém. Mus. H. N. (Paris) XVII. [2] *ineunte* 1829, 166.
chrysura Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 118.
chrysurus Trochilus, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 335.
chrysus Cupido (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 78.—Papilio, 1782.
chrysus Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 643.—Papilio,
 1782.
Chryus Megerle; *teste* Scudder, *sed non comp.*—Col. [? in Cat. Vienn. 1801, *nisi non*
Chthamalus C. Ranzani, Opusc. Sci. (Bologna) I. 1817, 276.—Cr. [*visum*].
Chthonergus A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 37.—M.
Chthonicola J. Gould, Proc. Zool. Soc. London, XV (170) Ap. 27, 1847, 31 & 35 (May
Chthonius C. L. Koch, Die Arachniden, X (4) 1843, 76.—Ar. [1847].—A.
chthonia Entedon, F. Walker, Mon. Chalcid. I. 1839, 122.
Chthonobius H. Burmeister, Handb. Ent. V. 1847, 566.—Col.
Chthonurgus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chthonoërgus,
Chthonoërgus Keyserling & B., Wirbelth. Europas, 1840, pp. vii, 12.—M. [Keys.
chuana Alauda, A. Smith, Rpt. Exp. C. Afr. 1836, 46.
chub Cyprinus, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 195.
chukar Caccabis, G. R. Gray, List Birds Coll. B. M. III. 1844, 36.—Perdix.
chukor Chacura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
chukar Perdix, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 54.
chukor Pyctes (Chacura), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
chuna Colisa (Buch.), Cuvier & Valenc., H. N. Poiss. VII. 1831, 368.—Trichopodus.
chuna Trichopodus, F. Hamilton, Fish. Ganges, 1822, 121.
chunchotamus Dendrocolaptes, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 295.
chuno Gobius, F. Hamilton, Fish. Ganges, 1822, 53.
churianensis Elaphocera, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 355.
chuva Leda, J. E. Gray in Jukes, Narr. Voy. of "Fly," II. 1847, 360. [Chiasogn→].
Chyasognathus F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Nov. 1838, 287.—Col. [*v.*
Chydorus W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 406.—Cr.
Chyliga *err. pro* Chyliza, Fall.; J. E. Gray; *teste* Scudder, *sed non comp.*
Chyliza C. F. Fallen, Opomyzides Sveciae, 1820, 6.—Dipt.
chyllene Teleas, F. Walker, Entom. Mag. III (4) Jan. 1836, 363.
Chylophaga *emend. pro* Hylophaga, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou,
 XVIII. 1845 (2) 1845, corrections.—? *fam.*
Chymophila Serville in J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 485.—
Chyphus C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 110.—Col. [Dipt.
Chyromya J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 620.
Chythra *v.* Clythra, F. E. Guérin-M., Iconographie, 1844, Ins. 292. [—Dipt.
Cia J. J. Kaup, Skizz. Europ. Thierw. 1829, 138.—A. [*typus* Emberiza cia].
cia Cirrus (L.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 153.—Emberiza, 1766.
cia Littorina, Verneuil, Bull. Soc. géol. France (sér. 2) III. 1846, 455.
ciavolus Labrus, C. S. Rafinesque-S., Car. n. gen. 1810, 40.
cibarius Bardistis, E. Newman, Entomologist (5) Mar. 1841, 80. [1758.
cibaria Calobata (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 378.—Musca,
cibarius Echidnocerus, A. White, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 453.
cibarius Echidnocerus, A. White, Proc. Zool. Soc. London, XVI (182) Nov. 14, 1848, 47.
cibarius Rhagio (L.), F. v. P. Schrank, F. Boica, III (1) 1803, 100.—Musca, 1758.
Cibdelis Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 282.—Col.
Cibicides Denys de Montfort, Conch. I. 1808, 122.—Rh.
cibiellii Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 242.
cibyrtica Paludina, E. Forbes in Spratt & Forbes, Trav. Lycia, II. 1847, 177.
cicada Coccudina, Bory de St V., Ency. Méth. (Zooth.) 1827, 540.—? Trichoda, Müll. 1786.
cicada Kerona (Müll.), II. D. de Blainville, Dict. Sci. Nat. LX. 1830, 156.—Trichoda, 1786.

- cicada** *Oxytricha* (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 119.—*Trichoda*, 1786.
- cicada** *Scyllarus*, A. Risso, H. N. Crust. 1816, 61. [1780.]
- cicada** *Talitrus* (O. Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 302.—*Oniscus*, *Cicadatra* C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 153.—Hem. [*non binom.*].
- Cicadella** C. Duméril, Dict. Sci. Nat. IX. 1817, 190.—Hem.
- cicadella** *Dasycera*, P. C. Zeller, Isis (Oken), 1839, 193.
- Cicadetta** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 156.—Hem. [*non binom.*].
- Cicado** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 154.—Hem. [*non binom.*].
- Cicadula** J. W. Zetterstedt, Ins. Lapp. descr. 1838, 296.—Hem.
- cicaria** *Nephodia*, J. Huebner, Verz. bekannt. Schmett. 1826, 312 [*n. n.*].
- cicatrice** *Helix*, H. E. Anton, Verz. Conch. 1839, 38.
- cicatricalis** *Acigona*, J. Huebner, Verz. bekannt. Schmett. 1826, 342 [*n. n.*].
- cicatricalis** *Hercyna*, F. Treitschke, Schmett. Europa, X (3) 1835, 39.
- cicatricata** *Mordella*, T. Marsham, Coleopt. Brit., Sept. 1802, 495.
- cicatricella** *Adela*, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1008.
- cicatricellus** *Chilo* (Huebner), F. Treitschke, Schmett. Europa, X (3) 1835, 161.—*Tinea*.
- cicatricella** *Tinea*, J. Huebner, Europ. Schmett., Tab. *Tinea*, 68 (Fernaldo giudice 1823–27) [*n. et f.*].
- cicatricosus** *Acalles*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 410.
- cicatricosus** *Aegus*, H. Burmeister, Handb. Ent. V. 1847, 403.
- cicatricosus** *Anoplochilus*, H. Burmeister, Handb. Ent. III. 1842, 510.
- cicatricosa** *Ariophanta* (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 5.—*Helix*, 1774.
- cicatricosus** *Ateuchus*, H. Lucas, Explor. Algér. (Artic. II.) 1846, 249.
- cicatricosus** *Bellerophon*, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 319.
- cicatricosus** *Bruchus*, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 39.
- cicatricosa** *Buprestis*, J. W. Dalman, Anal. Entom. 1823, 53.
- cicatricosus** *Carabus*, G. Fischer de W., Cat. Col. Sibir. [1842], 5. [494.]
- cicatricosus** *Cardigenius*, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836,
- cicatricosa** *Cassio*, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 42.
- cicatricosa** *Cetonia*, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 84.
- cicatricosus** *Cleonus* (Hoppe), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 226.—*Curculio*, 1795.
- cicatricosus** *Cryptocephalus*, H. Lucas, Rev. Zool. (Soc. Cuv.) VIII. Ap. 1845, 125.
- cicatricosa** *Cypridina*, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 67.
- cicatricosus** *Docophorus*, Percheron in F. E. Guérin-M. & P., Gen. Ins. (5) 1836, no. 10.
- cicatricosus** *Elaphrus*, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 448.
- cicatricosus** *Elophorus*, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 107.
- cicatricosa** *Epeira* (Deg.), Latreille, N. Dict. H. N., ed. 2, X. 1817, 301.—*Aranea*, 1778.
- cicatricosa** *Euchlora*, M. Perty, Del. anim. artic. Brasil. (1) 1830, 47.
- cicatricosa** *Flata*, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 47.
- cicatricosa** *Gasteracantha*, C. L. Koch, Die Arachniden, XI (3) 1844, 54.
- cicatricosa** *Glypta*, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 103.
- cicatricosa** *Helix* (*Helicella*), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Lima-Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*]. [cons. 1821, 46.]
- cicatricosus** *Himatidium*, J. Sturm, Catal. Ins. Samml. 1826, 151 [*n. n.*].
- cicatricosus** *Lichas*, S. Loven, Ofvers. K. Vet. Ac. Förh. II (3) 1845, 56.
- cicatricosus** *Lucanus*, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 108.
- cicatricosus** *Meloe*, W. E. Leach, Tr. Linn. Soc. London, XI (1) 1813, 39.
- cicatricosa** *Melolontha*, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 197, & App. 1817, 112.
- cicatricosus** *Philonthus*, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 454.
- cicatricosa** *Pimpla*, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 89.
- cicatricosus** *Pleuroctetes*, P. S. Pallas, Zoographia, III. 1814, 424.
- cicatricosus** *Prypnus*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 496.

- cicatricosus Rhizotrogus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 433.
 cicatricosus Rhynchophorus, T. Say, Descr. N. Amer. Curcul. July 1831, 22.
 cicatricosus Spermothagus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 109. [—Rhynchophorus.]
 cicatricosus Sphenophorus (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 966.
 cicatricosus Trochus, Jonas in R. A. Philippi, Abb. Conch. I (3) 1843, 66.
 cicatricosus Unio, T. Say, Dissem. Useful Knowledge, Sept. 1829, 292.
 cicatricosus Unio, T. Say, Descr. shells N. Amer. 1840, 5.
 cicatricosa Zetobora, H. Burmeister, Handb. Ent. II (2) i, 1838, 511.
 cicatripennis Sphenophorus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 262.
 cicatrisatus Pecten, G. A. Goldfuss, Petref. German. II (4) 1833, 56. [1845, 262.
 cicatristriatus Sphenophorus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 958.
 cicatrix Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 59.
 cicatrix Mocis, J. Huebner, Verz. bekannt. Schmett. 1825, 267 [n. n.].
 cicatrix Platychelus, H. Burmeister, Handb. Ent. IV (1) 1844, 144.
 Ciccaba J. G. Wagler, Isis (Oken), 1832, 1222.—A.
 Ciccum C. v. Heyden, Isis (Oken), 1826, 612.—Ar.
 Ciccus P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 221.—Hem.
 cicer Trachelius, F. v. P. Schrank, F. Boica, III (2) 1803, 60.
 cicer Trochus, Menke in R. A. Philippi, Abb. Conch. I (4) 1844, 91.
 cicercula Carocollina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28 [n. n.].
 cicercula Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 171.
 cicercula Modiola, H. P. C. Möller, Index Moll. Groenl. 1842, 19.
 cicercula Mytilus, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 92.
 cicercula Pustularia (L.), W. Swainson, Treat. Malacol., May 1840, 324.—Cypraea, 1758.
 cicercula Tellina, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1846, 19.
 cicerulus Ammodytes, C. S. Rafinesque-S., Car. n. gen. 1810, 21.
 Cichastoma *err. pro* Cichlasoma, Sw.; L. Agassiz, Nomencl. Zool., Pisces, 1845, 16.
 Cichla J. G. Schneider, Bloch, Syst. Ichth. 1801, 336.—P. [*cf.* Cicla, 1792].
 Cichla Wagler, Syst. Avium, 1827, 306.—A.
 Cichla L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cicla, Art., Walb.
 cychla Centrarchus, W. Jardine in Schönbürgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.) 1843, 157.
 cichlae Ichthiobdella, Krøyer in C. M. Diesing, Syst. Helminth. I. 1850, 442.
 Cichlasoma W. Swainson, N. H. Fishes etc. II. July 1839, 230.—P.
 Cichlaurus W. Swainson, N. H. Fishes etc. II. July 1839, 173.—P.
 Ciciloides J. J. Kaup, Skizz. Europ. Thierw. 1829, 153.—A.
 Cichlops B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83.—A. [n. n.].
 Cichlops Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 24.—P.
 Cichlopsis J. Cabanis, Mus. Heineanum (1) 1850 [1851], 54.—A.
 cychlura Iguana, G. Cuvier, R. Anim., ed. 2, II. 1829, 45.
 Cichoracea A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 187.—G. [*non* 1825,
 Cichorax H. G. L. Reichenbach, Zoologie, I. 1828, 91.—[*teste* C. W. R.]. [*vernac.*].
 Cichoreus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Chicoreus, Montf.
 cichorii Anthaxia (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 298.—Buprestis, Ol. 1790.
 cichorii Mylabris, Billb.; Dejean, Catal. Coléopt. 1821, 74 [n. n.].
 Cichorium Voigt in Cuvier, R. Anim., ed. 2, III. 1834, 359.—[v. Chicoreus.]
 Cichrus F. V. Melsheimer, Ins. Pennsylv. 1806, 52.—Col. [n. n.].
 Cicigna J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 201.—R.
 cicilia Helicopsis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 22.—Papilio, 1782.
 cicindeloides Anthia (Swed.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 236.—Carabus, 1787. [Stigmatium.]
 cicindeloides Clerus (Gray), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 289.—
 cicindeloides Graphipterus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 238. —Carabus, Sw. 1787. [overz. bezitt., Zool. (Ins.) 1842, 233.
 cicindeloides Gryllus (Scleroterus), W. de Haan in Temminck, Verh. nat. ges. Ned.
 cicindeloides Hydrophilus, T. Marsham, Coleopt. Brit., Sept. 1802, 411.

- cicindeloides** Pericalus, W. S. Macleay, Annulosa Javanica, 1825, 16. [Linus, 1783.
cicindeloides Stenus (Schall.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 155.—Staphy-
cicindeloides Stigmatium, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 376.
cicindeloides Trigonidium, Serville in P. Rambur, F. Ent. Andal. II (3) Dec. 1838, 39.
Cicinnurus L. P. Vieillot, Analyse, 1816, 35.—A.
cicloides *v.* **cycloides**.
Ciclostoma A. Scacchi, Catal. Conch. Neap. 1836, 15 [= Cyclostoma].
ciclydium *v.* **cyclidium**.
Cicones J. Curtis, Brit. Entom. IV (37) Jan. 1827, no. 149.—Col.
ciconia Belone, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 264.
ciconia Ciconia (L.), C. Illiger, Prod. 1811, 256.—Ardea, 1758.
ciconia Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 51.
ciconia Erodiscus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 369.
ciconia Phalops (F.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 764.—Copris.
ciconiae Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 55 [n. n.].
ciconiae Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 119. [1758.
ciconiae Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 108.—Pediculus,
cicur Colymbetes (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 67.—
Dytiscus cicurius, 1787.
cicurea Philoica, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 26.—Aranea, 1793.
cicus Micronyx, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 426.
cicuta Eulophus, F. Walker, Mon. Chalcid. II. 1839, 43.
cicutella Agonopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 411.—Tinea, 1796.
cicutella Haemylis (Huebn.), F. Treitschke, Schmett. Europa, IX (1) 1832, 248.—Tinea,
Cidarella C. Des Moulins, Actes Soc. Linn. Bordeaux, IX. Sept. 1837, 53.—Ech. [1796.
cidarella Bucculatrix, Zeller, Linnaea Entom. III. Apr. 1848, 287.—Lyonetia, 1839.
cidarella Lyonetia, Zeller, Isis (Oken), 1839, 216.
Cidaria F. Treitschke, Schmett. Europa, V (2) 1825, 442.—Lep.
cidariformis Echinocrinus, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 111 [n. n.].
cidariformis Granatocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 62 [n. n.].
Cidaris W. Swainson, Treat. Malacol., May 1840, 215 & 349.—G.
cidaris Alcyonium, Lamarck, Mém. Mus. II. N. (Paris) I [1] Dec. 1814, 77.
cidaris Conus, L. C. Kiener, Spec. Coquilles (Conus) 1846, 57.
cidaris Delphinula, L. Reeve, Conch. Icon.—Delphinula, no. 27, Oct. 1843.
cidaris Dentalium, H. B. Geinitz, Das Quadersandteingeb. (2) 1850, 144.
cidaris Helix, Lamarck, An. s. vert. VI (2) 1822, 77.
cidaris Narica, C. A. Réclus, Rev. Zool. (Soc. Cuv.) III. Jan. 1844, 5.
Cidarollus Denys de Montfort, Conch. I. 1808, 110.—Rh.
cidarollus Rotalites, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 187.
Cidarus C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 182.—Hem. [non binom.].
Cidora Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 356.—Hem.
Cigaritis H. F. Donzel, Ann. Soc. Ent. France [2] V (4) June 1848, 528.—Lep.
cigaro Anaperus, F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 63.
cignea *v.* **cygnea**.
cigonella Belone, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 436.
Cilathora B. H. Hodgson, Proc. Zool. Soc. Lond. 1845, 22.—A.
cilialis Botys (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 315.—Pyralis, 1796.
cilialis Epicorsia, J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyralis, 1796.
cilialis Margaritia (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1796.
cilialis Nascia (Huebn.), J. Curtis, Brit. Entom. XII (140) Aug. 1835, no. 559.—Pyralis,
ciliana Acalla, J. Huebner, Verz. bekannt. Schmett. 1826, 383.—Tortrix. [1796.
ciliana Dictyopteryx (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix.
ciliana Teras (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6),
1836, 557.—Tortrix.
ciliana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 27 (Fernaldo judice 1797) [n. et f.].
ciliana Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 40.
ciliaria *v.* **ciliarius** -a -um.
ciliaris Anisotoma, W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III. 1841, 175.

- ciliaris** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 310.
- ciliaris** Anticyra, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 160.—Tinodes, [1829.]
- ciliaris** Aphodius, Sturm; Dejean, Catal. Coléopt. 1821, 54 [*n. n.*].
- ciliaris** Aphodius (Marsh.), W. L. E. Schmidt in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 165.—Scarabaeus. [Eyprepia.]
- ciliaris** Arctia (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 35.—
- ciliaris** Arge (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 227.—Tenthredo, 1767.
- ciliaris** Astacus, C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 42.
- ciliaris** Asterias, R. A. Philippi, Arch. f. Naturg. III (1) 1837, 194.
- ciliaris** Atropus, H. R. Schinz in Cuvier, Thierreich, II. 1822, 521.
- ciliaris** Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 471.
- ciliaris** Blepharis (Bl.), G. Cuvier, R. Anim. II. 1817, 322.—Zeus, 1787.
- ciliaris** Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 129.
- ciliaris** Carcharias (Schn.), G. Cuvier, R. Anim. II. 1817, 126.—Squalus.
- ciliare** Cardium, D. Solander, Catal. Portland Mus. 1786, 87 [*n. n.*].
- ciliaris** Coracia (Ochs.), J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Eyprepia.
- ciliaris** Creophilus, J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 202.
- ciliaris** Eyprepia, F. Ochsenheimer, Schmett. Europa, III. 1810, 350.
- ciliaris** Figites, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 411.
- ciliaris** Hemiclemis (Ph.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 104.—Asterias.
- ciliaris** Holocanthus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 527.—Chaetodon, 1758.
- ciliaris** Hylotoma (L.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (1) 1808, 43.—
- ciliaris** Labrus, G. S. Volta, Itt. Veron. (3) 1809, p. cclxxix. [Tenthredo, 1767.]
- ciliaris** Latris (Licht.), J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 37.—Sciaena.
- ciliaris** Limnobia, T. E. Schummel, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 151.
- ciliaris** Luidia (Ph.), J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 183.—Asterias.
- ciliaris** Melasina, Boissduval, Gen. Index Europ. Lepid. 1840, 57.
- ciliaris** Monopterhinus (Schn.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus.
- ciliaris** Muscicapa, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
- ciliaris** Notidobia (L.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 21.—Phryganea, 1761. [Fisch.]
- ciliaris** Ophiotrix (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 114.—Ophiura,
- ciliaris** Ophiura (L.), G. Fischer, Mus. Démid. III. 1807, 288.—Asterias, 1767.
- ciliaris** Saperda, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 467.
- ciliaris** Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 14.
- ciliaris** Sciaena, Lichtenstein in J. R. Forster, Descr. Anim. 1844, 137.
- ciliaris** Squalus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 132.
- ciliaris** Staphylinus (Steph.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841,
- ciliaris** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1178. [408.—Creophilus.]
- ciliaris** Tachydromia, C. F. Fallen, Empidiae Sueciae (3) 1816, 33.
- ciliaris** Tettigonia, C. P. Thunberg, Hemip. Capen. I. 1822, 6.
- ciliaris** Tinodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
- ciliaris** Trochus, C. T. Menke, Moll. N. Holl. 1843, 17.
- ciliaria** Citula, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—)
- ciliaria** Eucrotes, J. Huebner, Verz. bekannt. Schmett. 1825, 283. [1830 *vel* 1831, 102.]
- ciliaria** Ligia, E. Ménétériés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.)
- Ciliata** J. Couch, Mag. Nat. Hist. V. Jan. 1832, 15.—P. [(4) Nov. 1849, 296.]
- ciliatipes** Chlaenobia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- ciliatocosta** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1713. [1850, 116.]
- ciliatocosta** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1543.
- ciliata** Acanthia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (2) 1841, 359.
- ciliatus** Acarus, F. v. P. Schrank, F. Boica, III (1) 1803, 214.
- ciliata** Acheta, P. Afzelius, Achetae Guin. 1804, 27.
- ciliata** Aequorea, J. F. Eschscholtz, Syst. Acalephen, 1829, 109.
- ciliata** Altica, A. G. Olivier, Entom. VI. 1808, 710.

- ciliatum** Ammidium, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 251.
ciliata Annicola, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 196.
ciliata Amphicoma, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (19) Nov. 1836, 150. [347.—Nitidula.
ciliatus Amphicrossus (Ol.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843,
ciliatus Amphisorex (Sow.), J. E. Gray, Proc. Zool. Soc. London, V (59) June 1838, 125.
ciliatus Anodus, Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 84. [—Sorex.
ciliata Anthomyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 159.—
 Musca, 1794.
ciliatus Aphodius, Ziegl.; Dejean, Catal. Coléopt. 1821, 54 [*n. n.*].
ciliata Auricula, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 77.
ciliatus Balistes, S. L. Mitchell, Amer. Monthly Mag. II (5) Mar. 1818, 326.
ciliatus Baridius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
ciliata Bembe, J. C. Fabricius, Syst. Piezat. 1804, 226.
ciliata Blatta, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXXI (3) 1810, 189.
ciliatus Blennius, S. L. Mitchell, Rept. Fishes N. York, Jan. 1814, 6.
ciliata Boltenia, H. P. C. Moller, Index Moll. Groenl. 1842, 22.
ciliata Bóltenia, H. P. C. Moller, Naturhist. Tidsskrift, IV (1) 1842, 95.
ciliatus Botryllus, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 94.
ciliatus Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 16.
ciliata Bradybaena (Venetz), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—
 Helix (Helicella). [—Nereis, 1789.
ciliata Branchionereis (Ab.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.
ciliatum Buccinum (O. Fabr.), A. A. Gould, Rep. Invert. Massach. 1841, 307.—Tritonium,
ciliatus Bulimus, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 191. [1780.
ciliata Campylosteira, F. X. Fieber, Entom. Monogr. 1844, 44.
ciliata Ceresa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 287.
ciliata Cernuella, F. Schlueter, Kurzg. syst. Verz. Conch. 1839, 6.
ciliata Cetonia, F. Weber, Obs. Ent. 1801, 70.
ciliatus Chiton, G. B. Sowerby, II., Mag. Nat. Hist., n. s., IV. June 1840, 289.
ciliatum Chlorion, J. C. Fabricius, Syst. Piezat. 1804, 218.—SpheX, 1787.
ciliata Chrysopa, C. Wesmael, Bull. Ac. Roy. Brux. VIII (1) 1841, 212.
ciliatus Coelus, F. Eschscholtz, Zool. Atlas, III. 1829, 5.
ciliatus Copris, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 408.
ciliata Cordylura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 231.
ciliatum Craspedosoma, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 122.
ciliata Crisia (L.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 183.—Cellaria, E. & S., 1786.
ciliatus Crossopus (Sow.), C. L. Bonaparte, Icon. Faune Ital. (29) 1840.—Sorex.
ciliatus Curimatus (M. & T.), Cuvier & Valenc., H. N. Poiss. XXII. 1849, 15.—Anodus.
ciliatum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 127.
ciliata Cythereis (Rss.), T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 19.—
 Cytherina, A. E. Reuss, Verst. boelm. Kreidef. II. 1846, 104. [Cytherina.
ciliata Daphnia, C. S. Rafinesque-S., Précis Som. 1814, 26 [*n. n.*].
ciliatus Dasypus, G. Fischer, Zoogn., ed. 3, III. 1814, 127.
ciliatus Dasyles, M. P. Graells, Ann. Soc. Ent. France, XI (3) Jan. 1843, 221.
ciliata Difflugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 379.
ciliatus Dolichopus, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (3) 1849, 661.
ciliatus Epinephelus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 474 &
 pl. xvi.
ciliata Eriphia, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 961.
ciliata Erycia, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 294.
ciliata Eschara, O. Fabricius, Afhandl. K. Danske Vid. Selsk. I. 1824, 37.
ciliatus Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 189.
ciliata Eurychora, Fab.; Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
ciliata Grantia (Fab.), J. Fleming, Hist. Brit. Anim. 1828, 525.—Spongia, 1780.
ciliatus Gyrimus, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 312.
ciliata Helix (Fér.), Catlow & Reeve, Conch. Nomen. 1845, 121.—Helix (Helicella).

- ciliata Helix (Helicella), Venetz in A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 47.
- ciliatus Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 333.
- ciliata Hydrotæa (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 306.—Musca, 1794.
- ciliatus Ibacus, L. Guilding, Tr. Linn. Soc. London, XIV (2) 1824, 337.
- ciliatus Iphis, C. L. Koch, Deutsch. Crust., heft 27, 1839, tab. 20.
- ciliatus Lepadogaster, A. Risso, Journ. de Physique, XCI. Oct. 1820, 248.
- ciliata Lepisma, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 420.
- ciliata Lepralia (Pall.), G. Johnston, Hist. Brit. Zooph. 1838, 279.—Eschara, 1766.
- ciliatus Leucodore, G. Johnston, Mag. Zool. Bot. II (7) June 1837, 67.
- ciliata Monanthia (Spin.), F. X. Fieber, Entom. Monogr. 1844, 67.—Tingis.
- ciliata Motacilla, J. Wilkes, Ency. Londin. XVI (1094) 1818, 80.
- ciliata Nais (Müll.), E. Sabine, App. Parry's Voy. 1819-20, 1824, p. ccxiv.—Nereis, Nebalia, Lamarck, An. s. vert. V. 1818, 198. [Ab. 1789.]
- ciliata Nephthys, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 170.
- ciliata Nitidula, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 210.
- ciliata Nitidula, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 275.
- ciliata Ocyptera, J. C. Fabricius, Syst. Antliat. 1805, 315.
- ciliata Omaloplia, Dejean, Catal. Coléopt. 1821, 59 [n. n.]. [1783.]
- ciliata Ophirolepis (Retz.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 91.—Asterias, Ophiura (Retz.); S. Nilsson, Coll. Zool. Scand. 1817, 14.—Asterias, 1783.
- ciliatus Passalus, J. Sturm, Catal. Ins. Samml. 1826, 182 [n. n.].
- ciliata Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 186.
- ciliata Perca, Kuhl & van Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828, 52.
- ciliata Perisphaeria, H. Burmeister, Handb. Ent. II (2) i, 1838, 486.
- ciliatus Phaetornis, G. R. Gray (ex Lath. MS), Genera of Birds, I. Dec. 1848, 104.
- ciliata Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 319.
- ciliata Phorocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 209. [159.]
- ciliata Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- ciliatus Piaurus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 679.—Poecilma.
- ciliatum Poecilma, E. F. Germar, Ins. Spec. novae, I. 1824, 254.
- ciliatus Pompilus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 416.
- ciliatus Porcellio, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 181.
- ciliata Protætia (Ol.), H. Burmeister, Handb. Ent. III. 1842, 488.—Cetonia, 1789.
- ciliatus Psammodius, Handschuch in H. C. Kuester, Käfer Europas, XVIII. 1849, 51.
- ciliatus Psilus, T. Say, Contrib. Macurian Lyceum, I (3) Jan. 1829, 80.
- ciliatus Psocus, P. A. Latreille, Bull. Soc. Philom. [Paris] 1803, 85'.
- ciliata Psorophora (Fab.), J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 413.—Culex, 1794.
- ciliata Rhyacophila (Gm.), F. J. Pictet, Rech. Phrygan. 1834, 193.—Phryganea, 1790.
- ciliata Savignella (Aud.), P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 656.—Crisia, Lamx.
- ciliata Sciaena, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 308.
- ciliatus Scyllarus, [P. F. v.] Siebold, Spic. F. Japon. 1824, 15.
- ciliatus Sebastes (Til.), G. Cuvier, R. Anim., ed. 2, II. 1829, 167.—Epinephelus.
- ciliatus Senometopia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 113.
- ciliata Sepsis, J. C. Schiodte, Naturhist. Tidsskrift [2] I (1) 1844, 30.
- ciliata Sertularia, Lamarck, An. s. vert. II. 1816, 121.
- ciliatus Sorex, Jas. Sowerby, Brit. Miscell. (9) Dec. 1805, 103.
- ciliatus Spondylus, G. B. Sowerby, II., Thes. Conch. I (8) post May 1847, 429.
- ciliata Squilla, P. A. Latreille in J. Milbert, Voy. Île de France, II. 1812, 280.
- ciliata Squilla, R. Owen, Zool. "Blossom," 1839, 90.
- ciliatus Strongylus, Bosc; Dejean, Catal. Coléopt. 1821, 43 [n. n.].
- ciliata Taenia, Mehlis, Arch. f. Naturg. XII (1) 1846, 139 [n. n.].
- ciliatus Tanypus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 15.
- ciliatus Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 482.
- ciliatus Thinobius, H. v. Kiesenwetter, Entom. Zeitung, Stettin, V (10) Oct. 1844, 355.

- ciliata** Thryptocera, J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1845, 134.
ciliata Tingis, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
ciliata Tingis, Spinola, Ess. Hém. 1837, 166.
ciliata Tiphia, D. H. Schneider, Verz. Insectensamml. 1828, 88 [*n. n.*].
ciliata Trichopoda (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
ciliata Treurena, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2872. [273.—Ocyptera.
ciliatus Trox, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
ciliatus Trox, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 36 [*n. n.*].
ciliatus Trox, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 190.
ciliatus Tychius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 405.
ciliatus Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 290.
ciliatus Zeron, C. L. Koch, Deutsch. Crust., heft 27, 1839, tab. 9.
Cilibe P. A. Latreille in Dejean, Cat. Coléopt., ed. 2 (3) 1834, 187.—Col.
Cilibe Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 105.—Col.
Cilicaea W. E. Leach, Dict. Sci. Nat. XII. 1818, 342.—Cr.
Cilicion J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
cilicornis Saperda, D. H. Schneider, Verz. Insectensamml. 1828, 82 [*n. n.*].
cilicrura Mallophora, C. Rondani in G. Osculati, Esplor. Reg. Equat. 1850, 241 [*n. n.*].
ciliella Depressaria, H. T. Stainton, Tr. Entom. Soc. Lond. V (6) May 1849, 161.
cilifemoratus Dolichopus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 275.
ciliferum Cyclostoma, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849], 268.
ciligera Senometopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 112.—Zenillia.
ciligera Winthemia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 173. [154.
ciligera Zenillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
ciliilabris Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 151.
cilipennis Ptilocera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 172.
cilipennis Rhinophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
 211.—Ptilocera.
cilipes Anthomyia, A. H. Haliday, Ann. Nat. Hist. II (9) Nov. 1838, 185.
cilipes Centris, J. C. Fabricius, Syst. Piezat. 1804, 361.
cilipes Chrysotus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 41.
cilipes Culex, J. C. Fabricius, Syst. Antliat. 1805, 34.
cilipes Empis, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 95.
cilipes Gymnostylia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 217.—Leschenaultia.
cilipes Hilara, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 3. [Lasiopus.
cilipes Hypsonotus (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 268.—
cilipes Lasiopus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 35. [1830, 325.
cilipes Leschenaultia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
cilipes Mallodon, S. S. Haldeman, P. Amer. Phil. Soc. IV (39) Dec. 1847, 371.
cilipes Melipona (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
 1848, 592.—Centris.
cilipes Microstylum, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 144.
cilipes Paussus, J. O. Westwood, Arcana Entom. (24) June 1845, 185.
cilipes Phorocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 88.
cilipes Prionus, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 328. [7.—Empis.
cilipes Rhamphomyia (Say), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
cilipes Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 124.
cilipes Tachina, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 219.
cilipes Tetrorea, A. White, Zool. "Ereb. Terr." (Ins. 1846), 21.
cilipes Trichopoda, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 276.
cilipes Xysta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 182.
Cilissa W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 155.—Hym.
cilitarsis Eumerus, H. Loew, Entom. Zeitung, Stettin, IX (4) Ap. 1848, 120.
Cilix W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 135.—Lep.
Cilix W. E. Leach in G. Samouelle, Entom. Compend., June 1819, 254.—Lep.

- cilix** Scarabaeus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 274.
Cilixus C. S. Rafinesque, Analyse, 1815, 136.—Verm. [*n. n.*].
cilla Entedon, F. Walker, Mon. Chalcid. I. 1839, 37.
Cillaus F. L. de Laporte, Etudes Entom. (2) 1835, 133.—Col.
Cillenia J. Gistl, Nat. Thierr. 1848, 183.—Cor.
Cillenia J. Gistl, Handb. Naturges. 1850 [1847], 600.—Cor.
Cillenum *id.* ac Cillenus, Sam.; Dejean, Cat. Coléopt. 1821, 16.
Cillenus G. Samouelle (*ex* Leach MS), Entom. Compend., June 1819, 148.—Col.
Cilliba C. v. Heyden, Isis (Oken), 1826, 613.—Ar.
Cillibano Heyd. 1826; *teste* Waterhouse; *err. pro* Cilliba, *q. v.*; “no” *pars* “nobis” *est.* [Orn.] 1846, 235.—A.
cillipes *v.* **cilipes**.
Cillurus J. Cabanis, Arch. f. Naturg. X (1) 1844, 281; in J. J. Tschudi, Fauna Peru.
Cilonera Leach MS, A. White, List Crust. B. M. 1847, 108.—Cr.
Cilopnoa Schweigger, Handb. Naturg. 1820, 738.—Moll.—*fam.* Gastrop. *non genus*.
Cilyx E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 492.—Lep.
Cimber Denys de Montfort, Conch. II. 1810, 82.—Moll.
cimbiciformis *v.* **cymbiciformis**.
cimbicis *v.* **cymbicis**.
Cimbium *v.* **Cymbium**.
cimbrica Clupea, S. Nilsson, Prod. Ichth. Skand. 1832, 24. [cimbricus, 1766.
cimbricus Enchelyopus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 50.—Gadus
cimbricus Motella (Schn.), G. Cuvier, R. Anim., ed. 2, II. 1829, 334.—Gadus cimbricus,
L. 1766. [cimbricus, L. 1766.
cimbrica Mustela (Gm.), H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 457.—Gadus
Cimbulia *v.* **Cymbulia**; A. Krohn, Sul nuova sp. di Cimbulia, 1844 [*nili non visum*].
Cimbus C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 34.—Hem.
Cimbus C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 86.—Col.
cimelum Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 260, Mar. 1845.
cimex Chelifer, P. Gervais in Gay, Chili, IV (Arach.) 1849, 12.
cimex Cingula (L.), J. Fleming, Hist. Brit. Anim. 1828, 305.—Turbo, 1758. [1773.
cimex Coccudina, Bory de St V., Ency. Méth. (Zooph.) 1827, 540.—?Trichoda, Müll.
cimex Euplotes (Müll.), C. G. Ehrenberg, Infusionthier. 1838, 380.—Trichoda, 1773.
cimex Kerona (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 156.—Trichoda,
1773.
cimex Planorbis, S. Moricand, Mém. Soc. Phys. H. N. Genève, VIII (1) 1838, 143.
cimex Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. li, f. 21.—Turbo, L. 1758.
cimex Rissoa (L.), Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 4.—Turbo,
1758. [[1830], 17.—Trichoda, 1773.
cimex Stylonychia (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1829 (1832)
cimiciformis Blatta, C. Duméril, Dict. Sci. Nat. (ed. 1) IV. 1805, 458.
cimiciformis Dorthesia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 68 [*n. n.*].
cimiciformis Paracletus, C. H. G. v. Heyden, Abh. Senckenb. Mus. II (3) 1837, 294.
cimicina Lobiopa, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 293.
cimicoides Bibiopsis, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 229.
cimicoides Cephaloleia, F. E. Guérin-M., Iconographie, 1844, Ins. 283. [[*n. n.*].
cimicoides Ceraphron, J. Curtis (*ex* Hal. MS), Brit. Entom. VI (62) Feb. 1829, no. 249
cimicoides Chelifer (F.), P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 142.—Scorpio,
cimicoides Clastoptera, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 188. [1793.
cimicoides Darnis (Coq.), J. C. Fabricius, Syst. Rhynch. 1803, 25.—Membracis.
cimicoides Daulis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 242.
cimicoides Delena, H. Nicolet in Gay, Chili, III (Arach.) 1849, 381.
cimicoides Elasmocelis (Germ.), M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1839, 205.
cimicoides Empis, Lamarck, An. s. vert. III. 1816, 402.
cimicoides Eureum, H. Burmeister, Handb. Ent. II (2) i, 1838, 441.
cimicoides Eurychora, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 137.
cimicoides Liotheum, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 301. [phron.
cimicoides Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Cera-
cimicoides Membracis, J. C. Fabricius in A. J. Coquebert, Icon. Ins. (2) 1801, 77.

- cimicoides** Rissoa, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 189.
cimicoides Sargus (Fab.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1779.
cimicoides Suphis, Chevrolat in C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1837—38, 209. [—Musca, 1779.]
cimicoides Tachydromia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 269.
cimicoides Tragopa (Fab.), H. Burmeister, Revue Entom. IV (5) 1836, 185.—Darnis.
cimmerius Pristonychus, Steven in Dejean, Spec. gén. Coléopt. III. 1828, 48.—Sphodrus,
cimmerius Sphodrus, Steven in Dejean, Catal. Coléopt. 1821, 10 [n. n.]. [1821.
cimmerius Sphodrus, Steven in G. Fischer v. W., Entom. Imp. Russ. II. post Nov. 1824,
Cimochelys R. Owen, Rep. Brit. Assoc. 1841 (1842), 176.—R. [111.
Cimoliuchelys emend. pro Cimochelys, Ow.; A. S. Woodward, P. Geol. Assoc. X (5 & 6)
 1888, 275.
Cimoliornis R. Owen, B. Foss. Mamm. (1846), 545.—A.
cimolius Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 141, May 1847.
Cimyndis L. Oken, Lehrb. Naturg. V. 1815, 778 [?=Cymindis].
cinæ Carocolla, Klett in C. T. Menke, Syn. meth. Moll. 1828, 14.
cinæ Leucochroa (Klett), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 16.—Carocolla.
Cinaeda J. Gistl, Nat. Thierr. 1848, p. viii.—Coel.
Cinaedium C. J. Sundevall, Ofvers. K. Vet. Ak. Förh. 1850, 100.—A.
Cinara J. Curtis, Brit. Entom. XII (144) Dec. 1835, no. 576.—Hem.
cinarae Hesperia, Boisduval in C. F. Freyer, Neuere Beitr. Schmett. IV (59) 1842, 104.
cincella Haemylis, K. v. Tischer in J. E. Fischer v. R., Abbild. Schmett. (10) 1838, 124.
Cinche L. Oken, Lehrb. Naturg. VI. 1816, 997.—M. [Tyrannus, Licht.
cinchoneti Tyrannula (Tsch.), De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 7.—
cinchoneti Tyrannus, H. Lichtenstein, Arch. f. Naturg. X (1) 1844, 272.
Cincinna Huebner, Epist. I. 1810.—G. [=Valvata; teste Férussac, Tabl. Syst. Moll.
 1821—22, Prodr. p. 87].
cincinnatiæ Melia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 4. [Paludina.
cincinnatiensis Amnicola (Anth.), A. A. Gould, Rep. Invert. Massach. 1841, 229.—
cincinnatiensis Cyclostoma, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
cincinnatiensis Melania, T. G. Lea, Amer. J. Sci. XXXVIII (1) Jan. 1840, 175.
cincinnatiensis Paludina, J. G. Anthony, Boston Journ. N. H. III (1) 1840, 279.
cincinnatiensis Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 285.
cincinnatiatus Anthophagus (Lath.), J. Jennings, Ornith. 1828 [1827], 329.—Merops.
cincinnatiatus Carbo, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. III (4) Nov. 1837,
cincinnatiata Certhia, J. R. Forster in G. Forster, Voy. World, I. 1777, 519 [n. n.]. [55.
cincinnatiata Clavatulæ, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 61.
cincinnatiatus Graculus (Brandt), G. R. Gray, Genera of Birds, III. Jan. 1845, 668.—Carbo.
cincinnatiatus Meliphaga (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvii.
 —Merops, 1790.
cincinnatiatus Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1830, 346.
cincinnatiata P[enelope], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 46 [n. n.].
cincinnatiata Phengodes, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847,
cincinnatiatus Philedon, F. S. Voigt in Cuvier, Thierreich, I. 1831, 498. [79.
cincinnatiatus Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 427.
 —Merops, 1790. [1790.
cincinnatiata Prothemadera (Lath.), G. R. Gray, List Gen. Birds, 1840, 15.—Merops,
cincinnatiata Terebella (Fab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 87.—Amphitrite,
cincinnatiiformis Achatina (Sow.), L. Pfeiffer, Symb. Helic. II. 1842, 57.—Helix. [1780.
cincinnatiiformis Bulimus (Sow.), L. Pfeiffer, Symb. Helic. III. 1846, 53.—Helix. [17.
cincinnatiiformis Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (97) Sept. 1841,
cincinnatius Achatina (Sow.), L. Pfeiffer, Symb. Helic. II. 1842, 58.—Helix.
cincinnatius Bulimus (Sow.), L. Pfeiffer, Symb. Helic. III. 1846, 53.—Helix. [60.
cincinnatius Cyclostoma, G. B. Sowerby, I., Proc. Zool. Soc. London, XI (124) Nov. 1843,
cincinnatius Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap. 1841, 98.
cincli Docophorus, H. Denny, Mon. Anoplur. 1842, 85.
cincli Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 336.—Docophorus.

- Cinclida** J. Gistel, Nat. Thierr. 1848, 130.—Col.
- Cinclida** J. Gistel, Handb. Naturges. 1850 [1847], 427.—Col.
- Cinclidia** J. Huebner, Verz. bekannt. Schmett. 1818, 29.—Lep.
- Cinclidia** J. Gould, Proc. Zool. Soc. London, V (60) Dec. 1838, 136.—A.
- Cinclidium** E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 181.—A.
- Cinclocerthia** G. R. Gray, List Gen. Birds, 1840, 17.—A.
- Cinclodes** G. R. Gray, List Gen. Birds, 1840, 16.—A. [1838.—A.
- Cincloramphus** J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 4, Ap. 1838, 136.—A.
- Cinclorhamphus** H. E. Strickland, Ann. Mag. N. H. VI (39) Feb. 1841, 421.—*emend.* [rhamphus, Wieg.
- pro* Cincloramphus, Gould.
- Cinclorhamphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cincto-
- cinclorhyncha** Monticola (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 152.— [cincla.
- Petrocincla.
- cinclorhynchus** Orocetes (Vig.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 36.—Petro-
- cinclorhyncha** Petrocincla, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (14) Mar. 1832, 172. [1840, 165.—Petrocincla.
- cynclorhynchus** Petrocosphyus (Vig.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. June
- Cinclosoma** Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 219.—A.
- Cinclus** J. M. Bechstein, Orn. Taschenb. 1802, 205.—A.
- Cinclus** Anon., Allg. Lit. Zeitung, 1804, II. no. 168, June 1804, col. 542.—A. [*teste*
- Cinclus** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*] [C. W. R.].
- Cinclus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- cinclus** Actitis, C. L. Brehm, Isis, 1830, 990 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- cinclus** Aquatilis, Montagu, Suppl. Orn. Dict. 1813, catal. 2. [648.
- cinclus** Charadrius, P. S. Pallas, Zoographia, II. 1811, 148.
- cinclus** Cinclus (L.), Anon., Allg. Lit. Zeitung, 1804, II. no. 168, June 1804, col. 542.—
- Tringa, 1766.—[*teste* C. W. R.].
- cinclus** Cinclus (L.), C. Illiger, Prod. 1811, 216.—Sturnus, 1758. [1758.
- cinclus** Hydrichla (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 76.—Sturnus,
- cinclus** Hydrobata (L.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 35.—Sturnus, 1758.
- cinclus** Lanius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 19.
- cincla** Nomada, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 484.
- cinclus** Parra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- cinclus** Pelidna (L.), G. Cuvier, R. Anim. I. 1817, 490.—Tringa, 1766. [340.
- cinclus** Schoeniclus (L.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 89.—Tringa, 1766.
- cinclus** Totanus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 302.—Tringa, 1766.
- cinclus** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- Cincoliornis** H. G. Bronn, Index Pal. 1848, 301 [*err. pro* Cimol→]. [236.
- cincta** *v.* **cinctus**.
- cinctae** Ampelis, H. Kuhl in Swinderen, Buffoni et Daubentoni fig. Avium nom. syst. 1820, 4.
- cinctalis** Botys, F. Treitschke, Schmett. Europa, VI (2) 1828, 314. [Botys.
- cinctalis** Epicorsia (Treit.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 242.—
- cinctalis** Margaritia (Treit.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 49.—
- Botys. [tab. 23.—Botys.
- cinctalis** Pyralis (Treit.), Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 114, 1830,
- cinctana** Philedone (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix,
1775. [6] 1836, *errata*.—Tortrix, 1775.
- cinctana** Sciaphala (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct.
- cinctaria** Boarmia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geom.
- 1775.
- cinctaria** Cleora (D. & S.), J. Curtis, Brit. Entom. II. 1825, pl. 88.—Geometra, 1775.
- cinctaria** Dryocoetis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—Geo-
- metra, 1775.
- cinctator** Pimpla, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 198.
- cinctatus** Acilius, Klug in C. Aubé, Spec. gén. Hydroc. 1838, 151.
- cinctatus** Spirostreptus, G. Newport, Ann. Mag. N. H. XIII., Ap. 1844, 270.
- cinctellus** Anoplus (Spin.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
- 1845, 453.—Pompilus.

- cinctellus** Anthicus (Rossi), C. J. Schoenherr, Syn. Insect. I (2) 1808, 56.—*Notoxus*,
cinctellus Ateuchus, E. F. Germar, Ins. Spec. novae, I. 1824, 98. [1792.
cinctellus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 300.
cinctellus Bracon, M. Spinola, Ins. Liguriae, II. 1808, 135. [Helix.
cinctella Bradybaena (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 18.—
cinctella Bulla, A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 569.
cinctellus Catachaenus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 306.
cinctella Cernuella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 6 [n. n.]. [1761.
cinctella Chionodes (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 420.—*Phalaena*,
cinctellus Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 162.
cinctella Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 67.
cinctellus Erotylus (Brachymerus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. May
 1841, 153.
cinctellus Eurylobus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 274.
cinctella Fruticicola (Drap.), F. Held, Isis (Oken), 1837, 914.—*Helix*.
cinctella Haltica, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 9. [*Phalaena*, 1761.
cinctella Harpagus (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 278.—
cinctella Helix, J. P. Draparnaud, Tab. Moll. France, 1801, 87.
cinctella Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 46.
cinctella Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 121.
cinctella Hygromia, A. Risso, H. N. Europe, IV. 1826, 67.
cinctella Leucocelis, H. Burmeister, Handb. Ent. III. 1842, 428.
cinctella Lita (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 106.—*Tinea*, 1761.
cinctellus Luperus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 304.
cinctella Mitra, Lamarck, An. s. vert. VII. 1822, 309. [[*Brachymerus*].
cinctellus Mycotretus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 178.—*Erotylus*
cinctella Nassa, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 154.
cinctella Oedionycha, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19
cinctella Oenopia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 426. [[n. n.].
cinctella Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2659.
cinctellus Perilitus, C. G. Nees v. E., Hymenopt. Ich. aff. I. 1834, 40.—*Bracon*, 1811;
 ?=Spin. 1808.
cinctellus Perilitus (Meteoros), Nees; A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 31.
cinctellum Pleurotoma, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 258.
cinctellus Pompilus, M. Spinola, Ins. Liguriae, II. 1808, 39.
cinctella Scaeva, J. W. Zetterstedt, Dipt. Scand. II. 1843, 742.
cinctellus Stiretrus, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 18.
cinctellus Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 246.
cinctellus Vipio, A. Brullé in Bory de St. V., Exp. Morée (Ins.) 1832, 384.
cinctella Vulpecula, de Blainville, Dict. Sci. Nat. XXXI. 1824, 107.
cincticeps Elidiptera, M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839,
 310. [1843, 526.—*Elidiptera*.
cincticeps Helicoptera (Spin.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
cincticollis Anchomenus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 421.—*Feronia*,
 1825.
cincticollis Anisoplia, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 49.
cincticollis Argutor, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 12.
cincticollis Blatta, H. Lucas, Explor. Algér. (Artic. III.), 1849, 8.
cincticollis Boletobius (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 922.—*Tachinus*.
cincticollis Brachinus (Pheropsophus), Laferté-S., Rev. et Mag. de Zool. (2) II. Ap. 1850,
cincticollis Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [n. n.]. [236.
cincticollis Cetonia, F. W. Hope, Ann. Mag. N. H. IX. Aug. 1842, 495.
cincticollis Chlorota, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
 1850 [*in*ente 1851], 208.
cincticollis Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 553.
cincticollis Clinteria, H. Burmeister, Handb. Ent. V. 1847, 554.
cincticollis Dasytes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1844, 99.

- cincticollis Dromius, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 134.
cincticollis Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 52.
cincticollis Photuris, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 81.
cincticollis Pyrophorus, E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 44. [954.
cincticollis Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
cincticollis Tachinus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 465.
cincticollis Vesta, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 122.
cincticornis Chrysops, F. Walker, List Dipt. Coll. B. M. (1) 1848, 201.
cincticornis Donacia, E. Newman, Entom. Mag. V (4) Ap. (i.e. July) 1838, 391.
cincticornis Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 102.
cincticornis Nomada, W. Nylander, Notiser Sällsk. fauna Fennica Förhändl. I. 1848, 182.
cincticorne Platytarma, F. Walker, Entom. Mag. II (3) July 1834, 306.
cincticornis Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 36.—Platy-
tarma, 1834. [1783.
cincticornis Saperda (Schall.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 420.—Cerambyx,
cincticulus Aphodius, F. W. Hope, Ann. Mag. Nat. Hist. [2] I (2) Feb. 1848, 143.
cincticula Cetonia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 124.
cinctiger Elater, A. White, Zool. "Ereb. Terr." (Ins. 1846), 7.
cinctimanus Carpilus, White, Zool. "Samarang" (4) Crust., Mar. 1849, 37.
cinctimanus Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 49.
cinctina Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 17 [n. n.].
cinctipennis Aegithus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 280.—Erotylus.
cinctipennis Altica, L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 86.
cinctipennis Amblyopus, T. Lacordaire (ex Dej. Cat.), Mon. Erotyl., Sept. 1842, 199.
cinctipennis Anthia, H. Dupont, Magasin de Zool. II. 1832, pl. 38.
cinctipennis Brachinus, L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 163.
cinctipennis Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 42.
cinctipennis Chlaenius, P. H. Boheman, Ins. Caffr. I (1) 1848, 148. [1846, 182.
cinctipennis Cicindela, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
cinctipennis Colyphus, M. Spinola, Ess. mon. Clériles, I. 1844, 136.
cinctipennis Cryptocephalus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 45.
cinctipennis Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825,
cinctipennis Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 490. [157.
cinctipennis Hydaticus, Dejean, Cat. Coléopt., ed. 3, 1837, 61; C. Aubé, Spec. gén.
Hydroc. 1838, 191.
cinctipennis Hymenoplia, H. Lucas, Explor. Algér. (Artic. II.) 1846, 291.
cinctipennis Lytta, L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 55.
cinctipennis Octogonotes, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 189 [n. n.]. [242.
cinctipennis Phytoecia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849,
cinctipes Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 397.
cinctipes Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 148.
cinctipes Conotrachelus, C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 29.
cinctipes Cratoparis (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 219.—Euparius.
cinctipes Dasypoda, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 86 [n. n.].
cinctipes Dicyclus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 27.—Miscogaster,
cinctipes Dolichopus, Wahlberg, Ofvers. K. Vet. Ac. Förh. VII (8) 1850, 222. [1833.
cinctipes Encaustes, T. Lacordaire, Mon. Erotyl., Sept. 1842, 41.
cinctipes Eulophus, J. F. Stephens, Ill. Brit. Ent. (Suppl.) Aug. 1846, 9.
cinctipes Euparius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 139.
cinctipes Hypsonotus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 259.
cinctipes Limnobia, T. Say, J. Acad. Nat. Sci. Philad. III., Ap. 1823, 21.
cinctipes Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 462.
cinctipes Poecilma, E. F. Germar, Ins. Spec. novae, I. 1824, 257.
cinctipes Porcellana, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 136.
cinctipes Sciomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1069.
cinctipes Tetyra, T. Say, Amer. Entom. III. 1828, pl. 43.
cinctipes Tylotarsus, E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 247.
cinctipes Zygops (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 611.—Poecilma.

- cinctites** Helix, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Sept. 1844, 184.
- cinctiventris** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 54.
- cinctiventris** Clerus (Thanasinus), A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 32.
- cinctiventris** Hypselopus, E. F. Germar, Revue Entom. V (3) 1840, 152. [32.]
- Cinctorhampus** A. F. A. Wiegmann, Arch. f. Naturg. 1838 (2) 378.—*err. pro* Cinctorhampus, Gould.
- cinctoria** Bulla, G. Perry, Conchology, Ap. 1811, pl. 40.
- cinctorius** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 78.—Ichneumon, 1775.
- cinctorius** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 189.
- cinctulus** Conurus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 226.
- cinctulus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 359.
- cinctulus** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 37.—Ichneumon, 1820. [linus.]
- cinctulus** Philonthus (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 432.—Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 167.
- cinctulus** Staphylinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
- cinctura** Melanocorypha, J. Gould, Zool. "Beagle" (Birds, 1839), 87.
- cincta** Acteon, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 270.
- cincta** Acteonina (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 247.—[Tornatella.]
- cinctus** Aegithus, J. C. Fabricius, Syst. Eleuth. II. 1801, 10. [Tornatella.]
- cinctus** Aetheocerus (L.), Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 111.—Podura, 1758. [Goniates.]
- cinctus** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 61.—Aleochara, Knoch in J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 166.
- cinctus** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo, 1758. [L. 1758.]
- cincta** Altica, A. G. Olivier, Entom. VI. 1808, 675. [L. 1758.]
- cincta** Alysia, A. H. Haliday, Hymenopt. Brit. (2) 1839, 27.
- cincta** Amadina, J. Gould, Proc. Zool. Soc. London, IV (46) Feb. 1837, 105.
- cinctus** Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 116.
- cinctus** Ammonites, W. de Haan, Mon. Ammon. 1825, 129.
- cinctus** Ammonites (de H.), F. Holl, Handb. Petref. II. 1829, 223.—Ceratites.
- cinctus** Ammonites, Goldfuss in F. A. Alverti, Beitr. Bunter, 1834, 91. [—Goniates.]
- cinctus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.
- cincta** Amnicola, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 100.
- cincta** Ampelis, Kuhl in Swinderen, Buffon & Daub. fig. Av. nom. syst. 1820, 4.
- cincta** Ampelis, J. J. v. Tschudi, Arch. f. Naturg. IX (1) 1843, 385.
- cincta** Ampullaria, G. Jan, Consp. meth. Testac. 1830, 6 [*n. n.*].
- cinctus** Ananchytes, S. G. Morton, Amer. J. Sci. XVIII (2) July 1830, 246.
- cincta** Anarta (Payk.), J. W. Zetterstedt, Ins. Lapp. descr. 1839, 951.—Noctua, 1793.
- cinctus** Ancyloceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 502.
- cincta** Andrena, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 220.
- cincta** Anisoplia (Fab.), Dejean, Catal. Coléopt. 1821, 59.—Melolontha, 1792.
- cincta** Anisoscelis, Herrich-S., Wanzenart. Ins. III (6) Dec. 1836, 91.
- cincta** Anomala, T. Say, Boston Journ. N. H. I (2) 1835, 181.
- cinctus** Anomalon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 955.—Ichneumon, L. 1758.
- cinctus** Anthicus, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 278.
- cinctum** Anthidium, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *i*.
- cincta** Anthomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 1745.
- cinctus** Anthribus, Gyll.; Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- cinctum** Aploceras (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 112.—Cyrtoceras, Muenst.
- cincta** Astarte, G. A. Goldfuss, Petref. German. II (6) 1837, 189.
- cinctus** Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 63.—Scarab., 1775.
- cinctus** Atherix (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 272.—Rhagio, 1787.
- cinctus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 430.
- cincta** Avicula, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 239.
- cinctus** Bassus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 327.

- cinctus Belonostomus, L. Agassiz in Mantell, Descr. Catal. Mus. Sussex Inst., ed. 4, 1836, 31 [n. n.]. [(1844).]
- cinctus Belonostomus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 100 (1837); II (2) 142
- cinctus Boletobius (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 278.—Tachinus.
- cinctus Brachinus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 198.
- cinctus Bracon (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 32.—Ichneumon, 1758.
- cinctus Buccinities, E. F. v. Schlotheim, Die Petref. 1820, 136.
- cinctum Buccinum, G. Montagu, Test. Brit. I. 1803, 246.
- cinctum Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann), IV (2) 1805, 87.
- cinctum Buccinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 413.
- cinctus Bufo, Max Wied, Beitr. Nat. Brasil. I. 1825, 564; Abb. Naturges. Brasil. (3) 1823.
- cinctus Bulimus, J. C. Jay, Cat. Shells, ed. 3, 1839, 111.
- cinctus Calathus, V. v. Mochulski, Kaef. Russl., post May 1850, 44.
- cincta Callichroma, F. E. Guérin-M., Iconographie, 1844, Ins. 220.
- cincta Cantharis, F. V. Melsheimer, Ins. Pennsylv. 1806, 41 [n. n.].
- cincta Cantharis, Dejean, Catal. Coléopt. 1821, 37 [n. n.].
- cincta Cantharis, D. H. Schneider, Verz. Insectensamml. 1828, 74 [n. n.].
- cinctus Capito, G. R. Gray, Genera of Birds, II. Mar. 1846, 430. [52.]
- cinctus Caraphractus, F. Walker (ex Haliday MS), Ann. Mag. N. H. XVIII. July 1846,
- cinctus Cardiaster (Mort.), E. Forbes, Ann. Mag. N. H. (2) VI. Dec. 1850, 443.—[Astarte.]
- cincta Cardinia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.—
- cincta Centris, J. C. Fabricius, Syst. Piezat. 1804, 358.—Apis, 1781.
- cinctus Ceratites, W. de Haan, Mon. Ammon. 1825, 157. [204.]
- cincta Cereceris, Klug & Erichson in A. G. Dahlbom, Hymenopt. Europaea (2) 1844,
- cincta Cercopis, J. C. Fabricius, Syst. Rhyng. 1803, 90.
- cinctum Cerithium, Lam.; G. A. Goldfuss, Petref. German. III (8) 1844, 39.—*vurr.*
multigranulosum; bilineatum; subcostatum; plicatum; inaequicostatum; & obso-
Ceropales, J. C. Fabricius, Syst. Piezat. 1804, 187.—Evania, 1798. [letum.]
- cincta Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 193.
- cincta Cetonia, Don.; Dejean, Catal. Coléopt. 1821, 61 [n. n.].
- cinctus Cheilodactylus, J. J. Tschudi, Fauna Peru. (Ichth.) 1846, 15.
- cinctus Chironomus (L.), J. C. Fabricius, Syst. Antliat. 1805, 43.—Tipula, Turt.
- cinctus Chlaenius (Fab.), Dejean, Catal. Coléopt. 1821, 8.—Carabus, 1781.
- cinctus Chlaenius, Olivier in Dejean, Catal. Coléopt. 1821, 8 [n. n.].
- cincta Chlamys, J. Sturm, Catal. Ins. Samml. 1826, 115 [n. n.].
- cincta Chlorida, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. July 1844, 259.
- cincta Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 162. [chaenus.]
- cinctus Cholus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 562.—Rhyn-
- cinctus Chomatodus, J. L. R. Agassiz, Poiss. Foss. III. 107 (1838).—Psammodus, 1837.
- cincta Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 39.
- cincta Chrysomela, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 244.
- cincta Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 8
(= 44).—Tettigonia. [174.]
- cincta Clausilia, L. Brumati, Cat. Conch. Monfalcone, 1838, 37; Poligrafo, XV. 1839,
- cincta Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 9.
- cincta Coccinella, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 31.
- cinctus Coccothraustes, Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 25.
- cincta Cokenatoria (Müll.), F. Held, Isis (Oken), 1837, 91 t.—Helix, 1774.
- cincta Colaspis, Dejean, Catal. Coléopt. 1821, 124 [n. n.].
- cinctus Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 134.
- cinctus Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 129.
- cincta Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1810, 58.
- cincta Columbella, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 492.
- cinctus Conus, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 140.
- cinctus Conus, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 192.
- cinctus Conus, W. Swainson, Zool. Illust. (1) II (22) July 1822, pl. 110.
- cinctus Conus, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. 1832), 337.

- cinctus** Conus, H. E. Anton, Verz. Conch. 1839, 103.
cinctum Copeoglossum, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 162.
cinctus Cordistes, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 272.
cinctus Coreus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 60.
cincta Cotinga (Bodd.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—? Ampelis, Kuhl, 1820.
cincta Cotinis (G. & P.), H. Burmeister, Hand. Ent. III. 1842, 262.—Gymnetis, ? Perty.
cincta Cotyle (Bodd.), G. R. Gray, Genera of Birds, I. Mar. 1845, 60.—Hirundo, 1783.
cinctus Crabro, M. Spinola, Ins. Liguriae, I. 1806, 104.
cinctus Cryptus (L.), J. C. Fabricius, Syst. Piezat. 1804, 89.—Ichneumon, 1758.
cinctus Curculio, A. G. Olivier, Entom. V. 1807, 343.
cinctus Curculio, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 391.
cinctum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 129.
cincta Cymindis, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 55.
cincta Cyrtocera, A. v. Muenster, Beitr. zur Petref. (1) 1839, 34.
cincta Dacnusa, G. H. Haliday, Hymenopt. Brit. (2) 1839, 9.
cinctus Dasypogon (Fab.), J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 252.—Asilus, 1781.
cinctus Dasytes, J. Sturm, Catal. Ins. Samml. 1826, 130 [*n. n.*].
cinctus Dasytes, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 57.
cinctum Dentalium, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 318.
cinctum Dentalium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 3.
cinctus Deracanthus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 376. [312.
cincta Dexia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
cinctus Diacanthus (Payk.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 73.—Elater, 1800.
cinctum Diagramma, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 61.
cincta Dioctria (Gm.), Lamarck, An. s. vert. III. 1816, 405.—Asilus, Fab. 1781.
cincta Dioxys (Jur.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 109.—Trachusa.
cinctum Discosoma, M. Perty, Del. anim. artic. Brasil. (3) 1833, 209.
cinctum Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 422.—Fasciola, 1803.
cinctus Dix, J. Curtis, Guide Brit. Ins. (7) 1831, 207 [*n. n.*].
cinctus Dix, J. Curtis, Brit. Entom. IX (102) June 1832, no. 409.
cinctus Dolerus, L. Jurine, N. Méth. class. Hyménopt. 1807, 58 [*n. n.*].
cinctus Dolichopus, C. Staeger, Naturhist. Tidsskrift, IV (1) 1842, 24.
cincta Donacia, Germ.; Dejean, Catal. Coléopt. 1821, 113 [*n. n.*].
cincta Doryphora, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 175.
cincta Doryphora, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
cinctus Drapetes, Panz.; Dejean, Catal. Coléopt. 1821, 34 [*n. n.*].
cinctus Dytiscus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 48 [*n. n.*]; & *var.* rufipes, F. V. M. [*n. n.*].
cinctus Ebaeus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 434.
cinctus Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 66.
cinctus Elater, Pal. B.; Dejean, Catal. Coléopt. 1821, 31 [*n. n.*].
cinctus Elmis (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 187.—Parnus.
cinctus Elytrurus, J. A. Boissudal in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 400.
cincta Emphytus (L.), W. E. Leach, Zool. Miscell. III. 1817, 128.—Tenthredo, 1758.
cinctum Enterion, Fitzinger, Isis (Oken), 1833, 552 [*n. n.*]. [192.—Deracantha, 1833.
cinctus Ephippiger, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846,
cincta Epipona, Lepeletier de S. F. (Koret's Suite à Buffon), Hyménopt. I. 1836 [1835], 541. [1787.
cincta Episema (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 65.—Noctua,
cinctus Epomis, Rossi in Dejean, Catal. Coléopt. 1821, 8 [*n. n.*]. [1770.
cincta Eristalis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 103.—Musca,
cinctus Erythylus (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 328.—Aegithus.
cinctus Erythrogonyx, J. Gould, Syn. Birds Austr. & adj. Islands (4) Ap. 1838.
cinctum Euchlornis (Tschudi), F. de Filippi, Mus. Mediol. Anim. vert., Mar. 1847, 31.—
cinctus Eumorphus, A. G. Olivier, Entom. VI. 1808, 1067. [Ampelis.

- cinctus Eupodes, C. L. Koch, Deutsch. Crust., heft 19, 1838, tab. 13.
 cincta Eupoeila (Don.), H. Burmeister, Handb. Ent. III. 1842, 539.—Cetonia.
 cincta Exorista (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Tachina.
 cincta Fasciola, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (2) 1803, 31.
 cincta Fringilla (Gould), G. Bennett, Cat. Austral. Mus. 1837, 21.—Amadina.
 cinctus Fusus, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 104.
 cincta Galeruca, F. V. Melsheimer, Ins. Pennsylv. 1806, 26 [n. n.].
 cinctum Glendinium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837)
 cinctus Goniates, G. v. Muenster, Beitr. zur Petref. (1) 1839, 31. [[1836], 174.
 cinctus Goniates, Braun in G. v. Muenster, Beitr. zur Petref. (5) 1842, 127.
 cinctus Gorytes, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 308.
 cincta Gymnetis, M. Perty, Del. anim. art. Brasil. (1) 1830, 53.
 cinctus Gyretes (Germ.), C. Aubé, Spec. gén. Hydroc. 1838, 755.—Gyrinus.
 cinctus Gyrinus, E. F. Germar, Ins. Spec. novae, I. 1824, 33.
 cincta Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [n. n.].
 cincta Halys, Herrich-S., Wanzenart. Ins. V (4) Jan. 1840, 67. [1842.
 cincta Hamulina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 102.—Ancyloceras,
 cinctus Harpactor (Fab.), Herrich-S., Wanzenart. Ins. VIII (4) June 1846, 83.—Re-
 duvius, 1777. [Fab. 1781.
 cinctus Harpalus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 343.—Carabus,
 cincta Helix, R. Sheppard, Tr. Linn. Soc. London, XIV (1) 1823, 163.
 cincta Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 56.
 cincta Helix (Helicogena), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
 1821, 33.
 cincta Heriades (Jur.), M. Spinola, Ins. Liguriae, II. 1808, 198.—Trachusa.
 cinctus Heterocercus, J. L. Leconte in Agassiz, Lake Superior, 1850, 217 [n. n.].
 cincta Heterotoma (L.), Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 399.—Podura,
 cinctus Heterotoma, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 128. [1758.
 cincta Hispa, Dejean, Catal. Coléopt. 1821, 115 [n. n.].
 cinctus Holaster (Morton), L. Agassiz, Cat. Ect. Ech. 1840, 1.—Ananchytes.
 cincta Hydrocera, M. Spinola, Ess. mon. Clérites, II. 1844, 48.
 cinctus Hydrophilus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 47 [n. n.].
 cinctus Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 158.
 cinctum Imatidium, Dejean, Catal. Coléopt. 1821, 115 [n. n.].
 cinctum Imatidium, F. E. Guérin-M., Iconographie, 1844, Ins. 285.
 cinctus Inoceramus, G. A. Goldfuss, Petref. German. II (5) 1836, 110.
 cinctus Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 356.
 cinctus Ixodes, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 47.
 cincta Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 291.
 cincta Lamia, G. Fischer, Mus. Démid. III. 1807, 44.
 cincta Lampyris, F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [n. n.].
 cincta Laphria, J. C. Fabricius, Syst. Antliat. 1805, 163.—Asilus, 1781.
 cinctus Largus, Herrich-S., Wanzenart. Ins. VII (1) Dec. 1842, 6.
 cinctum Lathrobium, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 454.
 cincta Lema, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 187 [n. n.].
 cincta Leptura, J. C. Fabricius, Syst. Eleuth. II. 1801, 356.
 cincta Leptura, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [n. n.]; & var.
 lateralis, F. V. M. [n.].
 cinctus Limnaeus, F. H. Troschel, De Limnaeaceis, Oct. 1834, 58. [279.
 cincta Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
 cinctus Lionychus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848,
 cinctus Lissonotus, Sch.; Dejean, Catal. Coléopt. 1821, 109 [n. n.]. [95.
 cincta Littorina, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 481.
 cincta Littorina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1848), 252.
 cinctus Lordops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 179.
 cinctus Ludius (Payk.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.
 cinctus Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 113. [—Elater, 1800.
 cinctus Lygus, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 227 [n. n.].

- cincta* Macromia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 141.
- cinctus* Malachius, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 87.
- cincta* Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 69, June 1846.
- cincta* Marginella, L. C. Kiener, Spec. Coquilles (Marginella) 1834, 21.
- cinctus* Megalopus, MacL.; Dejean, Catal. Coléopt. 1821, 114 [*n. n.*].
- cinctus* Megalopus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 319.
- cincta* Megilla, J. C. Fabricius, Syst. Piezat. 1804, 330.—Andrena, 1781.
- cincta* Meliphaga, B. Dubus, Bull. Ac. Roy. Brux. VI (1) 1839, 295.
- cinctus* Mycropogon, C. J. Temminck in T. & Laugier, Pls. color. (85) July 1830.
- cinctus* Mictis, V. Signoret, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, 71.
- cincta* Mitra, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 498.
- cincta* Monodonta, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1843, 155.
- cinctus* Mydas, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 655.
- cincta* Mylabris, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 93.
- cinctus* Mytilus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 426.
- cincta* Nassa (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 340.—Buccinum.
- cincta* Natica, J. Phillips, Geol. Yorksh. I. 1829, 130 [*n. et f.*].
- cincta* Natica, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 384.
- cincta* Naticella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 199.
- cinctus* Nematus (Jur.), M. Spinola, Ins. Liguria, II. 1808, 156.—Dolerus.
- cinctus* Nematus, Le Peletier, Mon. Tenthred. 1823, 66.
- cincta* Nemistrina, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 294.
- cincta* Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 118.
- cincta* Nerinea, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 45.
- cincta* Neritina (Clithon), C. A. Récluz, Journ. de Conch. I (2) Ap. 1850, 158.
- cincta* Nitidula, O. Heer, Coleopt. Helvet. (3) 1841, 396.
- cincta* Nomada, Herrich-S., E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 288.
- cinctus* Ochlerus, M. Spinola, Ess. Ins. Hémipt. 1837, 295.
- cincta* Octotoma, J. Sturm, Catal. Ins. Samml. 1826, 175 [*n. n.*].
- cincta* Odontomyia, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 432.
- cincta* Oedionychis (Ol.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 154.—
- cinctus* Olisthopus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 424. [Altica.
- cincta* Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 47, Oct. 1850.
- cincta* Omalocephala (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 262.—Cercopis.
- cinctus* Oniticeus (Fab.), Dejean, Catal. Coléopt. 1821, 53.—Ateuchus.
- cincta* Ophiolepis, Joh. Mueller & Troschel, Syst. Asterid. 1842, 90.
- cinctus* Opilus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 322.
- cincta* Orbicula, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 446.
- cincta* Orchesella, R. Templeton, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 93.
- cincta* Orchesella (L.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 288.—Podura, 1758.
- cinctus* Orimus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 412.
- cinctus* Orodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 94 (1836); III. 96 (1838).
- cincta* Orthis, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 153.
- cincta* Orthocera, J. De C. Sowerby, Min. Conch. VI. 1828, 168.
- cinctus* Orthoceratites (Sow.), G. v. Muenster, Beitr. zur Petref. (3) 1840, 99.—Orthocera.
- cincta* Oscinis (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 604.—Chlorops.
- cincta* Osmia (Megachile), A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 85.
- cinctus* Oxyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 196.
- cinctus* Oxyporus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- cincta* Pachnoda (De G.), H. Burmeister, Handb. Ent. III. 1842, 512.—Scarabaeus, 1778.
- cinctus* Pachybrachys, Gené in Suffrian, Linnaea Entom. III. Ap. 1848, 123.
- cinctus* Paederus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 457.
- cinctus* Parnus, Knoch in Melsheimer, Cat. Ins. Pennsylv. 1806, 16 [*n. n.*].
- cinctus* Parus, P. Boddaert, Tab. Planch. Enl. 1783, 44.

- cinctus Pecten, J. Sowerby, Min. Conch. IV. 1822, 96.
 cincta Pentagonites, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429
 cincta Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1812, 114. [*n. n.*]
 cincta Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 212.—Sphex, 1793.
 cinctum Peredinium (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 38.—Vorticella, 1773.
 cincta Perla, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 229.
 cincta Phasianella, J. Phillips, Geol. Yorksh. I. 1829, 152 [*n. et f.*].
 cincta Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 68.
 cinctum Phthiria, J. Curtis, Guide Brit. Ins. (7) 1831, 212 [*n. n.*].
 cinctus Phymateus (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St. Pétersb. V. 1815, 258.—Gryllus, 1793.
 cincta Pisania (Quoy), J. E. Gray, Figè. Moll. Anim. IV. 1850, 67.—Buccinum.
 cincta Plaesiorrhina (Voet), H. Burmeister, Handb. Ent. III. 1842, 213.—Scarabaeus, ? Fab. 1775.
 cincta Platystoma, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 299.
 cincta Pleurotoma, Lamarck, An. s. vert. VII. 1822, 92.
 cincta Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 136.
 cincta Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 447.
 cincta Pleurotoma, A. Bivona, Giorn. Sci. Lett. Sicilia, LXI. 1838, 226.
 cincta Pleurotomaria, de Koninck in G. A. Goldfuss, Petref. German. III (8) 1844, 68.
 cincta Poecilocera (Fab.), H. Burmeister, Handb. Ent. II (2) i, 1838, 623.—? Gryllus, 1793.
 cincta Poephila, J. Gould, Birds of Australia, III (6) 1842, pl. 93.—Amadina, 1837.
 cincta Pogonornis (Dubus), G. R. Gray, Genera of Birds, I. Oct. 1846, 123.—Meliphaga.
 cincta Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 522. [1774].
 cincta Pomatia (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 43.—Helix,
 cincta Porcellia, G. v. Muenster, Beitr. zur Petref. (3) 1840, 84.—Goniatis, 1839.
 cinctus Porites, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 27.
 cinctus Potamanthus (Retz.), F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec. 1845], 219.—Ephemera, 1783.
 cinctus Potamides (Lam.), J. Sowerby, Min. Conch. IV. 1822, 51.—Cerithium, Br. 1792.
 cinctus Potamis (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (16) [1843], 68.—Potamides.
 cinctus Prionus (Voet), C. J. Schoenherr, Syn. Insect. I (3) 1817? 346.—Cerambyx, 1797.
 cincta Pristophora, E. Newman, Entom. Mag. IV (3) Jan. 1837, 259.
 cinctus Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 323.
 cinctus Psammodus, J. L. R. Agassiz in Egerton, Catal. 1837 [*n. n.*]; Poiss. Foss. III. 107 (1838).
 cinctus Pseudolycus, F. E. Guérin, Ann. Soc. Ent. France, II (2) c. July 1833, 157.
 cincta [Psyllobora] (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 167.—
 Coccinella, 1798.
 cincta Pterois, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 108.
 cinctus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 11.
 cinctus Pterygophorus, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 278. [657].
 cinctus Pterygophorus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
 cinctus Ptilonopus (Temm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 2.—Columba.
 cinctus Ptilonopus (Temm.), G. R. Gray, Genera of Birds, II. Aug. 1844, 467.—
 Columba.
 cincta Ptilotus (Dub.), G. R. Gray, Zool. "Ereb. Terr." (Birds, 1844), 4.—Meliphaga.
 cinctus Purpuricenus, Villa & Villa, Coleopt. Europ. 1833, 36.
 cincta Pyramidella, L. Reeve, Proc. Zool. Soc. London, X (119) Feb. 1843, 198.
 cinctus Rhynchaenus, A. G. Olivier, Entom. V. 1807, 172.
 cinctus Rhyphus (Fab.), J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3437.—Rhagio, 1787.
 cincta Rhyzopertha, E. Newman, Entom. Mag. II (2) Ap. 1834, 203.
 cincta Salamandra, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 259.
 cincta Salda, Herrich-S., Wanzenart. Ins. VI (3) May, 1841, 40.
 cinctus Salticus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) VI. Sept. 1836, 163.

- cincta** Scaeva, C. F. Fallen, *Syrphici Sveciae* (5) 1817, 45.
cincta Scatophaga, J. C. Fabricius, *Syst. Antliat.* 1805, 206.—Musca, 1794.
cincta Sciara, J. C. Fabricius, *Syst. Antliat.* 1805, 60.—Rhagio, 1787.
cinctus Sciobius, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (1) 1843, 196.
cincta Scolia, F. Klug in Weber & Mohr, *Beitr. Nat. I.* 1805, 36.
cincta Scutellera, J. F. Eschscholtz, *Entomographien*, I (1) 1822, 105.
cinctus Sehirus (Pal.), Amyot & Serville (*Roret's Suite à Buffon*), *Hémiptères*, 1843, 97.
cincta Serpula, G. A. Goldfuss, *Petref. German.* I (3) 1831, 237. [—Pentatoma.
cincta Simulia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VI. 1830, 311.
cinctus Sphaerodus, J. L. R. Agassiz, *Poiss. Foss.*, Feuilleton, 123 (1839); II (2) 214
cinctus Sphaeropalpus, F. E. Guérin-M., *Iconographie*, 1844, Ins. 285. [(1844).
cinctus Sphenophorus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 921.
cinctus Spirifer, A. Keyserling, *Wiss. Beob. Petschora*, 1846, 229. [Amadina.
cincta Sporothlastes (Gould), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 456.—
cincta Squatarola (Less.), Jardine & Selby, *Ill. Orn.*, pl. 110, 1830.—Vanellus.
cinctus Staphylinus, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 519.
cinctus Staphylinus, L. Redtenbacher in Hügel, *Kaschmir*, IV (2) 1844, 504.
cinctus Staphylinus, A. J. J. Solier in Gay, *Chili*, IV (Col.) 1849, 314.
cinctus Stenolophus, T. Say, *Tr. Amer. Phil. Soc.*, n. s., IV (3) 1834, 434. [Leptura.
cincta Stenura (Kn.), S. S. Haldeman, *Tr. Amer. Phil. Soc.*, n. s., X (1) 1847, 63.—
cinctus Stigmatrachelus (Ol.), C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 124.—
Curculio. [Naticella.
cincta Stomatia (Klip.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 (Jan. 1850), 194.—
cinctus Sympezopus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 710.
cincta Symplecta, J. Curtis, *Guide Brit. Ins.*, ed. 2, 1837, 237 [*n. n.*]. [Scaeva.
cinctus Syrphus (Fall.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 318.—
cincta Tachina, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 297.
cinctus Tachinus, J. L. C. Gravenhorst, *Coleopt. micr.* 1802, 193.
cinctus Tachinus (Marsh.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 22.—Staphylinus.
cinctus Tachyporus, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 58 [*n. n.*].
cincta Taenodema, J. O. Westwood, *Ann. Mag. N. H.* VIII. Nov. 1841, 205.
cincta Tanypus (Fab.), J. W. Meigen, *Mag. f. Insektenk. (Illiger)* II. 1803, 261.—
Tipula, 1794.
cinctus Taurocerus, Herrich-S., *Wanzenart. Ins.* IX (6) Nov. 1851, 316. [271.
cinctus Telephorus, F. L. de Laporte in Brullé, *H. N. Anim. artic. (Coléopt.)* I. 1840,
cincta Tenthredo (Emphytus), F. Klug, *Ges. Nat. Fr. Berlin Mag.* VIII (4) 1818, 279.
cincta Terebra (Sow.), J. Fleming, *Hist. Brit. Anim.* 1828, 347.—Potamides.
cincta Tetanocera (Fab.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VI. 1830, 33.—
Musca, 1794.
cincta Tetanocera, H. Loew, *Dipterologische Beiträge*, I. 1845, 40.
cinctus Tetraonyx, J. Curtis, *Proc. Linn. Soc. Lóndon* (21) June 1844, 202.
cinctus Tetrodon, J. Richardson, *Zool. "Samarang"* (Fish, 1848), 20.
cincta Tettigonia, J. C. Fabricius, *Syst. Rhyng.* 1803, 38.
cincta Thereva, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* II. 1820, 117.
cinctus Thyreocoris (Esch.), E. F. Germar, *Zeitschr. f. d. Entom.* I (1) 1839, 27.—
cincta Thyrsocera, H. Burmeister, *Handb. Ent.* II (2) i, 1838, 499. [Scutellera.
cincta Tiphia, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 504.
cincta Tipula, J. C. Fabricius, *Ent. Syst.* IV. 1794, 246.
cincta Tipula, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 592.
cincta Tornatella, Muenster in G. A. Goldfuss, *Petref. German.* III (8) 1844, 48.
cinctus Toxotus (Fab.), Dejean, *Catal. Coléopt.* 1821, 112.—Rhagium, 1787.
cincta Trachusa, L. Jurine, *N. Méth. class. Hyménopt.* 1807, 253 [*n. et f.*].
cinctus Trachyderes, H. Dupont (*ex Dej. Cat.*), *Mon. Trachyd. in Magazin de Zool.*
VIII. 1838, 6. [1848, 68.
cincta Trichognatha, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXI. 1848 (1)
cincta Trigonia, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (1) 1841, 27.
cincta Tritoma, T. Lacordaire, *Mon. Erotyl.*, Sept. 1842, 223. [Clymenia.
cincta Trocholites (Muenst.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 56.—

- cinctus Trochus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 185.
- cinctus Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 57.
- cinctus Tropideres (Payk.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 157.—
Anthribus, 1800.
- cincta Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 395.
- cinctus Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.
- cincta Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 41.—Vorticella, 1773.
- cincta Urda, G. v. Muenster, Beitr. zur Petref. (3) 1840, 22.
- cinctus Vanellus, R. P. Lesson, Man. Orn. II. June 1828, 309.
- cincta Venus, E. Eichwald, Nat. Lithuaen, 1830, 205.
- cincta Venus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 36.
- cincta Voluta, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 132.
- cinctus Xylophagus (De G.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 266.—
Nemotelus, 1776.
- cinctus Xystus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 351.
- cineraceus Anser, C. L. Brehm, Beitr. Vögelk. III. 1822, 875. [1831, 580.
- cineracea Ardea, C. L. Brehm, Isis, 1830, 988 [n. n.]; Handb. Nat. Vögel Deutschl.
- cineraceus Buceros, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831, (89)
Feb. 1832.
- cineraceus Buteo (Forst.), J. Fleming, Hist. Brit. Anim. 1828, 55.—Falco.
- cineracea Carpophaga (Temm.), G. R. Gray, Genera of Birds, II. Sept. 1844, 469.—
Columba. [Deutschl. 1831, 96.—Falco cineraceus.
- cineraceus Circus (Mont.), C. L. Brehm, Isis, 1828, 1270 [n. n.]; Handb. Nat. Vögel
- cineracea Columba, C. J. Temminck in T. & Laugier, Pls. color. (95) 1835.
- cineracea Cucullia, C. F. Freyer, Neuere Beitr. Schmett. IV (59) 1842, 110.
- cineraceus Cuculus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 298.
- cineracea Curruca, C. L. Brehm, Isis, 1828, 1282 [n. n.]; Handb. Nat. Vögel Deutschl.
- cineraceus Ectatops, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 71. [1831, 420.
- cineraceus Edolius, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 145.
- cineraceus Eusomus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 42.
- cineraceus Falco, E. Forster, Cat. Avium Brit. 1817, 67 [n. n.].
- cineraceus Falco, H. R. Schinz, Nat. Abb. Vögel, 1831-3 [1831], 26.
- cineraceus Falco, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 27 [n. n.].
- cineraceus Glaucopteryx, J. J. Kaup, Classif. Säug. 1844, 113. [1831, 571.
- cineracea Grus, C. L. Brehm, Isis, 1830, 988 [n. n.]; Handb. Nat. Vögel Deutschl.
- cineracea Helix, Hombron & Jacquinot, C. R. Acad. Sci. (Paris) XIII. 1841, 145 [n. n.].
- cineracea Helix, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. July 1841, 64.
- cineracea Hylotoma, T. v. Charpentier, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 409.
- cineraceus Lipaugus (Vieill.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 234.—Ampelis
cinerea.
- cineracea Macronota, Gory & Percheron, Mon. Cétoines (12 & 13) May 1836, 324.
- cineraceus Myiobius (Lafr.), G. R. Gray, Genera of Birds, III. App. 1849, 11.—Tyrannula.
- cineraceus Orthotomus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post Sept.), 589.
- cineracea Perdix, C. L. Brehm, Isis, 1830, 986 [n. n.]; Handb. Nat. Vögel Deutschl.
1831, 525.
- cineracea Querula, *id. ac* cinerea, d'O. & Lafr.; A. d'Orbigny, Amér. Mérid. (Ois.)
1839, 206.—? Ampelis cinerea, Lath. 1790.
- cineracia Simia, E. Griffith, Descr. anim. (Quad.) 1821, 92.
- cineraceus Strigiceps, C. L. Bonaparte, List Birds Eur. Amer. 1838, 5.
- cineraceus Sturnus, C. J. Temminck in T. & Laugier, Pls. color. (94), 1835.
- cineraceus Thaerodontis (Ruepp.), J. McClelland, Calcutta Journ. Nat. Hist. V (18) July
1844, 216.—Muraena cinerascens. [390.
- cineraceus Tropidorhynchus, S. Mueller in C. L. Bonaparte, Consp. gen. Avium, I. 1850,
- cineracea Tyrannula, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 7.
- cineralis Botys (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2)
(Noct. 5, pt. 2) 1832, 113.—Pyrallis, 1796. [1794.
- cineralis Margaritia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena,
- cinerana Laspeyresia, J. Huebner, Verz. bekannt. Schmett. 1826, 381.—Tortrix.

- cinerana** Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1781.
cinerana Steganoptycha (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix
cinerana Tortrix, F. v. P. Schrank, F. Boica, II (2) 1802, 80. [cineraria.
cinerana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 33 (Fernaldo judice 1811–18)
cinerarius Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 476. [[*n. et f.*].
cineraria Andrena (L.), J. C. Fabricius, Syst. Piezat. 1804, 323.—Apis, 1758.
cineraria Anthomyia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1677.
cinerarius Asilus, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 29.
cineraria Boarmia (D. & S.), F. Treitschke, Schmett. Europa, VI (1) 1827, 227.—
 Geometra, 1796. [24.
cinerarius Bombylius, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818,
cinerarius Brachycerus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 115.
cinerarium Dorcadion (Fab.), H. C. Kuester, Käfer Europas, XV. 1848, 78.—Lamia,
cineraria Eucera, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 133 [*n. n.*]. [1787.
cinerarius Falco, G. Fleischer, Sylvan, 1817–1818 (1818), 173.
cinerareus Falco, G. Montagu, Tr. Linn. Soc. London, IX. 1808, 188. [1775.
cineraria Fidonia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 437.—Geom.
cineraria Fidonia, Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4,
 pt. 2) 440, 1829.
cineraria Geometra, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 23 [*n. n.*].
cineraria Melitta (L.), W. Kirby, Mon. Apum Angl. II. 1802, 98.—Apis, 1758.
cineraria Mniophila (Fab.), Boisduval, Gen. Index Europ. Lepid. 1840, 200.—Geometra,
 D. & S. 1796.
cinerarius Pyrophorus, E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 65.
cineraria Scatophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 251.
cinerarius Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 350. [1802.
cineraria Sylvia, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, III. 1807, 534.—cinerea,
cinerarius Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 121.
cineraria Tephronia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 318.—Geo-
 metra, 1796. [Trochus, 1758.
cinerarius Turbo (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.
Cineras W. E. Leach, Journ. de Physique, LXXXV. 1817, 68; Ency. Brit. (Suppl. to
 ed. 4–6) III (1) 1818, 170.—Cirr.
cinerascens Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 610.
cinerascens Anas, J. M. Bechstein, Orn. Taschenb. (2) 1803, 437.
cinerascens Andrena, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. 1, 1848, 216.
cinerascens Anthomyia, Meigen in C. R. W. Wiedemann, Zoologisches Magazin, I (1)
 1817, 79. [1841, 51.
cinerascens Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II.
cinerascens Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 138.
cinerascens Bidens, J. B. v. Spix, Avium Brasil. I. 1824, 15.
cinerascens Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 55.
cinerascens Bubo, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Nov. 1843, 321.
cinerascens Buceros, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
cinerascens Callithrix, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 20.
cinerascens Caprimulgus, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 233.
cinerascens Chiton, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 89.
cinerascens Cichla (Forsk.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 341.—Sciaena,
 1775. [41.—Falco cinerareus?
cinerascens Circus (Mont.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
cinerascens Clausilia, Jenisson in Rossmäessler, Icon. Moll. I (1) 1835, 78.
cinerascens Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 248. [July 1837, 53.
cinerascens Cyclostoma, E. A. Rossmäessler, Icones L. ü. S. Moll. Europ. I (5 & 6)
cinerascens Delia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 575. [Oct. 1850, 121.
cinerascens Demodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
cinerascens Dentalium, H. E. Anton, Verz. Conch. 1839, 25.
cinerascens Diagramma, Cuvier & Valenc., H. N. Poiss. V. 1830, 307.

- cinerascens *Dicrourus* (Horsf.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 352.—
Edolius cineraceus.
- cinerascens *Dicrurus* (Horsf.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (2) 1826, 138.—*Edolius cineraceus*.
- cinerascens *Drymophila*, C. J. Temminck in T. & Laugier, *Pls. color.* (56) Mar. 1825.
- cinerascens *Duberria*, L. J. Fitzinger, *Neue Classif. Rept.* 1826, 56 [*n. n.*]. [15.
- cinerascens *Elaphidion*, J. L. Le Conte, *Journ. Acad. Nat. Sc. Philad.* II (1) Nov. 1850.
- cinerascens *Elaphinis* (Fab.), H. Burmeister, *Handb. Ent.* III. 1842, 596.—*Cetonia*, 1798.
- cinerascens *Empis*, J. W. Meigen, *Klassif. Zweifl. Insekt.* I (2) 1804, 230.
- cinerascens *Erioptera*, J. W. Meigen, *Klassif. Zweifl. Insekt.* I (1) 1804, 52.
- cinerascens *Falciger*, Nees; J. Sturm, *Catal. Ins. Samml.* 1826, 141. [linus.
- cinerascens *Gabrius* (Grav.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 23.—*Staphy-*
- cinerascens *Gastrodus*, Koll.; J. Sturm, *Catal. Ins. Samml.* 1826, 143.
- cinerascens *Gemmipora* (E. & S.), J. D. Dana, Wilkes, *U. S. Exped., Zooph.*, c. Mar. 1848, 411.—*Madrepora*, 1786.
- cinerascens *Heliases*, Cuvier & Valenc., H. N. Poiss. V. 1830, 495.
- cinerascens *Helix*, L. Pfeiffer, *Proc. Zool. Soc. London*, XIII (147) Sept. 1845, 64.
- cinerascens *Hydrellia*, J. Macquart (Roret's *Suite à Buffon*), *Diptères*, II. 1835, 526.
- cinerascens *Hyla*, J. B. v. Spix, *Ranar. Brasil.* 1824, 11.
- cinerascens *Hylophilus*, Max Wied, *Beitr. Naturges. Brasil.* III (2) 1831, 723.
- cinerascens *Hypsiboas* (Spix), J. Wagler, *Nat. Syst. Amph.* 1830, 201.—*Hyla*.
- cinerascens *Hypudaeus*, A. Wagner, *Arch. f. Naturg.* XIV (1) 1848, 184.
- cinerascens *Labrus* (Forsk.), B. G. E. de Lacepède, *Hist. Nat. Poiss.* III. 1802, 426.—
Sciaena, 1775.
- cinerascens *Limnobia*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* I. 1818, 147.
- cinerascens *Lipangus* (Spix), F. Boie, *Isis* (Oken), 1828, 318.—*Muscicapa*.
- cinerascens *Liponeura*, H. Loew, *Entom. Zeitung*, Stettin, V (4) Ap. 1844, 118.
- cinerascens *Lixus*, Schoenherr in E. Ménétriés, *Cat. Rais. Zool. Caucase*, 1832, 221.
- cinerascens *Microplus*, [E. Blanchard], *Cat. Coll. Ent. Mus. H. N. Paris*, *Coléopt.* I. Oct. 1850, 69. [mophila.
- cinerascens *Monarcha* (Temm.), G. R. Gray, *Genera of Birds*, I. Aug. 1846, 260.—*Dry-*
- cinerascens *Muraena*, E. Rueppell in *Atlas zu Rueppell, Reise* (Senckenb. *Nat. Ges.*) *Fische* (—) 1830 or 1831, 120.
- cinerascens *Muscicapa*, J. B. v. Spix, *Avium Brasil.* II. 1825, 16. [1830, 499.
- cinerascens *Mydina*, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
- cinerascens *Myobia*, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
- cinerascens *Myopa*, J. W. Meigen, *Klassif. Zweifl. Insekt.* I (2) 1804, 287. [1830, 99.
- cinerascens *Nudaria*, Herrich-S., *Syst. Bearb. Schmett. Europ.* II (—) 1847, 162.
- cinerascens *Opilio*, C. L. Koch, *Uebers. Arachnidensyst.* II. 1839, 32.
- cinerascens *Oxyurus*, C. L. Koch, *Krit. Revision Insect. Deutschl.* 1847, 140.
- cinerascens *Pachyrhynchus*, J. B. v. Spix, *Avium Brasil.* II. 1825, 34.
- cinerascens *Parus*, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XX. 1818, 316.
- cinerascens *Phalaropus*, P. S. Pallas, *Zoographia*, II. 1811, 204. [Staphylinus.
- cinerascens *Philonthus* (Grav.), W. F. Erichson, *Käfer Mark Brand.* I (2) 1839, 478.—
- cinerascens *Phryxe*, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
- cinerascens *Polydrusus*, Meg.; Dejean, *Catal. Coléopt.* 1821, 93 [*n. n.*]. [1830, 168.
- cinerascens *Porcellio*, J. F. Brandt, *Bull. Soc. Imp. Nat. Moscou*, VI. 1833, 178.
- cinerascens *Prepodes* (Fab.), C. J. Schoenherr, *Gen. et Sp. Curc.* II (1) 1834, 27.—*Cur-*
-culio, 1792.
- cinerascens *Pria*, W. F. Erichson in *Germa. Zeitschr. f. d. Entom.* IV. 1843, 309.
- cinerascens *Procellaria*, C. J. Temminck in T. & Laugier, *Pls. color.*, *Tabl. méth.*, Jan. 1839, 102. [Empis, 1804.
- cinerascens *Rhamphomyia*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 48.—
- cinerascens *Rhynchaenus*, J. L. C. Gravenhorst, *Vergl. Uebers. Zool. Syst.* 1807, 208.
- cinerascens *Rhynchaenus* (Marsh.), L. Gyllenhal, *Ins. Suecica*, I (4) 1827, 573.—*Curculio*.
- cinerascens *Rhynchops*, J. B. v. Spix, *Avium Brasil.* II. 1825, 80.
- cinerascens *Sciaphila*, J. Macquart, *Rec. Trav. Soc. Anat. Sci. Lille*, 1823-4, 1826, 101.
- cinerascens *Sitones*, Fahraeus in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 256.

- cinerascens** Solieria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 470.—Myobia, 1830.
- cinerascens** Spheg, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 25.
- cinerascens** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 49.
- cinerascens** Stenocorus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 177 [*n. n.*].
- cinerascens** Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 539.
- cinerascens** Stichopus (Gymnochirotia), J. F. Brandt, Prod. anim. Mertens. I. 1835, 51.
- cinerascens** Strigiceps (Mont.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 35.—Falco cinereus.
- cinerascens** Synallaxis, C. J. Temminck in T. & Laugier, Pls. color. (38) Sept. 1823.
- cinerascens** Tityra (Spix), G. R. Gray, Genera of Birds, I. June 1846, 253.—Muscicapa.
- cinerascens** Toxolasma, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
- cinerascens** Trochus, H. E. Anton, Verz. Conch. 1839, 57. [[1802], 233.
- cinerascens** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cinerascens** Turdus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (1) 1817, 207.
- cinerascens** Tychius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- cinerascens** *v. et cinerescens.*
- cinerata** Phalaena, F. v. P. Schrank, F. Boica, II (2) 1802, 5.
- cinereana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 451.
- cinereana** Tortrix, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 978.
- cinerearia** Cidaria, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 286.
- cinerearum** Cacidomyia, J. Hardy, Ann. Mag. N. H. (2) VI. Sept. 1850, 185.
- cinereata** Eupithecia, J. Curtis, Guide Brit. Ins. (6) 1831, 162 [*n. n.*].
- cinereata** Triphosia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) June 1831, 263.
- cinerei**→ *v. cinereo*→. [[Tinea], 1761.
- cinerella** Acompsia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 409.—Phalaena
- cinerella** Anacampsis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Phalaena, 1761. [—Musca.
- cinerella** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 100.
- cinerella** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1611.—Musca.
- cinerellus** Chrysotus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 706.
- cinerella** Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2070.
- cinerella** Drosophila, C. F. Fallen, Geomyzides Sueciae, 1823, 7.
- cinerella** Heteromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 415.
- cinerella** Hylemyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 318.
- cinerella** Leucopis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2715. [—Musca.
- cinerella** Lita (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 81.—Tinea, 1761.
- cinerella** Lonchoptera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 792.
- cinerella** Musca, C. F. Fallen, Mon. Muscidum Sueciae (8) 1825, 77.
- cinerella** Notiphila (Stenh.), J. W. Zetterstedt, Dipt. Scand. V. 1846, 1882.—Psilopa.
- cinerella** Opomyza (Leptomyza), A. H. Haliday, Entom. Mag. IV (2) Oct. 1836, 151.
- cinerella** Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1837, 353.
- cinerella** Psilopa, Boheman in Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 251.
- cinerella** Psyche, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- cinerella** Sciomyza, C. F. Fallen, Sciomyz. Sueciae, 1820, 14. [[1842], 61.
- cinereo-alba** Butalis (T. & S.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 318.—Muscicapa.
- cinereo-alba** Muscicapa, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 42.
- cinereo-alba** Perdix, C. C. Gmelin, Naturg. (Vögel) II. 1807, 87.
- cinereo-argentatus** Vulpes (Schr.), P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 215.—Canis, 1776. [cilla.
- cinereocapilla** Budytes (Savi), C. L. Bonaparte, List Birds Eur. Amer. 1838, 19.—Mota-
- cinereo-capilla** Motacilla, P. Savi, N. Giorn. Letter. (Pisa) XXII (57) 1831, 190; Ornit. Toscana, III. 1831, 218.
- cinereocauda** Acanthylis, J. Cassin, Proc. Acad. Nat. Sci. Philad. V (3) June 1850, 58.
- cinereicollis** Cinnyris, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 502.

- cinereicollis* Euscarthmus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 955.
cinereocollis Fringilla, C. F. Dubois, Ornith. Gallerie (c. 1838), 161. [nyris.
cinereicollis Nectarinia (Vieill.), G. R. Gray, Genera of Birds, I. June 1847, 99.—Cin-
cinereicollis Polytmus (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Tro-
cinereicollis Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 365. [chilus.
cinereicollis Todiostrostrum (Wied), G. R. Gray, Genera of Birds, I. Aug. 1846, 257.—
cinereicollis Trochilus, L. P. Vieillot, Ency. méth. (Aves) 1822, 562. [Euscarthmus.
cinereodoris Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [n. n.].
cinereo-fasciata Leptis, P. S. Schilling, Uebers. Arb. schles. Ges. 1837 (1838), 109.
cinerifer Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 21.
cinereifer Cleonus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 103.
cinereifrons Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 403.
cinereofrons Chromatomyia, J. Hardy, Ann. Mag. N. H. (2) IV. Dec. 1849, 390.
cinereifrons Halcyon (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo.
cinereo-fuscatus Athous, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.
cinereigula Picus, A. Malherbe, Rev. et Mag. de Zool. (2) I. Nov. 1849, 531.
cinereoides Trochus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 531 [n. n.].
cinercola (sic) Achroia, J. Huebner, Verz. bekannt. Schmett. [1822], 163.
cinereola Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 23 [Fernaldo judice
1802] [n. et f.].
cinereola Bombyx, J. Huebner, Europ. Schmett. (Ziefer) (me judice 1805), 124.
cinereola Fringilla, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus.
Berlin, 1819, 42.
cinereolus Ixodes, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 48.
cinereola Pyrrhula, C. J. Temminck in T. & Laugier, Pls. color. (2) Ap. 1822.
cinereola Spermophila (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 348.—
Pyrrhula. [Pyrrhula.
cinereola Sporophila (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 499.—
cinereo-niger Limax, J. Wolf in J. Sturm, Deutschl. Fauna (Würmer) VI (1) 1803.
cinereipennis Cryptohypnus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI.
1843 (2) 1843, 240.—Monocrepidius. [32.
cinereipennis Monocrepidius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
cinereipennis Phyllobius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
459.
cinereipes Selandria (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
cinereipes Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 67.
cinereopilosus Clerus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 91.
cinereo-punctella Elachista, Haworth in H. T. Stainton, Syst. Cat. Brit. Tin., Mar.
1846, 25. [Tinea.
cinereo-punctella Microsetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—
cinereo-punctella Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 581.
cinereo-rufo-cincta Sphecx, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 437.
cinereiventris Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1500.
cinereiventris Brachypodius, E. Blyth, J. Asiatic Soc. Bengal, XIV. 1845 (post Sept.), 576.
cinerescens Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 50.
cinerescens Tabanus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [i.e.
Ap. 1826], 467.
cinerescens Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
cinerescens v. et cinerascens.
cinereus Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [n. n.].
cinereus Acanthopleurus (Lowe), L. Guilding, Zool. Journ. V (17) Feb. 1830, 28.—
Chiton, ? L. 1767.
cinereus Acilius, J. Curtis, Brit. Entom. II (24) Dec. 1825, issued with no. 98.
cinerea Acoura, W. Swainson, N. H. Fishes, etc., II. July, 1839, 310.
cinereus Acridotheres, S. Mueller in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 420.
cinereus Aedes, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 13.
cinerea Agrotis (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua,
D. & S., 1775.

- cinerea** Alophora (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 284.—Thereva.
- cinerea** Alutera, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 292.
- cinerea** Amia, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 430.
- cinerea** Ampelis, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 162.
- cinereus** Amphipnous (M'C.), J. Richardson, 15 Rept. Brit. Assoc. (Camb. 1845) 1846, 315.—Pneumabranthus.
- cinerea** Amphisbaena, Vandelli, Mem. Ac. Sci. Lisbon, I. 1797, 69.
- cinerea** Anacamptis (L.), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—Phalaena cinerella, 1761.
- cinereus** Anastomus, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 490.
- cinerea** Andraena, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 357.
- cinerea** Anemonia, Contarini, Atti 4 Riun. Sci. Ital. 1843, 250.
- cinereus** Anguis, J. G. Schneider, Hist. Amph. II. 1801, 341. [1789.
- cinerea** Anisonyx (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 146.—Melolontha,
- cinereus** Anous, J. Gould, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 104.
- cinereus** Anser, B. Meyer in Meyer & J. Wolf, Tasch. Deutsch. Vögelk. II. 1810, 552.
- cinerea** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 199.—Musca.
- cinereus** Anthrenus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 152.
- cinerea** Apeilesis, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 137.
- cinerea** Aphrozeta, E. Perris, Mém. Acad. Lyon, II. 1849 *vel* 1850, 492.
- cinerea** Apis, F. v. P. Schrank, F. Boica, II (2) 1802, 368.
- cinerea** Aranea, G. Perry, Conchology, Ap. 1811, pl. 46. [Otaria.
- cinereus** Arctcephalus (Pér.), J. E. Gray, Zool. "Ereb. Terr." (Mamm. 1844), 4.—
- cinerea** Arctosa (Fab.), C. L. Koch, Die Arachniden, XIV (4) Ap. 1847, 123.—Aranea, 1777. [1810, 332.
- cinerea** Ardea, B. Meyer [*non* Gm.] in Meyer & J. Wolf, Tasch. Deutsch. Vögelk. II.
- cinerea** Ardea, P. S. Pallas, Zoographia, II. 1811, 116.
- cinerea** Ardea, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- cinerea** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1446.—Musca.
- cinereus** Artamus, L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 297. [—Ocypterus.
- cinereus** Artamus (Val.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 211.
- cinereus** Arthrostenus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 535.
- cinerea** Asida, J. Sturm, Catal. Ins. Samml. 1826, 98 [*n. n.*].
- cinerea** Asturia, L. P. Vieillot, Analyse, 1816, 68.
- cinerea** Atopa, J. C. Fabricius, Syst. Eleuth. II. 1801, 15.—Cistela, 1781.
- cinereus** Atractus, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 46.
- cinereus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 440.
- cinereus** Bagous, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 165 [*n. n.*].
- cinereus** Balistes, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 131.
- cinereus** Barbastellus, S. D. W., The Analyst, IV (15) Ap. 1836, 69.
- cinerea** Blanus (Vand.), J. Wagler, Nat. Syst. Amph. 1830, 197.—Amphisbaena.
- cinerea** Boa, J. G. Schneider, Hist. Amph. II. 1801, 270.
- cinerea** Bolitophila, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 221.
- cinereus** Bombylius, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 185.
- cinereus** Bombylius, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 212.
- cinerea** Bombyx, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1833, 225.
- cinereus** Bostrichus, Gyll.; Dejean, Catal. Coléopt. 1821, 101 [*n. n.*].
- cinereus** Bothrops, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 47.
- cinereus** Bothynoderes (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1), 1834, 244.—Curculio, Hbst. 1795.
- cinereus** Brachycerus, A. G. Olivier, Entom. V. 1807, 56.
- cinerea** Brachyopa, Wahlberg, Ofvers. K. Vet. Ac. Förh. I (4) 1844, 65.
- cinereus** Brachypterus (Heer), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 231.—Cateretes.
- cinerea** Brachystoma, W. Swainson, N. H. Classif. Birds, II. June 1837, 267.

- cinereus Bruchus, Dejean, Catal. Coléopt. 1821, 79 [*n. n.*].
- cinereus Bucentes, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 339.
- cinereus Bucentes (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Siphona.
- cinereus Bufo, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 141.
- cinereus Bufo, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 169.
- cinereus Bulestes (Gould), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 66.—Vanga.
- cinereus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 372, Dec. 1848.
- cinerea Bulla, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 18.
- cinereus Buteo (L.), L. J. P. Vieillot, Ois. Amér. sept. I. 1807, 33.—Falco, Gm. 1788.
- cinereus Callaeas, L. Oken, Lehrb. Nat. III (2) 1816, 475.
- cinerea Calyptraea, L. Reeve, Proc. Zool. Soc. London, X (110) Nov. 1842, 50.
- cinereus Camarhynchus (Lafr.), G. R. Gray, Genera of Birds, II. June 1844, 359.—Piezorhina. [capa, Müll. 1776.
- cinerea Campephaga (Less.), G. R. Gray, Genera of Birds, I. June 1846, 283.—?Musci-
- cinereus Cancer, L. A. G. Bosc, Crust. I. (Castel's Buffon) 1801, 174. [[*n. n.*]
- cinereus Canis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 70.
- cinerea Cantharis (Fab.), T. W. Harris, Boston Journ. Phil. I. 1824, 497.—Lytta, 1798.
- cinereus Canutus, C. L. Brehm, Isis, 1830, 991 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 655.
- cinereus Carcharias (Gm.), Cuvier, Règne Anim. II. 1817, 126.—Squalus, 1789.
- cinereus Cardiophorus (Herbst), W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 310.—Elater, 1784.
- cinereus Cateretes, Chevrolat in O. Heer, Coleopt. Helvet. (3) 1841, 413.
- cinereus Cebalepyris, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 262.
- cinereus Ceratopogon, J. Macquart, Rec. Trav. Soc. Amat. Sci. Lille, 1823-4, 1826, 177.
- cinereus Cerberus, T. Cantor, Proc. Zool. Soc. London, VII (75) July, 1839, 54.
- cinereus Cerberus (Daud.), J. E. Gray, Zool. Miscell. (Gray) (4) May, 1842, 64.—Coluber, ? L. 1758.
- cinereus Cereopsis, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 516.
- cinereus Ceuthorhynchus (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 567.—Nedysus.
- cinereus Chiton (Stenosemus), Linn.; T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI) (1 & 2) Feb. 1848, 186.
- cinerea Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 659.
- cinerea Chondrus (Drap.), G. Cuvier, R. Anim. II. 1817, 408.—Pupa.
- cinerea Chortophila (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 328.—Leucophora.
- cinereus Cinnyris (Lath.), R. P. Lesson, Dict. Sci. Nat. L. 1827, 8.—Certhia, Gm. 1789.
- cinereus Circaetus, L. P. Vieillot, N. Dict. H. N. XXIII. 1818, 445.
- cinereus Circus, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 544.
- cinereus Circus, C. L. Brehm, Isis, 1828, 1270 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- cinerea Clausilia, A. Risso, H. N. Europe, IV. 1826, 85. [1831, 94.
- cinerea Clausilia, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 145.
- cinerea Clavatulula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 40.
- cinerea Cleonis (Fab.), Dejean, Catal. Coléopt. 1821, 96.—Curculio, Schr. 1781.
- cinerea Cleonis, F.; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 455.—var. globulosa.
- cinereus Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 219.—Curculio, Schr. 1781.
- cinerea Clythra, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
- cinereus Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 68.
- cinerea Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 526.
- cinerea Coccothraustes, De Lafresnaye, Magazin de Zool. (2) V. 1843, pl. 30.
- cinereus Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 272.
- cinereum Coelodon (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 164.—Prionus, 1795.
- cinereus Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 221.
- cinerea Colluricincla, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 214.

- cinereus** Coluber (Natrix), Linn. ; B. Merrem, Tent. Syst. Amph. 1820, 116.
- cinerea** Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1811, 126.
- cinereus** Colymbetes (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, *errata*.—
Dytiscus, L. 1758.
- cinereus** Conger, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische
(—) 1830 *vel* 1831, 115. [de Zool. VIII. 1838, 25.]
- cinereum** Conirostrum, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin
- cinereus** Conocephalus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 273.
- cinereus** Conus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 72.
- cinereus** Coraeus, C. P. Thunberg, Hemip. Capen. II. 1822, 7. [1831, 169.]
- cinereus** Corvus, C. L. Brehm, Isis, 1828, 1273 [*n. n.*]; Handb. Nat. Vögel Deutschl. 8.
- cinerea** Corvus, S. D. W., The Analyst, III (14) Jan. 1836, 204.
- cinereus** Corvus, J. R. Forster, Anim. mar. Aust. 1844, 260.
- cinereus** Cosmoceros, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 477.
- cinereus** Cracticus (Gould), G. R. Gray, Genera of Birds, I. Aug. 1845, 300.—Vanga.
- cinereus** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 384.—Lutjanus.
- cinerea** Crioceris (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 220.—Cistela, 1781.
- cinerea** Cryptura, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 102.
- cinereus** Crypturgus (Herbst), W. F. Erichson, Arch. f. Naturg. II (1) 1836, 61.—
Bostrichus, 1793.
- cinereus** Crypturus (Gm.), C. Illiger, Prod. 1811, 245.—Tetrao, 1788.
- cinereus** Ctenolabrus (Pall.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 234.—Labrus.
- cinerea** Cubaris, J. F. Brandt, Bull. Soc. Nat. Moscou, VI. 1833, 190.
- cinerea** Cuculla, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 523.
- cinereus** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 226.
- cinerea** Cupes, T. Say, Boston Journ. N. H. I (2) 1835, 167.
- cinerea** Cupes, T. Say, Boston Journ. N. H. I. (2) 1835, 168 [*non* 167].
- cinerea** Cupes, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 292.
- cinereus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 283.
- cinereus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 27 [*n. n.*].
- cinerea** Curruca (Bechst.), K. L. Koch, Syst. baier. Zool. I. 1816, 157.—Sylvia.
- cinerea** Cyclas (Alder), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 91.—Pisidium.
- cinereus** Cygnus, E. de Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831,
App. p. 41 [*n. n.*].
- cinerea** Cylindrella, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 75.
- cinereus** Cynocephalus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811
(1815), 76 [*n. n.*].
- cinerea** Cynthia, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 98.
- cinerea** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 90.
- cinerea** Cytherea, J. C. Fabricius, Syst. Antliat. 1805, 116. [1781.]
- cinerea** Dascillus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 387.—Cistela,
- cinereus** Dasyles, Faldermann in E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 165.
- cinerea** Defrancia, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 86.
- cinerea** Defrancia, H. P. C. Möller, Index Moll. Groenl. 1842, 13.
- cinereus** Desmodus (Orb.), W. Macgillivray in Cuvier, Anim. Kingd. [fo. Edinb.] II.
39 (c. Jan. 1840).—Edostoma.
- cinerea** Desoria, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 60.
- cinerea** Dexia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 60 [*n. n.*].
- cinereum** Dicaeum, Kittl.; G. R. Gray, Genera of Birds, I. June 1847, 100.
- cinerea** Didelphys, G. A. Goldfuss, Vergl. Naturb. Säugeth. (2) 1812, 220.
- cinerea** Didelphis, C. J. Temminck, Mon. Mamm. I. 1824, 46.
- cinerea** Dinera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 211.
- cinerea** Doris, S. A. Renier, Tavole [1804] xv.
- cinereus** Drassus, C. W. Hahn, Die Arachniden, I (6) Oct. 1833, 124.
- cinerea** Drepanis, v. Kittlitz, Mém. présentés Ac. Imp. Sci. St Pétersb. II (1 & 2)
Mar. 1833, 4.
- cinerea** Dromolaea, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 302.

- cinerea Edostoma, A. d'Orbigny & P. Gervais, *Amér. Mérid.* (Mamm.) 1847, 11.
 cinereus Elania (Tsch.), G. R. Gray, *Genera of Birds*, I. May 1847, 250.—Tyrannus,
 cinereus Elater, F. Weber, *Obs. Ent.* 1801, 77. [? Vieill.
 cinerea Emarginula, A. A. Gould, *Proc. Boston Soc. N. H.* II. 1848 (1846), 155.
 cinerea Emberiza, H. E. Strickland, *Proc. Zool. Soc. London*, IV (46) Feb. 1837, 99.
 cinerea Empecta, [E. Blanchard], *Cat. Coll. Ent. Mus. H. N. Paris*, Coléopt. I (2)
 1850 [*ineunte* 1851], 154.
 cinerea Eriphia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. V.* 1826, 206.
 cinereus Eristalis, J. C. Fabricius, *Syst. Antliat.* 1805, 242.—Syrphus, 1775.
 cinerea Erythroceras, A. J. B. Robineau-D., *Ann. Soc. Ent. France* [2] VI (4) May
 1849, 439. [1830, 635.
 cinerea Estelia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
 cinerea Estrela (Vieill.), G. R. Gray, *Genera of Birds*, II. June 1849, 369.—Fringilla.
 cinerea Etheostoma, D. H. Storer, *Proc. Boston Soc. N. H.* II. 1848 (1845), 49.
 cinerea Eucera, Lepeletier de S. F. (Roret's Suite à Buffon), *Hyménopt. II.* 1841, 125.
 cinerea Euphonia, R. P. Lesson, *Rev. Zool. (Soc. Cuv.) IX.* Aug. 1846, 277.
 cinerea Eurychora, A. J. J. Solier, *Ann. Soc. Ent. France*, VI (2) *post* June 1837, 159.
 cinereus Euscarthmus, H. E. Strickland, *Ann. Mag. N. H. XIII.* June, 1844, 414.
 cinereus Exocentrus, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 152.
 cinereus Faliger, J. Sturm, *Catal. Ins. Samml.* 1826, 141 [*n. n.*].
 cinereus Falco, C. L. Brehm, *Ornis* (3) 1827, 16.
 cinerea Fringilla, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XII. 1817, 176.
 cinerea Fringilla, W. Swainson, *Phil. Mag.*, n. s., I (6) June 1827, 435.
 cinereus Fusus, T. Say, *J. Acad. Nat. Sci. Philad.* II. July 1822, 236. [100.
 cinerea Gadinia, G. D. Nardo (*ex Chierighini* MS), *Sin. mod. spec. Lag. Veneto*, 1847,
 cinerea Galleruca, J. Sturm, *Catal. Ins. Samml.* 1826, 142 [*n. n.*].
 cinereus Garrulus, J. Kaleniczenko, *Bull. Soc. Imp. Nat. Moscou*, 1839 (3) 1839, 356.
 cinerea Geomys, C. S. Rafinesque, *Amer. Monthly Mag.* II (1) Nov. 1817, 45.
 cinerea Gesneria, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
 1830, 379. [*comp.*].
 cinerea Gibbula (Müll.), J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 89.—Trochus [*non*
 cinerea Glareola, Fraser, *Proc. Zool. Soc. London*, 1843, 26.
 cinereus Glaucia (Gm.), F. Boie, *Isis* (Oken), 1831, 545.—Trochilus, 1788.
 cinerea Gracillaria, A. H. Haworth, *Lepidopt. Brit.* (4) 1828, 530.
 cinereus Grapsus, L. A. G. Bosc, *Crust. I* (Castel's Buffon), 1801, 204.
 cinerea Grus, B. Meyer, *Ann. Wetterau. Ges. Nat. I* (2) 1809, 272.
 cinerea-longirostris Grus, Temminck & Schlegel in Siebold, *F. Japon.* (Aves 1849), 117.
 cinereus Gryllus (Eneoptera), W. de Haan in Temminck, *Verh. nat. ges. Ned. overz.*
 bezitt., *Zool. (Ins.)* 1842, 232.
 cinerea Halichondria (Grant), J. Fleming, *Hist. Brit. Anim.* 1828, 521.—Spongia.
 cinereus Halliplus, C. Aubé in Dejean & Boissduval, *Icon. Coléopt. V.* 30.
 cinerea Halispongia (Gr.), de Blainville, *Dict. Sci. Nat.* LX. 1830, 495.—Spongia.
 cinerea Helix, J. L. M. Poirét, *Coq. Aisne*, 1801, 73.
 cinerea [Helix] (Cochlodonta) (Drap.), A. E. Férussac, *H. N. g. et p. Moll.*, Tab.
 Limaçons, 1821, 64.—Pupa.
 cinereus Heptanchias (Lacep.), C. S. Rafinesque-S., *Car. n. gen.* 1810, 13.—Squalus,
 Gm. 1789.
 cinereus Hierofalco (Gm.), G. Cuvier, *R. Anim.* I. 1817, 312.—Falco, 1788.
 cinerea Hilara, J. Macquart (Roret's Suite à Buffon), *Diptères*, I. 1834, 342.
 cinerea Hoplophora, L. Fairmaire, *Rev. Zool. (Soc. Cuv.) IX.* Jan. 1846, 14.
 cinerea Hyalomys (Fab.), J. Macquart (Roret's Suite à Buffon), *Diptères*, II. 1835,
 204.—Thereva.
 cinereus Hydaticus (L.), J. F. Stephens, *Ill. Brit. Ent. (Mand. II.)* Sept. 1828, 86.—
 Dytiscus, 1758.
 cinereus Hydrophilus, T. Marsham, *Coleopt. Brit.*, Sept. 1802, 410.
 cinerea Hydropsyche, F. J. Pictet, *Rech. Phrygan.* 1834, 204. [1830, 511.
 cinerea Hydrotaea, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.
 cinereus Hydrus, G. Shaw, *Gen. Zool. (Amph.) III* (2) 1802, 567.

- cinerea** Idia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 422.
- cinerea** Iole, A. Hay, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 573. [1850, 87.
- cinereus** Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- cinerea** Isotoma, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 372.—Desoria, 1842. [1791.
- cinereus** Issus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 314.—Fulgora,
- cinereus** Junco (Sw.), G. R. Gray, List Gen. Birds, 1840, 47.—Fringilla.
- cinereus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 435.
- cinereus** Labrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 506.
- cinereus** Labrus, P. S. Pallas, Zoographia, III. 1814, 267.
- cinereus** Lagopus, W. Macgillivray, Hist. Brit. Birds, I. 1837, 187.
- cinereus** Larus, C. D. Degland, Mém. Soc. R. Sci. Lille, 1829-30, 1831, 272.
- cinerea** Lathria, W. Swainson, N. H. Classif. Birds, II. June 1837, 255.
- cinerea** Leiothrix (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 12.—Minla.
- cinerea** Leptis, J. W. Zetterstedt, Dipt. Scand. I. 1842, 221. [214.
- cinereus** Leptocerus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar. 1834,
- cinereus** Leptochiton (Mont.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 127.—Chiton, L. 1767.
- cinereus** Leptopogon, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 276.
- cinereus** Leptopteryx (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 118.—Artamus.
- cinerea** Lestremia, J. Macquart, Rec. Trav. Soc. Amat. Sci. Lille, 1823-4, 1826, 173.
- cinereus** Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 293. [1830, 563.
- cinerea** Leucophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cinerea** Limnobia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 149.—Tipula, 1781.
- cinerea** Limnophora (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 312.—Cuculla. [1775.
- cinerea** Limosa (Guel.), G. R. Gray, Genera of Birds, III. July 1847, 570.—Scolopax,
- cinerea** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cinerea** Lipangus, F. Boie, Isis (Oken), 1828, 318. [1830, 536.
- cinereus** Lipurus, G. A. Goldfuss in Schreber, Säugth., pls. clv Aa, Ab, 1817; Isis (Oken), 1819, 271. [Schr. 1781.
- cinereus** Lixus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 116.—Curculio,
- cinereus** Lobipes, C. L. Landbeck, Syst. Aufz. Vögel Württ. 1834, 65 & 81.
- cinereus** Lobivanellus, J. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post* Oct.), 388.
- cinereus** Lutjanus, Risso, Ich. Nice, 1810, 266. [& 99.
- cinerea** Lutra, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 90
- cinerea** Lycosa (Fab.), C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 190.—Aranea, 1777.
- cinerea** Lydella, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 138.
- cinereus** Lygaeus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 352.
- cinereus** Macrodictylus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 90.
- cinereus** Macropus (Goldf.), J. B. Fischer, Syn. Mamm. 1829, 285.—Lipurus.
- cinerea** Mactra, G. Montagu, Test. Brit. Suppl. 1808, 35.
- cinereus** Malacopteron, T. C. Eyton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 103.
- cinereus** Mamestria, J. Curtis, Guide Brit. Ins. (5) 1830, 150 [*n. n.*].
- cinerea** Mantis, Olivier, Ency. Méth. VII (Ins.) 1792, 641.
- cinerea** Margarita (Couth.), A. A. Gould, Rep. Invert. Massach. 1841, 252.—Turbo.
- cinerea** Masicera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 241.
- cinerea** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 488.—Lydella, 1835.
- cinereus** Medeterus (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 229.—Scatophaga.
- cinereus** Megalophonus (Lath.), G. R. Gray, Genera of Birds, II. Nov. 1844, 382.—Alauda, ? Gm. 1788.
- cinerea** Melania, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 26.

- cinereus Merodon (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 356.—Syrphus, 1775.
- cinereus Micoureus, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 186 [*n. n.*].
- cinereus Micronyx, Motschulsky, Bull. Soc. Imp. Nat. Mosc., XVIII. 1845 (4) 1845, 376.
- cinereus Micropterus (Gm.), G. R. Gray, List Gen. Birds, 1840, 74.—Anas, 1788.
- cinerea Minla, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 449.
- cinerea Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 311, Mar. 1845.
- cinerea Molge, B. Merrem, Tent. Syst. Amph. 1820, 185.
- cinereus Monarcha, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 101.
- cinereus Monopterhinus (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1789. [branchus.]
- cinereus Monopterus (M'C.), J. Richardson, Zool. "Sulphur," 1845, 117.—Pneuma-
- cinerea Mordella, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 134.
- cinereus Morodactylus (Schr.), G. A. Goldfuss, Handb. Zool. II. 1820, 445.—Lipurus.
- cinerea Motacilla, [M. Tunstall], Orn. Britt. 1771, 2.
- cinerea Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- cinereus Mulio (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 48.—Cytherea.
- cinereus Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 99.
- cinereus Mus, [G. Ord] in Guthrie, Geog. gram. (2nd Amer. ed.) II. 1815, 292.
- cinereus Musaraneus (Bachm.), A. Pomel, Arch. Sci. Phys. Nat. IX. Nov. 1848, 249.—[Sorex.]
- cinerea Musca, C. F. Fallen, Mon. Muscidum Sveciae (7) 1824, 70.
- cinerea Muscicapa (L.), C. Ranzani, Elem. Zool. III (4) 1822, 239.—Todus, 1766.
- cinerea Muscicapa, J. B. v. Spix, Avium Brasil. II. 1825, 19.
- cinerea Muscicapa (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 12.—Muscitrea.
- cinerea Muscitrea, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 122. [rhynchus.]
- cinereus Myiarchus (Spix), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 248.—Platy-
- cinerea Myiothera, Max Wied, Beitr. Nat. Brasil. III (2) 1831, 1093. [1830, 355.]
- cinerea Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cinereus Myrmeleon, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. f.
- cinerea Nabis, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 140.
- cinereus Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- cinerea Nemestrina, A. G. Olivier, N. Bull. Sci. Soc. Philom. Paris, II (33) June 1810,
- cinerea Nemoura, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 186. [94.]
- cinerea Nephelis, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 118. [1830, 557.]
- cinerea Nerina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cinereus Notiophygus, H. Gory, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 455.
- cinerea Notiphila, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 250.
- cinerea Notiphila, A. H. Haliday, Ann. Nat. Hist. III. June 1839, 222.
- cinereus Numenius (Gm.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1157.—Scolopax,
- cinerea Nyctea, N. Wood, The Analyst, II (10) May 1835, 239. [Gld. 1775.]
- cinerea Ochtiphila, C. F. Fallen, Phytomyzides Sveciae, 1823, 10.
- cinereus Ocypterus, A. Valenciennes, Mém. Mus. H. N. (Paris) VI [1-3] Aug. 1820, 22.
- cinereus Ocypterus, C. J. Temminck in T. & Laugier, Pls. color. (84) May 1830.
- cinerea Oedemera, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- cinerea Oenanthe, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 418. [252.]
- cinerea Oenanthe, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 437.
- cinerea Onchidella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 117.—Onchidium.
- cinereum Onchidium, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 66r.
- cinereum Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 34. [1830, 121.]
- cinerea Ophelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cinereus Ophinectes, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 433.
- cinereum Ophioderma, Joh. Mueller & Troschel, Syst. Asterid. 1842, 87.
- cinereus Ophryastes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 819.
- cinereus Orchestes, Cr., J. Sturm, Catal. Ins. Samml. 1826, 180.
- cinereus Orchestes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 377.
- cinerea Oreodera, J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 20.
- cinereum Orthoceratium, F. v. P. Schrank, F. Boica, III (1) 1803, 153.

- cinerea** Orthosteira, F. X. Fieber, Entom. Monogr. 1844, 52.
cinerea Ortygometra (Vieill.), G. R. Gray, Genera of Birds, III. Nov. 1846, 593.—
cinerea Otaria, Péron & Lesueur, Voy. Aust. II. 1816, 54. [Rallus.
cinerea Oxyra, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 755.
cinerea Papio, A. Smith, S. African Quart. Journ. II. no. 1 (1) Dec. 1833, 26.
cinereus Parus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
cinereus Parus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 316. [[1802], 261.
cinerea Passerella, C. L. Bonaparte, List Birds Eur. Amer. 1838, 31.
cinereus Pericrocotus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Mar. 1845, 94.
cinerea Peristera (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 360.—
 Columba. [1789.
cinerea Peritrichia (Ol.), H. Burmeister, Handb. Ent. IV (1) 1847, 47.—Melolontha,
cinereus Phalaropus, B. Meyer in Meyer & J. Wolf, Taschen. Deutsch. Vögelk. II. 1810,
 417.
cinereus Phalaropus, C. L. Brehm (*ex* Brisson), Lehrb. Nat. europ. Vögel, II. 1824, 665.
cinereus Phascolarctos (Goldf.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1841,
 95.—Lipurus. [Thereva.
cinerea Phasia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 198.—
cinereum Phasma, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI.
 1802, 16).
cinerea Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 76. [Mantis.
cinerea Phasma (Ol.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 58.—
cinereum Phasma, H. Burmeister, Handb. Ent. II (2) i, 1838, 584. [1843, 192.
cinereus Phaylomerinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
cinereus Philander (Temm.), J. E. Gray, List Mamm. Coll. B. M. 1843, 101.—Didelphis.
cinereus Philemon, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 422.
cinerea Phoca (Less.), J. B. Fischer, Syn. Mamm. 1829, 233.—Otaria. [429.
cinerea Phorocera, J. Macquart, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850,
cinereus Phyllobius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 455.
cinerea Pica, J. Wagler, Syst. Avium, I. 1827, sign. 2111.
cinerea Piezorhina, Lafresnaye, Mag. de Zool. 1843, pl. 20.
cinerea Pipilo, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 123.
cinerea Pisidium, J. Alder, Trans. N. H. Soc. Northumb. II (3) 1838, 341.
cinereus Pithecus, P. A. Latreille, H. N. Singes, II. An. IX (1801); Sonnini's Buffon,
 XXXVI (1804), 277.
cinerea Pithecus (Cuv.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 7.—
 Simia, ? Kerr, 1792. [Oct. 1850, 64.
cinereus Platycheilus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
cinereus Platyrrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 11.
cinerea Plethodon (Harl.), J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci.
 Nat. Neuchâtel, II. 1839 [1840], 92.—Salamandra.
cinerea Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 239.—Clavatulula.
cinereus Pluvianus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Jan.), 113. [411.
cinereus Pneumabanchus, J. McClelland, Calcutta Journ. Nat. Hist. IV (15) Oct. 1843,
cinereus Podargus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 151.
cinereus Podiceps, C. T. Wood, Orn. Guide, 1835, 209.
cinereus Podops, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 262.
cinereus Polyphrades, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 806.
cinerea Poospiza, C. L. Bonaparte (*ex* Cuvier MS), Consp. gen. Avium, I. 1850, 473.
cinereus Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 29.
cinereus Potamophilus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 60.
cinerea Presbytis, J. E. Gray, List Mamm. Coll. B. M. 1843, 193 [*n. n.*].
cinerea Priofinus (Forst.), Hombron & Jacquinot, C. R. Acad. Sc. (Paris) XVIII. 1844,
 355.—Procellaria, Gm. 1788.
cinerea Probosca, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
 1849, 134.
cinerea Prosimia, A. Smith, S. African Quart. Journ. II. no. 1 (1) Dec. 1833, 29.

- cinereus Proteus, M. Losana, Mem. R. Acc. Sci. Torinò, XXIX. 1825, 205. [1775.
 cinerea Protula (Forsk.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 338.—Serpula,
 cinereus Psammodromus, C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 263.
 cinereus Psygmodranchus (Forsk.), R. A. Philippi, Arch. f. Naturg. X (1) 1844, 196.—
 Serpula, 1775. [Ptiliogonys.
 cinereus Ptiliogonatus, W. Swainson, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 164.—
 cinereus Ptiliogonys, W. Swainson, Phil. Mag., n. s., I (5) May 1827, 368.
 cinereus Ptychoderes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 122.—
 Macrocephalus, 1795. [227.—Procellaria, 1788.
 cinereus Puffinus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826,
 cinerea Pupa, J. P. R. Draparnaud, Tab. Moll. France, 1801, 61.
 cinerea Pyrranga, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 290.
 cinerea Pyrgita (Vieill.), C. Dumont, Dict. Sci. Nat. XXXI. 1824, 556.—Fringilla.
 cinerea Pyrrhula, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
 Zool. VII. 1837, 87. [423.—Euphonia.
 cinerea Pyrrhuphonia (Lafresn.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850,
 cinerea Querula (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
 267.—Ampelis, Lath. 1790.
 cinereus Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 556.
 cinerea Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 547.—Phal. Tin. cine-
 rella, L. 1761. [43.—Empis, 1775.
 cinerea Rhamphomyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822,
 cinereus Rhizomys, [J. McClelland], Calcutta Journ. Nat. Hist. II (7) Oct. 1841, 456.
 cinereus Rhyncholophus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 31.
 cinerea Rissa, C. T. Wood, Orn. Guide, 1835, 213.
 cinerea Rissoa, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 138 [*n. n.*]. [356.
 cinerea Salamandra, J. Green (*vel* Harlan), J. Acad. Nat. Sci. Philad. I (12) Aug. 1818,
 cinerea Saperda, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*]; & *var.*
 trilineata, F. V. M. [*n. n.*].
 cinerea Saperda, Gory, Magasin de Zool. (2) III. 1841, pl. 74.
 cinerea Saperda, E. Newman, Entomologist (1) Nov. 1840, 13.
 cinerea Saxicola, S. D. W., The Analyst, III (13) Oct. 1835, 30.
 cinerea Saxicola (Vieill.), G. R. Gray, Genera of Birds, I. May 1846, 179.—Sylvia.
 cinerea Scatella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 cinerea Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 205. [1830, 801.
 cinereus Sciurus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 7. [1775.
 cinerea Scotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 226.—Noctua,
 cinerea Scotiaptex (Gm.), W. Swainson, N. H. Classif. Birds, I. Oct. 1836, 327.—
 Strix, 1788.
 cinerea Seisura, F. O. Morris in Wood's Naturalist, II (9) June 1837, 125.
 cinerea Sesarma (Bosc), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837,
 75.—Grapsus. [pp. lxxiv & 212.—Scolopax, 1775.
 cinerea [Simorhynchus] (Guel.), Keyserling & Blasius, Wirbelth. Europas, 1840,
 cinereum Simulium, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 174.
 cinerea Siphona, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 156.
 cinerea Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [*n. n.*].
 cinerea Solea, A. Guichenot, Explor. Algér. (Rept. Poiss.) 1850, 106.
 cinerea Solieria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 470.
 cinereus Sorex, J. Bachman, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 373.
 cinereus Sparus, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
 cinereus Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 327. [121.
 cinereus Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 338. [Pyrrhula.
 cinerea Spermothila (O. & L.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
 cinereus Sphaeriodactylus, W. S. MacLeay, Proc. Zool. Soc. London, II (14) May 1834, 12.
 cinereus Sphaerodactylus, J. Wagler (*ex* Lacep. MS), Nat. Syst. Amph. 1830, 143 [*n. n.*].
 cinerea Sphaeroma, L. Bosc, Suites à Buffon (Crust. II.) 1802, 186.
 cinerea Sphaeroma, Latreille, N. Dict. H. N., ed. 2, XXXII. 1819, 16.
 cinerea Sphaeroma, "Pall."; G. A. Goldfuss, Handb. Zool. (1) 1820, 202.

- cinerea** Sphinx, T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 295.
cinerea Spongilla, W. E. Grant, Edinb. N. Phil. Journ. II. 1826, 204. [30.
cinerea Spongilla, H. J. Carter, Journ. Bombay Br. R. Asiat. Soc. III (12) Jan. 1849,
cinerea Sporophila (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 499.—Pyrrhula.
cinerea Squatarola, J. Fleming, Hist. Brit. Anim. 1828, 111.
cinereus Staphylinus, Dejean, Ann. Sci. Nat. XX (78) June 1830, 237 [*n. n.*].
cinerea Starna, C. L. Bonaparte, List Birds Eur. Amer. 1838, 43.
cinerea Stenopoda, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 26.
cinerea Stenopoda, B. in Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 91.
cinerea Sterna, S. S. Haldeman, Zool. Contrib. (2) 1843, 25.
cinereus Steromphala (—), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847,
 146.—Trochus, ? da C., 1778.
cinerea Stolidia, Néboux in Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846).
cinerea Strepera, J. Gould, Ann. Mag. N. H. XI. May 1843, 335.
cinerea Strix, W. Turton, Linnaeus, Syst. Nat. I. 1802, 169.
cinereus Stromateus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 491.
cinereus Strophosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 886.
cinerea Struthidea, J. B. Gould, Syn. Birds Austral. (1) Jan. 1837. [1830, 644.
cinerea Suillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
cinerea Sylvia, J. M. Bechstein [*non* Latham], Orn. Taschenb. (1) 1802, 170.
cinerea Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 416. [637.
cinerea Sylvia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
cinerea Sylvia, C. L. Bonaparte, List Birds Eur. Amer. 1838, 14.
cinerea Sylvia, G. R. Gray (*ex* Briss.), Genera of Birds, I. Aug. 1848, 174.
cinereus Synallaxis, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 685.
cinereum Syrniun (Gm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 6.—Strix, 1788.
cinereum Syrniun, A. Andrzejewsky, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 15.
cinereus Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 89.
cinereus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 167.
cinerea Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 268.
cinerea Tachina (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
 297.—Musca, 1794. [cineracea.
cinerea Taeniodera (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 328.—Macronota
cinerea Tameilea, J. Macquart, Mém. Soc. R. Sci. Lille, 1835, 1836, 191.
cinereus Tannophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 200.
cinerea Terebra, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 22.
cinereum Terebra (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 223.—
 Buccinum, ? Born, 1778. [1775.
cinerea Terekia (Guel.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 88.—Scolopax,
cinerea Terna, S. D. W., The Analyst, III (14) Jan. 1836, 211.
cinerea Testudo, P. A. Latreille, Deterville ed. Buffon, Rept. I. 1801, 143.
cinerea Testudo (Emys), Bonn. ; B. Merrem, Tent. Syst. Amph. 1820, 24.
cinereus Tetralobus, Gory, Ann. Soc. Ent. France, I (2) c. July 1832, 220.
cinerea Therapha, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 244.
cinereus Therapon, Cuvier & Valenc., H. N. Poiss. III. 1829, 138.
cinerea Thereva, J. C. Fabricius, Syst. Antl. 1805, 221.
cinereus Thomisus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 396.
cinerea Thryptocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 313.
cinerea Timia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 431 [*n. n.*].
cinereus Tinamus (Gm.), G. R. Gray, Genera of Birds, III. Dec. 1844, 524.—Tetrao,
cinerea Tingis, T. Say, N. Sp. Het. Hemipt. N. Amer., Dec. 1831. [1788.
cinerea Tityra, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 347.
cinereum Todirostrum (Desm.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in
 Magasin de Zool. VII. 1837, 46.—Todus, L. 1766.
cinereus Todus, J. B. v. Spix, Avium Brasil. II. 1825, 8.
cinerea Torquilla (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 87.—Pupa.
cinereus Triccus (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
 702.—Todus, 1766.

- cinereus** Trichius (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 233.—Melo-
- cinerea** Tringa, J. Crespon, Ornith. Gard, 1840, 417. [lontha, 1789.]
- cinereus** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 359.
- cinereus** Trochus, Linnaeus, F. Suec., ed. 2, 1761, 824 [cinerarius, L. 1758; *teste* Winckworth].
- cinereum** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 183.—Rhyncholophus.
- cinereus** Tropiphorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 260.
- cinereus** Truxalis, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 263.
- cinerea** Trypeta, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 430 [*n. n.*].
- cinerea** Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 68, Aug. 1847.
- cinereus** Turbo, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 99.
- cinereus** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 264.
- cinereus** Turdus, F. S. Voigt in Cuvier, Thierreich, I. 1831, 483. [1786.]
- cinerea** Turtur (Scop.), G. R. Gray, Genera of Birds, III. App. 1849, 24.—Columba,
- cinereus** Typhlops (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 159.—Anguis.
- cinereus** Tyrannula (Spix), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 190.—Platy-
- cinereus** Tyrannus, L. P. Vieillot, Analyse, 1816, 68. [rhynchus.]
- cinereus** Tyrannus (Gm.), W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan. 1826, 278.—Muscicapa, 1788.
- cinereus** Tyrannus, A. N. Vigors, Zool. "Blossom," 1839, 17.
- cinerea** Ulula (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 53.—Strix, 1788.
- cinerea** Unibranchapertura, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 656.
- cinereus** Ursus, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 164.
- cinerea** Vanga, J. Gould, Syn. Birds Austral. (1) Jan. 1837.
- cinerea** Viralva, S. D. W., The Analyst, III (14) Jan. 1836, 211.
- cinerea** Vitiflora, C. L. Brehm, Isis, 1828, 1282 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 405.
- cinereus** Vulpes, C. H. Smith, Dogs, II (Nat. Libr. XXVIII) June, 1840, 256.
- cinerea** Winthemia, A. J. B. Robineau-D., Ann. Soc. Ent. France, [2] V (2) Aug. 1847, 270.
- cinerea** Xenus (Guelde.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 115.—Scolopax, 1775.
- cinereus** Xysticus, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 26.
- cinereus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 287.—Reduvius, 1798.
- cinereus** Zethus, J. C. Fabricius, Syst. Piezat. 1804, 283.—Vespa, 1793.
- cinerea** Zeuxia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 8.
- cinerea** Zodion (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 444.—Myopa, 1794. [1788.]
- cinerea** Zonotrichia (Gm.), G. R. Gray, Genera of Birds, II. June 1849, 373.—Fringilla,
- cinerea** Zosterops, W. Swainson, Anim. in Menag., Dec. 1837, 294.
- cinetipes** Andrena, K. Illiger, Mag. f. Insektenk. (Illiger), V. 1806, 76 [*n. n.*].
- cineritius** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 177.
- cineroides** Trochus, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 131.
- cinerosella** Ephestia (Zell.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 319.—Myelois. [1848, 129.]
- cinerosella** Gelechia, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. 1,
- cinerosella** Myelois, P. C. Zeller, Isis (Oken), 1839, 176.
- cinerosa** Anthomyia (Zett.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 925.—Aricia.
- cinerosa** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1450.
- cinerosus** Cocizus, C. T. Wood, Orn. Guide, 1835, 215.
- cinerosus** Cuculus, C. J. Temminck (*ex* Buffon), Man. Orn., ed. 2, III. Ap. 1835, 277.
- cinerosa** [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 63 [*n. n.*].
- cinerosus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 577.
- Cinetochilum** M. Perty, Mitth. Nat. Ges. Bern, 1849, 29.—Inf.
- Cinetodonta** *emend. pro* Odontocineta, Ag.; A. N. Hermannsen, Ind. Gen. Malacoz. II. 1847, 138.
- cinetoides** Dipara, F. Walker, Entom. Mag. II (2) Ap. 1834, 166.

- Cinetus** L. Jurine, N. Méth. class. Hyménopt. 1807, 310.—Hym. [*gen. caelebs*].
- cingalensis** *v. singhalensis*.
- cingara** Arctosa, C. L. Koch, Die Arachniden, XIV (4) Ap. 1847, 129.
- cingellus** Cingula, J. Fleming, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 311.
- cingenda** Avicula (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 136.—Pecten. [Turritella.
- cingendum** Cerithium (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 357.—
- cingenda** Helix, G. Montagu, Test. Brit. II. 1803, 418.
- cingenda** Helix, J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 79.
- cingenda** Nerinaea (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 263.—Turritella, Sow.
- cingendus** Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 90.
- cingenda** Teba (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix.
- cingenda** Turritella, J. De C. Sowerby, Min. Conch. V. 1825, 160.
- cingenda** Venus, L. W. Dillwyn, Catal. Shells, 1817, 161.
- cingens** Cellepora, J. G. Dalyell, Rare Anim. Scotland, II, 1848, 80.
- cingillaria** Polygonia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 14.
- cingillato-serratus** Trochus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 417.
- cingillatus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 160, May 1849.
- cingillata** Rissoa, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 328.
- cingillum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 101, Feb. 1847.
- cingilla** Cingula (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 309.—Turbo.
- cingillus** Conus, T. Brown, Ill. Foss. Conch. G. B. I. (10) 1838, 44. [158.
- cingillum** Cryptorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- cingillus** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. I, f. 73.—Turbo.
- cingillus** Rissoa (Mont.), J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 148.—Turbo.
- cingilla** Sabanaea (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo.
- cingillum** Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 281.
- cingillus** Turbo, G. Montagu, Test. Brit. II. 1803, 328.
- Cingla** J. Fleming, Phil. Zool. II. 1822, 394.—P. [= Zingel, Oken].
- Cingula** J. Fleming, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 311.—G.
- Cingula** A. A. Gould, Rep. Invert. Massach. 1841, 264.—G.
- cingulalis** Ennychia (D. & S.), F. Treitschke, Schmett. Europa VI (2) 1828, 319.—Pyralis, 1775.
- cingulalis** Hermetia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 290.
- cingulalis** Pyrausta (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 164.—Pyralis, 1775.
- cingulana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 71.
- cingularis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 76 (Fernaldo judice 1802-08) [*n. et f.*].
- cingularis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 109 (Fernaldo judice 1808-18) [*n. et f.*].
- cingularis** Ophiura (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 94.—Noctua.
- cingulatae** Lonchoptera, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 182.
- cingulatoides** Scolopendra, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 96.
- cingulato-lineata** Turritella, Jos. Müller, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1849), 243.
- cingulator** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 259.
- cingulator** Hemiteles, J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 858.
- cingulatorius** Ichneumon, F. Weber, Obs. Ent. 1801, 100. [309.
- cingulatorius** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820,
- cingulatorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 255 & 275.
- cingulatorius** Ichneumon, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 135 [*i.e.* 136] [*n. n.*].—*v. cinctorius*.
- cingulatulus** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 459.
- cingulatus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*].

- cingulata** Actia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 86.
- cingulatus** Actinocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 195.
- cingulatum** Agrion, H. Burmeister, Handb. Ent. II. (2) ii, 1839, 823. [1775.]
- cingulatus** Agrius (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx.
- cingulatus** Agrius, J. Huebner, Exot. Schmett. II. Tab. [165] [n. et f.].
- cingulata** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2754.
- cingulata** Aleochara, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [n. n.]; & Ill. Brit. Ent. (Mand. V) Ap. 1832, 126.
- cingulatus** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Hylotoma.
- cingulata** Alysia, C. G. Nees v. E., Hyménopt. Ichn. aff. I. 1834, 241.
- cingulatus** Ammonites, W. de Haan, Mon. Ammon. 1825, 119.
- cingulatus** Ammonites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 125.
- cingulatus** Ammonites (Ceratites), G. v. Muenster, N. Jahrb. f. Min. 1834, 15.
- cingulata** Ampullaria, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 140 [n. n.].
- cingulata** Ancillaria, G. B. Sowerby, I., in Brod. & Sow., Spec. Conch. I (1) 1830, 6.
- cingulata** Andrena (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 231.—Nomada, 1775. [1848, 210.—Melitta.]
- cingulata** Andrena (Kirby), W. Nylander, Notiser Sallsk. fauna Fennica Förhandl. 1.
- cingulata** Anochilia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 560.—Cetonia.
- cingulatum** Anthidium, P. A. Latreille, Ann. Mus. H. N. (Paris) XIII (73) Mar. 1809, 43.
- cingulata** Anthophora (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 46.—Megilla.
- cingulatus** Anthrax, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 199.
- cingulatum** Arianta (Rossm.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix.
- cingulata** Ascia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 57 [n. n.].
- cingulata** Atomaria, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [n. n.].
- cingulata** Atrypa (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 94.—Terebratula. [538.]
- cingulatus** Aulacus, J. O. Westwood, Ann. Mag. Nat. Hist. VII (Suppl.) Sept. 1841,
- cingulata** Auricula, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 251.
- cingulata** Baetis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [n. n.]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 67. [1831, 478.]
- cingulatus** Bolitobius, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb.
- cingulatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 341.
- cingulata** Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 262.—Centris.
- cingulatus** Buccinities, E. F. v. Schlotheim, Die Petref. 1820, 131.
- cingulatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 75, Dec. 1846.
- cingulata** Bulla, G. v. Muenster, N. Jahrb. f. Min. 1835, 442.
- cingulata** Buprestis, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25.
- cingulatus** Callimome (Nees), F. Walker, List Hyménopt. Coll. B. M. (1) 1846, 15.—Torymus. [Helix.]
- cingulata** Campylaea (Stud.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 25.—
- cingulatum** Cardium, G. A. Goldfuss, Petref. German. II (6) 1837, 222.
- cingulata** Caryophyllia, T. A. Catullo, Terr. sed. Veneto e Descr. Polipai foss. 1847, 13.
- cingulata** Cassidaria, Lamarck, An. s. vert. VII. 1822, 216.
- cingulata** Centris, J. C. Fabricius, Syst. Piezat. 1804, 355.
- cingulatus** Ceratopogon, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 30.
- cingulata** Cercopis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 606.
- cingulatum** Cerithium (Gm.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 130.—Murex, 1790.
- cingulatum** Cerithium, Nyst & Galeotti, Bull. Ac. Roy. Brux. VII (2) 1840, 216.
- cingulata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 129.
- cingulatus** Chaenon, A. H. Haliday in J. Curtis, Brit. Entom. VI (72) Dec. 1829,
- cingulata** Chalcis, F. Walker, Entom. Mag. II (1) Jan. 1834, 30. [no. 289.]
- cingulatus** Chenopus, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 46. [Bibl. Ital. IX. 1844, 311.—Helix.]
- cingulata** Chilostoma, Studer, v. **cingulina**, P. de Strobel, Giorn. R. Inst. Lomb. e

- cingulatus** Chironomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- cingulatus** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 245.
- cingulata** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 146.
- cingulata** Cicada (Ol.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 8 (=44).—Tettigonia, Fab. 1775.
- cingulata** Cidarid, G. v. Muenster, Beitr. zur Petref. (4) 1841, 44.
- cingulata** Cingulifera (Studl.), F. Held, Isis (Oken), 1837, 911.—Helix.
- cingulatus** Cirrus, J. Phillips, Geol. Yorksh. I. 1829, 135 [*n. et f.*].
- cingulata** Cloe (Steph.), F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec. 1845], 271.—Baetis.
- cingulata** Clythra, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809,
- cingulata** Columbella, H. E. Anton, Verz. Conch. 1839, 88. [351.
- cingulatus** Conilites, E. F. v. Schlotheim, Die Petref. 1820, 125.
- cingulata** Conops, W. Turton, Linnaeus, Syst. Nat. III. 1802, 672.
- cingulatus** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (88) *inter* Ap.—Sept. 1810, 274.
- cingulatus** Conus, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xxxiv.
- cingulata** Corinna, C. L. Koch, Die Arachniden, IX (1) *post* May 1841, 22.
- cingulatus** Culex, J. C. Fabricius, Syst. Antliat. 1805, 36.
- cingulatus** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 93.
- cingulatus** Cyclostus (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 6.—Cyclostoma.
- cingulata** Cymatodera (Klug), A. White, Nomen. Coleopt. Coll. B. M. (4) 1840, 9.—
- cingulata** Cymindis, Megerle in Dejean, Catal. Coléopt. 1821, 3 [*n. n.*]. [Tillus.
- cingulata** Cymindis, Ziegler, Dejean, Spec. gén. Coléopt. I. 1825, 209.
- cingulata** Cymindis (Gebler), E. Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI) (1 & 2) Feb. 1848, 22.—Dromius.
- cingulata** Dasypoda, Erichson in J. Waltl, Reise Tyrol etc. (2) 1835, 105.
- cingulatus** Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 172.—Asilus, 1781.
- cingulata** Dentalina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 139.
- cingulatus** Dentalites, E. F. v. Schlotheim, Die Petref. 1820, 94.
- cingulata** Dioctria, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 2975.
- cingulatus** Dolerus, Le Peletier, Mon. Tenthred. 1823, 117.
- cingulatus** Dolerus (Fab.), B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 442.—Tenthredo, 1793.
- cingulata** Dosina (Lam.), J. E. Gray, The Analyst, VIII (24) July 1838, 308.—Venus.
- cingulatus** Dromius, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (1-3) Sept. 1842, 37.
- cingulata** Dryomyza, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 312.
- cingulata** Elasmocera, C. Rondani, Ann. Accad. Aspir. Nat. III. 1846, 154.
- cingulatus** Elater, Dejean, Catal. Coléopt. 1821, 31 [*n. n.*].
- cingulata** Elfia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 190.—Actia, 1830. [89.—Dolerus.
- cingulatus** Emphytus (Le P.), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835,
- cingulatus** Empis, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 113.
- cingulata** Ennychia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1758. [pl. xxviii.
- cingulata** Eolis, Alder & Hancock, Mon. Brit. Nud. Moll. (Ray Soc.) (3) 1847, fam. 3,
- cingulata** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 40.
- cingulatus** Epitriptus (Fab.), H. Loew, Linnaea Entom. IV. Dec. 1849, 108.—Asilus,
- cingulatus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 242.—Syrphus, 1775. [1781.
- cingulatus** Erotylus, J. Sturm, Catal. Ins. Samml. 1826, 139 [*n. n.*].
- cingulatus** Escharites, E. F. v. Schlotheim, Die Petref. 1820, 344.
- cingulata** Eucera, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 133 [*n. n.*].
- cingulata** Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 534.
- cingulata** Eulima, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 58.
- cingulata** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 287.
- cingulatus** Eurylobus (Germ.), C. J. Schoenherr, Curc. disp. meth. 1826, 153.—Hypsonotus. [509.—Clythra.
- cingulata** Euryscopa (Latr.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May, 1848,

- cingulatus Fundulus, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 197.
 cingulatus Fusus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 547.
 cingulatus Fusus, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
 cingulata Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].
 cingulata Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 93.
 cingulata Glycia (Gebl.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 95.—Dromius.
 cingulatus Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 412.
 cingulata Haematopota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 216.
 cingulatus Halesus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI) Dec. 1836, 209. [Patella.
 cingulata Helcion (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 (Jan. 1850), 358.—
 cingulata Helix, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III. (11) 1820, 87.
 cingulata Helix, Stud. var. bizona, E. A. Rossmaessler, Icones L. u. S. Moll. Europ. II (5) June 1842, 1.
 cingulata Helix, K. T. Menke, Zeitschr. f. Malakozool. July 1845, 113.
 cingulata Helix (Helicella), Studer, A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 42. [chus.
 cingulatus Hesthesis (Kirby), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 17.—Molor.
 cingulata Homalota, O. Heer, Coleopt. Helvet. (2) 1839, 324.
 cingulata Hylotoma, J. C. Fabricius, Syst. Piezat. 1804, 27.—Tenthredo, 1793.
 cingulatus Hypsonotus, E. F. Germar, Ins. Spec. novae. I. 1824, 377.
 cingulata Isocardia, G. A. Goldfuss, Petref. German. II (6) 1837, 210.
 cingulata Julis, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 711.
 cingulatus Labio (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 89.—Trochus.
 cingulatum Laganum, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 133.
 cingulata Lasius (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 237.—Megilla.
 cingulata Limnobia, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 244 [*n. n.*].
 cingulata Limnobia, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 199.
 cingulata Liris, J. C. Fabricius, Syst. Piezat. 1804, 230.—Spheg, 1775. [1758.
 cingulata Lithosteg, J. Huebner, Verz. bekannt. Schmett. 1826, 337.—Geometra, L.
 cingulata Littorina, R. A. Philippi, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 142. [103.
 cingulata Lonchoptera, B. A. Gimmerthal, Corr.-Bl. Nat. Ver. Riga, I (6) c. Nov. 1845,
 cingulata Lyda (Latr.), Le Peletier, Mon. Tenthred. 1823, 9.—Pamphilus. [105.
 cingulata Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
 cingulata Macromia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 137.
 cingulata Mamillifera, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 169.
 cingulata Marginella (Dillw.), G. B. Sowerby, II., Gen. Shells (4) 1821.—Voluta.
 cingulatus Mastostethus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 618.
 cingulata Megilla, J. C. Fabricius, Syst. Piezat. 1804, 332.—Andrena, 1775.
 cingulata Melania, J. H. Jonas, Zeitschr. f. Malakozool., Ap. 1844, 51.
 cingulata Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 88.
 cingulata Membracis, E. F. Germar, Revue Entom. III (6) 1835, 307.
 cingulatus Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 22.
 cingulata Micropeltus (G. & P.), [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cetonidae, Nov. 1842, 18.—? Cetonia.
 cingulata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 207.
 cingulata Mitra, R. A. Philippi, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 88.
 cingulatus Molorchus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 472.
 cingulata Monecphora (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 562.—Cercopis.
 cingulatum Monoceros, Lamarck, Ency. Méth. (Vers) 1816, pl. 396, Liste p. 2 [*n. et f.*].
 cingulata Monopleura, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 107; Rep. trav. Soc. stat. Marseille, VI. 179.
 cingulata Montagua (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis.

- cingulata** Murchisonia (His.), Archiac & Verneuil, Bull. Soc. géol. France, XII. 1841, 159.—Turritella.
- cingulatus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 224.
- cingulata** Musca, J. C. Fabricius, Syst. Antliat. 1805, 301.
- cingulata** Musca, E. Donovan, Brit. Ins. XIII. 1808, 67.
- cingulata** Mycetophila, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54 [*n. n.*].
- cingulata** Mycetophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 302.
- cingulatus** Nabis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- cingulata** Neptunea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 13.
- cingulatus** Nirmus, H. Burmeister, Handb. Ent. II (2) 1838, 428.
- cingulata** Nucula, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 6.
- cingulatus** Ogcodes, W. F. Erichson, Entomographien, 1840, 171.
- cingulatus** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 120.
- cingulata** Orthonota (His.), Mem. Geol. Surv. Gt Britain, II (1) 1848, 360.—Nucula.
- cingulata** Oxypoda, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 485.
- cingulata** Paludina, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 223; Rep. trav. Soc. stat. Marseille, VI. 295.
- cingulata** Paludinea, T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.) (5 & 6) Aug. 1849, 376.
- cingulatus** Pamphilus, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 690.
- cingulata** Pangonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 103.
- cingulata** Patella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 7.
- cingulatus** Patellites, E. F. v. Schlotheim, Die Petref. 1820, 115.
- cingulatus** Pentacrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 174.
- cingulata** Perisphaeria, H. Burmeister, Handb. Ent. II (2) i, 1838, 484.
- cingulatus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 349.—Nirmus.
- cingulata** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 133.
- cingulata** Phthiria, L. Loew, Linnaea Entom. I. Feb. 1846, 383.
- cingulatus** Planites, W. de Haan, Mon. Ammon. 1825, 93.
- cingulata** Platyura, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 102.
- cingulata** Pleurotoma, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 22.
- cingulata** Pleurotoma, P. Calcara, Maurolico, anno 2, III. 18—, 13; & Cenno Moll. Sicilia, Dec. 1845, 33.
- cingulata** Pleurotomaria, G. A. Goldfuss, Petref. German. III (8) 1844, 66.
- cingulata** Pollia (Lam.), J. E. Gray, Zool. "Blossom," 1839, 112.—Murex.
- cingulatus** Pomacanthus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 209.
- cingulatus** Pomphilus (Rossi), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. IV. 1827, 308.—Spheg, ? Fab. 1775.
- cingulata** Porcellia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 105.
- cingulatus** Pseudoeolaps, L. J. Fitzinger, Neue Classif. Rept. 1826, 56 [*n. n.*].
- cingulata** Pterocera (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 357.—Chenopus. [Nov. 1844, 86.—Buccinum, 1771.
- cingulata** Purpura (L.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. [125.
- cingulata** Rissoa (Melania), H. E. Anton, Verz. Conch. 1839, 63. [125.
- cingulata** Rostellaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 125.
- cingulata** Saperda, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*]; & var. juglandis albae, F. V. M. [*n. n.*]. [1804.
- cingulata** Sciophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 247.—Platyura,
- cingulata** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 233.
- cingulatus** Sparassus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 562.—Corinna.
- cingulatus** Sphaerodus, G. v. Muenster, Beitr. zur Petref. (7) 1846, 3.
- cingulatus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 166.
- cingulatus** Staphylinus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*].
- cingulata** Stizus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 178.—Larra, 1798.

- cingulatus Straparolus (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 191.
—Porcellia. [56.]
- cingulata Succinea, E. Forbes, Proc. Zool. Soc. London, XVIII (204) Nov. 12, 1850,
- cingulatus Tabanus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 58.
- cingulatus Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 148.
- cingulata Tachina (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- cingulata Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1174. [323.—Musca.
- cingulata Tachydromia, H. Loew, Posener Zweiflügler, 1840, 23.
- cingulatus Tachyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [n. n.].
- cingulata Tanyglossa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 70.
- cingulatus Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 186. [toma.
- cingulata Tenthredo (Fab.), F. Klug, Ges. Nat. Fr. Berlin, Mag. I. 1807, 71.—Hylo-
- cingulata Tenthredo (Jur.), Le Peletier, Mon. Tenthred. 1823, 114.—Allantus.
- cingulata Tenthredo (Allantus), Fab., F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3)
1817, 215. [1835, 13.
- cingulata Tenthredo (Strongylogaster), Klug; A. G. Dahlbom, Conspect. Tenthred.
- cingulata Terebratula, G. v. Muenster, Beitr. zur Petref. (3) 1840, 77.
- cingulatus Termes, H. Burmeister, Handb. Ent. II (2) ii, 1839, 767.
- cingulatus Theroscopus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 95.
- cingulata Thryptocera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
1835, 92.—Actia.
- cingulatus Tillus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 273.
- cingulata Tiphia, F. Klug, Beitr. zur Naturkunde, II. 1810, 185.
- cingulata Tipula, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 201.
- cingulatus Torymus, C. G. Nees v. E., Hymenopt. Ich. aff. II. 1834, 62.
- cingulatus Trachyderes, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 456.
- cingulatus Trochus, G. Brocchi, Conch. Subap. 1814, 351.
- cingulatus Trochus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 8.
- cingulatus Trochus, C. T. Menke, Syn. meth. Moll. 1828, 85. [259.
- cingulatus Trochus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- cingulata Turbinella, L. C. Kiener, Spec. Coquilles (Turbinella) 1841, 36.
- cingulatus Turbinites, E. F. v. Schlotheim, Die Petref. 1820, 164.
- cingulatus Turbo, D. Solander, Catal. Portland Mus. 1786, 86.
- cingulatus Turbo, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 134.
- cingulata Turritella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xiii.
- cingulatum Turritella, W. Hisinger, Anteckn. Physik Geogn. V. 1831, 115; Lethaea
Svecica, 1837, 39.
- cingulata Turritella, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 166.
- cingulata Turritella, J. Smith, Mem. Werner. N. H. Soc. VIII (1) 1839, 101.
- cingulata Turritella, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46
[vero propius 1847], Turritelles, pl. 2.
- cingulatus Venerupis, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 12 [n. n.];
Syn. Carb. Lst. foss. Ireland, 1844, 67.
- cingulata Venus, Lamarck, An. s. vert. V. 1818, 590.
- cingulata Voluta, L. W. Dillwyn, Catal. Shells, 1817, 525.
- cingulata Voluta, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 179.
- cingulata Zygaena, F. Weber, Obs. Ent. 1801, 109.
- cingulella Cingulifera (Ziegl.), F. Held, Isis (Oken), 1837, 911.—Helix.
- cingulella Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6)
July 1837, 40.
- Cingulifera F. Held, Isis (Oken), 1837, 911.—G.
- cinguliferum Buccinum (Terebra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 350.
- cingulifera Cyclostrema, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12,
- cinguliferum Dolium, H. G. Bronn, Index Pal. 1848, 434.—Pyrgula, 1827. [1850, 43.
- cingulifera Fasciolaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 429, Liste p. 7 [n. et f.].
- cingulifera Fasciolaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 441, Liste p. 9 [n. et f.].
- cinguliferus Fusus, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 10.
- cingulifera Litorina, W. Dunker, Zeitschr. f. Malakozool., Nov. 1845, 166.

- cinguliferus** Murex, Lamarck, An. s. vert. VII. 1822, 175.
cinguliferus Murex (Lam.), W. Wood, Suppl. Index, Test. 1828, 56.—Turbinella.
cingulifera Pleurotoma, Lamarck, An. s. vert. VII. 1822, 94.
cingulifera Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 230.—
P. debuchii, v. c., Desl.
cingulifera Plicatella, W. Swainson, Treat. Malacol., May 1840, 304.
cingulifera Pyrala, H. G. Bronn, Zschr. Min. 1827, II (1828), 534; Ergeb. Nat. Reisen,
II. 1831, 546.
cingulifera Terebra, Lamarck, An. s. vert. VII. 1822, 289.
cingulifera Turbinella, Lamarck, An. s. vert. VII. 1822, 107.—Fasciolaria, 1816.
cinguliferus Turbo, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 564.
cingulifera Turritella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xiv.
cingulina Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1839, 26.
cingulipes Anthomyza, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3320.
cingulipes Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 157.
cingulipes Psilopus, F. Walker, Entom. Mag. II (5) Jan. 1835, 471.
cingulipes Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 197.
cinguliventris Calliantha, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 83.
cingulosum Buccinum, S. A. Renier, Tavole [1804] viii [n. n].
Cingulus W. Turton, Zool. Journ. II (7) Oct. 1825, 367.—G.
cingula Achatinella, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 21.
cingulum Ampedus, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 198. [152.
cingulum Anthrax, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820,
cingulus Baetis (Stoll), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 12.—Papilio,
cingulum Balistes, F. M. Daudin, Dict. Sci. Nat. (ed. 1) III. 1804, 474. [1790.
cingulum Cleonymus, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 149
[n. n].
cingulus Emus, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 425 [n. n].
cingulus Erycina (Stoll), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 588.—Papilio,
1790.
cingula Hesperia (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 25.—Papilio, 1790.
cingulum Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 428.
cingulum Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 447.
cingulum Ligula (Pall.), C. A. Rudolphi, Entoz. II (2) 1810, 20.—Taenia, 1781.
cingulum Mycetophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 299.
cingulum Patella, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 570.
cingula Podura, R. Templeton, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 95.
cingulum Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 95 [i.e. 94].
cingulus Rissoa, A. G. L. Michaud, Descr. genre Rissoa, 1830, 12.
cingulum Solarium, L. C. Kiener, Spec. Coquilles (Solarium) 1838–39, 6.
cingulus Staphylinus, J. B. Villa in A. Comolli, De coleopt. Novocomi, 1837, 14.
cingulum Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 135.
cingula Terebra, L. C. Kiener, Spec. Coquilles (Terebra) 1838–9, 28.
cinifer Curculio, E. F. Germar, Reise Dalm. 1817, 245.
cinifer Loborhynchus, Germ.; J. Sturm, Catal. Ins. Samml. 1826, 164.
cinifera Ortalis, H. Loew, Entom. Zeitung, Stettin, VII (3) Mar. 1846, 92.
cinifer Pachygaster, Germ.; Dejean, Catal. Coléopt. 1821, 90 [n. n].
cinifera Thereva, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 322.
Ciniflo J. Blackwall, Proc. Linn. Soc. London (8) May 1840, 66.—Ar.
ciniflonella Depressaria, F. Lienig, Isis (Oken), 1846, 280.
Ciniphes G. Costa, Ann. Accad. Aspir. Nat. I. 1843, 4.—Dipt.
Cinipsillum Lamarck, An. s. vert. IV. 1817, 156.—Hym.
cinis Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 84, Dec. 1846.
Cinixys *id. ac* Kinixys, Bell; Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May
cinna v. **cinnus** —a—um. [1835, 159.
cinnabarinus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
cinnabarina Dictichopora, G. D. Nardo, Atti 5 Riun. Sci. Ital. 1844, 435. [118.
cinabarina Distichopora, G. D. Nardo, Atti R. Ist. Veneto, III. 1844, 67.

- cinnaberinus Elater, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.
 cinaberina Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 490.
 cinnaberrinus Eresus (Ol.), C. A. Walckenaer, Tab. Aran. 1805, 21.—Aranea, 1789.
 cinnabarina Fissurella, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 42.
 cinnabarina Haemaphysalis, C. L. Koch, Arch. f. Naturg. X (1) 1844, 237.
 cinnabarinus Lethrinus, J. Richardson, Icones piscium, 1843, 8.
 cinnabarinus Lixus, J. Walzl, Reise Tyrol etc. (2) 1835, 80.
 cinnabarina Lycosa, G. A. Goldfuss, Handb. Zool. (1) 1820, 214.
 cinnabarina Ostrea, D. Solander, Catal. Portland Mus. 1786, 4 [*n. n.*].
 cinnabarina Spongia, A. Bertolini, Atti Soc. Ital. XX. 1832, 7; Poligrafo, n. s., III. 1834, 213.
 cinnabarina Trioza, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 85.
 cinnabarinus Upeneus, Cuvier & Valenc., H. N. Poiss. III. 1829, 475.
 cinnabaris Calliaspis, C. H. Boheman, Mon. Cassid. I. 1850, 84.
 cinnamipennis Selenoptera, Chevrolat, Rev. Zool. (Soc. Cuv.) Nov. 1838, 281.
 Cinnamolegus R. P. Lesson, H. N. Oiseaux de Paradis (2) Sept. 1834, 31.—A.
 cinnamomeana Lozotaenia (Tr.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 71.—Tortrix.
 cinnamomeana Tortrix, F. Treitschke, Schmett. Europa, VIII. 1830, 61.
 cinnamomei → *v. cinnamomeo* →. [1836, 195.
 cinnamomella Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7)
 cinnamomeo-lineatus Bulimus (Moric.), L. Pfeiffer, Symb. Helic. III. 1846, 53.—Helix.
 cinnamomeo-lineata Helix (Cochlogena), S. Moricand, Mém. Soc. Phys. H. N. Genève, IX (1) 1841, 60. [314.—Setophaga.
 cinnamomeiventris Basileuterus (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850,
 cinnamomeiventris Copsychus (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850,
 267.—Turdus.
 cinnamomeiventris Muscipapa, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 291.
 cinnamomeiventris Piaya, de Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.] 1846,
 321. [—Muscicapa.
 cinnamomeiventris Setophaga (Lafr.), G. R. Gray, Genera of Birds, III. App. 1849, 12.
 cinnamoveivris Sitta, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* May), 459.
 cinnamomeoventris Sitta, J. Gould, Birds of Asia, II (1) 1850, pl. 44.
 cinnamomeiventris Thamnobia (Lafr.), G. R. Gray, Genera of Birds, I. May 1846, 185.
 —Turdus. [302.—Turdus.
 cinnamomeiventris Thamnolaea (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850,
 cinnamomeiventris Turdus, de Lafresnaye, Magasin de Zool. VI. 1836, pl. 55.
 cinnamomeus Aeolus, Dejean, Cat. Coléopt., ed. 2 (1) 1833, 91.
 cinnamomea Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 88.
 cinnamomea Aleochara, Gyll.; Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
 cinnamomea Amphipyra (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 70.
 —Phalaena, 1792. [20 [*n. n.*].
 cinnamomeus Anabates, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835,
 cinnamomea Anaulax (Lam.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 431.—
 cinnamomea Ancilla, Lamarck, Syst. Anim. 1801, 73. [Ancilla.
 cinnamomea Ancillaria, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar.
 1811, 304. [I (2) 1850 [*ineunte* 1851], 134.
 cinnamomea Ancyronycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.
 cinnamomeum Anisotoma (Panz.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 106.—
 Tetratoma, 1793.
 cinnamomeum Anobium, J. Sturm, Deutschl. Fauna (Insecten) XI. 1837, 115.
 cinnamomeus Anthus, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 103.
 cinnamomeus Aradus, Wolff in G. W. F. Panzer, Ins. Germ., heft 100, 1806, tab. 20.
 cinnamomea Ardetta (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 83.—Ardea,
 1788.
 cinnamomea Bolitochara (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb.
 I (5) Feb. 1831, 496.—Aleochara.
 cinnamomea Bombyx, Feisthamel, Magasin de Zool. (2) I. 1839, pl. 22.

- cinnamomea** Bombyx, J. F. P. de Feisthamel, Voy. "Favorite," V (Zool. Suppl.) 1839, 23. [Ardea, 1788.]
- cinnamomeus** Botaurus (Gm.), T. C. Jerdon, Madras Journ. XII (29) Oct. 1840, 198.—
- cinnamomeus** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*]. [Sylvia.]
- cinnamomea** Calamodyta (Ruepp.), G. R. Gray, Genera of Birds, I. Aug. 1848, 172.—
- cinnamomea** Calamoherpe (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 286.—Sylvia. [Cebblepyris.]
- cinnamomea** Campephaga (Muell.), G. R. Gray, Genera of Birds, I. June 1846, 283.—
- cinnamomeus** Campylorhynchus (Less.), G. R. Gray, Genera of Birds, I. Mar. 1847, 159.—Picolaptes. [(Land- en Volkenk.) (6 & 7) 1843, 189.]
- cinnamomea** Cebblepyris, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. Celeopicos (L.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 334.—Picus, Gm. 1788.
- cinnamomeus** Celeus (Lath.), F. Boie, Isis (Oken), 1831, 542.—Picus, Gm. 1788.
- cinnamomea** Cetonia, A. Afzelius in C. J. Schoenherr, Syn. Insect. I (3) 1817, 125; & App. 1817, 48.
- cinnamomea** Chlamys, F. Klug, Entom. Mon. 1824, 150.
- cinnamomea** Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 78.
- cinnamomeus** Cimex, J. F. Wolff, Icon. Cimicum (3) 1802, 99.
- cinnamomeum** Cinclosoma, Gould in G. R. Gray, Genera of Birds, I. Sept. 1846, 224; Proc. Zool. Soc. London, Oct. 1846, 68.
- cinnamomea** Cinnycerthia, R. P. Lesson, Echo Monde Savant, XI. 28 July 1844, 182.
- cinnamomeus** Cladognathus (Guér.), H. Burmeister, Handb. Ent. V. 1847, 372.—Lucanus.
- cinnamomea** Cobitis, J. McClelland, Asiat. Researches, XIX (2) 1839, 304.
- cinnamomea** Coluber (Wagler), L. J. Fitzinger, Isis (Oken), 1826, 883.—Natrix.
- cinnamomea** Columba, C. J. Temminck in T. & Laugier, Pls. color. (93), 1835.
- cinnamomeus** Corecoris, C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 15.
- cinnamomeus** Ctenus, C. L. Koch, Die Arachniden, XV (3) July 1847, 58.
- cinnamomea** Cypraea, H. D. de Blainville, Man. Malac. 1825, 422.
- cinnamomea** Dasycera, P. C. Zeller, Isis (Oken), 1839, 192.
- cinnamomea** Diplognata, Gory & Percheron, Mon. Cétoines (1) 1833, 51.
- cinnamomea** Egretta, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- cinnamomeus** Elater (Dej.), J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 106.—Aeolus.
- cinnamomea** Epophthalmia, H. Burmeister, Handb. Ent. II (2) ii, 1839, 845.
- cinnamomeus** Formicivorus (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 92.—Turdus, 1788.
- cinnamomea** Fringilla, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 16.
- cinnamomeus** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 16, Nov. 1847.
- cinnamomea** Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [*n. n.*].
- cinnamomea** Helix, A. Valenciennes in F. Eydoux, Moll. de la "Favorite" in Magasin de Zool. VIII. 1838, pl. 116.
- cinnamomeus** Hister, A. White, Zool. "Ereb. Terr." (Ins. 1846), 8.
- cinnamomea** Holocenemis (Gm.), H. E. Strickland, Ann. Mag. N. H. XIII. June 1844, 416.—Turdus, 1788.
- cinnamomeus** Homalilus, J. Sturm, Catal. Ins. Samml. 1826, 153 [*n. n.*].
- cinnamomea** Homalota (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 336.—Aleochara.
- cinnamomea** Hoplocneme, A. White, Zool. "Ereb. Terr." (Ins. 1846), 14.
- cinnamomea** Limnornis (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 215.—Cinnycerthia.
- cinnamomea** Lithocharis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 620.
- cinnamomeum** Lobostoma, Gundlach, Arch. f. Naturg. VI (1) 1840, 357.
- cinnamomeus** Lucanus, F. E. Guérin-M., Iconographie, 1844, Ins. 108.
- cinnamomea** Mangelia, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 45.
- cinnamomea** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- cinnamomea** Modiola, Lamarck, An. s. vert. VI (1) 1819, 114.

- cinnamomeus Modiolus, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 147.
 cinnamomeus Mus, F. J. Pictet & C. Pictet, Not. Anim. nouv. mus. Genève (Rats Bahia) 1844, 64.
- cinnamomea Muscipeta, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 49. [? Muscipeta, O. & L.]
- cinnamomeus Myiobius (Vieill.), G. R. Gray, Genera of Birds, I. May 1847, 249.—
 cinnamomea Myiothera (Gm.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 16.—Turdus, 1788.
- cinnamomeus Myrmonax (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 210.—
 Turdus, 1788. [(Bbbb*)].—Modiola.
- cinnamomeus Mytilus (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 566
 cinnamomea Natica, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 47.
 cinnamomea Natrix, J. Wagler in Spix, Serp. Brasil. 1824, 20.
 cinnamomea Odontria, A. White, Zool. "Ereb. Terr." (Ins. 1846), 10.
 cinnamomeus Ornismya, F. L. P. Gervais, Magasin de Zool. V. 1835, pl. 43.
 cinnamomea Ornismya, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 175.
 cinnamomeus Orthomegas (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c.
 July 1832, 149.—Prionus, 1775. [—Rallus.
- cinnamomea Ortygometra (Less.), G. R. Gray, List Birds Coll. B. M. III. 1844, 120.
 cinnamomeus Passer (Gould), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 947.—
 —Pyrgita.
- cinnamomea Patella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 151.
 cinnamomea Phalaena (Noctua), Borkhausen, Nat. europ. Schmett. IV. 1792, 202.
 cinnamomeus Picolaptes, R. P. Lesson, Rev. Zool. (Soc. Cuv.) VII. Dec. 1844, 433.
 cinnamomeus Picumnus, J. G. Wagler, Isis (Oken), 1829, 646.
 cinnamomeus Picumnus, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Jan. 1845, 7.
 cinnamomeum Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 239.—
 Mangelia.
- cinnamomeus Polydrusus, J. Sturm, Catal. Ins. Samml. 1826, 186 [n. n.].
 cinnamomea Polytmus (Less.), G. R. Gray, Genera of Birds, I. Dec. 1848, 109.—
 Ornismya. [Cetonia.]
- cinnamomea Porphyronota (Schön.), H. Burmeister, Handb. Ent. III. 1842, 623.—
 cinnamomeus Prionus (Orthomegas) (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I.
 1837, 85.—Cerambyx, 1758.
- cinnamomea Protaetia, H. Burmeister, Handb. Ent. III. 1842, 491.
 cinnamomea Pyrgita, J. Gould, Proc. Zool. Soc. London, III (36) Ap. 1836, 185.
 cinnamomeus Pyrocephalus (Gm.), G. R. Gray, Genera of Birds, I. May 1847, 250.—
 ? Muscipeta, 1788. [Phalaena, 1792.]
- cinnamomea Pyrois (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 208.—
 cinnamomea Pyrrhula, de Lafresnaye, Rev. Zool. (Soc. Cuv.) Ap. 1839, 99.
 cinnamomeus Rallus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 99.
 cinnamomeus Rhombus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 180.
 cinnamomea Rutela, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 37 [n. n.].
 cinnamomea Saperda, J. Sturm, Catal. Ins. Samml. 1826, 192 [n. n.].
 cinnamomeus Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 21.
 cinnamomeum Sepidium, J. Sturm, Catal. Ins. Samml. 1826, 195 [n. n.].
 cinnamomea Serica, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 168.
 cinnamomeus Sorex, Lichtenstein, Ges. Nat. Fr. Berlin, Verh. I (6) 1829, 385.
 cinnamomea Spermothila (Lafr.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
 Pyrrhula. [Certhia, 1788.]
- cinnamomea Sphenura (Gm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 42.—
 cinnamomea Sylvia (L.), G. A. Suckow, Naturg. II [2] 1801, 1091.—Motacilla, 1766.
 cinnamomea Sylvia (Salicaria), E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 111.
 cinnamomea Synallaxis (Gm.), G. R. Gray, Genera of Birds, I. Feb. 1846, 136.—
 Certhia, 1788.
- cinnamomeus Synnallaxis, de Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 291.
 cinnamomea Syntomopus, A. Guénée, Ann. Soc. Ent. France, VI (2) post June 1837,
 223.

- cinnamomeus** *Thamnophilus* (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 312.—*Turdus*, Gm. 1788.
- cinnamomeus** *Thamnophilus*, W. Swainson, Zool. Journ. II (5) Ap. 1825, 87. [210.
- cinnamomea** *Tinamus* (Nothura), R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842,
- cinnamomeus** *Trogon*, C. J. Temminck in T. & Laugier, Pls. color. (63) Nov. 1825.
- cinnamomea** *Trogosita*, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 55 [*n. n.*].
- cinnamomeus** *Tropinotus*, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 620.
- cinnamomina** *Calandra*, M. Perty, Del. anim. artic. Brasil. (2) 1832, 82.
- cinnamomina** *Chaempelia*, W. Swainson, N. H. Classif. Birds, II. June 1837, 349.
- cinnamominus** *Falco*, W. Swainson, Anim. in Menag., Dec. 1837, 281.
- cinnamomina** *Halcyon*, W. Swainson, Zool. Illustr. (1) II. 1821, pl. 67.
- cinnamominus** *Tinnunculus* (Sw.), G. R. Gray, Genera of Birds, Nov. 1844, 21.—*Falco*.
- cinnamomina** *Todiramphus* (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 157.—*Halcyon*. [Oct. 1837, 174.
- cinnamopterum** *Callidium* (Tetropium), W. Kirby in J. Richardson, F. Bor.-Amer. (4)
- cinnamoptera** *Leptura*, J. W. Randall, Boston Journ. N. H. II (1) 1838, 45.
- cinnamoptera** *Leptura*, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 64.
- cinnamopter** *Staphylinus*, J. L. C. Gravenhorst, Coleopt. micr. 1802, 164.
- cinnamopter** *Staphylinus*, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
- cinnamoventr** *v. cinnamoneoventr*.
- Cinntus** *err. pro* *Cinetus*, Jur.; J. Curtis, Guide Brit. Ins. (4) 1829-30, 109.
- cinna** *Marius*, W. Swainson, Zool. Illustr. (2) I (9) — 1829, pl. 45.
- cinna** *Marpesia* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1819, 47.—*Papilio*, 1779.
- cinnus** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 167 (Fernaldo judice 1823-33)
- cinna** *Potamis*, J. Huebner, Exot. Schmett., Tab. *Potamis* [*n. et f.*]. [[*n. et f.*].
- Cinnycerthia** R. P. Lesson, Echo Monde Savant, XI. 28 July 1844, 182.—A.
- Cinnyricinclus** R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 272.—A.
- Cinnyris** G. Cuvier, R. Anim. I. 1817, 411.—A.
- cynniris** *Macroglossum*, F. E. Guérin-M., Iconographie, 1844, Ins. 495.
- Cinochira** Wahlberg in J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1358.—*Dipt.*
- Cinorestes** O. G. Costa, Cenni Zool. (Ann. Zool.) 1834, 79.—Ar.
- Cinosternon** Spix, 1824; *teste* Agassiz, *err. pro* *Kinosternon*, *q. v.*
- Cinosternon** J. G. Wagler, Syst. Amph. 1830, 137.—R. [Spix.
- Cinosternum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cinosternon*,
- Cinosternum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cinosternon*, Spix, 1825; *Kinosternum*, Bell, 1825. [55.
- cinosurus** *Murex*, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- Cinothorax** L. J. Fitzinger, Ann. Wiener Mus. I. 1835, 108.—R. [*non* 1826, *apud* Agassiz].
- Cynthia** A. Risso, H. N. Europ. mérid. IV. 1826, 274.—*v. Cynthia*, Sav.
- cintrana** *Turritella*, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 194.
- Cinulia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148.—G. [*n. n.*].
- Cinura** C. L. Brehm, Isis (Oken), 1845, 358.—A.
- cinxia** *Argynnis* (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 281.—*Papilio*, 1758.
- cinxius** *Crabro*, A. G. Dahlbom, Exam. Crabron. Scand. 1838 (Syn. Hymenopt. Scand. 1840), 38. [Papilio, 1758.
- cinxia** *Melitaea* (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—
- cinxia** *Nymphalis* (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 96.—*Papilio*, 1758. [*n. et f.*].
- cinxia** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 2 (Fernaldo judice 1799)
- cinxia** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 154 (Fernaldo judice 1818-22) [*n. et f.*]. [54.
- cinxia** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 176 (Fernaldo judice 1823-33)
- cinxia** *Schoenis* (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 28.—*Papilio*, 1758.
- cinxia** *Selandria* (Klug), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 52.—*Tenthredo*.
- cinxia** *Tachyptera*, E. Herold, Deutsch. Schmetterlinge, 1844, 122.
- cinxia** *Tenthredo* (*Selandria*), Klug in A. G. Dahlbom, Consp. Tenthred. 1835, 10.

- Cinyra** Laporte & Gory, H. N. Coléopt. I. 1837, Buprestis, p. 4.—Col.
- Cinyras** J. Gistel, Nat. Thierr. 1848, 186.—? Plantae.
- Cinyras** J. Gistel, Handb. Naturges. 1850 [1847], 613.—? Plantae.
- ciodera** Raja, C. S. Rafinesque-S., Car. n. gen. 1810, 15. [1843, 363.]
- cioides** Emberiza, J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (23) Ap.
- Ciona** J. Fleming, Phil. Zool. II. 1822, 512.—Asc.
- Cionella** J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 347.—G.
- Cionella** H. Beck, Ind. Moll. Mus. Chr. Fred. (1) 1837, 79.—G.
- Cionium** Link, Ges. Nat. Fr. Berlin, Mag. III. 1809, 28.—Rh. [sed ? Plantae].
- Cionops** Leach, Brewster's Edinb. Ency. IX. 1815, 126 [sic Agassiz, Nom. Zool. (Hem.) 1845 et Fernald, Bull. Hatch. exper. Stat. LXXXVIII. 1903, 33, sed non ciopsis Emberiza, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 466. [comp.].
- Ciorhynchus** *err. pro Liorhy*—; Zeder, Anleit. Naturg. Eingeweidewürm. 1803, p. VIII.
- Ciphoxis** C. S. Rafinesque, Journ. de Phys. LXXXVIII. 1819, 427.—L. [1775.]
- cippe** Euclea (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 149.—Phalaena, ? cippus,
- cippus** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 634.—Hesperia,
- cipris** *v. cypris*. [1798.]
- Cipselus** L. P. Vieillot, Analyse, 1816, 38.—A.
- Circaetus** L. P. Vieillot, Analyse, 1816, 23.—A.
- circassiae** *v. cherkessica*.
- circassicus** *v. cherkessicus*.
- Circe** C. F. Schumacher, Essai Vers test. 1817, 50 & 152.—L.
- Circe** J. F. Brandt, Prod. anim. Mertens. I. 1835, 19.—Med.
- circe** Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 219.
- circe** Anthrax, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. k.
- circe** Cerithium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 271. [1775.]
- circe** Chrysophanus (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 72.—Papilio,
- circe** Cupido (—), F. v. P. Schrank, F. Boica, II (1) 1801, 209.—Papilio.
- circe** Epeira, V. Audouin in Savigny, Egypte, I (4) (Expl. pl. Arach.) 1826, 127.
- circe** Hipparchia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 131.—Papilio, [1779.]
- circe** Leucopsumis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Phalaena,
- circe** Lycaena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 26.—Papilio, 1775.
- circe** Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 97.—Papilio, [1775.]
- circe** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 67 (Fernald judice 1799)
- circe** Piaya, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 110.
- circe** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 513.—Papilio, 1775.
- circe** Spirigera (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 43.—Terebra-
- circe** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 393. [tula.]
- circéis** Acraea (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 26.—Papilio, 1782.
- Circelium** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 67.—Col.
- cellularis** Aleochara, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 155.
- cellularis** Bolitochara (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 489.—Aleochara.
- cellularis** Cryptarcha, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 357.
- cellularis** Homalota (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 315.—Aleochara.
- cellularis** Plagiodera, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 159.
- Cellium** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 535.—Col.
- circi** Ricinus, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 103.
- cincia** Boschas (L.), W. Swainson, Anim. in Menag., Dec. 1837, 243.—Anas, 1758.
- cincia** Crecca, C. T. Wood, Orn. Guide, 1835, 207.
- cincia** Cyanopterus (L.), T. C. Eyton, Mon. Anatidae, 1838, 130.—Anas, 1758.
- cincia** Pterocyanea (L.), C. L. Bonaparte, N. Ann. Sci. Nat. VIII. 1842 [Nov.], 263.—Anas, 1758. [—Anas.]
- cincia** Querquedula (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 143.

- circinalis** Arcopagia (Duj.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 414.—
circinalis Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 286. [Psammbobia.
circinalis Euomphalus, G. A. Goldfuss, Petref. German. III (8) 1844, 82.
circinnalis Psammbobia, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 223.
circinnalis Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 227.
circinalis Serpularia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 66.—
Circinnaria H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 23.—G. [Euomphalus.
circinnaria Astarte, G. Michelotti, N. Jahrb. f. Min. 1846, 54 [n. n.]; Nat. Verh.
 Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 119.
circinnaria Cassida, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 154.
circinnaria Lucina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 238.
circinnata Acmea, W. Hartmann, N. Alpina, I. 1821, 214.
circinnatus Balanus, Defrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 167. [Helix.
circinata Bradybaena (Stud.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—
circinnata Chione (Born), J. E. Gray, The Analyst, VIII (24) July 1838, 305.—Venus,
 1778. [1790.
circinatum Cyphosoma (Lam.), L. Agassiz, Cat. Ect. Ech. 1840, 11.—Echinus, ? Gm.
circinata Cytherea (Born), Forbes & Hanley, Hist. Brit. Moll. I. 1848, 399.—Venus,
circinnata Dinoa, C. S. Rafinesque-S., Précis Som. 1814, 26 [n. n.]. [1778.
circinnata Fruticicola (Stud.), F. Held, Isis (Oken), 1837, 914.—Helix.
circinnatus Gammarus, D. Viviani, Phosph. maris, 1805, 9. [Limaçons, 1821, 47.
circinata Helix (Helicella), Studer, A. E. Férussac, H. N. g. et p. Moll., Tabl.
circinata Lucina (Born), Defrance, Dict. Sci. Nat. XXVII. 1823, 275.—Venus, 1788.
circinnata Neritina, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849],
circinata Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 27 [n. n.]. [161.
circinata Paludina, P. Merian, Ber. nat. Ges. Basel, VIII. 1846–48 (1849), 34.
circinnata Penelope, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 48
 [n. n.]. [1790.
circinnatus Philedon (Lath.), Cuvier, Règne Anim. I. 1817, 359.—Merops circinnatus,
circinnatus Philurus, H. R. Schinz in Cuvier, Thierreich, I. 1821, 537.
circinatus Planaxis, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 187.
circinata Serpula, Defrance, Dict. Sci. Nat. XLVIII. 1827, 570.
circinnata Trichia, J. D. W. Hartmann, Erd- u. Süßw. Gast. (5, 6) 1842, 125.
circinata Venus, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 132.
circincta Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 15.
Circinurus Gloger, Hand- u. Hilfsb. 1842, 344.—A.
Circomphalus L. Agassiz (ex Klein), Nomen. Zool. Index Univ. 1846, 87.
Circophyllia Edwards & Haine, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cor.
Circopora J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 76.—Polyz. [n. n.].
circuitaria Dosithea (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
 IV (Noct.) [1842], 55.—Geometra.
circuitaria Emmiltis, J. Huebner, Verz. bekannt. Schmett. 1826, 309.—Geometra.
circuitaria Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 97 (Fernaldo judice
 1818–22) [n. et f.]. [lata, 1782.
circularis Aethia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 340.—Phalaena cingu-
circulans Glossiphonia (J. Sow.), A. Moquin-T., Mon. Hirudin., ed. 2, c. July 1846, 384.
 —Hirudo. [Hirudo.
circulans Glossopora (J. Sow.), G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 440.—
circulans Hirudo, Jas. Sowerby, Brit. Miscell. II (12) Aug. 1806, 31.
circulana Eucosma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 28.
circularis Agaricia, H. Michelin, Icon. Zoophyt. (24–27) 1847, 295.
circularis Ammonites, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 337.
circularis Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 205.
circularis Astarte, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 48.
circularis Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 71.
circularis Cassida, A. G. Olivier, Entom. VI. 1808, 970.
circularis Chama, G. Perry, Conchology, Ap. 1811, pl. 59.
circularis Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 75.

- circularis** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 365.
circularis Diopsis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 486.
circularis Diplodonta, W. Dunker, Zeitschr. f. Malakozool., Feb. 1846, 28.
circularis Discogaster, H. Burmeister, Handb. Ent. II (1) 1835, 315.
circularis Euomphalus, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 94.
circularis Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 18 (1834); Poiss. Foss. II (2), 300 (1844).
circularis Hemipronites, C. H. Pander, Beitr. Geogn. Russ. Reiches, 1830, 76.
circularis Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 390.
circularis Lucina, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842, 76.
circularis Meandrastrea (Mich.), A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 208.—
circularis Natica, G. Perry, Conchology, Ap. 1811, pl. 48. [Agaricia]
circularis Orthis, J. De C. Sowerby, Tr. Geol. Soc. London [2] VI. 1842, 409.
circularis Orthis, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 122.
circularis Orthocera, J. Sowerby, Min. Conch. I. 1814, 133.
circularis Orthoceratites, DeFrance, Dict. Sci. Nat. XXXVI. 1825, 484.
circularis Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 154.
circularis Pallene, H. D. S. Goodsir, Edinburgh New Phil. Journ. XXXI (62) Oct. 1841, 404; *ibid.* XXXII (63) Jan. 1842, 137.
circularis Pecten, G. B. Sowerby, I., Proc. Zool. Soc. London, III (31) Oct. 1835, 110.
circularis Pecten, G. A. Goldfuss, Petref. German. II (5) 1836, 76.
circularis Pectunculus, T. A. Conrad, Amer. J. Sci. XXVIII (1) Ap. 1835, 110 [*n.*].
circularis Philanthus, J. C. Fabricius, Syst. Piezat. 1804, 304.
circularis Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n.*].
circularis Stenus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 157.
circularis Straparollus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 65.—
 Euomphalus.
circularis Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 46, Mar. 1848.
circulare Unicardium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 60.
circulator Anomalon (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 116.—Ichn.
circulator Bracon, C. G. Nees v. E., Hyménopt. Ichn. aff. I. 1834, 54.
circulator Ichneumon, G. W. F. Panzer, Ins. Germ., heft 79, 1800, tab. 12.
circulator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.
circulator Opius (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 131.—Bracon.
circulata Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 543.
circulatus Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 450.
circulata Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n.*].
circulatus Cercopis, F. E. Guérin-M., Iconographie, 1844, Ins. 368.
circulatus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 274. [1806, 5.
circulata Epeira, C. A. Walckenaer, Tab. Aran. 1805, 63 [*n.*]; H. N. Aran. (2)
circulata Lasius (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 237.—Megilla.
circulatus Mecinus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Curculio.
circulata Megilla, J. C. Fabricius, Syst. Piezat. 1804, 332.—Andrena, 1793.
circulata Pleurotoma, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2]
circulata Poeciloptera, F. E. Guérin-M., Iconographie, 1844, Ins. 361. [III. 1841, 96.
circulatus Trochus (Euchele), Anton, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 103.
circulella Adela, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1007.
circulella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 367.
circuliferus Pachyrhynchus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 226.
circuliforme Bembidium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 165.
circulus Atrypa, J. Hall, N. H. New York (Pal. I.) 1847, 124.
circulus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 307.
circulus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Crur. IV (1) 1837, 64.
circulus Dermatodes, E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 315.
circulus Dicyclus, F. Walker, Entom. Mag. I (5) Oct. 1833, 456.
circulus Fusus, H. E. Anton, Verz. Conch. 1839, 77.
circulus Helix, L. Pfeiffer, Symb. Helic. III. 1846, 76.
circulus Lagostomus, Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) II. Sept. 1839, 266.

- circulus** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 399.
- circula** Mitra, L. C. Kiener, Spec. Coquilles (Mitra), 1839, 21.
- circulus** Orthois, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 71.
- circulus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 433. [1838], 456.
- circumcincta** Acanthodis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- circumcinctus** Acrocoris, C. W. Hahn, Wanzenart. Ins. III (2) Feb. 1836, 23 & pl. lxxx.
- circumcinctus** Acupalpus, R. F. Sahlberg, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 268.
- circumcincta** Adimonia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
- circumcincta** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*]. [1844, 199.
- circumcincta** Anomala (Hope), H. Burmeister, Handb. Ent. IV (1) 1844, 537.—Euchlora.
- circumcincta** Anthophora (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 112.
- circumcinctus** Aphodius, J. Curtis, Guide Brit. Ins. (1) 1829, 16 [*n. n.*]. [—Apis.
- circumcinctus** Aphodius, W. L. E. Schmiedt in E. F. Germar, Zeitschr. f. d. Entom. 2 (1)
- circumcincta** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 246. [1840, 143.
- circumcincta** Blatta, Reiche & Fairmaire in Ferret & Galinier, Voy. Abyssin. III [1850],
- circumcinctus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831. [421.
- circumcinctus** Cardiorhinus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 97.—Elater,
- circumcincta** Cassida, J. Sturm, Catal. Ins. Samml. 1826, 111 [*n. n.*]. [1824.
- circumcincta** Cetonia, Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- circumcinctus** Chlaenius, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 418.
- circumcinctus** Chlorophanus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834,
- circumcincta** Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*]. [64.
- circumcincta** Chrysomela, C. R. Sahlberg, Peric. Entom. 1823, 77.
- circumcincta** Coccinella, Dejean, Catal. Coléopt. 1821, 130 [*n. n.*].
- circumcincta** Coccinella, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 85.
- circumcinctus** Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 403.
- circumcinctus** Cydonus, C. W. Hahn, Wanzenart. Ins. II (5) Oct. 1834, 115.
- circumcincta** Discopora, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 4.
- circumcinctus** Dismegistus (Hahn), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
- 1843, 99.—Cydnus.
- circumcinctus** Dytiscus, A. Ahrens, N. Schr. Nat. Ges. Halle, I (6) 1811, 67.
- circumcinctus** Dytiscus, Illiger; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
- circumcinctus** Elater, E. F. Germar, Ins. Spec. novae, I. 1824, 53.
- circumcincta** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 847.
- circumcincta** Euchlora, F. W. Hope, Ann. Mag. N. H. IX. Aug. 1842, 495.
- circumcinctus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 61.
- circumcincta** Lyda, F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 279.
- circumcincta** Megachile (Kirby), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
- II. 1841, 335.—Apis.
- circumcinctus** Metopius, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 278.
- circumcinctus** Pamphilus (Klug), P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812],
- 689.—Lyda.
- circumcinctus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 178.
- circumcincta** Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 497.
- circumcincta** Piezia, C. H. Boheman, Ins. Caffr. I (1) 1848, 94.
- circumcinctus** Ptochus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 481.
- circumcinctus** Pyrocephalus (Sw.), G. R. Gray, Genera of Birds, I. May 1847, 250.—
- Tyrannus.
- circumcinctus** Tyrannus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 50.
- circumcincta** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 458.
- circumcisa** Sarcophaga, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 76.
- circumcisa** *v. et circumcisa*.
- circumclusa** Cydonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 430.
- circumdatus** Altica, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
- circumdatus** Alurnus, Sch.; Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
- circumdatus** Ambates, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 280.
- circumdatus** Anchomenus, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834,

- circumdata Anthrax, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. Baris, Dejean, Catal. Coléopt. 1821, 99 [n. n.]. [1820, 143.
 circumdata Blatta (Nauphoeta), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 52.
 circumdata Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 47.
 circumdata Cassida, Olivier in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 271. [1835, 536.
 circumdatus Ceratopogon, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 596.
 circumdata Cetonia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 117.
 circumdatus Chauliognathus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 103.
 circumdatus Chilocorus (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 454.—Coccinella.
 circumdata Chloritis (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 29.—Helix.
 circumdata Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 147.
 circumdata Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 183.
 circumdata Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 57.
 circumdata Clausilia, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 9.
 circumdata Coccinella, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 152.
 circumdata Colaspis, D. H. Schneider, Verz. Insectensamml. 1828, 84 [n. n.].
 circumdatus Curculio, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 156.
 circumdatus Dionychus, E. F. Germar, Ins. Spec. novae, I. 1824, 313.
 circumdatus Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [n. n.].
 circumdatus Erytulus (Alloiotelus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, Galleruca, Dejean, Catal. Coléopt. 1821, 118 [n. n.]. [119.
 circumdata Galleruca, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 457.
 circumdata Galleruca, K. Duftschmid, Fauna Austriae, III. 1825, 219.
 circumdata Haltica (Oedionychus), J. W. Randall, Boston Journ. N. H. II (1) 1838, 48.
 circumdata Haltica, W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 27.
 circumdata Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 44.—[n. et f.]
 circumdata Lampyris, Dejean, Catal. Coléopt. 1821, 36 [n. n.].
 circumdata Lebia, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 44.
 circumdata Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 468.
 circumdata Leptura, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 65.
 circumdatus Lixus, C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 66.
 circumdatus Lordops, Sahlberg in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 176.
 circumdata Opomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 103.
 circumdata Oscinis (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2612.—Chlorops.
 circumdata Paropsis, E. Newman, Entomologist (26) Dec. 1842, 415.
 circumdata Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 94.
 circumdata Sciophila, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 273.
 circumdata Stiretrosoma, M. Spinola, Ess. Ins. Hémipt. 1837, 356.
 circumdatus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 185. [Curculio.
 circumdatus Tanymecus (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 234.—
 circumdata Tingis, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 219.
 circumdatus Vespertilio, C. J. Temminck, Mon. Mamm. II. 1840, 214.
 circumdata Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, Archarias, Dejean, Catal. Coléopt. 1821, 86 [n. n.]. [246 [n. n.].
 circumductus Athous (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 167.—Elater. [(2=Sci. Nat. VI.) (4) Nov. 1849, 268.
 circumducta Chrysomela, E. Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] post Mar. Dytiscus, Ziegler, Dejean, Catal. Coléopt. 1821, 18 [n. n.]. [1839, 136.
 circumductus Dytiscus, Audinet-S. (ex Dej.), Faune Française (1 & 2) Coléopt. 1821, 90.
 circumductus Elater, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 158.
 circumducta Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 854.—circumducta, p. 1095. [Polydrosus.
 circumductus Eustales (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 376.—

- circumducta** Gyrodiera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 120.
- circumducta** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 295.
- circumductus** Pachycoris, E. F. Germar, Revue Entom. V (4) 1840, 190.
- circumductus** Polydrusus, E. F. Germar, Ins. Spec. novae, I. 1824, 454.
- circumducta** Urodiera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 459.
- circumflexana** Coccyx, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 982.
- circumflexaria** Fidonia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, [226].
- circumflexus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*].
- circumflexum** Achryson (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 513.—Stenocorus, 1787. [Ophion, 1798.]
- circumflexus** Anomalon (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 116.—
- circumflexum** Anomalon (L.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 643.—Ichneumon, 1758. [laena, 1767.]
- circumflexa** Autographa (L.), J. Huebner, Verz. bekannt. Schmett. [1825], 251.—Pha-
- circumflexa** Campaea (L.), Lamarck, An. s. vert. III. 1816, 570.—Noctua, 1767.
- circumflexa** Cicindela, Dahl in Dejean, Spec. gén. Coléopt. V. 1831, 253.
- circumflexus** Dytiscus, J. C. Fabricius, Syst. Eleuth. I. 1801, 258.
- circumflexa** Ennomos, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 485.
- circumflexum** Exochilum (Grav.), C. Wesmael, Bull. Ac. Roy. Brux. XVI (2) 1849, 122.
- circumflexa** Haltica, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 9. [—Anomala.]
- circumflexa** Linyphia, C. L. Koch, Die Arachniden, XII (5) 1845, 128.
- circumflexa** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 273.
- circumflexa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 58 (Fernaldo judice 1802) [*n. et f.*]. [1767.]
- circumflexa** Phytometra (L.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 257.—Phalaena,
- circumflexa** Plusia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 90.—Phalaena,
- circumflexa** Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 889. [1767.]
- circumflexa** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1170.
- circumflexum** Therion (L.), J. Curtis, Brit. Entom. XVI (184) Ap. 1839, no. 736.—Ichneumon, 1758.
- circumfluens** Globulina, C. F. A. Morren, Ann. Sci. Nat. [2] (Zool.) III. Ap. 1835, 235
- circumflua** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 852. [[*n. n.*].]
- circumfossa** Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 246 [*n. n.*].
- circumfusa** Antarctica (Germ.), Dejean, Spec. gén. Coléopt. III. 1828, 530.—Harpalus,
- circumfusa** Calomicrus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 294.—Crioriceris.
- circumfusa** Chrysopa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 980.
- circumfusa** Crioriceris, T. Marsham, Coleopt. Brit., Sept. 1802, 227.
- circumfusus** Harpalus, E. F. Germar, Ins. Spec. novae, I. 1824, 26.
- circumfusa** Helomyza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 588.
- circumfusus** Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 624.
- circumlineata** Helix, Kuester in L. Pfeiffer, Symb. Helic. III. 1846, 68.
- circumnans** Gyrinus, J. L. Leconte in Agassiz, Lake Superior, 1850, 217 [*n. n.*].
- circumornata** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 85.
- circumornata** Helicogena (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 39.—Helix. [1821, 36 [*n. et f.*].]
- circumornata** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- circumpicta** Cicindela, La Ferté Senectère, Rev. Zool. (Soc. Cuv.) IV. Feb. 1841, 39.
- circumplexa** Helix, A. E. Férussac, H. N. g. et p. Moll. I. 1839, 19.
- circumpunctata** Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 8.
- circumpunctatus** Harpalus, M. de Chaudoir, Enum. Carab. 1846, 171.
- circumpunctatus** Pseudoophonus (Chaud.), V. v. Mochulski, Kaefer Russl., post May 1850, 31.—Harpalus.
- circumscripatus** Acilius (Latr.), C. Aubé, Spec. gén. Hydroc. 1838, 143.—Dytiscus.
- circumscripatus** Aleiodes (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1839, 106.—Rogas. [Malachius.]
- circumscripatus** Anthocomus (Say), W. F. Erichson, Entomographien, 1840, 107.—

- circumscriptus** Arion, G. Johnston, *Edinburgh New Phil. Journ.*, July 1828, 76.
circumscriptus Carabus, Duftschmid, *F. Austr.* II. 1812, 166.
circumscripta Cassida, Dejean, *Catal. Coléopt.* 1821, 116 [*n. n.*].
circumscriptus Chlaenius (Dufts.), J. Sturm, *Deutschl. Fauna (Insecten)* V. 1824, 124.—Carabus.
- circumscripta** Chrysomela, Gyllenhal in C. J. Schoenherr, *Syn. Insect.* I (2) 1808, 268.
circumscripta Cicindela, G. Fischer v. W., *Entom. Imp. Russ.* III. *post Nov.* 1828, 41.
circumscriptus Colastus, W. F. Erichson in Germar, *Zeitschr. f. d. Entom.* IV. 1843, 238.
circumscriptus Cryptohypnus, E. F. Germar, *Zeitschr. f. d. Entom.* V. 1844, 146.—Elater, 1824.
- circumscriptus** Dyticus, P. A. Latreille in A. Humboldt, *Voy. intér. Amér. (Obs. Zool.)*
circumscriptus Dytiscus, Dejean, *Catal. Coléopt.* 1821, 18 [*n. n.*]. [1809, 366.
circumscripta Edessa, H. Burmeister, *Handb. Ent.* II (1) 1835, 356.
circumscriptus Elater, E. F. Germar, *Ins. Spec. novae*, I. 1824, 46.
circumscriptus Epomis (Dufts.), Dejean, *Catal. Coléopt.* 1821, 8.—Carabus.
circumscriptus Epomis (Sturm), Dejean, *Spec. gén. Coléopt.* II. 1826, 369.—Chlaenius.
circumscriptus Erotylus, P. A. J. Duponchel, *Mém. Mus. H. N. (Paris)* XII [2] Sept. 1825, 165.
- circumscriptus** Ischyus (Dup.), T. Lacordaire, *Mon. Erotyl.*, Sept. 1842, 102.—Erotylus.
circumscriptus Malachius, T. Say, *J. Acad. Nat. Sci. Philad.* III. Nov. 1823, 185.
circumscriptus Microgaster, C. G. Nees v. E., *Hymenopt. Ichn. aff.* I. 1834, 181.
circumscripta Noctua, J. Huebner, *Europ. Schmett.*, Tab. Noctua, 180 (Fernaldo giudice 1834-41) [*n. et f.*]. [IV. 1835, 241.
- circumscriptus** Onthophagus, F. Faldermann (*ex Dej.*), *N. Mém. Soc. Imp. Nat. Moscou*,
circumscripta Plusia, C. F. Freyer, *Neuere Beitr. Schmett.* I (4) 1831, 42.
circumscriptus Rogas, C. G. Nees v. E., *Hymenopt. Ichn. aff.* I. 1834, 216.
circumscripta Thereva, H. Loew, *Dipterologische Beiträge*, II. 1847, 19.
circumscripta Thyreocoris, E. F. Germar, *Zeitschr. f. d. Entom.* I (1) 1839, 29.
circumscriptus Xystus, T. Hartig in Germar, *Zeitschr. f. d. Entom.* III. 1841, 352.
- circumsecta** Pleurotoma, J. W. Mighels, *Proc. Boston Soc. N. H.* II. 1848 (1845), 24.
circumseptus Calathus, E. F. Germar, *Ins. Spec. novae*, I. 1824, 15.
circumsisus Conus, D. Solander, *Catal. Portland Mus.* 1786, 153 [*n. n.*].
circumspectus Brachysthetus (Burm.), Herrich-S., *Wanzenart. Ins.* VIII (1) Sept. 1845, 2.—Edessa (circumscripta).
- circumspecta** Noctua, A. Drapiez, *Ann. gén. Sci. Phys. (Bruxelles)* I. Aug. 1819, 137.
circumstipata Coccinella, Cristofori & Jan, *Cat. Mus.* (III a, Coleopt.) 1832, 85 [*n. n.*].
circumsulcata Buprestis, Laporte & Gory, *H. N. Coléopt.* I. 1838, 107.
circumsulcatus Trionyx, R. Owen, *Rept. London Clay (Pal. Soc. II.)* July 1849, 59.
circumsutus Trochus, A. A. Gould, *Proc. Boston Soc. N. H.* III. 1851 (1849), 106.
circumtentus Ammonites, L. v. Buch, *Arch. f. Min.* XV. 1840, 103.
- circumusta** Artemis, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 389.
circumvagans Nauphoeta, H. Burmeister, *Handb. Ent.* II (2) i, 1838, 508. [367.
circumvagus Phytonomus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (2) 1842,
circumvallatus Chiton, L. Reeve, *Conch. Icon.* IV.—Chiton, no. 118 (pl. xxvii) Oct. 1847.
circumvallata Discopora, A. E. Reuss, *Verst. boehm. Kreidef.* II. 1846, 70.
circumvallata Madrepora (Porites), Hemprich & C. G. Ehrenberg, *Abb. ph.-Kl. K. pr.* Ak. Wiss. 1832 (1834), 339.
- circumvallata** Manopora (H. & E.), J. D. Dana, *Wilkens, U. S. Exped., Zooph., c. Mar.* 1848, 496.—Madrepora. [Discopora.
circumvallata Marginaria (Reuss), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 262.—
circumvelata Lemnia, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 388.
circumvestiens Alcyonidium, S. V. Wood, I., *Ann. Mag. N. H.* XIII. Jan. 1844, 21.
circumvoluta Nerita, C. A. Récluz, *Proc. Zool. Soc. London*, X (118) Feb. 1843, 173.
circumvoluta Neritina (Récl.), G. B. Sowerby, II., *Thes. Conch.* II (10) 1849, 527.—
circus Accipiter, P. S. Pallas, *Zoographia*, I. 1811, 367. [Nerita.
cirillella v. **cyrillella**.
- Ciris** C. L. Koch, *Die Arachniden*, XIV (2) Dec. 1846, 85; Uebers. *Arachnidensyst.* V. 1850, 69.—Ar.

- ciris** Acanthylis (Pall.), G. R. Gray, Genera of Birds, I. Feb. 1845, 55.—Hirundo.
- ciris** Aurella, C. T. Wood, Orn. Guide, 1835, 215.
- ciris** Fringilla (Gm.), M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 24.—
- ciris** Hirundo, P. S. Pallas, Zoographia, I. 1811, 541. [Emberiza, L. 1758.
- ciris** Ligerinus (L.), C. W. Hahn, Vogel aus Asien etc. (10) 1821, pl. 5.—Emberiza, 1758.
- ciris** Loxia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 246.
- ciris** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 17.—Emberiza,
- ciris** Picus, P. S. Pallas, Zoographia, I. 1811, 410. [L. 1758.
- ciris** Pyrgita (L.), Cuvier, Règne Anim. I. 1817, 385.—Emberiza, 1758.
- ciris** Spiza (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 35.—Emberiza, 1758.
- Cirlus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 153.—A.
- cirnei** Rhynchocyon, Peters, Ber. Verh. k. pr. Ak. Wiss. 1847, 37.
- Cirolana** W. E. Leach, Dict. Sci. Nat. XII. 1818, 347.—Cr.
- ciron** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 32.—Miscogaster,
- ciron** Miscogaster, F. Walker, Mon. Chalcid. II. 1839, 16. [1839.
- cirra** v. cirrus.
- cirrana** Peronea, J. Curtis, Brit. Entom., ed. 2, I (4) 1835-9, no. 16, p. 7.
- Cirratulus** Lamarck, An. s. vert. V. 1818, 300.—Verm.
- cirratulus** Lumbricus, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 196.
- [**cirratulus** -a -um.]
- cirratulus** Cinnyrus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 495.—
- cirrhatulus** Corvus, J. Wilkes, Ency. Londin. V (269) 1802, 244. [Certhia, 1790.
- cirrhatum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 376.—Fasciola, 1802.
- cirrata** Exogone, A. Kölliker, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 22.
- cirrhatata** Fasciola, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (1) 1802, 66.
- cirrhatulus** Formicarius (Gm.), G. R. Gray, Gen. Birds, I. Dec. 1846, 211.—Turdus, 1788.
- cirrhatata** Formicivora, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 175.
—Turdus, ? Gm. 1788. [Alca, 1769.
- cirrata** Fratercula (Pall.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVIII. 1817, 333.—
- cirrata** Fratercula (Gymnoblepharum) (Pall.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci.
St Pétersb. II (22) Aug. 1837, 349.—Alca, 1769.
- cirratum** Ginglymostoma (L.), Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 23.—
Squalus, Gm. 1789. [1788.
- cirrhatulus** Graculus (Gm.), G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 19.—Pelecanus,
- cirrhatulus** Graculus (Gm.), G. R. Gray, Gen. Birds, III. Jan. 1845, 667.—Pelecanus, 1788.
- cirrhatulus** Graucalus (Gm.), G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 201.—Pele-
canus, 1788.
- cirrhatum** Heptatremia, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 310.
- cirratus** Hydrocorax (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 84.—
Pelecanus, Gm. 1788.
- cirrata** Lepidonote (Müll.), A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 111.—
Aphrodita, 1776.
- cirrhatata** Lunda, P. S. Pallas, Zoographia, II. 1811, 363.—Alca, 1769.
- cirrhatata** Menipea (Ell.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63)
Dec. 1812, 183.—Cellaria, 1786. [—Alca, Pall. 1769.
- cirrhatulus** Mormon (L.), M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 57.
- cirrhatata** Myiothera (Gm.), Jarocki, Spis Ptakow Gab. Zool. Warsz. Univ. 1819, 15.—
Turdus, 1788. [1799 [1802], 236.
- cirrata** Myrmecophaga, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
- cirrhatata** Nectarinia (Lath.), G. R. Gray, Gen. Birds, I. June 1847, 98.—? Certhia, 1790.
- cirrata** Nerine, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 207.
- cirrata** Neritina, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 64.
- cirratus** Opsarius, J. McClelland, Asiat. Researches, XIX (2) 1839, 296.
- cirratus** Passalus, D. H. Schneider, Verz. Insectensamml. 1828, 77 [n. n.].
- cirrhatulus** Petromyzon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 532.
- cirrhatulus** Phalacrocorax (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1)
1826, 95.—Pelecanus, 1788. [1830, 138.
- cirrata** Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.

- cirratus** Picumnus, C. J. Temminck in T. & Laugier, Pls. color. (62) Sept. 1825.
cirrata Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 575.
cirrata Polynoe (Fab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 26.—Aphrodita, Müll. 1776. [Pristis, 1794.]
cirratus Pristiophorus (Lath.), Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 98.—
cirratus Pristobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
cirrata Sabella (Gm.), G. Montagu, Test. Brit. II. 1803, 550.—Terebella, 1790.
cirrata Salia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
cirrata Saperda, E. F. Germar, Ins. Spec. novae, I. 1824, 491. [109.]
cirratus Scyliorhinus (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1789.
cirratus Scylium (Bl.), E. Eichwald, De Selachis, 1819, 66.—Squalus, ? Gm. 1789.
cirratus Spizaetus (Gm.), E. Blyth, J. Asiat. Soc. Bengal, XIX. 1850, 334.—Falco, 1788.
cirratus Spizaetus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. June 1850, 29.—Falco.
cirratus Stephanops (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 137.—Brachionus, 1773. [1803.]
cirrata Terebella, G. Montagu, Tr. Linn. Soc. London, XII (2) 1819, 342.—Sabella,
cirrata Terebella (Müll.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 328.—Amphitrite, 1771. [Turdus, 1788.]
cirratus Thamnophilus (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 314.—
cirrata Tubularia (L.), E. J. C. Esper, Pflanzenz. III. (14-15) [inter 1805-1810], 112.—Sertularia, Gm. 1790. [1827, 321.]
cirrata Umbrina, I. Geoffroy St. H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge)
cirrata Urocelaria (Müll.), Lamarck, An. s. vert. II. 1816, 43.—Vorticella, 1786.
cirratus Yunx (Temm.), R. P. Lesson, Traité Ornith. (3) July 1830, 232.—Picumnus.
cirratus -a -um v. cirratus -a -um.
cirrhipidesmos Charadrius, J. Wagler, Syst. Avium, I. 1827, sign. 413.
cirri → *v. cirri* →.
Cirrhia J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Lep.
Cirrhobarbis Cuvier & Valenci., H. N. Poiss. XI. 1836, 406.—P. [1829 *vernac.*].
cirrhifer v. cirrifer.
Cirrhilabrus Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 167.—P.
Cirrhina Cuvier & V., H. N. Poiss. XVI. 1842, 288.—P.
Cirrhine Valenciennes in Bélanger, Voy. Indes Orient. (6) Dec. 1832, 372.—P.
Cirrhineris de Blainville, Dict. Sci. Nat. LVII. 1828, 488.—Verm.
Cirrhinus Oken, Isis, 1817 [1818 a].—P.
Cirrhinus J. McClelland, Asiat. Researches, XIX (2) 1839, 265.—P.
Cirrhipates H. D. de Blainville, Man. Actin. 1834, 511.—Coel.
Cirrhopathes H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 475.—Coel.
Cirrhipira C. L. Bonaparte, Consp. gen. Avium, I. 1850, 172.—A.
Cirrhisomus W. Swainson, N. H. Fishes etc. II. July 1839, 194 & 328.—P.
Cirrhistoma H. R. Schinz in Cuvier, Thierreich, II. 1822, 481.—P.
Cirrhite Froriep in Duméril, Anal. Zool. 1806, 143.—P.
Cirrhites H. Cloquet, Dict. Sci. Nat. IX. 1817, 268.—P.
Cirrhitus B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 2.—P.
Cirrhocephala Bonaparte, 1850 [teste Waterhouse, 1854 *est.*] [Swains.]
Cirrhosomus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirrhisomus,
cirrho → *v. cirro* →.
cirrhosus -a -um v. cirrosus -a -um.
Cirrhus Féruccac, H. N. gén. et partic. (Table syst.) 1821, p. xxxiv [=Cirrus].
Cirribarbus *id. ac* Cirrhobarbis, Cuv.; W. Swainson, N. H. Fishes etc. II. July 1839, 73.
cirricollis Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2), 1834, 575. [Otiorhynchus.]
cirricollis Siteytes (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 398.—
cirrhifera Aplysia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 311.
cirrifer Cebus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 110.
cirrifer Cebus, E. Geoffroy in Humboldt, Voy. Intér. Amér. (Obs. Zool. I. 1812), 356.
cirrhifer Monacanthus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 290.

- cirriferum** Myzostomum, F. S. Leuckart, Friep, Notizen, Oct. 1836, 131.
- cirriformis** Helix, J. Sowerby, Min. Conch. II. 1817, 160.
- cirriformis** Natica, J. De C. Sowerby, Min. Conch. V. 1824, 125.
- cirriformis** Natica, T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 89.
- cirriformis** Platycceras, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 56. [5.—Helix.
- cirriformis** Pleurotomaria (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840,
- cirriformis** Ptychomphalus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.), 222 [1841].—Helix.
- cirriformis** Serpula, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 250.
- cirrigeria** Aclesia (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 98.—Aplysia cirrhifera.
- cirriger** Alophus, Mannerheim in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 289.
- cirrigeria** Cirronereis (Viv.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.—Nereis.
- cirrigerum** Distoma, K. E. v. Baer, N. A. Ac. Caes. Leop. Car. XIII (2) 1827, 553.
- cirriger** Euplocamus, R. A. Philippi, Arch. f. Naturg. V (1) 1839, 115.
- cirrigeria** Idalia, R. A. Philippi, Enum. Moll. Siciliae, 1844, 77.—Euplocamus, 1839.
- cirrhigeria** Nereis, D. Viviani, Phosph. maris, 1805, 11.
- cirrigeria** Phalacrocorax, P. P. King, Zool. Journ. IV (13) July 1828, 103.
- cirrigeria** Saburra, C. v. Heyden, Isis (Oken), 1826, 612.
- cirrigeria** Salamandra, J. Green, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 253.
- cirrigeria** Spelerpes (Green), S. F. Baird, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 287.—Salamandra.
- cirrigerella** Phycis, Zincken, Mag. Entom. (Germar) III. 1818, 133. [Bl.
- Cirrillumbricus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirrillumbricus,
- Cirrinereis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirronereis, Bl.
- Cirripates** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corrhipates, Bl.
- Cirripectes** W. Swainson, N. H. Fishes etc. II. July, 1839, 182 & 275.—P.
- Cirripectus** W. Swainson, N. H. Fishes etc. II. July, 1839, 79.—P.
- cirris**=? *ciris*, *q. v.*
- [**cirrocephalus**.] [73.—Sparvius.
- cirrocephalus** Accipiter (Vieill.), G. R. Gray, List Birds Coll. B. M. I. ed. 2, 1848,
- cirrocephalus** Arctica (Vig.), G. R. Gray, Genera of Birds, III. Aug. 1848, 645.—Mergulus.
- kirhocephalus** Lanius, R. P. Lesson, Man. Orn. I. June 1828, 134.—Vanga, 1828.
- cirrocephalus** Larus (Gray), L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 502.—Xema. [289.—Xema.
- cirrocephalum** Larus (Xema) (Gray), T. R. Peale in Wilkes, Expl. Exped. VIII. 1848,
- cirrocephalus** Mergulus, A. N. Vigors, Zool. "Blossom," 1839, 32.
- kirrocephalus** Rectes (Less.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 563.—*vide* Pitohui.
- cirrocephalus** Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 329.
- chirrocephalus** Vanga, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, VI. 1829, 97.—Lanius, 1828. [Larus.
- cirrocephala** Xema (Vieill.), G. R. Gray, List Birds Coll. B. M. III. 1844, 173.—
- cirrocephalum** Xema (Chirocephalus) (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1841), 142.—Larus. [—Trochilus.
- cirrhochloris** Campylopterus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 71.
- cirrochloris** Polytmus (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1848, 107.—Trochilus.
- cirrochloris** Trochilus, L. P. Vieillot, N. Dict. H. N. XXIII. Sept. 1818, 430.
- Cirrochroa** E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 157.—Lep.
- Cirroedia** A. Guénée, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 489.—Lep.
- cirroides** Platyschisma, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 38.
- cirroides** Pleurotomaria, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 19 [*n. n.*].
- cirroide** Solarium (Br.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 202.—Trochus.

- cirroides** Trochus, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 398.
- cirroides** Helix, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 248.
- Cirrolumbricus** L. Agassiz, Nomencl. Zool. (Vermes), 1843, 84.—Verm. [*non* Blainv. 1818, *vernac.*].
- cirrhomelas** Tachyphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII, 1819, 357.
- cirronasus** Platycephalus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 114.
- Cirronereis** de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.—Verm.
- Cirropteron** M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 77.—G. [Hym.]
- Cirrospilus** J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., I (2) Aug. 1832, 128.—[*cirrosus* -a -um.]
- cirrhosus** Atilus, J. Gisl, Handb. Naturges. 1850 [1847], 356.
- cirrosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 660.
- cirrosa** Buprestis, C. J. Schoenherr, Syn. Insect. I (3) 1817, 247.
- cirrhosus** Caranx, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. IX. 1833, 126.
- cirrosa** Clymene, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 201.
- cirrosa** Desmiphora, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 147.
- cirrosum** Distoma, C. A. Rudolphi, Entoz. I. 1808, 296.
- cirrhosa** Dubreuilia, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 278.
- cirrhosus** Eledone (Lam.), A. E. Férussac & A. d'Orbigny, H. N. Céph. acétab. 1840, 79.—Octopus, 1798.
- cirrhosus** Hypostomus, Valenciennes in Cuvier & Valenc., H. N. Poiss. XV. 1840, 511.
- cirrhosus** Ichthyoscopus (C. & V.), W. Swainson, N. H. Fishes etc. II, July 1839, 269.—[Cyprinus, 1795.]
- cirrhosus** Isocephalus (Bloch), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—
- cirrhosus** Istiophorus (Spix), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 71.—Vampyrus.
- cirrhosus** Johnius (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 76.—Sciaena, 1758.
- cirrosa** Julodis (Schoenh.), Laporte & Gory, H. N. Coléopt. I. 1835-1836, 3.—Buprestis.
- cirrhosum** Lepisoma, J. E. De Kay, N. H. New York (Fish) 1842, 41.
- cirrhosa** Lernaëa, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. I. 1801, 52.
- cirrhosa** Lycoris, A. Risso, H. N. Europe, IV. 1826, 417.
- cirrosus** Murex, R. B. Hinds, Proc. Zool. Soc. London, XI (128) Mar. 1844, 128.
- cirrosa** Ophiura, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 152.
- cirrhosum** Phyllostoma (Spix), J. B. Fischer, Syn. Mamm. 1829, 126.—Vampyrus.
- cirrosa** Polynoe (Pall.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 26.—Aphrodita, 1766. [1793.]
- cirrhosa** Scorpaena (Thunb.), Cuvier & Valenc., H. N. Poiss. IV. 1839, 318.—Perca,
- cirrosa** Stephanomia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 79.
- cirrhosa** Tethya, S. d. Chiaje, Descr. An. invert. Sicilia, V. 1841, 51.
- cirrosus** Trachinus, I. de Asso, An. Cien. Nat. IV. 1801, 30.
- cirrhosus** Trachinus, P. S. Pallas, Zoographia, III. 1814, 237.
- cirrhosum** Trachops (Spix), J. E. Gray, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 14.—Vampyrus.
- cirrhosus** Turbo, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 631.
- cirrhosa** Umbrina (L.), G. Cuvier, R. Anim. II. 1817, 297.—Sciaena, 1758.
- cirrhosus** Uranoscopus, Cuvier & Valenc., H. N. Poiss. III. 1829, 314.
- cirrhosus** Vampyrus, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 64.
- cirrhosa** Vandellia, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 386.
- Cirroteuthis** Eschricht, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 633.—Ceph.
- Cirrus** J. Sowerby, Min. Conch. II. 1816, 93.—G.
- Cirrus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cirus, Flem.
- cirrus** Centracanthus, C. S. Rafinesque-S., Car. n. gen. 1810, 43.
- cirrho** Pieris, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 58.
- cirrus** Pterocera (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 302.—Rostellaria.
- cirrus** Rostellaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 178.

- cirrus** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 227.
- cirsii** Aphidius, J. Curtis, Brit. Entom. VIII (96) Dec. 1831, no. 383.
- cirsii** Cetonia, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 58.
- cirsii** Hesperia, P. Rambur, F. Ent. Andal. II. 1842, 315.
- cirsii** Larinus (Stev.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 107.—Rhynobatus.
- cirsii** Rhynobatus, C. Steven, Mus. Mosq. II. 18—, 97 [*miki non visum*, ? MS].
- cirsii** Syrichtus (Ramb.), Boisdual, Gen. Index Europ. Lepid. 1840, 36.—Hesperia.
- cirsii** Trupanea, F. v. P. Schrank, F. Boica, III (1) 1803, 140.
- cirsiana** Tortrix (Paedisca), P. C. Zeller, Entom. Zeitung, Stettin, IV (5) May 1843, 150.
- cirsiorum** Xyphosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 762.
- cirtae** Helix, A. P. Terver, Cat. Moll. Afrique, June 1839, 11. [1839, 12.
- cirtae** Helix, Anton in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept.
- cirtanaria** Aecidalia, H. Lucas, Explor. Algér. (Artic. III.) 1849, 395.
- cirtana** Andrena, H. Lucas, Explor. Algér. (Artic. III.) 1849, 178.
- cirtana** Cantharis, H. Lucas, Explor. Algér. (Artic. II.) 1849, 394.
- cirtana** Chrysis, H. Lucas, Explor. Algér. (Artic. III.) 1849, 310.
- cirtanus** Dicyrtoma, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 255.
- cirtanus** Opilio, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 35.
- cirtanum** Phalangium (Koch), H. Lucas, Explor. Algér. (Artic. I.) 1846, 282.—Opilio.
- cirtana** Procris, H. Lucas, Explor. Algér. (Artic. III.) 1849, 374.
- cirtanus** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 142.
- cirtana** Xylocopa, H. Lucas, Explor. Algér. (Artic. III.) 1849, 167.
- cirteensis** Phytacia, H. Lucas, Ann. Sci. Nat. [2] (Zool.) XVIII. Sept. 1842, 187.
- Cirthoceratites** G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., descr. to pl. 12 (? 1838).—Ceph.
- Cirtolites** *err. pro* Cyrtolites, Conr.; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 31.
- Cirulus** v. Bredow, Arch. f. Naturg. III. 1837, 413.—A.
- Cirus** *id. ac* Cirrus, Sow.; J. Fleming, Hist. Brit. Anim. 1828, 313.
- cis** Bracon, P. F. Bouché, Nat. Ins. 1834, 149.
- cisalpinum** Chrysotoxum, C. Rondani, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 197.
- cisalpina** Fringilla, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 351.
- cisalpinus** Leucos, J. J. Heckel in Russegger, Reise, I (2) 1843, 1038 [*n. n.*].
- cisalpina** Passer (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 40.—Fringilla.
- cisalpina** Pyrgita (Temm.), C. L. Brehm, Isis (Oken), 1842, 894.—Fringilla.
- cisalpinus** Spondylus, Al. Brongniart, Mém. terr. Vicentin, 1823, 76.
- cisalpina** Theba, C. & J.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.
- Cisia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cissa, Boie.
- cisium** Cymbium, C. T. Menke, Syn. meth. Moll. 1828, 51.
- Cissa** Boie, Isis (Oken), 1826, 975.—A.
- Cisseis** Laporte & Gory, H. N. Coléopt. II. 1839, Cisseis, p. 1.—Col. [*n. n.*].
- cisseis** Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
- Cissia** E. Doubleday, List Lepid. Brit. Mus. 1848, App. p. 33.—Lep. [1779.
- cissia** Euptychia (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 122.—Papilio,
- Cissilopha** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 380.—A.
- Cissites** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 105.—Col.
- Cissites** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 376.—Col.
- cissoides** Basanites, H. Lichtenstein, Verz. Samml. Kaffernlandes, 1842, 12.
- cissoides** Corvinella (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 365.—Lanius, ? Vieill.
- cissoides** Lanius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 143.
- Cissopis** L. P. Vieillot, Analyse, 1816, 40.—A.
- Cissopus** W. Swainson, N. H. Classif. Birds, II. June 1837, 117.—A.
- Cissurus** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxvii (June 1850).—A. [*n. et f.*].
- cissus** Agriades (God.), C. Geyer in Huebner, Zuträge z. Exot. Schmett. V. 1837, 7.—Polyommatus.
- cissa** Cithaerias, J. Huebner, Verz. bekannt. Schmett. 1818, 53.

- cissa Picus, P. S. Pallas, Zoographia, I. 1811, 412.
- cissus Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 683.
- Cista J. Huebner, Epist. I. 1810; see Férussac, Tabl. Syst. Moll. 1821-22, Prodr., p. 87.
—L. [=Anodonta].
- cistaneus Gulo, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm. II. 282 (1827).
- cistela *v.* **cistellus** -a -um.
- cistelides *v.* **cistellides**.
- cistellinus -a -um *v.* **cistellinus** -a -um.
- Cistella *emend.* Cistela, Fabr.; J. Gistl, Nat. Thierr. 1848, p. xi.
- cistelides Tanychilus, E. Newman, Entom. Mag. V (5) Oct. 1838, 488.
- cistellinus Brentus (Bruchus), F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 12.
- cistellina Phaleria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 180.
- cistellinus Spermophagus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 103. [Terebratula.]
- cistellula Megathyrus (S. V. W.), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 361.—
- cistellula Terebratula, S. V. Wood, L., Ann. Mag. N. H. VI. Dec. 1840, 253 [*n. n.*].
- [cistellus.]
- cistela Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 388.
- cistella Chlamys, E. F. Germar, Ins. Spec. novae, I. 1824, 551.
- cistellus Cryptocephalus (Ditropidus), E. F. Germar, Linnaea Entom. III. Ap. 1848, 242.
- cistela Synastrea (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 149.—Astrea.
- [cistelloides.]
- cisteloides Adeliu, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 176.
- cisteloides Blaptinus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 116.
- cisteloides Bruchus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- cisteloides Calathus (Illiger), Dejean, Catal. Coléopt. 1821, 11.—Carabus, ?Panz. 1793.
- cisteloides [Feronia] (Panz.), Latreille in Cuvier, R. Anim. III. 1817, 192.—Carabus, 1793.
- cisteloides Harpalus (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 125.—Carabus, ?Panz.
- cisteloides Harpalus (Latr.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 36.—Feronia.
- cisteloides Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 213.
- cisteloides Helops, E. F. Germar, Ins. Spec. novae, I. 1824, 159.
- cisteloides Upis, Findeli; J. Sturm, Catal. Ins. Samml. 1826, 206.
- cisteloides *v.* **cistelloides**.
- Cistena W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 452.—Verm.
- Cistesaurus Geoffr. 1831; Waterhouse, Ind. Zool. II. 1912, 59 [*err. typ. pro* Cystocisti Bruchus, Ziegl.; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*]. [saurus, *q. v.*].
- cisti Eremobia (Fab.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 707.—Gryllus, 1787.
- Cisticercus C. A. Rudolphi, Bemerck. Geb. Naturg. II. 1805, 40 [*teste* Stiles & H.].
- cisticercus Finna, Brera, Mem. Verm. corpo umano (2) 1809, 154 [*teste* Stiles & H.].
- Cisticola J. J. Kaup, Skizz. Europ. Thierw. 1829, 119.—A. [*typus* Sylvia cisticola].
- Cisticola L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cysticola, Less.
- cisticola Curruca (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 213.—Sylvia.
- cisticola Dymoica (Temm.), G. R. Gray, Genera of Birds, I. Aug. 1848, 164.—Sylvia.
- cysticola Prinia (Temm.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 377.—Sylvia.
- cisticola Salicaria, J. Gould, Birds of Europe, II. 1837, pl. 113.
- cisticola Sylvia, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 228.
- cysticum Distoma, Creplin, Arch. f. Naturg. 1846, 159.
- cystica Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 634.
- cysticus Tetraerhynchus, Mayer, Arch. Anat. Phys. Med. 1842, 213.
- Cistidia J. Huebner, Verz. bekannt. Schmett. [1822], 174.—Lep.
- cystidicola Ascaris, Creplin, Arch. f. Naturg. XII (1) 1846, 133 [*n. n.*].
- cystidicola Dispharagus (Bosc), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 81.—Fissula.

- cystidicola** Distoma, Creplin, Arch. f. Naturg. 1846, 156.
cystidicola Fissula, Lamarck, Syst. Anim. 1801, 339.
cystidicola Ophiostoma, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 129.
cystidicola Spiroptera (Bosc), C. A. Rudolphi, Entoz. Syn. Mant. 1819, 25.—Fissula,
cystifera Acephalocystis, T. Laennec, Mém. Vers vésic. 1805, 171. [? Lam.
Cistina J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 283.—Ast.
Cistina L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cistena, Leach.
Cistogaster P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 511.—Dipt.
Cistomyia Erichson, 1840; *teste* Scudder, *sed non comp.* [=Cistomyia].
Cistopus J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 20.—Ceph.
cistorum Helix, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 66.
Cistothorus J. Cabanis, Mus. Heineanum (1) 1850 [1851], 77.—A.
Cistuda C. L. Bonaparte, Distr. metod. Vert. 1832, 12.—R.
Cistuda J. E. Gray, Ill. Indian Zool. I [1830–32], pl. 77.—R.
Cistudo J. Fleming, Phil. Zool. II. 1822, 270.—R.
Cistudo Flem., *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 137.—R.
Cistula J. E. Gray (*ex* Say MS), Ann. of Phil. X (3) Sept. 1825, 211.—R. [*in syn.*].
Cistula W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 57.—G.
cistula Arca, L. Reeve, Conch. Icon. II.—Arca, no. 29, Feb. 1844.
cistula Chama, L. Reeve, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 118.
cistula Gyges, E. v. Eichwald, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2) 1849, 477.
cistula Pandora, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 217.
cita *v.* **citus** -a -um.
citator Atractodes, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 120.
citator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 269.
Citellus L. Oken, Lehrb. Nat. III (2) 1816, 842.—M. [*non* "Gattung" Oken].
citellus Cricetus, N. G. Leske, Anfangsgr. Naturgesch. I. 1779 [*mihi non visum*].
citillus Sperophilus (L.), R. P. Lesson, Man. Mamm., May 1827, 243.—Mus, 1766.
Cithaerias J. Huebner, Verz. bekannt. Schmett. 1818, 53.—Lep.
Cithaerionia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Citheronia, Huebn.
Cithaevias J. Huebner, Exot. Schmett. II. Tab. [80] 18—.—Lep. [*n. cf.*].
Cithara L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cythara, Schum.
Cithara A. N. Hermannsen (*ex* Klein), Ind. Gen. Malacoz. I. 1847, 239.—G.
cithara Buccinum, D. Solander, Catal. Portland Mus. 1786, 23, 67, 98, 155 [*n. n.*].
cythara Buccinum, G. Brocchi, Conch. Subap. 1814, 330.
cithara Buccinum, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 206.
cithara Callionymus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 248.
cithara Carinaria, W. H. Benson, J. Asiat. Soc. Bengal, IV. 1835, 215. [Buccinum.
cythara Cassidaria (Brocc.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 209.—
cythara Cassis (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 536.—Buccinum.
cithara Euplotes (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 169.—Ploesconia.
cythara Harpa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 225.—Buccinum.
citharus Hippoglossus, A. Risso, H. N. Europe, III. 1826, 246.
cithara Loxodes, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 108.
cithara Mangelia, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 140.
cithara Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 248, Mar. 1845.
cithara Oniscia (Brocc.), G. B. Sowerby, II., Gen. Shells (24) 1824.—Buccinum.
cithara Pholas, S. G. Morton, Syn. Org. Rem. Cret. 1834, 68.
citharus Pleuronectes, M. Spinola, Ann. Mus. II. N. (Paris) X (58–59) Oct. 1807, 374.
citharus Pleuronectes (Raf.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 47.—Solea.
cithara Ploesconia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 437.
citharus Serrasalmus, E. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. du Nil) 1809, 40.
cithara Solea, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14 & 52.
cithara Voluta, D. Solander, Catal. Portland Mus. 1786, 96 & 182.
cithara Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 476.
cythara Voluta, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 153 [*n. n.*]. [Voluta.
cithara Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 122 & 318.—
Citharaedus H. G. Bronn (*ex* Chemn.), Index Pal. 1848, 303 [*v.* Citharoedus].

- cytharella** Auricula (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 70.—Bulimus.
- citharellus** Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 291.
- citharella** Cancellaria, Lamarck, An. s. vert. VII. 1822, 115.
- citharella** Cancellaria, G. G. Pusch, Polens Palaeont. (2) 1837, 129.
- citharellus** Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (11) Aug. 1803, 388.
- citharella** Mangelia (Lam.), L. Reeve, Conch. Icon. III.—Mangelia, no. 5, May 1846.—Cancellaria.
- citharella** Melanopsis, P. Merian, Ber. nat. Ges. Basel, VIII. 1846–48 (1849), 31.
- citharella** Mitra, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 60.
- citharella** Mitra (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 353.—Auricula.
- citharella** Voluta, Al. Brongniart, Mém. terr. Vicentin, 1823, 64.
- Citharina** d'Orbigny in Sagra, Cuba (Foram. 1839), p. xxxvii.—Rh.
- Citharinus** G. Cuvier, R. Anim. II. 1817, 168.—P.
- citharina** Vaginulina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
- citharina** Voluta, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 132.
- citharoedicus** Ocylope, T. Say, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 73.
- Citharoedus** A. N. Hermannsen (ex Chem.), Ind. Gen. Malacol. I. 1847, 240.—G.
- citharula** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 10 [*n. et f.*].
- citharus** *v.* **cithara**.
- Citheronia** J. Huebner, Verz. bekannt. Schmett. [1820], 153.—Lep.
- cithonius** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 633.
- citigrada** Loxosceles, Heineken & Lowe, Zool. Journ. V (19) July 1832, 322.
- citilli** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 76 [*n. n.*].
- citilli** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 28 [*n. n.*].
- Citillus** *pro* Citellus; M. H. C. Lichtenstein, Darst. Säugth. (6) [1830–34], pl. xxxii.
- citillus** *v.* **citellus**.
- citrago** Cirrhia (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Phalaena, 1758.
- citrago** Xanthia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Phalaena, 1758.
- citrana** Catoptria (Huebner), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 187.—Tortrix.
- citrana** Cochylis (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 233.—Tortrix.
- citrana** Thiodia, J. Huebner, Verz. bekannt. Schmett. 1826, 391.—Tortrix. [*n. et f.*].
- citrana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 29 (Fernaldo judice 1797)
- citraria** Aspitates (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 431.—Geom.
- citrea** *v.* **citreus** -a -um. [1796.]
- citreipes** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 96.
- citreogularis** Sericornis, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- citreogularis** Tropicorhynchus, J. Gould, Syn. Birds Austral. (1) Jan. 1837.
- citreolaemus** Ramphastos, J. Gould, Proc. Zool. Soc. London, XI (130) June 1844, 147.
- citreoloides** Budytes, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- citreola** Budytes (Pall.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 19.—Motacilla, 1776.
- citreola** Manorhina (Gould), G. R. Gray, Genera of Birds, I. Nov. 1846, 127.—Myzanthia.
- citreola** Myzanthia, Gould, Proc. Zool. Soc. London, VII (82), 1839, 144.
- citreolus** Trogon, J. Gould, Proc. Zool. Soc. London, III (27) June 1835, 30.
- citreopygus** Ramphastos, J. Gould, Mon. Ramphastidae, 1834, Add. to Introd. 1 & pl. iv.
- citrea** Aegina, J. F. Eschscholtz, Syst. Acalephen, 1829, 113; Zool. Atlas, I. 1829, 15.
- citrea** Aequorea (Esch.), H. D. de Blainville, Man. Actin. 1834, 279.—Aegina.
- citrea** Aranea (Latr.), Lamarck, An. s. vert. V. 1818, 101.—Thomisus.
- citrea** Mniotilta (Bodd.), G. R. Gray, Genera of Birds, I. Dec. 1848, 196.—Motacilla.
- citrea** Motacilla, P. Boddaert, Tab. Planch. Enl. 1783, 44.
- citreus** Spondylus, W. Wood (ex Adans.), Index Test. 1818, 41.
- citreum** Theridion, G. A. Goldfuss, Handb. Zool. (1) 1820, 219.
- citreus** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 31. [1814, 426.]
- citreus** Thomisus, *id.* ac citrinus, Latr.; W. E. Leach, Brewster's Edin. Ency. VII (2)
- citreus georgiensis** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I.
- citri** Phalaena, J. Sepp, Surinaam Vlinders (3) 1830, 31. [1837 [1836], 528.]

- citri** Xyleborus, T. E. Bowdich, Excur. Madeira, 1825, 149.
- Citria** J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Lep. [[*n. et f.*].
- citriaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 103 (Fernaldo judice 1828)
- citricola** Epeira (Forsk.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 143.—Aranea, 1775.
- citricola** Scarabaeus, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 181.
- citridactylus** Pterophorus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51 [*n. n.*]; Syst. Cat. Brit. Ins., Aug. 1829, 230.
- citrifolia** Phaneroptera (Stoll), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 24.—Tettigonia; ? Gryllus (T.), L.
- citrifolia** Phyllophora (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 286.—Locusta; ? Gryllus, L.
- citrifolia** Phylloptera (L.), H. Burmeister, Handb. Ent. II (2) i, 1838, 694.—Locusta; ? Gryllus, 1758. [—Locusta; ? Gryllus, L. 1758.
- citrifolius** Steirodon (Fab.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 141.
- citrina** *v.* **citrinus** -a -um.
- citrinaria** Therapis, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 26.
- Citrinella** J. J. Kaup, Skizz. Europ. Thierw. 1829, 142.—A. [*tytus* Emberiza citrinella].
- Citrinella** C. L. Bonaparte, Icon. F. Italica, I. 1833 (fasc. 4), text to pl. [37].—A.
- citrinellae** Liotheum (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 326.—Menopon.
- citrinellae** Menopon, H. Denny, Mon. Anoplur. 1842, 220. [Serinus.
- citrinelloides** Citrinella (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 520.—
- citrinelloides** Serinus, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 95.
- citrinella** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 6. [Tanagra.
- citrinella** Callispiza (Temm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 26.—
- citrinella** Calliste (Temm.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Tanagra.
- citrinella** Cannabina (L.), C. D. Degland, Orn. Europ. I. 1849, 234.—Fringilla, 1766.
- citrinellus** Carduelis (L.), C. Dumont, Dict. Sci. Nat. XXVI. 1823, 546.—Fringilla, 1766.
- citrinella** Certhia, J. Hermann, Obs. Zool. 1804, 137.
- citrinella** Chrysomitris (Gm.), F. Boie, Isis (Oken), 1828, 322.—Fringilla, L. 1766.
- citrinella** Cicada, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 536.
- citrinella** Cicadula, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 299.—Cicada, 1828.
- citrinellum** Coriscium (F. R.), P. C. Zeller, Isis (Oken), 1839, 210.—Ornix.
- citrinella** Emberiza, P. S. Pallas, Zoographia, II. 1811, 36.
- citrinella** Fringilla, J. Wolf & B. Meyer, Nat. Voegel Deutschl. I (10) ante 1810, 103.
- citrinella** Linaria (L.), Cuvier, Règne Anim. I. 1817, 388.—Fringilla, 1766.
- citrinella** Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 14.
- citrinella** Miliaria, W. Swainson, N. H. Classif. Birds, II. June 1837, 290.
- citrinella** Motacilla, *id. ac* citreola, 1776; P. S. Pallas, Zoographia, I. 1811, 503.
- citrinella** Motacilla, J. R. Forster, Anim. mar. Aust. 1844, 89.
- citrinella** Ornix, J. E. Fischer v. R., Abbild. Schmett. (14) 1840, 196.
- citrinella** Oscanis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2630.
- citrinella** Spinus (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 234.—Fringilla, 1766.
- citrinella** Sylvia, A. Wilson, Amer. Ornith. II. 1810, 111. [Sylvia.
- citrinella** Sylvicola (Wils.), W. Swainson, Phil. Mag., n. s., I (6) June 1827, 434.—
- citrinella** Tanagra, C. J. Temminck in T. & Laugier, Pls. color. (7) Ap. 1822.
- citrinella** Zosterops, S. Mueller in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 398.
- citrino-cristata** Cacatua, L. Fraser, Zool. typica [1846-9], pl. 58.—Ptyctolophus.
- citrino-cristatus** Ptyctolophus, L. Fraser, Proc. Zool. Soc. London, XII (132) July 1844,
- citrinoides** Helix, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 161. [38.
- citrinoideum** Cardium, J. Phillips, Geol. Yorksh. I. 1829, 144 [*n. et f.*]. [Helix.
- citrino vitreus** Bulimulus (Moric.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 64.—
- citrino vitreus** Bulimus, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 135.
- citrino-vitrea** Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 436.
- citrinula** Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 5.

- citrina* Acanthisitta (Gm.), G. R. Gray, List Gen. Birds, ed. 2, Appendix, 1842, 6.—Motacilla, 1788.
- citrina* Achatinella, Mighels in L. Pfeiffer, Mon. Helic. II. 1848, 234. [644.]
- citrinum* Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838].
- citrinus* Androctonus (Prionurus), Heinrich & Ehrenberg, Ges. Nat. Fr. Berlin, Verh. I (6) 1829, 356.
- citrina* Aplysia, P. S. Rang, H. N. Aplysiens, 1828, 71.
- citrinum* Buccinum (Lam.), W. Wood, Suppl. Index Test. 1828, 51.—Pyrula.
- citrinum* Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 70, Dec. 1846.
- citrinus* Bulimus, H. D. de Blainville, Man. Malac. 1825, 625.
- citrina* Bulla, D. Solander, Catal. Portland Mus. 1786, 73 & 174 [*n. n.*].
- citrina* Cardita, Lamarck, An. s. vert. VI (1) 1819, 26.
- citrinum* Cardium, Wood, Index Test. 1825, 26.
- citrina* Cassida, D. H. Schneider, Verz. Insectensamml. 1828, 83 [*n. n.*].
- citrinus* Celeus (Bodd.), G. R. Gray, Genera of Birds, II, July 1846, 440.—Picus, 1783.
- citrina* Ceraspis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 433. [1850, 92.]
- citrinus* Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 248.
- citrina* Cyclas, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 132.
- citrinum* Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 117.
- citrina* Cypraea, J. E. Gray, Zool. Journ. I (4) Jan. 1825, 509.
- citrina* Cytherea, Lamarck, An. s. vert. V. 1818, 567.
- citrina* Ephemera, A. D. Hummel, Essais Entom. I (4) 1824, 16 & 71.
- citrinus* Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 41.
- citrinus* Galeodes, J. Gistel, Nat. Thierr. 1848, 191.
- citrinus* Galeodes, J. Gistel, Handb. Naturges. 1850 [1847], 626. [1790.]
- citrina* Geocichla (Lath.), E. Blyth, Ann. Mag. N. H. XIII. Feb. 1844, 116.—Turdus,
- citrinus* Gobius, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 139.
- citrina* Helicina, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 163. [1832.]
- citrina* Helix, L., *var. analis*, Cristofori & Jan, Cat. Mus., Sect. IIa (1a) Conspectus, 3,
- citrinus* Helix (Bulimus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 79. [1821, 46.]
- citrina* Helix (Helicella), Linn.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- citrinus* Heterochilus, H. Burmeister (*ex* Dej. Cat.), Handb. Ent. IV (1) 1844, 98.
- citrinus* Icterus, J. B. v. Spix, Avium Brasil. I. 1824, 69.
- citrinum* Laevicardium (Wood), W. Swainson, Treat. Malacol., May 1840, 373.—Cardium.
- citrina* Larra, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. f.
- citrinus* Lobotes, J. Richardson, 15 Rept. Brit. Assoc. (Camb. 1845) 1846, 237.
- citrinus* Macropipus, A. Cocco, Effem. Sci. Lett. Sicilia, II. 1832, 204 [*n. n.*].
- citrinus* Megalurus, G. R. Gray, Genera of Birds, I. Aug. 1848, 169 [*n. et f.*].
- citrinus* Miro (Gm.), G. R. Gray, List Gen. Birds, 1840, 32.—Motacilla, 1788.
- citrina* Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 215, Dec. 1844.
- citrina* Molgula, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 198.
- citrinum* Monoceros, G. B. Sowerby, I., Proc. Zool. Soc. London, III (28) July 1835, 51.
- citrina* Motacilla, J. Wilkes, Ency. Londin. XVI. 1817, 78.
- citrina* Muscipapa, P. Boddaert, Tab. Planch. Enl. 1783, 41.
- citrina* Muscipeta, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 917.
- citrinus* Myalurus, G. R. Gray, Genera of Birds, I. Aug. 1848, pl. xlviii [*n. et f.*].
- citrinus* Mytilus, D. Solander, Catal. Portland Mus. 1786, 68 [*n. n.*].
- citrina* Naniina (L.), J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 58.—
- citrina* Oedipoda, H. Burmeister, Handb. Ent. II (2) i, 1838, 645. [Helix, 1758.]
- citrinus* Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 72.
- citrinus* Petrocosyphus (Lath.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 79.—
- citrina* Phalaena, E. Donovan, Brit. Ins. X. 1801, 36. [Turdus, 1790.]
- citrina* Phalaena, J. Sepp, Surinaam Vlinders (? 1848–50), 113.
- citrina* Philodina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 49 [*n. n.*]; *ibid.* 1831 (1832), 147.
- citrinus* Pleurobranchus, E. Rueppell & Leuckart, Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 or 1831, 20.

- citrina** Polycera, J. Alder, Ann. Mag. N. H. VI. Jan. 1841, 340.
citrina Pyrrula, Lamarck, An. s. vert. VII. 1822, 146.
citrinus Rimamphus, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 418.
citrinus Rotifer, C. G. Ehrenberg, Infusiothier. 1838, 489.
citrina Sapromyza, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 264.
citrinus Scorpio (H. & E.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 47.—Androct.
citrina Succinea (L.), H. E. Anton, Verz. Conch. 1839, 33.—Helix, 1758.
citrina alesiensis Talpa, P. M. T. de Serres, Essai Anim. Midi France, 1822, 33.
citrina Thelia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 309.
citrina Tityra (Wied), G. R. Gray, Genera of Birds, I. June 1846, 254.—Muscipeta.
citrinum Trombidium, P. Gervais in Gay, Chili, IV (Acar.) 1849, 35. [Cyclostoma.
citrina Tropicophora (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 41.—
citrina Tyrodina, L. de Joannis, Magasin de Zool. III. 1833 [June 1834], pl. 36.
citrina Voluta, G. Fischer, Mus. Démid. III. 1807, 167.
citrina Vorticella, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 555.
citriperda Ceratitis, W. S. MacLeay, Zool. Journ. IV (16) May 1829, 475.
citriperda Melipona, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 158 [n. n.].
citripes Subula, L. Dufour, Ann. Sci. Nat. [3] (Zool.) VII. Jan. 1847, 12.
citripoda Hyla, Péron & Lesueur, Voy. Aust. I. 1807, 407.
citriventris Loboderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 797.
citronella Perla, G. Newport, Proc. Linn. Soc. London (36) June 1848, 388.
citropa Dryopsophus (Péron), L. Fitzinger, Syst. Rept. 1843, 30.—Hyla.
citropa Hyla, J. J. Tschudi, Mém. Soc. Sci. Neuchâtel, II. 1839 [sep. 1838], 34.
citrosa Paidia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 18.
citrullus Patella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 149.
citrus Echinospaerites, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 243.
citrus Sphaerionites, W. Hisinger, Lethaea Svecica, 1837, 91.
Citta J. G. Wagler, Syst. Avium, 1827 [322].—A.
Citta L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kitta, Kuhl.
Cittacincla L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kittacincla, Gould.
Cittarium R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1847, 21.—G. [Temm.
Cittura J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 68.—A. [*typus* Dacelo cyanotis,
Citula G. Cuvier, R. Anim. II. 1817, 315.—P.
Citula A. Risso, Journ. de Physique, XCI. Oct. 1820, 254.—P.
citula Caranx, Cuvier & Valenc., H. N. Poiss. IX. 1833, 126.
cita Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 412.
ciuciara Echelus, C. S. Rafinesque-S., Car. n. gen. 1810, 65.
Civetea Beauvois, Cat. rais. Mus. Peale, 1796, 27 [*teste* Palmer].
zivetta Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 142.
zivetta Polybothris (Klug), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 117.—Buprestis.
civetoides Viverra, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (5) Ap. 1841, 62.
civica Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 32 (Fernaldo giudice 1802)
civica Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me giudice 1805], 136. [*n. et f.*].
civica Chelonia (Huebner), J. B. Godart, H. N. Lépid. France, IV (Noct. 1) 1823, 328.
civica Hyphoraia, J. Huebner, Verz. bekannt. Schmett. [1822], 182. [—Bombyx.
civica Lebia, E. Newman, Entomologist (2) Dec. 1840, 31.
civicum Theridion, H. Lucas, Rev. Zool. (Soc. Cuv.) XI. Ap. 1848, 124.
civilis Aranea, C. A. Walckenaer, Faune Paris, II. 1802, 216.
civilis Cimex, E. F. Germar, Revue Entom. V (4) 1840, 179.
civilis Drassus, A. Reuss, Abh. Senckenb. Mus. I (3) 1834, 207.
civilis Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 133.
civilis Hister, J. Le Conte (*ex* Erichs. MS), Boston Journ. N. H. V (1) 1845, 55.
civilis Philoica (Walck.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 26.—Aranea, 1802.
civilis Pterostichus (Steropus), E. F. Germar, Linnaea Entom. III. Apr. 1848, 168.
civilis Tegenaria, C. A. Walckenaer, Tab. Aran. 1805, 49.—Aranea, 1802.
civis Diacoce, Cuvier & Valenc., H. N. Poiss. VII. 1831, 444.

- Cixia emend. pro* Cixius, Latr.; H. Burmeister, Handb. Ent. II (1) 1835, 156.
cixia Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 69.
Cixius P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 168.—Hem.
claasseni Chama, J. H. Jonas, Zeitschr. f. Malakozool., Aug. 1846, 127.
clackmannensis Ichthyolithus, J. Fleming, Edinburgh New Phil. Journ. XIX (38) Oct.
Cladacanthus J. L. R. Agassiz, Poiss. Foss. III. 176 (1843).—P. [n. n.]. [1835, 316.
Cladactis C. S. Rafinesque, Analyse, 1815, 153.—Ech. [n. n.].
Cladeiodon R. Owen, Odont. (1841), 268.—R.
Cladeus C. S. Rafinesque, Analyse, 1815, 100.—Cr. [n. n.]. [Schoenh.
Cladeuterus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cladeyterus,
Cladevodon L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cladeiodon, Ow.
Cladevodon L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cladyodon, Ow.
Cladeyterus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 157.—Col.
Cladidiptera *id. ac* Cladodiptera, M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post*
 June 1839, 318.
cladifera Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 75.
Cladione L. Agassiz, Nom. Zool. (Col.) 1845, 38.—Col. [*v.* Cladionus, 1827].
Cladionus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 334.—Col. [*non* 1825,
Cladis Mulsant; *teste* Gemminger & Harold *sed non comp.* [vernac.].
Cladiscus A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 33.—Col.
Cladius K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 190.—Hym.
Cladobates F. Cuvier, Dents des Mamm. (Table, 1824), 251.—M.
Cladobius Dejean, Cat. Coléopt., ed. 3, 1837, 303.—Col.
Cladocera F. W. Hope, Coleopt. Manual, III. 1840, 169.—Col.
Cladocerus C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429.—Cor.
Cladochonus F. McCoy, Ann. Mag. N. H. XX. Oct. 1847, 277.—Coel. [—Verm.
Cladocoelium F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 (Nov. 1844), 389.
Cladocora Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 309.
Cladocrinites T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 197.—Cr. [—Cor.
Cladocrinus J. Morris, Cat. Brit. Foss., July 1843, 59.—Crin.
Cladocyclus J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [n. n.]; Poiss. Foss. V
 (1), 103 (1844).—P. [Mertens. I. 1835, 43.—Ech.
Cladodactyla J. F. Brandt, Rec. Actes Ac. Sci. St Pétersb. 1834 (1835), 243; Prod. anim.
Cladodes A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 444.—Col.
Cladodiptera M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 316.—Hem.
Cladodus J. L. R. Agassiz, Poiss. Foss. III. 196 (1843).—P.
Cladognathus H. Burmeister, Handb. Ent. V. 1847, 364.—Col.
Cladolabes J. F. Brandt, Prod. anim. Mertens. I. 1835, 57.—Ech.
Cladomorphus G. R. Gray, Syn. Phasmidae, 1835, 15.—Orth.
Cladon Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 97.—Col. [n. n.].
Cladonema F. Dujardin, C. R. Acad. Sci. (Paris) XVI. May 1843, 1134; Rev. Zool. VI.
 1843, 156.—Med.
cladonia Spongia, C. S. Rafinesque, Amer. J. Sci. I (2) 1818, 150. [*typo*].
Cladophila Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 430.—Col. [*sine*
Cladophora C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 33.—Lep.
Cladophora Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.—Col. [n. n.].
Cladophora J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 148.—Nud. [n. n.].
Cladophorus F. E. Guérin, Magasin de Zool. I. 1831, 11.—Col.
Cladophorus J. E. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 371.—Col.
cladophora Hispa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Jan. 1841, 7.
Cladopoda J. E. Gray, Figs. Moll. Anim. IV. 1850, 83.—G. [Mar. 1844, 90.
Cladopteryx emend. pro Cladodiptera, Spin.; J. O. Westwood, Arcana Entom. II (18)
Cladorhynchus G. R. Gray, List Gen. Birds, 1840, 69.—A. [—P.
Cladospyris C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab. p. 385.
Cladostoma C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429.—Ech.
Cladostoma J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 190.—Med.
Cladotoma J. O. Westwood, Mag. Zool. Bot. I (3) Oct. 1836, 254.—Col.
Cladoxerus Le Peletier & Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 445.—Orth.

- Cladoxus** C. S. Rafinesque, Amer. Monthly Mag. I (5) Sept. 1817, 361.—[Aphidae].
- Cladyodon** R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 155.—R.
- Cladypha** Amyot & Serville (Roret's Suite a Buffon), Hémiptères, 1843, 502.—Hem.
- Claeetes** G. J. Billberg, Syn. Faunae Scand. I (1) 1827, Tab. A [n. n.].—M.
- claelius** Dasyopogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 351.
- Claeoderes** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 6 & 362.—Col.
- Clætes** *id. ac* Clætes, G. J. Billberg, Syn. Faun. Scand., ed. 2, I (1) 1828, Tab. A.
- clagia** Argynnis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 816.
- clagia** Cirrochroa (God.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848),
- claibornensis** Anatina, I. Lea, Contrib. to Geol. 1833, 40. [158.—Argynnis.]
- claibornensis** Avicula, I. Lea, Contrib. to Geol. 1833, 86.
- claibornensis** Cerithium, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,
- claibornensis** Conus, I. Lea, Contrib. to Geol. 1833, 186. [132.]
- claibornensis** Fissurella, I. Lea, Contrib. to Geol. 1833, 94.
- claibornensis** Fusus, I. Lea, Contrib. to Geol. 1833, 19. [132.]
- claibornensis** Lithodomus, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,
- claibornensis** Nucula, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 131.
- claibornensis** Pasithea, I. Lea, Contrib. to Geol. 1833, 104.
- claibornensis** Siliquaria, I. Lea, Contrib. to Geol. 1833, 33.
- claibornensis** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 105.
- [clairvillei.]
- clairvillei** Cionus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 730.
- clairvillii** Elaphrus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 61.
- clairvillei** Helluo, Escher in Dejean, Spec. gén. Coléopt. V. 1831, 406.
- clairvillei** Helluomorpha (Dej.), F. L. de Laporte, Etudes Entom. (1) 1834, 53.—Helluo
- clairvillei** Platyrhinus, J. Gistel, Nat. Thierr. 1848, 133.
- clairvillei** Platyrhinus, J. Gistel, Handb. Naturges. 1850 [1847], 438.
- clairvillii** Pterostichus, J. Sturm, Catal. Ins. Samml. 1826, 188 [n. n.]. [—Dipt.]
- Clairvillia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 234.
- clairvillia** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 46 [n. et f.]. [Helix.]
- clairvillia** Nanina (Fér.), J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 58.—
- claiensis** Gordius, P. Savi (*ex* Charvit), N. Giorn. Lett. (Pisa) XXXIII (88) 1836, 74.
- clamans** Cysticola (Temm.), P. A. J. Drapiez, Dict. class. Sci. Nat. III. 1838, 359.—Malurus, Cretzschm.
- clamans** Drymoica (Cretzschm.), G. R. Gray, Gen. Birds, I. Aug. 1848, 163.—Malurus.
- clamans** Malurus, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (1) 1826, 2.
- Clamator** E. Blyth, Catal. Birds Mus. Asiat. Soc. 1849, 250.—A. [1852 *est*].
- clamator** Bubo, L. J. P. Vieillot, Ois. Amér. sept. I. 1807, 52.
- clamator** Caprimulgus, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 234.
- clamator** Perdix, C. J. Temminck, Pig. et Gallin. III. 1815, 298.
- clamator** Scops (Vieill.), G. R. Gray, List Birds Coll. B. M. I. 1844, 45.—Bubo.
- clamata** Francolinus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819,
- clamata** Rana, F. M. Daudin, H. N. Rainettes, 1802, 54. [328.—Perdix clamator.]
- clamata** Strix, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1279. [[n. n.].]
- Clambus** G. Fischer v. W., Entom. Imp. Russ. I (Gen. Ins.) *post* Sept. 1821, 52.—Col.
- clamitans** Rana, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 157.
- Clamophora** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 388.—Col. [*sine typo*]. [Philom. Paris, 1841, 88.]
- clamorgami** Harpalus, H. M. Edwards, L'Institut, Aug. 1841, 280; Extr. P. V. Soc.
- clamosa** Alauda, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 23.
- clamosa** Atrichia, J. Gould, Birds of Austr. (14) Mar. 1844; Proc. Zool. Soc. London, XII
- clamosus** Cuculus, J. Latham, Index Orn., Suppl. 1801, p. xxx. [(131) July 1844, 2.]
- clamosus** Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 200.
- clamosus** Francolinus, R. P. Lesson, Traité Ornith. (7) Ap. 1831, 504.
- clamosus** Turdus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 197.
- Clamydosaurus** J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 197.—R.

- Clamys** *id. ac* Chlamys, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 115.
- Clanculus** Denys de Montfort, Conch. II. 1810, 190.—G.
- clancula** Homalota, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 331.
- clanculus** Lagenorhynchus, J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), pl. 35.
- clanda** Pentatoma, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 312.
- clandestinella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 138.
- Clandestinus** J. Gistl, Nat. Thierr. 1848, p. ix.—Col.
- clandestinum** Agonum, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 212.
- clandestina** Alysia, A. H. Haliday, Hymenopt. Brit. (2) 1839, 27.
- clandestinum** Anomalon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 670.
- clandestina** Aplecta (Boisd.), A. Guénée, Ann. Soc. Ent. France, VII (2) *post* June 1838, 219.—Polia.
- clandestinus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 (1836),
- clandestina** (*sic*) Bulla, F. Du Bois de M., Conch. foss. Wollhyni, 1831, 49. [443.]
- clandestinus** Ceraphron, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 276.
- clandestinus** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841,
- clandestina** Cycladina, O. G. Costa, Fauna Sicil. (1) Cyclad. 4 (1840). [112.]
- clandestina** Cypraea, W. Wood, Suppl. Index Test. 1828, 9 [*n. et f.*].
- clandestina** Dacnusa, A. H. Haliday, Hymenopt. Brit. (2) 1839, 14.
- clandestina** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 848.
- clandestinus** Erithismus (Hartm.), J. Gistl, Nat. Thierr. 1848, p. xi.—Trichia.
- clandestina** Fasciolaria, Grateloup, Actes Soc. Linn. Bordeaux, VI (32) 1833, 36.
- clandestina** Marginella (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 526.—Voluta.
- clandestina** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 263, Mar. 1845.
- clandestinus** Murex, L. W. Dillwyn, Catal. Shells, 1817, 723.
- clandestina** Myrmica, A. Foerster, Hymenopt. Studien (1) 1850, 63.
- clandestina** Noctua, T. W. Harris, Rep. Insects Massach. 1841, 327.
- clandestina** Polia, Boisdual, Europ. Lepid. Index, 1829 [1828], 75.
- clandestinus** Polistichus, F. Klug, Jahrb. Insectenk. I. 1834, 68.
- clandestinus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 19.
- clandestina** Purpura, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 18 [*n. n.*].
- clandestina** Scalaria, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (11) 1828, 199.
- clandestina** Theba (Hartm.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 115.—Trichia.
- clandestina** Tipula, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 180.
- clandestina** Trichia, J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 125.
- clandestinum** Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 433, Liste p. 8 [*n. et f.*].
- clandestina** Voluta, G. Brocchi, Conch. Subap. 1814, 642.
- claneophila** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 29 [*n. et f.*].
- clanga** Aquila, P. S. Pallas, Zoographia, I. 1811, 351.
- clangor** Cignus, C. T. Wood, Orn. Guide, 1835, 207.
- Clangula** L. Oken, Isis, I. 1817, 1183.—A. [*teste* C. W. R.].
- Clangula** W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, 4to, Ap. 1819, App. 11,
- clanguloides** Trochus, W. Wood, Suppl. Index Test. 1828, 18 [*n. et f.*]. [p. xlviii.—A.]
- Clangulus** de Blainville, Dict. Sci. Nat. IX. 1817, 354.—G. [=Clanculus, Montf.].
- clangula** Fuligula (L.), C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan. 1828, 393.—Anas, 1758. [Anas, 1758.]
- clangula** Glaucion (L.), Keyserling & Blasius, Wirbelth. Europas, 1840, lxxvii & 229.—
- clangulus** Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
- Clanis** J. Huebner, Verz. bekannt. Schmett. [1820], 138.—Lep.
- Clanis** F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 9.—Dipt. [18 trivialia quoted —all *n. n.*].
- Clanis** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 999.—Col.
- clanis** Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847) 126 [*n. n.*].
- clannyana** Martinia, W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 8.
- clappertoni** Anodon, C. Koenig in Denham & Clapperton, Narr. Trav. Africa, 1826, App. p. 255. [1826, App. p. 198.]
- clappertoni** Francolinus, J. G. Children in Denham & Clapperton, Narr. Trav. Africa,

- clappertoni** Perdix (Childr.), P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (4) 1827, 13.—*Francolinus*.
- clappi** Zaphrentis, J. Haime, Bull. Soc. géol. France (scr. 2) VII. 1850, 161 [*n. n.*].
- clara** *v.* **clarus** -a -um.
- clarae** Posidonomya, H. Emmrich, N. Jahrb. f. Min. 1844, 797 [*n. n.*].
- clarapex** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 124.
- clarcki** *v.* **clarki**.
- clarella** Palpula, F. Treitschke, Schmett. Europa, IX (2) 1833, 54.
- Clarias** Cuvier & V., H. N. Poiss. XV. 1840, 362.—P.
- clarias** Bagrus (Bl.), Mueller & Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 627.—*Silurus*, L. 1758. [1758.]
- clarias** Pimelodus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 93.—*Silurus*, **clarias** Synodontis (Hass.), G. Cuvier, R. Anim. II. 1817, 203.—*Silurus*, L. 1758.
- claricollis** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 179. [29.]
- clarigator** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 197.
- clarigula** Trochilus, E. Burton, Cat. Coll. Mamm. Birds Army Med. Dept. Fort Pitt, 1838.
- claripennis** Acinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 778. [1830, 488.]
- claripennis** Aricia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 376.
- claripennis** Chetocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 697. [1830, 423.]
- claripennis** Cosmina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Cyphomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 45.
- claripennis** Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 163.
- claripennis** Diastata, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 554.
- claripennis** Dyctia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 693.
- claripennis** Ebenia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 299.
- claripennis** Egle, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1820, 590. [1830, 297.]
- claripennis** Elomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Euphemia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 486. [1830, 379.]
- claripennis** Gesneria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Helina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 494. [1830, 510.]
- claripennis** Hydrotaea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Lampria, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 314.
- claripennis** Limnia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 685.
- claripennis** Lonchoea, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 407.
- claripennis** Lucilia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 296. —*Onesia*. [1830, 267.]
- claripennis** Megerlea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Melanophora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 228. —*Nyctia*. [1830, 646.]
- claripennis** Minettia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Morinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 266. [1830, 806.]
- claripennis** Mycetia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Mydina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 497. [1830, 263.]
- claripennis** Nyctia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Nyctia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 273. —*Melanophora*. [1830, 367.]
- claripennis** Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Onesia, J. Macquart, Suite à Buffon (Dipt.) II. 1835, 234.

- claripennis** Phorbia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 560.
- claripennis** Phorocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 209.
- claripennis** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 30.
- claripennis** Scatina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 629. [II. 1830, 628.]
- claripennis** Scatophaga, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Scatophaga (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 394.—Scatina. [1830, 643.]
- claripennis** Suillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- claripennis** Tachina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 192. [II. 1830, 682.]
- claripennis** Tetanocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- claripennis** Thereva, H. Loew, Dipterologische Beiträge, II. 1847, 23.
- claripennis** Usia, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 383.
- claripes** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 258. [1780.]
- clarissa** Cissia (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 33.—Papilio,
- clarissa** Euptychia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 54.—Papilio, 1780.
- clarissa** Mangelia, A. Risso, H. N. Europe, IV. 1826, 222.
- clarissa** Pleurotoma (Risso), H. D. de Blainville, Faune Française (20) Malac. 1829, 102. —Mangelia. [1790.]
- clarissa** Streblote (Stoll), J. Huebner, Verz. bekannt. Schmett. [1822], 193.—Phalaena,
- clarissa** Terinos, Boisduval, S. à Buffon (Lép.) I. 1836, expl. pl. ix. [mya.]
- clarisse** Heliangelus (Long.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 76.—Ornis-
- clarissae** Mellisuga (Long.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—Ornismya.
- clarisse** Ornismya, De Longuemare, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 306.
- clarius** Doritis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 539.
- clarius** Parnassius (Ev.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 27.—Doritis.
- clarkella** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 68.—Melitta.
- clarkella** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 130.
- [clarki]
- clarckii** Amphiprion (Benn.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 504.—Anthias.
- clarkii** Anthias, J. W. Bennett, Fishes Ceylon (6) Ap. 1830, no. 29.
- clarkii** Cephalala, L. Jurine, N. Méth. class. Hyménopt. 1807, 67 [*n. et f.*].
- clarkii** Gasterophilus, W. E. Leach, Mem. Werner. N. H. Soc. II (2) 1818, 568.
- clarkii** Gastrus (Leach), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 180.—
- clarkii** Lophia, J. F. Dawson, Ann. Mag. N. H. (2) III. Mar. 1849, 215. [Gasterophilus.
- clarkii** Oestrus, B. Clark, Proc. Linn. Soc. London (12) June 1841, 100.
- clarkii** Philodromus, J. Blackwall, Ann. Mag. N. H. (2) VI. Nov. 1850, 338.
- clarkii** Salmo, J. Richardson, F. Bor.-Amer. (3) 1836, 225.
- clarkii** Sciurus, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. III. 189, plate only (1827); Syn. 1827, 255. [—Sciurus.]
- clarkii** Sperophilus (Smith), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 248.
- clarkii** Tribrachyocrinus, F. McCoy, Ann. Mag. N. H. XX., Oct. 1847, 228.
- clarkii** Trinucleus, MacLeay, Tasmanian Journ. Sci. III (1) Oct. 1846, 2 [*n. n.*].
- clarkiata** Larissa, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 193 [*n. n.*].
- claromphalos** Helix, Deville & Huppé, Rev. et Mag. de Zool. (2) II. Dec. 1850, 638.
- claro-punctata** Retellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, [clarus -a -um]. [II. 1830, 683.]
- clara** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIII (150) Jan. 1846, 90.
- clara** Agnia, E. Newman, Entomologist (18) Ap. 1842, 291.
- clara** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 121.
- clara** Argynnis, E. Blanchard in Jacquemont, Voy. Inde, IV. 1844, 20.
- clara** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 41. [556.]
- clara** Conognatha, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- clara** Crino (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 216.—Phalaena, 1780-81.
- clarus** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 541.

- clarus** Epargyreus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—Papilio, 1775.
- clarus** Falco, J. Latham, Index Orn., Suppl. 1801, p. xiii.
- clara** Helix, F. Held, Isis (Oken), 1837, 902. [1826.]
- clara** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 317.—Anthomyia,
- clara** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 204.
- clara** Melinaea (Fab.), J. Huebner, Verz. bekannt. Schmett. 1816, 11.—Papilio, 1793.
- clarus** Opius, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 206.
- clara** Oxypleura, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 469.
- clarus** Platyomus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 646.—Curculio.
- clara** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 190, Oct. 1845.
- clara** Polita, F. Held, Isis (Oken), 1837, 916.—Helix, 1837.
- clarus** Pyrophorus, E. F. Germar (ex Dej.), Zeitschr. f. d. Entom. III. 1841, 19.
- clarus** Semiotus, F. Walker, Entom. Mag. II (3) July 1834, 291.
- clara** Tipula, A. White in F. Walker, List Dipt. Coll. B. M. (1) 1848, 71 [*n. n.*].
- Clasiopa** C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 159.—Dipt.
- classicarius** Sarmaticus, J. E. Gray, Figs. Moll. Anim. IV. 1850, 87.
- classicus** Bibos, B. H. Hodgson, J. Asiatic Soc. Bengal, VI. 1837, 748.
- classicus** Bisbos (*sic*), B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 217.
- Clastes** Walckenaer, Ann. Soc. Ent. France, II (3) c. Oct. 1833, 438 & 442.—Ar. [*sine typo*]. [—Col.]
- Clastocnemis** Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II (2) 1840, 365.
- Clastoptera** E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 187.—Hem.
- Clathodon** G. B. Sowerby, II., Conch. Man. 1839, 24. = Clathrodon, = Gnathodon.
- clathra** v. **clathrus** -a -um.
- clathralis** Botys (Huebner), F. Treitschke, Schmett. Europa, X (3) 1835, 27.—Pyralis.
- clathralis** Loxostege, J. Huebner, Verz. bekannt. Schmett. 1826, 352.—Pyralis, 1811–18.
- clathralis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 26 (Fernaldo judice, 1811–18) [*n. et f.*]. [(Noct. 5, pt. 2) 1833, 311.—Pyralis.]
- clathralis** Scopula (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2)
- clathraria** Chiasmia (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 295.—Phalaena clathrata, 1758.
- clathraria** Strenia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 20.
- clathrataeformis** Emarginula, E. Eichwald, Nat. Lithuana, 1830, 213. [pl. 96.]
- clathratoxyalina** Spongia, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830,
- clathratula** Cyclostoma, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 3.
- clathratulum** Cyclostoma, G. B. Sowerby, I., Proc. Zool. Soc. London, XI (122) Oct. 1843, 30.
- clathratula** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 67.
- clathratulus** Scalaria (Mont.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 50.—Turbo, Jac. 1798.
- clathratula** Turritella, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 77.
- clathrata** Adesmia, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 541.
- clathratus** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 282.
- clathrata** Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- clathrata** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*]. [1847.]
- clathrata** Amphionycha, J. Gistel, Handb. Naturges. 1850 [1847], 624.
- clathratus** Anchonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 399.
- clathrata** Anguilla, J. Richardson, Zool. "Sulphur," 1845, 104. [1846, 175.]
- clathratum** Anomalon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- clathrata** Arca, Defrance, Dict. Sci. Nat. (ed. 2) II (Suppl.) 1816, 115.
- clathrata** Arca, Lamarck, An. s. vert. VI (1) 1819, 46.
- clathrata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 48, Feb. 1844.
- clathratus** Argypes, C. L. Koch, Die Arachniden, V (2) May 1838, 40.
- clathrata** Asterias, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 142.
- clathrata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 67. [acétab. 1840, 204.]
- clathratus** Bellerophon, A. d'Orbigny in A. E. Férussac & A. d'Orbigny, H. N. Céph.
- clathratus** Blaps, J. C. Fabricius, Syst. Eleuth. I. 1801, 143. [357.]
- clathratus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,

- clathratum Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1834, 101.
 clathratum Buccinum, H. E. Anton, Verz. Conch. 1839, 91.
 clathratum Buccinum, Adams & Reeve, Zool. "Samarang" (6) Moll. May 1850, 32.
 clathrata Bulla, DeFrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 131.
 clathrata Byssosarca, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n.n.*];
 Syn. Carb. Lst. foss. Ireland, 1844, 72.
 clathratum Calosoma, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 33.
 clathrata Cancellaria, Lamarck, An. s. vert. VII. 1822, 116.
 clathrata Cassida, F. de Tigny, s. à Deterville ed. Buffon, Ins. IX. 1801, 29.
 clathratum Catantostoma, G. Sandberger, N. Jahrb. f. Min. 1842, 392.
 clathratus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 322.
 clathratum Cerithium, C. T. Menke, Syn. meth. Moll. 1828, 32.
 clathratum Cerithium, Grateloup, Actes Soc. Linn. Bordeaux, V (29) 1832, 278.
 clathratum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 357.
 clathratum Cerithium, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79.
 clathrata Chemnitzia (Jeff.), Forbes & Hanley, Hist. Brit. Moll. III. 1850, 258.—
 Odostomia. [831.
 1844.
 clathratus Chiastolepis, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844,
 clathratus Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 113, Ap. 1847.
 clathrata Chrysopa, W. G. Schneider, Entom. Zeitung, Stettin, VI (11) Nov. 1845, 345.
 clathrata Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 115.
 clathrata Cleonis, Ol.; Dejean, Catal. Coléopt. 1821, 97 [*n.n.*].
 clathratus Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 171.—Lixus.
 clathrata Coenites (Stein.), H. G. Bronn, Index Pal. 1848, 319.—Limaria.
 clathratum Conocardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 80. = Car-
 dium aliforme *var.* clath. Goldf. [[1839], 129.
 clathrata Cornutella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840)
 clathratus Cratosomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 37.
 clathrata Cribrospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 387.
 —Scyphia.
 clathratus Cryptocephalus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n.n.*].
 clathratus Cryptocephalus, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci.
 Philad. III (7) Feb. 1847, 173.
 clathratus Curculio, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n.n.*].
 clathratus Curculio, E. F. Germar, Reise Dalm. 1817, 241.
 clathratus Cyatocrinus, L. Agassiz, Cat. Ect. Ech. 1840, 13.
 clathratus Cyclolithes (Hag.), H. G. Bronn, Index Pal. 1848, 374.—Fungia.
 Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 71.
 clathrata Cytherea, C. T. Menke, Conch.-Samml. Malsburg, 1829, 117.
 clathrata Daphnia (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 403.—Monoculus.
 clathrata Delphinula, L. Reeve, Conch. Icon.—Delphinula, no. 21, Oct. 1843.
 clathratus Desmacentor, C. L. Koch, Arch. f. Naturg. X (1) 1844, 236.
 clathratum Distoma, E. Deslongchamps, Ency. Méth. (Zooph.) 1824, 265.
 clathrata Drillia, J. E. Gray, Ann. Nat. Hist. I (1) Mar. 1838, 28.
 clathrata Dromica, F. Klug, Jahrb. Insectenk. I. 1834, 40.
 clathrata Emarginula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 17.
 clathrata Emarginula, J. De C. Sowerby, Min. Conch. VI. 1826, 33.
 clathrata Emarginula, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 69.
 clathratus Episomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 89.
 clathrata Eschara, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 4.
 clathrata Eschara, Erman & Herter, Z. Deutsch. geol. Ges. II. 1850, 417.
 clathrata Ficus, L. Rousseau in J. C. Chenu, Illustr. conch. III (56) 1846, pl. 2 [*n. et f.*].
 clathrata Fidonia (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—Phalaena,
 1758.
 clathrata Fissurella, J. De C. Sowerby, Min. Conch. VI. 1826, 33.
 clathrata Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 57, Dec. 1849.
 clathrata Fornicia, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 1846, 512.

- clathratus** Fossarus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 148.
clathrata Fungia, F. v. Hagenow, N. Jahrb. f. Min. 1840, 648.
clathratus Fusus (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 557.—Murex.
clathratus Fusus, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 344.
clathratus Fusus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 294.
clathratus Fusus (Lam.), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 507.—Pyrula. [Tritonium, 1776.]
clathratus Fusus (Müll.), L. Reeve, Conch. Icon. IV.—Fusus, no. 76, Feb. 1848.—
clathrata Hallotis, L. Reeve, Proc. Zool. Soc. London, XIV (161) Aug. 1846, 57.
clathratum Hemistomum, C. M. Diesing, Syst. Helminth. I. 1850, 308.
clathratus Hercyna (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1758.
clathratus Lathridius, Dahl in Germar, Zeitschr. f. d. Entom. V. 1844, 84.
clathrata Leis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 253.
clathrata Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 48.
clathrata Limacina (E. & S.), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 34.—
clathrata Limaria, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 12. [Spirialis.
clathrata Linyphia, C. J. Sundevall, K. Vet. Ac. Handl. 1829 (1830), 218.
clathratus Lixus, A. G. Olivier, Entom. V. 1807, 256.
clathratus Lyriodon (Ag.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia.
clathrata Melania, Defrance, Dict. Sci. Nat. XXIX. 1823, 470.
clathrata Melania, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 36.
clathrata Melania, G. Sandberger, N. Jahrb. f. Min. 1842, 401 [n. n.].
clathrata Mitra, Defrance, Dict. Sci. Nat. XXXI. 1824, 493.
clathrata Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 71, Sept. 1844.
clathrata Mitra, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 44.
clathratus Monoculus, L. Jurine, Hist. Monocles, 1820, 140.
clathratus Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 224.
clathratus Murex, L. Reeve, Conch. Icon. III.—Murex, no. 185, Ap. 1846.
clathratus Mytilus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 306.
clathrata Narica, C. A. Récluz, Magasin de Zool. (2) VII. 1845 [1846], pl. 127.
clathrata Nassa, Lamarck, Ency. Méth. (Vers) 1816, pl. 394, Liste, p. 1 [n. et f.].
clathrata Nassa (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 215.—Buccinum, Born, 1778. [—Nerita, ? Gm. 1790.]
clathrata Natica (Schr.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 292.
clathrata Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 117.
clathrata Odostomia, J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 345.
clathrata Oligostomis, Hoffmannsegg in F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 20.
clathrata Omaspides, C. H. Boheman, Mon. Cassid. I. 1850, 445 [n. et f.].
clathratus Opatrinus (Fab.), Dejean, Catal. Coléopt. 1821, 66.—Opatrum, 1787.
clathratum Opatrum, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [n. n.].
clathratus Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 201. [1846, 139.
clathratum Othiorhynchus, E. F. Germar, Ins. Spec. novae, I. 1824, 346.—Curculio, 1817.
clathratus Oxyops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 487.
clathratus Pachygaster, Sturm; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
clathrata Pachyta (Fab.), Dejean, Catal. Coléopt. 1821, 112.—Rhagium, 1792.
clathratus Pecten, E. Eichwald, Nat. Lithuæ, 1830, 212.
clathratus Pecten, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 212.
clathratus Pecten, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [n. n.]; Syn. Carb. Lst. foss. Ireland, 1844, 90.
clathratus Pedinus (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 26.—Opatrum.
clathratum Phalium, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 113.
clathrata Pholadomya, Muenst., var. oviformis, C. H. v. Zieten, Pétrif. Wurt. (11) 1833, 88.
clathrata Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 492.
clathrata Pimelia, J. Sturm, Catal. Ins. Samml. 1826, 184 [n. n.].

- clathrata Pleurotoma, P. M. T. de Serres, Geogn. Tèrr. tert. 1829, 113.
clathrata Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 361, Ap. 1846.
clathrata Pleurotomaria, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 39.
clathrata Pleurotomaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 75.
clathrata Pleurotomaria (Sandb.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 225.
—Catantostoma. [tères, IV. 1847, 108.]
- clathratus Polydesmus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Ap.
clathratus Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 181.
clathrata Pterinea, G. Sandberger, N. Jahrb. f. Min. 1842, 397 [n. n.].
clathrata Purpura (Lam.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post*
May 1832, 211.—Ricinula. [1832, 251.]
- clathrata Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May
clathrata Pyrula, Lamarck, Ann. Mus. H. N. (Paris) II (11) Aug. 1803, 391.
clathrata Pyrula, A. Risso, H. N. Europe, IV. 1826, 213.
clathrata Ranella, J. E. Gray, Zool. "Blossom," 1839, 109.
clathrata Retepora, G. A. Goldfuss, Petref. German. I (1) 1826, 29. [Retepora.
clathrata Reticulipora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 264.—
clathrata Ricinula, Lamarck, Ency. Méth. (Vers) 1816, pl. 395, Liste, p. 2 [n. et f.].
clathrata Rimula (Sow.), J. Morris, Cat. Brit. Foss. 1843, 160.—Emarginula.
clathrata Risso, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [i.e. Ap.
1826], 480.
- clathrata Risso, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 133.
clathrata Risso, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 223.
clathrata Salenia, J. Morris, Cat. Brit. Foss. 1843, 58 [n. n.].
clathrata Sarcophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 25.
clathratum Schizostoma, G. Sandberger, N. Jahrb. f. Min. 1842, 400 [n. n.].
chlathratum Scotobius, F. E. Guérin, Classif. Melasom. in Magasin de Zool. IV. 1834, 15.
clathrata Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 8.
clathratus Sigaretus, C. A. Récluz in J. C. Chenu, Illustr. conch. I. Sigaretus, 1843, 22.
calthrata (sic) Siphon (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 103.—Emar-
ginula.
- clathratus Sphenogenius, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 352.
clathrata Spirialis, Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 238.
clathrata Spirifera, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 130.
clathrata Strenia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct.
4, pt. 2) 1829, 112.—Phal. (Geom.) 1758.
- clathrata Synastrea (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 278.—Astrea.
clathrata Tellina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 200.
chlathrata Theonoe, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 82.
clathratus Tityus, C. L. Koch, Die Arachniden, XI (1) 1844, 22.
clathrata Tornatella, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 166.
clathratus Trichius (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 100.—Cetonia, 1792.
clathrata Trigonina, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 22.
clathratum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 413, Liste, p. 4 [n. et f.].
clathratum Triton, Lamarck, An. s. vert. VII. 1822, 576.
clathratus Triton, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 71.
clathratum Tritonium (Lam.), H. G. Bronn, Index Pal. 1848, 1292.—Triton.
clathratus Trochus, A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 78.
clathratum Trophon (Fab.), H. P. C. Möller, Index Moll. Groenl. 1842, 14.—? Tritonium,
Müll. [Tritonium, Müll.]
- clathratum Trophon (Fab.), H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 87.—
clathratus Trophon (L.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 436.—Murex,
1767.
- clathrata Tubularia, E. J. C. Esper, Pflanzenth. III (14–15) [inter 1805–1810], 123.
clathratus Turbo, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 154.
clathrata Turritella, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 148.
clathrata Turritella, L. C. Kiener, Spec. Coquilles (Turritella) 1843–44, 38.
clathratus Tyloides, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 36.

- clathratus** Tyloses, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Oct. 1849, 514.
clathrata Venus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 262.
clathrata Voluta, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 127.
clathrata Voluta, Lamarck, Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 77.
clathrella Solenobia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 430. [Gray].
Clathrodon T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340 [*err. pro* Gnathodon],
clathrodon Mactra, I. Lea, Contrib. to Geol. 1833, 212.
clathrodonta Mactra, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340.
clathroides Pyrula, P. M. T. de Serres, Geogn. Terr. tert. 1829, 262.
clathroides Spongia, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 150.
clathroides Turbo, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
Clathrus L. Oken, Lehrb. Nat. III (1) 1815, 255.—G. [77 & 79.
[clathrus -a -um].
clathrum Alcyonium, J. V. F. Lamouroux, Ency. Méth. (Zooth.), 1824, 30.
clathra Columbella, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. June 1842, 184.
clathra Cyclostoma (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 86.
 —Turbo, 1758. [—Turbo, 1758.
clathrus Scalaria (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 132.
clathrus Truncatella, R. T. Lowe, Zool. Journ. V (19) July 1832, 303.
clauda Empis, F. v. P. Schrank, F. Boica, III (1) 1803, 171.
claudianus Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 756.
claudicans Bagous, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 80.
claudicans Cynthia, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 90.
claudicans Donacia, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 173.
claudicula Bombyx (Cyllopoda), J. W. Dalman, Anal. Entom. 1823, 102.
claudina Acraea, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 212.
claudina Heliconia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
 103 [*n. n.*]. [claudia, 1777.
claudina Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 421.—Papilio
claudia Agrias (Herbst), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
 (1850), 298.—Papilio, ? Fab. 1777. [1775.
claudia Argynnis (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 67.—Papilio,
claudia Brenthis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 30.—Papilio, 1775.
claudia Danaüs (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 180.—Papilio, 1777.
claudia Dryas, J. Huebner, Exot. Schmett., Tab. Dryas [*n. et f.*]. [1782.
claudia Euglyphis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 190.—Phalaena,
claudia Euptoieta (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
 (1848), 170.—Papilio, 1775.
claudius Geotrupes (Scarabaeus), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 35.
claudius Heteronychus (Klug), H. Burmeister, Handb. Ent. V. 1847, 99.—Geotrupes.
claudius Papilio, D. H. Schneider, Verz. Insectensamml. 1828, 89 [*n. n.*].
claudius Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 311.
claudia Pimelia, L. Buquet, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 242.
clausa *v.* **clausus** -a -um.
Clausaria C. T. Menke, Syn. Meth. Moll. 1828, 73.—? L.
Claustrea A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor.
Clauselia J. E. Gray, London Med. Reposit. XV. 1821, 239 [*err. pro* Clausilia].
clausenii Cicindela, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 365.
clausenii Hoplophorus, P. Clausen, Bull. Ac. Roy. Brux. VIII (1) 1841, 338.
clausicaudatus Fusus, R. B. Hinds, Zool. "Sulphur," 1844, 13.
clausicella Laphria, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 378.
clausicella Mallophora, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 383.
clausii Oedipoda, M. Kittary, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 473.
Clausilea W. Swainson, Elem. Conch. 1835, 11 [*err. pro* Clausilia].
Clausilia J. P. R. Draparnaud, H. N. Moll. France, 1805, 24 & 68.—G.
clausilia Cecidomyia, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 28.
clausilia Colombella, P. L. Duclos in Chenu, Illustr. Conch. (65) 1846, pl. 16 [*n. et f.*].

- clausiliaeformis** Brephulus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 72.—Helix.
- clausiliforme** Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1834, 49.
- clausiliaeformis** Bulimus (Fér.), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 26.—Helix.
- clausiliaeformis** Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 62 [*n. n.*].
- Clausilina** C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828) sign. *e.*—G.
- clausilioides** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 523, July 1849.
- Clausina** T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 12.—L.
- Clausina** J. G. Jeffreys, Ann. Mag. N. H. XX. 1847, 18.—L.
- clausinus** Bulimus, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 20.
- clausomphalos** Helix, Deville & Huppé, Rev. et Mag. de Zool. (2) II. Dec. 1850, 638.
- clauseni** *v.* **clauseni**.
- clausuthaliana** Phalaena T. (Coccyx), J. T. C. Ratzeburg, Forst-Insekten, II. 1840, 213.
- Claustra** R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 51; (Roret's Suite à Buffon), Acalèphes, 1843, 378.—Coel.
- claustralis** Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 37. [Clubiona.]
- claustrarius** Amaurobius (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 15.—
- claustraria** Clubiona, C. W. Hahn, Die Arachniden, I (5) July 1833, 114.
- clausulatus** Planorbis, Férussac, Journ. Phys. XC (Ap. 1820), 301.
- Clausulus** Denys de Montfort, Conch. I. 1808, 178.—Rh.
- clausa** Aurelia, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 119.
- clausa** Auricula, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 201.
- clausus** Bulimus (Spix), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 255.—Tomigerus.
- clausa** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 215.
- clausa** Cassidaemyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 163.—Dufouria. [Gm. 1789.]
- clausa** Cistudo (L.), T. Say, J. Acad. Nat. Sci. Philad. IV. Jan. 1825, 214.—Testudo,
- clausa** Coccudina, Bory de St V., Ency. Méth. (Zooch.) 1827, 540.
- clausus** Cryptocrinus (Aust.), H. G. Bronn, Index Pal. 1848, 353.—Sycocrinites.
- clausum** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 128.
- clausum** Dentalium, W. Turton, Conch. Dict. 1819, 39.
- clausus** Donacites, E. F. Schlotheim, Tasch. Min. 1813, 103 [*n. n.*]. [1830, 258.]
- clausa** Dufouria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- clausa** Emys, Schweigger, Koenigsberger Archiv, I. 1812, 315.
- clausa** Emys (L.), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 435.—Testudo, 1758.
- clausus** Euomphalus, J. De C. Sowerby, Min. Conch. VII. 1844, 45.
- clausa** Gonostoma (Raf.), F. Held, Isis (Oken), 1837, 915.—Helix.
- clausa** Helix, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 154.
- clausa** Helix (Helicodonta), Rafinesque; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 38.
- clausa** Helix, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 21.
- clausa** Lucilia, R. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 297.
- clausa** Lucina, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 151.
- clausa** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 601.
- clausa** Natica, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 372.
- clausus** Nautilus, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 158.
- clausa** Onesia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 234.
- clausum** Otopoma (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 36.—Cyclo-
- clausa** Physaloptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 29. [stoma.]
- clausus** Scarabus (Wagn.), L. Reeve, Ann. Mag. N. H. IX. May 1842, 219.—Helix.
- clausa** Spiroptera (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 84.—Physaloptera. [1843, 206.]
- clausus** Sycocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 111 [*n. n.*]; XI. Mar.
- clausa** Syphona, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) post June 1850, 209.

- clausus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 33.
clausa Tachina, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 266.
clausa Terrapene (Schw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 45.—Emys.
clausa Testudo (Terrapene) (Gm.), B. Merrem, Tent. Syst. Amph. 1820, 28,—Testudo, 1789.
clausus Tomigerus, Spix, Test. Brasil. 1827, 21 (in syn.) & pl. xv.
clausa Tornatellina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 80 [*n. n.*].
clausa Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 208.
clausa Ulidia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 408.
clausa Xolotrema, Rafinesque, Enum. obj. Cab., Nov. 1831, 3.
Clava T. Martyn, Univ. Conch. I. 1784.—G.
Clava O. Fabricius, Fort. Fabr. Naturalien, 1823, 79.—G.
Clava J. V. F. Lamouroux, Ency. Méth. (Zooth.) 1824, 199.—Coel.
clava *v. et* **clavus**.
clavae→ *v. clavi*→.
Clavagella de Blainville, Dict. Sci. Nat. IX. 1817, 366.—L. [*non* Lam. 1807 *apud* Agassiz, *nec* 1812 *apud* Deshayes].
Clavagella J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 150.—L.
Clavalithes W. Swainson, Treat. Malacol., May 1840, 77 & 304.—G.
clavarioides Pyrula, G. v. Muenster, N. Jahrb. f. Min. 1835, 444.
clavarioides Scyphia (Lamx.), H. Michelin, Icon. Zoophyt. (24-27) 1847, 250.—Spongia.
clavarioides Spongia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 88.
clavaria Eunicea, J. V. F. Lamouroux, Hist. Polyp. 1816, 438.
clavaria Hypsauchenia, L. Fairmaire, Rev. Zool. (Soc. Cuv.) IX. Jan. 1846, 13.
clavaria Madrepora (Porites), Esper; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 341.
clavaria Millepora, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 349.
clavaria Pachyscelis (Fald.), A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 59.—Pimelia.
clavaria Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 335.
clavaria Pimelia, Faldermann in E. Ménestriés, Cat. Rais. Zool. Caucase, 1832, 193.
clavaria Pocillopora, F. S. Voigt in Cuvier, Thierreich, VI. 1843, 339.
clavaria Porites, Lamarck, An. s. vert. II. 1816, 270.
clavaria Sphongophorus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 261.
clavator Bulimus, S. Petit, Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 3.
clavator Exetastes (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 405.—Ichneumon, 1793.
clavator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 258.
clavator Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 291.
clavator Murex, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 701.
clavator Murex (Tritonium), F. S. Voigt in Cuvier, Thierreich, III. 1834, 375.
clavator Ophion, J. C. Fabricius, Syst. Piezat. 1804, 134.—Ichneumon, 1793.
clavator Pelecinus, Latreille, N. Dict. H. N., ed. 2, XXV. 1817, 134. [186.
clavatrix Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 (1841),
clavator Rhyssalus, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.
clavator Rogas (Rhyssalus), A. H. Haliday, Entom. Mag. IV (1) July, 1836, 53.
clavator Triton, Lamarck, An. s. vert. VII. 1822, 185.
clavatorius Bassus, J. C. Fabricius, Syst. Piezat. 1804, 96.
Clavatula Lamarck, Syst. Anim. s. vert. 1801, 84.—G.
Clavatula F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 21.—G.
Clavatula J. E. Gray, Proc. Zool. Soc. London, Mar. 1850, 57.—G.
clavatularis Mitra, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 287.
clavatulatum Buccinum, Lamarck, Ann. Mus. H. N. (Paris) II (2) June 1803, 165.
clavatulatum Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (16) ? Feb. 1804, 272.
clavatula Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 52.
clavatulus Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 259.
clavatulus Murex, L. W. Dillwyn, Catal. Shells, 1817, 713.

- clavata** Achatina, J. E. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 487.
- clavatum** Achilleum, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 19.
- clavata** Actinia (Isacmaea), H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 147.
- clavatus** Alcyonites, E. F. v. Schlotheim, Die Petref. 1826, 372.
- clavata** Alveolites (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 369.—Ceriopora.
- clavatus** Ammonites, Deluc in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 394.
- clavata** Amphistoma (Menz.), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (1) 1801, 50.—Fasciola, 1791.
- clavatum** Amphistoma, Steenstrup, Forpl. Generationsraekker, 1842, 59 [teste Stiles & H.].
- clavatus** Anthonomus, Ziegl.; Dejean, Catal. Coléopt. 1821, 87 [n. n.]. [culio.
- clavatus** Anthonomus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Cur.
- clavata** Anticheira (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 476.
—Cetonia, Ol. 1789.
- clavata** Antilope, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 78.
- clavatus** Arenicola, C. Ranzani, Opusc. Sci. (Bologna) I. 1817, 112.
- clavata** Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 183.
- clavatus** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 263.
- clavatum** Aspergillum, J. C. Chenu, Illustr. Conch. I. Aspergillum, 1843, 4.
- clavata** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 435.
- clavata** Baccha, J. C. Fabricius, Syst. Antliat. 1805, 200.—Syrphus, 1794.
- clavatus** Barbus, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 280.
- clavatus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 97.
- clavatus** Beosus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 67.
- clavatum** Bocydium (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 219.—Centrotus.
- clavatus** Bracon (Panz.), Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 25.—Cryptus.
- clavatus** Capsus (L.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 498.—Cimex, 1767.
- clavatus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 17.—Membracis, 1787.
- clavata** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 36.
- clavata** Ceriopora, G. Fischer, Bull. Soc. Imp. Nat. Moscou, III. 1831, 289.
- clavatus** Cervus, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. plate (1827); Syn. 1827, 315.
- clavata** Chalceis, J. C. Fabricius, Syst. Piezat. 1804, 162.
- clavata** Chlidonia, Herrich-S. in Panzer, Ins. Germ., heft 157, 1838, tab. 24¹.
- clavatus** Cimex, G. C. Reich, Mag. Thierreichs (3) 1795, 134.
- clavatus** Cladocerus, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [n. n.].
- clavata** Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 12.
- clavata** Clavagella (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 233.—Teredina.
- clavata** Clavelina (Pall.), J. Fleming, Phil. Zool. II. 1822, 151.—Ascidia, 1774.
- clavata** Combophora (Fab.), H. Burmeister, Revue Entom. I (5) c. Nov. 1833, 230.—Centrotus.
- clavatus** Conchiosaurus, H. v. Meyer, Abh. Senckenb. Mus. I (1) 1833, 8.
- clavatus** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 440.
- clavata** Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2041.
- clavata** Coruna, F. Walker, Entom. Mag. I (4) July 1833, 380.
- clavatus** Cryptophagus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 140.
- clavatus** Cryptus, Panzer, F. Ins. Germ., heft 102 [1806-9], 15 & 16.
- clavatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 285.
- clavata** Cyphonia (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 548.—Centrotus.
- clavata** Cypris, W. Baird, Mag. Zool. Bot. II (8) Aug. 1837, 137.
- clavatus** Cysticercus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 409.
- clavatus** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 274.—Musca, 1787.
- clavatus** Dasybatus (L.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
—Raja, 1758.

- clavata** Diapria, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 157, 1838, tab. 21².
clavata Diastatomma (Fab.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 832.—Aeschna, 1775.
clavatum Diplostomum, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 42.
clavatum Distoma (Menz.), C. A. Rudolphi, Entoz. II (1) 1809, 391.—Fasciola, 1791.
clavatus Dytiscus, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 166.
clavatus Echinorhynchus, Krøyer, Danmarks Fiske, I. 1838-40, 603 [*teste* Stiles & H.].
clavata Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.
clavata Eudea, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 46.
clavata Fasciculipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 115.
clavata Fasciolaria (Br.), J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847] Turbinelles, pl. ii.—Murex.
clavata Fulgora, J. O. Westwood, Tr. Linn. Soc. London, XVIII (2) 1839, 139.
clavatus Fusus (Broc.), C. D. E. König, Icones foss. 1825, 2.—Murex.
clavatus Fusus (Broc.), A. Risso, H. N. Europe, IV. 1826, 208.—Murex.
clavatus Fusus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 77.
clavatus Globiceps (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 282.—Cimex, 1767.
clavata Globulina (Roem.), H. G. Bronn, Index Pal. 1848, 533.—Polymorphina.
clavata Gorgonia, A. Risso, H. N. Europe, V. 1826, 330.
clavata Gregarina, A. Koelliker, Zeitschr. Wiss. Zool. I (1) 1848, 10.
clavata Halys, J. C. Fabricius, Syst. Rhyng. 1803, 181.—Cimex, 1798.
clavatum Haustellum, C. F. Schumacher, Essai Vers test. 1817, 214.
clavatus Hippalimus, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 41.
clavata Hydra, F. v. P. Schrank, F. Boica, III (2) 1803, 256.
clavatus Isaurus, J. E. Gray, Spec. Zool. 1828, 8. [Nucula.
clavata Leda (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—
clavatus Lepas (Pult.), W. Wood, General Conch. 1815, 45.—Balanus, 1799.
clavatus Lepidonotus (Mont.), W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 452.—Aphrodita clava.
clavatum Leptoclinum, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 154.
clavata Leucophrys, J. Leidy, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 50.
clavata Leucospis, J. O. Westwood in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 256.
clavata Linguatula, J. Wyman, Boston Journ. N. H. V. (2) 1845, 296.
clavata Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Pandora.
clavata Macraspis (Fab.), Dejean, Catal. Coléopt. 1821, 60.—Cetonia, Ol. 1789.
clavata Mamillifera, P. Duchassaing, Anim. rad. Antilles (1850), 11.
clavata Membracis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 177.
clavatus Milleporites, E. F. v. Schlotheim, Die Petref. 1820, 363.
clavatus Murex, G. Brocchi, Conch. Subap. 1814, 418. [1770.
clavatus Mydas (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 97.—Musca,
clavata Necdalis, W. Turton, Linnaeus, Syst. Nat. II. 1802, 357.
clavata Notomya, F. M'Coy, Ann. Mag. N. H. XX. Nov. 1847, 304.
clavata Nucula, P. Calcara, Mem. Conch. Altavilla, 1841, 33.
clavata Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 69.
clavata Oolina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 24.
clavata Ophrydia, Bory de St V., Ency. Méth. (Zooph.) 1827, 583.
clavata Ophrydia, Bory de St V., Dict. Class. H. N. XII. Aug. 1827, 245.
clavatus Oreaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 49.
clavata Ostrea, S. Nilsson, Petrif. Suec. 1827, 30.
clavata Pandora, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 51.
clavata Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille; 1838 (2) 1838, 105.
clavatus Perilitus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 156, 1838.
clavatus Pholas, Lamarck, An. s. vert. V. 1818, 446.
clavatus Phytocoris (L.), H. Burmeister, Handb. Ent. II (1) 1835, 266.—Cimex, 1767.
clavata Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 118.—Ichneumon, 1798.

- clavata** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 135.
clavata Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 386.
clavata Poneræ (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 179.—Formica, 1775.
clavatus Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 202.
clavata Pupella, Bory de St V., Ency. Méth. (Zooth.) 1827, 664.
clavata Rhyssa (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 280.—Ichneumon, 1798.
clavatus Rogas (Spathius) (Panz.), A. H. Haliday, Entom. Mag. IV (1) July, 1836, 43.—Cryptus. [1789].
clavata Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 156.—Cetonia, Ol.
clavatus Scarabæus, G. C. Reich, Mag. Thierreichs (3) 1795, 130.
clavatus Scarabæus (Ol.), W. Turton, Linnæus, Syst. Nat. II. 1802, 67.—Cetonia, 1789.
clavatus Scydmaenus, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (7) 1822, 98; & Ins. Fenn. I. 1834, 98.
clavata Scyphia, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 10.
clavata Serpula, D. Solander, Catal. Portland Mus. 1786, 189 [*n. n.*].
clavata Serpula, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 36.
clavatus Sipunculus, de Blainville, Dict. Sci. Nat. XLIX. 1827, 312. [—Cryptus.
clavatus Spathius (Panz.), Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 302.
clavata Spirolina, E. A. Crouch, Ill. Introd. Lamarck's Conch. 1827, 44.
clavata Teredina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 76.
clavata Teredo, L. Oken, Lehrb. Nat. III (1) 1815, 219.
clavatus Teredolites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 341 [*n. n.*]; *ibid.* V (1) 1842, 2.
clavata Tipula, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 318.
clavatus Trachypetus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 202.
clavata Triplax, T. Lacordaire, Mon. Erotyl., Sept. 1842, 217.
clavatus Trypoxylon, T. Say, Boston Journ. N. H. I (4) 1837, 374. [1829, 99.
clavata Turbinella, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII.
clavata Tubularia, E. J. C. Esper, Pflanzenz. III (14-15) [inter 1805-1810], 129.
clavata Turritella, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
clavata Tydelodelphys (Nordm.), C. M. Diesing, Syst. Helminth. I. 1850, 305.—Diplo-
clavatus Tydelodes, T. Say, Descr. N. Amer. Curcul., July 1831, 29. [stomum.
clavatum Veretillum, Leuckart, Isis (Oken), 1836, 764.
clavata Zoe, W. E. Leach, Journ. de Physique, LXXXVI. Ap. 1816, 304.
clavata Zoa, W. E. Leach in Tuckey, Exp. Zaire, 1818, 415. [510.
claveatus Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
clavellii Fremobbia, H. Lucas, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, p. lxi.
Clavelina J. C. Savigny, Mém. An. s. Vert. (2) 1816, 109.—Asc.
Clavella C. S. Rafinesque, Analyse, 1815, 127.—Hym. [*n. n.*].
Clavella L. Oken, Lehrb. Nat. III (1) 1815, 358.—Cr.
Clavella W. Swainson, Elem. Conch. 1835, 21.—G.
Clavellaria Lamarck, Syst. Anim. s. vert. 1801, 264.—Hym.
clavellatus Clavilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 304.—Fusus.
clavellatus Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 355.
clavellatus Fusus, Lamarck, Ann. Mus. H. N. (Paris), II (10) Aug. 1803, 317.
clavellatum Lyriodon (Park.), H. G. Bronn, Lethaea Geogn. I (4) 1836, 367.—Trigonia.
clavellatus Palmon, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 391.
clavellata Polypothechia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831,
clavellata Trigonia, J. Parkinson, Org. Rem. III. 1811, 175. [9 [*n. n.*].
Clavellina C. T. Menke, Syn. meth. Moll. 1830, 123 [=Clavellina, Sav.].
clavellinae Gregarina, A. Koelliker, Zeitschr. Wiss. Zool. I (1) 1848, 35.
clavellinum Alcyonium, A. Risso, H. N. Europe, V. 1826, 382.
clavella Pyrala, L. Reeve, Conch. Icon. IV.—Pyrala, no. 10, June 1847.
Clavicantha W. Swainson, Treat. Malacol., May 1840, 155 & 314.—G.
clavicaudatus Glyptodon, R. Owen, 16 Rept. Brit. Assoc. (South. 1846) 1847, Trans. 67.
claviceps Bothriocephalus (Goeze), C. A. Rudolphi, Entoz. II (2) 1810, 37.—Taenia, 1782.

- claviceps** *Dibothrium* (Goeze), C. M. Diesing, Syst. Helminth. I. 1850, 589.—*Taenia*, 1782. [1782.]
- claviceps** *Rhytis* (Goeze), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 293.—*Taenia*.
- Clavicera** P. A. Latreille, H. N. Fourmis, etc., May 1802, 433.—Hym.
- Clavicera** C. A. Walckenaer, Faune Paris. II. 1802, 131.—Hym.
- clavicerum** *Trypoxylon*, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 750.
- clavicornis** *Anaspis*, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 417.
- clavicornis** *Anisotoma*, J. Sturm, Catal. Ins. Samml. 1826, 92 [*n. n.*].
- clavicornis** *Anthrribus*, J. C. Fabricius, Syst. Eleuth. II. 1801, 407. [? Panz.]
- clavicornis** *Arcopagus* (Reich.), W. E. Leach, Zool. Miscell. III. 1817, 84.—*Pselaphus*,
- clavicornis** *Asiraca* (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 260.—*Delphax*, 1798. [tylus.]
- clavicornis** *Brachysphoenus* (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 367.—*Ero-*
- clavicornis** *Bythinus* (Panz.), C. Aubé, Pselaph. Mon. in Magazin de Zool. III. 1833, 40.
- clavicornis** *Callichroma*, J. Sturm, Catal. Ins. Samml. 1826, 107 [*n. n.*]. [—*Pselaphus*.
- clavicornis** *Catops*, Dejean, Catal. Coléopt. 1821, 46 [*n. n.*]. [Mordella, 1770.
- clavicornis** *Catops* (Forst.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) May 1830, 9.—
- clavicornis** *Ceraphron*, J. Curtis, Guide Brit. Ins. (4) 1829–30, 111 [*n. n.*].
- clavicornis** *Ceroptes*, T. Hartig, E. F. Germar, Zeitschr. f. d. Entom. 2 (I.) 1840, 197.
- clavicornis** *Chrysolampus*, A. Foerster, Beitr. Monogr. Pteromal. 1841, 35.
- clavicornis** *Chrysomela*, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 220 [*n. n.*].
- clavicornis** *Cimex*, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 262.
- clavicornis** *Coreus*, J. C. Fabricius, Syst. Rhyng. 1803, 198.
- clavicornis** *Coreus*, J. C. Fabricius, Syst. Rhyng. 1803, 201.—*Lygaeus*, 1794.
- clavicornis** *Corsomyza*, C. R. W. Wiedemann, N. Dipt. Gen. 1820, 15.—*Mulio*, 1819.
- clavicornis** *Cinipsillum* (Latr.), Lamarck, An. s. vert. IV. 1817, 158.—*Scelio*.
- clavicornis** *Cyrtogaster*, F. Walker, Entom. Mag. I (4) July 1833, 383.
- clavicornis** *Dices*, Ill.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- clavicornis** *Eleodes*, F. Eschscholtz, Zool. Atlas, III. 1829, 11.
- clavicornis** *Encyrtus*, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 161.
- clavicornis** *Entedon*, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 428.
- clavicornis** *Erotylus*, Ol.; Dejean, Catal. Coléopt. 1821, 128 [*n. n.*].
- clavicornis** *Erotylus*, L.; J. Sturm, Catal. Ins. Samml. 1826, 139.
- clavicornis** *Eurycera* (Fab.), Herrich-S., Wanzenart. Ins. IV (4) Ap. 1838, 65.—*Tingis*.
- clavicornis** *Evania*, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 153.
- clavicornis** *Gomphocerus* (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 221.—*Gryllus*, 1793.
- clavicornis** *Hylotoma*, J. C. Fabricius, Syst. Piezat. 1804, 24.—*Tenthredo*, 1781.
- clavicornis** *Ischnosoma*, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 169.
- clavicornis** *Laccometopus* (L.), F. X. Fieber, Entom. Monogr. 1844, 97.—*Cimex*, 1758.
- clavicornis** *Leptacinus*, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 337.
- clavicornis** *Macrochaeta* (Sars), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 312.—*Nais*.
- clavicornis** *Melitturga*, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 177.
- clavicornis** *Merismus*, F. Walker, Entom. Mag. I (4) July 1833, 377.
- clavicornis** *Microctonus*, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 65.
- clavicornis** *Molorchus*, J. Sturm, Catal. Ins. Samml. 1826, 170 [*n. n.*].
- clavicornis** *Monanthia* (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 260.—*Tingis*.
- clavicornis** *Mordella*, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 424.
- clavicornis** *Mulio*, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 12.
- clavicornis** *Nais*, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 64.
- clavicornis** *Phaedon* (Kirby), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 332. —*Chrysomela*, Steph. 1829. [Anthrribus.]
- clavicornis** *Phaenithon* (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 260.—
- clavicornis** *Phyllosoma*, W. E. Leach, Journ. de Physique, LXXXVI. Ap. 1816, 307.
- clavicornis** *Promeces* (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar. 1834, 27.—*Saperda*, 1775.

- clavicornis** Proteinus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Dec. 1834, 334.
- clavicornis** Pselaphus, G. W. F. Panzer, Ins. Germ., heft 99, 1803-6, tab. 3.
- clavicornis** Rhopalophorus (Wesm.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 331.—Microctonus.
- clavicornis** Saperda, J. C. Fabricius, Syst. Eleuth. II. 1801, 323. —[Dermestes, 1758.
- clavicorne** Sarrorhium (L.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 260.
- clavicornis** Scelio, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 227.
- clavicornis** Sphegigaster, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 108.—Merismus. [? Fab. 1777.
- clavicornis** Stenus (Rossi), J. L. C. Gravenhorst, Coleopt. micr. 1802, 156.—Staphylinus,
- clavicornis** Throscus (Fourc.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 100.—Elater, 1785.
- clavicornis** Tingis (L.), J. C. Fabricius, Syst. Rhyng. 1803, 124.—Cimex, 1758.
- clavicornis** Trachelizus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 492.
- clavicornis** Triacus, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXV (3) 1804, 185.
- clavicornis** Troscus (Ol.), Dejean, Catal. Coléopt. 1821, 46.—Elater, ? Th. 1785.
- Clavicula** W. Smith, Strat. Syst. Org. Foss. 1817, 23.—Ech. [? generic].
- clavicularis** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 165.
- clavicularis** Tomella (Lam.), W. Swainson, Treat. Malacol., May 1840, 314.—Pleuro-
- clavicula** Alcyonium, Brocchi, Bibl. Ital. XIV. 1819, 45. [toma.
- clavculus** Cymus (Fall.), C. W. Hahn, Wanzenart. Ins. I (2) Aug. 1832, 77.—Lygaeus.
- clavculus** Heterogaster (Fall.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 90.—Lygaeus.
- clavculus** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 64.
- claviera** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 50.
- Clavifer** F. L. de Laporte, Etudes Entom. (2) 1835, 137.—Col.
- clavifer** Homalota, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
- clavifera** Lagria, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 256.
- claviferum** Xanthidium, S. J. Wilkinson, Trans. Micros. Soc. London, II. 1849, 89.
- claviformis** Ascidia, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 5.
- claviformis** Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.-June 1850,
- clavaeformis** Conipora, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 369. [135.
- claviforme** Conodyctium (Arch.), H. G. Bronn, Index Pal. 1848, 326.—Conipora.
- claviformis** Leda (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—Nucula.
- clavaeformis** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 12.
- claviformis** Nirmus, H. Denny, Mon. Anoplur. 1842, 131.
- claviformis** Nucula, J. De C. Sowerby, Min. Conch. V. 1824, 119.
- claviformis** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 346.—Nirmus.
- claviformis** Scyphia, H. G. Bronn, Lethaea Geogn. I (3) 1836, 233.
- clavaeformis** Serpula, L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 56.
- claviformis** Trigonocoelia (Sow.), Nyst & Galeotti, Bull. Ac. Roy. Brux. II. 1835, 294.—Nucula.
- clavifrons** Asaphus (Dalm.), Goldfuss, N. Jahrb. f. Min. 1843, 560.—Calymene.
- clavifrons** Calymene, J. W. Dalman, K. Vet. Ac. Handl. 1826 (1827), 75.
- clavifrons** Cyphaspsis, H. Burmeister, Trilob. 1843, 104 [*teste* Bronn].
- Claviger** S. S.-Haldeman, Amer. J. Sci. XLII (1) Jan. 1842, 216.—G.
- Claviger** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clavifer, Lap.
- clavigera** Actinia, Drayton, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
- clavigerum** Amphistoma, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 199. [135.
- claviger** Anthrenus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 458.
- clavigera** Aphrodita, Fréminville, N. Bull. Sci. Soc. Philom. Paris, III (67) Ap. 1813,
- clavigera** Ascidia, A. G. Otto, Consp. anim. (1) 1821, 9. [253.
- clavigera** Asterias, Lamarck, An. s. vert. II. 1816, 562. [Dasypogon, 1850.
- clavigerum** Astylum, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 185 & 195.—
- clavigerus** Balanoglossus, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 141.

- clavigerum** Bocyidium (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 219.
clavigerus Bombyx, [Haworth], Prodr. Lep. Brit. 1802, 9. [—Centrotus.
claviger Bothrioccephalus, F. S. Leuckart, Zool. Bruchst. I. 1819, 51.
claviger Brentus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 54 [*n. n.*].
clavigera Callichroma, D. H. Schneider, Verz. Insectensamml. 1828, 81 [*n. n.*].
claviger Cancrinus, G. v. Muenster, Beitr. zur Petref. (2) 1839, 43.
clavigera Caryophyllia, H. G. Bronn, Zschr. Min. 1827, II (1828), 544 [*n. n.*].
claviger Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 17. [1817, 155.
claviger Cerambyx, Dalman in C. J. Schoenherr, Syn. Insect. (3) 1817, 354; & App.
claviger Cheirurus, H. E. Beyrich, Böhm. Trilobiten, 1845, 13. [Centrotus.
claviger Combophora (Fab.), H. Burmeister, Revue Entom. I (5) c. Nov. 1833, 230.—
clavigera Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 101.
claviger Cottus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 195.
claviger Culex, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 4.
clavigera Cyphonia (Fab.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847,
 503.—Centrotus.
claviger Dasyopogon, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 185.
clavigerum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 103.
claviger Dolichopus, Winthem, Isis (Oken), 1831, 56. [Scarabaeus, 1771.
claviger Dynastes (L.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 72.—
clavigera Eccoptochile (Bey.), Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 130.
 —Cheirurus.
clavigerum Echinochorium, A. H. Hassall, Ann. Mag. N. H. VII. July 1841, 371.
claviger Enophrys (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 271.—
 Cottus.
claviger Galesus, J. Curtis (*ex* Hal. MS), Brit. Entom. VIII (85) Jan. 1831, no. 341.
claviger Golofa (L.), F. W. Hope, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 44.—
 Scarabaeus, 1771.
clavigera Mydas, F. Walker, List Dipt. Coll. B. M. (1) 1848, 229.
clavigera Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 219.—Bombyx, 1802.
clavigera Phyllodoce, Audouin & Edwards, Ann. Sci. Nat. XXIX (115) July 1833, 248.
claviger Psiloceros, K. T. Menke, Zeitschr. f. Malakozool., Oct. 1844, 149.
claviger Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 24.
claviger Scydmaenus, Müller & Kunze, Schr. Nat. Ges. Leipzig, I. 1822, 190.
clavigera Serpula (Phil.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 339.—Vermilia.
claviger Tetrarhynchus (Leuck.), C. T. v. Siebold, Zeitschr. Wiss. Zool. II (2 & 3)
 1850, 234.—Bothrioccephalus.
clavigera Themisto (Müll.), L. Oken, Lehrb. Nat. III (1) 1815, 278.—Doris, 1776.
claviger Triopa (Müll.), G. Johnston, Ann. Nat. Hist. I (2) Apr. 1838, 124.—Doris,
clavigera Tritonia (Müll.), Lamarck, Syst. Anim. 1801, 65.—Doris, 1776. [1776.
clavigera Vermilia, R. A. Philippi, Arch. f. Naturg. X (1) 1844, 193.
Clavigralla M. Spinola, Ess. Ins. Hémipt. 1837, 200.—Hem.
clavigula Trochilus, Burton (*ex* Latham MS), Cat. Coll. Mamm. Birds Fort Pitt, Chatham,
Clavilia C. S. Rafinesque, Analyse, 1815, 100.—Cr. [*n. n.*] [1838, 29 [*teste* Iredale].
Clavilithes *id. ac* Clavilithes, Sw.; W. Swainson, Treat. Malacol., May 1840, 304.—G.
clavilobus Goniates, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (2) 1850, 67.
clavimana Ocypode (Acanthopus) (Latr.), W. de Haan in Siebold, F. Japon. (Crust.
 1835), 30.—Plagusia.
clavimana Plagusia, P. A. Latreille, Gen. Crust. Ins. I. *post* July 1806, 34.
clavimanus Pyrrhocoris, Herrich-S., Wanzenart. Ins. VIII (6) Oct. 1847, 102.
clavipalpis Gematis, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
clavipalpis Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 218.
Clavipalpus Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 406.—Col.
clavipalpus Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 512.
clavipes Acrotichis (Gillm.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI.
 1848 (2) 1848, 568, Table.—Trichopt. [1775.
clavipes Actina (Fab.), J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 117.—Stratiomys,
clavipes Agra, F. Klug, Jahrb. Insectenk. I. 1834, 58.

- clavipes** Anisotoma (Herbst), C. J. Schoenherr, Syn. Insect. I (1) 1806, 108.—Tetratoma, 1792.
- clavipes** Beris (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 5.—Musca, 1767.
- clavipes** Berytus, J. C. Fabricius, Syst. Rhyng. 1803, 265.—Gerris, 1794.
- clavipes** Bibio, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 317.
- [**clavipes**] Bittacomorpha (Fab.), J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (34) Ap. 1835, 281.—Tipula, 1781. [Curculio, 1785.]
- clavipes** Brachyrhinus (Bonsd.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 176.—
- clavipes** Brenthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 547.
- clavipes** Callichroma, J. Sturm, Catal. Ins. Samml. 1826, 107 [n. n.].
- clavipes** Callidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 335.
- clavipes** Centris, J. C. Fabricius, Syst. Piezat. 1804, 359.
- clavipes** Clytus (Forst.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 473.—Cerambyx, 1771.
- clavipes** Coreus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 245.—Lygaeus, 1794.
- clavipes** Cothonaspis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 357.
- clavipes** Cucujus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 201.
- clavipes** Cucujus, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [n. n.].
- clavipes** Dasyopogon, H. Loew, Posener Zweiflüger, 1840, 15.
- clavipes** Dictya, J. C. Fabricius, Syst. Antliat. 1805, 329.
- clavipes** Dolichopus, A. H. Haliday, Zool. Journ. V (19) Sept. 1831 [i.e. July 1832], 365.
- clavipes** Donacia, Ahr.; Dejean, Catal. Coléopt. 1821, 113 [n. n.].
- clavipes** Donacia, Ol.; Dejean, Catal. Coléopt. 1821, 114 [n. n.].
- clavipes** Drepanius, M. Perty, Del. anim. artic. Brasil. (1) 1830, 25.
- clavipes** Dryops, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 8; & App. 1817, 7.
- clavipes** Epeira (L.), C. A. Walckenaer, Tab. Aran. 1805, 54.—Aranea, 1767.
- clavipes** Gellis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 202.
- clavipes** Glyptodon, R. Owen, Proc. Geol. Soc. London, III. 1839, 110.
- clavipes** Gnoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 316.
- clavipes** Harpalus, C. H. Boheman, Ins. Caffr. I (1) 1848, 207. [chaenus.]
- clavipes** Heilipus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 176.—Rhyng.
- clavipes** Hexacantha (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 265.—Stratiomys, 1775.
- clavipes** Hirtea (Meig.), J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3387.—Bibio.
- clavipes** Lampria (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 177.—
- clavipes** Laphria, J. C. Fabricius, Syst. Antliat. 1805, 162. [Laphria.]
- clavipes** Leiophron, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 45.
- clavipes** Leptura, W. Turton, Linnaeus, Syst. Nat. II. 1802, 344.
- clavipes** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 503.
- clavipes** Lycosa, C. L. Koch in Panzer, Ins. Germ., heft 122, 1834, tab. 19.
- clavipes** Macromerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 185.
- clavipes** Melipona (Fab.), F. Klug, Ber. Verh. k. pr. Ak. Wiss. 1843, 221.—Centris.
- clavipes** Merodon (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 194.—[346.—Trichina.]
- clavipes** Microphorus (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,
- clavipes** Neides (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 246.—Gerris, 1794.
- clavipes** Nephila (Fab.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 1.—Aranea, 1767.
- clavipes** Notaspis, J. F. Hermann, Mém. Aptér. 1804, 88.
- clavipes** Nothus, A. G. Olivier (ex Meg. MS), Ency. Méth. VIII (1) (Ins.) 1811, 385.
- clavipes** Notocyrtus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 227.—Reduvius.
- clavipes** Oedemera (Fab.), Dejean, Catal. Coléopt. 1821, 77.—Necydalis, ?Gm. 1789.
- clavipes** Olinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 812. [Notaspis.]
- clavipes** Oribata (Herm.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 532.—
- clavipes** Otiorynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 297.
- clavipes** Pompilus, A. G. Dahlbom, Mon. Pomp. Svec. 1829, 10.
- clavipes** Ptinus, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 4.

- clavipes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 276. [1758.
clavipes Rhopalum (L.), A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 291.—Sphex,
clavipes Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 460.
clavipes Ropalomera (Fab.), C. R. W. Wiedemann, Anal. Entom. 1824, 17.—Dictya.
clavipes Ropalopus (Fab.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 41.
 —Callidium.
clavipes Salda, J. C. Fabricius, Syst. Rhyng. 1803, 115.—Acanthia, 1787.
clavipes Scatopse, H. Loew, Linnaea Entom. I. Feb. 1846, 333.
clavipes Scolopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 169.
clavipes Sydmoenus, T. Say in Keating, Exp. Peter River, II. 1824, 272; & ed. London,
 1825 (App.), 19. [—Chalcis, 1787.
clavipes Smiera (Fab.), M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 147.
clavipes Spirostreptus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 105.
clavipes Trichina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 336.
clavipes Trichopteryx, C. J. F. Gillmeister, Trichopterygia, 1845, 50.
clavipes Zelus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
 101.—Reduvius.
clavirostris Crocodilus (Gavialis?), S. G. Morton, Proc. Acad. Nat. Sci. Philad. II (4)
 Aug. 1844, 82. [1849, 169.—Crocodilus.
clavirostris Sphenosaurus (Mort.), L. Agassiz, Proc. Acad. Nat. Sci. Philad. IV (8) Ap.
clavis Phalaena, E. Donovan, Brit. Ins. X. 1801, 36.
clavis Saxicava, A. Valenciennes in Du Petit-Thouars, Voy. "Venus" (Atlas, 1846), pl. 24.
clavistilus Gonypus, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 96.
claviventris Helcon, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 184.
claviventris Microctonus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 71.
claviventris Porizon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 755.
claviventris Sargus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 190.
clavo-costata Trigonía, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 425.
clavosum Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (18) Mar. 1804, 436.
Clavularia de Blainville, Dict. Sci. Nat. LX. 1830, 464.—Coel.
clavulata Notommata, C. G. Ehrenberg, Sym. Phys., Pol. 1831 (pls. 1828) sign. 6.
clavulatus Platycephalus, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1020.
clavulata Pupa, Lamarck, An. s. vert. VI (2) 1822, 107.
clavuliger Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
Clavulina A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 268.—Rh. [676.
clavulinus Bulimus, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 136.
clavulina Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842,
clavulus Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 293. [173.
clavulus Bulimus, W. Turton, Man. L. & F. W. Shells, Nov. 1831, 79.
clavulus Bulimus (Fér.), A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 261.—Helix.
clavula Ceriopora, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 55.
clavula Ceriopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 207.
clavulus Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 207.
clavulus Cerithium, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [n. n.]; Tr. Amer.
 Phil. Soc., n. s., IX (3) Dec. 1846, 268.
clavula Domopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 176.
clavula Echinorhynchus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
 1844], 532. [illa.
clavula Eulimella (Lov.), J. G. Jeffreys, Ann. Mag. N. H. XX. July 1847, 17.—Turbon-
clavulus Helix (Cochlicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
clavulus Hypsonotus, E. F. Germar, Ins. Spec. novae, I. 1824, 369. [56 [n. n.].
clavula Melania, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 117.
clavulus Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 219.
clavulus Nodosaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 466, Liste p. 14 [n. et f.].
clavulus Obeliscus (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 62.—Helix.
clavula Odostomia (Loven), J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 349.—
 Turbonilla.
clavula Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) inter Jan.—Mar. 1811, 328.

- clavulus** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London; I (12) Ap. 1834, 134.
- clavula** Pleurotoma, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 291.
- clavula** Polytrema (Mich.), A. d'Orbigny, Prod. Paléont. II [Nov.] 1850, 183.—Ceriopora.
- clavula** Pustulopora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 41.
- clavula** Rissoina (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 340.—Melania.
- clavulus** Stenus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 174.
- clavula** Turbonilla, S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 49 & (5) 150.
- Clavus** Denys de Montfort, Conch. II. 1810, 434.—G.
- clavus** [*Difficile separ. clava et clavus.*]
- clavus** Achatina, L. Pfeiffer, Symb. Helic. III. 1846, 90.
- clavus** Achlys (Müll.), J. Gisl, Nat. Thierr. 1848, 186.—Trichoda, 1773.
- clavus** Achlys, J. Gisl, Handb. Naturges. 1850 [1847], 610.
- clavus** Actinia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 150.
- clavus** Agenius, H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845, 422.
- clavus** Anthophyllum, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 403.
- clava** Aphrodita, G. Montagu, Tr. Linn. Soc. London, IX. 1808, 108.
- clava** Belemnites, F. Biguet, Cons. Bélemnites, 1819, 48.
- clava** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 500, July 1849.
- clavus** Caryophyllia (Lam.), Scacchi, Ann. Civ. Sicilie, VII. 1835, 17.—Turbinolia.
- clavus** Caryophyllia, H. Michelin, Icon. Zoophyt. (7) 1843, 87.
- clavus** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 346.
- clava** Cerithium (Dillwyn), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 57.—Murex,
- clava** Cerithium, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. July 1840, 61. [? Gm. 1790.
- clava** Cleodora (Rang), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 433.—Creseis.
- clava** Corbula, E. Beyrich, Arch. f. Min. XXII. 1848, 54.
- clava** Creseis, Rang, Ann. Sci. Nat. XIII (51) Mar. 1828, 317.
- clavus** Cyathina (Scacchi), R. A. Philippi, Arch. f. Naturg. VIII (1) 1842, 41.—Caryo-
- clava** Dentalina, J. Morris, Cat. Brit. Foss. 1843, 61 [*n. n.*]. [phyllia.
- clava** Dentalium, Lamarck, An. s. vert. V. 1818, 346.
- clava** Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 356.
- clava** Enchelis, F. v. P. Schrank, F. Boica, III (2) 1803, 44.
- clava** Fasciolaria, J. H. Jonas, Proc. Zool. Soc. London, XIV (157) May 1846, 35.
- clava** Ficula (Bast.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 37.—Pyrula.
- clava** Ficus, L. Rousseau in J. C. Chenu, Illustr. conch. III (56) 1846, pl. 3, & (55) 1846, pl. 4 [*n. et f.*].
- clava** Gastrochaena, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 356.
- clavus** Hesperia, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 603.
- clavus** Hipporhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 492.—Curculio,
- clava** Lepidoneis, de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83. [1775.
- clavus** Melania, Lamarck, An. s. vert. VI (2) 1822, 165.
- clavus** Microcodon, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 44 [*n. n.*]; *ibid.* 1831 (1832), 124.
- clava** Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 592.
- clavus** Murex, L. C. Kiener, Spec. Coquilles (Murex) 1843, 111.
- clavus** Nerinea, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 185.
- clava** Nodosaria, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 276.
- clava** Nodosaria, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 250.
- clavus** Pavonia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 332.
- clava** Phallusia, A. Risso, H. N. Europe, IV. 1826, 276.
- clava** Polynoe (Mont.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 26.—Aphrodita.
- clavus** Purpura, Lamarck, An. s. vert. VII. 1822, 248.
- clava** Pyrula, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 67.
- clava** Pyrula, Defrance, Dict. Sci. Nat. XLIV. 1826, 209.
- clavus** Rattulus (Müll.), Lamarck, An. s. vert. II. 1816, 24.—Trichoda, 1773.
- clava** Serpula, W. Bean, Mag. Nat. Hist., n. s., III. Feb. 1839, 59 [*n. n.*].
- clava** Siphonia, J. E. Lee, Mag. Nat. Hist., n. s., III. Jan. 1839, 12.
- clavus** Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 90.

- clavus** Turbinolia, Lamarck, An. s. vert. II. 1816, 232.
- clavus** Turbinolia, H. Michelin, Icon. Zoophyt. (3) 1841, 38.
- clava** Unio, Lamarck, An. s. vert. VI (1) 1819, 74.
- clava** Unio, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 133 [*n. n.*].
- claytoniae** Linyphia, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 664.
- clealandi** Patella, J. Sowerby, Tr. Linn. Soc. London, XIII (2) 1822, 621.
- cleanth** Arge, J. A. Boisdual, Ic. hist. lépidopt. Europe, I (—) 1833, 139.
- cleanth** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 197 (Fernaldo judice 1834-41) [*n. et f.*].
- cleanthes** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 732.
- Cleanthus** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].—Nud.
- Cleantis** J. D. Dana, Amer. J. Sci. (2) VIII (24) Nov. 1849, 427.—Cr.
- clearista** Athesis, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 110.
- Cledeobia** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Lep.
- cleidonida** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (65) 1846, pl. 17 [*n. et f.*].
- cleida** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 670.
- Cleidophorus** T. A. Conrad; *teste* Scudder, *sed vide* Hall, 1847.
- Cleidophorus** J. Hall, N. H. New York (Pal. I.) 1847, 300.—L.
- Cleidothaerus** S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 97.—L.
- Cleigaster** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 340.—Dipt.
- Cleigastria** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 384.—Dipt.
- Cleiothyris** J. Phillips, Figs. Descr. Pal. foss. Cornwall, 1841, 55.—Br. [*gen. caelebs*].
- Cleis** Guérin in Duperry, Voy. "Coquille," II (2) (1838), 272.—Lep.
- Cleis** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 135 & 208.—Col. [? 2 genera].
- Cleistostoma** W. de Haan in Siebold, F. Japon. (Crust. 1835), 26.—Cr.
- Cleistotoma** W. de Haan in Siebold, F. Japon. (Crust. 1835), 234 [*male, v. Cleistostoma*].
- Cleitamia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 440.—Dipt.
- clelandi** Patella, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- clelandi** Trochus, W. Wood, Suppl. Index Test. 1828, 16 [*n. et f.*].
- clelandi** Trochus, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- Clelia** L. J. Fitzinger, Neue Classif. Rept. 1826, 29 & 55.—R.
- Clelia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 255.—Dipt.
- clelia** Cloelia (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 187.—Coluber.
- clelia** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 330.
- clelia** Coluber (Natrix), Daudin; B. Merrem, Tent. Syst. Amph. 1820, 98.
- clelia** Deiropeda (Daud.), L. Fitzinger, Syst. Rept. 1843, 25.—Coluber.
- clelia** Junonia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 34.—Papilio, 1775.
- clelia** Lycodon, H. Schlegel, Essai phys. Serp. 1837, I. 143; II. 114. [1775.
- clelia** Vanessa (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 317.—Papilio, ? Cr.
- cleliaria** Gonodontis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 287.—Phalaena
clelia, 1780.
- clellandi** Arca, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 149.
- clemanth** Pieris, E. Doubleday, Ann. Mag. N. H. XVII. Jan. 1846, 23.
- clemataria** Eugonia (Smith), J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Phalaena,
- clemataria** Eutrapela, J. Huebner, Exot. Schmett., Tab. Eutrapela [*n. et f.*]. [1797.
- clemataria** Syndalimia, J. Huebner, Index exot. Lepid. 1821, 2.
- clematea** Anacamptis, J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—Tinea clematella, Fab. 1781.
- clematea** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 552.—Tinea clematella,
- clematella** Ederesa (Fab.), J. Curtis, Brit. Entom. XV (180) Dec. 1838, no. 719.—Tinea,
1781. [Tinea, 1781.
- clematella** Ismene (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 250.—
- clematella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 370.
- clematella** Yponomeuta (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea,
1781.
- clematidis** Laemophloeus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 326.
- clematis** Actinia, Drayton in J. D. Dana, Wilkes, U.S. Exped., Zooph., c. Mar. 1848, 130.
- Clematius** L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 194 [*n. n.*].—P.

- clemenciae** Anais, R. P. Lesson, Rev. Zool. (Soc. Cuv.)-III. July 1840, 211. [mya.]
- clemenciae** Caeligena (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 70.—Ornismyia.
- clemenciae** Delattria (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 70.—Ornismyia.
- clemenciae** Mellisuga (Less.), G. R. Gray, Gen. Birds, I. Dec. 1848, 112.—Ornismyia.
- clemenciae** Ornismyia, R. P. Lesson, H. N. Oiseaux-Mouches (16 & 17) June or July 1830, 216.
- clemens** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 632.
- clemens** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 20.
- Clementia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—L. [n. n.].
- clementiae** Anais, R. P. Lesson, Echo Monde Savant, VII. 29 Aug. 1840, 497.
- clementiae** Cinnyris, R. P. Lesson, Man. Orn. II. June 1828, 40.
- clementiana** Rosalina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 37.
- clementinae** Kurukuru, F. Frévoit & O. des Murs in Du Petit-Thouars, Voy. "Vénus" (Ois.) 1849, 264.
- clementinus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 260.
- clementina** Avellana, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 128.—Ringinella,
- clementinum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 357. [1842.
- clementina** Diastopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 120.
- clementinus** Fusus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 339.
- clementina** Lavignon, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 406.
- clementina** Melanopsis, H. Michelin, Magasin de Zool. III. 1833, pl. 29.
- clementina** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 154.
- clementinus** Nautilus, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 77.
- clementina** Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1848, 28.
- clementina** Ringinella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 139.
- clementina** Sclaria, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 170.
- clementina** Sclaria (Mich.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 52.—Melanopsis.
- clementina** Scrobicularia (Orb.), H. G. Bronn, Index Pal. 1848, 1125.—Lavignon.
- Clemmus** C. Hampe, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 353.—Col.
- Clemmys** F. A. Ritgen, N. A. Ac. Caes. Leop. Car. XIV (1) 1828, 270.—R.
- Clemmys** J. Wagler, Nat. Syst. Amph. 1830, 136.—R.
- Clenaster** *err. pro* Ctenaster, Ag.; Agassiz, Ann. Sci. Nat. [2] VII. 1837, 286.
- Clenicerus** *emend. pro* Cleniocerus, Leach; J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 266.
- Cleniocerus** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Col.
- Clenodon** A. Pritchard, Hist. Infus. 1841, 365.—Rot.
- cleo** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 46 (Fernaldo iudice 1799) [n. et f.].
- cleo** Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 36.
- cleo** Ypthima, J. Huebner, Verz. bekannt. Schmett. 1818, 63.
- cleobaea** Eueides, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 7.
- cleobaea** Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 222.
- cleobaca** Lycorea (God.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 106.—Heliconia.
- Cleobis** J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 154.—L.
- cleobis** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 634.
- cleobule** Anteos, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 17.
- Cleoceris** Boisduval in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1837, 157.—Lep.
- Cleoceris** Boisduval, Gen. Index Europ. Lepid. 1840, 93.—Lep.
- Cleodaedala** J. Gistel, Nat. Thierr. 1848, 191.—Orth.
- cleodaucus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 262.
- Cleodice** C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [n. n.] = Cordyla, Meig.
- Cleodora** Péron & Lesueur, Ann. Mus. H. N. (Paris) XV (85) *inter* Ap.-Sept. 1810, 66.
- Cleodora** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 220.—Lep. [—Pter.
- Cleodora** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 160.—Col.
- cleodora** Charis (God.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 17.—Erycina.
- cleodora** Entedon, F. Walker, Ann. Mag. N. H. XI. Feb. 1843, 117.

- cleodora** Eronia, J. Huebner, Exot. Schmett. II. Tab. [130] [*n. et f.*].
- cleodora** Eronia, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 605.
- cleodora** Erycina, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 573.
- Cleodoxa** C. S. Rafinesque, Analyse, 1815, 126.—Hym. [*n. n.*].
- cleodoxa** Pachylarthrus, F. Walker, Ann. Mag. N. H. XI. Feb. 1843, 116.
- cleodoxa** Papilio, Nym., E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. 1789, 3.
- Cleogene** Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1829, 109.—Lep.
- Cleogonus** C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 315.—Col.
- cleomes** Pieris, Boisduval & Leconte, Hist. Lépidopt. Amér. sept. (5) 1829, 43.
- Cleomorpha** J. Gistl, Nat. Thierr. 1848, 190.—Col.
- Cleomorpha** J. Gistl, Handb. Naturges. 1850 [1847], 625.—Col.
- cleon** Ammonites, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 124.
- Cleone** J. Gistl, Nat. Thierr. 1848, p. ix.—L.
- cleone** Encyrtus, F. Walker, Ann. Mag. N. H. XIV. Dec. 1844, 407.
- cleonica** Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 76.
- cleonica** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 81.—Cirrospilus,
- Cleonis** Megerle in Dejean, Cat. Coléopt. 1821, 96.—Col. [1839.
- Cleonis** Mannerheim in Hummel, Ess. Entom. I (4) 1824, 35.—Col.
- Cleonolithus** C. Bassi, Atti 3 Riun. Sci. Ital. 1841, 401.—Col.
- Cleonus** C. J. Schoenherr, Curc. disp. meth. 1826, 145.—Col. [*?emend. pro Cleonis*].
- cleona** Danaïs (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 190.—Papilio, 1782.
- cleonus** Erycina (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 573.—Papilio, 1782.
- cleonymoides** Macroteleia, J. O. Westwood, Proc. Zool. Soc. London, III (29) Sept. 1835.
- Cleonymus** P. A. Latreille, Gen. Crust. et Ins. IV. 1809, 29.—Hym. [71.
- cleopater** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 184.
- cleopatra** Anteos (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 99.—Papilio, 1767.
- cleopatra** Colias (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Papilio, 1767.
- cleopatra** Gonopteryx (L.), Villiers & Guénée, Tabl. syn. Lépid. I. 1835, 15.—Papilio,
- cleopatra** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 88 (Fernaldo judice 1799) [*n. et f.*]. [Papilio, 1767.
- cleopatra** Rhodocera (L.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 37.—
- cleopatras** Actinia (Isacmaea), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 258.
- cleopatras** Cobra (Laur.), L. J. Fitzinger, Neue Classif. Rept. 1826, 62.—Aspis, 1768.
- Cleophana** Boisduval, Gen. Index Europ. Lepid. 1840, 151.—Lep.
- cleophanes** Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 68.
- cleophile** Danaïs, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 185.
- Cleopteryx** J. Gistl, Nat. Thierr. 1848, p. x.—Lep.
- Cleopus** Dejean, Catal. Coléopt. 1821, 83.—Col.
- Cleopus** J. F. Stephens (*ex Dej.* Cat.), Nom. Brit. Ins., Aug. 1829, 12.—Col.
- Cleora** J. Curtis, Brit. Entom. II. 1825, pl. 88.—Lep.
- Cleora** A. H. Haliday in Curtis, Guide, ed. 2, 1836, 282; Ann. Mag. N. H. II (9) Nov. 1838, 188.—Dipt.
- Cleosiris** Boisduval, S. à Buffon (Lép.) I. 1838, expl. pl. xxiii.—Lep.
- Cleosternon** J. Gistl, Nat. Thierr. 1848, pp. xi & 131.—Col.
- Cleosternon** J. Gistl, Handb. Naturges. 1850 [1847], 430.—Col.
- cleostratus** Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 350.
- Cleothera** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 541.—Col.
- cleothera** Danaïs, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 185.
- Cleothoraca** J. Gistl, Nat. Thierr. 1848, p. viii.—Ech.
- cleotus** Papilio, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 673.
- Clepsidrina** K. E. Hammerschmidt, Isis (Oken), 1838, 355.—Verm.
- Clepsina** F. de Filippi, Mem. Sanguisughi, 1837, 28.—Verm.
- Clepsina** (*id. ac Clepsine*), T. Brightwell, Ann. Mag. N. H. IX (55) Mar. 1842, 14.
- Clepsine** J. C. Savigny, Egypte, I (3) (Ann.) 1822, 118.—Ann.
- clepsinoides** Prostoma, A. Dugès, Ann. Sci. Nat. XV (58) Oct. 1828, 140.

- clepsinoideum Prostoma, A. Dugès, Ann. Sci. Nat. XXI (81) Sept. 1830, 73.
 Clepsis A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 168.—Lep.
 Clepsitromis *emend. pro* K—s, Hamm.; A. F. A. Wiegmann, Arch. f. Naturg. 1836 (2), [218].
 Clepsydra C. F. Schumacher, Ess. Vers. test. 1817, 79 & 261.—L.
 clepsydra Aeshna, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 12.
 Clepsydrina L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clepsidrina, Ham-
 Cleptes P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 316.—Hym. [mers.]
 Cleptes Gambel, J. Ac. Nat. Sci. Philad. (2) I. 1847, 46.—A.
 Clepticus G. Cuvier, R. Anim., ed. 2, II. 1829, 261.—P.
 Clepticus A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 116.—Hym.
 Cleptis *err. pro* Cleptes, Latr.; Beck, Proc. Geol. Soc. London, II. 1836, 219.
 clerckella Argyromyces (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 261.
 —Phalaena, 1758.
 clerckella Elachista (L.), F. Treitschke, Schmett. Europa, IX (2) 1833, 191.—Tinea, 1758.
 clerkella Gracillaroidea (L.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. III (Tom. 3)
 (5 & 6) 1850, 53.—Phalaena, 1758.
 clerckella Hieribeia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena, 1758.
 clerckella Lyonetia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 423.—Phalaena, 1758.
 clerckii Carabus, F. Eschscholtz in Kotzebue, Reise Welt, II. 1830, 20.
 clerckii Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 34.
 clerckii Linyphia (Sund.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
 [1841], 270.—Pachygnatha.
 clerckii Pachygnatha, C. J. Sundevall, Spec. gen. Aran. Suec. 1823, 16.
 clerckii Philodromus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 159.
 clerckii Thomisus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 165.
 clericus Alcorhinus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 34. [578].
 clericus Homophota, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
 clericus Hypsonotus (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 268.—
 Alcorhinus.
 clericus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 140.
 clericus Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 160.
 clerii *v.* cleryi. [clorimena, 1790.]
 clerimene Neonympha (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 65.—Papilio
 clermontensis Lutra, H. D. de Blainville, Ostéogr., Mustela, 1842, 60.
 Clerodora *err. pro* Cleodora, P. & L.; L. Oken, Lehrb. Nat. III (1) 1815, 325.
 cleroides Pelonium, M. Spinola, Ess. mon. Clérites, I. 1844, 374.
 Clerome Boisduval in Doubleday, 1849; *teste* Scudder, 1852 *est.*
 Cleronomus F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 282.—Col.
 Cleronus *emend. pro* Clerus, Ol.; C. S. Rafinesque, Analyse, 1815, 111.—Col. [*n. n.*].
 Clerota H. Burmeister, Handb. Ent. III. 1842, 317.—Col.
 Clerus J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
 cleryanus Fusus, A. d'Orbigny, Amér. Mérid. (Pal.), 1842, 117.
 cleryana Mactra, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 510.
 cleryana Sphena, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 572.
 cleryana Tellina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 537.
 cleryana Venus, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 123.
 cleryi Anodesis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 595.
 cleryi Bulimus, Petit de la S., Journ. de Conch. I (1) Feb. 1850, 56.
 clerii Conus, J. Reeve, Conch. Icon.—Conus, no. 229, Jan. 1844. [1838, 44.]
 cleryi Cryptorhopalum, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII.
 clerii Cumingia, A. Adams, Proc. Zool. Soc. London, XVIII (202) Nov. 12, 1850, 24.
 cleryi Elater (Cardiophorus), F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool.
 cleryi Marginella, S. Petit, Magasin de Zool. VI. 1836, pl. 73. [VIII. 1838, 27.]
 cleryi Murex, S. Petit, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 327.
 clesides Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 757.
 Cleta P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 271.—Lep.
 Cleta Mulsant; *teste* Gemminger & Harold, *sed non comp.*
 cleta Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 92.

- clela** Colombella, P. L. Duclos in Chenu, *Illustr. Conch.* (66) 1846, pl. 15 [*n. et f.*].
- clela** Lamprotatus, F. Walker, *Ann. Mag. N. H.* XIV. Nov. 1844, 334.
- Cletheropsylla** Hartwig, 1842; *teste* Waterhouse, *sed non comp.*—*v.* Cletheropsylla, Amyot.
- Cletheropsylla** C. J. B. Amyot, *Ann. Soc. Ent. France*, V (3) 1847, 459.—*Hem.* [*non clevalandicus* Ammonites, Young & Bird, *Geol. Surv. Yorksh. Coast*, 1822, 253. [*binom.*].
- cleveza** Cyprinus, P. S. Pallas, *Zoographia*, III. 1814, 329.
- clibanarius** Pagurus (Herbst), L. A. G. Bosc, *Crust.* II (Castel's Buffon) 1801, 75.—
- Clibanus** J. Gisl, *Nat. Thierr.* 1848, p. xi.—A. [Cancer, 1791.
- Clidia** J. A. Boisduval, *IC. hist. lépidopt. Europe*, II (—) 1835, 151.—Lep.
- Clidicus** Laporte, *Ann. Soc. Ent. France*, I (4) c. Jan. 1833, 396.—Col.
- Clidoceras** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Kleidocerys, Westw.
- Clidocerus** C. J. B. Amyot, *Ann. Soc. Ent. France*, IV (1) 1846, 108.—*Hem.* [*non binom.*].
- Clidogastra** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Cleigastrea, Macq.
- Clidonia** J. B. Robineau-D. *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830, 732.—
- Clidostomum** C. G. Ehrenberg, *Ber. Verh. k. pr. Ak. Wiss.* 1845, 358.—Prot. [Dipt.
- Clidotherus** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Cleidotherus, Stutch.
- Clidotoma** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Kleidotoma, Westw.
- cliens** Baridius, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VIII (1) 1844, 120.
- cliens** Bombus, K. Illiger, *Mag. f. Insektenk.* (Illiger) V. 1806, 171 [*n. n.*].
- cliens** Pteromalus, F. Walker, *Entom. Mag.* III (5) Ap. 1836, 469.
- clientula** Homalota, W. F. Erichson, *Gen. Spec. Staph.* (1) 1839, 133.
- cliffordii** Chilolepis (Schleg.), L. Fitzinger, *Syst. Rept.* 1843, 26.—Coluber.
- cliffordii** Coluber, H. Schlegel, *Essai phys. Serp.* 1837, I. 148; II. 163.
- cliffordi** Trianisites, C. S. Rafinesque, *Journ. de Physique*, LXXXVIII. June 1819, 428.
- cliffordiana** Obliquaria, C. S. Rafinesque, *Ann. gén. Sc. Phys.* (Bruxelles) V. Sept. 1820, 321.
- cliffordiana** Unio, C. S. Rafinesque, *Ann. gén. Sc. Phys.* (Bruxelles) V. Sept. 1820, 321.
- cliftii** Clemmys, L. J. Fitzinger, *Ann. Wiener Mus.* I [1] 1835, 127 [*n. n.*].
- cliftii** Diploglossus, Duméril & Bibron (Roret's Suite à Buffon), *Erpét.* V. Nov. 1839, 595.
- cliftii** Elephas, H. Falconer & P. T. Cautley, *F. Antiq. Sival.* (1) 1846, 47.
- cliftii** Gavialis (Mey.), H. G. Bronn, *Index Pal.* 1848, 527.—Leptorhynchus.
- cliftii** Leptorhynchus, H. v. Meyer, *Palaeologica*, 1832, 108.
- cliftii** Palaeornis, G. A. Mantell, *Medals*, II. 1844, 806.
- cliftii** Trionyx, L. J. Fitzinger, *Ann. Wiener Mus.* I [1] 1835, 128 [*n. n.*].
- Cliftia** J. E. Gray, *Cat. Snakes Coll. B. M.* 1849, 99.—R.
- Climacocercus** J. Cabanis, *Arch. f. Naturg.* X (1) 1844, 265.—A.
- climacocercus** Caprimulgus, J. J. v. Tschudi, *Arch. f. Naturg.* X (1) 1844, 269.
- climacocercus** Hydropsalis, J. J. Tschudi, *Fauna Peru.* (Orn.) 1846, 128.
- climacophorus** Coluber, Boie, *Isis* (Oken), 1826, 210.
- Climacter** J. Gisl, *Nat. Thierr.* 1848, p. x.—Cr.
- climacterica** Helix, W. H. Benson, *J. Asiat. Soc. Bengal*, V. 1836, 352.
- climacteris** C. J. Temminck, *Man. Orn.*, ed. 2, I. Oct. 1820, p. lxxxv.—A.
- climacterus** Scortornis, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 339.
- Climacurus** C. W. L. Gloger, *Gemeinnütz. Naturges.* (1) 1841, 356.—A.
- climacurus** Caprimulgus, L. J. P. Vieillot, *Gal. des Ois.* I (2) 1824, 195.
- climacura** Fluvicola (Vieill.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 194.—
Oenanthe climazura. [1837, 66.—Caprimulgus.
- climaturus** Scortornis (Vieill.), W. Swainson, *Birds W. Africa*, II (Nat. Lib. XIX.) Sept.
- Climatius** J. L. R. Agassiz, *Poiss. Foss. I. Tableau* (1844) p. xxxiii [*n. n.*]; *Poiss.*
F. V. G. R. 120 (1845).—P.
- climaturus** *v.* climacurus.
- climatus** Oribates, C. L. Koch, *Deutsch. Crust.*, heft 31, 1841, tab. 5.
- climax** Trichodectes, C. L. Nitzsch, *Mag. Entom. (Germar)* III. 1818, 296.
- Climaxodus** F. McCoy, *Ann. Mag. N. H.* (2) II. Aug. 1848, 128.—P.
- clymazura** Fluvicola (Vieill.), G. R. Gray, *List Gen. Birds*, 1840, 30.—Oenanthe.
- climazura** Oenanthe, L. J. P. Vieillot, *Gal. des Ois.* I (2) 1824, 255.
- climene** *v.* clymene.

- Clinetrachus** W. Swainson, N. H. Fishes etc. II. July 1839, 182 & 276.—P.
clinias Cirropsilus, F. Walker, Ann. Nat. Hist. I (6) Aug. 1838, 451.
clinias Onitis, Fab.; Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
clinias Scarabaeus (Onitis), Koy & Böhm, Naturforscher, XXIX. 1802, 105.
Clinidium W. Kirby, Zool. Journ. V (17) Feb. 1830, 6.—Col.
Clinitrachus W. Swainson, N. H. Fishes etc. II. July 1839, 75.—P.
clinius Entedon, F. Walker, Mon. Chalcid. I. 1839, 90.
Clinocentris *err. pro* Clinocentrus, Hal.; Scudder, Nom. Zool. 1882, 77.
Clinocentrus A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.—Hym.
Clinocera J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 292.—Dipt.
Clinocoris C. W. Hahn, Wanzenart. Ins. II (3) May 1834, 70.—Hem.
Clinocranion A. J. Sollier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 216 & 326.—Col.
Clinopodes C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 184.—Myr.
clinopodii Lygaeus, Schummel, Uebers. Arb. schles. Ges. 1827 (1828), 65 [*n. n.*].
Clinorhyncha H. Loew, Dipterologische Beiträge, IV. 1850, 39.—Dipt. [*typus* Lasioplera
Clinorrhyncha Loew, 1850; *err.* Scudder *pro* Clinorhyncha, *q. v.* [*chrysanthemi*].
Clinotrachys L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clinetrachus,
Clinteria H. Burmeister, Handb. Ent. III. 1842, 299.—Col. [Swains].
clintonensis Graptolites, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 74.
clintonius Pecten, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 135.
Clinus G. Cuvier, R. Anim. II. 1817, 251.—P. [1844-
clinus Entedon, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 140.—Horismenus,
clinus Horismenus, F. Walker, Ann. Mag. N. H. XIV. Dec. 1844, 408.
clio Chemnitzia, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 2.
clio Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 73. [—Papilio, 1758.
clio Eresia (L.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 184.
clio Hyelasia, J. Huebner, Verz. bekannt. Schmett. [1822], 174.
clio Isogenus, E. Newman, Mag. Nat. Hist., n. s., III. Feb. 1839, 86.
clio Ithomia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 125.
 —Papilio, L. 1758.
clio Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
clio Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 5.
clio Oleria (L.), J. Huebner, Verz. bekannt. Schmett. 1816, 9.—Papilio, 1758.
clio Pterocera, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 356.
clio Trigonía, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
clio Vioa, G. D. Nardo, Ann. Sci. Lomb.-Ven. IX. 1839, 226.
Cliodita Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 74.—Pter.
Cliodita Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 413.—Pter.
Cliodora *err. pro* Cleodora, P. & L.; Schweigger, Handb. Naturg. 1820, 750.
Cliona R. E. Grant, Edinburgh New Phil. Journ., July 1826, 78.
Clione C. S. Rafinesque, Analyse, 1815, 141.—Pter.
Clionella J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 153.—G.
Clionites J. Morris in Mantell, Pict. Atlas, 1850, 99.—Sp.
Cliothyris L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cleiothyris, Phill.
clipeatus *v.* **clypeatus**.
Clipeus A. Scacchi, Catal. Conch. Neap. 1836, 17.—G. [*v.* Clypeus].
Clipsilia *err.* Scudder *pro* Clipsilis, Raf. 1820.
Clipsilis C. S. Rafinesque, Ann. gén. Sci. Phys. V. 1820, 232.—Br.
Cliseocampa L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clisiocampa, Curt.
Clisia W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171.—Cirr. [*vide* Clysia].
Clisiocampa J. Curtis, Brit. Entom. V (57) Sept. 1828, no. 229.—Lep.
clisioides Nemaphyllum, F. McCoy, Ann. Mag. N. H. (2) III. Jan. 1849, 18.
Clisiophyllum J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 114 [*n. n.*]; J. D. Dana,
 Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 361.—Cor. [*sine typo*].
Clisiphontes Denys de Montfort, Conch. I. 1808, 226.—Rh. [*non* Cliso—, *apud* Scudder].
Clista J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 208.—Dipt.
Clistopyga J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus p. 64 & III. 1829,
 132.—Hym.

- Clistotoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clistotoma, Haan.
clita Entedon, F. Walker, Mon. Chalcid. I. 1839, 117. [Pand.]
Clitambonites L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Klitambonites,
clite Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 103 (Fernaldo judice 1804) [*n. et f.*].
clite Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 41.—[? *cl. elyte*].
Clitea L. Reeve (*ex* Leach), Conch. Syst. I. 1841, 21.—Cirr. [Clitia on pl.].
clitellae Collabismus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 238.
clitellana Grapholitha, F. Schlaeger, Ber. lepidopt. Tauschver. [Jena] for 1849, 40.
clitellare Bembidium, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 73.
Clitellaria J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 265.—Dipt.
clitellarius Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 23.
clitellarius Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 134. [182.]
clitellarius Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
clitellarius Eirrhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 177.
clitellaria Jassus, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 309.
clitellarius Nautilus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 40.
clitellarius Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 334.
clitellarius Rhytrhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 435.
clitellatus Ambates, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 153.
clitellata Cerceria, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 28.
clitellata Dichroa, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 50 [*n. n.*].
clitellata Gyrodiera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 124.
clitellatus Nematus, Le Peletier, Mon. Tenthred. 1823, 62.
clitellata Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 444.
clitellatus Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 35.
clitelliger Cratoparis, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 228.
clitelligera Megilla, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 142 [*n. n.*].
clitelliger Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 149.
clitellinus Lumbricus, A. Risso, H. N. Europe, IV. 1826, 426.
Clitellio J. C. Savigny, Descr. Egypte, H. N. I (Ann. 1822), 104.—Verm.
Clitellis *err.* Agassiz *pro* Clitellio, Sav., *q. v.*
Clithon Denys de Montfort, Conch. II. 1810, 326.—G.
Clithria H. Burmeister, Handb. Ent. III. 1842, 537.—Col.
Clitia *err. pro* Clisia, Leach; G. B. Sowerby, I., Gen. Shells (33) 1831.
clito Cirrospilus, F. Walker, Ann. Nat. Hist. IV. Sept. 1839, 30. [1839.]
clito Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 147.—Cirrospilus,
Cliton L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clithon, Montf.
Clitonyx H. G. L. Reichenbach, Avium Syst. Nat., pl. xxxviii (Dec. 1849).—A. [*n. et f.*].
Clitopa W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 653.—Col.
Clitopho J. Gistl, Nat. Thierr. 1848, 124.—Col.
Clitopho J. Gistl, Handb. Naturges. 1850 [1847], 406.—Col.
clitoriae Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 125.
Clivicola T. Forster, Syn. Cat. Brit. Birds, 1817, 55.—A.
clivicola Hirundo, T. Forster, Pocket Encycl. Nat. Phenom., 1827, 414 [*teste* Iredale].
clivicollis Chrysomela, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 213.
clivicum Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 234.
clivicus Eryx (Laur.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 281.—Anguis,
Clivina P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 96.—Col. [1768.]
clivinoides Camptodontus, Laporte, Ann. Soc. Ent. France, I (4) *c.* Jan. 1833, 393.
clivinoides Cardiophthalmus, J. Curtis, Ann. Nat. Hist. I (4) June 1838, 328.
clivinoides Oopterus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 123.
clivinoides Promecoderus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. June 1841, 189.
clivinoides Stratiotes (Lap.), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 659.—
 Camptodontus. [Ges. I.] Säug. (7) 1828, 47.
clivosus Rhinolophus, P. J. Cretschmar in Atlas zu Rueppell, Reise (Senckenb. Nat.
cloacella Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 563.
cloacina Anguilla, C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 38.

- Cloantha** Guénée, Ann. Soc. Ent. France, VIII. Nov. 1839, 509.—Lep.
- cloanthe** *Apatura* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 35.—*Papilio*, 1781.
- cloantha** *Junonia* (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 210.—*Papilio cloanthe*, 1781.
- cloanthus** *Papilio*, J. O. Westwood, Arcana Entom. (3) Sept. 1841, 42.
- cloantha** *Salamis* (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 85.—*Papilio cloanthe*, 1781. [cloanthe, 1781.]
- cloantha** *Vanessa* (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 322.—*Papilio*
- Clodactylus** C. S. Rafinesque, Analyse, 1815, 88.—P. [*n. n.*] = *Cheilodactylus*, Lac.
- Clodalus** C. S. Rafinesque, Western Review, II (3) Ap. 1820, 175; *Ichth. Ohiensis* [Dec.] 1820, 43.—P.
- clodulus** *Hiodon*, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (13) Sept. 1818, 367.
- clodianus** *Conus*, G. D. Nardo (*ex Chiereghini* MS), Sin. mod. spec. Lag. Veneto, 1847, 41.
- clodianus** *Trochus*, G. D. Nardo (*ex Chiereghini* MS), Sin. mod. spec. Lag. Veneto, 1847,
- clodiense** *Cardium*, S. A. Renier, Tavole [1804], vi [*n. n.*] [67.]
- clodiense** *Cardium*, Renier; G. Brocchi, Conch. Subap. 1814, 500.
- clodiense** *Echinus*, G. D. Nardo (*ex Chiereghini* MS), Sin. mod. spec. Lag. Veneto, 1847,
- Clodipterus** C. S. Rafinesque, Analyse, 1815, 86.—P. [*n. n.*] [11.]
- Cloë** *emend. pro* *Cloeon*, Leach; Burmeister, Handb. Entom. II (2) ii, 1839, 799; Ersch & Gruber, Allg. Ency. XXXV. 1841, 316.—Neur.
- Cloea** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 97.—Neur. [*n. d.*, 2 nom. triv. append.]. [1781.]
- cloeckneri** *Crameria* (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 168.—*Phalaena*.
- Cloeia** J. C. Savigny, Descr. Egypte, H. N. I (Syst. Ann.) 1822, 14.—Verm.
- Cloelia** S. Loven, K. Vet. Ac. Handl. 1839 (1841), 235.—Nud.
- Cloelia** L. Agassiz, Nom. Zool. (Rept.) 1845, *emend. pro* *Clelia*, Fitz. q. v.
- Cloelia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Clelia*, Rob.-D.
- cloelia** *Zygaena*, E. J. C. Esper, Europ. Schmett., Suppl. II. 1806, 46.
- Cloëon** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 137.—Neur.
- Cloeotus** E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 129.—Col.
- Cloistotoma** *err. pro* *Cleistotoma*, Haan; H. M. Edwards (*Roret's Suite à Buffon*), Crust. II. 1837, 68.—Cr.
- clonias** *Papilio*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 157.
- Cloniocerus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 340.—Col.
- Cloniocerus** F. L. de Laporte in Brullé, H. N. Anim. artie. (Coléopt.) II. 1840, 468.—Col.
- clonia** *Dundubia*, F. Walker, List Homopt. Coll. B. M. (1) 1850, 66.
- clonius** *Proteides* (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—*Papilio*, 1775.
- Clonorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Clorhynchus*, Hodgs.
- cloquetii** *Orchestia*, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 93.
- cloquetii** *Talitrus* (Aud.), H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 364.—
- cloquetii** *Tyria*, L. J. Fitzinger, Neue Classif. Rept. 1826, 60 [*n. n.*] [Orchestia.]
- clor**→ *v. et* **chlor**→.
- Clorhynchus** B. H. Hodgson, J. Asiat. Soc. Bengal, IV. 1835 (1836), 701.—A.
- Clorida** Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 264.—Cr.
- clorinde** *Callidrias* (God.), H. Lucas, H. N. Léop. exot. 1835, 83.—*Colias*.
- clorinde** *Colias*, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 813.
- clorinde** *Gonepteryx* (God.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 71.—*Colias*. [—*Colias*.]
- clorinde** *Rhodocera* (God.), Boisduval (*Roret's Suite à Buffon*), Lépid. I. Ap. 1836, 599.
- Clorodius** W. E. Leach in Desmarest, Consid. Crust. 1825, 104.—Cr. [*v. Chlorodius*].
- Cloromis** F. Cuvier, Ann. Mus. H. N. Paris, XIX. 1812, 290.—M.
- Clossonaria** Férrussac, H. N. gén. et partic. Moll., Tabl. syst. 1821, p. xlv.—L.
- closter** *Fusus*, R. A. Philippi, Abb. Conch. III (8) 1850, 115.
- Clostera** J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 13.—Lep.
- Closterita** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- Closterocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Clostrocera*, Serv.
- Closterocerus** J. O. Westwood, Mag. Nat. Hist. VI. Sept. 1833, 419.—Hym.

- Closteromerus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 324.—Col. [*sine typo*].
- Closteropus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 324.—Col. [*n. n.*].
- Closteropus** F. E. Guérin-M., Iconographie, 1844, Ins. 222.—Col.
- Closterus** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 193.—Col.
- Closterus** J. Gistl, Nat. Thierr. 1848, pp. xi & xiv.—Col.
- clostra** Salpa, H. M. Edwards in Cuvier, Règne Anim., 'disciples' ed., Moll. descr. to pl. 121 (? 1843).
- Clostrocera** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1824, 82.—Col.
- clot-bey** Melanocorypha, C. L. Bonaparte (*ex* Temm. MS), Consp. gen. Avium, I, 1850, 242.
- Clothilda** E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 440.—Lep.
- clotilda** Euschesis (Stoll), J. Huebner, Verz. bekannt. Schmett. [1822], 221.—Phalaena,
- Clothilla** J. O. Westwood, Introd. class. Insect. II. 1840, Add. p. 158.—Neur. [1790.
- Clothilla** J. O. Westwood, Ann. Mag. Nat. Hist. VI. no. 39, Feb. 1841, 480.—Neur.
- Clotho** Faujas de St F., Ann. Mus. H. N. (Paris) XI (65) May 1808, 390.—L. [*gen. caelebs*].
- Clotho** Walckenaer in P. A. Latreille, Gen. Crust. Ins. IV. 1809, 371.—Ar.
- Clotho** H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 344.—L.
- Clotho** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 41.—R. [*n. n.*].
- clotho** Alastor, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 668.
- clotho** Ampelita, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 31.
- clotho** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 635.
- clotho** Arge, J. Huebner, Verz. bekannt. Schmett. 1818, 60. [*parchia*].
- clotho** Arge (Ochs.), J. A. Boisdual, Ic. hist. lépidopt. Europe, I (—) 1833, 137.—Hipp.
- clotho** Deilephila (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 52.—
Sphinx, 1773. [*—Ampelita*].
- clqtho** Helix (Beck), G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 57.
- clotho** Hipparchia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 22.—Papilio.
- clotho** Melanargia, H. Beck, Syst. Besch. Europ. Schmett. I (3) 1828, 100.
- clotho** Melecta, E. Newman, Entom. Mag. II (5) Jan. 1835, 513.
- clotho** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 42 (Fernaldo judice 1799)
- clotho** Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 31. [*[n. et f.]*].
- clotho** Vipera (L.), F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 171.—Coluber, Gm.
- Clothonia** F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 283.—R. [1789.
- clotzeri** Blaps, Karelín in G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 105.
- clouci** Jalodis, L. Buquet, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 22.
- clouaei** Oxythyrea, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 11.
- cluana** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1019. [1850, 11.
- Clubiona** P. A. Latreille, N. Dict. H. N. XVI. 1804, 134.—Ar. [626.
- clubionide** Drassus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- cluena** Hipparchia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 9.—
Papilio, 1782. [1775.
- cluentius** Phlegethontius (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx,
- clueria** Euphychia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 122.—Papilio, 1793.
- clueria** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 492.—Papilio, 1793.
- clunatella** Fistulana, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 210.
- clunicularis** Clypeus, J. Fleming, Hist. Brit. Anim. 1828, 479.
- clunicularis** Nucleolites (Smith), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 186.—Clypeus, Flem.
- clunifera** Cidarid, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 142.
- cluniferus** Collabismus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 242.
- clunipes** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 208.
- clunipes** Ceratopogon, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 30.
- clunipes** Humatrix, J. Gistl, Nat. Thierr. 1848, 154.
- clunipes** Humatrix, J. Gistl, Handb. Naturges. 1850 [1847], 505.
- clunipes** Limosina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 409.—Borborus,
- clunipes** Milesia, C. F. Fallen, Syrphici Sveciae (1) 1816, 12. [1830.

- clunipes* Sphegina (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 194.—
Clunus C. v. Heyden, Isis (Oken), 1826, 610.—Ar. [Milesia.
Clupalosa P. Bleeker, Verh. Batav. Genootsch. (Ichth. fauna Madura) XXII. 1849, 12.—
Clupanodon B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 468.—P. [P.
clupea Arca, S. D. W., The Analyst, III (14) Jan. 1836, 211.
clupeae Distoma (Schr.), J. G. H. Zeder, Anleitung. Eingeweidewürm. 1803, 218.—Fasciola,
clupeae rhenanae Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 437. [1788.
clupeatum Palmarium, Denys de Montfort, Conch. II. 1810, 71. [Salmo.
clupeiformis Coregonus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 248.—
clupeiformis Salmo, Mitchill, Amer. Month. Mag. II. [? 1818], 321 [teste De Kay].
Clupeina L. Agassiz, Poiss. Foss. V (2) 1844, 139 & 141.—P.
Clupeisudis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clupisudis, Swains.
clupeoides Amblygaster, P. Bleeker, Journ. Indian Arch. III (1) Jan. 1849, 73.
clupeoides Aspius (Cuv.), A. v. Nordmann in Dérnidoff, Voy. Russie, III. 1840, 500.—
 Cyprinus, Pall. 1776.
clupeoides Coregonus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 697.
clupeoides Engraulis, W. Swainson, N. H. Fishes etc. II. July 1839, 388.
clupeoides Leuciscus (Pall.), Cuvier & Valenc., H. N. Poiss. XVII. 1844, 291.—Cyprinus,
clupeoides Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 342. [1776.
clupeoides Mystus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 466.
clupeoides Pelecus (Bloch), J. J. Heckel in Russegger, Reise, I (2) 1843, 1035.—Cyprinus,
clupeoides Salmo, P. S. Pallas, Zoographia, III. 1814, 410. [1795.
clupeoides Trachurus, Gray & Richardson in Dieffenbach, Trav. N. Z. II. 1843, 210.
clupeoideum Cybium, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 178.
clupeola Clupea, G. Cuvier, Règne Anim., ed. 2, II. 1829, 318.
clupeola Harengula, Cuvier & Valenc., H. N. Poiss. XX. 1847, 289.
Clupeonia Cuvier & Valenc., H. N. Poiss. XX. 1847, 345.—P.
Clupisoma W. Swainson, N. H. Fishes etc. I. Oct. 1838, 347.—P.
Clupisudis W. Swainson, N. H. Fishes etc. II. July 1839, 185 & 286.—P.
Clusia A. H. Haliday, Ann. Nat. Hist. II. Nov. 1838, 188.—Dipt.
clusia Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126 [*n. n.*].
clusii Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 482.
clusinella Acrobasis, P. C. Zeller, Isis (Oken), 1848, 610.
clusterata Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 89 (Fernaldo judice
cluvia Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 885. [1808-18] [*n. et f.*].
Clya G. C. Berendt, Die im Bernstein befindl. org. Reste, I (1) 1845, 56.—Ar. [*n. n.*].
Clydonia J. D. Dana, Amer. J. Sci. (2) VIII (22) July 1849, 140.—Cr.
Clymasteris W. Swainson, N. H. Classif. Birds, II. June 1837, 130.—A.
clymazura *v.* *climazura*.
Clymena C. S. Rafinesque, Analyse, 1815, 160.—Prot. [*n. n.*].
climèna Euploea (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
 88.—Papilio, 1775.
Clymene L. Oken, Goettingen gelehrte Anz. 1807, 1168.—Verm.
Clymene L. Oken, Lehrb. Naturg. III (1) 1815, 378.—Moll.
Clymene J. C. Savigny, Egypte, I (3) (Ann.) 1822, 92.—Ann.
clymene Callimorpha (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830,
clymene Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 41. [40.—Eyprepia.
clymene Cerithium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 271.
clymene Chloroperla, E. Newman, Mag. Nat. Hist., n. s., III. Feb. 1839, 87.
clymene Delphinus, J. E. Gray, Cat. Osteol. Spec. B. M. 1847, 35 [*n. n.*]; Cat. Mamm.
 Coll. B. M. I. 1850, 116.
clymene Entedon, F. Walker, Mon. Chalcid. I. 1839, 91.
clymene Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 503. [1786.
clymene Eyprepia (Esp.), F. Ochseneimer, Schmett. Europa, IV. 1816, 60.—Phalaena,
clymene Gonioctena, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 213.
clymene Haploa, J. Huebner, Verz. bekannt. Schmett. [1822], 182.
clymene Hipparchia (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 21.—
 Papilio.

- clymene** Maniola (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 123.—Papilio, ? Cr. 1775.
- clymene** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 5. [*n. cf. f.*].
- climene** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 37 (Fernaldo judice 1799)
- clymene** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 541.—Papilio,
- clymene** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 784. [? Cr. 1780.
- Clymenea** G. v. Muenster, Bemerk. Belem. 1830 [*teste* Scudder, Nom. Zool. 1882, 78].
- Clymeneis** H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 226.—Verm.
- Clymenia** H. G. Bronn, N. Jahrb. f. Min. 1835, 334.—Ceph.
- Clymenia** G. v. Muenster, Beitr. zur Petref. (1) 1839, 6.—Ceph.
- clymeniformis** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Goniatites. [1840, 143.—Goniatites.
- clymeniaeformis** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I.
- clymeniaeformis** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 24.
- clymeniformis** *v.* **clymeniaeformis**.
- Clymenis** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 92 [? = Clymenia].
- Clymenites** G. v. Muenster, N. Jahrb. f. Min. 1835, 334.—Ceph.
- Clymenius** J. J. Kaup, Skizz. Europ. Thierw. 1829, 46.—A. [*typus* Phaethon].
- clymenia** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
- Clymenoneis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clymeneis, Rathke.
- clymena** Callicore (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 41.—Papilio, 1775.
- clymenus** Catagramma (Cr.), E. Blanchard in Brullé, H. N. Anim. art. (Orth. etc.) III. 1840, 449.—Papilio, 1775. [Papilio, Cr. 1775.
- clymenus** Lasioommata (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 136.—
- clymenus** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 425.—Papilio, Cr. 1775. [Col.
- Clypastraea** S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 191.—
- clypearis** Andrena, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl., I. 1848, 215.
- Clypeaster** Lamarck, Syst. Anim. 1801, 349; An. s. vert. III. 1816, 12.—Ech.
- Clypeaster** Andersch; Dejean, Cat. Coléopt. 1821, 129.—Col.
- Clypeaster** A. A. Berthold in P. A. Latreille, Fam. Nat. Thier. 1827, 392.—Col.
- clypeaster** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 161.
- clypeastriformis** Scutella, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 228.
- clypeastroides** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 161.
- Clypeata** R. P. Lesson, Man. Orn. II. June 1828, 416.—A.
- clypeater** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 419.
- clypeator** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 372.
- clypeator** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 131.—Ichneumon, 1820.
- clypeator** Xenillus, Robineau-D., Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 455.
- clypeata** Acanthosoma, H. Burmeister, Handb. Ent. II (1) 1835, 361.
- clypeatus** Acinopus, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
- clypeatus** Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 471. [1844, 31.
- clypeatus** Aelurus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 43.
- clypeata** Andrena, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 75 [*n. n.*].
- clypeatus** Aphodius, G. Fischer de W., Lettre à Pander, 1821, 11.
- clypeatus** Aphodius, T. Say in Keating, Exp. Peter River, II. 1824, 278; & ed. London, 1825 (App.), 23.
- clypeata** Biloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 263.
- clypeata** Blaps, Illiger, Mag. Entom. (Germar) I (1) 1813, 122.
- clypeata** Cantharis, Ill.; Dejean, Catal. Coléopt. 1821, 37 [*n. n.*].
- clypeatus** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817, 299.
- clypeatus** Carcinion (Ol.), F. P. Jarocki, Zoologia, V. 1825, 108.—Cancer, ? Gm. 1790.
- clypeata** Cenobita (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 239.—Cancer, ? Gm. 1790.
- clypeata** Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 157.
- clipeata** Ceratophris, G. Cuvier, Règne Anim., ed. 2, II. 1829, 106 [*n. n.*]. [221.
- clypeata** Cerceris, Klug & Erichson in A. G. Dahlbom, Hymenopt. Europaea (2) 1844,

- clypeata Cheilosia (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58.—Syrphus.
 clypeata Cicindela, G. Fischer de W., Lettre à Pander, 1821, 9. [67.
 clypeatum Circelium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
 clypeata Clypeata (L.), R. P. Lesson, Man. Orn. II. June 1828, 416.—Anas, 1758.
 clypeatus Coelometopus, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 280.
 clypeata Crabro (Schreb.), F. v. P. Schrank, F. Boica, II (2) 1802, 330.—Spheg., L. 1767.
 clypeatus Cryptocerus, J. C. Fabricius, Syst. Piezat. 1804, 420.
 clypeata Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 42.
 clypeata Cyclocephala, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 97.
 clypeata Defrancia (Lamx.), H. G. Bronn, Syst. urw. Pflanz. 1825, 42.—Pelagia.
 clypeatus Ditomus (Rossi), H. Lucas, Explor. Algér. (Artic. II.) 1846, 34.—Scarites, 1790.
 clypeata Dolichotoma, C. H. Boheman, Mon. Cassid. I. 1850, 184.
 clypeata Dromia, P. K. A. Schonsboe, Skr. nat. Selsk. [Copen.] V (2) 1802, 4.
 clypeatus Echinorynchus, S. A. Renier, Tavole [1804], vi [n. n.].
 clypeatus Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 266.
 clypeata Emarginula, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 384.
 clypeata Epeira, C. A. Walckenaer, Tab. Aran. 1805, 67 [n. n.]; H. N. Aran. (1) 1805,
 clypeata Eucera, "Echsn." in J. Walzl, Reise Tyrol etc. (2) 1835, 108. [3.
 clypeatus Eupteryx, J. Curtis, Guide Brit. Ins. (6) 1831, 192 [n. n.].
 clypeata Eupteryx, J. Curtis, Brit. Entom. XIV (160) Apr. 1837, no. 640.
 clypeata Eurina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 5.
 clypeata Fissurella, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 79.
 clypeata Fungia (Lamx.), G. A. Goldfuss, Petref. German. I (1) 1826, 48.—Pelagia.
 clypeata Gasteracantha (Walck.), H. Lucas, H. N. Anim. artic. (Annel. etc.) 1840, 432.
 —Epeira.
 clypeata Hilara, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 4.
 clypeata Leucothoe, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 157.
 clypeata Lyda, F. Klug (ex Degeer), Ges. Nat. Fr. Berlin, Mag. II. 1808, 279.
 clypeatus Megarthrus (Muell.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 646.—
 Silpha. [App. 1817, 70.
 clypeata Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 168, &
 clypeatus Microrhagus, C. Hampé, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 350.
 clypeatus Nucleolites, Lamarck, Syst. Anim. 1801, 347 [n. n.].
 clypeatus Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [n. n.].
 clypeatus Onthophagus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 182.
 clypeata Pelagia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 78.
 clypeatus Philanthus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 139.
 clypeatum Phloeobium (Muell.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 907.—Silpha.
 clypeatus Planes, T. E. Bowdich (? ex Leach MS), Excur. Madeira, 1825, 15.—Cr. [n. n.].
 clypeatus Platydema, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 102.
 clypeata Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
 198.—Epeira, 1805.
 clypeatus Pompilus, A. G. Dahlbom, Mon. Pomp. Svec. 1829, 14.
 clypeatus Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. k.
 clypeata Pterodina (Muell.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
 147.—Brachionus, 1786; [P. elliptica, vide Ehrenberg, Infusionsther. 1838,
 518].
 clypeata Rhamphomyia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 339.
 clypeatus Rhizotrogus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
 1850 [inerte 1851], 145.
 clypeata Rhomborhina, J. O. Westwood, Arcana Entom. (8) July 1842, 119.
 clypeata Rhomborrhina, Dupont in H. Burmeister, Handb. Ent. III. 1842, 199.
 clypeata Rhynchaspis (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
 115.—Anas, 1758.
 clypeata Scaeva (Meig.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 606.—Syrphus.
 clypeatus Scarabaeus, J. Sturm, Catal. Ins. Samml. 1826, 193 [n. n.]. [1849, 106.
 clypeatus Scarabaeus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
 clypeata Silpha, P. W. J. Mueller, Mag. Entom. (German) IV. 1821, 204.

- clypeata** Spathulea (L.), J. Fleming, Hist. Brit. Anim. 1828, 123.—Anas, 1758.
clypeata Spatula (L.), F. Boie, Isis (Oken), 1822, 264.—Anas, 1758.
clypeata Stichopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850,
clypeata Symmela, W. Erichson, Arch. f. Naturg. I (1) 1835, 264. [252 *[n. n.]*.]
clypeatus Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 335.
clypeata Tarentola, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 57.
clypeatus Telephorus (Ill.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11.—Cantharis.
clypeata Testudinella, Bory de St V., Ency. Méth. (Zooph.) 1827, 538.
clypeatus Thyreopus (L.), Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III
 (4) *post* Mar. 1835, 758.—Crabro, Fab. 1775.
clypeatus Tryphon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 390 *[err. 399]*.
clypeiformis Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 137.
clypeiformis Cribrosporgia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
clypeiformis Fissurella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. vi.
clypeiformis Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 543.
clypeiformis Robulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 101.
clypeiformis Tubulipora, A. d'Orbigny, Amér. Mérid. (Zooph.) 1846, 19.
Clypeina H. Michelin, Icon. Zooph. (13-19) 1845, 177.—Cor.
clypeolatus Tryphon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 390 *[err. 399]*.
clypeolatus Gymnopleurus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 58.
Clypeolum C. A. Récluz, Rev. Zool., July 1842, 235.—G. [*?gen.*].
clypeolus Hedybius, W. F. Erichson, Entomographien, 1840, 95. [Patella.
clypeola Helcion (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 303.—
clypeolum Navicella, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 157.
clypeola Patella, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 117.
Clypeus A. Scacchi, Oss. Zool. II. May 1833, 27.—G. [*typus* Pileopsis garnoti, Payr.].
clypeus Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 540.
clypeus Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835, 128.
clypeum Infundibulum, S. Woodward, Geol. Norf. 1833, 44.
clypeus Patella, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxvii, f. 9 [*n. et f.*].
Clypicterus C. L. Bonaparte, Cons. gen. Avium, I. 1850, 426.—A.
Clypidella W. Swainson, Treat. Malacol., May 1840, 356.—G.
Clypidina J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 147.—G.
Clypinia C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
Clypta J. Gistl, Nat. Thier. 1848, p. ix.—Inf.
Clyptra W. E. Leach (*ex* Sav. MS), Zool. Journ. II (6) July 1825, 209.—Cirr.
Clyptus Megerle in Dahl, Coleopt. u. Lepid. 1823, 60.—Col.
Clysia W. E. Leach, Journ. de Phys. LXXXV. 1817, 69.—Cirr.
Clysia J. Huebner, Verz. bekannt. Schmett. 1826, 409.—Lep.
clysonyma Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 210.
clysonymus Heliconius, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
 1817), 128.
Clytanus *emend. pro* Clytus, Fab.; C. S. Rafinesque, Analyse, 1815, 117.—Col. [*n. n.*].
clyte Dira (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 60.—Papilio clytus, 1764.
Clytemnestra J. D. Dana, P. Amer. Ac. I. 1848, 154.—Cr.
clytemnestra Hypna (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 56.—Papilio, 1777.
clytemnestra Hypna, J. Huebner, Exot. Schmett. II. Tab. [53] [*n. et f.*].
clytemnestra Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 363.—
 Papilio, Cr. 1777.
Clythia G. C. Berendt, Die im Bernstein befindl. org. Reste, I (1) 1845, 56.—Ar. [*n. n.*].
Clytho J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 375.—
 Dipt.
Clythraria *emend. pro* Clythra, Fab.; C. S. Rafinesque, Analyse, 1815, 116.—Col. [*n. n.*].
Clytia J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 184.—
 Polyz.
Clytia J. Huebner, Verz. bekannt. Schmett. 1825, 267.—Lep. [*v. et* Clytie].
Clytia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 287.—Dipt.
Clytia W. Swainson, Zool. Illust. (2) III (26) 1833, pl. 120.—Lep. [*?Clytie*, Huebn.].

- Clytia** H. G. Bronn, Index Pal. 1848, 314 [=Klytia, Meyer in Reuss, 1845; *non* Clitia, Brown].
- Clytia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clitea, Reeve.
- Clytia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clitia, Brown.
- Clytia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Klytia, Meyer.
- clytia** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- clytia** Heliconia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 163.—Papilio, 1775.
- clytia** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
- clytia** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 5.
- clytia** Ostrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 23.
- clytia** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.
- clytia** Trigonina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Clytiana** C. S. Rafinesque, Analyse, 1815, 141.—Pt. [n. n.].
- Clytie** J. Huebner, Verz. bekannt. Schmett. 1825, 267.—Lep.
- clytie** Maniola (Huebner), F. v. P. Schrank, F. Boica, II (1) 1801, 187.—Papilio.
- clytie** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 24 (Fernaldo judice 1799)
- clytie** Papilio, E. Donovan, Epit. N. H. Ins. New Holland, 1805. [[n. cf.].]
- clytie** Pieris (Don.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 151.—Papilio.
- clytiformis** Mimomorpha, E. Newman, Entomologist (20) Juné 1842, 322.
- clytoides** Aplectrus, Dup.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 330.
- clytoides** Tubularia, Lamouroux in Quoy & Gaimard, Voy. "Uranie" (Zool.) 1826, 620.
- clyton** Apatura, Boisduval & Leconte, Hist. lépidopt. Amér. sept. (2) 1837, 208.
- clyton** Castalius (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 70.—Papilio, 1775.
- clyton** Polyommatus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 679.—Papilio,
- clytoneus** Androctonus, C. L. Koch, Die Arachniden, V (4) Sept. 1838, 70. [1775.]
- clytus** J. N. Laicharting, Tyrol. Ins. II. 1784, 88.—Col.
- Clytus** J. C. Fabricius, Syst. Eleuth. 1801, 353.—Col. [1764.]
- clytus** Erebia (L.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 128.—Papilio,
- clytus** Satyrus (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 525.—Papilio, 1764.
- Cnaphalodes** C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 460 [*non binom.*].
- cnejus** Lycaena (Fab.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 83.—Hesperia, 1798.
- cnejus** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 657.—Hesperia,
- Cnelonus** *err. typ. pro* Chelonius, Jur.; C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 297.
- Cnemacantha** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 586.—Dipt.
- Cnemacanthus** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 276.—Col.
- Cnemalobus** F. E. Guérin, Ins. de la "Favorite," Mag. Zool. 1838, 9.—Col.
- Cnemargus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 191.—Col.
- cnemargus** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 734.
- Cnemecoeelus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 274.—Col.
- Cnemeplatia** A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 146.—Col.
- cnemerythrus** Bagous (Marsh.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 83.—Curculio.
- cnemerythrus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 268.
- Cnemicium** *err. typ. pro* Cnemidium, Bronn, Index Pal. 1848, 316.
- Cnemida** W. Kirby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 146.—Col.
- Cnemidium** G. A. Goldfuss, Petref. German. I (1) 1826, 14.—Sp.
- Cnemidium** M. Perty, Del. anim. artic. Brasil. (3) 1833, 148.—Hym.
- gnemidium** (*sic*) Calamopora, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 285.
- gnemidium** Polytrema (Klip.), A. d'Orbigny, Prodr. Paléont. I, 1849 [Jan. 1850],
- Cnemidophorus** J. Wagler, Nat. Syst. Amph. 1830, 154.—R. [208.—Calamopora.]
- Cnemidophorus** C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 276.—Col.
- Cnemidotus** Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 297.—Col.
- cnemidota** Tetrix, H. Burmeister, Handb. Ent. II (2) i, 1838, 659.
- cnemidotus** Vates, H. Burmeister, Handb. Ent. II (2) i, 1838, 543. [210.—Col.]
- Cnemodon** C. J. Schoenherr, Isis (Oken), 1823, 1145 [*n. n.*]; Curc. disp. meth. 1826,
- Cnemodus** Herrich-S., Wanzenart. Ins. IX (4) Sept. 1850, 184.—Hem.

- Cnemolobus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cnemalobus.
Cnemopachus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 296.—Col. [Guér.
Cnemoplatia A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 146.—Col.
Cnemoplites E. Newman, Entomologist (22) Aug. 1842, 351.—Col.
Cneoglossa F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. July 1843, 194.—Col. [*gen. caelebs*].
cneora Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 134.—Papilio, 1793.
cneorella Anchinia, J. Huebner, Verz. bekannt. Schmett. 1826, 409.—Tinea.
cneorella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 46 (Fernaldo judice 1811–17) [*n. et f.*].
Cneorhinus C. J. Schoenherr, Isis (Oken), 1823, 1139; Curc. disp. meth. 1826, 96.—Col.
Cnephaeus J. J. Kaup, Skizz. Europ. Thierw. 1829, 103.—M.
Cnephasia J. Curtis, Brit. Entom. III (25) Jan. 1826, no. 100.—Lep.
Cnephata G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 85.—Lep. [*n. d.*].
Cnephozeta G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 88.—Lep. [*n. d.*].
Cnethocampa J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 46.—Lep.
cnicana Argyrolepia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet D [Nov. 1849], 27.
cnicella Haemylis, F. Treitschke, Schmett. Europa, IX (1) 1832, 237.
cnici Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 122.
cnici Aranea, F. v. P. Schrank, F. Boica, III (1) 1803, 232.
cnicicolana Paedisca, P. C. Zeller, Isis (Oken), 1847, 724.
Cnide J. R. Forster, Anim. mar. Aust. 1844, 29.—Coel.
cnides Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 318.
cnidia Colias, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 93.
Cnidon Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 21.—P.
Cnidopsylla Hartwig, 1842; *teste* Waterhouse *sed non comp.*, v. Amyot, 1847.
Cnidopsylla C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 459.—Hem. [*non binom.*].
Cnipolegus H. E. Strickland, Ann. Mag. N. H. VII. 1841, 28.—A. [Knipolegus, Boie].
Cnipolus *emend. pro* Cripolus, Raf.; C. S. Rafinesque, Analyse, 1815, 219.—A. [*n. n.*].
Cnizus G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 138.—Myr. [*n. d.*, 3 nom. triv. append.].
Cnodalum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cnodalon, Latr.
Cnodalum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cnodulon, Fabr.
Cnodax C. v. Heyden, Isis (Oken), 1826, 613.—Ar.
Cnodulon *err. pro* Cnodalon, Latr.; J. C. Fabricius, Syst. Eleuth. II. 1801, 12.
cnotus Otus, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 23.
Cnodalon Fabr. ? = Cnodulon; P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 306.
coa Nemoptera (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 296.—Panorpa, 1758.
coa Physapus (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 137.—Panorpa, 1758.
coacervata Serpula, A. C. Siemssen, Syst. Verz. Mecklenburg. Conch. 1794, 37.
coacervatus Serpulites, J. F. Blumenbach, Spec. Arch. tellur. 1803, 22.
coactiliata Helix, A. E. Férussac in G. P. Deshayes in A. E. Férussac, H. N. g. et p.
coactus Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 167. [Moll. I. 1839, 18.
coactus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 165.
coadunatus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 303.
coadunata Cymindis, Dejean, Spec. gén. Coléopt. I. 1825, 210.
coadunatus Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 76.
coadunata Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 4.
coadunatus Hylesinus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Ips.
coadunatus Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 58.
coadunatus Paragus, C. Rondani, N. Ann. Sci. Nat. [2] VIII. 1847 [Dec.], 346.
coadunata Polyphyllia, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 305 [*n. n.*].
co-adunatus Tarus (Dej.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 3.—Cymindis.
coagulatus Bulinus, L. Reeve, Conch. Icon. V.—Bulinus, no. 558, Aug. 1849.
coagulata Tettigonia, T. Say, N. sp. N. Amer. Ins. Louisiana, Jan. 1832, 13.
coalescens Dentipora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 348.—Madrepora.

- coalescens** Madrepora, G. A. Goldfuss, Petref. German. I (1) 1826, 22.
- coalescens** Oculina (Goldf.), H. G. Bronn, Index Pal. 1848, 834.—Madrepora.
- coalitorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 278.
- coalita** Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 280.
- coalitus** Gobius, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (14) Mar. 1832, 166.
- coalita** Halichondria (Müll.), J. Fleming, Hist. Brit. Anim. 1828, 522.—Spongia, 1776.
- coalita** Vorticella, J. Fleming, Mem. Werner. N. H. Soc. IV (2) May 1823, 491.
- Coandu** G. Fischer, Zoogn., ed. 3, III. 1814, 103.—M.
- Coandus** G. Fischer, Tabl. Syn. Zoog., ed. 2, 1808, Quad., col. 4.—M. [*n. n.*].
- coangustata** Eumenes (Rossi), M. Spinola, Ins. Liguria, I. 1806, 82.—Vespa, 1790.
- coarctaria** Aspitafes (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 431.—Geometra, D. & S. 1775.
- coarctata** Acmaeodera, H. Lucas, Explor. Algér. (Artic. II.) 1846, 142.
- coarctata** Adapsilia, Waga, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 294.
- coarctata** Altica, Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- coarctatus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 147.
- coarctatus** Anableps, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 266.
- coarctata** Anaitis (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 357.—Geometra, 1794.
- coarctata** Andrena, L. Imhoff, Isis (Oken), 1832, 1200.
- coarctata** Anodonta, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 142. [1846, 176.
- coarctatum** Anomalon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- coarctata** Anoncodes (Germ.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 112.—Oedemera, ? Gebler.
- coarctata** Anoncodes, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 510.
- coarctatus** Anthocomus, W. F. Erichson, Entomographien, 1840, 104. [—Musca.
- coarctata** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 130.
- coarctata** Aranea, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 358.
- coarctata** Aspilates (Hueb.), F. Treitschke, Schmett. Europa, VI (1) 1827, 143.—Geometra coarctaria, D. & S. 1775. [Fenn. I. 1834, 199.
- coarctatum** Bembidium, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (12) 1826, 199; & Ins.
- coarctatum** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- coarctatum** Buccinum, E. Eichwald, Paleont. Rossii, 1850, 93.—Nassa, 1830.
- coarctatus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 73.
- coarctata** Bulla, A. H. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 568.
- coarctatus** Carabus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 57.
- coarctata** Cassis, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xxi.
- coarctata** Cassis, W. Wood, Suppl. Index Test. 1828, 33.—Buccinum, 1828.
- coarctata** Cassis, Valenciennes in Kiener, Spec. gén. (Cassis) 1835, 19.
- coarctata** Cellepora, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 148. [1837, 573.
- coarctatus** Ceuthorrhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- coarctata** Chemnitzia (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 263.—Melania.
- coarctatus** Chiton, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (102) Oct. 1841, 62.
- coarctata** Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 116 [*n. n.*].
- coarctata** Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 37.
- coarctatus** Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 311.
- coarctatus** Clytus, J. C. Fabricius, Syst. Eleuth. II. 1801, 349.
- coarctatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 571.
- coarctata** Cumingia, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 34.
- coarctatus** Cumatothes, Chevrolat, Baudi & Truqui, Studi Ent. I. 1848, 181.
- coarctata** Cypræacassis (Val.), S. Stutchbury, Mag. Nat. Hist., n. s., I. Ap. 1837, 216. —Cassis. [vel 1850, 413.
- coarctatus** Cyrtonus, Mulsant & Wahanru (*ex Dej. Cat.*), Mém. Acad. Lyon, II. 1849
- coarctata** Delphinoidea (Mont.), T. Brown, Ill. Conch. G. B. I, 1827, pl. li, f. 43.—Helix.
- coarctata** Delphinula, J. W. Mighels, Proc. Boston Soc. N. H. I (—) 184-, 129; Boston Journ. N. H. IV. (3) 1843, 349.
- coarctatum** Dentalium, G. Brocchi, Conch. Subap. 1814, 264.

- coarctatum** Dentalium, G. Brocchi, Conch. Subap. 1814, 628.
- coarctatus** Doros (Panz.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.—Syrphus, 1797.
- coarctatus** Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 228.
- coarctata** Dromica (L. & D.), Dejean, Spec. gén. Coléopt. II. 1826, 435.—Cicindela.
- coarctata** Dysdera, H. Nicolet in Gay, Chili, III (Arach.) 1849, 344. [Cyphon, 1799.
- coarctata** Elodes (Payk.), F. E. Guérin-M., Spec. et Icon. Anim. art. (3) 1843, 6.—
- coarctata** Ephydra, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 247.
- coarctata** Eudorea, P. C. Zeller, Linnaea Entom. I. Feb. 1846, 308. [L. 1758.
- coarctata** Eumenes (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 361.—Vespa,
- coarctata** Euryusa, F. Maerckel in Germar, Zeitschr. f. d. Entom. V. 1844, 225.
- coarctata** Fissurella, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July 1832], 339.
- coarctata** Formica, P. A. Latreille, Bull. Sci. Soc. Philom. [Paris] no. 57, 1801, 65.
- coarctatus** Gamusus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 16.
- coarctata** Gentastoma, Virey, Journ. de Pharm., Mar. 1823, 220. [Sphinx, 1773.
- coarctata** Glaucopsis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 50.—
- coarctatus** Gorytes, M. Spinola, Ins. Liguria, II. 1808, 245. [578.
- coarctata** Haematopota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828,
- coarctatus** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [*n. n.*].
- coarctata** Helix, G. Montagu, Test. Brit. II. 1803, 445.
- coarctata** Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (May) [Nov.] 1849, 74.
- coarctata** Helix, A. E. Férussac in G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 216.
- coarctata** Hermetia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 178.
- coarctatus** Hyas, W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 329.
- coarctata** Hylemyia (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 322.—Musca.
- coarctata** Kellia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- coarctata** Laphria, M. Perty, Del. anim. artic. Brasil. (3) 1833, 181.
- coarctata** Laphria, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 217.
- coarctatus** Latridius, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*].
- coarctata** Lavignon (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 528.—Cumingia.
- coarctatum** Levenia, J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 137.
- coarctata** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 61.
- coarctata** Lima, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 294.
- coarctatum** Lithodendron (Calamophyllia), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 335.
- coarctatus** Lixus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 198.
- coarctatus** Lixus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 442.
- coarctata** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33.
- coarctata** Maia (Leach), Latreille, N. Dict. H. N., ed. 2, XVIII. 1817, 401.—Hyas.
- coarctata** Melania, Lamarck, Ency. Méth. (Vers) 1816, pl. 458, Liste p. 12 [*n. et f.*].
- coarctata** Melania, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 226.
- coarctata** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 145, Oct. 1844.
- coarctata** Musca, C. F. Fallen, Mon. Muscidum Sueviae (9) 1825, 84.
- coarctata** Myobia, C. v. Heyden, Isis (Oken), 1826, 613.
- coarctata** Napaea, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 407.
- coarctatum** Nassa, E. Eichwald, Nat. Lithuaen, 1830, 223.
- coarctatus** Nirmus (Scop.), I. F. M. de Olfers, De Veg. Anim. 1816, 87.—Pediculus, 1763.
- coarctata** Nucula, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 366.
- coarctata** Ocyptera, H. Loew, Entom. Zeitung, Stettin, V (7) July 1844, 239.
- coarctata** Oedemera, Gebler; J. Sturm, Catal. Ins. Samml. 1826, 175.
- coarctata** Oedemera, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 131.
- coarctata** Ophelia, H. M. Edwards in Cuvier, Règne Anim., disciples' ed., Annél., desc. to pl. 17 (? 1847).
- coarctatus** Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 147.

- coarctatus Ophioporus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 153.
- coarctatus Oronotus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 214.
- coarctata Ortholitha (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 338.—Geometra coarctaria, 1775.
- coarctatum Ovulum, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 21.
- coarctatus Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 666.
- coarctata Paludina, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 243.
- coarctata Parydra (Fall.), C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 144.—[Ephydra.
- coarctatus Passalus, A. Percheron, Mon. Passales, 1835, 49.
- coarctatus Pecten (Born), Defrance, Dict. Sci. Nat. XXXVIII. 1825, 255.—Ostrea, 1778.
- coarctata Pentastoma, Virey, Journ. de Pharm. IX (5) May 1823, 219 [teste Stiles & H.].
- coarctatus Pezoporos (Klug), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 40.—Clerus.
- coarctatus Philanthus, M. Spinola, Ann. Soc. Ent. France, VII (4) post Jan. 1839, 486.
- coarctata Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 163.
- coarctatum Platysoma, J. L. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 185; Boston Journ. N. H. V (1) 1845, 41.
- coarctata Pleurotoma, E. Forbes, Ann. Nat. Hist. V. Ap. 1840, 107.
- coarctatus Podogaster, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 179.
- coarctatus Poecilus, H. Lucas, Ann. Sci. Nat. [2] (Zool.) XVIII. July 1842, 64.
- coarctatus Pygurus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 163.
- coarctata Pyrula, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xvii.
- coarctata Rostellaria, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842, 71.
- coarctatus Sargus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 207.
- coarctatus Scyphius, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 20.
- coarctatus Solecurtus (Gm.), G. P. Deshayes, Expl. Algér. (Moll.) 1845-8, 210.—Solen, 1790.
- coarctatus Solen, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 77.
- coarctatus Solen, F. S. Voigt in Cuvier, Thierreich, III. 1834, 564.
- coarctatus Spirifer (Park.), Potiez & Michaud, Gal. Moll. Douai, II. 1844, 21.—Terebratula (Park.), J. Sowerby, Min. Conch. IV. 1821, 7.—Terebratulites, J. Parkinson, Org. Rem. III. 1811, 229.
- coarctatus Spongius, C. D. E. König, Icones foss. 1825, 4.
- coarctata Stenygra (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar. 1834, 96.—Clytus. [1850, 327.—Toxotus.
- coarctata Strangalia (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1837 [1841], 13.—Aranea.
- coarctatus Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 644.
- coarctatus Syrphus, Schummel, Uebers. Arb. schles. Ges. 1836 (1837), 85.
- coarctata Tachyusa, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 308.
- coarctata Tegenaria (Duf.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 13.—Aranea.
- coarctata Tellina, R. A. Philippi, Zeitschr. f. Malakozool., Oct. 1845, 151.
- coarctata Terebratula (Park.), J. Sowerby, Min. Conch. IV. 1821, 7.—Terebratulites, J. Parkinson, Org. Rem. III. 1811, 229.
- coarctatus Terebratulites, J. Parkinson, Org. Rem. III. 1811, 229.
- coarctatus Toxotus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 59.
- coarctata Turbinella, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [n. n.].
- coarctata Turbinella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 262.
- coarctatus Turbo (Walk.), J. Fleming, Hist. Brit. Anim. 1823, 300.—Helix, Mont.
- coarctata Unio, Lamarck, An. s. vert. VI (1) 1819, 73.
- coarctata Unio (Anodonta), H. E. Anton, Verz. Conch. 1839, 16.
- coarctata Urocoptis, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83 [n. n.].
- coarctata Xylota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 100.
- coarcticollis Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 453.
- coarcticollis Ptinus, J. Sturm, Deutschl. Fauna (Insecten) XII. 1837, 77.
- coase Ryzaena, J. B. Fischer, Syn. Mamm. 1829, 167.
- coassata Ortholitha, J. Huebner, Verz. bekannt. Schmett. 1826, 338.

- Coassus** J. E. Gray (*ex* Gesner), Ann. Phil. XXVI. Nov. 1825, 342 [*n. n.*]; List spec. Mamm. B. M. 1843, 174.—M.
- Cobaia** Cuv. 1817; *v.* Cobaya.
- cobaltinus** Chlaenius, Klug in Dejean, Spec. gén. Coléopt. II. 1826, 331.
- Cobalus** J. Huebner, Verz. bekannt. Schmett. [1820], 115.—Lep.
- Cobax** E. F. Germar, Mag. Entom. (Germar) IV. 1821, 1.—Hem.
- Cobaya** Cuvier, Dict. Sci. Nat. IX. 1817, 481.—M. [*non* Cobaya, *vernac.*].
- cobaya** Agouti, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 166.
- cobaya** Cobaya, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 270.
- cobaya** Hydrochaerus (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 25.—Cavia, Pall. 1766.
- cobboldiae** Nucula, J. Sowerby, Min. Conch. II. 1817, 177.
- cobella** Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 102.
- cobella** Coronella (Merr.), F. Boie, Isis (Oken), 1827, 524.—Coluber (Natrix).
- cobella** Coronella, H. Schlegel, Essai phys. Serp. 1837, I. 135; II. 62.
- cobella** Elaps, J. G. Schneider, Hist. Amph. II. 1801, 296.
- cobella** Liophis (L.), J. Wagler, Nat. Syst. Amph. 1830, 188.—Coluber, 1758.
- Cobelura** W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 149.—Col.
- cobijense** Cyclostrema (Reeve), A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850, 42.—Delphinula.
- cobijensis** Delphinula, L. Reeve, Conch. Icon.—Delphinula, no. 22, Oct. 1843.
- Cobioides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gobioides, Lacep. 1800.
- Cobiomoroides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gobiomoroides, Lacep. 1800. [1800.]
- Cobiomorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gobiomorus, Lacep.
- Cobites** *err. pro* Cobitis, L.; W. Swainson, N. H. Fishes etc. II. July 1839, 190 & 310.
- cobitidis** Cysticercus, C. M. Diesing, Syst. Helminth. I. 1850, 493.
- cobitidis** Ligula, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 266.
- cobitis** Gobius, P. S. Pallas, Zoographia, III. 1814, 160.
- cobojus** Coius, F. Hamilton, Fish. Ganges, 1822, 98.
- Cobra** L. J. Fitzinger, Neue Classif. Rept. 1826, 33 & 62.—R.
- cobra** Vipera (Echidna), Laur.; B. Merrem, Tent. Syst. Amph. 1820, 150.
- Cobresia** J. Huebner, Mon. Test. Baier. Landschnecken Cobresien, 1810.—G.
- cobresiana** Helix, J. W. v. Alten, Conch. Augsburg, 1812, 79.
- cobresiana** Petasia (Alt.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 21.—Helix.
- coburgensis** Thalassides, Berger, N. Jahrb. f. Min. 1833, 70.
- Cobus** A. Smith, 1840; *teste* Waterhouse *sed non comp.*: Palmer *dict.* 1876.—*v.* Kobus.
- cocale** Rhytia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 264.—Phalaena, 1780.
- cocalia** Euryphene (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 286.—Papilio, 1793.
- Cocalus** C. L. Koch, Die Arachniden, XIII (5) May 1846, 180.—Ar.
- cocala** Adelpa (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 42.—Papilio, 1779.
- cocala** Heterochroa (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 278.—Papilio, 1779. [1777.]
- cocalus** Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 290.—Phalaena,
- cocala** Nymphalis (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 372.—Papilio, 1779.
- cocceus** Conus, L. Reeve, Conch. Icon.—Conus, no. 228, Jan. 1844.
- cocchi** Papa (=Pupa), L. Benoit, Farfalletta, 1843; sep. as Ric. Malac. 1843, 11 [*n. n.*].
- Coccicaccia** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 496.—Hem. [*non binom.*].
- Coccidula** L. Gyllenhal, Ins. Suecica, I (4) 1827, 216.—Col. [Cacidula, Dej. 1821].
- Coccidula** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cacicula, Steph.
- cocciformis** Canopus, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- cocciformis** Parmula, C. v. Heyden, Isis (Oken), 1825, 589. [162.]
- cocciformis** Platasus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 16.
- cocciformis** Thyrocoris (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 31.—Plataspis.
- Cocclilacca** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 495.—Hem. [*non binom.*].

- Coccimorphus** F. W. Hope, Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 114.—Col.
- coccinata** Conognatha, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
- coccinatus** Eros (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 77.—Omalisus.
- coccinatus** Lycus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [*n. n.*].
- coccinatus** Omalisus, T. Say, Boston Journ. N. H. I (2) 1835, 155.
- coccinata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 299, Dec. 1845.
- coccinata** Tornatella, L. Reeve, Proc. Zool. Soc. London, X (112) Nov. 1842, 60.
- Coccinella** A. N. Hermannsen [*non* Sow.], Ind. Gen. Malacoz. I. 1847, 254.—G.
- coccinella** Buccinum, Lamarck, An. s. vert. VII. 1822, 275.
- coccinella** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 70.
- coccinella** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 104.
- coccinella** Cypraea, H. D. de Blainville, Faune Française (28) Malac. 1830, 247.
- coccinella** Cypraea, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 73.
- coccinella** Holothyrus, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii.
- coccinella** Nassa (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 176.—Buccinum.
- coccinella** Tragopa, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) 1847, 486.
- coccinella** Trivia (Lam.), H. G. Bronn, Index Pal. 1848, 1294.—Cypraea.
- coccinellae** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 310. [[1833], 214.
- coccinellina** Haltica (Saltatrix), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834).
- Coccinelloides** Latreille, Gen. Crust. Ins. III. 1807, 58.—Col. [*sic* Agassiz, *sed non gen.*].
- coccinelloides** Camarotus, Germar in Labram & Imhoff, Gen. Curcul. I (10) 1842.
- coccinelloides** Canopus, F. L. de Laporte, Ess. Hém. in Mag. de Zool. 1842, 83.
- coccinelloides** Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 81.
- coccinelloides** Clambus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829, 184.
- coccinelloides** Coccimorphus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 272.—
- coccinelloides** Cypraea, J. De C. Sowerby, Min. Conch. IV. 1822, 107. [Erotylus.
- coccinelloides** Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825, 157. [1850, 71.—Issus.
- coccinelloides** Hemisphaerius (Burm.), H. R. Schaum, Ersch & Gruber, Allg. Ency. LI.
- coccinelloides** Issus, H. Burmeister, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 305.
- coccinelloides** Nilio, D. H. Schneider, Verz. Insectensamml. 1828, 78 [*n. n.*].
- coccinelloides** Nitidula, L. Petagna, Atti R. Accad. Sci. (Napoli) I. 1819, 31.
- coccinelloides** Orthorhapha, H. Burmeister, Handb. Ent. II (2) ii, 1839, 1007.
- coccinelloides** Paropsis, A. G. Olivier, Entom. V. 1807, 601. [1843, 61.—Canopus.
- coccinelloides** Thyreocoris (Lap.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1825, 461.—Pompilus.
- coccineus** Acarus, C. S. Rafinesque-S., Précis Som. 1814, 27.
- coccineus** Actinotus, J. L. C. Gravenhorst, Tergestina, 1831, 154.
- coccinea** Amphinome, S. A. Renier, Tavole [1804] xviii.
- coccinea** Ancilla, G. Fischer, Mus. Démid. III. 1807, 163.
- coccineus** Anoplus (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 461.—Pompilus.
- coccinea** Anotia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1831), 189.
- coccineus** Apogon, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 88.
- coccineus** Asopus, Herrich-S., Wanzenart. Ins. IV (3) Sept. 1838, 88.
- coccineus** Asteriscus (Gray), Joh. Mueller & Troschel, Syst. Asterid. 1842, 43.—Patiria.
- coccinea** Berenicea (Müll.), J. Fleming, Hist. Brit. Anim. 1828, 533.—Cellepora, Ratke.
- coccineus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 428. [? Forst. 1780.
- coccinea** Caereba (L.), G. R. Gray, Genera of Birds, I. Jan. 1846, 101.—Certhia,
- coccineus** Capzus, Westerh. in L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 75.
- coccinea** Carduelis (Vieill.), G. Cuvier, R. Anim. I. 1817, 387.—Fringilla, ? Gm. 1788.
- coccinea** Celano, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 1.
- coccinea** Cellepora, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 30.
- coccinea** Cephalodonta, F. E. Guérin-M., Iconographie, 1844, Ins. 276.
- coccinea** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 129.

- coccineus** Cheilinus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
Fische (10) 1828, 23.
- coccineus** Chermes, J. T. C. Ratzeburg, Forst-Insekten, III. 1844, 200.
- coccineus** Chironectes, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 143.
- coccinea** Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 357.
- coccinea** Coenopsammia (Less.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug.
1848, 108.—Tubastraea.
- coccinea** Coronella, H. Schlegel, Essai phys. Serp. 1837, I. 135; II. 57.
- coccineus** Cryptobias, Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post*
Mar. 1834, 36.
- coccinea** Dacne, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 89.
- coccinea** Dendrophyllia (H. & E.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar.
1848, 388.—Oculina. [13.—Anotia.]
- coccinea** Deribia (Guér.), J. O. Westwood, Trans. Linn. Soc. London, XIX (1) 1842,
- coccinea** Diaope, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. II. 1828, 437.
- coccinea** Diaperis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
222. [1786.]
- coccineum** Dicaeum (Scop.), G. R. Gray, Genera of Birds, I. June 1847, 100.—Certhia,
- coccinea** Doris, S. A. Renier, Tavole [1804] xv.
- coccinea** Doris, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- coccinea** Drepanis (L.), C. Ranzani, Elem. Zool. III (3) 1822, 93.—Certhia, ? Forst.
1780.
- coccineus** Elaps (Blum.), B. Merrem, Tent. Syst. Amph. 1820, 145.—Coluber, 1788.
- coccineus** Endomychus, Fab.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
- coccinea** Escharina (Abild.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 124.—
Cellepora, ? Ratke. [Coccinella.]
- coccinea** Exoplectra (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon, [2] II. 1850, 924.—
- coccinea** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 496.
- coccineum** Gasteropteron, H. R. Schinz in Cuvier, Thierreich, II. 1822, 593.
- coccinea** Gorgonia, J. V. F. Lamouroux, Hist. Polyp. 1816, 423.
- coccinea** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 22, May 1846.
- coccinea** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- coccineus** Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 106.
- coccineus** Heterodon, E. Schlegel, Essai phys. Serp. 1837, I. 141; II. 102.
- coccinea** Hirudo, C. S. Rafinesque-S., Précis Som. 1814, 31.
- coccinea** Hispa, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
- coccinea** Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 223. [1842, 196.]
- coccinea** Hydrachna, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July
- coccinea** Hylotoma, J. C. Fabricius, Syst. Piezat. 1804, 24.
- coccinea** Lacerta, B. Merrem, Tent. Syst. Amph. 1820, 69. [? Ratke.]
- coccinea** Lepralia (Lamx.), G. Johnston, Hist. Brit. Zooph. 1838, 278.—Cellepora,
- coccinea** Libellula, T. de Charpentier, Libell. Europ. 1840, 70.
- coccineus** Limax, Gistl, Naturg. Thierreich, 1848, 168.
- coccinea** Linaria (Gm.), J. Gould, Zool. "Sulphur," 1844, 41.—Fringilla, 1788.
- coccinea** Linyphia, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 30.
- coccineum** Liostoma, J. G. Wagler, Isis, 1831, 534. [Limax, 1788.]
- coccinea** Littorina (Mart.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 242.—
- coccineus** Lorus (Penn.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
132.—Psittacus, 1781. [1788.]
- coccinea** Loxops (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 330.—Fringilla,
- coccineus** Lumbricus, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1826, 178.
- coccineus** Lumbrineris, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 83.
- coccineus** Lybas, T. Lacordaire (*ex* Dej. Cat.), Mon. Erotyl., Sept. 1842, 239.
- coccinea** Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96.
- coccinea** Lystra (Ol.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 53.—
- coccinea** Lytta, J. C. Fabricius, Syst. Eleuth. II. 1801, 77. [Fulgora, 1791.]
- coccineus** Malachius, W. F. Erichson, Entomographien, 1840, 68. [413.—Isis, 1786.]
- o ccinea** Melitaea (S. & E.), Lamarck, Mém. Mus. H. N. (Paris) I [5] *ante* Mar. 1816,

- coccinea Miris, L. Dufour, Mém. présentés Ac. Roy. Sci. Inst. France, IV. 1833, 179.
 coccinea Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 49, Aug. 1844.
 coccineus Murex, R. P. Lesson, Echo Monde Savant, XI. 24 Mar. 1844, 538.
 coccinea Nais, S. d. Chiaje, Mem. An. s. vert. Napoli, II (—) 1827, 427.
 coccinea N[ectarinia] (L.), H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 36.—Certhia;
 coccinea Nereis, S. A. Renier, Tavole [1804] xix. [Forst. 1780.
 coccinea Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 11.
 coccineum Nymphum, G. Johnston, Zool. Journ. III (12) Ap. 1828, 489.
 coccineus Octipos, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.
 coccinea Oculina, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832
 (1834), 304.
 coccinea Ocyptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 211.
 coccineus Oenas, E. Ménétries, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat.
 VI.) (4) Nov. 1849, 247.
 coccinea Orithya, G. Johnston, Mag. Zool. Bot. I (4) Dec. 1836, 378.—Nymphum,
 coccinea Patiria, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 290. [1828.
 coccinea Petroica, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 92.
 coccineum Phoxichilidium (Johnst.), H. M. Edwards (Roret's Suite à Buffon), Crustacés,
 III. 1840, 536.—Nymphon.
 coccinea Phylline, G. A. Goldfuss, Handb. Zool. I. 1820, 147.
 coccinea Phylloxera (Heyd.), J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 205.—Vacuna.
 coccinea Pipra, J. Wagler, Isis (Oken), 1830, 938.
 coccinea Pisa, G. D. Nardo, Sin. mod. spec. Lag. Veneto, 1847, 4 [n. n.].
 coccinea Pitta, T. C. Eyton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 104.
 coccinea Pleurotoma, H. E. Anton, Verz. Conch. 1839, 73.
 coccineus Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 191.
 coccineus Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 440 (errata).
 coccinea Porcellana, R. Owen, Zool. "Blossom," 1839, 87.
 coccinea Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 92.
 coccinea Pristonema, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 182.
 coccineus Psittacus, H. Kuhl (ex Brisson), N. A. Ac. Caes. Leop. Car. X (1) 1820, 42.
 coccineus Psittacus, P. A. J. Drapiez, Dict. class. Sci. Nat. VIII. 1842, 463.
 coccinea Purpura, H. E. Anton, Verz. Conch. 1839, 89.
 coccinea Pyrausta, G. R. Gray, Genera of Birds, II. July 1844, 364.
 coccineus Pyrenestes, J. Cassin, Proc. Acad. Nat. Sci. Philad. IV (3) June 1848, 67.
 cocinea Pyrrhula, T. Forster, Pocket Encycl. Nat. Phenom. 1827, 414 [teste Iredale].
 coccinea Pyrrhula, E. De Selys-Longchamps in P. van der Maelen, Dict. géogr. Liège,
 1831, App. p. 32.
 coccineus Ramphocelus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 797.
 coccineus Ramphopis, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 18.
 coccinea Ramphopis, W. Swainson, N. H. Classif. Birds, II. June 1837, 119.
 coccineus Reduvius, M. Perty, Del. anim. artic. Brasil. (3) 1833, 174.
 coccinea Rhinostoma (Blum.), J. E. Holbrook, N. Amer. Herpet., ed. 2, III. 1842, 125.
 —Coluber, 1788.
 coccinea Salamandra, J. E. De Kay, N. H. New York (Rept.) 1842, 81.
 coccineus Scarus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 289.
 coccinea Sphenophis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 25.—Coronella.
 coccineus Spio, S. d. Chiaje, Mem. An. s. vert. Napoli, II (—) 1827, 426.
 coccineus Spondylus, Lamarck, An. s. vert. VI (1) 1819, 190.
 coccinea Stenotarsia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 593.—Cetonia.
 coccineus Stiretrus (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 18.—Cimex,
 1798. [33.
 coccinea Stomatella, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850,
 coccinea Tellinides (Gm.), S. Hanley, Ill. Cat. Bivalve Shells (1) ineunte 1843, 74.—
 Tellina, 1790. [1758.
 coccineus Tenebrio (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 477.—Chrysomela,
 coccinea Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 143.—Cimex, 1798.
 coccineum Tristoma, G. Cuvier, R. Anim. IV. 1817, 42.

- coccineus** Trochus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 145.
coccineum Trombidium (Scop.), I. F. M. de Olfers, De Veg. Anim. 1816, 77.—Pediculus, 1763. [93.]
coccinea Tubastraea, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
coccineus Turbo, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 9.
coccinea Turris, J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 33.
coccineus Unio, Hildreth in T. A. Conrad, Mon. Unionidae N. Amer. (3) Feb. 1836, 29.
coccineus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 12.
coccinea Vacuna, C. H. G. v. Heyden, Abh. Senckenb. Mus. II (3) 1837, 289.
coccineum Veretillum, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. III. 1801, 60.
coccinea Vini, R. P. Lesson, Illustr. de Zool. (10) Oct. 1833, pl. 28.
coccinea Vioa, G. D. Nardo, Ann. Sci. Lomb.-Ven. IX. 1839, 226.
coccineus Zelus, Herrich-S., Wanzenart. Ins. IX (3) Sept. 1850, 120.
coccinea Zonitis (Fab.), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 42.—Lytta.
coccinicolis Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*].
coccinigastra Certhia, J. Latham, Index Orn., Suppl. 1801, p. xxxv.
coccinigaster Cinnyris (Temm.), R. P. Lesson, Dict. Sci. Nat. L. 1827, 10.—Nectarinia.
coccinigastra Cinnyris (Lath.), R. P. Lesson, Dict. Sci. Nat. L. 1827, 31.—Certhia.
coccinigastra Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. 1.
coccinigaster Nectarinia, C. J. Temminck in T. & Laugier, Pls. color. (65) May 1826.
coccinogaster Petroica (Lath.), G. R. Gray, Genera of Birds, I. May 1846, 183.—Muscic.
coccinillivora Baccha, F. E. Guérin-M., Ann. Agric. Franç. (4) XIX. 1849, 57. [capa.
coccinostoma Helicina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 19.
coccino→ *v.* **coccini**→.
cocco Inachus, A. Rizza, Atti Acc. Gioenia, XV. 1839, 285 [*i.e.* 385].
cocco Octopus, G. B. Verany in Descr. Genova, I. 1846, 97 & 109.
cocco Peneus, N. Prestandrea, Effem. Sci. Lett. Sicilia, VI. Ap. 1833, 6.
cocco Scopelus, A. Cocco, Giorn. Sci. Lett. Sicilia, XXVI. 1829, 143.
Coccoborus W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 161.—A.
coccocinctus Coreus (Dasynus), H. Burmeister, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 297.
Coccoderus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 321.—Col. [*n. n.*].
Coccoderus L. Buquet (*ex* Dej. Cat.), Rev. Zool. (Soc. Cuv.) III. Oct. 1840, 293.—Col.
Coccodus Pictet, 1849; *teste* Marshall, 1851 *est*.
coccoi Ornithorampus, G. de Natale, Descr. n. sp. Plojaria, 1850 [*mihi non visum*].
coccoi Phronima, G. de Natale, Su poche Crost. Messina, 1850 [*mihi non visum*].
Coccolepis J. L. R. Agassiz, Poiss. Foss., Feuilleton, 141 (1843); II (1), 300 (1844).—P.
Coccolus C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 47.—P. [*n. n.*].
cocomelos Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (95) July 1841, 167.
Cocomorphus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coccimorphus, Hope.
Cocconidia C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 494.—Hem. [*non binom.*].
Coccophagus J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., III (17) Nov. 1833,
coccophagus Encyrtus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 148. [344.—Hym.
Coccopoa C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 494.—Hem. [*non binom.*].
Coccopsidia C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 496.—Hem. [*non binom.*].
Coccopsis H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxvii (June 1850).—A. [*n. et f.*].
Coccoptelia C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 495.—Hem. [*non binom.*].
coccoradiata Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 46, July 1846.
coccorum Cleptes (L.), J. C. Fabricius, Syst. Piezat. 1804, 155.—Ichneumon, 1758.
coccorum Cynips, F. de Tigny, s. à Deterville ed. Buffon, Ins. III. 1801, 258.
coccorum Evania, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 153.
coccorum Halticoptera (Fab.), M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 149.—Cleptes.
coccorum Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 197.
Coccosomus Dejean, Cat. Coléopt., ed. 2 (4) 1835, 282.—Col.
Coccosteus L. Agassiz, 10 Rept. Brit. Assoc. (Glasgow, 1840) 1841, Trans. 99 [*n. n.*].—P.

- coccocus** Eupages, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 416.
coccocus Sclerosomus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 22.
coccothraustes Fringilla (L.), C. Illiger, Prod. 1811, 222.—Loxia, 1758. [1758.
coccothraustes Pyrgita (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 22.—Loxia,
coccothraustis Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 172 [n. n.].
Cocculidina Bory de St V., Ency. Méth. (Zooph.) 1827, 540.—Rot.
coccus Dactylopius, O. G. Costa, Fauna Regno Napoli, Atteri, 16 (*die indet.*).
Coccycaea R. P. Lesson, Comp. de Buffon, IX. 1837, 255.—A.
Coccyqua R. P. Lesson, Traité Ornith. (2) May 1830, 142.—A.
Coccygius Nitzsch, Pterylogr. 1840, 130.—A. [=Coccyzus, Vieill.].
Coccygus *err. pro* Coccyzus, Vieill.; Boie, Isis (Oken), 1826, 977. [non comp.].
Coccystes C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 203.—A. [1827 Agassiz, *sed*
Coccyzus *id. ac* Coccyzus, 1816; L. P. Vieillot, Faune Française (5 & 6) Oiseaux, 1822,
Coccyx F. Treitschke, Schmett. Europa, VII. 1829, 230.—Lep. [59.
Coccyx F. O. Morris, The Naturalist, II (9) June 1837, 126.—A. [[n. n.,
Coccyxura *id. ac* Coccyzura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85
Coccyzon C. Gloger, Notizen (Froriep) XVI. 1827, 277.—A.
Coccyzura B. H. Hodgson, J. Asiat. Soc. Bengal, XII (2) 1843, 937.—A.
Coccyzus L. P. Vieillot, Analyse, 1816, 28.—A.
cocentum Dentalium, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 155 [n. n.].
cochenillivora Baccha, Guérin-M., C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 511.
cochenillivora Baccha, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) XI. Nov. 1848, 350.
cocherani *v.* **cochranei**.
cochinchinensis *v.* **cochinsinensis**.
cochinsinae Neritina, C. A. Récluz, Journ. de Conch. I (2) Ap. 1850, 159.
cochinsinensis Brachypus (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII
 (2) 1826, 192.—Turdus, 1790. [1788.
cochinsinensis Chloropsis (Gm.), Jardine & Selby, Ill. Orn., sign. B 4, 1826.—Turdus,
cochinchinensis Clausilia, L. Pfeiffer, Symb. Helic. I. 1841, 48.
cochinsinensis Eos (Lath.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
 1832), 560.—Psittacus, 1790.
cochinchinensis Istiurus, H. Cocteau in Dict. pittoresque H. N. I (50) 1834, 394; N.
 Dict. class. H. N., ed. 2, IV. Ap. 1844, 118.
cocinsinensis Lophius, G. Shaw, Nat. Misc. XXIII. 1812, pl. 1012.
cochinsinensis Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. lii. [Turdus, 1790.
cochinchinensis Philedon (Lath.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 486.—
cochinchinensis Phyllornis (Gm.), C. J. Temminck in T. & Laugier, Pls. color. (81) Oct.
 1829.—Turdus, 1788. [489.—Turdus, 1790.
cochinchinensis Ripidicala (Lath.), H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832,
cochinchinensis Silurus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 352.
conchinchinensis (*sic*) Sphasus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I.
 1837 [1836], 375. [Nov. 1839, 556.
cocincinensis Tropicodorus, Duméril & Bibron (Roret's Suite à Buffon), Expét. V.
cocinsinica (*sic*) Certhia (Lath.), G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 239.—Turdus
c—nensis, 1790.
cocincinica Philedon (Sh), Cuvier, Règne Anim. I. 1817, 360.—Certhia.
cocincinus Physignathus, G. Cuvier, R. Anim., ed. 2, II. 1829, 41.
Cochlea E. M. da Costa, Brit. Conch. 1778, 67 & Index.—G. [*teste* Winckworth].
Cochlea T. Martyn, Univ. Conch. I. 1784.—G. [*teste* Winckworth].
Cochlea J. E. Gray (*ex* Adanson), Proc. Zool. Soc. London, XV (178) Nov. 1847, 171.—G.
cochlea Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 5, Feb. 1849.
cochlea Carychium (Drap.), Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 89.
cochlea Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—
cochlea Helix, T. Brown, Mem. Werner. N. H. Soc. II (2) 1818, 528. [Melania.
cochlea Heterocyathus (Gm.), J. E. Gray, Proc. Zool. Soc. London, XVII (194) Jan.—
 June 1850, 77.—Madrepora, 1790.
cochlea Melania, G. v. Muenster, Beitr. zur Petref. (4) 1841, 94.
cochlea Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 112.

- cochlea** Rotalia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 428.
cochlea Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 29, May 1849.
cochleades Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 82, June 1848.
cochleaeformis Tubularia, E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-1810], 128.
cochlear Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 357.
cochlear Mytilus, K. T. Menke, Zeitschr. f. Malakozool., Jan. 1848, 2.
cochlear Ostrea, Poli; Lamarck, An. s. vert. VI (1) 1819, 204.
cochleare Crepidula, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 71.
cochlearis Naera, R. B. Hinds, Proc. Zool. Soc. London, XII (136) Oct. 1844, 98.
cochlearis Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 284.
cochlearis Spirodiscus, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 301.—*viridis* on pl.
cochlearis Turbo, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 116.
cochlearella Corbula, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 58.
cochlearella Melania, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 432.
cochlearella Melania, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 278.
cochlearella Rissoina (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 310 & 340.—Melania.
Cochlearia Braun in G. v. Muenster, Beitr. z. Petref. (4) 1841, 104.—G.
cochleariae Ceuthorhynchus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 489.
cochleariae Falciger, Stev.; J. Sturm, Catal. Ins. Samml. 1826, 141. [—Rhynchaenus.
cochleariae Hydrellia, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 403.
cochleariae Nedyus (Gyll.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhynchaenus.
cochleariae Phaedon (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 333. —Chrysomela, 1792.
cochleariae Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 144.
cochleariformis Aulacosteus, E. Eichwald, Gheoghn. preimusch. Rossii, 1846, 402 & 409.
cochleariforme Caryophyllaeus, L. Oken, Lehrb. Nat. III (1) 1815, 168.
cochleariforme Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 681.
cochleariforme Monostoma, C. A. Rudolphi, Entoz. II (1) 1809, 326.
cochlearis *v.* **cochleare**.
[cochlearius -a -um].
cochlearia Ampullaria, Al. Brongniart, Mém. terr. Vicentin, 1823, 58.
cochlearia Cymbops (L.), J. Wagler, Syst. Avium, I. 1827, sign. 916.—Cancroma, 1766.
cochlearius Eumolpus, T. Say in Keating, Exp. Peter River, II. 1824, 296; & ed. London, 1825 (App.), 38. [? Br.
cochlearia Natica (Lam.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 581.—Ampullaria,
cochlearia Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 162.
cochlearius Paussus, J. O. Westwood, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 88.
cochlearius Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 200.
cochleata Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.
cochleata Elis, J. C. Fabricius, Syst. Piezat. 1804, 249.—Scolia, 1798. [—Turritella.
cochleata Mytilina (Kickx), F. Cantraine, Ann. Sci. Nat. [2] (Zool.) VII. May 1837, 310.
cochleatus Mytilus, Kickx, Bull. Ac. Roy. Brux. II. 1835, 235. [—Mytilus.
cochleata Neptunea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 13.
cochleatus Neritites, E. F. v. Schlotheim, Die Petref. 1820, 110.
cochleatus Orthoceratites, E. F. Schlotheim, Taschen. Min. 1813, 34; Die Petref. 1820, 55.
cochleata Patella, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 1036.
cochleatus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 274.
cochleatus Turbo, G. Brocchi, Conch. Subap. 1814, 373.
cochleata Turritella (Br.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 107.—Turbo.
cochleata Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 122.
Cochleoctonus I. Mielzinsky, Ann. Sci. Nat. I (1) Jan. 1824, 74.—Col.
Cochleocephasia J. Curtis, Brit. Entom. XI (122) Feb. 1834, no. 487.—Lep.
Cochlicarina T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 99.—G.
Cochlicella A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G. [62.
Cochlicellus *emend.* Cochlicella, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837,

- Cochlichondra** G. Jan (*ex* Ziegl. MS), Consp. meth. Testac. 1830, 5.—G.
- Cochliclona** G. Jan (*ex* Ziegl. MS), Consp. meth. Testac. 1830, 5.—G.
- Cochlicopa** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlicopa** W. Swainson, Treat. Malac. 1840, 171 & 335.—G.
- Cochlidion** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Cochlidium** J. E. Gray, Fig. Moll. Anim. IV. 1820, 68.—G. [num.]
- cochlidium** Buccinanops (Kien.), A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 434.—Bucci-
- cochlidium** Buccinum, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 627.
- cochlidium** Buccinum, Kiener, Spec. gén. (Bucc.) 1834, 10.
- cochlidium** Bullia (Wood), J. E. Gray, Zool. "Blossom," 1839, 126.—Buccinum, Dill.
- cochlidium** Cassidulus (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1820, 67.—Pyrula,
- cochlidium** Fusus, F. de Roissy, Sonnini's Buffon, Moll. VI (1805), 61. [? Lam.]
- cochlidium** Fusus (L.), Lamarck, An. s. vert. VII. 1822, 128.—Murex, 1758. [1758.]
- cochlidium** Hemifusus (L.), W. Swainson, Treat. Malacol., May 1840, 308.—Murex,
- cochlidium** Pyrula, Lamarck, Ency. Méth. (Vers) 1816, pl. 434, Liste p. 8 [*n. et f.*].
- Cochlioclonus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cochleoclonus, Mielz.
- cochliodes** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 151.
- Cochliodus** J. L. R. Agassiz, Poiss. Foss. III. 113 (1838).—P. [Steph.]
- Cochliophasia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cochleophasia,
- Cochlitoma** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlocopa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cochlicopa, Fér.
- Cochlocycla** G. Jan, Consp. meth. Testac. 1830, 6.—G.
- Cochlodera** Eschscholtz; *teste* Gemminger & Harold, *sed non comp.*
- Cochlodesma** J. P. Couthouy, Boston Journ. N. H. II (2) 1839, 170.—L.
- Cochlodina** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlodon** *emend. pro* Cochlodonta, Férussac; R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 62.
- Cochlodon** A. d'Orbigny, Syn. Moll. Amér. mérid. in Mag. Zool. V. 1835, 21.—G.
- Cochlodonta** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlogena** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlogibba** G. Jan, Consp. meth. Testac. 1830, 5.—G.
- Cochlohydra** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 27.—G.
- Cochlopupa** G. Jan (*ex* Ziegl. MS), Consp. meth. Testac. 1830, 5.—G.
- Cochlorina** G. Jan (*ex* Ziegl. MS), Consp. meth. Testac. 1830, 5.—G.
- Cochlostoma** G. Jan, Consp. meth. Testac. 1830, 6.—G.
- Cochlostyla** A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 28.—G.
- Cochlotoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cochlitoma, Fér.
- Cochlus** J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 50.—Verm.
- Cochlycopa** Hanley in Swainson, Exot. Conch., ed. 2, 1841, 27.—G.
- Cochoa** B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836, 359.—A.
- cocherani** (*sic*) Cephalus, T. S. Traill, Mem. Werner. N. H. Soc. VI. Jan. 1832, 381 [*rectius* cochranei]. [1787.]
- cochrus** Castnia (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 798.—Papilio,
- Cochylis** F. Treitschke, Schmett. Europa, VII. 1829, 233.—Lep.
- cocincinica** *v.* **cochinsinicus**.
- cocinsinense** *v.* **cochinsinensis**.
- cocinsinica** *v.* **cochinsinicus**.
- cocius** Uranoscopus, C. S. Rafinesque-S., Car. n. gen. 1810, 24. [296.—A.]
- Cocizus** C. T. Wood, Orn. Guide, 1835, 215; S. D. W., The Analyst, IV (16) July 1836,
- cocksii** Acanthia, J. Curtis, Brit. Entom. XII (137) May 1835, no. 548.
- cocksii** Cenia, J. Alder & A. Hancock, Ann. Mag. N. H. (2) I. June 1848, 404.
- cocksii** Ictis, Alder & Hancock, Athenaeum, 1847, 748; 17 Rept. Brit. Assoc. (Oxon. 1847) 1848, Trans. 74. [*n. et f.*].
- cocles** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 79 (Fernaldo judice 1831)
- cocles** Cyrestis (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 261.—Papilio, 1787.
- cocles** Gastropacha (Huebner.), F. Treitschke, Schmett. Europa, X (1) 1834, 190.—Bombyx.

- coco** Ibis (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVI. 1817, 19.—Tantalus, Jacq.
cocoi Ardea, O. Des Murs in Gay, Chili (Aves) 1847, 409. [1784.]
Cocorli Cuv. 1829 [*teste* Agassiz, *sed vernac.*]. [1819, 24.]
Cocothraustes *err. typ.* Coccothraustes; Jarocki, Spis Ptakow Gab. Zool. Warsz. Univ.
cocquii Helix, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 378.
cocsa Barbus (Ham.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 197.—Cyprinus.
cocsa Cyprinus, F. Hamilton, Fish. Ganges, 1822, 272.
cocsa [Leuciscus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 294.—Cyprinus.
cocsa Pachystomus (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—Cyprinus.
[cocteau.]
coctei (*sic*) Euprepes, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 666.
coctaei (*sic*) Hemidactylus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July 1836, 365.
cocteau Hoplopodion (D. & B.), L. Fitzinger, Syst. Rept. 1843, 104.—Hemidactylus.
cocteau Pseudochamaeleon, L. Fitzinger, Syst. Rept. 1843, 63.
coctei (*sic*) Satyrus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 281.
Cocytia Boisduval, Essai Zygén. 1829 [1828], 22.—Lep.
Cocytia F. Treitschke, Schmett. Europa, X (2) 1835, 29.—Lep.
cocytina Aconthea, T. Horsfield, Zool. Journ. V (17) Feb. 1830, 67.
cocytina Adolias (Horsf.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 291.—Aconthea.
Cocytius J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Lep. [1777.]
cocya Adolias (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 104.—Papilio.
cocytus Adolias (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 291.—Papilio, 1787.
cocya Phycodes (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 29.—Papilio, 1777.
Codaster F. McCoy, Ann. Mag. N. H. (2) III. Ap. 1849, 250.—Blast.
codea Alauda, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxxvii, 1843.
codicillus Ceocephalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 512.
Codiopsis L. Agassiz, Mon. Echin. I. 1838, 4; Cat. Ect. Ech. 1840, 15 & 19.—Ech.
Codiplus C. S. Rafinesque, Analyse, 1815, 160.—Coel. [*n. n.*].
Codocera Eschscholtz, Mag. der Entom. (Germar) IV. 1821, 398.—Col.
Codonia J. Huebner, Verz. bekannt. Schmett. 1825, 302.—Lep. [Scudd.].
Codonistris C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 303.—A. [*non* —tra, *apud*]
Codonites V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyp.) 1826, 235.—Cor.
Codonoccephalus C. M. Diesing, Syst. Helminth. I. 1850, 317.—Verm.
Codonocrinites G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 60.—Crin. [*n. n.*].
codonodes Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 112.
Codonostoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Codostoma, Raf.
Codonytes S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 48.—Coel.
Codostepha C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*]. [Verm.]
Codostoma C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 62; Analyse, 1815, 137.—
codringtonii Helicogena (Gray), Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 37.—Helix.
codringtonii Helix, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 67.
codrinus Cothonaspis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 357.
Codrus L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 165 [*n. n.*]; N. Méth. class. Hyménopt. 1807, 308.—Hym.
codrus Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 15.—Scarab. 1789.
codrus Idaides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 85.—Papilio, 1777.
codrus Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 249.
Codula J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 374.—Dipt.
Coea J. Huebner, Verz. bekannt. Schmett. 1818, 48.—Lep.
coea Mesosemia, J. Huebner, Verz. bekannt. Schmett. 1818, 21.
Coecalium Fleming, 1825; *err.* Herrmannsen *pro* Caecalium, q. v.
coecatus v. caecatus.
coecigena v. caecigena.
Coecilophis Kaup; ? MS. *vide* Guenther, Cat. Fishes B. M. VIII. 1870, 54.—P.

coecimaculus *v.* caecim→.

coecoradiata *v.* caecoradiata.

Coecosomus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 282.—Col. [*n. n.*]

Coecula Vahl; Agassiz, Nom. Zool. (Pisces, 1845).—*v.* Caecula, 1794.

Coeculus Dufour, 1832; Agassiz, Nom. Zool. (Arach. 1845).—*v.* Caeculus.

Coeculus Laporte & Gory, H. N. Coléopt. I. 1838, Coeculus, p. 1.—Col.

Coecum Flem.; Agassiz, Nom. Zool. (Moll. 1845).—*v.* Caecum.

coecus *v.* caecus.

coecutiens *v.* caecutiens.

coedicius Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 457.

coedicius Entedon, F. Walker, Ann. Mag. N. H. XVII. Mar. 1846, 183.

Coedius E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 13.—Col.

Coelacanthus J. L. R. Agassiz, Poiss. Foss., Feuilleton 83 (1836) [*n. n.*], & II (2), 171 (1844).—P.

coelacanthus *v.* caelacanthus.

Coelaemenodera L. Agassiz, Nom. Zool. (Col.) 1845; *emend. pro* Coelaenomenodera.

Coelaenomenodera E. Blanchard, Hist. Insect. II. 1845, 181.—Col.

Coelaster L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 191.—Ast.

coelatus *v.* caelatus.

Coelebs R. P. Lesson, Traité Ornith. (6) Feb. 1831, 440.—A.—*typus* Fringilla coelebs, Gm.

coelebs *v.* caelebs.

coelestis *v.* caelestis.

Coeliades J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 31.—Lep.

Coeliades J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Lep.

Coelibates J. Gistl, Nat. Thierr. 1848, p. xi.—Lep.

coelicolor *v.* caelicolor.

Coelidia E. F. Germar, Mag. Entom. (Germar) IV. 1821, 75.—Hem.

Coelidia Dejean, 1833; *teste* Agassiz, *sed err. pro* Caelidia, *q. v.*

Coelidius Nees; *teste* Scudder, ? Coelinus, Nees, N. Acta Ac. Caes. IX. 1818, 301 *est*.

Coeligena R. P. Lesson, Les Trochilidées, Index, 1832 [1833], p. xviii.—A.

coeligena *v.* caeligena.

Coelinus Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 301.—Hym.

Coelino Leach; Agassiz, Nom. Zool. (Crust. 1843).—*v.* Caelino.

Coeliodes C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 282.—Col.

Coeliopsis Bouché in Zetterstedt, Dipt. Scand. 1844, 1273.—Dipt.

Coeliotes Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 569.—[= Coeliodes,

Coelioxys *id. ac* Coelioxys; Germar, Reise Dalm. 1817, 267. [Sch.]

Coelioxys P. A. Latreille, Gen. Crust. Ins. IV. 1809, 166.—Hym.

coelites *v.* caelites.

Coelius F. E. Guérin-M., Rev. Zool. 1842, 84.—Hym.

coelius Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 211.

Caelo→ *v. et* Caelo→.

Coelocephalus J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844).—P. [*n. n.*].

Coelocnemis Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 280.—Col.

Coelocratus Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. III. 1841, 242.—Col.

Coelodera Dejean, 1833; *teste* Agassiz, *sed err. pro* Caelodera, *q. v.*

Coelodes Westwood, 1845; *teste* Marschall, Coilodes *est, q. v.*

Coelodes L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coilodes, Westw.

Coelodon J. G. Audinet-S. (*ex* Latr. MS), Ann. Soc. Ent. France, I (2) c. July 1832, 164.

Coelodon Lund, Overs. K. Danske Vid. Selsk. Förhandl. 1838, 12.—M. [—Col.]

Coelodonta H. G. Bronn, Jahrb. f. Min. 1831, 60.—M.

Coelogaster F. v. P. Schrank, F. Boica, II (2) 1802, 208 & 222.—Hym.

Coelogaster L. Agassiz, N. Jahrb. f. Min. 1835, 304; N. Ann. Sci. Nat. IV. 1840 [Jan. 1841], 327.—P.

Coelogaster C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 588.—Col.

Coelogenus F. Cuvier, Dict. Sci. Nat. (ed. 1) VI. 1806, 20; Ann. Mus. H. N. (Paris) X (57)? Sept. 1807, 203.—M.

Coelogenys Illiger, Prod. Syst. Mamm. 1811, 92.—M.

- Coeloglossa** E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 9.—Hem.
Coelognathus L. Fitzinger, Syst. Rept. 1843, 26.—R.
Coelogonia Bronn, *err. calami* in N. Jahrb. 1837, 164 & 431, *vide* Tichogonia: *see* A. N. Hermannsen, Ind. Gen. Malacoz. I, 1847, 268.
Coeloides C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 59.—Hym.
Coelomera Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col. [*sine*]
Coelomera Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 212.—Col. [*typo*].
Coelometopia Macq. 1847; *err.* Scudder *pro* Coilometopia, *q.v.*
Coelometopus A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 154.—Col.
Coelomyia Haliday in Westwood, Introd. mod. classific. II. App. 1840, 143.—Dipt.
Coelonites P. A. Latreille, *err.* Scudder *pro* Celonites, *q.v.*
coelonota *v.* **caelonota**.
Coelopa J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 8.—Dipt.
Coelopeltis J. Wagler, Nat. Syst. Amph. 1830, 189.—R.
Coeloperca L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 307 [*n. n.*].—P.
Coelophora E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 390.—Col.
Coelophyma A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 99.—Polyz.
Coelopleurus L. Agassiz, Mon. Echin. I. 1838, 4; Cat. Ect. Ech. 1840, 12 & 19.—Ech.
Coelopoma J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. V (2), 139 (1844).—P. [*n. n.*].
Coeloprosopus M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 839.—
Coelops E. Blyth, J. Asiat. Soc. Bengal, XVII (1) 1848 (Ap.), 251.—M. [Col].
Coeloptychium G. A. Goldfuss, Petref. German. I (1) 1826, 31.—Sp.
Coelopygus L. Agassiz, Nom. Zool. (Arach.) 1845, *emend. pro* Caelopygus, Koch, *q.v.*
Coelorhina F. W. Hope (*ex* Burm. MS), Tr. Entom. Soc. Lond. III (4) Jan. 1844, 281.
Coelorhynchus J. L. R. Agassiz, Poiss. Foss. V (1), 92 (1844).—P. [—Col].
Coelorhynchus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caelorhynchus, Giorn.
Coeloria Edwards & Haime, Ann. Sci. Nat. [3] XI. 1849, 294.—Cor. [*v.* Caeloria].
Coelorrinchus Giorna, Mém. Ac. Sci. Turin, 1805-8 (1809), 179.—P. [*non* 1805, *apud*]
Coelorrhina H. Burmeister, Handb. Ent. III. 1842, 206.—Col. [Jordan].
Coeloscelis Reiche, Rev. Zool. (Soc. Cuv.) IV. July 1841, 213.—Col.
Coelosia Hope, 1837; *teste* Agassiz, Caelosis *est q.v.*
Coelosmia Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. xxv.—
Coelosterna Blanch. 1845; *teste* Scudder *sed err. pro* Celosterna, *q.v.* [Cor].
Coelosternus Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 50.—Col.
Coelostethus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 287.—Col.
Coelostoma A. Brullé, H. N. Ins. (Col. II.) 1835, 293.—Col. [p. 57].
Coelostoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Caelostoma, Ag.,
Coelostomus L. Agassiz, Nom. Zool. (Col.) 1845, 41, *emend. pro* Caelostomus, MacLeay,
Coelotes J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 618.—Ar. [1825, *q.v.*]
Coelus F. Eschscholtz, Zool. Atlas, III. 1829, 5.—Col.
coelus *v.* **caelus**.
coemiteriorum Chrysogaster (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 275.—Syrphus, 1787.
coemiteriorum Eristalis (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 194.
Coenatoria F. Held, Isis (Oken), 1837, 910.—G. [—Syrphus, 1787].
Coendu R. P. Lesson, Man. Mamm., May 1827, 291.—M.
cuandu Hystrix, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 346.
Coendus C. Duméril, Zool. Analyt. 1806, 18.—M. [*typus, teste* Froriep, 1806, Hystrix
coeneos *v.* **caeneus**. [prehensilis, L.].
Coenia J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 800.—
Dipt.
coenicolus Fundulus (Schn.), Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 162.—
coenicola Poecilia, J. G. Schneider, Bloch, Syst. Ichth. 1801, 452. [Poecilia].
coenina Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 126
coenina Milesia, F. Walker, List Dipt. Coll. B. M. (3) 1849, 560. [*n. n.*].
Coenipeta J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 22.—Lep.

- Coenipeta** J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Lep.
coenis *v. caenis*.
Coenites E. Eichwald, Zool. Spec. I. 1829, 179.—Polyz.
coenia Junonia, J. Huebner, Exot. Schmett. II. Tab. [32] [*n. et f.*]. [182.—Junonia.
coenia Vanessa (Huebner), Boisduval & Leconte, Hist. lépidopt. Amér. sept. (21) 1833–37.
coeno Ceratinia, E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 149.
coeno Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 127.—
 ? Ceratinia, 1844.
coeno Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 186.
Coenobia J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 134.—Lep.
Coenobita P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 77.—Cr.
Coenobita L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coenobita, Latr.
Coenobita L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coenobites, Edw. *i.e.*
Coenobita J. Gistl, Nat. Thierr. 1848, p. viii.—G. [Berth.
Coenobita J. Gistl, Nat. Thierr. 1848, p. xi.—Lep.
caenobita Acronyctia (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (2) 1831,
coenobita Apate, Dejean, Catal. Coléopt. 1821, 101 [*n. n.*]. [73.—Diphthera.
coenobita Aphodius, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 69.
caenobita Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 19 (Fernaldo judice
 1802) [*n. et f.*].
coenobita Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 222.—Lixus.
coenobita Diphthera (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 63.—Phalaena,
 1785. [Phalaena, 1785.
coenobita Elatina (Esp.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 98.—
coenobita Iaera (Fab.), Doubleday in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
 270.—Papilio, 1793.
coenobita Limenitis (Fab.), Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 93.—Papilio,
coenobita Liopus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 145. [1793.
cenobita Lixus, A. G. Olivier, Entom. V. 1807, 253.
caenobita Noctua (Esp.), J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 160.—
 Phalaena, 1785. [Copris, Ol. 1790.
coenobita Onthophagus (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 112.—
coenobita Panthea (Esp.), J. Huebner, Verz. bekannt. Schmett. [1822], 203.—Phalaena,
 1785. [7] 1837, 315.—Tinea.
coenobitella Aedia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct.
coenobitella Prays, J. Huebner, Verz. bekannt. Schmett. 1826, 413.—Tinea.
caenobitella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 45 (Fernaldo judice 1811–
 17) [*n. et f.*].
caenobiticus Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 378.
Coenocalpe J. Huebner, Verz. bekannt. Schmett. 1826, 330.—Lep.
cenoccephala Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 90.
Coenochilus Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. III. 1841, 268.—Col.
Coenochromia J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Lep.
Coenocyathus Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 297.—Cor.
Coenomya Latreille, Sonnini's Buffon, Ins. III (1802), 439.—Dipt. [Coenomyia, 1796].
Coenonympha J. Huebner, Verz. bekannt. Schmett. 1818, 65.—Lep.
Coenopeta L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coenipeta, Huebn.
Coenophila J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 74.—Lep.
coenopictus Bulimus (Hutton), L. Reeve, Conch. Icon. V.—Bulimus, no. 492, May 1849.
coenopicta Pupa, T. Hutton, J. Asiatic Soc. Bengal, III. 1834, 93. [—Pupa.
Coenopsammia Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 106.—Cor.
coenopsammia ? *v. caenops*—
cenoptera Bethylus (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 229.—
cenopterus Ceraphron, G. W. F. Panzer, Krit. Revis. II. 1806, 135.—Tiphia. [Tiphia.
cenopterus Drynus (Panz.), Lamarck, An. s. vert. IV. 1817, 131.—Tiphia.
cenopterus Omalus (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 301.—Tiphia.
cenoptera Psilus (Panz.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 165.—
cenoptera Tiphia, G. W. F. Panzer, Ins. Germ., heft 81, 1801, tab. 14. [Tiphia.

- Coenosia** J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 210.—Dipt.
 [coenosus -a -um.]
- caenosa** Abryna, E. Newman, Entomologist (18) Ap. 1842, 289.
- caenosa** Aelia (Megarhynchus), A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 91.
- coenosus** Agrypnus (Hope), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.—Elater.
- coenosus** Amycterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 80.
- caenosa** Anoplocheila, J. O. Westwood, Tr. Entom. Soc. Lond. V (6) May 1849, 146.
- coenosus** Aphodius (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Scarabaeus,
- coenosa** Bacteria, G. R. Gray, Entom. Austral. I. Phasma, 1833, 17. [1798.]
- coenosus** Bagous, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 541.
- caenosa** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 51 (Fernaldo judice 1802-8) [*n. et f.*].
- coenosa** Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 120.
- caenosa** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 77 (Fernaldo judice 1831) [*n. et f.*].
- coenosus** Cherrus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 802.
- coenosa** Copris (Pinotus), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
- caenosus** Elater, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25. [1848, 564.]
- coenosus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 140.
- coenosa** Laelia (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 63.—
- caenosa** Laria, J. Huebner, Verz. bekannt. Schmett. [1820], 159. [Bombyx.]
- coenosus** Limnephilus, J. Curtis, Guide Brit. Ins. (3) 1830, 135 [*n. n.*]. [123.]
- coenosus** Limnephilus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834.
- coenosa** Limnophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 522. [byx.]
- caenosa** Liparis (Huebner), C. F. Freyer, Neuere Beitr. Schmett. II (20) 1833, 34.—Bom-
- caenosa** Macromalocera, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 14.
- caenosus** Murex, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 59.
- coenosa** Orgyia (Huebner), F. Treitschke, Schmett. Europa, X (1) 1834, 175.—Bombyx.
- caenosa** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 42.
- caenosus** Planorbis, W. H. Benson, Ann. Mag. N. H. (2) V. May 1850, 349.
- coenosa** Plataspis (Cantharodes), J. O. Westwood, Ann. Mag. Nat. Hist. XIX (123) Jan. 1847, 67.
- coenosus** Staphylinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 51.
- coenosa** Stelidota, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 303.
- coenotaphii** Chrysogaster, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt.
- coenulentella** Nephopteryx, P. C. Zeller, Isis (Oken), 1846, 735. [VI. 1830, 351.]
- Coenureus** *err. pro* Coenurus; Bory de St V., Dict. class. H. N. XVI. 1830, 566.
- Coenurus** C. A. Rudolphi, Entoz. I. 1808, 120.—Verm.
- coenurus** Polycephalus, A. Tschudi, Blasenwürm. 1837, 45.
- [coenus = mud or slime.]
- caenus** Anisodactylus (Melsh.), Dejean, Spec. gén. Coléopt. IV. 1829, 158.—Carabus.
- caenus** Anisodactylus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 431.—Harpalus,
- coenus** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*]. [1825.]
- caenus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 163.
- coenus** Eubagis (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 93.—Hesperia, 1793.
- caenus** Harpalus (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 34.—Carabus.
- coenus** Papilio (Fab.), E. Donovan, Ins. India, 1801.—Hesperia, 1793.
- coercens** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 661.
- Coereba** L. J. P. Vieillot, Ois. Amér. sept. II. 1807, 70.—A.
- Coerebra** F. Boie, Isis (Oken), 1826, 971.—A.
- Coeroxys** J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 222.—Dipt.
- coerulans** *v.* caerulans.
- coerulatus** *v.* caerulatus.
- coerulei**→ *v.* caeruleo→.
- coeruleo**→ *v.* caeruleo→.

coeruleus→ *v. caeruleus.*

Coesio *id. ac* Caesio, Lac.; F. P. Jarocki, Zoologia, IV. 1822, 162.

Coesira J. C. Savigny, Mém. An. s. vert. 1816.—Asc. [*teste* Scudder, *vernac.*, *vide* Caesira].

coespitus *v. caespitus.*

coeus Prionus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 86.

coffae Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 411.

coffae Araecerus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1135.—Anthribus.

coffae Bombyx, E. Ménériés, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 195. [1788.

coffae Galleruca (Hornst.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 296.—Chrysomela,

coffatus Dasypogon, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 49.

coffatus Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 39.

coffeella Elachista, Guérin-Ménéville & Perrottet, Mém. Ins. Cafiers Antilles, 1842, 15.

coffeella Oecophora, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1009.

coffes Conovulus (L.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 106.—Bulla, 1758.

coffee Conovulus (L.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840, 20.—Voluta coffea, 1767.

coffea Melania, R. A. Philippi, Abb. Conch. I (3) 1843, 60.

coffea Mitra, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 83.

coffaeus Mus, E. F. Kelaart, Journ. Ceylon Br. R. Asiat. Soc. [II (5) 1849–50], 1850, 214; ed. 2, 1890, 327.

coffea Psylla, Vallot, C. R. Acad. Sci. (Paris) III. 1836, 73.

coffea Rhodostoma, W. Swainson, Treat. Malacol., May 1840, 344. [[*n. n.*] & 53.

coffini Serriger, J. O. Westwood in A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 13

coffreana Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, IX (1) 1841, 58.

cogitans Buprestis, F. Weber, Obs. Ent. 1801, 75.

cognacensis Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 229.

cognaria Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 19.

cognataria Anagoga, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 34.

cognatella Heribeia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49 [*n. n.*]; & Ill. Brit. Ent. (Haut. IV.) Nov. 1834, 263. [Tinea cagnagella, Huebn.

cognatella Yponomeuta (D. & S.), F. Treitschke, Schmett. Europa, IX (1) 1832, 220.—

cognator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.

cognator Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 156.

cognatus Acara, J. Heckel, Ann. Wiener Mus. II [3] 1840, 356.

cognata Acidia (Winth.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 721.—Tephrys, ? Steph.

cognatus Acupalpus (Gyll.), Dejean, Spec. gén. Coléopt. IV. 1829, 440.—Harpalus.

cognata Aeshna, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 244.

cognata Agrion, E. de Selys, Rev. Zool. (Soc. Cuv.) III. July 1840, 214.

cognata Anodon, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 294.

cognata Anthoecia (Freyer), Boisduval, Gen. Index Europ. Lepid. 1840, 162.—Noctua.

cognata Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 264.

cognatus Asilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [*n. n.*].

cognatus Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 143.

cognata Atomaria, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 392.

cognatum Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 168.

cognata Bombus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 35 [*n. n.*].

cognatus Bradycellus (Gyll.), J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1840], 178.—Harpalus.

cognatus Bruchus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 158 [*n. n.*]. [[*n. n.*].

cognatum Buccinum, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 17

cognatus Bufo, T. Say in Long, Exped. Rocky Mts. II. 1823, 190; & London ed. III. 1823, 336.

cognata Calopteryx, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 222.

cognatum Calosoma, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 421.

cognatus Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,

cognatum Cardium, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]. [303.

- cognata** Cassida, J. Sturm, Catal. Ins. Samml. 1826, 111 [*n. n.*].
- cognata** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 154.
- cognata** Cicindela, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 66.
- cognatus** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 91.
- cognata** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 545.
- cognata** Cloeon, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 69.
- cognata** Cochlicella, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 41.
- cognatus** Cottus, J. Richardson, F. Bor.-Amer. (3) 1836, 40. [1850, 367.]
- cognatus** Cryptus, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] VIII (3) *post* Sept.
- cognatus** Cyrnus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*].
- cognatus** Dorcus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 364.
- cognatus** Elater, J. Sturm, Catal. Ins. Samml. 1826, 135 [*n. n.*].
- cognata** Empis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 55 [*n. n.*].
- cognata** Ephemera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1835, 56.
- cognatus** Eristalis, C. R. W. Wiedemann, Anal. Entom. 1824, 37.
- cognatus** Eristalis, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 69.
- cognata** Eupithecia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) July 1831, 288.
- cognatus** Eurygaster, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 11.
- cognata** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 765.
- cognata** Formica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
- cognata** Fulgora, J. O. Westwood, Tr. Linn. Soc. London, XVIII (2) 1839, 145.
- cognatus** Gomphus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 167.
- cognatus** Harpalus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 455.
- cognata** Heliopsis (Hueb.), C. F. Freyer, Beitr. Gesch. europ. Schmett. (23) 1830, 134.
- cognata** Helix, Fér.; L. Pfeiffer, Symb. Helic. III. 1846, 72. [—Noctua.]
- cognata** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 36 [*n. et f.*]. [N. H. V (1) 1845, 58.]
- cognatus** Hister, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 186; Boston Journ.
- cognatus** Ichneumon, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 346; & Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 139.
- cognata** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 41.
- cognatus** Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Jan. 1837, 212. [278.]
- cognata** Macroma, Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. III. 1841,
- cognatus** Malthinus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 309.
- cognatus** Muricites, E. F. v. Schlottheim, Die Petref. 1820, 141.
- cognatus** Mycotretus, Dejean, Cat. Coléopt., ed. 2 (5) 1835, 428; T. Lacordaire, Mon. Erytol., Sept. 1842, 145.
- cognata** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 341.
- cognata** Myrmedonia, F. Maerckel, Entom. Zeitung, Stettin, III (6) June 1842, 142.
- cognata** Noctua, C. F. Freyer, Beitr. Gesch. europ. Schmett. (23) 1830, 134.
- cognata** Noctua, J. Huebner, Samml. europ. Schmett., pl. 174, f. 828 (? 1834).
- cognata** Odontocheila, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 679.
- cognatus** Odynerus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. Feb. 1839, 92.
- cognata** Oscinis (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 599. —Chlorops.
- cognatus** Palpares, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 373.
- cognata** Panorpa, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 33c.
- cognatus** Paussus, J. O. Westwood, Proc. Linn. Soc. London (12) June 1841, 112.
- cognatus** Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 90.
- cognatus** Phalacrus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 160.

- cognata** Phibalapteryx, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44 [*n. n.*].
- cognatus** Philonthus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) July 1832, 229.
- cognatus** Pholidophorus, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 114 [*n. n.*].
- cognatus** Pompilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
- cognata** Prionopleura, W. W. Saunders (*ex* Hope MS), Tr. Entom. Soc. Lond. IV (3) Mar. 1846, 201.
- cognata** Procris, H. Lucas, Explor. Algér. (Artic. III.) 1849, 373.
- cognatus** Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 331.
- cognata** Raphidia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 438.
- cognata** Rohrella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cognata** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 103. [1830, 491.
- cognatus** Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 29.
- cognatus** Stenus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 283.
- cognata** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 439.
- cognatus** Steropus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Feb. 1835, 377.
- cognatus** Strophosomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Sept. 1831, 127.
- cognata** Tenthredo, C. F. Fallen, Mon. Tenthred. Sveciae (3) 1829, 48.
- cognata** Tephritis, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 75.
- cognata** Tephritis (Wied.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 61.—Trypeta.
- cognata** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov. 1846, 94.
- cognata** Terebratula, G. B. Sowerby, I. (*ex* Chemn.), Thes. Conch. I (7) *ante* 27 Nov. 1846, 346. [gaster.
- cognata** Tetyra (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 75.—Eury-
- cognatus** Tinodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
- cognatus** Trechus (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 171.—Carabus [*non comp.*].
- cognatus** Trochus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
- cognata** Trypana (Tr.), A. Guénée, Ann. Soc. Ent. France, X (1) June 1841, 59.—Noctua, Huebner. [315.
- cognata** Trypeta, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826,
- cognatus** Uranoscopus, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1003.
- cognatus** Zabrus, M. de Chaudoir, Enum. Carab. 1846, 156.
- cogneti** Alpheus, A. Risso, H. N. Europe, V. 1826, 76.—Palemon, 1816.
- cogneti** Palemon, A. Risso, H. N. Crust. 1816, 106.
- Cogrus** C. S. Rafinesque-S., Car. n. gen. 1810, 62.—P.
- coheni** Astarte, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, 43.
- cohuatl** Trochilus, P. de la Llave, Registro trimestre, II (5) Jan. 1833, 47.
- coibor** Bola, F. Hamilton, Fish. Ganges, 1822, 78.
- Coilia** J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 9.—P.
- Coilia** J. E. Gray, Ill. Indian Zool. I (—) [1830-2] (pl. 85).—P.
- Coilites** Rafinesque, The Good Book (1) 1840, 34.—Coel.
- Coilodera** F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25.—Col.
- Coilodes** J. O. Westwood, Proc. Ent. Soc. London, 1 May 1843, 89.—Col.
- Coilometopia** J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 107.—Dipt.
- Coiloon** C. S. Rafinesque, Analyse, 1815, 154.—Coel. [*n. n.*].
- Coiloprosopa** J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 449.—Dipt.
- coilus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 79.
- coila** Malapterurus, F. Hamilton, Fish. Ganges, 1822, 158.
- coilus** Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 346.
- coindeti** Loligo, J. B. Vérany, Mem. R. Acc. Sci. Torino [2] I. 1839, 94.
- coioides** Bola, F. Hamilton, Fish. Ganges, 1822, 82.
- coioides** Serranus (Ham.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850),
- coipus** *v.* coypus. [1993.—Bola.

- coitana** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger), V. 1806, 70.—Melitta.
- coitana** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 147.
- coitor** Bola, F. Hamilton, Fish. Ganges, 1822, 75.
- coitor** Corvina (Buch.), G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—Bola.
- Coïus** F. Hamilton, Fish. Ganges, 1822, 85 & 369.—P.
- Coïza** G. J. Billberg, Syn. Faun. Scand., ed. 2, I (1) 1828, Tab. A. & p. 45 [=Cavia, Gm.].
- cojimbensis** Mactra, H. E. Anton, Arch. f. Naturg. III (1) 1837, 282.
- Colabus** C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 147.—Col.
- colacalis** Pempelia, J. Huebner, Verz. bekannt. Schmett. 1826, 369.
- Colacis** J. Gistl, Nat. Thierr. 1848, p. x.—Dipt.
- Colacium** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 288.—Inf.
- Colaenis** J. Huebner, Verz. bekannt. Schmett. 1818, 32.—Lep.
- Colaphus** Megerle in Dahl, Coleopt. u. Lepid. 1823, 74.—Col.
- Colaphus** Redtenbacher (*ex* Meg.), Fauna Austriaca, 1849, 556.—Col.
- Colapsis** *err. pro* Colaspis; Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins., 295.
- Colaptes** W. Swainson, Phil. Mag., n. s., 1 (6) June 1827, 440; Zool. Journ. III (11) Dec.
- colarella** Haemylis, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 999. [1827, 353.—A.]
- Colaris** G. Cuvier, R. Anim. I. 1817, 401.—A.
- Colas** J. Curtis, Brit. Entom. IV (41) May 1827, no. 166.—Hym.
- Colaspidea** Laporte, Revue Entom. I (1) Mar. 1833, 21.—Col.
- Colaspidema** F. L. de Laporte, Rev. Entom. 1833, 19.—Col.
- colaspidioides** Diphucephala (Gyll.), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 88.—Melolontha c—doides.
- Colaspidodema** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colaspidema, Lap. [Lap.]
- Colaspidoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colaspoides,
- colaspidoides** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 184 & App. 1817, 101. [Lap.]
- Colaspidosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colasposoma,
- Colaspis** J. C. Fabricius, Syst. Eleuth. I. 1801, 411.—Col.
- Colaspoides** Laporte, Revue Entom. I (1) Mar. 1833, 20.—Col.
- colaspoides** Eumolpus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 79 [*n. n.*].
- Colasposoma** Laporte, Revue Entom. I (1) Mar. 1833, 22.—Col.
- Colastes** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.—Hym.
- Colastus** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 236.—Col.
- Colax** J. Huebner, Verz. bekannt. Schmett. [1820], 141.—Lep.
- Colax** C. R. W. Wiedemann, Anal. Entom. 1824, 18.—Dipt.
- Colax** *emend. pro* Colas, Curt.; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.
- colbii** Remopleurides, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 256.
- Colbothis** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Colchas** Buquet in J. Sturm, Catal. Käfer Samml. 1843, 319.—Col. [*sine typo*].
- colchici** Goniodes, H. Denny, Mon. Anoplur. 1842, 158.
- colchici** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 357.—Goniodes.
- colchicus** Agrion, E. Eichwald, Reise Casp. Kauk. II. 1837, 272.
- colchicum** Bembidium, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 175.
- colchicus** Bufo, E. Eichwald, Zool. Spec. III. 1831, 167.
- colchicus** Claviger, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 414.
- colchica** Coccinella, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 51.
- colchica** Feronia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 137. [Coccinella.]
- colchica** [Lasia] (Motsch.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 883.—
- colchicus** Procerus, V. v. Motschulsky, Magazin de Zool. (2) VI. 1844, pl. 151.
- colchicus** Procerus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXVII. 1845 (1) 1845, 17.
- colchicus** Pseudophonus, V. v. Motschulsky, Kaefer Russl., *post* May 1850, 31 [*n. n.*].
- colchidicus** Morio, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,
- coleanus** Pisoodon, J. J. Kaup, Isis (Oken), 1834, 535. [437.]

- coleanus** Pygaeus, J. L. R. Agassiz, Poiss. Foss. IV. 16* (1838), 256 (1842).
- Colecerus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 927.—Col.
- colei** Chimaera, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [*n. n.*].
- colei** Chimaera (Ganodus), Buckland; J. L. R. Agassiz, Poiss. Foss. III. 346 (1843).
- colei** Coelopoma, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. V (2) 139 (1844) [*n. n.*].
- colei** Dapedius, J. L. R. Agassiz, Poiss. Foss. II (1) 195 (1835), 217 (1836).
- colei** Dithyrocaris, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 314.
- colei** Euomphalus, J. De C. Sowerby, Min. Conch. VII. 1841, 21. [Chimaera.
- colei** Ganodus (Buckl.), J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xxxix.—
- colei** Lepracanthus, P. de M. G. Egerton, Ann. Mag. N. H. VII. 1841, 493 [*n. n.*]; J. L. R. Agassiz, Poiss. Foss. III. 177 (1843) [*n. n.*].
- colei** Leptacanthus (? *err. pro* Lepracanthus), J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844), p. xxxiv [*n. n.*].
- colei** Leuciscus, H. v. Meyer, N. Jahrb. f. Min. 1848, 425.
- colei** Myliobates, J. L. R. Agassiz, Poiss. Foss. III. 325 (1843).
- colei** Otis, [A. Smith], Cat. S. A. Mus. 1837, 35.
- colei** Palaeorhynchum, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 371 [*n. n.*]; Poiss. Foss., Feuilleton, 137 (1841); V (1) 85 (1844).
- colei** Phillipsia, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 161.
- colei** Platylaemus, F. Dixon, Geol. Sussex, 1850, 205.
- colei** Thrissonotus, J. L. R. Agassiz, Poiss. Foss. II (2) 128 (1844).
- Coleia** W. J. Broderip, Proc. Geol. Soc. London, II. 1835, 201.—Cr.
- Colenis** W. F. Erichson in Arch. f. Naturg. VIII (2) 1842, 221.—Col.
- colenoniss** Anchomenus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 3.
- Coleocentrus** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64; & III. 1829, 437.—Hym.
- Coleoceras** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Koleoceras, Portl.
- Coleocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colecerus, Schoenh.
- Coleomerus** C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 817.—Col.
- Coleonyx** J. E. Gray, Ann. Mag. N. H. XVI. Sept. 1845, 162.—R.
- Coleophora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Coleophora** P. C. Zeller, Isis (Oken), 1839, 207.—Lep.
- Coleoprion** G. Sandberger, N. Jahrb. f. Min. 1847, 24.—Pter.
- coleopterorum** Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 76.
- coleoptrotorum** Gamasus (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 64.—Acarus, 1758.
- coleoptrata** Anthocoris, J. V. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 74.
- coleoptrata** Aphrophora (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 54.—Cicada, 1758.
- coleoptrata** Cermatia (L.), W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 430.—Scolopendra, 1758. [floridensis.
- coleoptrata** Cermatia, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 95.—*var.*
- coleoptrata** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 223.
- coleoptrata** Corixa (Fab.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 243.—Sigara, 1777.
- coleoptrata** Dinemoura, F. E. Guérin-M., Iconographie, 1844, Crust. 42.
- coleoptratus** Encyrtus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 113 [*n. n.*].
- coleoptratus** Gamasus (L.), J. C. Fabricius, Syst. Antliat. 1805, 365.—Acarus, 1758.
- coleoptratus** Issus, J. C. Fabricius, Syst. Rhyng. 1803, 99.—Cercopis, 1781.
- coleoptrata** Lepyrionia (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 567.—Cicada, 1758. [Acarus, 1758.
- coleoptratus** Oribata (L.), P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 400.—
- coleoptratus** Rhyparochromus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 60.
- coleoptrata** Salda, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 31.
- coleoptrata** Scutigera (Fab.), Lamarck, Syst. Anim. 1801, 182.—Scolopendra, L. 1758.
- coleoptrata** Sigara, J. C. Fabricius, Syst. Rhyng. 1803, 105.
- Coleoramphus** Dumont, Dict. Sci. Nat. X. 1818, 36.—A.

- Coleorhamphus** H. M. D. de Blainville, Voy. "Bonite," Zool. I. 1841, 108.—*emend. pro* Coleoramphus, Dum.
- Coleothrips** A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 451.—Thys.
- Coleotichus** A. White, Mag. Nat. Hist. III (35) Nov. 1839, 541.—Hem.
- Coleotrichus** White, 1842; *teste* Agassiz, *Coleotichus est*, q. v. [Agassiz].
- Coleps** Nitzsch in Ersch & Gruber, Allg. Ency. XVI. 1827, 69.—Inf. [*non* 1817, *apud* coleps Holophrya, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 102.
- coles** Orthoceratites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 7.
- coles** Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 103.
- coleta** Nyctemera (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 178.—Phalaena, 1781. [?coleta.]
- coletaria** Orphanos (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 306.—Phalaena
- Colias** J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Lep.
- Colias** J. Huebner, Verz. bekannt. Schmett. [1820], 99.—Lep.
- colias** Enchelyopus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 54.
- colias** Percis, Cuvier & Valenc., H. N. Poiss. III. 1829, 273.
- Colibri** J. B. v. Spix, Avium Brasil. I. 1824, 80.—A.
- Colibri** C. L. Bonaparte, C. R. Ac. Sci. Paris, XXX (12) Mar. 1850, 382.—A.
- colibri** Spirifer, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 173.
- colibrinus** Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- coliformis** Cricopora, H. Michelin, Icon. Zoophyt. (1) 1841, 5.
- Coliipasser** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coliusspaser, Ruepp
- colinarius** Ammonites, E. F. Schlottheim, Tasch. Min. 1813, 51.
- Colinia** T. Nuttall, Man. Ornith., Land Birds, 1832, 646.—A.
- Colinus** G. A. Goldfuss, Handb. Zool. (2) 1820, 220.—A. [*typus* Perdix mexicana; *non* Colinus R. P. Lesson, Man. Orn. II. June, 1828, 190.—A. [Cuv. 1817, *vernac.*].
- Coliostruthus** C. J. Sundevall, Ofvers. K. Vet. Ak. Förhandl. 1849 (1850), 158.—A.
- Coliphimus** A. Smith, Rep. Exped. Centr. Africa, 1836, 54.—A.
- Colisa** Cuvier & Valenc., H. N. Poiss. VII. 1831, 359.—P.
- colisa** Trichopodus, F. Hamilton, Fish. Ganges, 1822, 117.
- colius** Colus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 86.—Loxia, 1766.
- Coliusspaser** E. Rueppell, N. Wirbelth. Fauna Abyssin. (Vögel) (13) 1840, 98.—A.
- colla** Euterpe, E. Doubleday, Ann. Mag. N. H. XIX. June 1847, 388.
- Collabismus** C. J. Schoenherr, Gen. et. Sp. Curc. IV (1) 1837, 236.—Col.
- colladoni** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 345.
- collana** Petronason, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- collana** Scarus, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 25.
- collapsa** Helix (Helicella) (Perry), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 43.—Planorbis.
- collapsus** Planorbis, G. Perry, Conchology, Apr. 1811, pl. 51.
- Collapteryx** E. Newman, Entom. Mag. V (4) Ap. [*i. e.* July] 1838, 397.—Col.
- collaria** v. *collarius* -a -um.
- collarifer** Agriotes, Eschscholtz, Die Quatember, II (3) 1830, 18.
- collaris** Acanthylis (Wied), G. R. Gray, Genera of Birds, I. Feb. 1845, 55.—Hirundo.
- collaris** Accentor (Scop.), C. Illiger, Prod. 1811, 217.—Sturnus, 1769.
- collaris** Acupalpus (Payk.), Dejean, Spec. gén. Coléopt. IV. 1829, 472.—Carabus, 1798.
- collaris** Agama, T. Say in Long, Exped. Rocky Mts. II. 1823, 252; & London ed., III. 1823, 337.
- collaris** Akis (L.), J. C. Fabricius, Syst. Eleuth. I. 1801, 135.—Tenebrio, 1767.
- collaris** Alcedo, G. Fischer, Mus. Démid. III. 1807, 24.
- collaris** Alecyon, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 472 [*n. n.*].
- collaris** Aleochara (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 72.—Staphylinus, 1789.
- collaris** Amniscus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 46.
- collaris** Ampedus (Say), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 172.—Elater.
- collaris** Amycterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 57.
- collaris** Anas, E. Donovan, Brit. Birds, VI., pl. cxlvii [1801?].
- collaris** Anas, Merrem, Ersch & Gruber, Allg. Ency. XXXV. 1841, 31.

- collaris Anchomenus, E. Ménétériés, Cat. Rais. Zool. Caucase, 1832, 117.
 collaris Anchomenus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 421.
 collaris Anchomenus, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 131.
 collaris Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 237.
 collaris Anisotoma, J. L. Leconte in Agassiz, Lake Superior, 1850, 221.
 collaris Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 247.
 collaris Anomala, H. Burmeister, Handb. Ent. IV (1) 1844, 268.
 collaris Anthicus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 246. [nyris.
 collaris Anthodiaeta (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 100.—Cin-
 collaris Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 271.
 collaris Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 410.
 collaris Apate, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 148.
 collaris Aploglossa, F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 3.
 collaris Arctonox, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (51) Sept. 1825, Bali—saur, p. 2.
 collaris Arilus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 229.—Zelus.
 collaris Arilus, Herrich-S., Wanzenart. Ins. VIII (2) Oct. 1845, 37.
 collaris Ascaris, K. A. Rudolphi, Archiv. Zool. (Wiedemann), II (2) 1802, 20.
 collaris Badister, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 142.
 collaris Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 134.
 collaris Barycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 734.
 collaris Bassus (Grav.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 383.—Xorides.
 collaris Bernicla, C. L. Brehm, Isis, 1830, 996 [n. n.]; Handb. Nat. Vögel Deutschl. 1831, 851. [Capsus.
 collaris Blepharidopterus (Fall.), F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 107.—
 collaris Bolitochara (Payk.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 489.—Staphylinus, 1789.
 collaris Bombyx, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 95.
 collaris Brachypodella (Lam.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 89.—
 Clausilia. [culio, 1792.
 collaris Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 181.—Cur-
 collaris Brachys, Laporte & Gory, H. N. Coléopt. II. 1840, 7.
 collaris Bracon, M. Spinola, Ins. Liguria, II. 1808, 140. [1798.
 collaris Bracycellus (Payk.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 65.—Carabus,
 collaris Bremus, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 12.
 collaris Brenthus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 295.
 collaris Bucco, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1420.
 collare Callichroma, E. F. Germar, Ins. Spec. novae, I. 1824, 498.
 collare Callidium, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 171.
 collaris Campsomeres (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 498.—Tiphia, 1775.
 collaris Cantharis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 110.
 collaris Cantharis, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 438.
 collaris Capito (Vieill.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxvii.—
 collaris Capsus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 103. [Bucco.
 collaris Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 443.
 collaris Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 283.
 collaris Cassida, J. de Boeber in Georgi, Nach. Besch. Russ. Reichs, 1802, 334 [n. n.].
 collaris Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 229.
 collaris Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 162.
 collaris Cephaloleia, F. E. Guérin-M., Iconographie, 1844, Ins. 281.
 collaris Cerambyx, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 459.
 collaris Cercopis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 605.
 collaris Cetonia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 117.
 collaris Cetonia, J. Gistl, Nat. Thierr. 1848, 190.
 collaris Cetonia, J. Gistl, Handb. Naturges. 1850 [1847], 623.

- collaris** Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*]. [83.]
- collare** Chaeridium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- collaris** Chaetura (Wied), J. F. Stephens in G. Shaw, Gen. Zool. (Aves), XIII (2) 1826, 76.—Hirundo.
- collaris** Chalepus, C. P. Thunberg, Goettingen gelehrte Anz. 1805, 282.
- collaris** Charadrius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 136.
- collaris** Charadrius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 33.
- collaris** Chelogyne, A. H. Haliday, Entom. Mag. V (5) Oct. 1838, 518.
- collaris** Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 170.
- collaris** Cinnyrus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 502.
- collaris** Cistela, Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].
- collaris** Cistela, Dejean in H. C. Kuester, Käfer Europas, XX. 1850, 75.
- collaris** Cixia (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 157.—Flata.
- collaris** Clausilia (Fér.), Lamarck, An. s. vert. VI (2) 1822, 114.—Helix.
- collaris** Claothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 627.
- collaris** Clivina (Hbst.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Aug. 1827, 40.—Carabus,
- collaris** Clytus, J. Sturm, Catal. Ins. Samml. 1826, 121 [*n. n.*]. [1784.]
- collaris** Cneoglossa, F. E. Guérin-M., Spec. et Icon. Anim. artic. (9) 1849, 1.
- collaris** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 524.
- collaris** Colaptes, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 354.
- collaris** Coluber, Max Wied, Isis (Oken), 1824, 667.
- collaris** Colymbetes, Gyll.; Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
- collaris** Colymbetes (Payk.), J. Sturm, Deutschl. Fauna (Insecten) VIII. 1834, 82.—Dy-
- collaris** Conopalpus, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*]. [tiscus, 1798.]
- collaris** Coptodera, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
- collaris** Coraebus, Laporte & Gory, H. N. Coléopt. II. 1839, 3. [197.]
- collaris** Corvus, H. M. Drummond, Ann. Mag. N. H. XVIII. July 1846, 11.
- collaris** Corydia, H. Burmeister, Handb. Ent. II (2) i, 1838, 492.
- collaris** Corynetes, Billberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 51.
- collaris** Crossophorus, C. G. Ehrenberg, Sym. Phys., Mam., I (1828), sign. f.
- collaris** Crotaphytus (Say), J. E. Holbrook, N. Amer. Herpet., ed. 2, II. 1842, 79.—Agama.
- collaris** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 229.
- collaris** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*].
- collaris** Curruca, C. T. Wood, Orn. Guide, 1835, 193.
- collaris** Cursorius, C. Dumont, Dict. Sci. Nat. XI. 1818, 231.
- collaris** Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 47.
- collaris** Cyllindrella (Lam.), L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 41.—Clausilia.
- collaris** Cylocoris (Fall.), C. W. Hahn, Wanzenart. Ins. II (6) Mar. 1835, 121.—Capsus.
- collaris** Cyllodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 344.
- collaris** Cymindis, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 48.
- collaris** Cynips, T. Hartig, E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 190.
- collare** Cyphon, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 456.
- collaris** Cyselus (Wied), C. J. Temminck in T. & Laugier, Pls. color. (33) Ap. 1825.—
- collaris** Dasyus, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 370. [Hirundo.]
- collaris** Degeeria (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 249.—
- Tachina. [209.—Ischnus.]
- collaris** Diadromus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844),
- collaris** Diastoleus, Guérin in Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 69.
- collaris** Diffugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 218.
- collaris** Dilophus, F. E. Guérin-M., Iconographie, 1844, Ins. 535.
- collaris** Diopsis, J. O. Westwood, Tr. Linn. Soc. London, XVII (2) 1835, 295.
- collaris** Dircaea, P. W. J. Mueller, Mag. Entom. (Germar) IV. 1821, 200.
- collaris** Dolerus, T. Say, Western Quart. Reporter, II (1) 1823, 72.
- collaris** Dromius, J. Sturm, Catal. Ins. Samml. 1826, 134 [*n. n.*].
- collaris** Dryinus, J. W. Dalman, Anal. Entom. 1823, 9.—Gonatopus, 1818.
- collaris** Drypta, F. Klug, Jahrb. Insectenk. I. 1834, 53.
- collaris** Ebaeus, W. F. Erichson, Entomographien, 1840, 117.

- collaris** Elaps, Boie in Férussac, Bull. Sci. IX. 1826, 238 [*n. n.*].
collaris Elaps, H. Schlegel, Essai phys. Serp. 1837, I. 181; II. 448.
collaris Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*].
collaris Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 268.
collaris Elenophorus (Fab.), Dejean, Catal. Coléopt. 1821, 64.—Akis.
collaris Elodes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 4.
collaris Erinaeus, J. E. Gray, Ill. Indian Zool. I (—) [1830-2] (pl. 8).
collaris Eriphus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 572.
collaris Eugnamptus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 341.—
 Anthribus.
collaris Eurystomus, N. A. Vigors, Zool. Journ. V (18) June 1830, 273.
collaris Eurytoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 24.
collaris Exochomus, H. C. Kuester, Käfer Europas, XVII. 1849, 100.
collaris Flata, J. C. Fabricius in A. J. Coquebert, Icon. Ins. (2) 1801, 79.
collaris Fuligula (Don.), G. R. Gray, Genera of Birds, III. Aug. 1844, 621.—Anas.
collaris Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 108.
collaris Galerita, Dejean, Spec. gén. Coléopt. II. 1826, 444.
collaris Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 510. [Phalaena, 1782.
collaris Gnophria (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 28.—
collaris Gonatopus, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 82.
collaris Gonocerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 173.
collaris Grus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. c.
collaris Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
collaris Gynandrophthalma (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
 305.—Cryptocephalus, 1781. [1790.
collaris Halcyon (Lath.), W. Swainson, Zool. Illust. (1) I (5) Feb. 1821, pl. 27.—Alcedo,
collaris Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 126.—Galleruca,
 1798. [Brit. Ins., Aug. 1829, 216 [*n. n.*].
collaris Haltica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & Syst. Cat.
collaris Harpalus (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 166.—Carabus, 1798.
collaris Hedybius (Thunb.), W. F. Erichson, Entomographien, 1840, 95.—Cantharis, 1796.
collaris Helcon (Macrocentrus), (Spin.), A. H. Haliday, Entom. Mag. III (2) July 1835,
 140.—Bracon.
collaris Helix, P. Merian, Ber. Nat. Ges. Basel, VI. 1842-44 (1844), 73. [65.
collaris [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
collaris Hemiprocne (Temm.), C. L. Nitzsch, Syst. Pterylogr. 1840, 123.—? Cypselus.
collaris Hirtea, J. C. Fabricius, Syst. Antliat. 1805, 54.
collaris Hirundo, Max Wied, Reise Brasil. I. 1820, 75.
collaris Hispa (Th.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 7.—Chalepus.
collaris Hispa, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 433.
collaris Homalisus, J. F. Eschscholtz, Entomographien, I (1) 1822, 59.
collaris Hydroporus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 14 [*n. n.*].
collaris Hydroporus, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 427.
collaris Hydroporus, C. H. Boheman, Ins. Caffr. I (1) 1848, 255.
collaris Hygrotus (Panz.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 47.—
 Dytiscus, 1795.
collaris Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 236. [Ploceus.
collaris Hyphantornis (Vieill.), G. R. Gray, Genera of Birds, II. Mar. 1849, 351.—
collaris Ips, J. C. Fabricius, Syst. Eleuth. II. 1801, 578.
collaris Ischnus, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 653.
collaris Isocyrtus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 35.—Pteromalus.
collaris Lagochile, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
collaris Languria, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*]. [(ineunte 1851), 204.
collaris Lathridius, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 86.
collare Lathrobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 599.
collaris Lebia, Dejean, Spec. gén. Coléopt. II. 1826, 456.
collaris Lema, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 430.
collaris Lemur, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 161.

- collaris** Lepisma, H. Burmeister, Handb. Ent. II (2) i, 1838, 457.
- collaris** Leptura, F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [n. n.]. [1782.]
- collaris** Leucopsumis (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Phalaena,
- collaris** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 28.
- collaris** Lithocharis, F. Baudi, Baudi & Truqui, Studi Ent. I. 1848, 136.
- collaris** Litorhynchus (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 358.—
Anthrax. [p. 13.]
- collaris** Lophocheilus, F. E. Guérin-M., Magasin de Zool. (2) IV. 1842, text to pl. 103,
- collaris** Luperus, A. D. Hummel, Essais Entom. I (4) 1824, 69.
- collaris** Lycos (Drum.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 384.—Corvus.
- collaris** Lycus (Cladophorus), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1
- collaris** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 230. [(1838), 73.]
- collaris** Malachius, Ziegl.; Dejean, Catal. Coléopt. 1821, 38 [n. n.].
- collaris** Malachius, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 167.
- collaris** Malachius, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 38.—Cantharis,
1784. [279.]
- collaris** Malachius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1846,
- collaris** Malthinus, P. A. Latreille, Gen. Crust. Ins. I. post July 1806, 262.
- collaris** Malthinus, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 87.
- collaris** Mecinus, Meg.; Dejean, Catal. Coléopt. 1821, 98 [n. n.].
- collaris** Mecinus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 318.
- collaris** Medoria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 204.
- collaris** Megalophthalmus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 18.
- collaris** Megilla, J. C. Fabricius, Syst. Piezat. 1804, 329. [1844, 821.—Microzoom.
- collare** Melanimon, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4)
- collaris** Melithreptus, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 324.
- collaris** Mellisuga (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
249.—Trochilus, 1790.
- collaris** Meria, T. Say, Boston Journ. N. H. I (4) 1837, 362.
- collaris** Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 16.
- collaris** Merula, C. L. Brehm, Isis, 1828, 1281 [n. n.]; Handb. Nat. Vögel Deutschl.
1831, 376. [Tachina.]
- collaris** Metopia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 130.—
- collare** Microzoom, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 60.
- collaris** Molorchus (Forst.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 502.—Necydalis,
- collaris** Monochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 156. [1771.]
- collaris** Mordella, Dejean, Catal. Coléopt. 1821, 73 [n. n.]. [[1802], 227.]
- collaris** Muscicapa, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- collaris** Muscipeta, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839,
- collaris** Mutilla, J. C. Fabricius, Syst. Piezat. 1804, 435.—Scolia, 1877. [p. 23.]
- collaris** Mydaus, J. E. Gray, Ill. Indian Zool. I (—) [1830-2] (pl. 6).
- collaris** Myrmedonia (Payk.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 290.—
Staphylinus, 1789.
- collaris** Myzomela, P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 604.
- collaris** Natica, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 140.
- collaris** Nebria (Th.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Oct. 1827, 59.—Carabus,
1787.
- collaris** Nectarinia (Vieill.), Drapiez, Dict. class. H. N. XV. 1829, 511.—Cinnyris.
- collaris** Nemognata, J. Sturm, Catal. Ins. Samml. 1826, 173 [n. n.]. [280.]
- collaris** Nemognatha, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- collaris** Notoommata, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 131.
- collaris** Oedemera (Panz.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 445.—Necy-
dalis, 1795.
- collaris** Opetiopalpus (Sch.), M. Spinola, Ess. mon. Clérites, II. 1844, 114.—Corynetes.
- collaris** Oploccephala, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 347.
- collare** Oregostoma, J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 553.
- collaris** Otiorhynchus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 57 [n. n.].
- collaris** Oxytelus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 789.

- collaris** Pachyta (Fab.), Dejean, Catal. Coléopt. 1821, 112.—Leptura, L. 1758.
- collaris** Paederus, C. H. Boheman, Ins. Caffr. I (1) 1848, 289.
- collaris** Passerina, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 9.
- collaris** Passerina (Vig.), J. Lembeye, Aves Isla Cuba, 1850, 53.—Pyrrhula.
- collare** Pelonium, M. Spinola, Ess. mon. Clérites, I. 1844, 364. [L. 1767.]
- collaris** Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 192.—Cimex,
- collaris** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- collaris** Penthria (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 32.—Hirtea.
- collaris** Phanodemus, O. G. Costa, Fauna Regno Napoli, Arachn. Trach., 8 (Nov. 1838).
- collaris** Philodina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 148.
- collaris** Photinus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 268.
- collaris** Phymatodes (Kirby), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 33.—Callidium.
- collaris** Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [n. n.]. [62.]
- collaris** Platyope, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- collaris** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 12.—Muscicapa, 1790.
- collaris** Platyrrhynchus, Jardine & Selby, Ill. Orn., sign. D, pl. 9, 1826. [pl. 1.]
- collaris** Platyrrhynchus, H. C. Kuester in C. W. Hahn, Voegel aus Asien etc. (20) 1850,
- collaris** Platysteira, Jardine & Selby, Ill. Orn., sign. C₂, 1830.—Platyrrhynchus, 1826.
- collaris** Plectiscus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 987.
- collares** Plectiscus, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 116.
- collaris** Plectoderes (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 329.—Flata.
- collaris** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 139.
- collaris** Ploceus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 129.
- collaris** Ploceus, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 6.
- collaris** Ploceus, L. Fraser, Proc. Zool. Soc. London, X (117) Feb. 1843, 142.
- collaris** Polydesmus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 133.
- collaris** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 188.—Spheg, 1775.
- collaris** Prosimia (Geoff.), A. Smith, S. African Quart. Journ. II. no. 1 (1) Dec. 1833, 29. —Lemur. [21.—Phryganea, 1781.]
- collaris** Prosoptionia (Schr.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848,
- collaris** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 472.
- collaris** Pteropus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 78 & 84.
- collaris** Pyrrhula, N. A. Vigors, Zool. Journ. III (11) Aug.-Nov. [*i.e.* Dec. 31] 1827, 440.
- collaris** Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 545.
- collaris** Rhinomacer (Fab.), Dejean, Catal. Coléopt. 1821, 79.—Anthribus.
- collaris** Rhinosimus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 27.—Anthribus.
- collaris** Rhipidura, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 104.
- collaris** Rynchites (Fab.), A. G. Olivier, Entom. V. 1807, 28.—Anthribus.
- collaris** Rhyzophagus, E. Newman, Entom. Mag. II (2) Ap. 1834, 203.
- collaris** Rhizotrogus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 431.
- collaris** Ripiphorus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 155 [n. n.].
- collaris** Rogas (Spin.), Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 306.—
- collaris** Saperda, E. Donovan, Epit. N. H. Ins. New Holland, 1805. [Bracon.]
- collaris** Scarites, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 263.
- collaris** Sciophilæ, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 250.
- collaris** Scotobius, F. E. Guérin-M., Classif. Melasom. in Magazin de Zool. IV. 1834, 17.
- collaris** Scydmaenus, Mueller & Kunze, Schr. Nat. Ges. Leipzig, I. 1822, 202.
- collaris** Scymnus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 180.
- collaris** Silpha, F. Klug (*ex litt.* Dej.), Insect. Doublet. Z. M. Berlin, 1829, 4.
- collaris** Spermothila (Bodd.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—Loxia.
- collaris** Spermothila (Vig.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—Pyrrhula.
- collaris** Sphcodes, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 137.
- collaris** Sphinx, W. Turton, Linnaeus, Syst. Nat. III. 1802, 183.
- collaris** Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 91.
- collaris** Stenocerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 169.

- collaris** Strepsilas, C. J. Temminck, Man. Orn. 1815, 349.
- collaris** Sturnella, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 203.
- collaris** Sus, H. D. de Blainville, Ostéogr., Sus, 1847, 176.
- collaris** Syarctus (Cuv.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 55.—Arctonyx.
- collaris** Sycanus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 360.—Zelus.
- collaris** Sycobius (J. E. Gray), G. R. Gray, Genera of Birds, II. Mar. 1849, 352.—Ploceus.
- collaris** Syntactus (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Zygaena, 1793.
- collaris** Syrphus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 370.
- collaris** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (2) 1820, 15.
- collaris** Tachinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 143.
- collaris** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 99.
- collaris** Tachydromus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 293.
- collaris** Tachyporus, Gyll.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- collaris** Tachyporus, Grav.; J. Sturm, Catal. Ins. Samml. 1826, 201.
- collaris** Tachyporus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 183.
- collaris** Tamatia (Vieill.), R. P. Lesson, Traité Ornith. (3) July 1830, 167.—Bucco.
- collaris** Tanygnathus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 289.
- collaris** Teius (Ameiva), (Say), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 31.—Agama.
- collaris** Telophorus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 481.
- collaris** Tenthredo, E. Donovan, Brit. Ins. XIII. 1808, 17. [1832], 481.
- collare** Tetraonyx, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 596.
- collaris** Tettigonia, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 161.
- collaris** Thyamis, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 313.—Haltica, [1829].
- collaris** Tillus, Dejean, Cat. Coléopt., ed. 2 (2) 1833, 112 [*n. n.*].
- collaris** Tillus, M. Spinola (*ex* Dej. Cat.), Ess. mon. Clérîtes, I. 1844, 98.
- collaris** Tingis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 345.
- collaris** Tingis, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 481.
- collaris** Tipula, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 25.
- collaris** Todiramphus (Sw.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 156.—Halcyon.
- collaris** Tormus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 332.
- collaris** Trechus (Payk.), Dejean, Catal. Coléopt. 1821, 16.—Carabus, 1798.
- collaris** Triphoris, R. B. Hinds, Proc. Zool. Soc. London, XI (121) July 1843, 23.
- collaris** Triplax, Sturm; Dejean, Catal. Coléopt. 1821, 129 [*n. n.*].
- collare** Tritoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 572.
- collaris** Trochilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 571.
- collaris** Trochus, G. B. Sowerby, I., in Darwin, Geol. Obs. "Beagle," III. 1846, 256.
- collaris** Trogon, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 320.
- collaris** Trogosita, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 246.
- collaris** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 278.
- collaris** Turdus, F. A. Soret, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 2.
- collaris** [Ursus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (42) June 1824, Ours de Sibérie, p. 2.
- collaris** Vanellus, A. Andrzejewski, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 19.
- collaris** Velia, H. Burmeister, Handb. Ent. II (1) 1835, 212.
- collaris** Vespertilio, Meisner in H. R. Schinz, Europ. Fauna, I. 1840, 17.
- collaris** Xantholinus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 424.
- collaris** Xema, W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, ed. 2 in 8vo, July 1819, App. iv, 164.
- collaris** Xorides, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 848.
- collaris** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 189.
- collaris** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 285.—Reduvius, 1781.
- collaris** Zemia, S. D. W., The Analyst, III (14) Jan. 1836, 211.
- Collarium** J. Gistel, Handb. Naturges. 1850 [1847], 396.—Col.
- collaria** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 535.—Loxia, L. 1758.

- collaria** Natica, Lamarck, An. s. vert. VI (2) 1822, 200.
- collaria** Pyrrhula (L.), G. Cuvier, R. Anim. I. 1817, 391.—Loxia, 1758.
- collaria** Spermorphila (L.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—Loxia, 1758.
- collaroides** Lanius, A. Smith, Cat. S. Afr. Mus. 1837, 27.
- collaterale** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 413.
- collata** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 702.—Cricocaris.
- collata** Aspilates (Hueb.), F. Treitschke, Schmett. Europa, VII. 1829, 210.—Geometra.
- collata** Astrea, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 22 [n. n.].
- collata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 125.
- collata** Cricocaris, J. C. Fabricius, Syst. Eleuth. I. 1801, 463. [[n. et f.].
- collata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 104 (Fernaldo judice 1828)
- collata** Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 126.—Cricocaris.
- collatum** Heterosoma (G. & P.), H. R. Schaum, Ann. Soc. Ent. France (2) II (4) Ap. 1845, 426; Verz. Lam. Melit. 1848, 56.—Cetonia.
- collata** Larentia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 383.—Geometra.
- collector** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- collega** Eulophus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 164.
- collegialis** Meloe, Audouin, Magasin de Zool. VI. 1836, pl. 169.
- collegniana** Porites, H. Michelin, Icon. Zoophyt. (5) 1842, 65.
- collegnoana** Porites, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 46.
- [**collegnoi.**]
- collegno** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 259.
- collegnii** Cerithium, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Cérîtes, pl. ii.
- collegnyi** Nucleolites, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 155.
- collegni** Pteroceras, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 345.
- collegnii** Rostellaria, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 116.
- collegnii** Toxaster, E. Sismonda, Mem. R. Acc. Sci. Torino [2] VI. 1844, 361.
- collei** Cyclura, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 190.
- collei** Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 206.
- collenotii** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 305.
- collesi** Chelepteryx, J. G. Children, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 122.
- Colletes** P. A. Latreille, H. N. Fourmis etc., May 1802, 423.—Hym.
- Colletes** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 372.—Hym.
- collettii** Terebratula, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 173.
- Collia** Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 243.—P.
- colliaei** Scirurus, J. Richardson, Zool. "Blossom," 1839, 8.
- colliciata** Buprestis, F. E. Guérin, Magasin de Zool. II. 1832, pl. 27.
- colliculus** Dolichotoma, C. H. Boheman, Mon. Cassid. I. 1850, 189.
- collii** Chimaera, Lay & Bennett, Zool. "Blossom," 1839, 71.
- collii** Chiton, L. Reeve (*ex* Gray MS), Conch. Icon. IV.—Chiton, no. 136, May 1847.
- collii** Cyanurus (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 381.—Pica.
- collii** Pica, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 353.
- colliformis** Entalophora (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 140.—Cricopora *colif*→, *q.v.*
- colligatus** Ammonites, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 447 [*n. n.*].
- colligata** Mylabris, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 49.
- colligens** Phorus (Bon.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
- colligens** Trochus, Bonelli in G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 150.
- collinaris** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 345. [phora.
- collinaris** Sarcophaga (Desv.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 821.—Myo-
- collinaria** Centrastria, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 177.
- collinaria** Cidaria, Metzner, Entom. Zeitung, Stettin, VII (8) Aug. 1846, 238.
- collinaria** Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 36.
- collinaria** Terebratula, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 81.

- collineus** Pecten, A. Buvignier in Sauvage & B., Stat. min. géol. Ardennes, 1842, 533.
- collini** Buliminus (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 72.—Bulimus.
- collini** Bulimus, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 49.
- collini** Bulimus, A. Buvignier, Mém. Soc. Philom. Verdun, I. 1840, 221.
- collinii** Halianassa, Meyer in H. G. Bronn, Index Pal. 1848, 562. [on pl.]
- collinsii** Mastodon, I. Hays, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 334.—Tetracaulodon
- collinsonana** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 71.—
- collinsonana** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 153. [Melitta.]
- collinsonii** Mastodon, H. D. de Blainville, Ostéogr., Elephas, 1845, 256.—collinsi, Hayes.
- collinus** Anaphes, F. Walker (ex Haliday MS.), Ann. Mag. N. H. XVIII. July 1846, 52.
- collinus** Bombus, F. Smith, The Zoologist, II (5) 1844, 548.
- collina** Delphax, C. H. Boheman, K. Vet. Ac. Handl. 1847 (1849), 51. [chaenus.]
- collinus** Gymnetron (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 761.—Rhyn-
- collina** Heterochroa, W. C. Hewitson, Ann. Mag. N. H. XX. Oct. 1847, 262.
- collinus** Oniscus, A. Risso, H. N. Europe, V. 1826, 115.
- collinus** Philodromus, C. L. Koch in Panzer, Ins. Germ., heft 130, 1835, tab. 15.
- collinus** Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 209.
- collinus** Scarites, P. Rambur, F. Ent. Andal. I (1) 1837, 43.
- collina** Tapinoma, A. Foerster, Hymenopt. Studien (1) 1850, 43.
- collinus** Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 64.
- collinus** Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 109.
- Colliocoris** C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 23.—Hem.
- colliquens** Coenipeta, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 22.
- colliquens** Coenipeta, J. Huebner, Verz. bekannt. Schmett. 1825, 261.
- collisus** Conus, L. Reeve, Conch. Icon.—Conus, no. 273 (Suppl. pl. viii) June 1849.
- collitella** Oecophora, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 327.
- collitelus** Cryphaeus, J. Green, Amer. J. Sci. XXXII (2) July 1837, 346.—*v. et* callitelus.
- Colliuris** C. de Geer, Hist. Ins. IV. 1774, pp. v & 80 [Colliurus *err.* Ind. Anim. I. 231].
- Colliuris** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 79.—Col.
- Collius** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Collocalia** G. R. Gray, List Gen. Birds, 1840, 8.—A.
- Collocalia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colocalia, Wagn.
- collodes** Helix (Cochlogena), G. B. Sowerby, I., Proc. Zool. Soc. London, VIII (91) Ap.
- Collonia** J. E. Gray, Figs. Moll. Anim. IV. 1850, 87.—G. [1841, 102.]
- collonianus** Gobius, A. Risso, Journ. de Physique, XCI. Oct. 1820, 252.
- Collops** W. F. Erichson, Entomographien, 1840, 54.—Col.
- collosseus** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 427, Liste p. 6 [*n. et f.*].
- Collurampelis** R. P. Lesson, Rev. Zool. II. 1839, 134.—A.
- colluriceps** Dasyornis, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* June), 603.
- Colluricincla** Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 213.—A.
- Collurio** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*].
- Collurio** J. Gistl, Nat. Thierr. 1848, 120.—Col.
- Collurio** J. Gistl, Handb. Naturges. 1850 [1847], 394.—Col.
- collurio** Enneactonus (L.), F. Boie, Isis (Oken), 1826, 973.—Lanius, 1758. [c-iceps.]
- collurioiceps** Chaetornis (Blyth), G. R. Gray, Gen. Birds, I. Aug. 1848, 167.—Dasyornis,
- Colluriocincla** G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 192 [*v.* Colluricincla, V. & H.].
- collurioides** Lanius, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 250.
- collurionis** Ascaris, J. A. Froelich, Naturforscher, XXIX. 1802, 40.
- collurionis** Distoma (Schr.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 211.—Fasciola, 1790.
- collurionis** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 76 [*n. n.*].
- collurionis** Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 71.
- collurionis** Pediculus, F. v. P. Schrank, F. Boica, III (1) 1803, 187. [1763.]
- collurionis** Rhynchoprion (Scop.), I. F. M. de Olfers, De Veg. Anim. 1816, 76.—Acarus,
- colluripennella** Ornix, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 77 [*n. n.*].
- colluripennella** Ornix, O. G. Costa, Fauna Regno Napoli, Lepidott., Ornix, 7 (1832-40).

- Colluris** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 30.—Col. [n. d., 1 nom. triv. append.].
- Collurisoma** W. Swainson in Richardson, F. Bor.-Amer. (Birds) Feb. 1832, 110.—A.
- Collusio** J. Gistel, 1848, *err.* Waterhouse *pro* Collurio. [1777.]
- collusoria** Noctua (Cr.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 260.—Phalaena,
- collusaria** Trissophaea (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 264.—Phalaena, 1777.
- collutrix** Coenipeta, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 22.
- collybita** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 235.
- Collyria** Schiodte, Ichn. Dan. in Mag. d. Zool. 1839, 10.—Hym.
- Collyria** Brullé in Lepeletier, Roret's Suite à Buffon, Hyménopt. IV. 1846, 178.—Hym.
- Collyris** J. C. Fabricius, Syst. Eleuth. 1801, 226.—Col.
- Collyris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colliuris, De G. 1774.
- Collyrites** C. Des Moulins (*ex* Deluc *in litt.*), Actes Soc. Linn. Bordeaux, VII (41) Aug. 1835, 212.—Ech.
- collyrius** Lanius, [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 69.—collurio, L.
- colma** Formicivorus (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 92.—Turdus, 1788.
- colma** Myiothera (L.), C. Illiger, Prod. 1811, 218.—Turdus, Gm. 1788.
- colma** Myocinclu, W. Swainson, N. H. Classif. Birds, II. June 1837, 230.
- colma** Myothera (Gm.), C. Dumont, Dict. Sci. Nat. XVII. 1820, 319.—Turdus, 1788.
- colma** Myrmecophaga, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 236.
- colma** Myrmothera (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 113.—Turdus,
- colneti** Catodon, J. E. Gray, Cat. Mamm. Coll. B. M. I. 1850, 52. [1788.]
- Colobaea** J. W. Zetterstedt, Ins. Lapp. descr. 1838, 762.—Dipt.
- Colobathris** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 304.—A.
- Colobathristes** H. Burmeister, Handb. Ent. II (1) 1835, 324.—Hem.
- Colobea** Zetterstedt, 1846; *err.* Scudder *pro* Colobaea, *q. v.*
- Colobesthes** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 522.—Hem.
- Colobicus** P. A. Latreille, Gen. Crust. Ins. II. 1807, 9.—Col.
- colobicus** Nitidula, Lamarck, An. s. vert. IV. 1817, 556.
- Colobocentrotus** J. F. Brandt, Rec. Actes Ac. Imp. Sci. St Pétersb. 1834, 266; Prod. anim. Mertens. I. 1835, 66.—Ech.
- Colobocentrus** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 64.—Ech. [*n. n.*].
- Colobocera** *emend. pro* Cholococera, Motsch., Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (1) 1846, 226.
- Colobochila** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colobochyla,
- Colobochyla** J. Huebner, Verz. bekannt. Schmett. 1826, 344.—Lep. [Huebn.]
- Colobodera** F. Klug, Ber. Verh. k. pr. Ak. Wiss. 1837, 53.—Col.
- Colobodes** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 465.—Col.
- Colobodes** J. Steininger, Geogn. Besch. Landes zw. Saar u. Rheine, Nachtr., 1841, 9.—
- Colobodus** J. L. R. Agassiz, Poiss. Foss. II (2), 237 (1844).—P. [P.]
- Colobogaster** A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 308.—Col.
- Colobolus** J. E. Gray, Lond. Med. Repos. XV. Ap. 1821, 298.—M.
- Colobopterus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 165.—Col.
- Colobopterus** P. Rambur (Roret's Suite à Buffon), Névroptères, 1843, 360.—Neur.
- Colobopus** L. Fitzinger, Syst. Rept. 1843, 19 & 99.—R.—*typus* Anoplopus inunguis, Wagl.
- Coloborrhis** E. F. Germar, Revue Entom. IV (2) 1836, 72.—Hem.
- Colobosternus** E. Blanchard, Hist. Insect. I. 1845, 218.—Col. [108.—Col.]
- Colobostoma** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- Colobotea** Lepeletier, Ency. Méth. (Ins.) X. 1825, 336.—Col. [*v.* Colobothea].
- Colobothea** Dejean, Catal. Coléopt. 1821, 108 [*n. n.*]; Ann. Sci. Nat. XX (82) Oct. 1830, 184.—Col.
- Colobotis** J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (23 & 24) Mar. 1844, 365.—M.
- Colobura** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 79.—Lep. [n. d., 1 nom. triv.]
- Colobus** C. Illiger, Prod. 1811, 69.—M. [append.].
- Colobus** B. Merrem, Tent. Syst. Amph. 1820, 13 & 76.—R.

- Colobus** J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 554.—Col.
Colobus J. C. Albers, Die Heliceen, 1850, 177.—G.
Colocalia A. Wagner in Arch. f. Naturg. 1843 (2), 81.—A. [*v.* Collocalia].
Colocasia F. Ochsenheimer, Schmett. Europa, IV. 1816, 63.—Lep.
Colocasia J. Huebner, Verz. bekannt. Schmett. [1822], 201.—Lep.
Colochilus V. v. Mochulski, Kaefer Russl., *post* May 1850, 21.—Col.
Colochirus F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 64.—Ech.
Colochroa F. W. Hope, Coleopt. Manual, II. 1838, 19.—Col. [*v.* Calochroa].
colocolo Felis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 169.
colocynda Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
colocynthis Voluta, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 574.
Colodactylus J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 167.—R.
Colodus Wagner, 1848, *teste* Waterhouse *sed non comp.*; Palmer *dict.* 1861.
Coloeus J. J. Kaup, Skizz. Europ. Thierw. 1829, 114.—A.
colombarii *v.* **columb**→.
colombarius *v.* **columb**→.
colombaschensis *v.* **columbaczensis**.
[colombei.]
colombii Brachysphaenus (Acronotus), F. E. Guérin-M., Iconographie, 1844, Ins. 311.
colombii Mallota, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 445.
Colombella Lamarck, H. N. Anim. s. vert. VII. Aug. 1822, 292.—G.
Colombellarius C. Duméril, Zool. anal. 1806, 334.—G.
colombelliformis *v.* **columb**→.
Colombellina A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 346.—G.
colombensis *v.* **columb**→.
colombiae *v.* **columb**→.
colombianus *v.* **columb**→.
colombicus *v.* **columb**→.
colombiensis *v.* **columb**→.
colombinus *v.* **columb**→.
Colombpicus A. Malherbe, N. Class. Picinées, July 1850, 45.—A.
Colomgalles R. P. Lesson, 1831 [*teste* Agassiz, *sed fam. non gen.*].
colon Allantus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
colon Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 28 (Fernaldo judice 1802) [*n. et f.*].
colon Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [*me* judice 1805], 131.
colon Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
colon Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 288.
colon Cercopis, Hoffmannsegg, Mag. Entom. (Germar) IV. 1821, 42. [Smilia].
colon Ceresa (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 286.—
colon Cerithium (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 196.—
 Turritella.
colon Cheiropachus (L.), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 127.—Sphex,
colon Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 11. [1758].
colon Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 278.
colon Cylindrocerus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 132.
colon Eyprepia, C. F. Freyer, Neuere Beitr. Schmett. II (24) 1834, 78.
colon Heilipus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 92 [*n. n.*].
colon Hydrobius, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 133.
colon Lepyrus (L.), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Curculio, 1771.
colon Liparus (L.), A. G. Olivier, Entom. V. 1807, 291.—Curculio, 1771.
colon Lumbricaria, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 223.
colon Muscicapa, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 126.
colon Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 95 [*n. n.*].
colon Omosita (L.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 299.—
colon Ophthalmicus, F. X. Fieber, Entom. Monogr. 1844, 119. [Silpha, 1758].
colon Perilitus (Meteorus), A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 30.
colon Philanthus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 134.

- colon Placunanomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.-June 1850, 123.
- colon Pleurotoma, J. Sowerby, Min. Conch. II. 1816, 106.
- colon Psilus, T. Say, Boston Journ. N. H. I (3) 1836, 284.
- colon Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 441.—Curculio, 1771.
- colon Scymnus (Thunb.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Jan. 1832, 393.—Coccinella, 1795.
- colon Serpula, S. A. Renier, Tavole [1804] xiii [*n. n.*].
- colon Serpula, C. D. E. König, Icones foss. 1825, 2.
- colon Smilia, E. F. Germar, Revue Entom. III (5) 1835, 237.
- colon Stenus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 458.
- colon Strongylus (Fab.), Dejean, Catal. Coléopt. 1821, 43.—Sphaeridium, ? Thunb. 1787.
- colon Tabanus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 54.
- colon Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 183.
- colon Trypeta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 346.
- colon Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 211.
- colon Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 119.
- colona *v.* colonus. [ella, 1758.
- colonialis Aphomia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 369.—Phalaena colon-
- colonator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 262.
- colonatus Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 374.—colonum, Fab. 1798.
- colonellus Chilo, O. G. Costa, Fauna Regno Napoli, Lepidott., Chilo, 7 (1832-40).
- colonella Galleria (L.), Zincken, Mag. Entom. (Germar) IV. 1821, 238.—Tinea, 1775.
- colonella Ilythia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phalaena, 1758.
- colonella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 361.
- Colonia J. E. Gray in Griffith, Anim. Kingd. VI. "1829," 336.—A. [teste C. W. R.].
- colonianus Gobius, A. Risso, H. N. Europe, III. 1826, 285.
- colonica Copris, T. Say, Boston Journ. N. H. I (2) 1835, 174.
- colonica Empis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 498.
- colonna Terebratula, A. Risso, H. N. Europe, IV. 1826, 393.
- colonellus *v.* colonellus.
- Colonodus F. McCoy, Ann. Mag. N. H. (2) II. July 1848, 4.—P.
- colonorum Agama, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 356.
- colonorum Calotes (Agama) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 54.—Agama.
- colonorum Podorrhoa (Daud.), L. Fitzinger, Syst. Rept. 1843, 80.—Agama.
- colonorum Saura (Daud.), J. Wagler, Isis (Oken), 1833, 899.—Agama.
- Colonotum W. F. Erichson, Käfer Mark Brand. I (1) 1837, 214.—Col.
- colonus Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*]. [[*n. et f.*].
- colona Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 31 (Fernaldo judice 1802)
- colona Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 135. [1798.
- colonium Botys (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 414.—Crambus,
- colona Cantharis, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 169.
- colonus Clytus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 468.
- colonus Clytus, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 28.
- colonus Colletes, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 41 [*n. n.*].
- colonus Graptolithus, J. Barrande, Grapt. Bohême, 1850, 42.
- colonus Mus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 69 [*n. n.*].
- colonus Mus, Lichtenstein, A. Brants, Gesl. Muizen, 1827, 124.
- colonus Mus, A. Smith, Ill. Zool. S. Afr. (Mamm.), pl. xlvii, 1847.
- colonus Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 448.
- colonus Serranus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846) & p. 300 (? 1855).
- colonus Stenus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 699.
- colona Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 185.
- Colophimus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coliphimus, Smith.
- Colophon G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 533.—Col.
- Colophotia Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 103.—Col. [*sine typo*].
- Coloptera Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 387.—Hym.
- Colopterus Erichson, Arch. f. Naturg. I. 1842, 149.—Col.

- Colopterus** J. Cabanis, Ber. k. pr. Ak. Wiss. Berlin, 1845, 216.—A.
- Coloramphus** R. P. Lesson, Rev. Zool. II. 1839, 139.—A.
- colorator** Tryphon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 388.
- colorata** Achatinella, L. Reeve, Conch. Icon. VI.—Achatinella, no. 18, Ap. 1850.
- coloratum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 674. [Glycimeris, 1829.]
- colorata** Adacna, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 169.—
- coloratus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 218.
- coloratum** Aulostoma, Mueller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 673.
- coloratus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 701.
- coloratum** Buccinum, E. Eichwald, Nat. Lithuæ, 1830, 222.
- coloratus** Bulimus, P. H. Nyst, Bull. Ac. Roy. Brux. XII (1) 1845, 228.
- colorata** Cetonia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 129.
- colorata** Chrysomela, E. F. Germar, Linnaea Entom. III. Apr. 1848, 237.
- coloratus** Cimex, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. d.
- coloratus** Conus, Defrance, Dict. Sci. Nat. X. 1818, 262.
- colorata** Cribrina, P. Duchassaing, Anim. rad. Antilles (1850), 10.
- coloratum** Cyclostoma, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 48.
- colorata** Drosophila, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1110.
- colorata** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 723.
- colorata** Glycimeris, E. Eichwald, Zool. Spec. I. 1829, 279.
- colorata** Haltica, D. H. Schneider, Verz. Insectensamml. 1828, 84 [n. n.].
- colorata** Helix, A. Mousson, Land-Mollusk. Java, 1849, 113.
- colorata** Laphria, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 661.
- coloratus** Lestes, H. Hagen, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 7.
- colorata** Prosopis, G. W. F. Panzer, Ins. Germ., heft 89, 1803, tab. 14.
- colorata** Pterochroza, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 436.
- colorata** Stigmodera, F. W. Hope, Tr. Entom. Soc. Lond. IV (5) June 1847, 283.
- colorata** Tettigonia, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 68.
- colorata** Voluta, D. Solander, Catal. Portland Mus. 1786, 29 [n. n.].
- Colorhinus** W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 171.—Col.
- coloripes** Agelena, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 25.—Nyssus, 1805.
- coloripes** Nyssus, C. A. Walckenaer, Tab. Aran. 1805, 52.
- colorolla** Felis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-11 (1815), 109.—colocola, Molina, 1782.
- colossea** Blabera, H. Burmeister, Handb. Ent. II (2) i, 1838, 516.
- colossea** Blatta, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 186.
- colosseus** Fusus, Lamarck, An. s. vert. VII. 1822, 122.
- colosseus** Homalinotus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 81.—Col.
- colosseus** Murex, W. Wood, Index Test. 1818, 125.
- colosseus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 26.
- Colossochelys** Falconer & Cautley, Proc. Zool. Soc. London, XII (133) Sept. 1844, 54; & (135) Oct. 1844, 84.—R.
- colossus** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 431.—Curculio, 1790.
- colossus** Helaeus, F. de Brême, Ess. Cossyph. (1) 1842, 59.
- colossus** Hemifusus, W. Swainson, Treat. Malacol., May 1840, 91. [343.]
- colossus** Molops, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
- colossus** Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 19.
- colossus** Protocerius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 830.—Calandra.
- colossus** Trogossita, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 719.
- Colotes** W. F. Erichson, Entomographien, 1840, 129.—Col.
- colotes** Telenomus, F. Walker, Entom. Mag. III (4) Jan. 1836, 353.
- Colotis** J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Lep.
- Colotois** J. Huebner, Verz. bekannt. Schmett. 1825, 288.—Lep.

- Colotus Metchulski, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 83.—Col.
 Colpa Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 534.—Hym.
 Colpocephalum C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 298.—Epiz.
 Colpocephalus C. M. Diesing, Syst. Helminth. I. 1850, 255.—Verm.
 Colpoceras J. Hall, 3 Ann. Rep. State Cab. N. II. (New York) 1850, 174.—Ceph.
 Colpochila W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 655.—Col. [*n. n.*].
 Colpochila [E. Blanchard] (*ex* Erichs.), Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 107.—Col.
 Colpochirota J. F. Brandt, Prod. anim. Mertens. I. 1835, 46.—Ech.
 Colpoderus J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 178.—Col.
 Colpodes W. S. Macleay, Annulosa Javanica, 1825, 17.—Col.
 Colpodes Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 394.—Col.
 Colpognathus C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 165 & 174.—
 colpophorus Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 46. [Hym.
 Colpophyllia Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cor.
 Colpopleura C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 74.—Prot.
 Colpoptera H. Burmeister, Handb. Ent. II (1) 1835, 155.—Hem.
 Colporhina J. Curtis, Trans. Linn. Soc. Lond. XIX (4) 1845, 454.—Col. [*typo*].
 Colposcelis Solier in Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 185.—Col. [*sine*
 Colposcélis Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 408.—Col. [*sine typo*].
 Colposia J. Huebner, Verz. bekannt. Schmett. 1825, 287.—Lep.
 colpota Aurelia, J. F. Brandt, Prod. anim. Mertens. I. 1835, 25.
 Colpotaulius F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 17.—Neur.
 Colpothis J. Gistl, Nat. Thierr. 1848, 216.—Col.
 colsonii Aquila, J. B. Bailly, Bull. Soc. H. N. Savoie, I. 1850, 65.
 Coluber L., *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 147.—R.
 coluber Anguillula (Müll.), C. G. Ehrenberg, Sym. Phys., Ent. 1831 (pls. 1828), sign. a.
 —Vibrio, 1786. [Rhynchaenus.
 coluber Conotrachelus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 457.—
 coluber Cypraea, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 24 [*n. n.*].
 coluber Gempylus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 211.
 coluber Planispira, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 30.
 coluber Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 469. [Gempylus.
 coluber Zyphothycia (C. & V.), W. Swainson, N. H. Fishes etc. II. July 1839, 239.—
 Colubraria C. F. Schumacher, Ess. Vers. test. 1817, 76 & 251.—G.
 colubratus Ammonites, E. F. v. Schlotheim, Tasch. Min. 1813, 51 [*n. n.*]; Die Petref.
 colubratus Simpegades, Denys de Montfort, Conch. I. 1808, 83. [1820, 76.
 colubri Dermansysus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) III. Mar. 1835, 147 [*n. n.*].
 colubri Distoma (Bosc), C. A. Rudolphi, Entoz. II (1) 1809, 434.—Fasciola.
 colubri Distoma, A. Dugès, Ann. Sci. Nat. [2] (Zool.) III. Mar. 1835, 147 [*n. n.*].
 colubri Fasciola, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. II. 1801, 271.
 colubri Filaria, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. II. 1801, 49.
 colubri Strongylus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 37 [*n. n.*].
 colubri Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 709.
 colubri americani Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 121.
 colubri americani Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 10 [*n. n.*].
 colubri austriaci Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 10 [*n. n.*].
 colubri murorum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 121 [*n. n.*].
 colubri-natricis-intestinalis Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 433.
 colubri-natricis-pulmonare Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 434.
 colubri tessellati Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 121 [*n. n.*].
 colubrifer Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 188, Jan. 1848.
 Colubrina B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 40.—P.
 Colubrinus Rafinesque, 1815; *teste* Agass., *non comp.*
 colubrina Ammonites, H. D. de Blainville, Man. Malac. 1825, 385. [335.
 colubrinus Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820,
 colubrina Campylaea (C. & J.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 25.—
 Helix.

- colubrinus** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 433.
colubrinus Conus, G. B. Sowerby, I., Conch. Illustr. (151) [1839], f. 106 [*n. et f.*].
colubrina Dendrophis, H. Schlegel, Essai phys. Serp. 1837, I. 158; II. 238.
colubrina Dipsas, H. Schlegel, Essai phys. Serp. 1837, I. 161; II. 273.
colubrina Dryomedusa (Schleg.), L. Fitzinger, Syst. Rept. 1843, 26.—Dendrophis.
colubrinus Eryx (L.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 261.—Anguis,
colubrina Helix, G. Perry, Conchology, Ap. 1811, pl. 15. [1758.
colubrina Helix, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 2.
colubrina Hydrophis, H. Schlegel, Essai phys. Serp. 1837, I. 188; II. 514.
colubrina Muraena, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 88.
colubrina Muraenophis (Bodd.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 627.
 —Muraena, 1781.
colubrinus Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 226.
colubrinus Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 88. [Bodd. 1781.
colubrinus Ophisurus (L.), H. Cloquet, Dict. Sci. Nat. XXXVI. 1825, 207.—Muraena,
colubrina Ophithorax (Lacep.), J. McClelland, Calcutta Journ. Nat. Hist. V (18) July
 1844, 212.—Muraenophis.
colubrina Ostrea, Lamarck, An. s. vert. VI (1) 1819, 216.
colubrina Phleopora, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 78.
colubrina Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 226.
colubrinus Stenus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 737.
colubrina Tortrix (L.), B. Merrem, Tent. Syst. Amph. 1820, 83.—Anguis, 1758.
colubrinus Trimeresurus, L. J. Fitzinger, Neue Classif. Rept. 1826, 61 [*n. n.*].
colubrinum Triton (Lam.), DeFrance, Dict. Sci. Nat. LV. 1828, 384.—Murex.
colubrinum Tritonium (Lam.), H. G. Bronn, Index Pal. 1848, 1292.—Murex.
colubrinus Trochus (Monodonta), A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849),
Colubris J. Huebner, Samml. Vögel u. Schmett. 1793, 7 & 9.—A. [107.
Colubris C. T. Wood, Orn. Guide, Jan. 1837, 137.—A.
Colubris H. G. L. Reichenbach, Avium Syst. Nat., pl. xl (Dec. 1849).—A. [*n. et f.*].
colubris Calliphlox (L.), F. Boie, Isis (Oken), 1831, 544.—Trochilus, 1758.
colubris Caria, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 14.
colubris Mellisuga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 247.
 —Trochilus, 1758. [151.
colubris Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (11-13) *inter* Jan. & Ap. 1830,
colubris Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
 1799 [1802], 281. [Caria.
colubris Symmachia (Huebn.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 8.—
colubrorum Bodo, Hammerschmidt in Heller's Arch. phys. path. Chem. I. 1844, 83 [*mihi*
 non visum].
colubrorum Bodo (Cercomonas), Hamm.; C. M. Diesing, Syst. Helminth. I. 1850, 46.
coluca Turdus, *err. pro* colma, Gm. 1788; Stephens in Shaw, Gen. Zool. (Aves) X (1)
Columastrea A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor. [1817, 291.
Columba I. Lea, Trans. Amer. Phil. Soc. V. 1837, 78.—L.
columba *v.* **columbus**.
columbaczensis Simulia (Vill.), N. J. Brosche, Zeitschr. ges. Thierheilk. VI. 1839, 380.
 —Musca, 1789. [Rhagio, 1787.
colombaschensis Simulium (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 426.
columbae Ceratophyllus (Steph.), J. Curtis, Brit. Entom. IX (104) Aug. 1832, no. 417.—
 Pulex.
columbae Halichondria (Walker), J. Fleming, Hist. Brit. Anim. 1828, 521.—Spongia.
columbae Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 343.
columbae Ixodes (Herm.), J. C. Fabricius, Syst. Antliat. 1805, 356.—Rhynchopriion.
columbae Ornithomyia, C. R. W. Wiedemann, Anal. Entom. 1824, 60.
columbae Pulex, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
columbae Pulex (Steph.), F. L. P. Gervais in Walckenaer (Koret's Suite à Buffon), Ap-
 tères, III. 1844, 375.—Ceratopsyllus.
columbae Rhynchopriion, J. F. Hermann, Mém. Aptér. 1804, 69. [1758.
columbae Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 110.—Pediculus,

- columbae** Spongia, G. Walker, Essays, 1809, 126 [*mihi non visum*].
- columbae** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 15 [*n. n.*].
- columbaepenella** Ornix, A. Costa, Exercit. Accad. Aspir. Nat. [1] 1839, 28.
- Columbar** Levaill. 1800; *teste* L. Agassiz, *vernac. est.*
- Columbaria** Gray, *err. pro* Colubaria, Schm. [*teste* Herrm. 34].
- colombarii** Leptaena, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 501 [*n. n.*].
- columbaris** Brissus, J. E. Gray, Ann. Phil. XXVI. 1825, 431.
- columbaris** Echinolampas, L. Agassiz, Cat. Ect. Ech. 1840, 5.
- columbaris** Spatangus, Lamarck, An. s. vert. III. 1816, 30.
- columbarius** Catopygus (Lam.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.—Nucleolites.
- columbarius** Cimex, L. Jenyns, Ann. Nat. Hist. III. June 1839, 242.
- columbaria** Cypraea, Lamarck, H. N. Anim. s. vert. VII. 1822, 407 [*vernac.* 1810].
- columbarius** Fusus, J. E. Gray, Zool. "Blossom," 1839, 116.
- columbaria** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (97) Sept. 1841, 19.
- columbarius** Hypotriorchis (L.), G. R. Gray, Genera of Birds, I. Nov. 1844, 20.—Falco, 1758.
- colombaria** Nerita, C. A. Récluz, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 121.
- columbarius** Nisus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 220.
- columbaria** Nucleolites, Lamarck, An. s. vert. III. 1816, 37.
- columbaria** Rostellaria, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 220.
- columbarius** Tinnunculus (L.), L. J. P. Vieillot, Ois. Amér. sept. I. 1807, 39.—Falco, 1758.
- columbata** Geometra, Metzner, Entom. Zeitung, Stettin, VI (6) June 1845, 188.
- columbata** Hippocrenes (Lam.), Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 12.—Rostellaria.
- columbata** Rostellaria, Lamarck, An. s. vert. VII. 1822, 193.—columbaria, 1803; colum-
- cumbella** Donax, Lamarck, An. s. vert. V. 1818, 547. [bina, 1816.]
- cumbella** Erato, K. T. Menke, Zeitschr. f. Malakozool., Dec. 1847, 183.
- cumbella** Lucina, Lamarck, An. s. vert. V. 1818, 543.
- columbellaria** Mitra, A. Scacchi, Cat. Conch. Neap. 1836, 10.
- colombelliformis** Mitra, L. C. Kiener, Spec. "Coquilles" (Mitra) 1839, 47. [Orb.]
- Columbellina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Colombellina,
- columbellioides** Buccinum (Bast.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 375.—Nassa.
- columbellioides** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 24, May 1846.
- columbellioides** Mitra, H. E. Anton, Verz. Conch. 1839, 69.
- columbellioides** Nassa, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 49.
- colombensis** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 165.
- columbi** Phanaeus, W. S. Macleay, Horae Entom. I (1) 1819, 130.
- columbia** Petalaster, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 183. [389.]
- columbiacus** Anchonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- colombiae** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 264.
- colombiae** Cistina, J. E. Gray, Ann. Mag. N. H. VI., Dec. 1840, 283.
- colombiae** Clerus, M. Spinola, Ess. mon. Clérites, II. 1844, 135.
- colombiae** Hydrocyrus, M. Spinola, Tav. sin. Hem. 1850, ex Mem. Soc. Ital. Sci. XXV
- columbiae** Linckia, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 285. [(1) 1852, 147.]
- columbiae** [Ophidiaster] (Gray), Joh. Mueller & Troschel, Syst. Asterid. 1842, 34.—Cistina.
- columbianus** Acupalpus, L. Reiche, Rev. Zool. (Soc. Cuv.) VI. June 1843, 178.
- colombianus** Aedicnemus, F. L'Herminier in Magasin de Zool. VII. 1837, text to pl. 84, p. 2. [440.]
- columbianum** Aegidium, J. O. Westwood, Ann. Mag. Nat. Hist. XV (100), Juné 1845,
- colombianus** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 253.
- columbianus** Ammonites, A. d'Orbigny, Coq. Fos. Colomb. 1842, 41.
- columbianus** Anas, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 319.
- colombiana** Anatina, A. d'Orbigny, Coq. Fos. Colomb. 1842, 49.

- columbiana** Ancylyoncha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 134.
- columbianus** Arctomys, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 292.
- columbianus** Bulimus, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 66.
- columbiana** Calaspidea, C. H. Boheman, Mon. Cassid. I. 1850, 212.
- columbiana** Capra, A. Desmoulins, Dict. Class. H. N. III. 1823, 580.
- colombianum** Cardium, A. d'Orbigny, Coq. Fos. Colomb. 1842, 47.
- columbianus** Charduelis, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843, 292.
- columbianum** Chelonarium, Laporte, Revue Entom. III (4) 1835, 178.
- columbianum** Conirostrum, R. P. Lesson, Echo Monde Savant, XI. 25 July 1844, 157.
- colombiana** Corbula, A. d'Orbigny, Coq. Fos. Colomb. 1842, 49.
- columbianus** Corvus, A. Wilson, Amer. Ornith. III. 1811, 29.
- columbianus** Corvus, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 315.
- columbiana** Helicina, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 126.
- columbiana** Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 89.
- columbianus** Ischyus, T. Lacordaire, Mon. Erythyl., Sept. 1842, 95.
- columbianum** Laganum, A. d'Orbigny, Coq. Fos. Colomb. 1842, 60.
- columbianus** Lamprotrornis (—), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lvi. —*Turdus columbinus*?, Gm. 1788.
- colombiana** Merganetta, O. Des Murs, Rev. Zool. (Soc. Cuv.) VIII. May 1845, 179.
- columbianus** Mimis, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 82.
- colombianus** Olios, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 571. [1842.]
- colombiana** Periploma, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 105.—Anatina,
- columbianus** Phasianus, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 317.
- columbianus** Philonthus, F. Baudi, Baudi & Truqui, Studi Ent. I. 1848, 126.
- columbianus** Picicorvus (Wils.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 384.—
Corvus. [—Laganum.]
- columbianus** Pygurus (Orb.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 163.
- colombianus** Seiurus, R. P. Lesson, Echo Monde Savant, XI. 25 July 1844, 157.
- columbiana** Serica, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- colombianus** Spatangus, I. Lea, P. Amer. Phil. Soc. I (12) July 1840, 227. [1850, 82.
- columbianus** Vultur, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 315.
- colombica** Atta, F. E. Guérin-M., Iconographie, 1844, Ins. 422.
- columbica** Catapiesis, Chevrolat, Rev. Zool. (Soc. Cuv.) Nov. 1838, 286.
- columbica** Clivina, Buquet in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 611.
- columbica** Cotinis, H. Burmeister, Handb. Ent. III. 1842, 258.
- colombica** Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins. 298.
- columbica** Euchroma, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 31.
- colombicus** Homo, Bory de St V., Dict. class. H. N. VIII. 1825, 309.
- colombica** Mutilla, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].
- colombica** Ornismya, Bourcier, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 2.
- colombicus** Palaemon, A. White, List Crustacea Coll. B. M. 1847, 78 [*n. n.*].
- colombicus** Polytmus (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—*Ornismya*.
- columbica** Strigoderma, H. Burmeister, Handb. Ent. IV (1) 1844, 313.
- columbicus** Thanasimus, M. Spinola, Ess. mon. Clérites, I. 1844, 195. [1832, 58.
- columbiensis** Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June
- columbiensis** Holcodus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
- columbiensis** Ostrea, S. Hanley, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 107.
- columbiensis** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 71.
- colombiensis** Trigonocephalus, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (9) June 1845, 246.
- columbiensis** Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (26) Ap. 1835, 21.
- Columbigallina** L. Oken, Isis, I. 1817, 1184; Boie, Isis, 1826, 977.—A.
- Columbigallus** *emend. pro* Columbigallina, Boie; Streubel in Ersch & Gruber, Allg. Ency. (3) XVII. 1842, 94.
- Columbi-Hocco** Levaill. 1800; *teste* Agassiz, *vernac. est.*
- Columbina** J. B. v. Spix, Aves spec. nov. Brasil. II. 1825, 57.—A.

- Columbines** Lesson, 1831 [*teste* Agassiz, *sed fam. non gen.*].
- columbinus** *Amarygmus*, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 271.
- columbinum** *Apion*, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*] [Papilio, 1793.]
- columbina** *Argynnis* (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 260.—
- columbina** *Argyronome* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 32.—*Papilio*, [1835, 284.]
- columbinus** *Atractus*, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
- columbinus** *Attelabus*, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 567.
- columbina** *Callichroma*, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Nov. 1838, 282.
- columbina** *Calornis* (Gm.), G. R. Gray, Genera of Birds, II. Ap. 1846, 327.—*Turdus*, [1788.]
- columbinus** *Carabus*, E. F. Germar, Reise Dalm. 1817, 197.
- columbinus** *Charadrius*, J. G. Wagler, Isis (Oken), 1829, 650.
- columbinus** *Chlaenius*, Dejean, Spec. gén. Coléopt. V. 1831, 666.
- columbinus** *Chrysotis*, W. Swainson, N. H. Classif. Birds, II. June 1837, 301.
- columbinum** *Cnodalum*, Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].
- columbina** *Colaspis*, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
- columbinus** *Dermaleichus*, C. L. Koch, Uebers. Arachnidensyst. III (3) 1843, 125 [*n. n.*].
- columbinus** *Dermanyssus*, C. L. Koch, Deutsch. Crust., heft 24, 1839, tab. 6.
- columbina** *Distenia*, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 485.
- columbina** *Eunomia*, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 8.
- columbinus** *Gryllus*, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 425.
- columbinus** *Harpalus* (Germ.), Dejean, Spec. gén. Coléopt. IV. 1829, 193.—*Carabus*.
- columbinus** *Helops*, Dejean, Catal. Coléopt. 1821, 71 [*n. n.*].
- columbina** *Hydropsyche*, F. J. Pictet, Rech. Phrygan. 1834, 212.
- columbinus** *Lamprotrornis*, C. Dumont, Dict. Sci. Nat. LI. 1827, 82.
- columbinus** *Lamprotrornis*, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 12.
- columbina** *Megascelis*, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May, 1845, 256.
- colombinus** *Monopterhinus*, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.),
- columbinus** *Ophonus* (Germ.), Dejean, Catal. Coléopt. 1821, 13.—*Carabus*. [121.]
- columbinus** *Paederus*, F. L. de Laporte, Etudes Entom. (2) 1835, 123.
- columbinus** *Pastor* (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 59.—*Turdus*, 1788.
- columbinus** *Prionus*, Dejean, Catal. Coléopt. 1821, 104 [*n. n.*].
- columbina** *Procellaria*, P. B. Webb, S. Berthelot & A. Moquin-Tandon, Canaries (Orn.) [me judice 1841], pl. iv. [[me judice 1841], 44.]
- columbina** *Puffinus*, P. B. Webb, S. Berthelot & A. Moquin-Tandon, Canaries (Orn.)
- columbinus** *Pyrodes*, F. E. Guérin-M., Iconographie, (1844), Ins. 214.
- columbina** *Rhynchomyia* (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 248.—*Tachina*.
- columbina** *Rostellaria*, Lamarck, Ency. Méth. (Vers), 1816, pl. 411, Liste p. 4 [*n. et f.*].
- columbina** *Sphinx*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 190.
- columbinus** *Staphylinus*, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 400.
- columbinus** *Stenolophus*, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 215.
- columbina** *Tachina*, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 319. [1809, 29.]
- columbina** *Terebratula*, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
- columbina** *Titaena*, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 179.
- Columbiperdix** L. Agassiz, Nom. Zool. (Aves) 1842, 19.—A. [*vernac. in* Levaillant].
- Columbiturtes** Lesson, 1831 [*teste* Agassiz, *sed fam. non gen.*].
- cumboides** *Palaeornis*, N. A. Vigors, Zool. Journ. V (18) June 1830, 274.
- columbellus** *Ammonites*, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 153.
- columbrinus** *Psittacus*, J. B. v. Spix, Avium Brasil. I. 1824, 40.
- Columbus** Denys de Montfort, Conch. II. 1810, 590.—G.
- columba** *Amphidonte* (Lam.), G. G. Pusch, Polens Palaeont. (1) 1836, 37.—*Gryphaea*.
- columba** *Aphrodite*, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 111.

- columba** Cepphus, P. S. Pallas, Zoographia, II. 1811, 348.
- columba** Exogyra (Lam.), G. A. Goldfuss, Petref. German. II (4) 1833, 34.—Gryphaea.
- columba** Exogyra, *varr.* minima, d'Archiac, Mém. Soc. géol. France, II (2)
- columba** Gryphaea, Lamarck, An. s. vert. VI (1) 1819, 198. [1837, 185.
- columba** Helix (Cochlogena) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Lima-
çons, 1821, 59.—Bulimus, 1789.
- columba** Lucina, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- columba** Marginella, I. Lea, Contrib. to Geol. 1833, 177.
- columba** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 3 [*n. et f.*].
- columba** Ostrea (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 302 (Pp*).—
Gryphaea. [116.
- columba** Ovula, G. H. Schubert & J. A. Wagner in Mart. & Chem. Conch. XII. 1829,
- columbus** Papilio, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 351.
- columbus** Passandra, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 398.
- columbus** Raja, G. D. Nardo (*ex* Chiareghini MS) Sin. mod. spec. Lag. Veneto, 1847, 109.
- columba** Strombus, Lamarck, An. s. vert. VII. 1822, 208.
- columba** Strombus, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 27.
- columba** Tremex (Fab.), T. Say, Amer. Entom. II. 1825, pl. xxxii.—Sirex, L. 1763.
- columella** Bulimus, R. A. Philippi, Abb. Conch. I (6) 1844, 158. [1780.
- columella** Limenitis (Cr.), Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 95.—Papilio,
- columella** Lymnaea, T. Say, J. Acad. Nat. Sci. Philad. I. no. 1, May 1817, 14.
- columella** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
- columella** Neptis (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
(1850), 272.—Papilio, 1780.
- columella** Onthophagus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 16.
- columella** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 638.—
Hesperia, 1793.
- columella** Pupa, G. v. Martens in Benz, Corr.-Bl. Württ. landwirthschaftl. Ver. XVII.
Mar. 1830, 171.
- columellaris** Ampullaria, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 74.
- columellaris** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 528, July 1849.
- columellaris** Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (May) [Nov.] 1849, 69.
- columellaris** Limnea, J. De C. Sowerby, Min. Conch. VI. 1826, 53.
- columellaris** Oliva, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App., p. xxxiv.
- columellaris** Oliva, W. Wood, Suppl. Index Test. 1828, 46.—Voluta, 1828.
- columellaris** Olivella (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 72.—Oliva, Sow.
- columellaris** Olivina (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.), 1841, 419.—Oliva.
- columellaris** Pupa, Michaud, Actes Soc. Linn. Bordeaux, X (52) 1838, 155.
- columellaris** Purpura, Lamarck, Ency. Méth. (Vers), 1816, pl. 398. Liste p. 2 [*n. et f.*].
- columellaris** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 151.
- columellaris** Trochus, H. E. Anton, Verz. Conch. 1839, 56.
- columellaris** Trochus, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 45.
- columellaris** Trochus, R. A. Philippi, Abb. Conch. II (2) 1845, 35.
- columellaris** Voluta, W. Wood, Suppl. Index Test. 1828, 11 [*n. et f.*].
- Columellastrea** A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 205.—Cor.
- columellata** Helix, C. B. Adams, Contr. to conch. (5) Feb. 1850, 80.
- Columnella** A. Bivona-Bernardi, Effem. Sci. Lett. Sicilia, II. Ap. 1832, 14.—G.
- columnena** Acca, J. Huebner, Verz. bekannt. Schmett. 1818, 44.
- Columna** G. Perry, Conchology, Ap. 1811, pl. 51.—G.
- Columna** C. F. Schumacher, Essai Vers test. 1817, 58 & 188.—G.
- Columna** Spix, Testac. fluv. Brasil. 1827, 11, tab. x.—G.
- Columna** Cristofori & Jan, Catal. 1832, 4.—G.
- columna** Achatina (Müll.), F. S. Voigt in Cuvier, Thierreich, III. 1834, 99.—Buccinum,
- columna** Baculites, S. G. Morton, Syn. Org. Rem. Cret. 1834, 44. [1774.
- columna** Cerithium, G. B. Sowerby, II., Gen. Shells (42) 1834.
- columna** Cistula (Wood), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 57.—Turbo.
- columna** Columna (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 76.—Buccinum,
- columna** Cyclostoma, W. Wood, Suppl. Index Test. 1828, 36.—Turbo, 1828. [1774.

- columna** *Cylindrella*, C. B. Adams, Contr. to conch. (2) Oct. 1849, 6 [*i.e.* 22] & *var.*
- columna** *Echinoencrinus*, H. G. Bronn, Index Pal. 1848, 444. [intermedia.]
- columna** *Goniopora*, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 569.
- columna** *Hamites* (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 215.—*Baculites*.
- columna** *Helix* (*Cochlicopa*) (Müll.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 55.—*Buccinum*, 1774.
- columna** *Litorina*, Jonas in R. A. Philippi, Abb. Conch. III (1) 1847, 14.
- columna** *Lymnaea*, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 349.
- columna** *Psammocora*, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 347.
- columna** *Rhinobatus*, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- columna** *Turbo*, W. Wood, Suppl. Index Test. 1828, 19 [*n. et f.*].
- columna-tortilis** *Valvulina*, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 270 [*n. n.*].
- columnae** *Holothuria*, S. d. Chiaje, Mem. An. s. vert. Napoli, I (2-4) 1824, 111.
- columnae** *Pleurotoma*, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 8.
- columnae** *Raphitoma* (*Scacchi*), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 628. —*Pleurotoma*.
- columnae** *Rhinobatus*, C. L. Bonaparte, Icon. Faune Ital. (14 & 17) 1835 & 1836. [113.]
- columnae** *Rhinobatus* (*Syrhina*), Bonap.; Joh. Mueller & Henle, Syst. Plagiost. (3) 1841,
- columnae** *Terebratula*, O. G. Costa, Fauna Regno Napoli, Moll. Brach. 28 (Nov. 1851).
- Columnaria** G. A. Goldfuss, Petref. German. I (1) 1826, 72.—Cor.
- Columnaria** Goldfuss *emend.* F. McCoy, Ann. Mag. N. H. (2) III. Feb. 1849, 121.—Cor.
- columnaris** *Achatina*, Lamarck, An. s. vert. VII. 1822, 678.—*Lymnaea*, 1822.
- columnare** *Cerithium*, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 351.
- columnare** *Cerithium*, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 196.
- columnaris** *Chaetetes*, J. Hall, N. H. New York (Pal. I.) 1847, 68.
- columnaris** *Chemnitzia*, E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 52.
- columnaris** *Chemnitzia* (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.
- columnaris** *Coralliolithes*, E. F. Schlotheim, Taschen. Min. 1813, 59 [*n. n.*]. [—*Melania*.]
- columnaris** *Helix*, *id. ac* *columna*, Gm.; W. Wood, Suppl. Index Test. 1828, 41.
- columnaris** *Lymnaea*, Lamarck, An. s. vert. VI (2) 1822, 159.
- columnaris** *Melania*, G. v. Muenster, Beitr. zur Petref. (4) 1841, 95.
- columnaris** *Natica*, C. A. Récluz, Journ. de Conch. I (4) Dec. 1850, 394.
- columnaris** *Physa*, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 90.
- columnaris** *Stenopora* (Schl.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 28.—*Coralliolithes*.
- columnaris** *Turritella*, L. C. Kiener, Spec. Coquilles (*Turritella*) 1843-44, 10.
- columnata** *Gasteracantha*, H. Nicolet in Gay, Chili, III (Arach.) 1849, 482.
- columnatus** *Orbulites*, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 328.
- columnella** *Bulimus*, Klett in C. T. Menke, Syn. meth. Moll. 1828, 15 [*n. n.*].
- columnella** *Cleodora* (Rang), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 434.—*Cuvieria*.
- columnella** *Cuvieria*, P. S. Rang, Ann. Sci. Nat. XII (47) Nov. 1827, 323.
- columnella** *Triptera* (Rang), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 23.—*Cuvieria*.
- columnella** *Triptera* (Rang), J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.—*Cuvieria*.
- Columnium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 22.—G.
- columnius** *Murex*, A. Risso, H. N. Europe, IV. 1826, 197.
- Columnpica** J. D. W. Hartmann, Erd- u. Süßw. Gast. (7) 1843, 187.—G.
- Coluocera** *err.* Scuderi *pro* *Cholovocera*, Mochulski, *q. v.*
- Colurella** Bory de St V., Ency. Méth. (Zooph.) 1824, 203.—Inf.
- Colurus** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 44.—Rot.
- colurus** *Monura*, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. e.
- Colus** Wagner in Schreber, Säugeth., Suppl. IV. 1844, 419.—M.
- colus** *Antilope*, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 226 (1827),
- colus** *Cemas*, L. Oken, Lehrb. Nat. III (2) 1816, 736. [Syn. 1827, 335.]
- colus** *Fusus* (L.), Denys de Montfort, Conch. II. 1810, 527.—*Murex*, 1758.
- colus** *Fusus*, Lamarck, Ency. Méth. (Vers) 1816, pl. 424, Liste p. 6 [*n. et f.*].
- colus** *Neptunea* (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 118.—*Murex*, 1758.

- colus** Pleurotoma, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 291.
- colus** Spongia, Lamarck, Ann. Mus. II. N. (Paris) XX (120) *inter* Feb.-Oct. 1814, 437.
- colutea** Belemnites, F. Biguet, Cons. Bélemnites, 1819, 42.
- colutella** Apista (Fab.), P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 242.—Alucita, 1794.
- colutella** Phalaena (Alucita), W. Turton, Linnaeus, Syst. Nat. III. 1802, 381.
- colydioides** Tenebrio, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 175.
- Colyma** C. S. Rafinesque, Analyse, 1815, 144.—G. [*n. n.*] = Helicina, Lam.
- Colymbetes** J. R. Schellenberg, Helvet. Entom. II. 1806, 188.—Col.
- Colymbetes** J. Huebner, Epist. 1810; Férussac, Tabl. Syst. Moll. 1821-22, Prodr. 87.—
- colymbetes** Euanemus, Müller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1842, 203. [G.
- colymbi** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 10 [*n. n.*].
- colymbi** Ligula, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 266.
- colymbi** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 29.
- colymbi cornuti** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 174 [*n. n.*].
- colymbi cristati** Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 26.
- colymbi cristati** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 206.
- colymbi immeris** Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 27.
- colymbinus** Docophorus, H. Denny, Mon. Anoplur. 1842, 80.
- colymbinus** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 336.—Docophorus.
- colymbis** Anas, P. S. Pallas, Zoographia, II. 1811, 266.
- Colymbomorpha** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- colymborum** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 55 [*n. n.*]. [98.—Col.
- colymbus** Gyrinus, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 191.
- colymbus** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 219. [1773.
- colymbus** Paramoecium (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 601.—Vibrio,
- colymbus** Trachelius (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 58.—Vibrio, 1773.
- Colyphus** M. Spinola (*ex* Dup. MS), Rev. Zool. 1841, 72.—Col. [*sine typo*].
- Colyptoproctus** M. Spinola, Tav. sin. Hem. 1850, *ex* Mem. Soc. Ital. Sci. XXV (1) 1852,
- 91.—Hem. [? = Calypt→, 1839]. [1818, 108.]
- Colyptraea** *err. pro* Calyptraea, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2,
- Colyus** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 48.—Col. [*n. d.*, 1 nom. triv.
- coma** Equula, Cuvier & Valenc., H. N. Poiss. X. 1835, 76. [append.].
- coma** Helix (Gray), L. Pfeiffer, Mon. Helic. I (1) 1847, 113.—Zonites.
- coma** Zonites, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 263.
- comans** Callichroma, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 94 [*n. n.*].
- comans** Pecten, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 51.
- comara** Encyrtus, F. Walker, Entom. Mag. IV (5) July 1837, 446.
- comari** Campylirhynchus, Sturm & Dejean, Catal. Coléopt. 1821, 85 [*n. n.*]. [1795.
- comari** Ceutorhynchus (Herbst), E. F. Germar, Ins. Spec. novae, I. 1824, 222.—Curculio,
- comari** Pachyrhinus (Herbst), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio,
1795. [chaenus.]
- comari** Phytobius (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 462.—Rhyn-
- comari** Rhynchaenus (Herbst), L. Gyllenhal, Ins. Suecica, I (3) 1813, 156.—Curculio, 1795.
- comariana** Teras, F. Lienig, Isis (Oken), 1846, 263.
- comarmondi** Pleurotoma, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829
- [? 1830], 263.
- Comarophagus** F. Boie, Isis (Oken), 1826, 974.—A.
- Comaroptera** C. L. Bonaparte, Consp. gen. Avium (1) 1850, 258.—A.
- Comasinus** Megerle in Dejean, Catal. Coléopt. 1821, 85.—Col.
- Comaster** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 193.—Crin.
- comatas** Callicore, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 239
- [*n. n.*].
- Comatotis** H. G. L. Reichenbach, Synop. Avium, No. III. Feb. 1848 [4].—A.
- Comatula** Lamarck, An. s. vert. II. 1816, 530.—Crin.
- comatulae** Octocotyle, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 137.
- Comatulithes** E. F. v. Schlotheim, Nachtr. Petrefactenk. (2) 1823, 47.—Crin.
- comatula** Helicella, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.

- comatula** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
comatulul Stigmaeus, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 2. [45 [n. n.].
Comaturella G. v. Muenster, N. Jahrb. f. Min. 1838, 52 [n. n.]; Beitr. z. Petref. (1) 1839,
85.—Ast. [Rhyacophilus.
comatus Agapetus (Pict.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 157.—
comata Ardeola (Pall.), G. R. Gray, List Birds Coll. B. M. III. 1844, 82.—Ardea, 1773.
comatus Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
[1841], 353.—Theridion.
comatus Asilus, C. R. W. Wiedemann, Dipt. exot. 1821, 193. [bratula.
comata Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 39.—Tere-
comatus Berenicornis (Raffl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 91.—Buceros.
comatus Botaurus (Gm.), W. Macgillivray, Man. Brit. Orn. II. 1842, 125.—Ardea, Pall.
1773. [1850 [ineunte 1851], 140.
comata Brahmia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
comatus Buceros, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 339.
comatus Buceros, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832.
comatus Buphus (L.), C. L. Brehm, Isis, 1830, 988.—Ardea, Pall. 1773.
comatus Cnipolegus (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 195.—
comata Cymodocea, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 15. [Muscicapa.
comatus Cypselus, C. J. Temminck in T. & Laugier, Pls. color. (45) Ap. 1824.
comatus Dendrochelidon (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 66.—
Cypselus.
comatus Exocoetus, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 448.
comata Fluvicola (Licht.), G. R. Gray, Gen. Birds, I. Sept. 1847, 242.—Muscicapa.
comata Fringilla, Max Wied, Reise innere N. Amer. II. 1840—41, 352.
comatus Geronticus (Licht.), G. R. Gray, List Birds Coll. B. M. III. 1844, 90.—Ibis.
comatus Hemiprocne (Temm.), C. L. Nitzsch, Obs. Avium art. carot. 1829, 15.—Cypselus.
comata Hypera, Meg.; Dejean, Catal. Coléopt. 1821, 89 [n. n.].
comatum Ibdion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar. 1834, 104.
comatus Ibis, Rueppell (ex Licht., Mus. Berol.), Neue Wirbelth. Abyss. (Vögel, 1835—40),
comatus Knipolegus (Licht.), G. R. Gray, List Gen. Birds, 1840, 30.—Muscicapa. [49.
comata Leptaena (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 145.—
comata Lima, Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 10. [Orthis.
comatus Listroderus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 129.
comatus Macropteryx (Temm.), G. R. Gray, Gen. Birds, I. Feb. 1845, 54.—Cypselus.
comata Muscicapa, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 55.
comata Ocypte, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 82.
comata Ophiothrix, Joh. Mueller & Troschel, Syst. Asterid. 1842, 112.
comatus Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 145.
comata Orthis, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 122.
comatus Pecten, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 50.
comatus Pecten, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
comata Penelope, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 48 [n. n.].
comata Philochlaenia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
Oct. 1850, 122.
comatus Picus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 8.
comata Pimelia, Dej. in litt.; F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. a.
comata Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 128.
comata Presbytis (Desm.), L. Fraser, Cat. Knowsley Coll. 1850, 4.—Semnopithecus.
comatus Reduvius, E. F. Germar, Revue Entom. V (3) 1840, 131.
comata Rhyacophila, F. J. Pictet, Rech. Phrygan. 1834, 194.
comatus Rhynchites, Dejean, Catal. Coléopt. 1821, 80 [n. n.].
comatus Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 229.
comatus Semnopithecus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 533.
comata Simia (Desm.), J. B. Fischer, Syn. Mamm. 1829, 16.—Semnopithecus.
comatus Stenocorus, Dejean, Catal. Coléopt. 1821, 105 [n. n.].
comata Tanagra, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus.
Berlin] 1842, 10.

- comata** Terebratula, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 455.
comatum Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 219.
comatus Thylacites, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
comatus Thylacites, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 186.
comata Zonotrichia (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 479.—Frin-
combæ Asida, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 71. [gilla.
comber Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 252.
combinalis Exoria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Tinea
 combinella, 1775.
combinata Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 71.—Melitta.
combinata Geomyza (L.), C. F. Fallen, Geomyzides Sveciae, 1823, 2.—Musca, 1767.
combinata Melitta (Christ), W. Kirby, Mon. Apum Angl. I. 1802, 153.—Apis, 1791.
combinata Opomyza (Gm.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 109.—
 Musca, L. 1767.
combinata Tephritis (L.), J. C. Fabricius, Syst. Antliat. 1805, 317.—Musca, 1767.
combinellus Chilo (D. & S.), Zincken, Mag. Entom. (Germar) II. 1817, 45.—Tinea, 1775.
combinellus Crambus (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, X
 (Noct. 7) 1836, 126.—Tinea, 1775.
comboides Artemon (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
comboides Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 43.
comboides Helix (Helicodonta), Orb., *v. brasiliensis*, S. Moricand, Mém. Soc. Phys. H.
 N. Genève, VII (2) 1836, 417. [edentula (154), elata (155).
comboides Helix, Orb.; S. Moricand, Mém. Soc. Phys. II. N. Genève, XI (1) 1846, *varr.*
comboides Streptaxis (d'O.), J. E. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 486.—Helix.
Combophora E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 177.—Hem.
Combophyllum Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. lxxvii.
combrea Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 876. {—Cor.
combrella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 372.
combustalis Asopia, J. E. Fischer v. R. (*ex* Podevin MS), Abbild. Schmett. (19) 1842, 278.
combustana Lopas, J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Tortrix.
combustana Peronea (Hueb.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2,
 1835-9, 5.—Tortrix. [1811-18] [*n. cf. f.*].
combustana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 37 (Fernaldo judice
combustum Bembidium (Peryphus), E. Ménétériés, Cat. Rais. Zool. Caucase, 1832, 138.
combustum Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 69.
combustus Cremonodes, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 74.
combusta Elodes, F. E. Guérin-M., Spec. et Icon. Anim. artic. (3) 1843, 6.
combusta Lystra, J. O. Westwood, Arcana Entom. II (18) Mar. 1844, 90.
combusta Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 79 (Fernaldo judice
 1802-8) [*n. et cf.*].
combustus Ophion, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 701.
combusta Xylophasia (Hueb.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) June 1829,
 177.—Noctua.
come Chatoessus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1846), 62.
Comedo F. v. P. Schrank, F. Boica, II (2) 1802, 315.—Hym.
comensis Ammonites, L. v. Buch, Rec. planches Pétrif. 1831, pl. ii, f. 1.
comensis Clausilia, Shuttlesworth, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 108.
Comeris B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 27.—A.
Comeris Kuhl in Cornalia, Vert. Syn. Mus. Mediolan. 1849, 6.—A. [*err. typ. pro* Conurus,
teste C. W. R.].
Comerophoria *err. pro* Cameroph., King; J. E. Gray, Ann. Mag. N. H. (2) II. 1848, 438.
comes Clepticus, A. H. Haliday, Ann. Nat. Hist. II. (8) Oct. 1838, 116.—Cryptus, 1838.
comes Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 116.
comes Eschara, C. G. Giebel, Zeitung f. Zool. I (3) Jan. 1848, 20.
comes Hippocampus, T. Cantor, J. Asiat. Soc. Bengal, XVII. 1849 (Dec. 1850), 1371.
comes Idalia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 16.
comes Lamia (Sternotomis), J. O. Westwood, Arcana Entom. II (20) July 1844, 125.
comes Leuciscus, O. G. Costa, Fauna Regno Napoli, Pesci, I. Cyprinoides, 26 (1838).

- comes Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 111 (Fernaldo judice 1808-18)
- comes Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 163. [*n. et f.*]
- comes Porospira, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 95.
- comes Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 492.
- comes Roccus, S. L. Mitchill, Rept. Fishes N. York, Jan. 1814, 26.
- comes Scutellera (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 137. —Tetyra.
- comes Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 58.
- comes Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 343.
- comes Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 130.
- comes Triphaena (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 69.—Noctua.
- Cometa W. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 445 [*n. n.*].
- Cometa W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 85.—Lep. [*sine typo*].
- cometa Achlys (Müll.), J. Gistl, Handb. Naturges. 1850 [1847], 610.—Trichoda, 1773.
- cometa Arca, L. Reeve, Conch. Icon. II.—Arca, no. 111, May 1844.
- cometa Asterias, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 221.
- cometa Cercaria, Bory de St V., Dict. Class. H. N. III. 1823, 354.
- cometa Janira, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 640.
- cometa Peritricha, Bory de St V., Ency. Méth. (Zooth.) 1827, 613.
- cometa Tephritis (Loew), J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2252.—Trypeta.
- cometa Trypeta, H. Loew, Entom. Zeitung, Stettin, I (10) Oct. 1840, 157.
- Cometes Lepeletier & Audinet-S., Ency. Méth. (Ins.) X. 1825, 486.—Col. [Temm.].
- Cometes [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A.—[*n. n.* = Criniger,
- Cometes B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 29.—A.
- Cometes J. Gould, Proc. Zool. Soc. London, XV (170) Ap. 27, 1847, 30.—A.
- cometes Cidarites, E. Boll, Geogn. Ostseeländer, 1846, 146.
- cometes Hygrobatas, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 23.
- cometodon Varanus, S. Kutorga, Geogn. Pal. Dorpat's, ed. 2, 1837, 29.
- Comibaena J. Huebner, Verz. bekannt. Schmett. 1825, 284.—Lep.
- Cominella J. E. Gray, Figs. Moll. Anim. IV. 1850, 72.—G.
- Cominia T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 22.—G.
- comis Cythera, I. Lea, Contrib. to Geol. 1833, 66.
- comis Harpalus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 301.
- comissator Pyrophorus, E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 51.
- Comisteisa J. Gistl, Nat. Thierr. 1848, pp. xi & 123.—Col.
- Comisteisa J. Gistl, Handb. Naturges. 1850 [1847], 403.—Col.
- comitalis Antiblemma, J. Huebner, Verz. bekannt. Schmett. 1826, 341 [*n. n.*].
- comitalis Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 28 (Fernaldo judice 1818-22) [*n. et f.*].
- comitalis Pyrausta (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 317.—Pyralis.
- comitalis Titania, J. Huebner, Verz. bekannt. Schmett. 1826, 350.—Pyralis.
- comitans Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 175.
- comitana Coccyx (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Tortrix, 1775. [180.—Tortrix, 1775.]
- comitana Orthotaenia (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834,
- comitana Pseudotomia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix, 1775. [Huebn. 1796.]
- comitana Sphionota (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix,
- comitata Cidaria (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Phalaena, 1758.
- comitata Electra (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena, 1758.
- comitata Galleruca, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 212.
- comitata Pelurga (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 335.—Phalaena, 1758.
- Comma J. Rennie, Conspetus, 1832, 8.—Lep.
- comma Acinia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 386.—Trypeta.
- comma Aspidoglossa, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 634.
- comma Augiades (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 112.—Papilio, 1758.
- comma Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 33.
- comma Cyliodrocerus, C. J. Schoenherr, Isis (Oken), 1825, 586 [*n. n.*]; Curc. disp. meth.
- comma Cypraea, G. Perry, Conchology, Ap. 1811, pl. 21. [1826, 311.]

- comma** Diaprepes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 8.
- comma** Dichelops (Thunb.), Herrich-S., Wanzenart. Ins. VII (4) Ap. 1844, 73.—Cimex, 1783.
- comma** Erynnis (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 159.—Papilio, 1758.
- comma** Fusus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 23.
- comma** Grapta (Harris), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 197.—Vanessa. [1758.]
- comma** Hesperia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 124.—Papilio,
- comma** Leucania (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 81.—Papilio, 1758.
- comma** Lia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 379.
- comma** Madarus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 110.
- comma** Marginulina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 96.
- comma** Melania, T. A. Conrad, New F. W. Shells U.S. 1834, 53. [Hesperia.
- comma** Pamphila (Latr.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 287.—
- comma** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 95 (Fernaldo judice 1802)
- comma** Pleurotoma, J. Sowerby, Min. Conch. II. 1816, 105. [[u. et f.].
- comma** Raphitoma, M. Hoernes (ex Partsch MS), Verz. Fossil-Reste Wien, 1848, 21 [u. n.].
- comma** Tenthredo, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (2) 1808, 103.
- comma** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 478.
- comma** Vanessa, T. W. Harris, Treat. Ins. N. England, 1842, 221.
- comma** Verania (Castr.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 358.—Coccinella, ? Thunb. 1781.
- comma-notata** Calyptraea, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. vii.
- comma-notata** Harpalycy, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.
- commantata** Polyphasia, J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 230.
- commaculatum** Cerithium, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 59 [u. n.].
- commaculatus** Heilipus, Boheman in Schoenherr, Gen. et Sp. Curc. III (1) 1835, 216.
- commaculata** Myurella (Gm.), R. B. Hinds in G. B. Sowerby, II., Thes. Conch. I (5) ante 15 Jan. 1845, 170.—Buccinum, 1790.
- commaculata** Terebra, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 17.
- commaculata** Terebra (Gm.), R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 163.—Buccinum, 1790.
- commatella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 133.
- commelinae** Hadenia (Sm. & Abb.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 284.—Phalaena, 1797.
- commelinae** Trigonophora (Smith), J. Huebner, Verz. bekannt. Schmett. [1822], 217.—Phalaena, 1797. [1821, 46 [u. n.].
- commendabilis** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- commendabilis** Nanina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 4.—Helix.
- commersonii** Ada, R. P. Lesson, L'Institut, 27 Sept. 1834, 316.
- commersonii** Ambassis, Cuvier & Valenc., H. N. Poiss. II. 1828, 176.
- commersoni** Antennarius (Lacep.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1186.—Lophius [vernac.].
- commersonii** Bagrus (Lac.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 449.—Pimelodus.
- commersoni** Brachirus, W. Swainson, N. H. Fishes etc. II. July 1839, 303.
- commersonii** Carcharhinus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 [Aug.], 121.
- commersonii** Cebugale, R. P. Lesson, Spec. des Mamm., Nov. 1840, 213.
- commersonii** Cheilinus, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (14) Mar. 1832, 167.
- commersonii** Cheirogaleus, Vigors & Horsfield, Zool. Journ. IV (13) July 1828, 112.
- commersoni** Chironectes (Lacep.), G. Cuvier, Mém. Mus. H. N. (Paris) III [4-6] Oct. 1817, 431.—Lophius [vernac.].
- commersoni** Clupeonia, Cuvier & Valenc., H. N. Poiss. XX. 1847, 350.
- commersonii** Cybium (Lac.), G. Cuvier, R. Anim., ed. 2, II. 1829, 200.—Scomber, 1800.
- commersonnii** Cyprinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 503.
- commersonii** Delphinus, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xlv.
- commersonii** Encya (Ol.), Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 159.—Melolontha,
- commersonii** Engraulis, H. Cloquet, Dict. Sci. Nat. XIV. 1819, 507. [1789.]

- commersonnii** Exocetus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 401.
commersoni Gobius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 548.
commersonii Hemiramphus, A. Valenciennes, C. R. Acad. Sc. (Paris) XXIII. Aug. 1846, 269 [*n. n.*].
commersonii Hypostomus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 495.
commersoni Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 418.
commersonnii Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 431.
commersonnii Lemur, J. Wolf, Abb. Besch. Naturg. Gegenst. II (1) 1818, 9.
commersonii Leuciscus (Lac.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus.
commersonii Muscicapa, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831,
commersoni Ovum, J. G. Schneider, Bloch, Syst. Ichth. 1801, 530. [388.
commersonnii Phocaena (Lacep.), R. P. Lesson, Man. Mamm., May 1827, 414.—Delphinus.
commersonnii Pimelodus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 95.
commersonii Pleuronectes, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 599.
commersonnii Polynemus, G. Shaw, Gen. Zool. (Pisc.) V (1) 1804, 156.
commersonii Pristipoma, Cuvier & Valenc., Hist. Nat. Poiss. V. 1830, 252.
commersonii Psettus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 193.
commersonii Rhinolophus, E. Geoffroy, Ann. Mus. H. N. (Paris) XX (118) *post* Aug.
commersoni Scomber, J. G. Schneider, Bloch, Syst. Ichth. 1801, 545. [1813, 263.
commersonii Scorpaena, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 271.
commersonii Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 428.
commersonii Sphyraena, Cuvier & Valenc., H. N. Poiss. III. 1829, 352.
commersonnii Stolephorus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 381.
commersoni Tetrodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 508.
commersonii Triurus, G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 78.
commersonii Trygonobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
commersonianus Chorinemus, Cuvier & Valenc., H. N. Poiss. VIII. 1801, 370.
commersonianus Scomberoides, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 50.
commersoniana Synaptura, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850),
commingii Caria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 236. [1204.
commiscens Crisina (Lonsd.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 397.—
 Idmonea.
commiscens Idmonea, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 524.
commisum Bembidium, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 73.
commista Anthrax, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 413.
commixtus Amniscus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 47.
commixta Cypraea, W. Wood, Suppl. Index Test. 1828, 9 [*n. et f.*].
commixta Feronia (Bothriopterus), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 135.
commixta Nebria, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850,
commixta Pterolophia, E. Newman, Entomologist (24) Oct. 1842, 381. [160.
commodus Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 303.
commodum Pilidium, T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.) (5 & 6) Aug. 1849, 427 [*n. n.*].
Commophila J. Huebner, Verz. bekannt. Schmett. 1826, 392.—Lep. [*binom.*].
Commotigmus C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 163.—Hem. [*non*
communana Phalaena (Pyrallis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 349.
communana Poecilochroma (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834,
 139.—Pyrallis, 1794.
communana Sciaphila, Herrich-S., Syst. Bearb. Schmett. Europ. IV (46) 1851, 200.
communana Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 443.—Pyrallis,
communicans Catenipora, E. Eichwald, Zool. Spec. I. 1829, 193. [1794.
communifasciata Phalaena, E. Donovan, Brit. Ins. XIII. 1808, 49.
communimacula Anthophila (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816,
 93.—Noctua, 1775. [Noctua, 1775.
communimacula Calymma (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 281.—
communimacula Cercopis, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 88.

- communimacula** Dasytes, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 142.
- communimacula** Haemerosia (Fab.), Boisduval, Gen. Index Europ. Lepid. 1840, 163.—
Noctua, 1775.
- communimacula** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 73.
- communimacula** Oratoscelis (Fab.), A. Guénée, Ann. Soc. Ent. France, X (3) Nov. 1841,
232.—Noctua, D. & S. 1775.
- communis** Acanthochites, A. Risso, H. N. Europe, IV. 1826, 269.
- communis** Acephalocystis, Laennec; A. Tschudi, Blasenwürm. 1837, 37.
- communis** Acephalocystus, Merat, Dict. Sci. méd. LVII. 1821, 229 [teste Stiles & H.].
- communis** Acheus, R. P. Lesson, Spec. des Mamm., Nov. 1840, 268.
- communis** Alosa, J. Gistel, Nat. Thierr. 1848, 105.
- communis** Amara (Fab.), Dejean, Catal. Coléopt. 1821, 9.—Carabus, ? Panz.
- communis** Amara, Duftschmid in Dejean, Catal. Coléopt. 1821, 9 [u. n.].
- communis** Ammonites, J. Sowerby, Min. Conch. II. 1815, 10.
- communis** Amphitragulus, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848
(wrapper), 247.
- communis** Anomala, Guérin in H. Burmeister, Handb. Ent. IV (1) 1844, 236.
- commune** Anoplotherium, G. Cuvier, Ann. Mus. H. N. (Paris) III (18) Mar. 1804, 469.
- communis** Ascidia, E. Forbes, Ann. Mag. N. H. XIII., June 1844, 435 [u. n.].
- communis** Asellus, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 427.
- communis** Avicula, Lamarck, Syst. Anim. 1801, 134.
- communis** Bacillaria, Bory de St V., Dict. Class. H. N. II. 1822, 127.
- communis** Barbastellus, J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 495.
- communis** Barbus, A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 472.
- communis** Bos, S. D. W., The Analyst, IV (15) Ap. 1836, 71.
- communis** Bucardia, C. F. Schumacher, Essai Vers test. 1817, 144.
- commune** Buccardium, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 52.
- communis** Buccinatus (Schl.), G. G. Pusch, Geogn. Besch. Polen, I. 1833, 253.—Turbi-
- communis** Buteo, P. A. Millet, Faune Maine et Loire, I. 1828, 114. [nites.
- commune** Cainotherium, H. D. de Blainville, Ostéogr., Anoploth. 1849, 73.
- communis** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 336.
- communis** Canaria, Partington, Brit. Cyclop. N. H. I (12) Mar. 1835, 704.
- communis** Carabus, Panzer, F. Germ., heft 40 [1797], 2. [1830, 531.
- communis** Caricea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- communis** Catostomus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I, no. 5, Sept. 1817, 95.
- communis** Ceratopogon, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 27.
- communis** Chione, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 680.
- communis** Chironomus (Meig.), J. C. Fabricius, Syst. Antliat. 1805, 44.—Ceratopogon.
- communis** Clavulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 268 [u. n.].
- communis** Conger, H. Cloquet, Dict. Sci. Nat. X. 1818, 271.
- communis** Cornea, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 57.
- communis** Cratonychus (Schoenh.), W. F. Erichson in Germar, Zeitschr. f. d. Entom.
III. 1841, 102.—Elater.
- communis** Crocodilus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 121. [217.
- communis** Cucumaria, Forbes & Goodsir in E. Forbes, Hist. Brit. Starfish (5) Feb. 1841,
- communis** Dasybatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- communis** Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 425.
- communis** Dryope, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 619. [588.
- communis** Egle, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- communis** Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 294, & App.
1817, 138.
- communis** Favosites, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 66.
- communis** Filocapsularia, E. Deslongchamps, Ency. Méth. (Zooph.) 1827, 399.
- communis** [Gryphus] (De la B.), J. Wagler, Nat. Syst. Amph. 1830, 60.—Ichthyosaurus.
- communis** Harpalus (Ill.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 364.—
Carabus, Panz. 1797.

- communis* Helix (Lam.), W. Wood, Suppl. Index Test. 1828, 41.—Janthina.
communis Hemithiris, A. d'Orbigny, Prod. Paléont. I. 1849 [Jan. 1850], 18.
communis Hydrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 791.
communis Ichthyosaurus, H. T. De la Beche, Tr. Geol. Soc. London, V (2) 1821, 594.
communis Janthina, Lamarck, An. s. vert. VI (2) 1822, 206.
communis Julius, C. Ranzani, Opusc. Sci. (Bologna), I. 1817, 326.
communis Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 93.
communis Lima, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 62.
communis Limneus, J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 376.
communis Linyphia, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 28.
communis Lithobius, C. L. Koch, Deutsch. Crust., heft 40, 1844, tab. 24.
communis Lithophagus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 69.
communis Littorina, T. Brown, Ill. Foss. Conch. G. B. I. (17, 18) [1843], 74.
commune Lophiodon, H. D. de Blainville, Ostéogr., Palaeother. 1846, 115 & 171 (? *alt.*
communis Lumbricus, W. Hoffmeister, Regenwürmer, 1845, 23. [*sp.*].
communis *v. anatomicus*, Lumbricus, W. Hoffmeister, Regenwürmer, 1845, 28.—L. ana-
communis *tomicus*, Dugès. [*carneus*, Sav.
communis *v. carneus*, Lumbricus, W. Hoffmeister, Regenwürmer, 1845, 27.—Enterion
communis *v. cyaneus*, Lumbricus, W. Hoffmeister, Regenwürmer, 1845, 24.—Enterion
communis *cyaneus*, Sav.
communis *v. luteus*, Lumbricus, W. Hoffmeister, Regenwürmer, 1845, 29.
communis Maina, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 771 [*n. n.*].
communis Margaritiphora, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 66.
communis Meles, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 16. [*ceratites*.
communis Melia (Wahl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 4.—Ortho-
communis Merlangus, O. G. Costa, Fauna Regno Napoli, Pesci, I. Gadoides, 7 (June 1844).
communis Mya, Megerle, Ges. Nat. Fr. Berlin, Mag. V. 1811, 46.
communis Mycetia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 805.
communis Mydina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 497.
communis Nerita, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 195.
communis Neritella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 91.—Nerita.
communis Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 254.
communis Nonionina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 294 [*n. n.*].
communis Orthoceratites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [Sept. 1819], 85.
communis Orthophebia, J. O. Westwood in P. B. Brodie, Hist. foss. Ins. 1845, 102.
communis Or[t]hostoma, T. A. Conrad, II. Ann. Rep. geol. Surv. N. York (Assem. 200)
communis Otus, R. P. Lesson, Traité Ornith. (2) May 1830, 110. [1838, 119.
commune Palaeotherium, H. D. de Blainville, Ostéogr., Palaeother. 1846, 171.
communis Panorpa, W. E. Leach, Zool. Miscell. II. 1815, 98.
communis Perimecus (Gyll.), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,
communis Perna, C. F. Schumacher, Essai Vers test. 1817, 121. [148.—Elatér.
communis Pherbina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 689.
communis Philopterus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 290.
communis Phoca, F. Cuvier, *varr.* octonotata (189) & undulata (191), S. Kutorga, Bull. Soc. Imp. Nat. Moscou, 1839 (2) 1839.
communis Phocaena, R. P. Lesson, Man. Mamm., May 1827, 413.
commune Phyllosoma, W. E. Leach, Journ. de Physique, LXXXVI. Ap. 1816, 307.
communis Placenta, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 59.
communis Plecotus, R. P. Lesson, Man. Mamm., May 1827, 95.
communis Pleurotoma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 224.
communis Podisma, O. G. Costa, Fauna Regno Napoli, Ortotti. 48 (*ad* 1836).
communis Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 266.
communis Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 52.
communis Protosepiola, J. Gistel, Nat. Thierr. 1848, 188.

- communis** Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 103.
- communis** Putorius, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 69.
- commune** Rhabdium (Meig.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 704.—Porphyrops.
- communis** Rissoa, E. Forbes, Malac. Monensis, 1838, 17.
- gommunis** (*sic*) Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 273 [*n. n.*].
- communis** Scalaria, Lamarck, An. s. vert. VI (2) 1822, 228. [pls. 77 & 82.]
- communis** Scalaria, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830,
- communis** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 85.
- communis** Serpula, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 245.
- communis** Sphaerocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 807.
- communis** Spirorbis, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 184.
- communis** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- communis** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 370.
- communis** Stagnicola, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269 [*n. n.*].
- communis** Suillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- communis** Sula, Partington, Brit. Cyclop. II. 1836, 614. [1830, 643.]
- communis** Terebratula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 228.
- communis** Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 73, 104 & 112.
- communis** Textilia, W. Swainson, Treat. Malacol., May 1840, 312.
- communis** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263 [*n. n.*].
- commune** Thyonidium (Forbes), Düben & Koren, Ofvers. K. Vet. Ac. Förh. II (3) 1845, 76.—Cucumaria.
- communis** Trichocera (Fab.), Lamarck, An. s. vert. III. 1816, 440.—Chironomus.
- communis** Trigonellites, E. F. Schlotheim, Tasch. Min. 1813, 104.
- communis** Triloculina, G. P. Deshayes, Descr. Coq. char. 1831, 259.
- communis** Truncatulina, F. A. Roemer, N. Jahrb. f. Min. 1838, 389.
- communis** Turbinites, E. F. Schlotheim, Tasch. Min. 1813, 102 [*n. n.*].
- communis** Turritella, A. Risso, II. N. Europe, IV. 1826, 106.
- communis** Vespa, F. v. P. Schrank, F. Boica, II (2) 1802, 351.
- communis** Vipera, W. E. Leach, Zool. Miscell. III. 1817, 7.
- communis** Xylota, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (3) 1849, 557.
- communissimus** Inachus, A. Rizza, Atti Acc. Gioenia, XV. 1839, 382.
- commutataria** Anagoga, J. Huebner, Verz. bekannt. Schmett. 1825, 294.—Geometra.
- commutataria** Fidonia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—
Geometra. [1818-22] [*n. et f.*].
- commutataria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 98 (Fernaldo judice
- commutatum** Armadillidium, Brandt & Ratzeburg, Thiere in der Arzneimittell. II (1831),
81. [1836, 19.]
- commutata** Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept.
- commutata** Geometra, Freyer, N. Beitr. Schmett. I (13) 1832, 143.
- commutatum** Hemistomum, C. M. Diesing, Syst. Helminth. I. 1850, 311. [Geometra.]
- commutata** Idaea (Freyer), F. Treitschke, Schmett. Europa, X (2) 1835, 222.—
- commutata** Lucina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 32.
- commutata** Nucula, R. A. Philippi, Zeitschr. f. Malakozool., July 1844, 101.
- commutatus** Phygadeuon, J. T. C. Ratzeburg, Die Ichneumon. II. 1848, 125. [[*n. n.*].
- comnena** Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 125
- Comobaena** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Comibaena, Huebn.
- comoides** Chonetes (Sow.), A. Keyserling, Wiss. Beob. Petschora, 1846, 214.—Productus.
- comoides** Leptaena (Sow.), G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 143.—Productus.
- comoides** Productus, J. Sowerby, Min. Conch. IV. 1822, 31.
- Comophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Comēphorus,
Lacép. 1800. [106.—Col.]
- Comophorus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- Comophyllia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor.
- comorica** Psiloptera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 125.
- comosellus** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- Comoseris** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Cor. [340.]

- comosulus** Gamasus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 13.
- comosa** Abryna, E. Newman, Entomologist (20) June 1842, 323.
- comosus** Atractodes, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 220.
- comosus** Bostrichus, J. Sturm, Catal. Ins. Samml. 1826, 102 [n. n.].
- comosus** Centemerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 330.
- comosus** Cercopithecus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 145. [Patella.]
- comosa** Emarginula (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 232.—
- comosus** Gymnetron, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 756.
- comosus** Mecinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 190.
- comosa** Patella, F. A. Roemer, Verst. Norddeusch. Kreidegeb. (2) 1841, 77.
- comosus** Prosayleus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 213.
- comosus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 203.
- comosa** Simia, G. Shaw, Gen. Zool. (Mamm.) I (1) 1800, 59.
- comosa** Spongilla, Ehrenberg, Monatsb. K. pr. Ak. Wiss. 1842, 272.
- comosa** Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1195.—Spongilla.
- comosa** Trichoda (Ehr.), A. Pritchard, N. H. Animalcules, 1834, 136.—Trichodina.
- comosa** Trichodina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 65 [n. n.]; *ibid.* 1831 (1832), 98.
- Compa** *err.* Scudder *pro* Campa, Mochulski, *q. v.*
- compactilis** Bufo, A. F. A. Wiegmann, Isis (Oken), 1833, 661.
- compactior** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.
- compactum** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] *ante* Sept. 1815, 166.
- compacta** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 27, Feb. 1844.
- compactus** Bulimus, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 6.
- compactus** Callimome, F. Walker, Entom. Mag. II (2) Ap. 1834, 161.
- compactus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [n. n.]. [(1) 1845, 76.]
- compactus** Emmenastus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
- compactus** Eristalis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 619.
- compactus** Goniaster (Goniodiscus), E. Forbes in F. Dixon, Geol. Sussex, 1850, 333.
- compacta** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 50.
- compacta** Idotea, A. White, List Crustacea Coll. B. M. 1847, 95 [n. n.].
- compacta** Nerita, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 122.
- compacta** Philochloenia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 103.
- compactus** Piazurus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 658.
- compactus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 15.
- compacta** Saperda, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 228.
- compacta** Scalaria, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 349.
- compacta** Spongia, Jas. Sowerby, Brit. Miscell. (8) Oct. 1805, 85.
- compacta** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 176.
- compacta** Tettigades, F. Walker, List Homopt. Coll. B. M. (1) 1850, 256.
- [companyoi.]
- companyoi** Exoptectra, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 919.
- companyonii** Helix, Aleron, Bull. Soc. Philom. Perpignan, III (1) 1837, 98.
- companyonii** Testacella, D. Dupuy, H. N. Moll. France (1) July 1847, 47.
- companyonis** Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 141.
- compar** Dermalichus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 258.
- compar** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 110.
- compar** Gomocotes, H. Burmeister, Handb. Ent. II (2) i, 1838, 431. [395.]
- compar** Harpalus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847,
- compar** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 48.
- compar** Leionotus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 26.
- compar** Leucochroa (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 16.—Helix.
- compar** Lophyrus, W. E. Leach, Zool. Miscell. III. 1817, 121. [457.]
- compar** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- compar** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- compar** Ophisurus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 105. [1830, 354.]
- compar** Passalus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 112.

- compar** Philopterus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 294.
- compar** Tyrus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 80. [1843, 309.]
- comparabilis** Otiiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
- comparalis** Botys (Hueb.), F. Treitschke, Schmett. Europa, VII. 1829, 89.—Pyralis, 1796. [Pyralis, 1796.]
- comparalis** Pyrausta (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—
- comparalis** Synagpe, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis, 1796.
- comparalis** Tegostoma (Hueb.), P. C. Zeller, Isis (Oken), 1847, 581.—Pyralis, 1796.
- comparana** Acleris, J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Tortrix.
- comparana** Teras (Hueb.), F. Treitschke, Schmett. Europa, VIII. 1830, 264.—Tortrix.
- comparana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 46 (Fernaldo judice 1823) [*n. et f.*].
- comparata** Chrysis, Lepeletier, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 127.
- comparella** Argymogis (Fisch.), H. T. Stainton, The Zoologist, VI (7) 1848, 2155.—Lithocolletis, ? Zell. [[1843], 318.]
- comparella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- comparella** Lithocolletis, P. C. Zeller, Linnaea Entom. I. Feb. 1846, 257.
- Compastes** J. Gistl, Nat. Thierr. 1848, p. x.—Orth. [*non* Compaster, *apud* Waterhouse].
- compedita** Chyliza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 531.
- compedita** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 631.
- compedita** Ctenophora, C. R. W. Wiedemann, Dipt. exot. 1821, 21.
- compeditus** Ommatius, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 419.
- compeditus** Paragus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 89.
- compeditus** Xylophagus, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 13. [1845, 469.]
- comperei** Cerithium, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
- compergus** Passalus, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 244.
- compernis** Coelosternus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 200.—Cryptorhynchus.
- compernis** Cryptorhynchus, E. F. Germar, Ins. Spec. novae, I. 1824, 272.
- compestris** Alauda, *err. pro* campestris, L.; H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806, 30.
- Comphosida** Solier in Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 184.—Col. [*n. n.*].
- compilata** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 771.
- Complanaria** W. Swainson, Treat. Malacol., May 1840, 288 & 382.—L. [374.]
- complanato-septum** Orthoceras, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843,
- complanata** Acrosalenia, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 344.
- complanatum** Alasmodon, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 1 [*n. n.*].
- complanata** Alasmodonta, D. H. Barnes, Amer. J. Sci. VI (2) *post* Ap. 1823, 278.
- complanata** Amara, Dejean, Cat. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828, 496.
- complanata** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 24.
- complanatus** Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 118.
- complanatus** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 268.
- complanatus** Ammonites (Rein.), C. H. v. Zieten, Pétrif. Wurt. (2) 1830, 13.—Nautilus.
- complanata** Amphinome (Pall.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 288.—Aphrodita, 1766.
- complanatus** Anisus (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 111.—Planorbis.
- complanata** Anodonta, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (1) Ap. 1835, 112; (4) Sept. 1836, 24.
- complanata** Anodonta, Rossm., *varr.* compacta, tumida, J. Zelebor, Ber. Mitth. Fr. Nat. Wien, VII. 1850, 232.
- complanata** Anomia, G. Brocchi, Conch. Subap. 1814, 469.
- complanatus** Aptinus, Fab.; Dejean, Catal. Coléopt. 1821, 3 [*n. n.*]. [69.]
- complanatus** Aptychus, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842,
- complanatus** Aptychus, H. B. Geinitz, Das Quadersandsteingeb. (1) 1849, Erkl. der
- complanatus** Aradus, H. Burmeister, Handb. Ent. II (1) 1835, 256. [Taf. vi.]

- complanata Arca, W. Wood (*ex* Chemn.), Index Test. 1818, 44.
 complanata Arthemis, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 25.
 complanata Asida, H. Lucas, Explor. Algér. (Artic. II.) 1846, 322.
 complanata Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 112.
 complanata Astraea (H. & E.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 249.—Favia.
 complanatus Atax (Müll.), J. C. Fabricius, Syst. Antliat. 1805, 367.—Hydrachna, 1776.
 complanata Avicula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 243.
 complanatus Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 313.
 complanatum Bembidium, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 80 [*n. n.*]; *ibid.* Coleopt. 52.
 complanata Biloculina, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 298.
 complanata Blatta, M. Perty, Del. anim. artic. Brasil. (2) 1832, 116.
 complanata Bornia, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 14.
 complanatus Brachinus, J. C. Fabricius, Syst. Eleuth. I. 1801, 217.—Carabus, L. 1767.
 complanata Buprestis, F. E. Guérin, Magasin de Zool. II. 1832, pl. 25.
 complanatus Calathus, Kollar in Dejean, Spec. gén. Coléopt. III. 1828, 73.
 complanata Capsa (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 97.—Donax.
 complanatus Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 93 [complanatus, 1821].
 complanata Cardinia (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—Pullastra. [Venericardia.
 complanata Cardita (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 423.—
 complanata Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
 complanatus Cassidulus, Lamarck, An. s. vert. III. 1816, 35.
 complanata Chenendopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391.
 complanata Cleonis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 332. [1758.
 complanata Clepsine (L.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 120.—Hirudo,
 complanata Clymenia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 244.
 complanata Corbula, J. Sowerby, Min. Conch. IV. 1822, 86. [(1844), 59.—Corbula.
 complanata Corbulomya (Sow.), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845
 complanata Cordulia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 145.
 complanata Cristellaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 33.
 complanatus Crocodilus, E. Geoffroy St H. in Savigny, Egypte, I (1) (Croc.) 1827, 263.
 complanatus Cryptocerus, F. E. Guérin-M., Iconographie, 1844, Ins. 424.
 complanatus Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 114.
 complanatus Ctenipus (Dej.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 401.—Sphodrus.
 complanatum Cyathophyllum, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 14.
 complanata Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 48.
 complanatus Cyclolites (Deffr.), H. G. Bronn, Index Pal. 1848, 374.—Fungia.
 complanata Cymindis, Dejean, Spec. gén. Coléopt. II. 1826, 448.
 complanata Cytherina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 217.
 complanata Defrancia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 19.
 complanatum Diadema, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 16.
 complanata Discocephala, Klug in Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 324.
 complanatum Distoma, K. A. Rudolphi, Ges. Nat. Fr. Berlin, Mag. VI (2) 1812, 103.
 complanata Dolabra, F. McCoy in Griffith, Syn. Carb. Test. foss. Ireland, 1844, 65.
 complanata Donax, G. Montagu, Test. Brit. I. 1803, 106.
 complanata Donax, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 98 (N*).
 complanatus Echinus, Valenciennes in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 367. [155.
 complanatus Elater (Elater), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833].
 complanata Ensia, J. De C. Sowerby, Min. Conch. VII. 1844, 78.
 complanata Erpobdella (Gm.), Lamarck, An. s. vert. V. 1818, 297.—Hirudo, L. 1758.
 complanata Erycina, G. B. Sowerby, II., Gen. Shells (10) 1822.
 complanata Erycina, S. Woodward, Geol. Norf. 1833, 38.
 complanata Erycina (Ph.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Sept. 1844, 333.—Bornia.

- complanatus** Euomphalus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 202.
complanata Favia, Hemprich & Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834),
complanata Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 281. [317.
complanata Fungia, DeFrance, Dict. Sci. Nat. XVII. 1820, 217.
complanatus Fusus, J. De C. Sowerby, Min. Conch. V. 1823, 27.
complanatus Galerites, DeFrance, Dict. Sci. Nat. XVIII. 1820, 87.
complanata Glossobdella (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 565.
complanata Gryphaea, G. v. Muenster, Jahrb. f. Min. 1830, 81 [n. n].
complanatus Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 64.
complanatus Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 220.—Ophonus, 1821.
complanata Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [n. n].
complanata Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1839, 9.
complanatus Hemiasier, Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 19.
complanatus Hemiasier, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 424.
complanatus Hister, Panzer, F. Germ. (37) 1796, 7; Illiger, Käfer preuss. 1798, 64.
complanatus Hister, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 179.
complanatus Holaster, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 128.
complanatus Holaster (Bl.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
 183.—Spatangus.
complanata Hololepta (Ill.), G. Paykull, Mon. Hister. 1811, 105.—Hister, 1796.
complanata Idmonea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 288.
complanatus Ischnurus, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 37.
complanatus Ischnurus, C. L. Koch, Die Arachniden, IV (4) Nov. 1837, 73.
complanatus Isomalus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 839.
complanata Lamna, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 387.
complanatum Lecanurus, F. v. Baerensprung, Zeitung f. Zool. I (21) May 1849, 169.
complanata Leda, H. P. C. Möller, Index Moll. Groenl. 1842, 17.
complanata Leda, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 90.
complanata Lenticulites, DeFrance, Dict. Sci. Nat. XXV. 1822, 453. [1839, 636.
complanata Leptaena, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan.
complanata Limopsis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 163.—Pectuncu-
 lina, 1843.
complanata Lucina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 241.
complanatus Lumbricus, A. Dugès, Ann. Sci. Nat. XV (59) Nov. 1828, 289.
complanata Lutraria (Gm.), Lamarck, An. s. vert. V. 1818, 471.—Mactra, 1790.
complanata Margaritana (Barnes), I. Lea, Syn. Naiades, 1836, 43.—Alasmodonta.
complanata Marsenia, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [n. n].
complanatus Mesochorus, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 114.—Cryptus,
 1838.
complanata Mesodesma (Sow.), S. Hanley, Ill. Cat. Bivalve Shells (1) *incunte* 1843, 38.
 —Erycina.
complanata Millepora, Lamarck, An. s. vert. II. 1816, 201.
complanata Mya, D. Solander, Catal. Portland Mus. 1786, 38 [n. n].
complanata Nassa, W. L. Powys, Proc. Zool. Soc. London, III (30) Sept. 1835, 96.
complanatus Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 58. [Sveica, 1837, 27.
complanatus Nautilus, W. Hisinger, Anteckn. Physik. Geogn. V. 1831, 110; Lethaea
complanatus Nebria (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 89.—Carabus,
 1767.
complanatus Nemertes, A. Kölliker, 29 Verh. Allg. Schweiz. Gesellschaft. 1844 (1845), 94.
complanata Nucula, J. Phillips, Geol. Yorksh. I. 1829, 161 [n. et f].
complanata Nummulina (Lam.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826,
 296.—Nummulites.
complanata Nummulites, Lamarck, Ann. Mus. H. N. (Paris) V (28) Dec. 1804, 242.
complanatum Omalium, J. L. Leconte in Agassiz, Lake Superior, 1850, 221 [n. n].
complanata Omphra, L. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 342.
complanatum Opatrum, Dejean, Catal. Coléopt. 1821, 66 [n. n].
complanatum Opatrum, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
 252.

- complanatum Opatrum, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 98. [—Lenticulites, DeFr.
- complanata Opeculina (Bast.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281.
- complanata Ophileta, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 36.
- complanatus Ophonus, Dejean, Catal. Coléopt. 1821, 14 [n. n.].
- complanata Orbitolites, Lamarck, Syst. Anim. 1801, 376. [Orbulites.
- complanata Orbitolites (Lam.), E. Deslongchamps, Ency. Méth. (Zooph.) 1827, 584.—
- complanata Orbulites, Lamarck, An. s. vert. II. 1816, 196.
- complanata Ostrea, D. Solander, Catal. Portland Mus. 1786, 134 [n. n.].
- complanata Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 31.
- complanata Oxyrhina, E. Sismonda, Mem. R. Acc. Sci. Torino [2] X. 1849, 41.
- complanatus Oxytelus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 595.
- complanata Palmipora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 356.—Millepora.
- complanatus Paromalus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 170.—Holo-
- complanatus Phileurus, P. B.; Dejean, Min. Conch. VI. 1828, 164. [lepta.
- complanata Pectunculina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 184.
- complanata Pentatoma, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
- complanata Perna, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 373. [167.
- complanatus Phileurus, P. B.; Dejean, Catal. Coléopt. 1821, 56 [n. n.].
- complanata Pholadomya, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 130.
- complanatus Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1830, 672.
- complanata Placusa, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 194.
- complanatus Planorbis (L.), J. L. M. Poiret, Coq. Aisne, 1801, 93.—Helix, 1758.
- complanatus Planorbis, J. P. R. Draparnaud, H. N. Moll. France, 1805, 47.
- complanatus Platynus, Bonelli in Dejean, Catal. Coléopt. 1821, 10 [n. n.]; Spec. gén. Coléopt. III. 1828, 99.
- complanata Pleione (Pall.), Lamarck, An. s. vert. V. 1818, 331.—Aphrodita, 1766.
- complanata Pleurotomaria, G. Sandberger, N. Jahrb. f. Min. 1842, 400 [n. n.].
- complanatus Pogonocherus, Dejean, Catal. Coléopt. 1821, 107 [n. n.]. [Julus, L. 1761.
- complanatus Polydesmus (Fab.), P. A. Latreille, Sonniini's Buffon, Ins. III (1802), 45.—
- complanata Polymorphina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 234.
- complanata Polystomella, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839,
- complanata Polytrema, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 209. [129.
- complanata Popillia, E. Newman, Mag. Nat. Hist., n. s., II. June 1838, 337.
- complanata Porites, Lamarck, An. s. vert. II. 1816, 272.
- complanata Posidonomya, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 472.
- complanatus Pristonychus, Dejean, Spec. gén. Coléopt. III. 1828, 58.—Sphodrus, 1821.
- complanatus Proetus, J. Barrande, Nouv. Trilob., Suppl. à Not. prélim. Silur. 1846, 16.
- complanata Proscratea (Perty), H. Burmeister, Handb. Ent. II (2) 1, 1838, 509.—Blatta.
- complanatus Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 197.
- complanata Pullastra, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 609. [& 302 (1844).
- complanatus Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 19 (1834); II (2), 197
- complanata Renulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 178.
- complanata Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 274 [n. n.].
- complanata Rotalia, H. G. Bronn, Index Pal. 1848, 1101.
- complanata Rotularia, DeFrance, Dict. Sci. Nat. XLVI. 1827, 322.
- complanatus Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1812, 102.
- complanatus Sciocoris, H. Burmeister, Handb. Ent. II (1) 1835, 373.
- complanata Scolopendra, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 98.
- complanata Scutellina (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 140. —Cassidulus.
- complanata Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 227.
- complanatum Solenium, DeFrance, Dict. Sci. Nat. LV. 1828, 488.
- complanatus Solaris, D. Solander, Catal. Portland Mus. 1786, 185 [n. n.]. [1790.
- complanatus Spatangus (L.), de Blainville, Dict. Sci. Nat. LX. 1830, 185.—Echinus,
- complanatus Sphodrus, Dejean, Catal. Coléopt. 1821, 11 [n. n.].
- complanatus Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 657.

- complanata** Spongia, P. Duchassaing, Anim. rad. Antilles [1850], 26.
complanatus Straparollus (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 6.
 —Ophileta, Van. [1848.—Alasmodonta.
complanata Symphynota (Barnes), I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829,
complanata Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 36.
complanatus Terebratulites, E. v. Schlottheim, Denkschr. K. Ak. Wiss. München, VI.
 1816-17 (1820), 27.
complanata Tethya, O. G. Costa, Fauna Regno Napoli, Zoofiti, Tethya, 18 (May 1844).
complanata Thelima (Guér.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
 1843, 107.—Pentatoma. [1834, 289.
complanata Thyreocoris, H. Burmeister, N. A. Ac. Caes. Leop. Car. XVI (Suppl.).
complanatus Toxaster (L.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 25.—
 Echinus, Gm. 1790. [1825 [n. n.].
complanata Toxotrema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819,
complanata Trigonocoelia (Phill.), Nyst & Galeotti, Bull. Ac. Roy. Brux. II. 1835, 295.
 —Nucula.
complanata Trochosmilia (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X.
 Oct. 1848, 238.—Turbinolia. [Euomphalus.
complanatus Trochus (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 191.—
complanata Tubulipora, G. Meneghini, N. Saggi R. Acc. Sci. Padova, VI. 1847, 62.
complanata Turbinolia, G. A. Goldfuss, Petref. German. I (1) 1826, 53.
complanata Unio (Barnes), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
 VI. Mar. 1835, 559.—Alasmodonta.
complanata Venericardia, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 154.
complanata Venus, DeFrance, Dict. Sci. Nat. LVII. 1828, 290. [1826
complanata Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834,
complanella Elachista (Hueb.), F. Treitschke, Schmett. Europa, IX (2) 1833, 179.—
complanella Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428. [Tinea.
complanella Tinea, J. Huebner, Samml. europ. Schmett., tab. 64, f. 428 (? 1827).
complanella Tischeria (Hueb.), P. C. Zeller, Isis (Oken), 1839, 219.—Tinea.
complanula Lithosia, J. A. Boisdual, Ic. hist. lépidopt. Europe, II (—) 1834, 97.
complanata Aleochara (Mann), C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 359; &
 Ins. Fenn. I. 1834, 359.—Bolitochara.
complanata Bolitochara, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb.
complanata Lithosia, R. Ragozzoni, Comm. At. Brescia, 1830 (31), 74. [1831, 493.
complanus Podalgus, H. Burmeister, Handb. Ent. V. 1847, 123.
complanata Setina (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 165.—Noctua, 1775.
complanatus Carabus, Dejean, Catal. Coléopt. 1821, 6 [n. n.].
completus Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 233.
completus Hemiteles, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 129.
completus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 185.
complex Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 208.
complex Xanthidium (White), J. Morris, Cat. Brit. Foss. 1843, 26.—Xanth. Tubiferum.
complex Xanthidium Tubiferum, H. H. White, Trans. Micros. Soc. London, I. 1844, 83.
Complexastrea A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Cor.
complexa Dachrys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 420.
complexa Polyptothecia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831,
complexa Serpula, W. Turton, Conch. Dict. 1819, 153. [pl. vi [n. cf.].
complicans Aleochara, Kirby & Spence, Introd. Entom. II (ed. 3) 1823, 232.
complicans Encephalus (K. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21.—
 Aleochara. [—Encephalus, ? Steph.
complicans Gyrophæna (Westw.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 366.
complicatus Aganides (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 115.—
 Ammonites.
complicatus Ammonites, L. G. de Koninck, Descr. Anim. foss. (12) Apr. 1844, 567.
complicatus Apsis, E. F. Germar, Mag. Entom. (Germar) II. 1817, 340 [n. n.].
complicata Apsis, Koy; Dejean, Catal. Coléopt. 1821, 89 [n. n.].
complicata Avicula, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 97.

- complicata** Beyrichia, J. W. Salter, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 352.
complicatus Bombur, G. v. Muenster, Beitr. zur Petref. (2) 1839, 75.
complicata Ceriopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 324.
complicatum Distomum, Mehlis, Arch. f. Naturg. XII (1) 1846, 141 [*n. n.*].
complicatus Goniatites (Kon.), H. G. Bronn, Index Pal. 1848, 541.—Ammonites.
complicatus Murex, Grateloup, Actes Soc. Linn. Bordeaux, VI (33) 1833, 96.
complicata Ostrea, G. A. Goldfuss, Petref. German. II (4) 1833, 3.
complicatus Pecten, G. A. Goldfuss, Petref. German. II (4) 1833, 51.
complicata Placuna, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 420.
complicata Sepsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 468.
complicata Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 97.
compluta Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 25 (Fernaldo judice 1802) [*n. et f.*].
compluta Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 128.
compluta Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 69 (Fernaldo judice 1823-27) [*n. et f.*].
compluta Lithosia, C. F. Freyer, Neuere Beitr. Schmett. VI (89) 1849, 81.
compos Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 16.
composana Ephippiphora (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 316.—Pyralis, 1798.
composana Stigmonota (Fab.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 183.—Pyralis, 1798.
composana Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 447.—Pyralis, 1798.
Composita J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Lep.
Composita T. Brown, Ill. Foss. Conch. G. B. I. (26-28) 1845, 131.—Br.
compositella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 374.
compositella Phycis, F. Treitschke, Schmett. Europa, X (3) 1835, 171. [1775.
compositella Pseudotomia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tinea,
composita Astrea (Sow.), H. Michelin, Icon. Zoophyt. (24-27) 1847, 299.—Cyathophyllum.
composita Astraea, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 24.
composita Buprestis, P. B.; Dejean, Catal. Coléopt. 1821, 29 [*n. n.*].
compositum Cerithium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 559.
compositum Cyathophyllum, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832,
compositus Pecten, G. A. Goldfuss, Petref. German. II (4) 1833, 67. [417 [*n. et f.*].
compositus Pecten, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1838, 342.
compositus Platypus, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 324.
composita Rostellaria, J. De C. Sowerby, Tr. Geol. Soc. London [2] II. 1827, 320 [*n. n.*].
composita Rostellaria, J. De C. Sowerby, Min. Conch. VI. 1827, 111.
composita Synastrea (Sow.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 148.—Cyathophyllum.
compotrix Helia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 29.
comprehensa Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 11.
compressicauda Coecilia, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 278. [1828, 272.
compressicauda Delphinus, R. P. Lesson, H. N. Mamm. et Ois. depuis 1788, Cétacés,
compressicauda Scincus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 180.
compressicollis Anthicus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 59.
compressicollis Cleonus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 424. [1836], 106.
compressicollis Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice
compressicollis Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-36, 30.
compressicollis Philonthus (Klug), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 508.—
 Staphylinus. [1838.
compressicollis Staphylinus, F. Klug, Abhaph. Kl. K. pr. Ak. Wiss. 1832 (1834) [1833].
compressicollis Tomoderus (Mot.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 6.—Anthicus ["Mon. Anth." poster. edit.].
compressicornis Acrydium, P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 155.

- compressicornis** Anthocoris, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 77.
compressicornis Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 406.
compressicorne Apion, Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
compressicornis Ateuchus, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *a*.
compressicornis Bostrichus, J. C. Fabricius, Syst. Eleuth. II. 1801, 388.
compressicornis Coreus, J. F. Wolff, Icon. Cimicum (3) 1802, 103.
compressicornis [Corthylus] (Fab.), W. F. Erichson, Arch. f. Naturg. II (1) 1836, 64.—
compressicornis Cyphon, J. C. Fabricius, Syst. Eleuth. I. 1801, 503. [Bostrichus.
compressicornis Elodes (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 392.—
compressicornis Eumolpus, J. C. Fabricius, Syst. Eleuth. I. 1801, 419. [Cyphon.
compressicornis Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 483.
compressicornis Hemiptycha, L. Fairmaire, Ann. Soc. Ent. France (2) IV (3) Dec. 1846,
compressicornis Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 64. [313.
compressicornis Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 249.
compressicornis Lampyris, J. C. Fabricius, Syst. Eleuth. II. 1801, 103.
compressicornis Lucidota (Fab.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833,
 137.—Lampyris.
compressicornis Lycus, J. Sturm, Catal. Ins. Samml. 1826, 166 [*n. n.*].
compressicornis Mesostenus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 776.
compressicornis Molchina (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
 1843, 189.—Lygaeus, 1794.
compressicornis Pachylis (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool.
 II. 1832, 29.—Lygaeus, 1794.
compressicornis Pelopoeus, J. C. Fabricius, Syst. Piezat. 1804, 204.
compressicornis Polycorynus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839,
 269.—Anthribus.
compressicorne Pyractonema, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 446.
compressicornis Scirtes (Fab.), F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 6.
compressicornis Tenthredo, J. C. Fabricius, Syst. Piezat. 1804, 38. [—Cyphon.
compressicornis Tillus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 273.
compressipes Acanthocephala (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de
 Zool. II. 1832, 29.—Lygaeus.
compressipes Anisoscelis (Fab.), Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 197.—
compressipes Apis, J. C. Fabricius, Syst. Piezat. 1804, 370. [Lygaeus.
compressipes Atergatis, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 59.
compressipes Brenthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 553.
compressipes Centrophorus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 181.
compressipes Cleonymus, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 149
 [*n. n.*].
compressipes Diactor (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 334.—Lygaeus.
compressipes Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 209.
compressipes Macrophthalmus, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan.
 1840, 123.
compressipes Melolontha, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 91.
compressipes Metapodius (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana,
 III. 1848, 611.—Lygaeus.
compressirostra Calandra, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 319.
compressirostris Calandra, E. F. Germar, Ins. Spec. novae, I. 1824, 300.
compressirostra Ostrea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 132.
compressirostris Sphenophorus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
 952.—Calandra.
compressissimus Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 210.
compressissimus Unio, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 163. [70.
compressithorax Cleonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842.
compressiuscula Acmaea, E. Eichwald, Paleont. Rossii, 1850, 82.—Pileopsis, 1830.
compressiuscula Arca (Rouill.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
 369.—Cucullaea.
compressiusculum Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 79.

- compressiuscula** Cucullaea, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 427.
- compressiuscula** Marginulina, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 5.
- compressiuscala** Patella, H. Karsten, Verz. Rostock Mus. Verst. 1849, 12.
- compressiuscula** Pileopsis, E. Eichwald, Nat. Lithuaen, 1830, 214.
- compressiventris** Ampulex, F. E. Guérin-M., Iconographie, 1844, Ins. 436.
- compressiventris** Exochus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 121.
- compressor** Rogas, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 156, 1838.
- compressa** Acmocera, Fab.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 345.
- compressa** Acroculia (Goldf.), J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 29.—Pileopsis.
- compressum** Acrydium, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 162.
- compressa** Actinocoenia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Astrea.
- compressa** Alasmodonta, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 106.
- compressa** Aleochara, Dejean, Catal. Coléopt. 1821, 28 [*n. n.*].
- compressa** Alveolina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 210.
- compressa** Alysia, J. Curtis, Guide Brit. Ins. (4) 1829-30, 106 [*n. n.*].
- compressa** Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 244.
- compressus** Ammonites (Goldf.), H. E. Beyrich, De Goniatis, 1837, 5.—Spirula.
- compressus** Ammonites (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (5) 1837, 24.—Ellipsolites.
- compressus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 155.
- compressus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—Goniatis.
- compressa** Ammonoceratites, Lamarck, An. s. vert. VII. 1822, 645.
- compressum** Amphidesma (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 432.—Ligula.
- compressum** Amphidesma, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 19.
- compressa** Ampulex (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 134.—Chlorion.
- compressa** Ampullaria, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 34.
- compressus** Ancyclus, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 460.
- compressa** Anomia, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 229.
- compressa** Anoplognatha (Weber), C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 95.—Melolontha.
- compressum** Anthophyllum, G. v. Muenster, N. Jahrb. f. Min. 1834, 7 [*n. n.*].
- compressa** Aranea, H. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 445 [*n. n.*].
- compressus** Archarias, Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- compressa** Artemis (Mont.), J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 181.—Venus.
- compressa** Ascidia, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 13.
- compressa** Astarte (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 440.—Venus.
- compressa** Astarte, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl.
- compressa** Astrea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 297. [61.
- compressa** Atrypa, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, [629.
- compressus** Alaculus, M. Spinola, Ins. Liguriae, II. 1808, 48.
- compressa** Aulopora, G. A. Goldfuss, Petref. German. I (2) 1829, 84.
- compressa** Baculites, T. Say, Amer. J. Sci. II (1) Ap. 1820, 41.
- compressus** Banchus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 104.
- compressa** Barysmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 203.
- compressus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 84.
- compressus** Belemnites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 276.
- compressus** Belemnites, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 53.
- compressus** Bellerophon, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 3.
- compressus** Bellerophon, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 114.
- compressa** Beloptera, H. D. de Blainville, Mém. Bélem. 1827, 110.
- compressa** Beroe, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 525.
- compressa** Bolitochara, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) 1835, 135. [Feb. 1831, 494.
- compressus** Bombylius, J. C. Fabricius, Syst. Antliat. 1805, 135. [Feb. 1831, 494.
- compressa** Brachydonta, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 32 [*n. n.*].

- compressus** Brissus (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 185.—Spatangus.
- compressus** Bulimus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 53 [*n. n.*].
- compressus** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 75.
- compressus** Bungarus, H. Cloquet, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 23.
- compressa** Calamophyllia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
- compressa** Calliphora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 438.
- compressa** Calobata, J. C. Fabricius, Syst. Antliat. 1805, 261.—Musca, 1794.
- compressus** Campulites (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 29.—Phragmoceras. [Pileopsis].
- compressa** Capulus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—
- compressus** Carabus, M. de Chaudoir, Enum. Carab. 1846, 88. [Sanguinolaria].
- compressa** Cardinia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.—
- compressa** Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—Edmondia.
- compressa** Cardita, L. Reeve, Conch. Icon.—Cardita, no. 46, Sept. 1843.
- compressa** Cardita, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 189.
- compressa** Caryophyllia, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 310 [*n. n.*].
- compressa** Cenobita, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 241.
- compressus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 287.
- compressa** Cephus, J. C. Fabricius, Syst. Piezat. 1804, 250.—Sirex, 1793.
- compressa** Cercopis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 606.
- compressa** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 37.
- compressa** Ceriopora, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 105.
- compressa** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—Turritella.
- compressum** Chlorion, J. C. Fabricius, Syst. Piezat. 1804, 219.—Sphex, 1781.
- compressa** Cilix (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 135.—Bombyx, 1777. [136].
- compressa** Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850.
- compressa** Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 7.—Planulites, 1832.
- compressa** Cochlicarina (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 100.—Helicina.
- compressus** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 247.
- compressus** Coluber (Natrix), Daudin in B. Merrem, Tent. Syst. Amph. 1820, 107.
- compressa** Corbula, I. Lea, Contrib. to Geol. 1833, 47.
- compressa** Corbula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 458.
- compressa** Cordulia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
- compressa** Crassatella, Lamarck, Ann. Mus. H. N. (Paris) VI (36) Dec. 1805, 410.
- compressa** Crassatella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 82.
- compressa** Crassina (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xviii, f. 4.—Venus.
- compressa** Cressei, F. Eschscholtz, Zool. Atlas, III. 1829, 18.
- compressa** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 86.
- compressa** Cupulosporgia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 295.
- compressum** Cyclostoma, W. Wood, Suppl. Index Test. 1828, 36.—Turbo, 1828.
- compressus** Cyphonautes, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 204.
- compressa** Cyprina (Mont.), W. Turton, Conch. Insul. Brit. 1822, 136.—Venus.
- compressa** Cyprina, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [*n. n.*].
- compressus** Cyprinus, Hollberg, N. Handl. Gotheborg Wett. Witt. Samh. VI. 1822, 66.
- compressa** Cypris, W. Baird, Hist. Berwickshire Nat. Club, I (3) [1836], 100.
- compressa** Cypris, C. L. Koch, Deutsch. Crust., heft 21, 1838, tab. 17.
- compressus** Cytolites (Con.), J. Hall, N. H. New York (Pal. I.) 1847, 188.—Phragmo-
- compressa** Cythere, G. v. Muenster, Jahrb. f. Min. 1830, 64. [lites].
- compressa** Cytherina, G. v. Muenster, N. Jahrb. f. Min. 1838, 517.
- compressus** Delphinus, J. E. Gray, List Mamm. Coll. B. M. 1843, 105 [*n. n.*].

- compressus Dendrodus, R. Owen, Micros. Journ. I. 1841, 17.
 compressum Dentalium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 233.
 compressum Desmophyllum, R. A. Philippi, N. Jahrb. f. Min. 1837, 287 [*n. n.*].
 compressa Dexia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 41.—
 Musca, 1787. [Coluber.]
 compressus Dipsadomorphus (Daud.), Fitzinger, Arch. f. Naturg. XI (1) 1845, 165.—
 compressus Dipsas (Daud.), L. J. Fitzinger, Isis (Oken), 1826, 884.—Coluber.
 compressa Ditaxia (Goldf.), v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2)
 1850, 242.—Ceriopora.
 compressa Donacilla, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 402.
 compressa Donax, Lamarck, An. s. vert. V. 1818, 546. [48.]
 compressus Echinorhynchus, K. A. Rudolphi, Archiv Zool. (Wiedemann), II (2) 1802,
 compressa Edmondia, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 52.
 compressus Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 20 [*n. n.*].
 compressus Ellipsolites, J. Sowerby, Min. Conch. I. 1813, 84 (pl. 38).
 compressa Emarginula, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 394.
 compressum Enallhelia (Goldf.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July
 1849, 69.—Lithodendron.
 compressa Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 109.
 compressa Ephyra, W. de Haan in Siebold, F. Japon. (Crust. 1849), 186.
 compressus Eridanus, G. C. Berendt, Org. Reste Bernstein, I. 1845, 60.
 compressa Eschara, E. Eichwald, Nat. Lithuæ, 1830, 191.
 compressa Eschara, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 23 [*n. n.*].
 compressa Eucharis, J. C. Fabricius, Syst. Piezat. 1804, 157.—Cynips, 1794.
 compressus Eugeniocrinites, G. A. Goldfuss, Petref. German. I (2) 1829, 164.
 compressus Euomphalus, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 129.
 compressa Evania, J. C. Fabricius, Syst. Piezat. 1804, 178.
 compressa Fabularia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 409.
 compressa Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 60, June 1850.
 compressum Flabellum (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May
 1848, 273.—Fungia.
 compressa Fungia, Lamarck, Ency. Méth. (Vers) 1816, pl. 483, Liste p. 16 [*n. et f.*].
 compressus Gadus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 84.
 compressum Galeomma, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 19.
 compressus Gastrancistrus, F. Walker, Entom. Mag. II (2) Ap. 1834, 172.
 compressus Goniatis, G. v. Muenster, Die Planuliten, 1832, 33.
 compressa Grantia (Fab.), J. Fleming, Hist. Brit. Anim. 1828, 524.—Spongia, 1780.
 compressus Gyrinus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 145.
 compressa Haltica (Plectroscelis), Letzner, Uebers. Arb. schles. Ges. 1846 (1847), 85.
 compressus Hamites, J. Sowerby, Min. Conch. I. 1814, 138.
 compressa Hauerina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 119.
 compressa Helicina, J. Sowerby, Min. Conch. I. 1813, 33. [Mar. 1836, 2.]
 compressa Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3)
 compressus Hemiceratites, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 100.
 compressa Homomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 157.
 compressus Hydrophilus, Dejean, Catal. Coléopt. 1821, 51 [*n. n.*].
 compressus Hypsonotus, J. Sturm, Catal. Ins. Samml. 1826, 157 [*n. n.*].
 compressus Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 268.
 compressus Ichneumon (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 326.—
 Banchus, 1798.
 compressa Idmonea, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 46.
 compressus Issus, M. Spinola, Ann. Soc. Ent. France, VIII (3) post Nov. 1830, 354.
 compressa Jania, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1826, 624.
 compressa Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 290.
 compressa Lamna, J. L. R. Agassiz, Poiss. Foss. III. 290 (1843).
 compressa Leda, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 336.
 compressa Ligula (Pult.), G. Montagu, Test. Brit. Suppl. 1808, 23.—Mactra, 1799.
 compressa Lingula, L. Reeve, Proc. Zool. Soc. London, IX (107) May 1842, 100.

- compressum** Liopteron, M. Perty, Del. anim. artic. Brasil. (3) 1833, 140. [1799.]
- compressa** Listera (Mont.), W. Turton, Conch. Insul. Brit. 1822, 51.—Mactra, ? Pult.
- compressum** Lithodendron, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 106.
- compressa** Loxonema (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 62.
- compressa** Lucina, I. Lea, Contrib. to Geol. 1833, 55. [—Turritella.]
- compressa** Lutraria (Mont.), Lamarck, An. s. vert. V. 1818, 469.—Ligula.
- compressa** Luticola, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 349.
- compressus** Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 115.
- compressa** Lynnadea (Lea), W. Swainson, Treat. Malacol., May 1840, 379.—Unio.
- compressum** Lyriodon, A. Fahrenkohl, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 796.
- compressa** Mactra, D. Solander, Catal. Portland Mus. 1786, 72 [*n. n.*].
- compressa** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 125.
- compressa** Madrepora (Porites), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 340. [494.—Millepora, 1758.]
- compressa** Manopora (L.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
- compressa** Marginulina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 17.
- compressa** Melania, T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 96.
- compressus** Melia (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 56.—Orthoceratites.
- compressa** Melolontha, F. Weber, Obs. Ent. 1801, 72.
- compressa** Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 9. [101.—Beroe.]
- compressa** Mertensia (Mert.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843,
- compressa** Michelinia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 254.
- compressa** Millepora, G. A. Goldfuss, Petref. German. I (1) 1826, 21.
- compressa** Mintho (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 216.—Musca, 1794. [44.]
- compressa** Modiola, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837,
- compressa** Musca (Desv.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 893.—Calliphora.
- compressa** Mycetophila, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 34.
- compressa** Myoconcha, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 19.
- compressus** Mytilus, G. A. Goldfuss, Petref. German. II (6) 1837, 178.
- compressa** Natica (Bast.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 51.—Ampullaria.
- compressa** Naticella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 199.
- compressus** Nauclerus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 249.
- compressus** Nautilus, A. Risso, H. N. Europe, IV. 1826, 9.
- compressus** Nautilus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 231.—Ellipsolites.
- compressus** Nautilus, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 203 & 367.
- compressa** Navicella, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 749.
- compressus** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 213.
- compressa** Nonionina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 99.
- compressa** Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1837, 136.
- compressa** Nucula, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 54.
- compressa** Nullipora, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 13.
- compressa** Oculina (Muenst.), H. G. Bronn, Index Pal. 1848, 834.—Lithodendron.
- compressa** Ocyptera, J. C. Fabricius, Syst. Antliat. 1805, 314.—Musca, 1794.
- compressus** Ocypus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) June 1832, 212.—Staphylinus.
- compressa** Oolina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 18.
- compressa** Orbiculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 66.
- compressus** Orodus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 131.
- compressa** Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- compressa** Orthoceratites, F. A. Roemer, Verst. Harzgeb. 1843, 36. [638.]
- compressa** Orthonota, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 274.
- compressus** Palinurus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1840, 60.
- compressum** Paramaecium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 65 [*n. n.*]; *ibid.* 1831 (1832), 114. [1850.]
- compressa** Partula, L. Reeve (*ex Pfeiffer* MS), Conch. Icon. VI.—Partula, no. 20, May

- compressa Patella, G. Fischer, Mus. Démid. III. 1807, 120.
 compressa Periploma, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 514.
 compressa Petricola, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 239.
 compressa Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 216.
 compressa Pholadomya, J. L. R. Agassiz, Hist. crit. Moll. foss. (2) 142 (carton 1845).
 compressa Pholadomya, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 232.
 compressa Pholadomya (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 359.
 compressa Pholas, J. De C. Sowerby, Min. Conch. VI. 1829, 213. [—Pholas.
 compressum Phragmoceras, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 621. [no. 200, 1838, 119.
 compressus Phragmolites, T. A. Conrad [2 An. Rep. N. Y. Geol. Surv.] Assembl.
 compressa Phyllocoenia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 304.—Astrea.
 compressa Pileopsis, G. A. Goldfuss, Petref. German. III (8) 1844, 10.
 compressa Pinna, G. A. Goldfuss, Petref. German. II (6) 1837, 167.
 compressus Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 93.—Ellipsolites.
 compressus Planorbis, Faure-B. & Sionest, C. R. Trav. Soc. Agric. Lyon, 1808, 42 [*n. n.*].
 compressus Planorbis, Marcel de S., Journ. de Physique, LXXXVII. Sept. 1818, 163.
 compressus Planorbis, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 81.
 compressus Planorbis, T. Hutton, J. Asiat. Soc. Bengal, III. 1834, 93.
 compressus Planorbis, A. Joba, Bull. Soc. H. N. Moselle, II. 1844, 41.
 compressa Planularia, F. v. Hagenow, N. Jahrb. f. Min. 1842, 569.
 compressus Planulites, G. v. Muenster, Die Planuliten, 1832, 7.
 compressus Platigonus, J. Le Conte, Amer. J. Sci. (2) V (13) Jan. 1848, 103.
 compressa Platypteryx (Fab.), Lamarck, An. s. vert. III. 1816, 562.—Bombyx, 1777.
 compressa Pleurotomaria (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (19, 20) [1843], 88.—Helicina.
 compressa Polymorphina, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 69.
 compressa Polymorphina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 233.
 compressa Polystomella, J. Morris, Cat. Brit. Foss. 1843, 62 [*n. n.*].
 compressa Polytrema (Goldf.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 279.—Ceriopora.
 compressus Pompilus, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 106.
 compressa Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 553.
 compressus Productus, T. Say in Long, Exped. Rocky Mts. I. 1823, 150; & London ed., I. 1823, 328. [[1834], 169 [*n. n.*].
 compressus Prorodon, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
 compressus Psaliodus, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 157.
 compressus Psaliodus, P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss. III. 351 (1843). [Sanguinolaria, 1824.
 compressa Psammobia, J. de C. Sowerby in F. Dixon, Geol. Sussex, 1850, 165.—
 compressus Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 477.
 compressa Ptychomphalus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1839, 23.—Helicina. [35.—Terebratula.
 compressa Rhynchonella (Lam.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849,
 compressa Rotella (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 4.—Helicina. [Ohiensis [Dec.] 1820, 51.
 compressus Rutilus, C. S. Rafinesque, Western Review, II (4) May 1820, 240; Ichth.
 compressa Sabella, G. Montagu, Test. Brit. II. 1803, 555.
 compressa Sanguinolaria, J. De C. Sowerby, Min. Conch. V. 1824, 91.
 compressa Sanguinolaria, G. A. Goldfuss, Petref. German. II (7) 1840, 280.
 compressus Scaphites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 91.
 compressus Scaphites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 517.
 compressa Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 110.
 compressa Serpula, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 250.
 compressa Serpula, J. De C. Sowerby, Min. Conch. VI. 1829, 201.

- compressa** Sericocera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 239.—Dexia.
- compressus** Solecurtus (Sow.), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1842 (1844), 49.—Sanguinolaria.
- compressus** Solen, G. A. Goldfuss, Petref. German. II (7) 1840, 276.
- compressus** Spatangus, Lamarck, An. s. vert. III. 1816, 30.
- compressum** Sphaerotherium, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 198.
- compressa** Spinigera, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 334.
- compressa** Spirula, Goldfuss in Dechen in De la Beche, Handb. Geogn. 1832, 536
- compressus** Squalius, J. J. Heckel in Russegger, Reise, I (2) 1843, 1041. [[n. n.].
- compressus** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 503.
- compressus** Steno, J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 43.—Delphinus, 1843.
- compressus** Stenophrus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 40.
- compressa** Stomatia (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 194.—Naticella.
- compressa** Stomatopora (Goldf.), H. G. Bronn, Index Pal. 1848, 1201.—Aulopora.
- compressa** Strophomena (Sow.), J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 379.—Orthis.
- compressa** Symphynota, I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 450.
- compressa** Tellina, G. Brocchi, Conch. Subap. 1814, 514.
- compressa** Terebella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 8.—Sabella.
- compressa** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 256.
- compressa** Terebratula, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 232.
- compressa** Terebratula (Sow.), J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 403.—Atrypa.
- compressus** Tetrodon, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 130.
- compressa** Textularia, F. A. Roemer, N. Jahrb. f. Min. 1838, 384. [Bombylius.
- compressa** Thlipsomyza (Fab.), C. R. W. Wiedemann, N. Dipt. Gen. 1820, 12.—
- compressa** Thlipsomyza, H. Jensen, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 328.
- compressa** Thyllis, W. F. Erichson, Entomographien, 1840, 151.
- compressus** Tormus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32.
- compressus** Trachelus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 72.—Cephus.
- compressa** Tragonna (Ziegl.), F. Held, Isis (Oken), 1837, 916.—Helix. [1809, 340.
- compressa** Trigona, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)
- compressa** Trocholites (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 56.—Clymenia. [1848, 238.—Turbinolia.
- compressa** Trochomilia (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct.
- compressa** Tubularia, E. J. C. Esper, Pflanzenz. III (14-15) [inter 1805-1810], 121.
- compressa** Turbinolia, Lamarck, An. s. vert. II. 1816, 231. [Sicilia, Dec. 1845, 47.
- compressa** Turbinolia, P. Calcara, Giorn. Osserv. I [? 1845], 175; & Cenne Moll.
- compressa** Turbinolia, P. Calcara, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 282.
- compressus** Turbo, W. Wood, Suppl. Index Test. 1828, 20 [n. et f.].
- compressa** Turritella, G. v. Muenster, Beitr. zur Petref. (3) 1840, 89.
- compressa** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 120.
- compressus** Unio, J. De C. Sowerby, Min. Conch. VI. 1828, 189.
- compressus** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4.
- compressa** Unio, I. Lea, Syn. Naiades, 1836, 11.—Symphynota, 1829.
- compressa** Venus, G. Montagu, Test. Brit. Suppl. 1808, 43.
- compressa** Venus (Leach), T. Brown, Conch. Text Book, 1833, 34.—Crassina, ? Mont.
- compressus** Vermetus (Ph.), J. Morris, Cat. Brit. Foss. 1843, 167.—Vermicularia.
- compressa** Vermicularia (V. & B.), J. Phillips, Geol. Yorksh. I. 1829, 131.—Serpula.
- compressa** Wiedemannia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 253.—Musca, 1794. [1837, 43.—Sphaerotherium.
- compressa** Zephronia (Brandt), F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) VII. Jan.
- compressa** Zonites, Ziegl.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 8.
- compressaria** Acropterus, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 18.
- compressatus** Alocorhinus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 32.
- compressatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 76.

- comprimatus Ammonites, G. G. Pusch, Geogn. Besch. Polen, I. 1833, 115.
- comprimatus Hyppurites, E. F. v. Schlotheim, Die Petref. 1820, 353.
- comprimatus Hyponotus (Sahlb.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 254.
- comprimatus Musculites, E. F. Schlotheim, Tasch. Min. 1813, 105. [—Alocorhinus.
- comprimatus Solen, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 223.
- comprimatus Tellinites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*].
- comprimatus Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 52 [*n. et f.*].
- Compsa M. Perty, Del. anim. artic. Brasil. (2) 1832, 92.—Col.
- Compsidia E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 182.—Col.
- Compsilura Bouché, Naturg. Ins. 1834, 58.—Dipt.
- Compsocephalus A. White, Ann. Mag. N. H. XV. Jan. 1845, 39.—Col.
- Compsocerus J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 62.—Col.
- Compsocoma Cabanis, 1850; *teste* Marshall, 1851 *est*.
- Compsoptera E. Blanchard, Hist. Insect. II. 1845, 394.—Lep.
- Compsozona J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 55.—Col.
- Compsostrernus F. W. Hope, Journ. Proc. Entom. Soc. Lond., no. 3, 1841, 36.—? *err. pro*
Campsostrernus, Latr. *q. v.*
- Compsothlypis J. Cabanis, Mus. Heineanum (1) 1850 [1851], 20.—A.
- Compsus C. J. Schoenherr, Isis (Oken), 1823, 1140; Curc. disp. meth. 1826, 109.—Col.
- compta *v.* comptus -a -um.
- comptalis Botys, Metzner in C. F. Freyer, Neuere Beitr. Schmett. VI (87) 1848, 68.
- comptana Phoxopteris, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
- comptana Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 99. [(Noct.) 1842], 187.
- comptella Tebenna, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea, 1796.
- comptella Telea (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 246.—
Tinea, 1796. [1796.]
- comptella Yponomeuta (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea,
- comptoni Ammonites, S. P. Pratt, Ann. Mag. N. H. VIII. Nov. 1841, 163.
- comptoni Aspidorhynchus, A. Agassiz, Edinburgh New Phil. Journ. XXX (59) Jan.
1841, 83; Poiss. Foss. II (2), 139 (1844).
- comptonii Cypraea, J. E. Gray in Jukes, Narr. Voy. of "Fly," II. July 1847, 356.
- comptoni Emys, T. Bell, Rept. London Clay (Pal. Soc. II.) July 1849, 71.
- comptoni Goniaster (Stellaster), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 476.
- comptoni Lenticulites (Sow.), S. Nilsson, K. Vet. Ac. Handl. 1825 (2) 1826, 337.—
[Nautilus.]
- comptoni Nautilus, J. Sowerby, Min. Conch. II. 1816, 45. [Nautilus.]
- comptoni Nummularia (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1826, 74.—
[Nautilus.]
- comptoni Nummulites (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (9) 1838, 37.—
- comptoni Runa, L. Agassiz, Mon. Ech. II. 1841, 32.
- comptoni Spirolinites, Mantell, Wonders of Geol. I. 1838, 299.
- comptoni Stellaster, J. E. Gray in F. Dixon, Geol. Sussex, 1850, 335.
- Comptonia J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 278.—Ast.
- comptoniana Idmonea, G. A. Mantell, Medals, I. 1844, 285.
- Comptosia J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 358.—Dipt.
- comptropunctatus Olorhynchus, Ziegl.; A. & G. Villa in Cattaneo, Notiz. Nat. Lombard.
1844, 457.—*v.* genei [*n. n.*].
- comptus Adoretus, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat.
VI.) (1 & 2) Feb. 1848, 62.
- comptus Ammonites (Rein.), W. de Haan, Mon. Ammon. 1825, 142.—Nautilus.
- comptus Ammonites, J. De C. Sowerby in De la Beche, Geol. Man. 1831, 320.
- compta Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 248.
- comptus Anthicus, F. L. de la Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
(7) 1849, 31 ["Mon. Anth." *poster. edit.*]. [398.]
- comptum Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- comta Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 125.
- comta Artemis, S. Loven, Ofvers. K. Vet. Ac. Förh. III (6) 1846, 193.
- compta Atrypa (Ph.), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 152.—
Terebratula.

- comtus** Brachycerus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 663.
- compta** Buprestis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 17.
- compta** Cacoscelis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1842, 174.
- comptus** Carabus, Frivaldsky in Dejean, Spec. gén. Coléopt. V. 1831, 554.
- comptus** Cis, L. Gyllenhal, Ins. Suecica, I (4) 1827, 625.
- compta** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 594.
- comptus** Cerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 304.
- comta** Clubiona, C. L. Koch, Die Arachniden, X (6) 1843-4, 129.
- comptus** Clytus, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 36.
- compta** Coenobita, A. White, List Crustacea Coll. B. M. 1847, 62 [n. n.].
- comptus** Crabro, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 705.
- comptus** Cybister, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 6 [n. n.].
- compta** Dekinia, C. F. A. Morren, Bijdr. Nat. Wetensch. V (1) 1830, 231; Ann. Sci. Nat. XXI (82) Oct. 1830, 146. [—Noctua, 1775.
- compta** Dianthecia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 284.
- comta** Dianthocia (Hueb.), Boisdual, Revue Entom. II (6) 1834, 250.—Noctua,
- compta** Ephydra, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 176. [D. & S. 1775.
- comptus** Eperius (Ill.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 162.—Hister.
- compta** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 515.—Tinea comptella, Huebn., 1796.
- comtus** Eumorphus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 115 & pl. xxii, f. 10.
- comta** Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 204.
- comta** Freya, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 66.—Euophrys, 1846.
- comptus** Fusus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 549.
- comta** Glaucoptis, J. Sepp, Surinaam. Vlinders, 1832-48, 81.
- compta** Harmodia (D. & S.), Verz. bekannt. Schmett. [1822], 207.—Noctua, 1775.
- comtus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 37.
- comptum** Himatidium, M. Perty, Del. anim. artic. Brasil. (2) 1832, 101. [Ostrea.
- comta** Hinnites (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 176.—
- comptus** Hister, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 36 [n. n.].
- compta** Hydrellia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 524.—Notiphila.
- compta** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Anthomyia, 1826.
- comptus** Ichneumon, T. Say, Boston Journ. N. H. I (3) 1836, 229.
- comta** Leiostephania, R. H. Schomburgk, Ann. Mag. N. H. XX. Aug. 1847, 127.
- compta** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 490.
- comta** Miselia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—Noctua compta, 1775.
- comptus** Mytilus, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 76.
- comptus** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 57.
- compta** Nomada, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 492.
- compta** Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 68.
- comta** Nucula, G. A. Goldfuss, Petref. German. II (6) 1837, 158.
- comta** Ostrea, G. A. Goldfuss, Petref. German. II (4) 1833, 4.
- comptus** Pagurus, A. White, List Crustacea Coll. B. M. 1847, 59 [n. n.].
- comtus** Palaeoniscus, J. L. R. Agassiz, Poiss. Foss. II (1), 97 (1835).
- comptus** Palaeoniscus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 370 [n. n.].—comtus,
- comptus** Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 90. [1835.
- comptus** Pecten, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 160.
- compta** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 325.
- compta** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 56.
- comptus** Phytonomus, T. Say, Descr. N. Amer. Curcul., July 1831, 12.
- comptus** Phytonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 384.
- comptus** Platypalpus, F. Walker, Entom. Mag. IV (3) Jan. 1837, 228.
- comptum** Platyterma, F. Walker, Entom. Mag. II (4) Oct. 1834, 341.
- compta** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 292, Dec. 1845.

- comptus** Pompilus, Lapeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 425. [1834.]
- comptus** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 36.—Platyterma,
- comta** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 365.
- comta** Scatella, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 410.
- comtus** Spheniscus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 115.
- comtus** Spondylus, G. A. Goldfuss, Petref. German. II (5) 1836, 93.—Ostrea, 1833.
- comptus** Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 356.
- compta** Stenochia, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 565.
- comptus** Stenolophus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 215.
- compta** Stigmodera (Perty), Laporte & Gory, H. N. Coléopt. II. 1837, 62.—Buprestis.
- comta** Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 277.
- compta** Tellina, D. Solander, Catal. Portland Mus. 1786, 142 [*n. n.*].
- compta** Tellina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 253.
- comta** Terebratula, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 89.
- compta** Terebratula, G. B. Sowerby, L., P. E. de Strzelecki, Phys. descr. N. S. W. 1845,
- compta** Thallus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 238. [297.]
- compta** Venus, W. J. Broderip, Proc. Zool. Soc. London, III (27) June 1835, 43.
- compunctata** Venus, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 150.
- compunctor** Cryptus (L.), J. C. Fabricius, Syst. Piezat. 1804, 84.—Ichneumon, 1758.
- compunctor** Ephialtes (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 317.—Ichneumon, [Cryptus.]
- compunctor** Pimpla (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 131.—
- compunctor** Tryphon (L.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 130.—Ichneumon, 1758.
- compuncta** Anthomyia, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 80.
- compuncta** Aricia (Wied.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1457.—Anthomyia.
- computensis** Turritella, A. Risso, H. N. Europe, IV. 1826, 111.
- comtus -a -um** [ornamented] *v.* **comptus -a -um** [an ornament for the hair].
- comus** Epargyreus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—Papilio, 1782.
- comus** Murex, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 61.
- comyntas** Argus (God.), Boisduval & Leconte, Hist. lépidopt. Amér. sept. (13) 1837, 120.—Polyommatus. [Polyommatus.]
- comyntas** Lycaena (God.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 43.—
- comyntas** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 660.
- Cona** Schellenberg, Genres de Mouches, 1803, 66.—Dipt.
- conalifer** *v.* **canalifer**.
- Conalix** J. C. Jay, Catal. Shells, 1836, 63 [= Conoelix].
- Conarius** A. M. C. Duméril, Zool. Anal. 1806, 166.—G.
- conaxis** Strombodes, F. McCoy, Ann. Mag. N. H. (2) III. Jan. 1849, 10.
- conboschas** Anas, C. L. Brehm, Isis, 1830, 997 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- concamerata** Cardita, de Blainville, Dict. Sci. Nat. VII. 1817, 89. [1831, 865.]
- concameratum** Diphyphyllum (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 159.—Lithodendron.
- concamerata** Galathea, Duval, Rev. Zool. (Soc. Cuv.) III. July 1840, 211.
- concameratus** Harpedactylus, E. Hitchcock, Mem. Amer. Acad., n. s., III. 1848, 207.
- concamerata** Helix, W. Wood, Suppl. Index Test. 1828, 21 [*n. et f.*].
- concameratum** Lithodendron, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845, 599.
- concamerata** Lobatula (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 233.—Serpula.
- concamerata** Monodonta, W. Wood, Suppl. Index Test. 1828, 44.—Trochus, 1828.
- concamerata** Pholas, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 357.
- concamerata** Serpula, G. Montagu, Test. Brit. Suppl. 1808, 160.
- concameratus** Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
- concana** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 934.
- concatenatus** Amphacanthus, Cuvier & Valenc., H. N. Poiss. N. 1835, 127.
- concatenata** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 768.

- concatenata** Chrysomela (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 237.—Erotylus, 1787.
- concatenatus** Coluber, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 70.
- concatenatus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 362.
- concatenata** Marginaria, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 69.
- concatenatus** Murex, Lamarck, An. s. vert. VII. 1822, 176.
- concatenata** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 127.
- concatenata** Pleurotoma, Grateloup, Actes Soc. Linn. Bordeaux, V (30) 1832, 18.
- concatenatus** Pterichthys, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 829. [post May 1832, 204.—Murex.
- concatenata** Purpura (Lam.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2]
- concatinatus** Rhinesomus (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 324.—?Ostracion, 1785. [—Murex.
- concatenata** Ricinula (Lam.), L. Reeve, Conch. Icon. III.—Ricinula, no. 18, Aug. 1846.
- concatenata** Teuthis (C. & V.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1190.—Amphacanthus.
- concauirostris** Otorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
- concauospira** Planorbis, H. E. Anton, Verz. Conch. 1839, 50. [1843, 308.
- concaua** Acteonina (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 226.—Conus. [Euryocrinus.
- concausus** Actinocrinus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 156.—
- concausus** Ammonites, J. Sowerby, Min. Conch. I. 1815, 214.
- concaua** Ananchites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 386.
- concausus** Aphodius, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 214.
- concaua** Aplysia, G. B. Sowerby, II., Gen. Shells (39) 1833.
- concausus** Balanus, H. G. Bronn, Zschr. Min. 1827, II (1828), 544 [n. n.].
- concausus** Balanus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 635.
- concausus** Carinidea (Mart.), W. Swainson, Treat. Malacol., May 1840, 350.—? Trochus, Gm. 1790.
- concauum** Cerithium (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 358.—Potamides.
- concauum** Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 33.
- concausus** Conus, Lyell & Sowerby, Ann. Mag. N. H. VI. Dec. 1840, 296.
- concausus** Conus, Eudes-D., Mém. Soc. Linn. Norm. VII. 1842, 143.
- concaua** Cryptostoma, J. E. Gray, Figs. Moll. Anim. IV. 1850, 26.
- concaua** Delphinula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [n. n.]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 261.
- concaua** Diplognata, Gory & Percheron, Mon. Cétoines (1) 1833, 51; (4) 1834, 121.
- concaua** Discoidea, L. Agassiz, Cat. ect. Ech. 1840, 7; Mon. Ech. III. 1842, 70.
- concauum** Distoma, F. C. H. Creplin, Obs. de Entozois (1) 1825, 45.
- concausus** Echinus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 367.
- concausus** Ecnomaeus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 438.
- concaua** Entylia (Say), E. F. Germar, Revue Entom. I (4) c. Sept. 1833, 178.—Mem-
- concausus** Euryocrinus, J. Phillips, Geol. Yorksh. II. 1836, 205. [bracis.
- concaua** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) post Feb. 1850, 398.
- concaua** Gryphaea, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 98.
- concausus** Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 163.
- concaua** Helix, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 159.
- concausus** Holoctypus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 146.—Discoidea, 1840. [gnata.
- concaua** Hypselogenia (G. & P.), H. Burmeister, Gen. Ins. (6) 1840, no. 1.—Diplo-
- concaua** Ischnostoma (G. & P.), W. S. McLeay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 43.—Diplognata.
- concausus** Lixus, T. Say, Descr. N. Amer. Curcul., July 1831, 14.
- concaua** Mastopora, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 204.
- concaua** Membracis, T. Say in Keating, Exp. Peter River, II. 1824, 301; & ed. London, 1825 (App.), 42.
- concaua** Monas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 282.
- concaua** Monas (Mastichemonas), Duj.; C. M. Diesing, Syst. Helminth. I. 1850, 32.

- concavus** Nautilus, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 40.
concava Neritina, J. De C. Sowerby, Min. Conch. IV. 1823, 118.
concava Nucula, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 618.
concava Nummulites, DeFrance, Dict. Sci. Nat. XXXV. 1825, 225.
concava Orbitolites, Lamarck, Syst. Anim. 1801, 376.
concava Orbitolites (Lam.), DeFrance, Dict. Sci. Nat. XXXVI. 1825, 295.—Orbulites.
concava Orbulites, Lamarck, An. s. vert. II. 1816, 197.
concavum Pecten, G. Perry, Conchology, Ap. 1811, pl. 55.
concavus Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 90.
concavum Platyphyllum, T. W. Harris, Ency. Amer. VIII. 1831, 42; Treat. Ins. N. England, 1842, 128.
concava Pleurotomaria, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 246.
concava Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 112.
concavus Potamides, J. Sowerby, Min. Conch. IV. 1822, 50.
concavus Potamis (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1843] (16), 68.—Potamides.
concava Quinqueloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849].
concava Scaeva, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 89. [386.
concavus Sigaretus, Lamarck, An. s. vert. VI (2) 1822, 208.
concava Skenea (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 314.—Vermicularia.
concavus Syrphus (Say), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
concava Terebratula, Lamarck, An. s. vert. VI (1) 1819, 251. [130.—Scaeva.
concavus Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 113.
concavus Trochus, J. Sowerby, Min. Conch. II. 1817, 180.
concavus Trochus, J. Sowerby, Min. Conch. III. 1821, 127.
concava Turbinolia, Rafinesque & Clifford, Ann. gén. Sc. Phys. (Bruxelles) V. Aug.
concava Turritella, T. Say, J. Acad. Nat. Sci. Philad. V. Feb. 1826, 207. [1820, 235.
concava Turritella, J. De C. Sowerby, Min. Conch. VI. 1827, 126.
concava Vermetus (Say), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 11.—
concava Vermicularia, J. Sowerby, Min. Conch. I. 1814, 125. [Vermicularia.
concava Vermilia, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 241.
concelata Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 129.
concentralis Haematopota, F. Walker, List Dipt. Coll. B. M. (1) 1848, 207.
concentrice-costellata Modiola, C. F. Roemer, Texas, 1849, 403.
concentrice-punctatus Pecten, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 28.
concentricostata Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 279, Dec. 1845.
concentrico-striatus Avicula (McCoy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
 136.—Pecten.
concentrico-striatus Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 91.
concentrica Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 106, June 1849.
concentrica Acmaea, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 110.
concentrica Actinia, A. Risso, H. N. Europe, V. 1826, 286.
concentricus Ancyclus, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V.
concentrica Arca, G. v. Muenster, Beitr. zur Petref. (3) 1840, 54. [1835, 24.
concentrica Arca, G. v. Muenster, Beitr. zur Petref. (4) 1841, 82.
concentrica Arcopagia (Reuss), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 410.
 —Tellina. [Venus, Born, 1778.
concentrica Artemis (Gm.), T. A. Conrad, Amer. Marine Conch. (4) [? 1832], 55.—
concentrica Arthemis (Lam.), G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 13,
 pl. 20.—Cytherea.
concentrica Astarte, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post Sept. 1834, 133.
concentrica Astarte, G. A. Goldfuss, Petref. German. II (6) 1837, 195.
concentrica Astrea, DeFrance, Dict. Sci. Nat. XLII. 1826, 386.
concentrica Astrea, J. W. Vanckleve, P. Amer. Assoc. 1848 (1849), 22 [n. n.].
concentrica Athyris (Buch), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
 147.—Terebratula. [17.—Terebratula [non comp.].
concentrica Atrypa (Schloth.), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842,
concentrica Aucella (Fisch.), A. Keyserling, Wiss. Beob. Petschora, 1846, 300.—
 Inoceramus, Park.

- concentrica** Avicula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1835, 20 [*n. n.*].
- concentrica** Avicula (Fisch.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.
—Inoceramus, Park.
- concentricus** Belemnites, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 451 [*n. n.*].
- concentricum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 72, Dec. 1846.
- concentricus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 656, Feb. 1850.
- concentrica** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 594.
- concentricus** Capulus, C. G. Giebel, De Geogn. Hercyn. 1848, 28 [*n. n.*].
- concentrica** Cardiola, F. A. Roemer, Verst. Harzgeb. 1843, 24. [cula.
- concentrica** Cardiola (Buch), A. Keyserling, Wiss. Beob. Petschora, 1846, 253.—Orbi-
- concentrica** Cardiomorpha (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 81.—Cardiola.
- concentricum** Cardium, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 213.
- concentricum** Cardium, E. Forbes, Q. J. Geol. Soc. London, I. 1845, 408.
- concentricum** Cardium (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 79.—
Cardiola. [ceramus, Park.
- concentricus** Catillus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 166.—Ino-
- concentrica** Cellepora, H. Michelin, Icon. Zoophyt. (6) 1843, 73.
- concentrica** Ceromya (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 515 (508, French ed.).—Isocardia.
- concentricus** Chaetetes, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 160.
- concentrica** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—Melania.
- concentricus** Chiton, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 322.
- concentricus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 95, Mar. 1847.
- concentricus** Cimex, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 365.
- concentricus** Climacocercus (Ill.), J. Cahanis, Arch. f. Naturg. X (1) 1844, 265.—Falco.
? Licht. [—Rhynchaenus.
- concentricus** Conotrachelus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 457.
- concentrica** Crassatella, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 256.
- concentrica** Cucullaea, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 70.
- concentrica** Cucullaea (Münst.), H. G. Bronn, Index Pal. 1848, 356.—Arca (Cuc.).
- concentrica** Cyclas, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 604.
- concentricum** Cyclostoma, C. B. Adams, Contr. to conch. (1) Sept. 1849, 4.
- concentrica** Cypricardites, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841, 52.—Pterinea.
- concentrica** Cypridina, L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 18.
- concentrica** Cypris, W. Bean, Mag. Nat. Hist. IX. July 1836, 376.
- concentrica** Cythera (Gm.), Lamarck, An. s. vert. V. 1818, 573.—Venus, Born, 1778.
- concentrica** Cytherina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 105.
- concentricus** Dimeracanthus, A. Keyserling, Wiss. Beob. Petschora, 1846, 292^b.
- concentricus** Discolites, Denys de Montfort, Conch. I. 1808, 187.
- concentrica** Discopora, C. S. Rafinesque-S., Précis Som. 1814, 35.
- concentrica** Doris, Férussac, d'Orbigny & Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 14. [Venus, Born, 1778.
- concentrica** Dosinia (Born), G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 618.—
- concentrica** Emys, J. E. Gray, Syn. Rept. 1831, 27.
- concentrica** Escharina (Lamx.), H. M. Edwards in Lamarck. II. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 237.—? Flustra.
- concentricus** Falco, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 46 [*n. n.*].
- concentricus** Falco, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 6.
- concentrica** Flustra, J. V. F. Lamouroux, Hist. Polyp. 1816, 108.
- concentrica** Flustrella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 132. [506.
- concentricus** Francolinus, J. E. Gray in G. R. Gray, Genera of Birds, III. Jan. 1846,
- concentricus** Goniotauius (Zett.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 18.—Phryganea.

- concentrica** Gresslya, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (3) 1843, 213.
concentrica Helicina, L. Pfeiffer, *Proc. Zool. Soc. London*, XVI (187) Ap. 25, 1849,
concentrica Helix, Le Guillou, *Rev. Zool. (Soc. Cuv.)* V. May 1842, 139. [120.
concentricus Helminthochiton, J. W. Salter, *Q. J. Geol. Soc. London*, III. 1847, 52.
concentricum Infundibulum, H. C. Lea, *P. Amer. Phil. Soc.* III. 1843, 164 [*n. n.*]; *Tr.*
Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 249.
concentricus Inoceramus, J. Parkinson, *Tr. Geol. Soc. London*, V (1) 1819, 58.
concentrica Isocardia, J. De C. Sowerby, *Min. Conch.* V. 1825, 147.
concentrica Isocardia, A. v. Klipstein, *Beitr. geol. östl. Alpen* (2, 3) 1845, 260.
concentricus Leptolepis, P. de M. Grey Egerton, *Q. J. Geol. Soc. London*, V. 1849, 35.
concentrica Lingula, T. A. Conrad [3 A. Rep. N. Y. Geol. Surv.], *Assembl. no.* 275,
1839, 64.
concentrica Lingula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 223.
concentrica Linia, M. Tuomey, *Rep. Geol. Surv. Carolina*, 1848, 210 [*n. n.*].
concentrica Lucina, Lamarck, *Ann. Mus. H. N. (Paris)* VII (39) Feb. 1806, 238.
concentrica Lutraria, Muenster in G. A. Goldfuss, *Petref. German.* II (7) 1840, 258.
concentricus Lyriodon (Ag.), H. G. Bronn, *Index Pal.* 1848, 685.—Trigonia.
concentrica Malaclemys (Sh.), J. E. Gray, *Cat. Tortoises etc. Coll. B. M.* 1844, 28.—
Testudo. [373.
concentricus Megalodon, d'Archiac & de Verneuil, *Tr. Geol. Soc. London* [2] VI. 1842,
concentrica Melania, G. v. Muenster, *Beitr. zur Petref.* (4) 1841, 97. [Licht.
concentricus Micrastur (Ill.), G. R. Gray, *Genera of Birds*, I. June 1849, 28.—Falco,
concentrica Miliola, T. Brown, *Ill. Conch. G. B. I.* 1827, pl. i, f. 22 [*n. et f.*].
concentrica Mitra, L. Reeve, *Conch. Icon.* II.—Mitra, no. 128, Oct. 1844.
concentrica Modiola, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 197.
concentricus Mytilus, H. F. Link, *Beschr. Nat. Samml. Univ. Rostock* (4) 1807, 23.
concentricus Mytilus, Muenster in G. A. Goldfuss, *Petref. German.* II (6) 1837, 178.
concentrica Naticella, G. v. Muenster, *Beitr. zur Petref.* (4) 1841, 102.
concentricus Nisus (Ill.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 60.—Falco, Licht.
concentrica Nucula, T. Say, *J. Acad. Nat. Sci. Philad.* IV. Nov. 1824, 141.
concentrica Nucula, H. B. Geinitz, *Char. Schicht. säch.-böhm. Kreidegeb.* (2) 1840, 51.
concentrica Nucula, G. Fischer de W., *Bull. Soc. Imp. Nat. Moscou*, XVI. 1843 (1)
1843, 129. [248.
concentrica Nuculites, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VIII. *post* Ap. 1842,
concentrica Nuttania, A. Eaton, *Geol. Text Book*, ed. 2, 1832, 34.
concentrica Orbicula, L. v. Buch, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1830 (1832), 181.
concentrica Orbicula, L. G. de Koninck, *Descr. Anim. foss.* (7) June 1843, 307.
concentrica Orbicula, G. Fischer de W., *Bull. Soc. Imp. Nat. Moscou*, XVI. 1843 (1)
1843, 116. [151.—Orbicula.
concentrica Orbiculoidea (Kon.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850],
concentrica Orbita, T. Say, *J. Acad. Nat. Sci. Philad.* II. Mar. 1821, 73.
concentrica Orthis, G. v. Muenster, *Beitr. zur Petref.* (3) 1840, 79.
concentrica Orthis, G. v. Muenster, *Beitr. zur Petref.* (4) 1841, 65.
concentrica Ostrea, G. Fischer, *Mus. Démid.* III. 1807, 270.
concentrica Ostrea, S. Woodward, *Geol. Norf.* 1833, 48.
concentrica Ostrea, Muenster in G. A. Goldfuss, *Petref. German.* II (4) 1833, 21.
concentricus Patellites, G. Wahlenberg, *N. Acta Soc. Sci. Upsal.* VIII. 1821 [sep.
1819], 75.
concentricus Pecten, T. Say, *J. Acad. Nat. Sci. Philad.* II. Aug. 1822, 259.
concentricus Pecten, DeFrance, *Dict. Sci. Nat.* XXXVIII. 1825, 253.
concentricus Pecten, S. Woodward, *Geol. Norf.* 1833, 38. [43.
concentricus Pecten, F. C. L. Koch & Dunker, *B. z. K. d. Norddeutsch. Oolith.* 1837,
concentricus Pecten, F. McCoy in Griffith, *Not. foss. Mtn. Lst. Ireland*, 1842, 14 [*n. n.*].
concentricus Pecten, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 192.
concentricum Pentatoma (Burm.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.)*
III. 1840, 148.—Cimex.
concentrica Perdix, J. E. Gray, *Zool. Miscell. (Gray)* (1) Feb. 1831, 19.
concentrica Perdix, J. E. Gray, *Ill. Indian Zool.* I [1830-2] (pl. 53).

- concentrica** Pholadomya, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 130.
concentrica Phryganea, J. W. Zetterstedt, Ins. Lapp. descr. 1840, 1067.
concentricus Phyllolepis, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 195
 [*u. n.*]; Poiss. Foss. V. G. R. 61 & 67 (1844).
concentrica Plagiostoma, J. De C. Sowerby, Min. Conch. VI. 1827, 113.
concentrica Pleureterites, C. S. Rafinesque, Atlantic Journ. (4) 1832, 143.
concentrica Pleurotomaria, J. Phillips, Geol. Yorksh. II. 1836, 228.
concentrica Posidonomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 83.—Arca.
concentricus Productus, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 25.
concentrica Pterinea, T. A. Conrad [2 An. Rep. N. Y. Geol. Surv.], Assembl. no. 200,
concentricus Ptychodus, J. L. R. Agassiz, Poiss. Foss. III. 156 (1839). [1838, 116.
concentricus Rhynchaenus, A. G. Olivier, Entom. V. 1807, 207. [VI. 1830, 12.
concentrica Sciomyza, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt.
concentricus Spirifer (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.
 —Orthis. [—Terebratula.
concentrica Spirigera (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 98.
concentrica Spiroloculina (Brown), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 36.
concentricus Spondylus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 629. [Miliola.
concentrica Stromatopora, G. A. Goldfuss, Petref. German. I (1) 1826, 22.
concentrica Synastrea (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept.
 1849, 156.—Astrea.
concentrica Tellina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 200.
concentrica Tellina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 253.
concentrica Terebratula, H. G. Bronn, Zschr. Min. 1829, I. 77 [*u. n.*].
concentrica Terebratula, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
concentrica Testudo, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 43. [123.
concentrica Trigonía, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 20.
concentricus Trinucleus (Eat.), J. Hall, N. H. New York (Pal. I.) 1847, 249.—Nuttainia.
concentricus Trochilites, E. F. v. Schlotheim, Die Petref. 1820, 158.
concentrica Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 2, July 1847.
concentricus Turbo (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 192.
concentrica Venericardia, Lamarck, An. s. vert. V. 1818, 611. [—Naticella.
concentricus Venulites, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 79.
concentrica Venus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 72.
conceptionis Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 418.
conceptionis Pristipoma, Cuvier & Valenc., II. N. Poiss. V. 1830, 268.
conceptionis Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 246.
concha Autographa (Fab.), J. Huebner, Verz. bekannt. Schmett. [1825], 251.—Noctua.
concha Chrysoptera (Fabr.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)
 (Noct. 4, pt. 2) 66, 1829.—Noctua, 1787.
concha Mus, A. Smith, Rpt. Exp. C. Afr. 1836, 43.
concha Plusia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 89.—Noctua, 1787.
conchaceaeformis Cypris, E. Eichwald, Zool. Spec. II. 1830, 107.
conchacea Clio, J. R. Forster, Anim. mar. Aust. 1844, 29. [1758.
conchacea Cypris (L.), P. A. Latreille, Sonnini's Buffon, Ins. IV (1802), 246.—Monoculus,
conchalis Catoptria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 365.—Tinea
 conchella, 1775.
conchana Celypha, J. Huebner, Verz. bekannt. Schmett. 1826, 382.—Tortrix.
conchana Sericoris (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 148.—Tortrix.
conchana Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 17 (Fernaldo judice 1797)
 [*u. et f.*]. [Dodecaceria.
concharum Cirratulus (Orst.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 316.—
concharum Dodecaceria, A. S. Orsted, Annul. Dan. Consp. (1) 1843, 44.
concharum Hydrachna, Pfeiffer in K. E. v. Baer, N. A. Ac. Caes. Leop. Car. XIII (2)
 1827, 590 & 881.
concharum Phascolosoma, A. R. Orsted, Reg. Mar. 1844, 80.
conchatus Echinarachnius, J. McClelland, Calcutta Journ. Nat. Hist. I (2) July 1840, 181.

- Conchella** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 88 & 144.—Coel.
conchellus Chilo (Fab.), Zincken, Mag. Entom. (Germar) II. 1817, 74.—Tinea, D. & S.,
conchella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 365. [1775.
conchella Tetrachila, J. Huebner, Tentamen (me judice 1806), 2 [n. n.].
conchella Tinea, H. Lucas, H. N. Lépid. Europe (—) 1835, 211.
Conchia J. Huebner, Index exot. Lepid. 1821, 7.—Lep.
Conchia J. Huebner, Verz. bekannt. Schmett. 1826, 337.—Lep.
conchicola Actinia, F. S. Leuckart, Zool. Bruchst. II. 1841, 115.
conchicola Aspidogaster, K. E. v. Baer, N. A. Ac. Caes. Leop. Car. XIII (2) 1827, 544.
conchicola Dysmorphosa, R. A. Philippi, Arch. f. Naturg. VIII (1) 1842, 37.
Conchidium G. Wahlenberg (ex Linn.), N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
 63.—Br. [67.
conchidium Anomites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819].
conchidium Gypidia (Wahl.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 125.—
 Anomites. [II. Aug. 1845, 116.—Gypidia.
conchidium Pentamerus (Dalm.), E. de Verneuil in Murchison, V. & K., Geol. Russia,
conchyidium Spirifer (Dalm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 42.—
 Gypidia.
conchifer Zeus, R. T. Lowe, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 103 [n. n.].
conchylegus Amphitrites (Pall.), Denys de Montfort, Conch. II. 1810, 15.—Nereis, 1766.
conchylega Onuphis, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 61.
conchylega Pandocia (Müll.), J. Fleming, Phil. Zool. II. 1822, 151.—Ascidia, 1776.
conchilega Terebella (Pall.), Lamarck, An. s. vert. V. 1818, 353.—Nereis, 1766.
conchillita Sabella, G. D. Nardo (ex Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
conchinchinensis v. **cochinchinensis**. [105.
Conchiosaurus H. v. Meyer, Abh. Senckenb. Mus. I (1) 1833, 8.—R.
Conchites Schlaepfer, N. Alpina, I. 1821, 268.—L.
Conchlidium J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—G.
Conchoderma F. v. Olfers, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 177.—Cirr.
Conchodus F. McCoy, Ann. Mag. N. H. (2) II. Nov. 1848, 311.—P.
Conchoecia Dana, 1847; *teste* Marshall *sed non comp.*
Concho-Lepas D. Solander, Catal. Portland Mus. 1786, 186.—G.
Concholepas Lamarck, Syst. Anim. 1801, 69.—G.
conchonius Cyprinus, F. Hamilton, Fish. Ganges, 1822, 317. [Cyprinus.
conchonius [Systemus] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 286.—
Conchorhynchus H. D. de Blainville, Mém. Bélem. 1827, 115.—Ceph.
Conchotrypa J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 102.—Cirr.
conchotrypa Saxicava, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 52.
Conchula Herrmannsen, Ind. gen. Malac. (2) 1847, 291.—L.
Conchula J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 30.—G.
coneula Diabrotica, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 168.
Conchularia Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (14) July 1844, 224.
 —Inf. [Winter eggs of Alcyonella].
Conchulus C. S. Rafinesque, Analyse, 1815, 142.—G. [n. n.] = Concholepas, Lam.
conchylega v. **conchilega**.
Conchyliolithus Martin, Petref. Derb. 1809, pl. 6.—Moll.
conchyliophorus Phorus (Born), H. G. Bronn, Index Pal. 1848, 968.—Trochus, 1780.
conchyliophorus Trochilites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 413.
conchyliophorus Trochus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 242.
Conchyli[s] *emend. pro* Cochylis, Tr.; W. Soderovsky, Bull. Soc. Imp. Nat. Moscou, 1837
 (6) 1837, 93 & 99.
Conchylium G. Cuvier, R. Anim. II. 1817, 426.—G.
Conchyta Hupsch; G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 117. = Calceola.
conciliator Carabus, G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* Mai,
conciliator Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 77. [1822, 102.
conciliata Diabrotica, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 167.
concinnalis Crambus, Feisthamel, Magasin de Zool. (2) I. 1839, pl. 26. [29.
concinnalis Crambus, J. F. P. de Feisthamel, Voy. "Favorite" V (Zool. Suppl.), 1839,

- concinna** Chrysocestris, J. Huebner, *Zuträge z. Exot. Schmett.* I. 1818, 32.
concinna Chrysocestris, J. Huebner, *Verz. bekannt. Schmett.* 1826, 307.
concinna Dosithea, Duponchel in J. B. Godart, II. N. Lépid. France, Suppl. IV (Noct.) 1843, 19.
concinna Ichneumon, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 31 [*n. n.*].
concinna Ichneumon, J. F. Stephens, *Ill. Brit. Ent.* (Mand. VII.) Oct. 1835, 166.
concinna Archarias, Dejean, *Catal. Coléopt.* 1821, 86 [*n. n.*].
concinna Coccinella, F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* III (7) Feb. 1847, 177. [1824.
concinna Doria, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 263.—Tachina,
concinna Harpalyce, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 44 [*n. n.*].
concinna Metopia (Meig.), J. Macquart (Roret's Suite à Buffon), *Diptères*, II. 1835, 128.—Tachina. [1848, 152.
concinna Metridium, Drayton in J. D. Dana, Wilkes, U. S. Exped., *Zooph.*, c. Mar.
concinna Phidippus, C. G. Koch, *Die Arachniden*, XIII (4) Mar. 1846, 145.
concinna Phorocera (Meig.), J. Macquart, *Mém. Soc. R. Sci. Lille*, 1833, 1834, 280.
 —Tachina. [Harpalyce, 1829
concinna Polyphasia, J. F. Stephens, *Ill. Brit. Ent.* (Haust. III.) May 1831, 229.—
concinna Priopis, C. G. Sundevall, *Ofvers. K. Vet. Ac. Förh.* VII (5) 1850, 130.
concinna Tachina, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 412.
concinna Eudorea, J. Curtis, *Ann. Mag. N. H.* (2) V. Feb. 1850, 115.
concinna Lampronia, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 51 [*n. n.*]; & *Ill.*
Brit. Ent. (Haust. IV.) Jan. 1835, 361. [41] [*n. et f.*].
concinna Tinea, J. Huebner, *Europ. Schmett.*, Tab. Tinea, 71 (Fernaldo judice 1835—
concinna Rhynchonella, A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 315.
concinna Anthophila, Boisdaval, *Gen. Index Europ. Lepid.* 1840, 174.
concinna Corticaria, C. G. Mannerheim in *German. Zeitschr. f. d. Entom.* V. 1844, 27.
concinna Micra (Boisd.), A. Guénée, *Ann. Soc. Ent. France*, X (3) Nov. 1841, 225.—
 Anthophila.
concinna Achatina, Sow.; L. Pfeiffer, *Symb. Helic.* II. 1842, 58.
concinna Aeonis (Dalm.), H. Burmeister, *Organ. d. Trilobit.* 1843, 117.—Calymene.
concinna Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), *Hyménopt.* IV. 1846,
concinna Agrion, P. Rambur (Roret's Suite à Buffon), *Névroptères*, 1842, 270. [499.
concinna Aleochara, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 21 [*n. n.*]; & *Ill.*
Brit. Ent. (Mand. V.) Ap. 1832, 141.
concinna Altica (Fab.), A. G. Olivier, *Entom.* VI. 1808, 679.—Galleruca.
concinna Alysia, J. Curtis, *Guide Brit. Ins.* (4) 1829–30, 106 [*n. n.*].
concinna Amara, C. Zimmerman, *Faunus*, I (1) 1832, 32.
concinna Amathus, J. F. Stephens, *Nom. Brit. Ins.*, ed. 2, July 1833, 119 [*n. n.*].
concinna Ammonites, J. Phillips, *Geol. Yorksh.* I. 1829, 123 [*n. et f.*].
concinna Amomphus, H. C. Kuester, *Käfer Europas*, XVIII. 1849, 77.
concinna Ampedus, E. F. Germar (*ex Dej.* Cat.), *Zeitschr. f. d. Entom.* V. 1844, 170.
concinna Anagrus, F. Walker (*ex Haliday MS*), *Ann. Mag. N. H.* XVIII., July 1846,
 51 [*n. n.*].
concinna Anchonoderus, L. Reiche, *Rev. Zool. (Soc. Cuv.)* VI. Feb. 1843, 39.
concinna Anisodactylus, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 70.
concinna Anomala, H. Burmeister, *Handb. Ent.* IV (1) 1844, 279.
concinna Anthaxia, A. J. J. Solier, *Ann. Soc. Ent. France*, II (2) c. July 1837, 298.
concinna Anthaxia, Gory & Percheron, II. N. Ins. Coléopt. II (Anthaxia) 1839, 3.
concinna Anthicus, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.*
 (7) 1849, 14 ["Mon. Anth." *poster. edit.*].
concinna Anthrax, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* II. 1820, 147.
concinna Antichira, [E. Blanchard], *Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.* I (2)
 1850 (*incunte* 1851), 204.
concinna Aphrodes, J. Curtis, *Guide Brit. Ins.* (7) 1831, 193 [*n. n.*].
concinna Aphrodes, J. Curtis, *Brit. Entom.* XIV (158) Feb. 1837, no. 633.
concinna Apocryptus, G. R. Waterhouse, *Ann. Mag. N. H.* XI. Ap. 1843, 253.
concinna Arca, G. B. Sowerby, I., *Proc. Zool. Soc. London*, I (1–3) May 1833, 20.

- concinna** Arca (Ph.), G. A. Goldfuss, Petref. German. II (6) 1837, 148.—Cucullaea.
- concinna** Arca (Buch), A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 462.—Cucullaea.
- concinna** Arpactus, Lepeletier, Ann. Soc. Ent. France, I. 1832, 79.
- concinna** Asaphus (Dalm.), H. F. Emmrich, De Trilobitis, 1839, 35.—Calymene.
- concinna** Astarte, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- concinna** Asteia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 90.
- concinna** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 64.
- concinna** Atrypa, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 200.
- concinna** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 164. [bezitt., Zool. (Ins.) 1842, 50.]
- concinna** Blatta (Periplaneta), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- concinna** Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 339.
- concinna** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 434.
- concinna** Buccinum, L. W. Dillwyn, Catal. Shells, 1817, 647.
- concinna** Buccinum, C. B. Adams Proc. Boston Soc. N. H. II. 1848 (1845), 2.
- concinna** Bulla, S. V. Wood, Mag. Nat. Hist., n. s., III. Sept. 1839, 463.
- concinna** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 593.
- concinna** Calymene, J. W. Dalman, K. Vet. Ac. Handl. 1826 (2) 1827, 234.
- concinna** Cancellaria, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 538 [n. n.].
- concinna** Capsus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [n. n.]; & Syst. Cat. Brit. Ins., Aug. 1829, 345. [—Unio.]
- concinna** Cardinia (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1841, 274.
- concinna** Cardium, L. v. Buch, N. Jahrb. f. Min. 1844, 537.
- concinna** Catergus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 400.
- concinna** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 87.
- concinna** Ceratodus, Plieninger in v. Meyer & P., Beitr. Pal. Württ. 1844, 86.
- concinna** Ceratopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 77.
- concinna** CERCERIS, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 90.
- concinna** Cercyon (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 149. [Heteropora.]
- concinna** Ceriopora (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 278.—
- concinna** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 531. [327.—Chrysomela.]
- concinna** Chaetocnema (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831,
- concinna** Chiton, G. B. Sowerby, II., Mag. Nat. Hist., n. s., IV. June 1840, 293.
- concinna** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 196.
- concinna** Chrysomela, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18 [n. n.]; Syst. Cat. Brit. Ins., Aug. 1829, 221 [n. n.].
- concinna** Chrysotus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 489.
- concinna** Cicada, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 98.
- concinna** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 218.
- concinna** Cingula, C. B. Adams, Contr. to conch. (5) Feb. 1850, 70.
- concinna** Cis (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Ptinus.
- concinna** Clemmys (Le Conte), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—Testudo.
- concinna** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 186.
- concinna** Cnemidium, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 292.
- concinna** Columbella, G. B. Sowerby, II., Gen. Shells (9) 1822.
- concinna** Conus, J. Sowerby, Min. Conch. III. 1821, 180.
- concinna** Conus, W. J. Broderip, Proc. Zool. Soc. London, I (4) May 1833, 53.
- concinna** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 102.
- concinna** Corisa, F. X. Fieber, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 522.
- concinna** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1006.
- concinna** Crassatella, E. Eichwald, Nat. Lithuaen, 1830, 206. [200.]
- concinna** Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- concinna** Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 137 & 140 [n. et f.].
- concinna** Cucullaea, L. v. Buch, Arch. f. Min. XV. 1840, 101 [n. n.].

- concinna** Cucullaea, Buch; C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2)
- concinus** Culex, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51 [*n. n.*]. [1847, 425.]
- concinus** Culex, J. F. Stephens, Ill. Brit. Ent. (Suppl.) Aug. 1846, 19.
- concinus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 248. [*n. et f.*].
- concinna** Cyclas, J. De C. Sowerby, Edinburgh New Phil. Journ., Oct. 1829, 297
- concinnum** Ciclostoma, A. Scacchi, Cat. Conch. Neap. 1836, 15. [134.]
- concinnum** Ciclostoma, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 102 &
- concinna** Cylindrophora (Germ.), A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 504.—
Anthaxia.
- concinna** Cypricardia, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 59.
- concinna** Cypricardia (McCoy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.
—Modiola.
- concinna** Cythera, G. B. Sowerby, I., Proc. Zool. Soc. London, III (26) Ap. 1835, 23.
- concinus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 74.
- concinna** Diapromphora, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 231.
- concinnum** Diphyphyllum, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug.
1845, 624.
- concinna** Discopeltis, H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845, 406.
- concinna** Dromicia, J. Gould, Proc. Zool. Soc. London, XIII (143) Ap. 1845, 2.
- concinus** Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 427.
- concinna** Emys (Lec.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May
1835, 289.—Testudo. [1845, 486.]
- concinus** Entomericus [*i.e.* Entomosericus], A. G. Dahlbom, Hymenopt. Europaea (2)
- concinna** Eolis, J. Alder & A. Hancock, Ann. Mag. N. H. XII. Oct. 1843, 234.
- concinna** Eurytoma, C. H. Boheman, K. Vet. Ac. Handl. 1835 (1836), 225.
- concinna** Falagria, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 51.
- concinna** Feronia (Sturm), Dejean, Spec. gén. Coléopt. III. 1828, 293.—Molops.
- concinna** Fissurella, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 143.
- concinna** Frondicularia, F. C. L. Koch, Palaeontographica, I (4) May 1848, 172.
- concinna** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 499.
- concinna** Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- concinus** Gasterosteus, J. Richardson, F. Bor.-Amer. (3) 1836, 57.
- concinus** Geraitos (Dalm.), Goldfuss, N. Jahrb. f. Min. 1843, 558.—Calymene.
- concinna** Glenea, E. Newman, Entomologist (19) May 1842, 301.
- concinna** Globigerina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 373.
- concinna** Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 91.
- concinus** Gorytes (Rossi), P. L. van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 94.
—Spheg, 1790. [bezitt., Zool. (Ins.) 1842, 231.]
- concinus** Gryllus (Eneoptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- concinus** Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 749.
- concinus** Gyrinus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. d.
- concinna** Haemaphysalis, C. L. Koch, Arch. f. Naturg. X (1) 1844, 237.
- concinus** Halictus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 88.
- concinna** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 66, July 1846.
- concinna** Halmaturus (Gould), H. R. Schinz, Syst. Verz. Säug. I. 1844, 565.—Petrogale.
- concinna** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—Galleruca.
- concinna** Haltica (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Chryso-
- concinna** Halys, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 23. [mela.]
- concinus** Harpactes (Rossi), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 149.—
Spheg, 1790.
- concinus** Harpacticus, J. D. Dana, P. Amer. Ac. I. 1848, 152.
- concinus** Harpalus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 156.
- concinna** Harpula, W. Swainson, Treat. Malacol., May 1840, 318.
- concinna** Helix, J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 336.
- concinna** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (97) Sept. 1841, 20.
- concinus** Hemerobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill.
Brit. Ent. (Mand. VI.) June 1836, 106.
- concinna** Heteropora, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 24.

- concinnus** Hybodius, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 115 [*n. n.*].
concinnus Hydroporus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 16 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 392.
concinna Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 246.
concinnus Ichneumon, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1829, 68.
concinnus Ichneumon, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 348.
concinna Idia (Germ.), H. Loew, Entom. Zeitung, Stettin, V (1) Jan. 1844, 20.—Musca.
concinna Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 274. [1791.
concinnus Lathamus (Shaw), R. P. Lesson, Traité Ornith. (3) July 1830, 206.—Psittacus,
concinnus Lathridius, Schueppel in Germar, Zeitschr. f. d. Entom. V. 1844, 88.
concinna Lebia, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 17. [192.
concinna Lebia, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
concinnus Leiosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 318.
concinna Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 530.
concinna Leptaena (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (24, 25) 1845, 124.—
Productus. [Orthis.
concinna Leptaena (Morris), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 90.—
concinna Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 120.
concinna Lima, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 87.
concinna Lima, W. Dunker, Palaeontographica, I (6) July 1851, 292.
concinna Littorina, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 155.
concinna Lophura (Cuv.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
Syn. 61.—Physignathus cocincinus. [Cypricardia.
concinna Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
concinnus Lyridon (Roem.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia.
concinna Lytta, F. Klug (*ex Dej.* lit.), Insect. Doublet. Z. M. Berlin, 1829, 5.
concinnus Macropus (Heteropus) (Gould), G. R. Waterhouse, Nat. Hist. Mamm. I.
1846, 177.—Petrogale.
concinna Mantis, M. Perty, Del. anim. artic. Brasil. (2) 1832, 117.
concinna Megilla, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *i*.
concinna Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 14.
concinna Mellisuga, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 247.
concinnus Meroporus (Walk.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.)
III. 1840, 270.—Metastenus.
concinnus Metaporus, F. Walker, Entom. Mag. II (3) July 1834, 302.
concinnus Metastenus, F. Walker, Entom. Mag. II. (3) July 1834, 302. [611.
concinna Michelinia, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845,
concinnum Microtherium, H. v. Meyer, N. Jahrb. f. Min. 1843, 386.
concinna Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 203, Dec. 1844.
concinna Modiola, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 74.
concinnus Molops, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 175.
concinna Montagua (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis.
concinnus Murex, L. Reeve, Conch. Icon. III.—Murex, no. 104, Aug. 1845.
concinna Musca, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 195.
concinna Musca, Wiedemann in E. F. Germar, Fauna Ins. Europ. (10) 1825, 21.
concinna Mutilla, J. O. Westwood, Arcana Entom. II (14) July 1843, 19.
concinnus Mydas, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 186.
concinna Myiagra, J. Gould, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 221.
concinna Nassa, W. L. Powys, Proc. Zool. Soc. London, III (30) Sept. 1835, 95.
concinna Naticopsis, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 13.
concinnus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 48.
concinna Neaera, R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 77.
concinnus Nemadactylus, J. Richardson, Proc. Zool. Soc. London, VII (78) Nov. 1839, 97.
concinna Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 11 (Fernaldo judice
1802) [*n. cf.*]. [VI. 1836, 16.
concinnus Nosophloeus, H. Dupont (*ex Dej.* Cat.), Mon. Trachyd. in Magasin de Zool.
concinna Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. cf.*].

- concinna** Nucula, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 699.
- concinna** Oedipoda, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 730. [Ilinus.]
- concinnum** Omalium (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Staphy-
- concinuus** Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 508.
- concinuus** Oniticellus, J. Gené, Mem. R. Acc. Sci. Torino, XXXIX. 1838, 185.
- concinuus** Ontophagus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 87. [Microtherium.]
- concinnum** Oplotherium (Meyer), C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 165.—
- concinna** Orthos, J. Morris & D. Sharpe, Q. J. Geol. Soc. London, II. 1846, 275.
- concinuus** Oryttus (Lep.), M. Spinola, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. xxiii.—Arpactus. [573.]
- concinuus** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
- concinnum** Ovulum, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 22.
- concinuus** Oxybelus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 264.
- concinuus** Pachyodon (Sow.), S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 485.—Unio. [70.]
- concinuus** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. X (62) Sept. 1842,
- concinna** Paludina (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 316.—Vivipara.
- concinuus** Pecten, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 42.
- concinuus** Pectunculus, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 55.
- concinna** Pentatoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*].
- concinna** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 39.
- concinuus** Peryphus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 12.
- concinna** Petricola, G. B. Sowerby, I., Proc. Zool. Soc. London, II (18) Sept. 1834, 46.
- concinna** Petrogaea, J. Gould, Proc. Zool. Soc. London, X (112) Nov. 1842, 57.
- concinna** Phaedon, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 334.—Chryso-
- mela, 1829. [1846, 314.—Dromicia.]
- concinna** Phalangista (Dromicia), Gould; G. R. Waterhouse, Nat. Hist. Mamm. I.
- concinna** Phasianella, C. B. Adams, Contr. to conch. (5) Feb. 1850, 69.
- concinuus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- concinna** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 118.
- concinna** Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 221. [363.]
- concinuus** Phytomomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- concinna** Plectroscelis (Marsh.), H. C. Kuester, Käfer Europas, IX. 1847, 88.—Chryso-
- concinna** Pleurotoma, A. Scacchi, Cat. Conch. Neap. 1836, 12. [mela.]
- concinna** Pleurotomaria, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 164.
- concinuus** Poecilosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.
- concinuus** Pollicipes, J. Morris, Ann. Mag. N. H. XV. Jan. 1845, 30.
- concinuus** Polycentropus, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 178.—Amathus, 1833.
- concinuus** Pompilus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 444.
- concinuus** Productus, J. Sowerby, Min. Conch. IV. 1821, 16. [Cardium.]
- concinnum** Protocardia (Buch), E. Beyrich, Zeitschr. f. Malakozool., Feb. 1845, 18.—
- concinuus** Psittacus, G. Cuvier, Règne Anim., ed. 2, I. 1829, 463.
- concinna** Psychoda, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 241.
- concinuus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 16.
- concinuus** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 87. [384.]
- concinna** Quinqueloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849],
- concinna** Rhynchonella (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 315.—Terebratula.
- concinna** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 35, Sept. 1846.
- concinna** Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
- concinna** Sangaris, J. W. Dalman, Anal. Entom. 1823, 71.
- concinuus** Saprinus, Mannerheim in Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 449.

- concinna* Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844,
concinus Scorpius, C. L. Koch, Die Arachniden, III (6) *ante* May 1837, 105. [28.
concinna Sepsis, F. Walker, Entom. Mag. I (3) Ap. 1833, 249.
concinus Sibynes, Fahræus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 324.
concinna Siphonaria, G. B. Sowerby, II., Gen. Shells (21) 1823.
concinus Sorex, J. G. Wagler, Isis (Oken), 1832, 54. [—Cnemidium.
concinna Sparsispongia (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 209.
concinus Sphaeromyas (Meig.), A. II. Haliday, Entom. Mag. I (2) Jan. 1833, 152.—
concinus Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 21. [Ceratopogon.
concinus Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 510.
concinus Stenolophus, Dejean, Spec. gén. Coléopt. IV. 1829, 430. [386.—Astraea.
concinna Stephanocoenia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
concinus Steropus, Sturm; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*]. [140.
concinus Stigmatrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840,
concinna Stomatella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1845), 26.
concinna Stratiomys, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 137.
concinna Synastrea (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept.
 1849, 155.—Astræa. [1822, 321.
concinus Syrphus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III.
concinna Tachyusa, Imhoff in O. Heer, Coleopt. Helvet. (2) 1839, 345.
concinus Tanypus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
concinna Tellina, R. A. Philippi, Abb. Conch. I (5) 1844, 123.
concinna Tellina, F. E. Edwards, London Geol. Journ. (2) 1847, 48.
concinna Terebra (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
 X. Nov. 1844, 259.—Buccinum.
concinna Terebratula, J. Sowerby, Min. Conch. I. 1815, 192. [Testudo.
concinna Terrapene (Lec.), C. L. Bonaparte, Ann. Stor. Nat. IV (12) 1830, 370.—
concinna Testudo, J. Le Conte, Ann. Lyceum N. H. New York, III (3 & 4) Feb.
concinna Tettigonia, E. F. Germar, Fauna Ins. Europ. (14) [1829–31], 12. [1830, 106.
concinna Tettigonia, M. Perty, Del. anim. artic. Brasil. (3) 1833, 180.
concinna Textularia, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 109.
concinna Thalassites (Sow.), F. A. Quenstedt, Floezgeb. Wuertemberg. 1843, 145.—Unio.
concinna Theba, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12 [*n. n.*].
concinnum Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 535.
concinna Tingis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*].
concinus Tinodes, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
concinus Trichoglossus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
 1826, 130.—Psittacus. [292.—Psittacus.
concinus Trichoglossus (Sh.), Vigers & Horsfield, Tr. Linn. Soc. London, XV (1) 1826,
concinna Trigonía, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 35.
concinna Trigonotoma, F. L. de Laporte, Etudes Entom. (1) 1834, 77.
concinna Trigonotoma, E. Desmarest (*ex* Buquet MS) in Vaillant, Voy. "Bonite," Zool.
 I. 1842, 297.
concinus Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 20.
concinus Triton, L. Reeve, Conch. Icon. II.—Triton, no. 87, June 1844.
concinus Trochus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 81.
concinus Trochus, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 105.
concinus Trox, W. F. Erichson (*ex* Dej. Cat.), Nat. Ins. Deutschl. I. 3 (6) 1848, 932.
concinus Turbo, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 157.
concinus Turbo, F. McCoy in Griffith, Syn. Silurian foss. Ireland, 1846, 12.
concinus Turbo, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 99.
concinus Turbo (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 354.—
concinus Unio, J. Sowerby, Min. Conch. III. 1819, 43. [Littorina.
concinus Vermetus, J. De C. Sowerby, Min. Conch. VI. 1828, 195.
concinna Vivipara, J. Sowerby, Min. Conch. I. 1813, 80.
concinna Voluta, W. J. Broderip, Proc. Zool. Soc. London, IV (40) July 1836, 43.
concinna Volvaria, G. B. Sowerby, II., Gen. Shells (5) 1821.
concinus Xylodromus (Marsh.), O. Heer, Coleopt. Helvet. (3) 1841, 567.—Staphylinus.

- concinna** Zygaena, J. W. Dalman, Anal. Entom. 1823, 49.
- concinna** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 346.
- concinna** Cerithium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 245; Rep. trav. Soc. stat. Marseille, VI. 317.
- concinna** Cyliodrella, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 12.
- concinna** Helix, W. Wood (*ex Fér.*), Suppl. Index Test. 1828, 23 [*n. el.*].
- concinna** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 488.
- concinna** Succinea, A. Morelet, Rev. Zool. (Soc. Cuv.) XI. Dec. 1848, 351.
- concolor** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. II. N. Paris, Coléopt. I (2) 1850.
- concolor** Adorium, J. C. Fabricius, Syst. Eleuth. I. 1801, 410. [*incunte* 1851], 232.
- concolor** Allorhina (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 252.—[Gymnetis].
- concolor** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 254.—Bassus, 1812.
- concolor** Amara, Olivier in Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
- concolor** Ammocoetes, J. P. Kirtland, Boston Journ. N. H. III (4) 1840, 473.
- concolor** Amphophila, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 92.
- concolor** Amphicrossus, J. L. Leconte in Agassiz, Lake Superior, 1850, 223.
- concolor** Arctomys (Temm.), J. B. Fischer, Syn. Mamm. 1829, 347.—Spermophilus.
- concolor** Ardea (Blyth), G. R. Gray, Genera of Birds, III. App. 1849, 25.—Demigretta.
- concolor** Baecora (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 4.—
- concolor** Barypenthus, H. Burmeister, Handb. Ent. II (2) ii, 1839, 929. [Scaphidium.
- concolor** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 213.
- concolor** Bembidium (Loph.), A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 58.
- concolor** Blatta, J. J. Hagenbach, Symb. Faun. Ins. Helvet. 1822, 22.
- concolor** Brachopsis, W. W. Saunders, The Zoologist, VIII. 1850, 2974.
- concolor** Brachycentrus, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 182.—
- concolor** Philopotamus, 1829.
- concolor** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 328.
- concolor** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*].
- concolor** Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiv.
- concolor** Byrrhus, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 109.
- concolor** Byrrhus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 117.
- concolor** Caelorrhina, F. W. Hope (*ex Burm.* MS), Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 302.
- concolor** Callimorpha, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 208.
- concolor** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 338.
- concolor** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 329.
- concolor** Cephaloxys, F. Walker, List Homopt. Coll. B. M. (1) 1850, 235. [1849, 55.
- concolor** Cerapterus (Orthopterus), J. O. Westwood, Proc. Linn. Soc. London (41) Dec.
- concolor** Charopus (Fab.), W. F. Erichson, Entomographien, 1840, 121.—Malachius.
- concolor** Chizaerhis, A. Smith, Ill. Zool. S. Afr. (Aves), pl. ii, 1838.—Coliphimus, 1836.
- concolor** Chondrus, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 401.
- concolor** Choristodon, A. Smith, Ill. Zool. S. Afr. (Rept.) App. p. 18, 1849.
- concolor** Cinnyrus, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 99.
- concolor** Citillus (Temm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 116.—
- concolor** Clytra, A. G. Olivier, Entom. VI. 1808, 871. [Spermophilus.
- concolor** Cocalus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 180.
- concolor** Coliphimus, A. Smith, Rpt. Exp. C. Afr. 1836, 54.
- concolor** Corythaix, A. Smith, S. African Quart. Journ. II., no. 1 (2) Dec. 1833, 48.
- concolor** Corythaixoides, A. Smith, S. African Quart. Journ. II., no. 1 (2) Dec. 1833, 48.
- concolor** Crioceris, T. Marsham, Coleopt. Brit., Sept. 1802, 226. [—Corythaix, 1833.
- concolor** Cryptocephalus, E. Suffrian, Linnaea Entom. II. July 1847, 127.
- concolor** Cryptophagus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 112.
- concolor** Cryptophagus, F. Maerkel in Germar, Zeitschr. f. d. Entom. V. 1844, 244.
- concolor** Ctenus (Perty), C. L. Koch, Die Arachniden, XV (3) July 1847, 59.—Dolomedes.
- concolor** Culex, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 405.
- concolor** Cupes, J. O. Westwood, Zool. Journ. V (20) 1832—34 [*post* Ap. 1835], 440.
- concolor** Curtonevra (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 277.—Muscina.

- concolor Cyanocorax, J. Cassin, Proc. Acad. Nat. Sci. Philad. IV (1) Feb. 1848, 26.
 concolor Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 50.
 concolor Cypselus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 886.
 concolor Damaeus, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 6.
 concolor Demigretta, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 372.
 concolor Dexia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 428 [*n. n.*].
 concolor Diactor, Herrich-S., Wanzenart. Ins. VI (3) May 1841, 54.
 concolor Dicaeum, T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 227.
 concolor Diopsis, J. O. Westwood, Tr. Linn. Soc. London, XVII (2) 1835, 305.
 concolor Dolomedes, M. Perty, Del. anim. artic. Brasil. (3) 1833, 197.—Ar.
 concolor Drilus, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 13.
 concolor Dytilus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 70.
 concolor Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 849.
 concolor Erinaceus, W. Martin, Proc. Zool. Soc. London, V (58) May 1838, 103.
 concolor Falco, C. J. Temminck in T. & Laugier, Pls. color. (56) Mar. 1825.
 concolor Galidia, I. Geoffroy, Magasin de Zool. (2) I. 1839, pl. 15.
 concolor Gamasus, C. L. Koch, Deutsch. Crust., heft 25, 1839, tab. 1.
 concolor Geophilus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 320. [Nebrius.]
 concolor Ginglymostoma (Ruepp.), Joh. Mueller & Henle, Syst. Plagiost. (1) 1838, 22.—
 concolor Glypta, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 121.
 concolor Gonyostomus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 53 [*n. n.*].
 concolor Gymnetis, Gory & Percheron, Mon. Cétoines (2) 1834, 70; (13) 1836, 332.
 concolor Gymnomuraena (Ruepp.), J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 217.—Uropterygius. [290.—Clythra, 1798.]
 concolor Gynandrophthalma (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
 concolor Helicella, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.
 concolor Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
 concolor Hesperomys, A. Wagner, Arch. f. Naturg. XI (1) 1845, 147. [44 [*n. n.*].]
 concolor Hilarianus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 170.
 concolor Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 151 [*n. n.*].
 concolor Hirundo, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 83.
 concolor Hirundo, J. Gould, Proc. Zool. Soc. London, V (50) Nov. 1837, 22.
 concolor Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 126.
 concolor Hydraena, G. R. Waterhouse, Entom. Mag. I (3) Ap. 1833, 293.
 concolor Hylobates (Harl.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 79.—Simia.
 concolor Hypotriorchis (Temm.), G. R. Gray, Genera of Birds, I. Nov. 1844, 20.—Falco.
 concolor Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 85.
 concolor Ixalus, E. Hallowell, Proc. Acad. Nat. Sci. Philad. II (3) June 1844, 60.
 concolor Lamprosoma (Sturm), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 631.—Byrrhus.
 concolor Lampyrus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 27.
 concolor Lathrobium, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
 concolor Leopardus (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 41.—Felis, 1771.
 concolor Linyphia, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 261.
 concolor Liogenys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 167.
 concolor Liparetrus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 169.
 concolor Lutra, C. S. Rafinesque, Atlantic Journ. (2) 1832, 62.
 concolor Macrarthrus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (5) 1849, 8 ["Mon. Anth." *poster. edit.*].
 concolor Malachus, J. C. Fabricius, Syst. Eleuth. I. 1801, 310.
 concolor Malthinus, J. F. Stephens (ex Kirby MS), Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 310.
 concolor Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 253.
 concolor Meroe, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*].

- concolor** Mimela, [E. Blanchard], Cat. Coll. Ent. Mus. II. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 196.
- concolor** Miscophus, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 236.
- concolor** Morellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 406.
- concolor** Muscina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- concolor** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 102. [1830, 408.]
- concolor** Mystacides, H. Burmeister, Handb. Ent. II (2) ii, 1839, 919.
- concolor** Nebria, Bon. in Dejean, Catal. Coléopt. 1821, 7 [*n. n.*].
- concolor** Nebrius, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 62.
- concolor** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 243.—concolorina, 1802.
- concolor** Notiphila, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 216.
- concolor** Ocalea, Kiesenwetter in H. C. Kuester, Käfer Europas, VIII. 1847, 46.
- concolor** Oedemera, Sturm; Dejean, Catal. Coléopt. 1821, 77 [*n. n.*]. [Byrrhus.]
- concolor** Oomorphus (Sturm), J. Curtis, Brit. Entom. VIII (87) Mar. 1831, no. 347.—
- concolor** Paludina, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 109.
- concolor** Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 14.
- concolor** Pantodactylus, J. J. v. Tschudi, Arch. f. Naturg. XIII (1) 1847, 49.
- concolor** Passandra, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 205.
- concolor** Passer (Jerd.), G. R. Gray, Genera of Birds, II. June 1849, 373.—Pyrgita.
- concolor** Pemphredon, T. Say in Keating, Exp. Peter River, II. 1824, 339; & ed. London, 1825 (App.), 72.
- concolor** Pentharia (Cass.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 448.—Vidua.
- concolor** Peryphus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 54.
- concolor** Phasianella, C. B. Adams, Contr. to conch. (4) Jan. 1850, 68.
- concolor** Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
- concolor** Phoca, J. E. De Kay, N. H. New York (Mamm.) 1842, 53.
- concolor** Physa, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (3) July 1841 [3].
- concolor** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 97.
- concolor** Pleomorpha, W. W. Saunders, Ann. Mag. Nat. Hist. XIX (123) Jan. 1847, 61.
- concolor** Pnoepyga (Tesia), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- concolor** Pogonocerus, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 375.
- concolor** Polycentropus, H. Burmeister, Handb. Ent. II (2) ii, 1839, 914.
- concolor** Popillia, F. L. de Laporte in Brullé, H. N. Anim. art. (Coléopt.) II. 1840, 138.
- concolor** Procyon, G. Fischer, Zoogn., ed. 3, III. 1814, 178.
- concolor** Promecoderus, E. F. Germar, Linnaea Entom. III. Apr. 1848, 168.
- concolor** Psen, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 6.
- concolor** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 28.
- concolor** Pterostichus, J. Sturm, Catal. Ins. Samml. 1826, 188 [*n. n.*].
- concolor** Pupa, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18.
- concolor** Pyrgita, T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 28.
- concolor** Rallus, P. H. Gosse, Birds of Jamaica, 1847, 369. [Stenoderus.]
- concolor** Rhagiomorpha (MacL.), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 21.—
- concolor** Rhynchodon (Temm.), C. L. Nitzsch, Syst. Pterylogr. 1840, 78.—Falco.
- concolor** Scaphidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 576. [thaixoides.]
- concolor** Schizorhis (A. Smith), G. R. Gray, Genera of Birds, II. June 1845, 395.—Cory-
- concolor** Scolia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 432.
- concolor** Scolopendra, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 394.
- concolor** Senometopia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille. 1833, 1834, 297.—Sturmia.
- concolor** Simia, R. Harlan, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 231.
- concolor** Simplicaria (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 139.
- concolor** Sorex, A. Smith, Rpt. Exp. C. Afr. 1836, 43. [—Byrrhus.]
- concolor** Sperophilus, C. J. Temminck, Mon. Mamm. I. 1824, 27.
- concolor** Sperophilus, I. Geoffroy in C. Bélanger, Voy. Indes Orient. (2) Mar. 1831, 151.
- concolor** Sperophilus (Fisch.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 529.—Arctomys.
- concolor** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 498.
- concolor** Staphylinus, Ziegler; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].

- concolor** Stenoderus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 452.
- concolor** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 444.
- concolor** Stizus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 392.
- concolor** Strongylosoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 117. [1830, 172.]
- concolor** Sturmia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- concolor** Sylvia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 20.
- concolor** Syromaster, E. F. Germar, Revue Entom. V (3) 1840, 146.
- concolor** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 179.
- concolor** Tephrodornis, Blyth; G. R. Gray, Genera of Birds, I. Feb. 1847, 290.
- concolor** Tesia (Hodgs.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 62.—Pnoepyga.
- concolor** Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 226. [Caelorrhina.
- concolor** Tmesorrhina (Burm.), J. O. Westwood, Arcana Entom. (5) Jan. 1842, 72.—
- concolor** Trichas (O. & L.), G. R. Gray, Genera of Birds, I. Dec. 1848, 197.—Sylvia.
- concolor** Turdus, T. Horsfield, Zool. Researches Java (? 8) 1824, Gen. Catal.
- concolor** Urodon, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 142.
- concolor** Uropterygius, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 83.
- concolor** [Velleius] (Marsh.), G. Samouelle, Entom. Compend., June 1819, 172.—Staphy-
- concolor** Vespa, W. Kirby, Tr. Linn. Soc. London, XI (1) 1813, 118. [linus.
- concolor** Vidua, J. Cassin, Proc. Acad. Nat. Sci. Philad. IV (3) June 1848, 66.
- concolor** Vivera, G. Fischer, Zoogn., ed. 3, III. 1814, 206.
- concolor** Xiphidium, H. Burmeister, Handb. Ent. II (2) i, 1838, 708.
- concolor** Zonitis, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 451 [*n. n.*].
- concoloratus** Carabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 440.
- concoloratus** Carabus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 472.
- concolorella** Lyonetia, Nylander in Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 151.
- concolorina** Noctua, [Haworth], Prodr. Lep. Brit. 1802, 19.
- concoloripennis** Lampyrus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 110.
- concoloripes** Antichira, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 205.
- concolore** Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 42.
- concordalis** Eulepte, J. Huebner, Exot. Schmett. II. Tab. [225] [*n. el f.*].
- concordaria** Catagraptia, J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Geometra, 1796.
- concordaria** Eupisteria (Huebner.), Boisduval, Gen. Index Europ. Lepid. 1840, 192.—Geometra, 1796. [metra, 1796.]
- concordaria** Fidonia (Huebner.), F. Treitschke, Schmett. Europa, V (2) 1825, 435.—Geo-
- concordaria** Phalaena (Huebner.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 75.
- concordia** Papilio, F. Weber, Obs. Ent. 1801, 107. [—Geometra, 1796.]
- concordialis** Succinea, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 38.
- concordis** Sarcinula, G. Michelotti, Spec. Zoophyt. diluv. 1838, 111.
- concors** Clytie, J. Huebner, Verz. bekannt. Schmett. 1825, 267.
- concors** Ophiura, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 22.
- concors** Triphoris [Ino], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 17.
- concretus** Caprimulgus, Temminck in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 60.
- concretus** Carabus, G. Fischer v. W., Entom. Imp. Russ. II. post Nov. 1824, 102.
- concretum** Comptosoma, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 210.
- concretus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- concretus** Cuculus, S. Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (8 & 9) 1845, 236.
- concreta** Dacelo, C. J. Temminck in T. & Laugier, Pls. color. (58) May 1825.
- concretus** Echinus, J. McClelland, Calcutta Journ. Nat. Hist. I (2) July 1840, 180.
- concreta** Halcyon (Temm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Dacelo.
- concretus** Hemicircus, W. Swainson, N. H. Classif. Birds, II. June 1837, 306.
- concreta** Hypothymis (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 320.—Muscicapa.

- concreta** Lámia, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- concretus** Micropicos (Reinw.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 331.—Picus, Temm.
- concreta** Muscicapa, S. Mueller, Tijdschr. nat. geschied. physiol. II (4) 1835, 351.
- concreta** Myiolestes (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 358.—Muscicapa.
- concretus** Picus, C. J. Temminck in T. & Laugier, Pls. color. (15) Ap. 1822.
- concreta** Turdirostris, C. L. Bonaparte (*ex* Mueller MS), Consp. gen. Avium, I. 1850, 218 [*n. n.*].
- concubina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 69 (Fernaldo judice 1802)
- condalus** Phasgonophora, F. Walker, Entomologist (9) July 1841, 135.
- condanarus** Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 107.
- condanarus** Psammophis, F. Boie, Isis (Oken), 1827, 548. [99.]
- condecoratus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- condecoratus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
- condecoratus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 631. [464.]
- condecoratus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 38.
- condensata** Chemnitzia (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 352.—Melania.
- condensata** Melania, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 227.
- conditor** Hapalotis, J. Gould, Mamm. of Australia, III (2) Sept. 1849, pl. 6.—Mus, 1834.
- conditor** Mus, J. Gould in Sturt, Exped. Centr. Austral. I. 1834 [120], pl.
- condita** Chlamys, F. Klug, Entom. Mon. 1824, 148.
- condita** Ficula (Brongn.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 37.—Pyrrula.
- condita** Pyrrula, Al. Brongniart, Mém. terr. Vicentin, 1823, 75.
- condomanus** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 423.—Papilio codomanus, 1781.
- Condor** I. Geoff. St H. in Buffon (Roret), Essai Zool. gén. 1841, 367.—A. [*? non usu gen.*].
- condor** Sarcoramphus, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 25.
- condor** Spirifer, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 46.
- condor** Vultur, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 2. [Delar.]
- Condracanthus** L. Agassiz, Nomen. Zool. Index Univ. 1846, 96.—*v.* Chondracanthus,
- conductor** Centronotus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 309.
- conductus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- conducta** Haltica, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 180. [316.]
- conduplicaria** Heterusia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 18.
- condyliata** Herbstia (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 302.—Cancer, 1787. [1798.]
- condyliata** Maja (F.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 254.—Inachus,
- chondyliatus** Maja (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 95.—Inachus, 1798.
- condyliatus** Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 678.
- Condylodera** J. O. Westwood, Tr. Linn. Soc. London, XVIII (3) 1840, 419.—Orth.
- Condylodon** A. W. Lund, Ann. Sci. Nat. XXIII (90) June 1831, 131.—Hym.
- Condylomera** W. F. Erichson, Arch. f. Naturg. 1841 (2), 196 [*err. pro* Condylodera, Westw.].
- Condylopalama** Sundevall, 4 Förh. skand. Naturf. 1844 (1847), 255.—Orth. [*sine typ.*].
- Condyllops** L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 47.—Col.
- Condylopyge** Hawle & Corda, Prod. mon. böhm. Trilob. 1847, 50.—Cr.
- Condylostoma** C. G. Ehrenberg, Symb. Phys., Phyt. 1831, sign. *e* (pls. 1828).—Inf.
- Condylostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kondyliostoma,
- Condylura** C. Illiger, Prod. 1811, 125.—M. [Bory.]
- Condylura** Berthold in Latreille, Nat. Fam. Thierr. 1827, 269; in G. Cuvier, R. Anim., ed. 2, IV. 1829, 153.—Cr.
- condylurus** Nyctinomus, A. Smith, S. African Quart. Journ. II. no. 1 (2) Dec. 1833, 54.
- Conella** W. Swainson, Treat. Malacol., May 1840, 149 & 312.—G.
- conepatl** Mephitis (Gm.), G. Fischer, Zoogn., ed. 3, III. 1814, 204.—Viverra, 1788.
- Conepatus** J. E. Gray, Mag. Nat. Hist., n. s., I. Nov. 1837, 581.—M.

- conexella** Lithocolletis, P. C. Zeller, Linnaea Entom. I. Feb. 1846, 226.
- confamula** Dysauxes, J. Huebner, Verz. bekannt. Schmett. [1822], 171.
- confector** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 518.
- confactor** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 579.
- confederata** v. **confoederatus** -a -um.
- confertifolia** Fungia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 297.
- confertim-annulatus** Inoceramus, C. F. Roemer, Texas, 1849, 402.
- confertum** Alcyonium, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 621.
- confertus** Alveolites (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 160.—Harmodites.
- conferta** Astrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 102.
- confertus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 728.
- conferta** Caryophyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 380.
- conferta** Cladocora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 19.
- conferta** Cladocora (Dana), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 308.—Caryophyllia.
- conferta** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 71.
- confertus** Harmodites, E. Eichwald, Umwelt Russlands (1) 1840, 91.
- confertus** Harmodites, Keyserling, Wiss. Beob. Petschora-Land, 1846, 172.
- conferta** Heterocoenia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Dec. 1848, 309.
- conferta** Hydnocera, E. Newman, Entomologist (23) Aug. [i.e. Sept.] 1842, 365.
- conferta** Hydnophora (Lonsd.), H. G. Bronn, Index Pal. 1848, 600.—Monticularia.
- conferta** Linyphia, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 30.
- conferta** Meloe, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 281.
- conferta** Monticularia, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 688.
- conferta** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 26.
- conferta** Oculina, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 27.
- conferta** Phyllangia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 182.
- conferta** Sapromyza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 454.
- confertus** Serranus, E. T. Bennett in S. Raffles, Mem. T. S. Raffles, 1830, 686.
- confertus** Sphecodes, T. Say, Boston Journ. N. H. I (4) 1837, 392.
- conferta** Synastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 150.
- conferta** Syringopora (Keys.), H. G. Bronn, Index Pal. 1848, 1213.—Harmodites.
- confertus** Tanymecus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 88.
- confertus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 103.
- confervaeformis** Sertularia, E. J. C. Esper, Pflanzenth., Sert., tab. xxxiii [n. d., 1810?].
- confervicola** Rotifer, Du Trochel, Ann. Mus. H. N. (Paris) XIX (113) *inter* Jan.-July, 1813, 375.
- confervicola** Spongia, R. Templeton, Mag. Nat. Hist. IX. Sept. 1836, 470.
- confervicola** Tubicolaria, Lamarck, An. s. vert. II. 1816, 53.
- confervigera** Anodonta, Schlueter in Ziegler in Rossmassler, Icones Iconogr. Moll. 1 (4) 1836, 25.
- confidella** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1621.
- confinaria** Cabera, C. F. Freyer, Neuere Beitr. Schmett. I (10) 1832, 115.
- confiniella** Myelois, P. C. Zeller, Isis (Oken), 1848, 683. [1840, 395.]
- confinis** Acanthophorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1848, 12.
- confinis** Adimonia, Mannerheim in Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 12.
- confinis** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 176.
- confinis** Aléochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [u. n.]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 123.
- confinis** Allorrhina, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 9 [u. n.].
- confinis** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 510.
- confine** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 229.
- confinis** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 122.
- confinis** Aprilus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 360.
- confinis** Batrisus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 96.
- confinis** Bibio, C. F. Fallen, Dipt. Suec. (Platepez.) 1815, 12.

- confinis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 643, Feb. 1850.
- confinis** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 125.
- confinis** Cassida, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 48.
- confinis** Cetonia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 25.
- confinis** Charaeas, J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 109.
- confinis** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 253.
- confinis** Chironomus, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 572.
- confinis** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 15.
- confinis** Chrysis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36 [*n. n.*].
- confinis** Chrysomela, F. Klug (*ex Dej. lit.*), Insect. Doublet. Z. M. Berlin, 1829, 10.
- confinis** Chrysomela, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 211.
- confinis** Cicada, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 527.
- confinis** Cixius, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 304.
- confinis** Clinteria (G. & P.), Kirby in H. Burmeister, Handb. Ent. III. 1842, 304.—
- confinis** Colymbetes (Gyll.), Dejean, Catal. Coléopt. 1821, 19.—Dytiscus. [Gymnetis.
- confinis** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 430.
- confinis** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 106.
- confinis** Cybister, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 5 [*n. n.*].
- confinis** Cyclocephala, Dejean, Ann. Sci. Nat. XX (79) July 1830, 268 [*n. n.*].
- confinis** Dolichopus, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3090.
- confinis** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 664.
- confinis** Dytiscus, L. Gyllenhal, Ins. Suecica, I. 1808, 511.
- confinis** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 166.
- confinis** Ephistemus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 169.
- confinis** Exorista (Fall.), J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 403.—Tachina.
- confinis** Eylais, C. L. Koch, Deutsch. Crust., heft 14, 1837, tab. 18.
- confinis** Falagria, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 104.
- confinis** Feronia (Argutor), C. H. Boheman, Ins. Caffr. I (1) 1848, 182.
- confinis** Goerius, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) June 1832, 211.
- confinis** Gymnetis, Gory & Percheron, Mon. Cétoines (14 & 15) Nov. 1836, 378.
- confinis** Halesus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [*n. n.*].
- confinis** Halipilus, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 41.
- confinis** Haltica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 215 [*n. n.*].
- confinis** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- confinis** Harpalus, J. F. Stephens (*ex Kirby MS*), Ill. Brit. Ent. (Mand. I.) June 1828, 156.
- confinis** Hemerobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 115.
- confinis** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 154. [myia, 1826.
- confinis** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—Antho-
- confinis** Lasipteryx, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
- confinis** Marica, C. L. Koch, Deutsch. Crust., heft 12, 1837, tab. 7.
- confinis** Masicerca (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 121.—
- confinis** Tachina, Fall.
- confinis** Nomada, J. Curtis (*ex Kirby MS*), Brit. Entom. IX (105) Sept. 1832, no. 419 [*n. n.*].
- confinis** Ocypus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 276 [*n. n.*].
- confinis** Odontocera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- confinis** Orchestes, Meg.; Dejean, Catal. Coléopt. 1821, 83 [*n. n.*]. [615.—Agromyza.
- confinis** Orchestes, J. F. Stephens (*ex Kirby MS*), Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 65 [decoratus].
- confinis** Orthos, J. W. Salter, Q. J. Geol. Soc. London, V. 1849, 15.
- confinis** Paederus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 69. [Tachina.
- confinis** Phorocera (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 261.—
- confinis** Phytomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 405.
- confinis** Piophilila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 383.

- confinis** Psilocephala, J. W. Zetterstedt, Dipt. Scand. I. 1842, 213.
- confinis** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 486.
- confinis** Rhaphidia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 131.
- confine** Rhaphium, J. W. Zetterstedt, Dipt. Scand. II. 1843, 467.
- confinis** Rissoa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
- confinis** Rissoa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 104.
- confinis** Salmo, J. E. De Kay, N. H. New York (Fish) 1842, 238.
- confinis** Scaeva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 602.
- confinis** Selenophorus, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 512.
- confinis** Spheg, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 437.
- confinis** Tabanus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 516.
- confinis** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (3) 1820, 32.
- confinis** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 307.
- confinis** Tanymecus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 83.
- confinis** Tasgius, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 98.—Goerius, 1832.
- confinis** Telephorus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 11 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 302.
- confinis** Tenthredo (Selandria), A. G. Dahlbom, Conspect. Tenthred. 1835, 11 [*n. n.*].
- confinis** Tephraea, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 26 [*n. n.*].
- confinis** Thamnotettix, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada, 1828.
- confinis** Thereva (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 127.—Bibio. [Haltica, 1829.]
- confinis** Thyamis (Kirby), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 310.—
- confinis** Trachyphaeus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Aug. 1831, 121.
- confinis** Trimorphus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 181.
- confinis** Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 149 [*n. n.*].
- confinis** Xylota, J. W. Zetterstedt, Dipt. Scand. II. 1843, 872. [*n. n.*].
- confinium** Raphitoma, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 20
- confiscator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 100.
- confiscator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 267.—Bassus.
- confixana** Teleia, J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix. [*n. et f.*].
- confixana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 44 (Fernaldo judice 1818–22)
- confixaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 152.
- conflagrans** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 28.—conflagratus, Herbst, 1783.
- conflagratus** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 72.—Scarab. Herbst, 1783.
- conflagratus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 102.
- conflagrata** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 95.
- conflagratus** Tillus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 272.
- conflexa** Terebratula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 21.
- conflua** Noctua, Treitschke in Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1), 140, 1827.
- confluens** Alysia, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 55.
- confluens** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 338.
- confluens** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 62.
- confluens** Apion, Gyll.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- confluens** Asopus, Herrich-S., Wanzenart. Ins. V (5) Jan. 1840, 77.
- confluens** Asterocycles, L. Vanuxem, Geol. N. York (3rd distr.) 1842, 136.
- confluens** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 65.
- confluens** Atax, C. L. Koch, Deutsch. Crust., heft 7, 1836, tab. 24. [84.]
- confluens** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- confluens** Carabus, G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 187.
- confluens** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 346.
- confluens** Chalcophora, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 57.

- confluens** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- confluens** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 141.
- confluens** Chrysura, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 6.
- confluens** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 82.
- confluens** Coccinella, J. C. Fabricius, Syst. Eleuth. I. 1801, 373. [(4) 1843, 669.]
- confluens** Coeloptychium, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVI. 1843
- confluens** Cremastus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 735.
- confluens** Cyathophyllum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 37. [cilla.
- confluens** Diastopora (Roem.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 65.—Rosa-
- confluens** Dytiscus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 440.
- confluens** *emend.* confluentus Dytiscus, Say, J. L. Leconte in Agassiz, Lake Superior,
- confluens** Elater, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 80. [1850, 212.]
- confluens** Escharina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 68.
- confluens** Eunomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 207.—
- Cyathophyllum.
- confluens** Euplectus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 105.
- confluens** Globigerina, F. v. Hagenow, N. Jahrb. f. Min. 1842, 571.
- confluens** Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 369.
- confluens** Hemidaris, F. McCoy, Ann. Mag. N. H. (2) II. Dec. 1848, 411.
- confluens** Hydroporus, Fab.; Dejean, Catal. Coléopt. 1821, 20.—Dytiscus, 1787.
- confluens** Hygrotus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 47.—
- Dytiscus, 1787.
- confluens** Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*].
- confluens** Lithocharis (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 615.—Lath-
- robium confluentum.
- confluens** Mamestra, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 245.
- confluens** Murex, E. Eichwald, Nat. Lithuan., 1830, 224.
- confluens** Mylabris, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 227.
- confluens** Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 17.
- confluens** Oracanthus, J. L. R. Agassiz, Poiss. Foss. III. 177 (1843) [*n. n.*]. [Astrea.
- confluens** Oulophyllia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 387.—
- confluens** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 304.
- confluens** Poecilus, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 136.
- confluens** Polyastra (Goldf.), H. G. Bronn, Index Pal. 1848, 1025.—Astrea.
- confluens** Polydrusus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 15
- [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Sept. 1831, 142.
- confluens** Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 14.
- confluens** Prionastrea (Goldf.), Edwards & Haime, Ann. Sci. Philad. [3] (Zool.) XII. Sept.
- 1849, 135.—Astrea.
- confluens** Prometopia, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 281.
- confluens** Psyllobora (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 175.—
- Coccinella.
- confluens** Rosacilla, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 19.
- confluens** Spongites, F. T. Kuetzing, Polyp. calcif. 1841, 32.
- confluens** Tetragonolepis, J. L. R. Agassiz, Poiss. Foss. II (1), 199 (1835).
- confluens** Thecosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- confluens** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 510.
- confluens** Xysticus, C. L. Koch, Die Arachniden, XII (3) 1845, 67.
- confluenta** Acanthia, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- confluenta** Buprestis, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 159.
- confluentus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831. [II. 1823, 350.]
- confluentus** Coluber, T. Say in Long, Exped. Rocky Mts. II. 1823, 48; & London ed.
- confluentus** Coreus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- confluentus** Crabro, T. Say, Boston Journ. N. H. I (4) 1837, 376.
- confluentus** Cryptocephalus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 440.
- confluentus** Cynips, T. W. Harris, Treat. Ins. N. England, 1842, 397.
- confluenta** Donacia, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 293.
- confluenta** Engis, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 195.

- confluentum** Lathrobium, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 456.
- confluenta** Ornithomyia, T. Say, J. Acad. Nat. Sci. Philad. III. July 1823, 103.
- confluenta** Scolia, T. Say, Western Quart. Reporter, II (1) 1823, 74.
- confederata** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
- confoederata** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 438.
- conformatum** Omalium, J. Hardy, Tr. Tyneside Nat. F. C. I (4) 1849, 282 [*n. n.*].
- conformella** Cauchas, P. C. Zeller, Isis (Oken), 1839, 186.
- conformis** Acrosalenia, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 40.
- conformis** Agaricophagus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 86.
- conformis** Agrilus, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 227.
- conformis** Ancylonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 135. [Musca.]
- conformis** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 180.—
- conformis** Asopus, Herrich-S., Wanzenart. Ins. VI (4) June 1841, 72.
- conformis** Astaena, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 84.
- conforme** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 105.
- conformis** Blacus, C. Wesmæel, N. Mém. Ac. Roy. Brux. IX. 1835, 96.
- conformis** Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 427.
- conformis** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 353.
- conformis** Campoplex, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 81.
- conformis** Catopygus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.
- conformis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 196.
- conformis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 630.
- conformis** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 216.
- conformis** Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 194.
- conformis** Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 604.
- conformis** Cratonychus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 163.
- conformis** Diadema, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 347.—Acrosalenia,
- conformis** Dytiscus, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 58. [1840.]
- conformis** Echinoneus, Ed. Desor in L. Agassiz, Mon. Ech. III. 1842, 48.
- conformis** Eurycratera (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 46.—Helix.
- conformis** Eurytelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1838.
- conformis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 230.
- conformis** Goniomyia, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 14. [1775.]
- conformis** Graptolitha (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 243.—Noctua,
- conformis** Harpalus, Sturm; Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- conformis** Helix, W. Wood (*ex* Fér.), Suppl. Index Test. 1828, 22 [*n. et f.*].
- conformis** Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 32 [*n. n.*].
- conformis** Hemerobius, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 426.
- conformis** Hemiteles (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 803.—Ichneumon, 1790.
- conformis** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 153.
- conformis** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 108. [nella.]
- conformis** Leis (Boisd.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 261.—Cocci-
- conformis** Lixus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
- conformis** Malachius, W. F. Erichson, Entomographien, 1840, 76.
- conformis** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 82.
- conformis** Mygale, C. L. Koch, Die Arachniden, V (1) May 1838, 20.
- conformis** Pagurus, W. de Haan in Siebold, F. Japon. (Crust. 1849), 206.
- conformis** Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 240. [Goniomyia.]
- conformis** Pholadomyia (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 360.—
- conformis** Phyllotoma, C. F. Fallen, Mon. Tenthred. Sveciae (3) 1829, 34.
- conformis** Platysma, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 46.
- conformis** Saprinus, J. Le Conte, Boston Journ. N. H. V (1) 1845, 72.

- conformis** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 228.
- conformis** Staphylinus, Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- conformis** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 150.
- conformis** Tachinus, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
- conformis** Taphaeus, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 191.
- conformis** Tenthredo (Selandria) (Fall.), A. G. Dahlbom, Conspect. Tenthred. 1835, 10.
—Phyllotoma.
- conformis** Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 225.
- conformis** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 49.
- conformis** Trigonía, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 16. [1775.]
- conformis** Xylena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 85.—Noctua,
- conformis** Xylina (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 182.
—Phalaena, D. & S. 1775.
- confossus** Chiton, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 143.
- confraga** Mactra, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340.
- confragosa** Alasmodonta, T. Say, Dissem. Useful Knowledge, Nov. 1829, 339.
- confragosa** Margaritana (Say), I. Lea, Syn. Naiades, 1836, 43.—Alasmodonta.
- confragosa** Myrmedonia, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
(1) 1849, 28.
- confragosus** Productus, T. A. Conrad, Trans. Geol. Soc. Pennsylv. I (2) 1835, 268.
- confragosus** Turbo, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849), 89.
- confragosa** Unio (Say), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI.
Mar. 1835, 553.—Alasmodonta.
- confrater** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 120.
- confucii** Desmidophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 362.
- confucii** Lotis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1036. [291.]
- confucius** Adolais, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
- confucius** Aphana, A. White, Ann. Mag. N. H. XVIII. July 1846, 24.
- confucius** Lucanus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 62.
- confucius** Mimela, F. W. Hope, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 112.
- confundatus** Orchestes, C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 503.
- confusalis** Roeselia, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1847, 164.
- confusaria** Eudalimia, J. Huebner, Verz. bekannt. Schmett. 1825, 237.
- confusaria** Eusarca, J. Huebner, Exot. Schmett., Tab. Eusarca [*n. et f.*].
- Confusastrea** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Cor.
- confuse-signata** Coccinella, J. L. Leconte in Agassiz, Lake Superior, 1850, 238 [*n. n.*].
- confusor** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 300.
- confusor** Monochamus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 168.
- confusus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*]. [Trypeta.]
- confusa** Acinia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 470.—
- confusa** Aeschna, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 205.
- confusa** Agrotis, E. Eversmann (*ex* Treitschke), Lepidopt. Volgo-Ural. 1844, 206. [361.]
- confusa** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- confusa** Amara, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847,
- confusa** Amphipyra, C. F. Freyer, Neuere Beitr. Schmett. IV (51) 1840, 26.
- confusa** Anthaxia, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 296.
- confusum** Anthobium, J. L. Leconte in Agassiz, Lake Superior, 1850, 221 [*n. n.*].
- confusus** Anthribus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 134.
- confusa** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xlv.
- confusus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 256.
- confusa** Atimia (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (2) Nov.
1850, 25.—Clytus.
- confusa** Auchmis, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 25.
- confusa** Auchmis, J. Huebner, Verz. bekannt. Schmett. [1825], 243.
- confusa** Barysmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182. •
- confusa** Blaps, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 201.
- confusa** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- confusa** Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 537. [81.]

- confusus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 316, Nov. 1848.
confusa Buprestis, Villa & Villa; Coleopt. Europ. 1833, 33. [ed. 2, 1842, 6.
confusa Buprestis (Sphenoptera), J. O. Westwood in E. Donovan, N. H. Ins. India,
confusus Callimome, F. Walker, Entom. Mag. II (2) Ap. 1834, 161.
confusus Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 740.
confusa Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 63; (11) 1836, 266.
confusus Chlorops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 597.
confusa Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 24.
confusus Clytus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 276.
confusa Coccinella, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 72.
confusus Colymbetes, Dejean, Catal. Coléopt., ed. 3, 1836, 62.
confusus Cratopus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1846, 408.
confusus Cyphononyx, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 461.
confusus Demetrias, O. Heer, Coleopt. Helvet. (1) 1838, 8. [1847, 424.
confusus Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
confusa Diopsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 563.
confusus Dolichopus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 709.
confusa Donacia, J. L. Leconte in Agassiz, Lake Superior, 1850, 237 [n. n.].
confusa Doryphora, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [n. n.].
confusus Elater, Dejean, Catal. Coléopt. 1821, 33 [n. n.].
confusus Elmis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 43.
confusa Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 753.
confusa Feronia (Pseudomaseus), M. de Chaudoir, Enum. Carab. 1846, 140.
confusus Figulus, J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 262.
confusus Gymnopleurus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 58.
confusa Harmodites, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
confusus Harpalus, Dejean, Catal. Coléopt. 1821, 14 [n. n.]. [1828, 21.
confusus Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 271.
confusa Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
confusa Homalota, F. Maerckel in Germar, Zeitschr. f. d. Entom. V. 1844, 215.
confusus Hydroporus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. d.
confusus Hydroporus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 96.
confusus Hylobius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 196.
confusus Ilybius, C. Aubé, Spec. gén. Hydroc. 1838, 280.—Colymbetes.
confusa Lagria, Dejean, Cat. Coléopt., ed. 2 (3) 1834, 215. [374.
confusa Lagria, L. Reiche (ex Dej. Cat.) in Ferret & Galinier, Voy. Abyssin. III. 1850,
confusa Lema, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 116.
confusa Loxocera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 758.
confusa Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 247.
confusa Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 275.
confusus Microsaurus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 61.
confusus Monocrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 135.
confusa Mutilla, Lepelletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 604.
confusus Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 396.
confusus Mytilus, L. W. Dillwyn (ex Chemn.), Catal. Shells, 1817, 312.
confusus Notiophilus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11)
 July 1847, 449.
confusus Nyctobates, J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 118.
confusus Ocyrops, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 122. [359.
confusus Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
confusus Oxymerus, H. Dupont, Mon. Trachyd. in Magazin de Zool. VIII. 1838, 39.
confusa Palpoplevra, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 133.
confusa Panorpa, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 299.
confusus Phorus (Desh.), H. G. Bronn, Index Pal. 1848, 968.—Trochus. [350.
confusus Phytomomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
confusa Plectroscelis, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. VII (3) 1850, 76.
confusa Plusia, J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 291.
confusus Proetus, Hawle & Corda, Prod. mon. böhm. Trilob. 1847, 73.

- confusa** Protactia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 486.—Cetonia.
confusus Pseudocycobius, Ménétris in V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.
confusus Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 163. [*n. n.*].
confusus Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 237.
confusa Spaelotis, Boisdual, Gen. Index Europ. Lepid. 1840, 107.
confusus Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838.
confusa Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 36. [944].
confusus Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1849, 147.
confusus Tanymecus, T. Say, Descr. N. Amer. Curcul., July 1831, 9.
confusa Tenthredo, Le Peletier, Mon. Tenthred. 1823, 91.
confusa Terebratula, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 35.
confusus Thanasimus, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 364.
confusus Trochus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 243.
confusa Trypeta, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826.
congarareus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 72. [337].
congelata Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 47.
congemalis Sylectra, J. Huebner, Verz. bekannt. Schmett. 1826, 341.
congemmalis Sylectra, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 21.
congener Acanthocinus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 182 [*n. n.*].
congener Acmaeodera, M. Spinola, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 350.
congener Agabus (Payk.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 160.—
Dytiscus, 1798.
congener Anax, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 191.
congener Aulacus, J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 267.
congener Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 318.
congener Caradrina (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
III (Noct.) 1838, 290.—Noctua.
congeneer Ceutorhynchus, Schueppel in E. F. Germar, Ins. Spec. novae, I. 1824, 227.
congener Chlaenius, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 51.
congener Chlorodius, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
congener Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836].
congener Coccinella, Billberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 197. [8].
congener Coeliodes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 28.
congener Coelophora (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 392.
—Coccinella.
congener Colobogaster, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 12.
congener Colymbetes, Gyll.; Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
congener Colymbetes (Payk.), J. Sturm, Catal. Ins. Samml. 1826, 124.—Dytiscus, 1798.
congener Crabro (Crossocerus), A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 335.
congener Cryptocephalus, E. Ménétris, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan.
1837, 181. [Noctua].
congener Cymatophora (Huebner), F. Treitschke, Schmett. Europa, V (1) 1825, 106.—
Daphnia, C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 13.
congener Eutroctes, C. Zimmermann, Mon. Carab. (1) 1831, 19. [1847, 407].
congener Geobaenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
congener Harpalus, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 148.
congener Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 176.
congener Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 70.
congener Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 222.
congener Neroelia, A. White, List Crustacea Coll. B. M. 1847, 108 [*n. n.*].
congener Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 135 (Fernaldo judice 1808–
18) [*n. et f.*].
congener Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 181 (Fernaldo judice
1834–41) [*n. et f.*].
congener Orthosia (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 84.—
congener Psilus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 415. [Noctua].
congener Tityus, C. L. Koch, Die Arachniden, XI (1) 1844, 19.
congener Tormus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 33.

- congenerana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 47 (Fernaldo judice 1828) [*n. et f.*]. [Geometra, 1796.]
- congeneraria** Amphidasis (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 434.—
- congensis** Plotus, W. E. Leach in Tuckey, Exp. Zaire, 1818, 408.
- Conger** M. Houttuyn, Nat. Hist. VII (1) 1764, 103.—P.
- Conger** Oken, Isis, 1817 [1822 a].—P.
- Conger** A. Risso, H. N. Europe, III. 1826, 200.—P.
- conger** Anguilla (L.), G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 20.—Muraena.
- congereus** Formica, W. Nylander, Acta Soc. Sci. Fennicae, II (3) 1846, 906.
- Congeria** P. Partsch, Ann. Wiener Mus. I [1] 1835, 97.—L. [*sine nomine in* Tudományos Gyűjtemény, 1820, pp. 37–47 [*teste* F. Nopcsa]].
- congesta** Atrypa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 265.
- congesta** Delthyris, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 206.
- congesta** Diastopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 65.
- congesta** Drosophila, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2558.
- congesta** Feronia (Platysma), E. Ménétriés, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4) July 1843, 59.
- congestus** Hydaticus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) 1833, 136.
- congesta** Mactra, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340.
- congesta** Melania, T. A. Conrad, Amer. J. Sci. XXV (2) Jan. 1834, 343.
- congestus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 405.
- congestus** Onychocephalus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 334.
- congesta** Phyllocephala, Herrich-S., Wanzenart. Ins. VII (4) Ap. 1844, 68. [284.]
- congesta** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
- congestus** Spirifer (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 98.—Delthyris.
- congesta** Tubulipora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 49.
- congius** Sciurus, H. Kuhl, Beitr. Zool. I. 1820, 66.
- Congiopodus** G. Perry, Arcana, 1811, sign. Dd 8.—P.
- conglobatum** Buccinum, G. Brocchi, Conch. Subap. 1814, 334.
- conglobatum** Cnemidium, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 72.
- conglobatus** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- conglobatus** Latrodectus, C. L. Koch, Die Arachniden, IV (2) Oct. 1837, 41.
- conglobata** Mya, G. Brocchi, Conch. Subap. 1814, 531.
- conglobatum** Nassa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 215.—
- conglobata** Nesaea, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 7. [Buccinum.]
- conglobata** Saxicava (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 599.—Mya.
- conglobata** Stellispongia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—Cnemidium.
- conglomerata** Altica, Sturm; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- conglomerata** Aulopora, G. A. Goldfuss, Petref. German. I (2) 1829, 83.
- conglomeratus** Botryllus, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 204.
- conglomerata** Cellepora, H. G. Bronn (Goldf. *in litt.*), Ergeb. nat. Reisen, II. 1831, 645.
- conglomerata** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 164.
- conglomerata** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 26.
- conglomerata** Porites (Esp.), Lamarck, An. s. vert. II. 1816, 269.—Madrepora, 1795.
- conglutinata** Flabellaria (S. & E.), Lamarck, An. s. vert. II. 1816, 343.—Corallina, 1786.
- conglutinata** Serpula, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 103. [1786.]
- conglutinata** Udotea (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 312.—Coralliña,
- congradalis** Margaronia, J. Huebner, Verz. bekannt. Schmett. 1826, 358.
- congregata** Atrypa, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841,
- congregata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. d. [55.]
- congregata** Chama, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
- congregata** Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- congregata** Microgaster, T. Say, Boston Journ. N. H. I (3) 1836, 262.
- congrua** v. **congruus** -a -um.

- congruata** Idaeae, P. C. Zeller, Isis (Oken), 1847, 508. [Noct. 8] [1839], 363.
congruella Adela, Fischer v. R. in Duponchel in J. B. Godart, H. N. Lépid. France, XI
congruens Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 533.
congruens Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 182.
congruens Tormus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32.
Congrus J. Richardson, Zool. "Sulphur" (Fish) 1845, 105.—P.
congrua Gyrophaena, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 368.
congrua Leucania, J. Huebner, Verz. bekannt. Schmett. [1825], 241.
congrua Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 41.
congrua Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 135 (Fernaldo judic.
 1808-18) [*u. et f.*].
congruus Notoxus, E. Newman in A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 55.
congruus Opilus, E. Newman, Entomologist (23) Aug. [*i.e.* Sept.] 1842, 365.
congruus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 217.
congrua Photinus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 37.
congruus Productus, E. Eichwald, Urwelt Russlands (1) 1840, 95.
congruus Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 194.
Conia W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171; Zool. Journ. II
 (6) July 1825, 210.—Cirr.
coniacensis Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 248.
coniacensis Stephanocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
Coniasaurus R. Owen in F. Dixon, Geol. Sussex, 1850, 386.—R.
Coniates *id. ac* Coniatus, Germ.; J. Sturm, Catal. Käfer Samml. 1843, 202.
Coniatus E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—Col.
coniceps Exoprosopa, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 412.
coniceps Lichas (Leucht.), H. G. Bronn, Index Pal. 1848, 641.—Metopias.
coniceps Metopias, M. v. Leuchtenberg, Besch. Thierr. Tarskoji-selo, 1843, 11.
Conicera J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 226.—Dipt.
conicicollis Monotoma, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 190.
 —conicicollis, 1835. [1844, 458.
conicicollis Tricondylia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
conicrostris Bothynoderes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 236.
 —Lixus.
conicrostris Cleonus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 89.—Lixus.
conicrostris Cossonus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1040.
conicrostris Lixus, A. G. Olivier, Entom. V. 1807, 264.
Coniclus J. C. Albers, Die Heliceen, 1850, 147.—G. [(1-3) Nov. 1844, 273.
conicolle Bembidium, V. v. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V
conicollis Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 204.
conicollis Cleogonus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 693.
conicollis Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 179.
conicollis Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
 337.
conicollis Dicrepidius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.
conicollis Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 90.
conicollis Lobotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
conicollis Monotoma, A. Chevrolat, Revue Entom. III (5) 1835, 264 [*u. n.*]. [127.
conicollis Pelecotoides, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
 1840, 263. [trachelus, 1845.
conicollis Rhadinocerus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 132.—Lobo-
conicollis Scydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
 (1) 1845, 49. [303.
conico-lobata Hydnophora, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
conicophthalmus Trilobites, Sars & Boeck in C. Boeck in Keilhau, Gaea Norvegica (1)
conicopora Haliotis, Péron & Lesueur, Voy. Aust. II. 1816, 80. [1838, 139.
conicornis Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 248.
Conicus V. v. Mochulski, Mém. prés. Ac. Imp. Sci. St. Pétersb. V (1-3) Nov. 1844, 197;
 Kaerfer Russl., post May 1850, 28.—Col.

- conica Acrosmilta, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 203.
 conica Acteonella (Muenst.), H. G. Bronn, Index Pal. 1848, 12.—Tornatella.
 conica Aglaura (Q. & G.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 259.—Dianaea.
 conicus Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 251.
 conica Amalthea, C. F. Schumacher, Essai Vers. test. 1817, 181.
 conicum Amaroucium (Ol.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 17.
 —Alcyonium, 1792. [173.—Anthophyllum.
 conicus Amblocyathus (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850,
 conica Amobia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 96.
 conica Amphidonte (Sow.), G. G. Pusch, Polens Palaeont. (1) 1836, 39.—Exogyra.
 conicum Amphistoma (Zed.), C. A. Rudolphi, Entoz. II (1) 1809, 349.—Monostoma.
 conica Ampullaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 31.
 conica Ampullaria, W. Swainson, Phil. Mag. LXII (308) Dec. 1823, 402.
 conica Ampullaria, W. Wood, Suppl. Index Test. 1828, 29.
 conica Ananchytes, L. Agassiz, Cat. Ect. Ech. 1840, 2. [1845, 73.
 conica Anatolica, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 conica Ancillaria, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 501.
 conica Anthomyia, Meigen in C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817,
 conica Anthophora (L.), J. C. Fabricius, Syst. Piezat. 1804, 380.—Apis, 1758. [79.
 conicum Anthophyllum, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 20.
 conicus Apocyrtus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 393.
 conica Arbacia, L. Agassiz, Cat. Ect. Ech. 1840, 12.
 conica Astrea, DeFrance, Dict. Sci. Nat. XLII. 1826, 387.
 conicus Attus, F. W. Rossi, Naturw. Abhandl. (Haidinger) I. 1847, 12.
 conicus Bactrites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 28.
 conicus Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 118.
 conica Blatta, W. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 444 [n. n.].
 conica Boa, J. G. Schneider, Hist. Amph. II. 1801, 268.
 conica Boa, H. Schlegel, Essai phys. Serp. 1837, I. 177; II. 399.
 conica Brachyopa (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 261.
 —Musca, 1798.
 conica Brachys, Laporte & Gory, H. N. Coléopt. II. 1840, 5.
 conica Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 45.
 conica Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 104 [n. n.].
 conica Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 118.
 conica Calleida, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 309.
 conica Calyptraea, H. G. Bronn, Ergeb. Reisen, I. 1826, 329 [n. n.].
 conica Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 38.
 conicus Campoplex, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 95.
 conicus Capulus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 296.
 conicus Cateretes (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 150.—Stenus.
 conicum Cerithium, H. D. de Blainville, Faune Française (20) Malac. 1829, 158.
 conicum Cerithium, H. E. Anton, Verz. Conch. 1839, 65.
 conicum Cerithium, G. A. Goldfuss, Petref. German. III (8) 1844, 35.
 conica Chama, J. Sowerby, Min. Conch. I. 1813, 69. [Melania.
 conica Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.—
 conica Chrysis, Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. IV. 1846, 32.
 conica Cicada, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 3 (= 39).
 conica Cingula, C. B. Adams, Contr. to conch. (5) Feb. 1850, 70.
 conicus Cladodus, J. L. R. Agassiz, Poiss. Foss. III. 199 (1843).
 conicus Clausilia (Strobilus), H. E. Anton, Verz. Conch. 1839, 46.
 conica Clavicantha (Lam.), W. Swainson, Treat. Malacol., May 1840, 314.—Pleurotoma.
 conica Cleodora, G. v. Muenster, N. Jahrb. f. Min. 1835, 441.
 conicum Cnemidium, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 4.
 conica Coelioxys (L.), P. A. Latreille, Gen. Crust. Ins. IV. 1809, 167.—Apis, 1758.
 conica Coelioxys (Fab.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 468.—Anthophora.
 conicus Coelogaster, F. v. P. Schrank, F. Boica, II (2) 1802, 222.

- conicus** Conotelus (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 251.—Stenus.
- conica** Conulina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 24.
- conica** Creseis, F. Eschscholtz, Zool. Atlas, III. 1829, 17.
- conica** Cryptoglana, C. G. Ehrenberg, Infusionthier. 1838, 46.
- conica** Cuneolina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 151 [*n. n.*].
- conicus** Cyathocrinus, J. Phillips, Geol. Yorksh. II. 1836, 206.
- conicum** Cyathophyllum, Castelnau, Ess. Silur. Amér. sept. 1843, 48.
- conicum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 30.
- conicum** Cyrtoceras, D. D. Owen, Rep. geol. expl. Iowa...1839 (U. S. Senate, 28 Congr. Sess. I. no. 407) 1844, 70.
- conica** Delphinula, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 110.
- conica** Delphinula, Defrance, Dict. Sci. Nat. XII. 1818, 545.
- conica** Dianaea, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 182. [1775.
- conicus** Diapria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 309.—Ichneumon,
- conica** Discoidea, E. Desor in L. Agassiz, Mon. Ech. III. 1842, 62.
- conicus** Discophorus, H. Denny, Mon. Anoplur. 1842, 90.
- conicus** Dysaster, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 367.
- conicus** Echinorhynchus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 159.
- conica** Emarginula, Lamarck, Syst. Anim. 1801, 69.
- conica** Emarginula, C. F. Schumacher, Essai Vers test. 1817, 181.
- conica** Emarginula, A. Risso, H. N. Europe, IV. 1826, 259.
- conica** Epeira (Pall.), C. A. Walckenaer, Tab. Aran. 1805, 64.—Aranea, 1772.
- conica** Epistylia, W. Swainson, Treat. Malacol., May 1840, 165. [650.—Milesia.
- conicus** Eristalis (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- conicus** Eryx (Schn.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844,
- conica** Eschara, F. v. Hagenow, N. Jahrb. f. Min. 1839, 268. [470.—Boa.
- conicus** Eucalyptocrinus, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- conica** Eulima, C. B. Adams, Contr. to conch. (7) Ap. 1850, 110.
- conica** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 285.—Vespa, 1775.
- conicus** Euspira (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.), 452, 1842—44 (448, French edit.).—Turbo.
- conica** Exogyra (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1829, 218.—Chama.
- conica** Fissurella, Defrance, Dict. Sci. Nat. XVII. 1820, 79.
- conica** Flata, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 238.
- conicus** Fusus, H. E. Anton, Verz. Conch. 1839, 77.
- conica** Galerites, L. Agassiz, Mon. Ech. III. 1842, 16.
- conica** Geomelania, C. B. Adams, Contr. to conch. (6) Mar. 1850, 97.
- conica** Glandulina, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (4) 1850, 51.
- conica** Gongylophis (Schn.), J. Wagler, Nat. Syst. Amph. 1830, 192.—Boa.
- conica** Gregarina, L. Dufour, Ann. Sci. Nat. XIII (52) Ap. 1828, 367.
- conica** Gryphaea (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII.
- conicus** Gyrodus, F. Dixon, Geol. Sussex, 1850, 370. [Jan. 1836, 210.—Exogyra.
- conica** Helcion, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 134.
- conica** Helicina, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 355.
- conica** Helicina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 249.
- conica** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 69.
- conica** Helix, S. A. Renier, Tavole [1804] xi.
- conica** Helix, Schlotheim, Min. Tasch. 1818, 340. [1821, 50.
- conica** Helix (Helicella), Drap. ; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- conica antiqua** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
- conica** Heterodisca, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 247.
- conicus** Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 325.
- conica** Hydra, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers. II. 1801, 237.
- conica** Hydrophoria (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 298.—Musca. [thomyia, 1817.
- conica** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—An-
- conica** Imbricaria, C. F. Schumacher, Essai Vers test. 1817, 236.

- conica Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 286.
 conicus Lasius, J. C. Fabricius, Syst. Piezat. 1804, 418.—Formica, 1798.
 conicus Littorina, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—Turbo, 1823.
 conica Littorina, R. A. Philippi, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 141.
 conicus Lixus, J. Sturm, Catal. Ins. Samml. 1826, 163 [*n. n.*]. [tella.
 conica Loxonema (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 62.—Turri-
 conica Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 361. [L. 1758.
 conica Megachile (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 434.—Apis,
 conica Megachile (Fab.), C. A. Walckenaer, Faune Paris, II. 1802, 135.—Apis, L. 1758.
 conica Megachile, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 144.
 conica Megoera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 250.—
 Miltogramma.
 conica Melania, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 176.
 conica Melania, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.
 conica Melania, G. v. Muenster, Beitr. zur Petref. (4) 1841, 94.
 conica Melania, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 12.
 conica Milesia, J. C. Fabricius, Syst. Antliat. 1805, 190.
 conica Millepora, A. Risso, H. N. Europe, V. 1826, 349.
 conicus Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 52. [—Tachina.
 conica Miltogramma (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 232.
 conica Mitra, Schumacher in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea
 (16) 1839, 97. [Nov. 1844, 355.—Imbricaria.
 conica Mitra (Schum.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X.
 conica Monodonta, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap.
 1826], 479. [48 [*n. n.*]; *ibid.* 1831 (1832), 146.
 conica Monolabis, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830],
 conicum Monostoma, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 188. [thomyia.
 conica Musca (Wiedem.), C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 83.—An-
 conica Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 conica Natica, Lamarck, An. s. vert. VI (2) 1822, 198. [1830, 355.
 conica Natica (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 413.—Ampullaria.
 conicus Nematus, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 25.
 conicus Nucleolites, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 234.
 conica Oceania (Q. & G.), J. F. Eschscholtz, Syst. Acalephen, 1829, 99.—Dianaea.
 conica Orbitolites, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 178.
 conica Orcula (Rossm.), F. Held, Isis (Oken), 1837, 919.—Pupa.
 conica Orthocera, J. Sowerby, Min. Conch. I. 1814, 131.
 conicum Orthoceras, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 642.
 conicum Orthoceras, Castelnau, Ess. Silur. Amér. sept. 1843, 29.
 conicus Orthoceratites, W. Hisinger, Lethaea Svecica, 1837, 29.
 conica Ostrea (Sow.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 726.—Chama.
 conica Oxygonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 302.
 conicus Oxyurus (F.), Lamarck, An. s. vert. IV. 1817, 129.—Ichneumon, 1775.
 conicus Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 106.
 conica Paludestrina (Prév.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 412.—Palu-
 conica Paludina, C. Prévost, Journ. de Phys. XCII. May 1821, 427. [dina.
 conica Paludina, F. H. Troschel, Arch. f. Naturg. III (1) 1837, 173.
 conica Paludina, H. E. Anton, Verz. Conch. 1839, 52.
 conica Paludina, M. de Serres, Ann. Sci. Soc. Agric. Lyon, III. Mar. 1840, 485.
 conica Paludomus, W. Swainson, Treat. Malacol., May 1840, 340. [—Melania.
 conica Paludomus (Gray), L. Reeve, Conch. Icon. IV.—Paludomus, no. 14, July 1847.
 conica Pandea (Q. & G.), R. P. Lesson, Prod. Méduses [*aut. typ.*] 1837, 16; (Roret's
 Suite à Buffon), Acaléphes, 1843, 288.—Dianaea.
 conica Partula, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 196.
 conica Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 107.
 conica Patella, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 125.
 conica Patella, H. E. Anton, Verz. Conch. 1839, 26.
 conica Patella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 151.

- conicus** Patellites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 76.
- conica** Perispongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 389.
- conica** Phalaena Noctua, E. J. C. Esper, Die Schmett. IV (52-53) 1804, 637.
- conica** Philopota, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 17.
- conica** Philopota, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 94.
- conicus** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 337.—Docophorus.
- conicum** Phragmoceras, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 100.
- conica** Pileopsis, P. Calcara, Mem. Conch. Altavilla, 1841, 41.
- conica** Pileopsis, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [n. n.].
- conica** Pinna, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 88. [[n. n.].
- conica** Pleurobema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
- conica** Pleurotoma, Lamarck, Ency. Méth. (Vers) 1816, pl. 439, Liste p. 9 [n. et f.].
- conica** Pleurotoma, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 149 [n. n.].
- conica** Pleurotomaria, J. Phillips, Geol. Yorksh. II. 1836, 228.
- conicus** Pollicipes, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 216.
- conicus** Poterioncrinus, J. Phillips, Geol. Yorksh. II. 1836, 205.
- conica** Prosenia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 298.
- conicus** Psilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 319.—Chalcis, 1798.
- conica** Pterocera, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 15.
- conica** Ptilocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 222.
- conica** Pupa, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 17.
- conica** Pupilla (Rossm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 84.—Pupa.
- conicus** Pygurus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 73.
- conica** Radiolites, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 188.
- conica** Rimula, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 471.
- conica** Rotalia, F. A. Roemer, N. Jahrb. f. Min. 1838, 388.
- conica** Rotella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 49.
- conica** Salpa, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 369.
- conica** Scalaria, Lamarck, Syst. Anim. 1801, 88.
- conica** Scaphander (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 321.—Bulla.
- conica** Scissurella, A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 470.
- conica** Serpula, L. W. Dillwyn, Catal. Shells, 1817, 1078.
- conica** Serpula, W. Wood, Index Test. 1818, 186.
- conica** Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 666.
- conica** Singa (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 6.—Epeira, Walck.
- conica** Siphonaria, de Blainville, Dict. Sci. Nat. XLIX. 1827, 294.
- conicus** Sphaerodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 123 (1839); II (2), 215
- conicus** Sphenonchus, J. L. R. Agassiz, Poiss. Foss. III. 199 (1843). [[1844].
- conica** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 16.
- conica** Spirorbis (Flem.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 243.—Heterodisca.
- conica** Stellispongia (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
- conicus** Stenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 603. [Chnemedium.
- conicus** Stimnus, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 165.
- conicus** Stizus, E. F. Germar, Reise Dalm. 1817, 262.
- conica** Stomatopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850,
- conica** Stratiomys, J. C. Fabricius, Syst. Antliat. 1805, 81. [236 [n. n.].
- conica** Synastrea (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,
- conicus** Synbathocrinus, J. Phillips, Geol. Yorksh. II. 1836, 206. [149.—Astrea.
- conica** Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 267.
- conica** Tectura (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 93.—Patelloida conoidea.
- conica** Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 318.
- conica** Tetrataxis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 106 [n. n.].
- conica** Textularia, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 143. [135.
- conica** Textularia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839],
- conica** Theba (Drac.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 10.—Helix.
- conica** Thrips, J. C. Fabricius, Syst. Rhyng. 1803, 312.

- conica Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 82.
- conica Tornatella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 48.
- conica Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 253.—Anthophora.
- conica Trichotropis, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 85.
- conica Trichotropis, H. P. C. Möller, Index Moll. Groenl. 1842, 12.
- conica Trochopora (Mich.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 499.
—Lunulites, Defr.
- conica Trochula (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—Helix.
- conicus Trochus, E. Donovan, Brit. Shells, 1803, pl. clv.
- conicus Trochus, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 5 [*n. n.*].
- conicus Trochus (Gray), R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Trochus (98) 1850, 130.—Monodonta.
- conica Turbinolia, G. Fischer v. W., Oryct. Moscou, 1830, sign. *d*².
- conicus Turbo, Vallot, Exer. Hist. Nat. 1801, 6.
- conicus Turbo, J. De C. Sowerby, Min. Conch. V. 1823, 45.
- conicus Turbo (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 349.—Delphinula.
- conica Turritella, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 604.
- conica Turritella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 173.
- conica Vermilia, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 243.
- conica Xerophila (Drap.), F. Held, Isis (Oken), 1837, 913.—Helix.
- Conidea W. Swainson, Treat. Malacol., May 1840, 151 & 313.—G.
- conidens Orognaethus, J. L. R. Agassiz, Poiss. Foss. II (2), 159 & 162 (1844) [*n. n.*].
- conidens Saurichthys, L. Agassiz in H. Hogard, Descr. géol. Vosges, 1837, 406.
- conixcentricus Galerites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 383.
- conifacies Anthrax, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 416.
- [conifer -a -um.]
- conifer Acalles, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 206.
- conifera Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 98, June 1849.
- conifera Ceriopora (Lamx.), H. Michelin, Icon. Zoophyt. (20-23) 1846, 245.—Millepora.
- conifera Chlamys, T. Lacordaire, Mém. Soc. R. Liège, V. May 1848, 733.
- conifera Cingula (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 306.—Turbo.
- coniferus Fusus (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.—Murex.
- conifera Heteropora (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 318.—Millepora.
- coniferum Holostomum, Mehlis in Creplin, Arch. f. Naturg. 1846, 138.
- conifera Millepora, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 87.
- coniferus Murex, J. Sowerby, Min. Conch. II. 1818, 195.
- coniferum Oreosoma, Cuvier & Valenc., H. N. Poiss. IV. 1829, pl. 99 [*n. et f.*].
- coniferus Passalus, F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 16.
- conifera Pelagia, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 54; (Roret's Suite à Buffon), Acalèphes, 1843, 395.
- conifer Poropterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- conifer Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 484. [432.]
- conifera Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 16.
- conifera Stenocara, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 559.
- coniferus Turbo, G. Montagu, Test. Brit. II. 1803, 314.
- coniferae Encyrtus, F. Walker, Entom. Mag. IV (5) July 1837, 461.
- coniferae Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 247.
- coniferarum Hyloicus (Smith), J. Huebner, Verz. bekannt. Schmett. [1820], 139.—Sphinx,
- coniferata Thera, J. Curtis, Brit. Entom. XI (130) Oct. 1834, no. 519. [1797.]
- coniferus -um *v.* conifer -a -um.
- conifica Cynips, Kollar in Germar, Zeitschr. f. d. Entom. IV. 1843, 402.
- coniformis Ancillaria, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 533.
- coniformis Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 339 [*n. n.*].
- coniformis Astrea, H. Michelin, Icon. Zoophyt. (9-12) 1844, 119.
- coniformis Auricula [Conovulus] (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 109.—Bulimus, 1789.
- coniformis Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 114.

- coniformis** Chnemidium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.
coniformis *emend. pro* corniformis, Columbella, G. B. Sowerby, I., Thes. Conch. I (4) ante 11 Apr. 1844, 145. [49.]
coniformis Columbella, G. B. Sowerby, I., Proc. Zool. Soc. London, XII (133) Sept. 1844,
coniformis Conovulus, Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12 [*u. et f.*].
coniformis Globiconcha, C. F. Roemer, Texas, 1849, 411.
coniformis Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 211.
coniformis Helix (*ex* Fér.), W. Wood, Suppl. Index Test. 1828, 21 [*u. et f.*].
coniformis Helix, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 105.
coniformis Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 51 [*u. et f.*].
coniformis Ichthyosaurus, R. Harlan, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 339.
coniformis Mangelia, L. Reeve (*ex* Gray MS), Conch. Icon. III.—Mangelia, no. 67, June 1846.
coniformis Marginella, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
coniformis Melampus (Br.), Denys de Montfort, Conch. II. 1810, 319.—Bulimus, 1789.
coniformis Oliva, R. A. Philippi, Abb. Conch. III (3) 1848, 53.
coniformis Pedipes, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 246.
coniformis Pleurotoma, J. E. Gray, Zool. "Blossom," 1839, 119.
coniformis Trochus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 566.
coniformis Trochus, L. G. de Koninck, Descr. Anim. foss. (10) *exunte* 1843, 447.
coniformis Voluta (Lam.), W. Wood, Suppl. Index Test. 1828, 31.—Auricula, ? Fér.
coniformis Volutites, E. F. Schlotheim, Tasch. Min. 1813, 111.
conifrons Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1569.
conigastra Chalcis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 134.—Hym.
conigastra Conura (Perty), E. Blanchard in Brullé, II. N. Anim. artic. (Orth. etc.) III. 1840, 256.—Chalcis. [1775.]
conigera Aletia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 239.—Noctua,
conigera Cerceris, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 501.
conigera Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 440.
conigera Mythimna (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 78.—Noctua, 1775.
coniger Oropterus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 14.
Conilera W. E. Leach, Dict. Sci. Nat. XII. 1818, 348.—Cr.
Conilites E. F. v. Schlotheim, Die Petref. 1820, 125.—G. [1813, *non comp.*]
Conilites Lamarck, An. s. vert. VII. 1822, 598.—G.
Conilites L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conolites, Swains.
Conilithes W. Swainson, Treat. Malacol., May 1840, 311.—G.
Conilurus W. Ogilby, Tr. Linn. Soc. London, XVIII (1) 1838, 124.—M.
conimbrica Nerinaea, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.
conimbrica Ptygmatis, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108 & 114.—Nerinaea, 1850.
coniocephala Nerine, G. Johnston, Mag. Zool. Bot. II (7) June 1837, 70.
conioides Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 95, Aug. 1850.
Coniontis F. Eschscholtz, Zool. Atlas, III. 1829, 7.—Col.
Coniopholis W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 657.—Col.
Coniopteryx J. Curtis, Brit. Entom. XI (132) Dec. 1834, no. 528.—Neur.
Coniopteryx P. Rambur (Roret's Suite à Buffon), Névropt. 1842, 316.—Neur.
Coniortes J. O. Westwood, Proc. Ent. Soc. Lond., 7 July 1834, p. xxvii.—Neur. [*u. n.*].
Conipora de Blainville, Dict. Sci. Nat. LX. 1830, 403.—Cor.
conirostra Laurida, W. Swainson, N. II. Fishes, etc. II. July 1839, 288.
conirostris Alauda, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 99.
conirostris Arremon, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 488.
conirostris Cleonus (Bothynoderes), F. v. Gebler in Ledebour, Reise Altai, II. 1830, 156.
conirostris Cyprinus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 191.
conirostris Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2), 1840, 788.
conirostris Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 25.
conirostris Pimelodus, G. Cuvier, R. Anim., ed. 2, II. 1829, 294 [*u. n.*].

- conirostris Pterodactylus, R. Owen in F. Dixon, Geol. Sussex, 1850, 401.
- Conirostrum A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magazin de Zool.
- Conis J. F. Brandt, Prod. anim. Mertens. I. 1835, 19.—Med. [VIII. 1838, 25.—A.
- Conis W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.—Sp. [—Cyathophyllum.
- coniseptum Cyathaxonia (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 158.
- coniseptum Cyathophyllum, A. Keyserling, Wiss. Beob. Petschora, 1846, 164.
- Conispira C. S. Rafinesque, Analyse, 1815, 144.—G. [*n. n.*].
- Conistra J. Huebner, Verz. bekannt. Schmett. [1822], 229.—Lep.
- conjuga Hemigeometra (Huebner), A. H. Haworth, Lepidopt. Brit. (2) 1809, 269.—Noctua.
- conjuga Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 71 (Fernaldo judice 1802) [*n. et f.*].
- conjugata Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 686.—Galleruca.
- conjugatus Aphodius (Panz.), J. Sturm, Deutschl. Fauna (Insecten) I. 1805, 84.—Scarabaeus, 1795.
- conjugatus Aphodius (Panz.), K. Duftschmid, Fauna Austriae, I. 1805, 89.—Scarabaeus, 1795.
- conjugata Astraea, Goldfuss, Jahrb. f. Min. 1830, 489 [*n. n.*]. [1795.
- conjugata Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 797.
- conjugata Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 425.
- conjugatum Cyclidomus, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 34.
- conjugata Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 313.
- conjugata Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 495.
- conjugata Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- conjugatus Hister, Megerle in K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 42.
- coniugata Lumbricaria, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 224.
- conjugatus Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [*n. n.*].
- conjugatus Nematus, A. G. Dahlbom, Skand. Insekt. 1837, 302.
- conjugatus Scarabaeus (Aphodius), Koy & Böhm, Naturforscher, XXIX. 1802, 106.
- conjugella Argyresthia, P. C. Zeller, Isis (Oken), 1839, 204.
- conjugens Pentatoma, Herrich-S., Wanzenart. Ins. VII (5) May 1844, 99.
- conjunctella Elachista, O. G. Costa, Fauna Regno Napoli, Lepidott., Elach. 3 (1832-40). —Oecophora, 1832-40. [40].
- conjunctella Oecophora, O. G. Costa, Fauna Regno Napoli, Lepidott., Oecoph. 3 (1832-40).
- conjunctella Oecophora, P. C. Zeller, Isis (Oken), 1847, 825.
- conjunctior Andrena, F. Smith, The Zoologist, V (6) 1847, 1744.
- coniunctor Ichneumon, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 188. [1825.
- conjunctus Acupalpus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 435.—Trechus,
- conjuncta Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 129.
- conjunctus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 238.
- conjuncta Arbacia, L. Agassiz, Cat. Ect. Ech. 1840, 12. [1788.
- conjuncta Astiotes (Esp.), J. Huebner, Verz. bekannt. Schmett. 1825, 277.—Noctua,
- conjunctus Bolbocerus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 351.
- conjuncta Brachyacantha, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 536.
- conjuncta Bryaxis, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 85. [1788.
- conjuncta Catocala (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 95.—Noctua,
- conjunctum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 387.
- conjuncta Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 125.
- conjuncta Eurydema, F. A. Kolenati, Melet. Entom. (4) May 1846, 30.
- conjunctus Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 527.
- conjuncta Haltica, E. F. Germar, Ins. Spec. novae, I. 1824, 610.
- conjunctus Hister, T. Say, J. Acad. Nat. Sci. Philad. V. July 1825, 38.
- conjuncta Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 317.—Anthomyia. [1845, 408.
- conjuncta Lema, T. Lacordaire (*ex Dej. Cat.*), Mém. Soc. R. Sci. Liège, III (2) Nov.
- conjuncta Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 91.
- conjuncta Lichenopora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 277.
- conjuncta Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. d.
- conjuncta Noctua *id. ac conjuga*, Huebn., A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 288.

- conjuncta** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 135.
conjunctus Paromalus (Say), J. Le Conte, Boston Journ. N. H. V (1) 1845, 68.—Hister.
conjunctus Piazaorus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 64 [*n. n.*].
conjuncta Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 406.
conjuncta Pygora (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 564.—Cetonia.
conjuncta Radiopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 329.
conjuncta Serpula, H. B. Geinitz, Verst. Kieslingswalda, 1843, 7.
conjuncta Spongia, P. Duchassaing, Anim. rad. Antilles [1850], 23.
conjunctus Stenolophus (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 410.—Trechus.
conjuncta Stigmodera, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 52.
conjunctus Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 116.
conjuncta Tephritis (Loew), J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2227.—Trypeta.
conjunctus Trechus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 90.
conjuncta Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 407.
conjuncta Zemina (Chev.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 197.—
conjungens Alysia, A. H. Haliday, Hymenopt. Brit. (2) 1839, 27. [Stigmodera.
conjungens Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 27.
conjungens Cardium, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 27 [*n. n.*].
conjungens Chaenusia (Nees), A. H. Haliday, Hymenopt. Brit. (2) 1839, 19.—Bracon.
conjungens Chorebus (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 346.—Perilitus.
conjungens Cimex, E. F. Germar, Revue Entom. V (3) 1840, 168.
conjungens Hister, Payk.; Dejean, Catal. Coléopt. 1821, 48 [*n. n.*]. [1846, 194.
conjungens Lebia, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
conjungens Leptis, J. F. Ruthe, Isis (Oken), 1831, 1214.
conjungens Nomada, Herrich-S. in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 279.
conjungens Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 140.
conjungens Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 33.—Bracon, 1811.
conjungens Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 190.—Hister,
conjungens Trigonina, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]. [1798.
conjux Pecten, G. B. Sowerby, I., Q. J. Geol. Soc. London, III. 1847, 418.
connata Astraea, Goldfuss, Jahrb. f. Min. 1830, 489 [*n. n.*].
connatus Bolitophagus (Fab.), K. Duftschmid, Fauna Austriae, II. 1812, 297.—Tritoma,
connata Colliuris, Lamarck, An. s. vert. IV. 1817, 498. [Cr. 1796.
connata Curculio, K. Illiger, Mag. f. Insectenk. (Illiger) V. 1806, 244.
connata Eleodes, Chevrolat, Baudi & Truqui, Studi Ent. I. 1848, 245.
connatus Heterochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 123.
connata Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 855.
connatus Lithophilus (Fab.), Dejean, Catal. Coléopt. 1821, 68.—Tritoma, ? Cr. 1796.
connatum Opatrum (Fab.), J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 175.—Tritoma,
 ? Cr. 1796.
connata Salpa, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 88 [*n. n.*].
connatus Synergus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (I) 1840, 198.
connectalis Synaphe, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis, 1796.
connectaria Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 285. [Geometra.
connectaria Hibernia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) Ap. 1831, 154.—
connectaria Lampetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Geometra.
connectens Andrena (Kirby), K. Illiger, Mag. f. Insectenk. (Illiger) V. 1806, 71.—
 Melittia.
connectens Coccinella, Thunberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 157.
connectens Emmesa, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 376.
connectens Helix, C. B. Adams, Contr. to conch. (7) Ap. 1850, 105. [—Coccinella.
connectens Hister, G. Paykull, Mon. Hister. 1811, 35.
connectens Hyperaspis (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 662.
connectens Janus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*]; & Ill. Brit.
 Ent. (Mand. VII.) Sept. 1835, 108.

- connectens** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 157.
- connectans** Pholadomya, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 140.
- connectens** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 186.—Hister.
- connectens** Scymnus, Th.; J. Sturm, Catal. Ins. Samml. 1826, 194.
- connecticutensis** Nautilus, J. H. Linsley, Amer. J. Sci. XLVIII (2) Ap. 1845, 286.
- connectus** Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 417. [[*u. et f.*].]
- connexiva** Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 50 [*u. n.*].
- connexorius** Metopius, C. Wesmael, Bull. Ac. Roy. Brux. XVI (1) 1849, 624.
- connexus** Acrossus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 275.
- connexa** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 486.
- connexa** Apamea (Borkh.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Noctua, 1792.
- connexus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 252.
- connexa** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 199.
- connexus** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 497.
- connexus** Belonuchus (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 927.—Staphy-
- connexus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 116. [linus.]
- connexum** Cerithium, E. Eichwald, Paleont. Rossii, 1850, 88.
- connexa** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 173.
- connexa** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 177.
- connexa** Cicindela, M. de Chaudoir, Enum. Carab. 1846, 54.
- connexa** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (3) 1836, 10.
- connexa** Coccinella, E. F. Germar, Ins. Spec. novae, I. 1824, 621.
- connexa** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*u. n.*].
- connexa** Cordylura (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 383.—Mosina.
- connexus** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 836.
- connexa** Dictya, J. C. Fabricius, Syst. Antliat. 1805, 326.—Musca, 1794.
- connexa** Eriopis (Germ.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 7.—Coccinella. [1824.]
- connexa** Gaedia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 214.—Tachina,
- connexa** Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. I. 1847, 97.
- connexa** Hama (Ochs.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41.—Apamea.
- connexa** Hippodamia (Germ.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 181.—Coccinella.
- connexus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 174.
- connexa** Mosina (Latr.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 672.—Dyctia; ? Dictya, Fab. [[*u. et f.*].]
- connexa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 23 (Fernaldo judice 1802),
- connexa** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 218.—Bombyx, 1803.
- connexa** Nomada (Kirby), K. Illiger, Mag. f. Insectenk. (Illiger) V. 1806, 91.—Apis.
- connexus** Odynerus, J. Curtis, Brit. Entom. III (34) Oct. 1826, no. 137.
- connexa** Ortalis (Fab.); J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 276.—Musca, 1794.
- connexus** Psilopus, F. Walker, Entom. Mag. II (5) Jan. 1835, 471. [1792.]
- connexa** Raphia (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 212.—Noctua,
- connexa** Scalaria, G. B. Sowerby, II., Proc. Zool. Soc. London, XII (132) July 1844, 28.
- connexus** Staphylinus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 448.
- connexus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 62.
- connexa** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 366.
- connexa** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 70.
- connexa** Tephritis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 463.
- connexa** Trypeta (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 353.—Tephritis.
- connexa** Urophora, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 224.
- conniacum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 28.
- connivens** Athene (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 189.—Falco.

- connivens** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1847, 148.
- connivens** Buteo (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 481.—Falco.
- connivens** Falco, J. Latham, Index Orn., Suppl. I. 1801, p. xii.
- connivens** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850, 130.
- connivens** Lixus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 5.
- connivens** Orthos (Ph.), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15.—
- connivens** Planorbis, E. Eichwald, Nat. Lithuæ, 1830, 217. [Spirifera.]
- connivens** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 220.
- connivens** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1116.
- Connochaetes** Lichtenstein, Ges. Nat. Freunde Berlin, Mag. VI. 1814, 152.—M.
- connochaetes** Bos, J. R. Forster, Anim. mar. Aust. 1844, 392.
- Connochetes** J. E. Gray, List spec. Mamm. B. M. 1843, p. xxvi.—M. [22] [*n. et f.*].
- connuba** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 148 (Fernaldo judice 1818—
- connubialis** Pedinus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 44 [*n. n.*].
- conocardiiformis** Lyrodon, F. Krauss, Nova Acta Acad. Caes. XXII (2) 1850, 454.
- Conocardium** H. G. Bronn, Lethæa Geogn. I (1) 1834, 92.—L.
- conocauda** Onychoteuthis, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (6) 1849, 529.
- Conocephalites** Adams, 1848, *err.* Scudder *pro* C—lus [Zenk.] *q. v.*
- Conocephalus** C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 218.—Orth.
- Conocephalus** J. C. Zenker, Beitr. Nat. Urwelt, 1833, 48.—Cr.
- Conocephalus** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 839.—Col.
- conocephala** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 340.
- conocephalum** Phasma, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 124.
- conoceps** Rhytis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 292.
- Conocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conicera, Meig.
- Conoceras** H. G. Bronn, Lethæa Geogn. I (2) 1835, 98.—Ceph.
- Conocercus** Swainson & Shuckard, Hist. Ins. 1840, 180.—Hym.
- Conochilus** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 224.—
- Conoclypas** L. Agassiz, Cat. Rais. Ech. 1847 [= Conoclypeus; *sed non comp.*]. [Inf.]
- Conoclypeus** *pro* Conoclypus, Ag.; J. E. Gray, Syn. Brit. Mus., ed. 42, 1840, 64.
- Conoclypus** L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 61.—Ech.
- Conocoenia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
- conocollis** *v.* conicollis.
- Conocoryphe** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 23.—Cr.
- Conocrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 60.—Crin.
- Conocrinus** A. d'Orbigny [*non* Troost], Prodr. Paléont. II [Nov.] 1850, 332.—Ech.
- Conocyathus** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—Cor.
- Conoderes** C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 26.—Col.
- Conoderus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 31.—Col.
- Conodictyum** G. A. Goldfuss, Petref. German. I (2) 1829, 103.—? Polyz.
- Conodon** Cuvier & Valenc., H. N. Poiss. V. 1830, 156.—P. [105 (1844)].—P. [*n. n.*].
- Conodus** J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2),
- Conoehelix** W. Swainson, Treat. Malacol., May 1840, 127 & 321 [Conoeliox].—G.
- Conoelix** W. Swainson, Zool. Illust. (1) I (4) Jan. 1821, pl. 24.—G.
- Conognatha** F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Col.
- conohelicoides** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 25, May 1846.
- Conohelix** G. B. Sowerby, I., Gen. Shells (31) Mitra, 1828.—G.
- Conohelix** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conoelix, Swains.
- conoidaeformis** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
- conoidale** Buccinum, G. P. Deshayes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1832,
- conoidale** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 350. [433.]
- conoidalis** Harpa, Lamarck, An. s. vert. VII. 1822, 255.
- conoidalis** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 63.
- conoidalis** Marginella, L. C. Kiener, Spec. Coquilles (Marginella) 1841, 37.
- conoidalis** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.—Mar. 1811, 325.
- conoidalis** Olivella (Lam.), W. Swainson, Treat. Malacol., May 1840, 322.—Oliva.

- conoïdalis Olivina (Lam.), A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 105.—Oliva.
- conoïdalis Triforis, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 481.
- conoïdes Balanus (Don.), G. Montagu, Test. Brit. I. 1803, 12.—Lepas, 1800.
- conoïdes Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278 [*n. n.*].
- conoïdes Pholas, J. Fleming, Hist. Brit. Anim. 1828, 457.
- conoïdes Pileopsis, Castelnau, Ess. Silur. Amér. sept. 1843, 36. [pls. Mar. 1835, 51.
- conoïdes Pleurotoma, T. A. Conrad, Foss. Shells Tert. N. Amer. (3), republished with
- conoïdes Pleurotoma (Soland.), J. Morris, Cat. Brit. Foss. 1843, 157.—Murex, 1766.
- conoïdes Siphonotreta, S. Kutorga, Verh. Russ.-Kais. min. Ges. St. P. 1847 (1848), 269.
- conoïdeum Achilleum, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 19.
- conoïdeus Ananchytes, G. A. Goldfuss, Petref. German. I (2) 1829, 145.
- conoïdea Ancillaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 44.
- conoïdea Ancillaria, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 15.
- conoïdea Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 105.
- conoïdea Auricula (Brocchi), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 108.—Turbo. [Sept. 1839, 24 [= conoïdes].
- convideus (*sic*) Bulimus, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (3 & 4)
- conoïdea Capulus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—Fissurella.
- conoïdeum Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 345.
- conoïdeum Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
- conoïdea Clepsidrina, K. E. Hammerschmidt, Isis (Oken), 1838, 356. [1778.
- conoïdeus Clypeaster (Leske), G. A. Goldfuss, Petref. German. I (2) 1829, 132.—Clypeus,
- conoïdeus Clypeus (Leske), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 186.—Echinoclypeus, Bl.
- conoïdea Coelioxys, E. F. Germar, Reise Dalm. 1817, 267. [Glenotremites.
- conoïdea Comatula (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—
- conoïdeus Conocypus (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 64.—Galerites.
- conoïdea Cyclostoma, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 282.
- conoïdeus Cyclotus (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 10.—Cyclostoma.
- conoïdeus Echinoclypeus (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 189.—Clypeus, 1778. [(1836), 186.—Clypeaster.
- conoïdeus Echinolampas (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
- conoïdea Echinolampas (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 190.—Galerites.
- conoïdea Emarginula, L. Reeve, Proc. Zool. Soc. London, X (110) Nov. 1842, 50.
- conoïdea Fissurella, G. A. Goldfuss, Petref. German. III (8) 1844, 8.
- conoïdeus Galerites, Lamarck, An. s. vert. III. 1816, 22.
- conoïdeus Glenotremites, G. A. Goldfuss, Petref. German. II (7) 1840, 286.
- conoïdeus Globulus, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 177.
- conoïdea Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 69.
- conoïdea Helix, S. A. Renier, Tavole [1804] xi.
- conoïdea Helix, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 106.
- conoïdea Helix, J. Brown, Ann. Mag. N. H. VII. July 1841, 429.
- conoïdea Helix (Cochlicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 56. [—Scyphia.
- conoïdeus Hippalimus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.
- conoïdea Hydrobia (Reyn.), D. Dupuy, H. N. Moll. France (5) May 1851, 559.—Paludina.
- conoïdeus Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 216.
- conoïdea Limnaea, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 113 [*n. n.*].
- conoïdea Lobularia, Lamarck, An. s. vert. II. 1816, 413.
- conoïdea Lottia (Quoy), Catlow & Reeve, Conch. Nomen. 1845, 99.—Patelloïda.
- conoïdea Mitra, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 253; Rep. trav. Soc. stat. Marseille, VI. 325.
- conoïdea Nerita, Lamarck, Ann. Mus. H. N. (Paris) V (26) Oct. 1804, 93. [Nerita.
- conoïdea Neritina (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 149.—

- conoidea** Odostomia (Fér.), J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 341.—
Auricula. [Turbo.]
- conoidea** Odostomia (Brocchi), Forbes & Hanley, Hist. Brit. Moll. III. 1850, 260.—
- conoideus** Orthoceratites, G. v. Muenster, Beitr. zur Petref. (3) 1840, 96.
- conoidea** Paludina, P. de Reynies, Lettre à Moq.-Tandon, 1844, 4. [355.]
- conoidea** Patelloida, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- conoideus** Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 91.
- conoidea** Pholas, G. P. Deshayes, Mém. Soc. H. N. Paris, I (2) 1824, 252.
- conoidea** Pleurotomaria, G. P. Deshayes, Descr. Coq. char. 1831, 181.
- conoideus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 201.
- conoidea** Rotalina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 145.
- conoidea** Sarcinula, G. A. Goldfuss, Petref. German. I (1) 1826, 74.
- conoidea** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 5.
- conoidea** Serpula (Lam.), W. Hisinger, Lethaea Suecica, 1837, 20.—Spirorbis.
- conoideum** Solarium, J. Sowerby, Min. Conch. I. 1813, 36.
- conoideum** Solarium, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 135.
- conoideum** Solarium, J. De C. Sowerby, Trans. Geol. Soc. Lond. [2] IV (2) 1836, 336.
- conoideus** Sphyaenodus, H. v. Meyer, N. Jahrb. f. Min. 1846, 597 [*n. n.*].
- conoideus** Spirifer, F. A. Roemer, Verst. Harzgeb. 1843, 12.
- conoidea** Spirorbis, Lamarck, An. s. vert. V. 1818, 360.
- conoideus** Strombus, Grateloup, Actes Soc. Linn. Bordeaux, VI (35) 1834, 192.
- conoidea** Stylna (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2,
II. Aug. 1836, 339.—Sarcinula.
- conoidea** Theba (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.—Helix.
- conoideus** Trochus (Fitt.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 129.—Solarium,
- conoideus** Turbo, G. Brocchi, Conch. Subap. 1814, 660. [Sow.]
- conoideus** Turbo, Defrance, Dict. Sci. Nat. XLVI. 1827, 521.
- conoidea** Turbulima (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—Helix.
- conoidea** Turritella, J. Sowerby, Min. Conch. I. 1814, 109.
- conoidea** Turritella, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 181.
- conoideus** Velates, Denys de Montfort, Conch. II. 1810, 355.
- conoidea** Voluta (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 67.—
- conoidea** Voluta, S. A. Renier, Tavole [1804] viii. [Bulla, 1767.]
- Conolites** W. Swainson, Elem. mod. Conch. 1835, 51.—Ceph. [D. & B.]
- Conolophus** L. Fitzinger, Syst. Rept. 1843, 16 & 51.—R. [*tyfus* Amblyrhynchus demarlii.
- Conomus** C. S. Rafinesque, Analyse, 1815, 92.—P. [*n. n.*].
- Conomya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 384.
—Dipt.
- Conomyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Conomya, Rob.
- conon** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 296.
- conon** Tetrastichus, Walker, List Hymenopt. Coll. B. M. (2) 1848, 148.—Cirrospilus, 1839.
- conon** Turbo, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 77.
- Conopaejus** C. Rondani, Magasin de Zool. (2) VII. 1845, text to pl. 153, p. 7.—Dipt.
- Conopalpus** L. Gyllenhal, Ins. Suecica, I (2) 1810, 547.—Col.
- Conoparia** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 81.—Cr.
- Conopea** T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 323.—Cirr.
- Conopeum** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 108 & 146.—Polyz.
- Conophaga** Lafresnaye, Rev. Zool. X. 1847, 69 [*v.* Conopophaga, Vieill.]. [Comp.]
- Conophoribium** Chevrolat; *teste* Gemminger & Harold, Cat. Col. III. p. 1773, *sed non*
- Conophorus** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 268.—Dipt.
- Conophorus** C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 719.—Col.
- conophthalmus** Acaste (Boeck), Goldfuss, N. Jahrb. f. Min. 1843, 563.—Phacops, Burm.
- conophthalmus** Phacops, H. F. Emmrich, De Trilobitis, 1839, 21.
- Conophyllia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.—Cor.
- Conopia** J. Huebner, Verz. bekannt. Schmett. [1820], 129.—Lep.
- conopiformis** Setia, J. W. Meigen, Syst. Besch. Europ. Schmett. II (3) 1829, 118.
- Conopilla** C. Rondani, Magasin de Zool. (2) VII. 1845, text to pl. 153, p. 9.—Dipt.
- Conoplea** J. E. Gray (*ex* Say MS), Ann. Phil. XXVI. Aug. 1825, 103.—*v.* Conopea.

- Conoplea** T. Say; *err.* Agassizi *pro* Conopea, *q. v.*
- Conoplella** *emend. pro* Conoplea, Say; H. G. L. Reichenbach, Zoologie, I. 1828, 89.
- Conopleura** R. B. Hinds, Zool. "Sulphur" (Moll. I.) 1844, 24.—G.
- Conopoderas** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A. [*tyfus* Turdus longirostris, Gm.]
- Conopoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Culicoides, Latr.
- Conopoideus** C. Rondani, Magasin de Zool. (2) VII. 1845, text to pl. 153, p. 9.—Dipt.
- Conopophaga** L. P. Vieillot, Analyse, 1816, 39.—A.
- conopsator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- Conopseus** Ceria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 453.—Mulio, 1798.
- conopseus** Doros (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.—Syrphus, 1775. [Milesia.]
- conopsea** Doros (Fab.), W. E. Leach, Brewster's Edin. Ency. XII (1) 1817, 159.—
- conopseus** Doros (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 550.—Scaeva.
- conopsea** Milesia (L.), J. C. Fabricius, Syst. Antliat. 1805, 195.—Musca, Gm. 1790.
- conopsea** Scaeva (Fab.), C. F. Fallén, Syrphici Sveciae (4) 1817 [1812 *errore*], 37.—
- Conopsida** J. Macquart, 1850; *teste* Marshall *sed* 1851 *est*. [Milesia.]
- conopsoides** Ceria (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 160.—Musca, 1758.
- conopsoides** Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 151.—Asilus, 1775.
- conopsoides** Mixogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 74.
- conopsoides** Ommatius, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 422.
- conopsoides** Ommatius, D. Thon, Ersch & Gruber, Allg. Ency. (3) III. 1832, 381.
- conopsoides** Zodion, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 348.
- Conorbis** W. Swainson, Treat. Malacol., May 1840, 149 & 312.—G.
- Conorhinus** F. L. de Laporte, Essai class. Hémipt. in Mag. de Zool. XII. 1832, 78.—
- Conorhinus** C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 448.—Col. [Hem.]
- conorynchus** Albula, J. G. Schneider, Bloch, Syst. Ichth. 1801, 433.
- conorhynchus** Coregonus, Cuvier & Valenciennes, H. N. Poiss. XXI. 1848, 485.
- Conosaurus** R. W. Gibbes, Smithsonian, Contrib. II (5) 1850 [1851], 9.—R.
- Conosoma** Lenz in Joerdens, Entom. u. Helminth. II. 1802, 30; *teste* Stiles & H., *non gen. sed triv.* (Ascaris conosoma).
- conosoma** Ascaris, J. H. Joerdens, Ent. u. Helm. menschl. Körpers, II. 1802, 30.
- conosoma** Ascaris, V. Brera, Mem. fis.-med. Vermi umano, 1811, 193.
- Conostoma** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 [Jan. 1842], 856.—A.
- Conosurus** R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77.—R. [*n. n.*]. ?=Conosaurus.
- Conotelus** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 249.—Col.
- Conoteuthis** A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 620; C. R. Acad. Sci. (Paris) XIV. 1842, 753.—Ceph.
- Conotrachelus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 392.—Col.
- Conotrochites** Deshayes, Ency. Méth. (Vers) II (2) 1830, 2 [*non usu gen.*].
- Conotubularia** G. Troost, Bull. Soc. géol. France, IV. 1834, 405; Trans. Geol. Soc. Pennsylv. I (2) 1835, 248; Mém. Soc. géol. France, III (1) 1838, 88.—Ceph.
- Conoura** S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 191.—Ins.
- Conovula** A. F. Schweigger, Handb. Naturges. 1820, 739.—G. [Conovule, Lamarck, *vernac.*] [Auricula.]
- conovuliformis** Acteon (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 343.—
- conovuliformis** Auricula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 67.
- conovuliformis** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 93.
- Conovulum** G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 119.—G.
- Conovulus** Lamarck, Ency. Méth. (Vers) 1816, pl. 459, Liste p. 12.—G.
- Conovulus** H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 106.—G.
- Conovulus** Lam.; G. B. Sowerby, II., Conch. Man. 1839, 28.—G.
- conovula** Imbricaria (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mitra.
- conovula** Mitra, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 655.
- Conoyces** R. P. Lesson, N. Tabl. R. Anim. 1842, 194.—M.

- conquestum** Orthoceras, L. G. de Koninck, Descr. Anim. foss. (11) *ineunte* 1844, 514.
- conquisitalis** Pionea, Guénée in H. Lucas, Explor. Algér. (Artic. III.) 1849, 403.
- conquisitor** Cryptus, T. Say, Boston Journ. N. H. I (3) 1836, 232.
- conquisita** Mitra, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 289.
- conradi** Acantholoma, Castelnau, Ess. Silur. Amér. sept. 1843, 23. [109.]
- conradi** Ammonceratites, S. G. Morton, Proc. Acad. Nat. Sci. Philad. I (7) Oct. 1841,
- conradi** Ammonites, S. G. Morton, Syn. Org. Rem. Cret. 1834, 39.
- conradi** Bourcieria (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 73.—Trochilus.
- conradi** Catopygus, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 39.
- conradi** Cyprina (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.—Venilia.
- conradii** Mellisuga (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—Trochilus.
- conradi** Murex, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 364.
- conradi** Orthis, Castelnau, Ess. Silur. Amér. sept. 1843, 37.
- conradii** Ostrea, H. G. Bronn, Ersch & Gruber, Allg. Ency. (3) VII. 1836, 198.
- conradi** Penitella, A. Valenciennes in Du Petit-Thouars, Voy. Vénus (Atlas, 1846), pl. 24.
- conradii** Purpura, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 84 [*n. n.*].
- conradi** Scaphites, v. Buch, Bull. Soc. géol. France (sér. 2) VI. 1849, 566.
- conradi** Scaphites (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 214.—Ammono-
- conradii** Thracia, J. L. Russell, J. Essex Co. N. H. Soc. I (2) 1839, 75. [nites.]
- conradi** Thracia, J. P. Couthouy, Boston Journ. N. H. II (2) 1839, 153.
- conradi** Trochilus, J. Bourcier, Proc. Zool. Soc. London, XV (171) May 17, 1847, 45.
- conradi** Venilia, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 294.
- conradicus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 63.
- consanguinea** Acanthodis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 454. [1838], 660.
- consanguineum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- consanguinea** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 346.
- consanguineus** Asilus, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 103.
- consanguinea** Aulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 935.
- consanguineus** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 375.
- consanguinea** Colobogaster, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 10.
- consanguinea** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 322.
- consanguinea** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850,
- consanguinea** Helicina, C. B. Adams, Contr. to conch. (8) Oct. 1850, 134. [387.]
- consanguinea** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 59.
- consanguinea** Holotrichia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 139.
- consanguineus** Hydaticus, Dupont in C. Aubé, Spec. gén. Hydroc. 1838, 160.
- consanguinea** Lina, J. L. Leconte in Agassiz, Lake Superior, 1850, 237 [*n. n.*].
- consanguinea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 241, Mar. 1844 [*err. pro* 1845].
- consanguinea** Musca, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 78.
- consanguineus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 131.
- consanguinea** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 57.
- consanguinea** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 210.
- conscriptella** Hypatima, J. Huebner, Verz. bekannt. Schmett. 1826, 415.—Tinea.
- conscriptella** Plutella (Hueb.), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 575.—Tinea.
- conscriptella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 41 (Fernaldo judice 1800–05) [*n. et f.*]. [Hueb.]
- conscripta** Cellaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 526.—Tinea conscriptella,
- consecta** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 290.
- consecta** Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 259.
- consecta** Polymorphina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 265 [*n. n.*].
- consecta** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 262 [*n. n.*].
- consenescent** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (11) 1836, 88.
- consentaneus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 23 [*"Mon. Anth." poster. edit.*].
- consentaneus** Aphodius, J. L. Leconte in Agassiz, Lake Superior, 1850, 225.

- consentaneus** Bulimus, Ziegler in Rossmassler, *Icones Iconogr. Moll.* I (1) 1835, 86.
consentaneus Cardiophorus, L. Redtenbacher in Hügel, *Kaschmir*, IV (2) 1844, 508.
consentanea Cicindela, Dejean, *Spec. gén. Coléopt.* I. 1825, 63. [505.
consentanea Combophora, L. Fairmaire, *Ann. Soc. Ent. France* [2] IV (4) Mar. 1847,
consentanea Crioceris, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov. 1845, 561.
consentanea Exoplectra, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 922.
consentanea Galleruca, F. W. Hope, *Zool. Miscell. (Gray)* (1) Feb. 1831, 29.
consentaneus Gyrohypnus, Dejean in A. Nordmann, *Mém. présentés Ac. Imp. Sci.*
 St Pétersb. IV (1 & 2) Oct. 1837, 122. [IV. 1829, 302.
consentaneus Harpalus, Dejean, *Catal. Coléopt.* 1821, 14 [*n. n.*]; *Spec. gén. Coléopt.*
consentaneus Otiorhynchus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (1)
 1843, 278.
consentaneus Unio, Ziegler in E. A. Rossmassler, *Icones L.-u. S. Moll. Europ.* I (2)
 Aug. 1835, 21; & (3) Mar. 1836, 29.
consentaneus Xantholinus (Nordm.), W. F. Erichson, *Gen. Spec. Staph.* (1) 1839, 326.
 —Gyrohypnus.
consentaria Acidalia, C. F. Freyer, *Neuere Beitr. Schmett.* VI (81) 1846, 10.
consequa Noctua, J. Huebner, *Europ. Schmett.*, *Tab. Noctua*, 23 (Fernaldo judice 1802)
consequa Tabanus, F. Walker, *The Zoologist*, VIII. 1850, App. p. cxxi. [*n. et f.*].
consequa Triphaena (Hueb.), F. Ochsenheimer, *Schmett. Europa*, IV. 1816, 69.—Noctua.
consequana Grapholitha, P. C. Zeller, *Isis (Oken)*, 1847, 733.
conserta Harmodia, J. Huebner, *Verz. bekannt. Schmett.* [1822], 207.
conserta Noctua, J. Huebner, *Europ. Schmett.* (Ziefer) [me judice 1805], 175. [19.
consignaria Eupithecia, H. Doubleday, *Syn. List Brit. Lepid.* 1850, Sheet C (Nov. 1849),
consignatorius Ichneumon, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* VIII. 1822,
 278.
consignata Arcyonia, J. Huebner, *Verz. bekannt. Schmett.* 1826, 325.—Geometra, 1796.
consignata Cidaria (Hueb.), F. Treitschke, *Schmett. Europa*, V (2) 1825, 443.—Geo-
 metra, 1796. [metra, ? Huebner. 1796.
consignata Eupithecia (Bork.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 45.—Geo-
consignata Larentia (Hueb.), F. Treitschke, *Schmett. Europa*, VI (2) 1828, 117.—Geom.
 1796. [1796.
consignata Phalaena (Hueb.), A. H. Haworth, *Lepidopt. Brit.* (2) 1809, 357.—Geometra,
consiliarius Conus, D. Solander, *Catal. Portland Mus.* 1786, 153 [*n. n.*].
consimilana Peronaea, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 47 [*n. n.*]; & Ill.
Brit. Ent. (Haust. IV.) Aug. 1834, 150.
consimilana Sparganothis, J. Huebner, *Verz. bekannt. Schmett.* 1826, 386.—Tortrix.
consimilana Tortrix, J. Huebner, *Europ. Schmett.*, *Tab. Tort.* 38 (Fernaldo judice 1811-
 18) [*n. et f.*]. [(2) (Noct. 4, pt. 2), 386, 1829.
consimiliaria Boarmia, Boisduval in Duponchel in J. B. Godart, *H. N. Lépid. France*, VII
consimilella Chimatache, J. Huebner, *Verz. bekannt. Schmett.* 1826, 402.
consimilis Achatina, L. Reeve, *Conch. Icon.* V.—Achatina, no. 104, June 1849.
consimilis Acupalpus, Dejean, *Spec. gén. Coléopt.* IV. 1829, 465. [Harpalus.
consimile Agonum (Gyll.), J. F. Stephens, *Ill. Brit. Ent. (Mand. I.)* Feb. 1828, 90.—
consimilis Aleochara, J. F. Stephens (*ex Kirby MS*), *Nom. Brit. Ins.*, Aug. 1829, 21
 [*n. n.*]; & Ill. *Brit. Ent. (Mand. V.)* Ap. 1832, 116.
consimilis Andrena, F. Smith, *The Zoologist*, V (6) 1847, 1736.
consimilis Andrena, F. Smith, *The Zoologist*, VI (9) 1848, 2214. [Omalius.
consimile Anthobium (Gyll.), J. F. Stephens, *Nom. Brit. Ins.*, ed. 2, July 1833, 107.—
consimilis Anthomyia (Fall.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* V. 1826, 201.
 —Musca.
consimilis Aulopora, W. Lonsdale in R. I. Murchison, *Silurian System*, Jan. 1839, 675.
consimilis Brachiacantha, J. L. Leconte in Agassiz, *Lake Superior*, 1850, 238 [*n. n.*].
consimilis Bulimus, L. Reeve, *Conch. Icon.* V.—Bulimus, no. 346, Nov. 1848.
consimilis Buprestis, Laporte & Gory, *H. N. Coléopt.* I. 1838, 104.
consimilis Chlaenius, J. L. Le Conte, *Ann. Lyceum N. H. New York*, IV (10 & 11) July
 1847, 437.
consimilis Chrysops, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 57 [*n. n.*].

- consimilis** Clausilia, Ziegler in Rossmäessler, Icones Iconogr. Moll. I (1) 1835, 79.
- consimilis** Colobogaster, Gory in Laporte & G., II. N. Coléopt. IV. 1840, 152.
- consimilis** Dacnusa, J. Curtis, Guide Brit. Ins. (4) 1829-30, 107 [*n. n.*].
- consimilis** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 75.
- consimilis** Diadema, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
- consimilis** Dolichopus, Wahlberg, Ofvers. K. Vet. Ac. Förh. VII (8) 1850, 217. [281.
- consimilis** Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 40.
- consimilis** Encyrtus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 113 [*n. n.*].
- consimilis** Harpalus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 161.
- consimilis** Hipparionyx, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 124.
- consimilis** Hydroporus, J. L. Leconte in Agassiz, Lake Superior, 1850, 214.
- consimilis** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 22.
- consimilis** Lachnosterna, J. L. Leconte in Agassiz, Lake Superior, 1850, 226.
- consimile** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 627.
- consimilis** Lathridius, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 99.
- consimilis** Limenitis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 133.
- consimilis** Linnobia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 837.
- consimilis** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 85.
- consimilis** Neptis (Boisd.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 272.—Limenitis.
- consimile** Olophrum (Gyll.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 867.—Omalius.
- consimile** Omalius, L. Gyllenhal, Ins. Suecica, I (2) 1810, 199.
- consimilis** Pecten, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 91.
- consimilis** Pentatoma, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 389.
- consimilis** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 42.
- consimilis** Phalacrus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 165.
- consimilis** Pleurotoma, A. Risso, H. N. Europe, IV. 1826, 218. [—Dermestes.
- consimilis** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 440.
- consimilis** Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 56.
- consimilis** Syphona, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 205.
- consimilis** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 454.
- consitus** Carabus, G. W. F. Panzer, Ins. Germ., heft 108, 1809, tab. 3.
- consitus** Carabus, Panzer in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
- consitus** Carabus, Hoffm.; J. Sturm, Catal. Ins. Samml. 1826, 110.
- consobrinana** Anchylopera, J. Curtis, Guide Brit. Ins. (6) 1831, 169 [*n. n.*].
- consobrinana** Anchylopera, J. Curtis, Brit. Entom. VIII (94) Oct. 1831, no. 376.
- consobrinaria** Boarmia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—
Geometra, 1796. [—Geometra, 1796.
- consobrinaria** Phalaena (Hueb.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 87.
- consobrinus** Abroeus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 323.
- consobrina** Achatina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 170.
- consobrina** Agallia, J. Curtis, Entom. Mag. I (2) Jan. 1833, 193.
- consobrina** Agapanthia, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 17.
- consobrina** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 122.
- consobrina** Altica, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 630.
- consobrina** Altica, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 74 [*n. n.*].
- consobrinus** Alydus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 20.
- consobrinus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 147.
- consobrina** Amphionycha, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201
- consobrina** Anisotoma, C. R. Sahlberg, Ins. Fenn. I. 1834, 464. [[*n. n.*].
- consobrina** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 665.
- consobrina** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1841, 209.
- consobrina** Arca, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 52.
- consobrina** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1401.—Anthomyza, 1838.
- consobrinus** Arpactus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33 [*n. n.*].
- consobrinus** Bombus, G. Dahlbom, Bomb. Scand. 1832, 49.

- consobrinus Bombylius, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1846, 1847, 70.
 consobrinus Capulus, A. d'Orbigny, *Bull. Soc. géol. France* (sér. 2) VII. 1850, 130.
 consobrinus Capulus, A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 292.
 consobrina Catagramma, F. E. Guérin-M., *Iconographie*, 1844, Ins. 482.
 consobrinus Cetonina, Villa & Villa, *Coleopt. Europ.* 1833, 35.
 consobrinus Chelonius, J. Curtis, *Guide Brit. Ins.* (4) 1829-30, 105 [*n. n.*].
 consobrina Cloeon, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 26 [*n. n.*].
 consobrinus Colymbetes, J. Curtis, *Brit. Entom.* V (52) Ap. 1828, no. 207.
 consobrinus Conus, G. B. Sowerby, I., *Q. J. Geol. Soc. London*, VI. 1850, 45.
 consobrinus Crabro, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 33 [*n. n.*].
 consobrinus Cryptorhynchus, Munck in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837,
 consobrinus Ctenistes, J. Le Conte, *Boston Journ. N. H.* VI (1) 1850, 79. [95.
 consobrina Ctenophora, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 53 [*n. n.*].
 consobrina Cucullaea (Orb.), H. G. Bronn, *Index Pal.* 1848, 357.—Arca.
 consobrinum Culex, J. B. Robineau-D., *Mém. Soc. H. N. Paris*, III (3) Oct. 1827, 408.
 consobrina Cupulospongia, A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 188.
 consobrina Cynips, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 410.
 consobrina Cyprina, A. d'Orbigny, *Pal. Franç., Crét.* III (Lam.) 1844, 107.
 consobrina Cyrena, Olivier; F. Cailliaud, *Voy. Méroé*, IV. 1827, 263.
 consobrina Dentalina, A. d'Orbigny, *Foram. foss. Vienne*, Sept. 1846, 46.
 consobrina Dicerca, F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (6) Dec. 1844,
 consobrinus Dolichopus, J. Curtis, *Guide Brit. Ins.*, ed. 2, 1837, 257 [*n. n.*]. [145.
 consobrina Formica, W. F. Erichson, *Arch. f. Naturg.* VIII (1) 1842, 258.
 consobrina Geomyza, J. W. Zetterstedt, *Dipt. Scand.* VI. 1847, 2529.—Opomyza, 1838.
 consobrina Gervilia, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 284.
 consobrina Haltica, K. Duftschmid, *Fauna Austriacae*, III. 1825, 252.
 consobrinus Hamites, A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 216.
 consobrina Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., *Tabl. Limaçons*,
 1821, 36 [*n. et f.*].
 consobrinus Hyphydrus, G. Kunze, *N. Schr. Nat. Ges. Halle*, II (4) 1818, 61.
 consobrinus Hypolithus, Dejean, *Spec. gén. Coléopt.* IV. 1829, 180.
 consobrina Leia, J. Curtis, *Brit. Entom.* XIV (161) May 1837, no. 645.
 consobrina Leptaena, J. Barrande, *Naturw. Abhandl. (Haidinger)* II. 1848, 218. [477.
 consobrina Lima, A. d'Orbigny in Murchison, V. & K., *Geol. Russia*, II. Aug. 1845,
 consobrinus Limnephilus, J. Curtis, *Guide Brit. Ins.* (5) 1830, 135 [*n. n.*]. [1834, 124.
 consobrinus Limnephilus, J. Curtis, *Lond. & Edinb. Phil. Mag.*, 3rd ser., IV (20) Feb.
 consobrina Locusta, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 25 [*n. n.*].
 consobrina Lucilia, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1845, 217.
 consobrina Masicera, J. Macquart, *Ann. Soc. Ent. France* [2] VIII (4) c. Jan. 1851, 484.
 consobrina Mesomphalia, C. H. Boheman, *Mon. Cassid. I.* 1850, 258.
 consobrinus Metapodius, J. O. Westwood in Hope, *Cat. Hemipt.* (2) 1842, 15.
 consobrinus Micropalpus, J. Macquart, *Ann. Soc. Ent. France* [2] VI (2) Sept. 1848, 133.
 consobrinus Mitylus, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 370.
 consobrinus Musca, J. Curtis, *Brit. Entom.* XII (137) May 1835, no. 549.
 consobrina Myophora, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*,
 II. 1830, 344.
 consobrinus Nematus, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 29 [*n. n.*]; & III.
 Brit. Ent. (Mand. VII.) Aug. 1835, 38 [vicinus].
 consobrina Nerita (Fér.), A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 301.—Neritina.
 consobrina Neritina, Férussac in Deshayes, *Descr. Coq. foss. Paris*, II. 153 (1832).
 consobrina Odontomyia, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1847 (2) 1848, 176.
 consobrinus Odynerus, L. Dufour, *Ann. Sci. Nat.* [2] (Zool.) XI. Feb. 1839, 91.
 consobrina Opomyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 762.
 consobrina Otala (Fér.), H. Beck, *Index Moll. Mus. Ch. Fred.* (1) 1837, 36.—Helix.
 consobrinus Oxytelus, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 24 [*n. n.*]; & III.
 Brit. Ent. (Mand. V.) Dec. 1833, 320.
 consobrinus Pezomachus, A. Foerster, *Arch. f. Naturg.* XVI (1) 1850, 181.
 consobrina Phasianella, A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 301.

- consobrina** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 160.
- consobrina** Phyllodes, J. O. Westwood, Cab. Orient. Entom. 1847, 57.
- consobrinus** Platygaster, J. Curtis, Guide Brit. Ins. (4) 1829–30, 112 [*n. n.*].
- consobrina** Platypeza, J. W. Zetterstedt, Dipt. Scand. III. 1844, 904.
- consobrinus** Pompilus, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 79.
- consobrinus** Porphyrops, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consobrinus** Psilopus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consobrina** Rhamphomyza, J. W. Zetterstedt, Dipt. Lapp. descr. 1838, 571.
- consobrinum** Raphium, J. W. Zetterstedt, Dipt. Scand. II. 1843, 471.
- consobrina** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 46.
- consobrina** Rotalia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 337.
- consobrina** Sapromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2340.
- consobrinum** Scaphidium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 19.
- consobrinus** Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 98.
- consobrinus** Stenelmis, L. Dufour, Ann. Sci. Nat. [2] (Zool.) III. Mar. 1835, 161.
- consobrina** Synastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 293.
- consobrina** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 248.
- consobrinus** Tanypus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3599. [79.]
- consobrina** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816.
- consobrina** Tetanocera, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 321 [*n. n.*].
- consobrinus** Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 26.
- consobrina** Triloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 277.
- consobrina** Zygaena, Kefenstein in E. F. Germar, Fauna Ins. Europ. (16) [1831–35], 23.
- consocialis** Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea consociella.
- consociale** Pentatoma, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 630.
- consociale** Trophon, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 49.
- consociatus** Longitarsus, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 38.
- consociata** Nassa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 31.
- consociatus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 222.
- consociella** Phycis (Hueb.), Zincken, Mag. Entom. (Germar) III. 1818, 138.—Tinea.
- consociella** Phycia (Hueb.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Tinea.
- consociella** Rhodophaea (Hueb.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 313.—Tinea. [1811–17] [*n. et f.*].
- consociella** Tinea, J. Huebner, Samml. europ. Schmett., Tinea, 48 (Fernaldo judice
- consocia** Bradybaena (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—Helix.
- consocius** Cyclostomus, W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 43 [*n. n.*].
- consocia** Fruticicola (Ziegl.), F. Held, Isis (Oken), 1837, 914.—Helix.
- consocia** Helix, Ziegler in Rossmassler, Icon. Moll. I (1) 1835, 63.
- consocius** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 56.
- consolidata** Helix (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 946.—Bulimus, 1789.
- consolidata** Natica, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 89.
- consonans** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 106.
- consonaria** Boarmia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geometra, 1796.
- consonaria** Ectropis, J. Huebner, Verz. bekannt. Schmett. 1826, 316.—Geometra, 1796.
- consonaria** Tephrosia (Hueb.), Boisduval, Gen. Index Europ. Lepid. 1840, 198.—Geometra, 1796.
- consona** Abrostola (Hueb.), F. Ochseneimer, Schmett. Europa, IV. 1816, 88.—Geometra consonaria?, 1796.
- consona** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvi.
- consona** Bradybaena (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—Helix.
- consona** Euchalcia (Fab.), J. Huebner, Verz. bekannt. Schmett. [1825], 250.—Noctua, 1787.
- consona** Fruticicola (Ziegl.), F. Held, Isis (Oken), 1837, 914.—Helix.
- consona** Helix, Ziegler in Rossmassler, Icon. Moll. I (1) 1835, 63.
- consona** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 319.

- consona** Plusia (Huebn.), F. Treitschke, Schmett. Europa, V (3) 1826, 150.—Noctua, Fab. 1787.
- consors** Anthomyia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 429 [*n. n.*].
- consors** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1674.
- consors** Cardium, G. B. Sowerby, I., Proc. Zool. Soc. London, I (7) Sept. 1833, 85.
- consors** Clausilia, Ziegler in Rossmäessler, Icones Iconogr. Moll. I (1) 1835, 78.
- consors** Cryptocephalus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 588.
- consors** Cucullia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846, 88.
- consors** Helix, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 51. [1797.]
- consors** Noctua (Abbot), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 290.—Phalaena,
- consors** Ochtheptila (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- consors** Philonthus, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- consors** Pleurotoma, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 50.
- consors** Pyrula, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 49.
- consors** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 150.
- consortaria** Boarmia (Fab.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Phalaena, 1787. [1787.]
- consortaria** Dryocoetes (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—Phalaena,
- consortus** Oiketicus (Cryptothoea), R. Templeton, Tr. Entom. Soc. Lond. V (2) Sept. 1847, 40. [Huebn. 1796.]
- consorta** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 483.—Tinea consortella,
- consorta** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- consorta** Selandria, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 126 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII), Aug. 1835, 53 [cinxia].
- consorta** Tachydromia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 56 [*n. n.*].
- consparscata** Miselia, Fuchs in C. F. Freyer, Neuere Beitr. Schmett. V (72) 1844, 82.
- conspectus** Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 268.
- conspersgatus** Homalonotus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 31. [[1836], 524.]
- conspersgatus** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837
- conspersana** Cnephasia, J. W. Douglas, The Zoologist, IV (3) 1846, 1267.
- conspersana** Nephodesme (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 390.—Tortrix, 1775.
- conspersana** Phalaena (Phyalis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 353.
- conspersaria** Dyscia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 314.—Geometra, 1775. [Geometra, 1775.]
- conspersaria** Fidonia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—
- conspersaria** Scodionia (D. & S.), Boisduval, Gen. Index Europ. Lepid. 1840, 185.—Geometra, 1775. [1848, 112.]
- conspersella** Tinea, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I.
- conspersula** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 124.
- conspersus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 [*n. n.*]. [Elater.
- conspersa** Adelocera (Gyll.), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 257.—
- conspersus** Adioristus, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May 1842, 125. [1829, 32.—Elater.
- conspersus** Agrypnus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan.
- conspersus** Ancistrotus (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 14.—Goniosoma. [—Goniosoma.
- conspersus** Ancistrotus (Perty), C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 50.
- conspersa** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xlv.
- conspersa** Apogonia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 199.
- conspersum** Armadillidium, E. G. Zaddach, Syn. Crust. Pruss. 1844, 19.
- conspersa** Blatta, Percheron, Gen. Ins. (2) 1835, no. 3. [Erotylus.
- conspersus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 342.—
- conspersum** Buccinum, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 138. [Bulinus.
- conspersus** Bulimulus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 68.—
- conspersus** Bulinus, G. B. Sowerby, I., Conch. Illustr. (35) 1833, f. 49 [*n. et f.*].

- conspersus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 73.
conspersa Buprestis, Gyllenhal, Ins. Suec. I. 1808, 441.
conspersa Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 44.
conspersa Cassida, E. F. Germar, Ins. Spec. novae, I. 1824, 534.
conspersa Cassida, D. H. Schneider, Verz. Insectensamm. 1828, 83 [*n. n.*].
conspersa Cetonia, Gory & Percheron, Mon. Cétoines (2) 1834, 65; (11) 1836, 287.
conspersa Chlamys, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, [311].
conspersus Chthonobius, H. Burmeister, Handb. Ent. V. 1847, 567.
conspersa Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 127.
conspersus Cimex E. F. Germar, Revue Entom. V (4) 1840, 173.
conspersa Clausilia, Parreyss in L. Pfeiffer, Mon. Helic. II. 1848, 456.
conspersa Colobothea, Dejean, Catal. Coléopt. 1821, 108 [*n. n.*].
conspersus Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 406.
conspersus Colymbetes (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 72.—Dytiscus.
conspersus Conus, L. Reeve, Conch. Icon.—Conus, no. 262, Feb. 1844.
conspersus Corizus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 350.
conspersus Cosmetus, M. Perty, Del. anim. artic. Brasil. (2) 1833, 203.
conspersus Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n. n.*].
conspersus Curculio, Olivier, Ency. Méth. (Ins.) V. 1790, 506.
conspersus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].
conspersum Cyclostoma, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 22 [*n. n.*].
conspersa Cynorta (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 21.—Cosmetus.
conspersa Cynorta (Perty), C. L. Koch, Die Arachniden, VII (5) post July 1839, 100.—Dianthecia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 108.—Noctua, 1775.
conspersa Dianthecia (Huebn.), Boisduval, Revue Entom. II (6) 1834, 249.—Noctua, Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 427. [D. & S. 1775].
conspersus Elaphidion, E. Newman, Entomologist (7) May 1841, 110.
conspersus Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 377.
conspersus Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 41.
conspersa Epicauta, J. Curtis (*ex Germ. MS.*), Proc. Linn. Soc. London (21) June 1844, Epilampra, Klug in H. Burmeister, Handb. Ent. II (2) i, 1838, 505. [202].
conspersus Erotylus, E. F. Germar, Ins. spec. novae, I. 1824, 614.
conspersus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825.
conspersa Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 89. [57].
conspersa Glycyphana (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 353.—Cetonia.
conspersum Goniosoma, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
conspersus Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
conspersa Harmodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 207.—Noctua, 1775. [Rhynchaenus].
conspersus Heilipus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 238.—Hemerobius, H. Burmeister, Handb. Ent. II (2) ii, 1839, 974.
conspersus Jassus, Herrich-S. in Panzer, Ins. Germ., heft 124, 1834, tab. 12.
conspersa Lamia, E. F. Germar, Ins. spec. novae, I. 1824, 474.
conspersus Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 12.
conspersa Latipalpis (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 289.—Buprestis, Gyll.
conspersa Limnobia, J. Curtis, Guide Brit. Ins. (7) 1831, 206 [*n. n.*].
conspersus Liolaemus, J. L. C. Gravenhorst, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, Litorina, R. A. Philippi, Abb. Conch. II (7) 1847, 200. [737].
conspersa Locusta (Chlœaltis), T. W. Harris, Rep. Insects Massach. 1841, 149.
conspersa Lystra, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 55.
conspersa Mantis, H. Burmeister, Handb. Ent. II (2) i, 1838, 534.
conspersa Marpissa, C. L. Koch, Die Arachniden, XIII (2) Jan. 1846, 61.
conspersus Medeterus, A. H. Haliday, Zool. Journ. V (19) July 1832, 356.
conspersa Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 247.

- conspersa** Miselia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—
Noctua, 1775. [219.]
- conspersa** Mygale, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- conspersus** Myrmeleon, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 387.
- consperisa** Mystacida, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 514.
- consperisa** Nacerdes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 124.
- conspersus** Otiorhynchus (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 346.—
Curculio, 1795.
- conspersus** Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
- conspersus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 264.
- conspersus** Philopotamus, J. Curtis, Guide Brit. Ins. (5) 1830, 135 [n. n.].
- conspersus** Philopotamus, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar.
- consperisa** Phoraspis, A. Brullé, H. N. Ins. IX (Orth.) 1835, 60. [1834, 213.]
- consperisa** Phoraspis, H. Burmeister, Handb. Ent. II (2) i, 1838, 493.
- conspersus** Pissocles, Ol.; Dejean, Catal. Coléopt. 1821, 87 [n. n.].
- consperisa** Planulina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 372.
- conspersus** Plectrocnemia, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 169 [n. n.].
- consperisa** Poecilonota (Th.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis.
- consperisa** Polidea (Meig.), J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848,
93.—Tachina.
- conspersus** Polydesmus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 210.
- conspersus** Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 17.
- consperisa** Psacasta, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 71.
- conspersus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 486.
- consperisa** Pupa, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 160.
- conspersus** Rhacophorus (Perty), C. L. Koch, Krit. Revision Insect. Deutschl. 1847,
137.—Polydesmus.
- conspersus** Rhynchaenus, A. G. Olivier, Entom. V. 1807, 170.—Curculio, 1790.
- consperisa** Saperda, D. H. Schneider, Verz. Insectensamml. 1828, 82 [n. n.].
- consperisa** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 263.
- consperisa** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 153.
- conspersus** Trochus, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 142 [n. n.].
- consperisa** Turritella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 47.
- consperisa** Venus, H. F. Link, Besch. Nat. Samml. Rostock (3) 1807, 150.
- consperisa** Zetobora (Perch.), H. Burmeister, Handb. Ent. II (2) i, 1838, 510.—Blatta.
- conspiciabilis** Otiorhynchus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat.
Moscou, VI. 1839, 22.
- conspiciabilis** Teinodactyla, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837,
- conspicillaris** Cicada, F. v. P. Schrank, F. Boica, II (1) 1801, 48. [345.]
- conspicillaris** Egira (L.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 162.—
Phalaena, 1758. [II. 1832, 79.—Cimex, 1782.]
- conspicillaris** Hammacerus (Dru.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool.
- conspicillaris** Hammatocerus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837,
64.—Cimex, 1782.
- conspicillaris** Liopus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 146.
- conspicillaris** Lithophane (L.), J. Huebner, Verz. bekannt. Schmett. [1825], 242.—
Phalaena, 1758. [1802] [n. cf.].
- conspicillaris** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 49 (Fernaldo judice
- conspicillaris** Xylena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 86.—
Phalaena, D. & S., 1775. [189.—Phal., L. 1758.]
- conspicillaris** Xylina (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832,
- conspicillatrix** Ischyja (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Phalaena,
1777.
- conspicillator** Phyllodes, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832,
- conspicillatus** Coluber, Boie, Isis (Oken), 1826, 211. [246.]
- conspicillatus** Coluber, H. Schlegel, Essai phys. Serp. 1837, I. 150; II. 171.
- conspicillata** Copris, F. Weber, Obs. Ent. 1801, 36.
- conspicillatus** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 32.

- conspicillatus** Copris, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 360. [1826, 210.—Sylvia.]
- conspicillata** Curruca (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- conspicillata** Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 333.
- conspicillatum** Dicaeum, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (2) 1832-3, 15.
- conspicellata** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 58.
- conspicillatus** Euprepiophis (Boie), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
- conspicillatus** Galago, I. Geoffroy, C. R. Ac. Sci. (Paris) XXXI. 1850, 876.
- conspicillatus** Hahnaturus (Gould), H. R. Schinz, Syst. Verz. Säug. I. 1844, 563.—Lagorcheses.
- conspicillatus** Lagorcheses, J. Gould, Proc. Zool. Soc. London, IX (105) Mar. 1842, 82.
- conspicillatus** Macropus (Lagorcheses), J. Gould; G. R. Waterhouse, Nat. Hist. Mamm. I. 1846, 85.—Lagorcheses, 1842.
- conspicillata** Malloccera, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 141.
- conspicillatus** Pelecanus, C. J. Temminck in T. & Laugier, Pls. color. (47) June 1824.
- conspicillatus** [Phanaeus], MacLeay, Horae Ent. I. 1819, 124.
- conspicillata** Psittacula, De Lafresnaye, Rev. Zool. (Cuv.) XI. June 1848, 172.
- conspicillatus** Pteropus, J. Gould, Proc. Zool. Soc. London, XVII (196) Jan.-June 1850, 109.
- conspicillatus** Sternaspis (MacL.), F. W. Hope, Coleopt. Manual, I. 1837, 51.—Phanaeus.
- conspicillata** Sterparola, C. L. Bonaparte, N. Ann. Sci. Nat. VIII. 1842 [Oct.], 165.
- conspicillata** Stigmodera, A. White, Ann. Mag. N. H. XII. Nov. 1843, 344.
- conspicillata** Sylvia, C. J. Temminck (ex Marm.), Man. Orn. I. 1820, 210.
- conspicillatus** Syngnathus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 147.
- conspicillatus** Zosterops (Kittl.), G. R. Gray, Gen. Birds, I. Dec. 1848, 198.—Dicaeum.
- conspicillum** Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 375.
- conspicillum** Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 474.
- conspicillum** Batrachus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 253.
- conspicillum** Rhinecanthus, W. Swainson, N. H. Fishes etc. II. July 1839, 325.
- conspicuaria** Fidonia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 435.—Geometra, 1796. [metra conspicuata, 1775.]
- conspicuaria** Isturgia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Geo-
- conspicuell** Apista, Mann in Zeller, Linnaea Entom. IV. Dec. 1849, 236.
- conspicuell** Coleophora, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 56.
- conspicua** Aelia, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 33.
- conspicuus** Allantus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- conspicua** Aranea, G. Perry, Conchology, Apr. 1811, pl. 46.
- conspicuus** Bellerophon, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 112.
- conspicuus** Carabus, Sturm in Dejean, Catal. Coléopt. 1821, 7 [n. n.].
- conspicuus** Clytus, Sch.; Dejean, Catal. Coléopt. 1821, 111 [n. n.].
- conspicua** Coccinella, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 448. [361.]
- conspicuus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- conspicuus** Conus, D. Solander, Catal. Portland Mus. 1786, 167 [n. n.]. [1817, 20.]
- conspicua** Lampyrus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 62; & App.
- conspicua** Leis (Fald.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1030.—Coccinella.
- conspicua** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 445.
- conspicua** Leptinotarsa, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19
- conspicuus** Microdus, C. Wesmael, N. Mém. Ac. Roy. Brux. X. 1837, 17. [[n. n.].
- conspicua** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 154 (Fernaldo judice 1826-33) [n. et f.].
- conspicua** Odostomia, J. Alder, Tr. Tyneside Nat. F. C. I (5) 1850, 359.
- conspicuus** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 660.
- conspicua** Patella, R. A. Philippi, Abb. Conch. III (6) 1849, 71.
- conspicua** Phthiria, H. Loew, Linnaea Entom. I. Feb. 1846, 397.

- conspicuum** Pleurotoma, E. Eichwald, Nat. Lithuæ, 1830, 225.
- conspicuous** Rhagio, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 299.
- conspicuous** Stenochorus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 91. [1846, 293.]
- conspicua** Tellina, S. Hanley in G. B. Sowerby, II., Thes. Conch. I (6) *ante* 21 Jan.
- conspicua** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817.
- conspicua** Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 223. [180.
- conspicua** Tornatella, E. Eichwald, Paleont. Rossii, 1850, 126.
- conspicuous** Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 244.
- conspicua** Voluta, D. Solander, Catal. Portland Mus. 1786, 140 [*n. n.*].
- conspurcator** Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 236.
- conspurcata** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 264.
- conspurcatus** Aphodius, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 279.
- conspurcatus** Aphodius (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Scarabæus, Aristenia, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 64. [1758.]
- conspurcata** Cercyon (Sturm), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 145.—Sphaeridium.
- conspurcata** Clausilia, Cristofori & Jan in E. A. Rossmæssler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 18.
- conspurcatum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 52. [Oct. 1850, 81.]
- conspurcata** Emphania, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
- conspurcata** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 93.
- conspurcata** Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 48.
- conspurcatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 409.
- conspurcatus** Issus, Frivaldsky, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 363.
- conspurcata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 463.
- conspurcatum** Liotheum, C. L. Nitzsch, Mag. Entom. (German) III. 1818, 300.
- conspurcata** Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI. 1802), 29. [1838], 190.
- conspurcata** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- conspurcata** Melolontha, F. Klug, Abh. ph.-kl. K. pr. Ak. Wiss. 1832 (1834) [1833].
- conspurcatus** Myrmecoleon, H. Burmeister, Handb. Ent. II (2) ii, 1839, 997. [168.]
- conspurcata** Nyctelia, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 90 [*n. n.*].
- conspurcatum** Platetrum (L.), E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Libellula, 1798.
- conspurcatus** Psocus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 323.
- conspurcatus** Rhigus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 91 [*n. n.*].
- conspurcatus** Sciocoris, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *d.*
- conspurcatum** Sphaeridium, J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 15.
- conspurcata** Theba, A. Risso, H. N. Europe, IV. 1826, 74.
- conspurcata** Theba (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.—Helix.
- conspurcatum** Trinitum, H. Burmeister, Handb. Ent. II (2) i, 1838, 440.
- conspurcata** Truxalis, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. *d.*
- conspurcata** Zetobora, H. Burmeister, Handb. Ent. II (2) i, 1838, 510.
- consputus** Acupalpus (Dufts.), Dejean, Spec. gén. Coléopt. IV. 1829, 443.—Carabus.
- consputus** Anthracus (Dufts.), V. v. Mochulski, Kaef. Russl., *post* May 1850, 21.—Carabus.
- consputus** Blemus (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 173.—
- consputus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 148. [Carabus.
- consputus** Ceutorhynchus, E. F. Germar, Ins. spec. novæ, I. 1824, 232.
- consputus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 206.
- consputus** Colymbetes, J. Sturm, Deutschl. Fauna (Insecten) VIII. 1834, 83.
- consputa** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 763.
- consputus** Philonthus, F. Baudi, Baudi & Truqui, Studi Ent. I. 1848, 127.
- consputus** Stenolophus (Dufts.), J. Sturm, Catal. Ins. Samml. 1826, 199.—Carabus.
- consputus** Trechus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 71.—Carabus.
- constans** Aphodius, Megerle in K. Duftschmid, Fauna Austriae, I. 1805, 94.
- constans** Hypera, Ziegl.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].

- constans** Merodon, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 354.
- constans** Odynerus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 173, 1839, 25.
- constans** Pangonia, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 15.
- constans** Phytomomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 394.
- constans** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 468.
- constans** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 186.
- constans** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 705.
- [**constantii**].
- constantii** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1848, 502.
- constantii** Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 89.—Venericardia
- constantii** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 25. [on pl.
- constantii** Ceriopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.
- constantii** Lyridon (Orb.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia. [Panopaea.
- constantii** Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—
- constantii** Ornismya, A. Delattre, Echo Monde Savant, X. 15 June 1843, 1069.
- constantii** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 339.
- constantii** Tanagra (Euphone), Boissonneau, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 3.
- constantii** Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 144.
- constantii** Venericardia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844.—v. Cardita.
- constantia** Cyllo (Cr.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 141.
—Papilio, 1777.
- constantia** Hipio (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 56.—Papilio, 1777.
- constantia** Satyrus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 477.—Papilio, 1777.
- constantiae** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 107.
- constantiensis** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 25.
- constantina** Acavus (Fér.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 113.—Helix, ?Forbes.
- constantina** Anthomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 327.
- constantina** Helix, Forbes; Anon., Manchester N. H. Soc. Catal. Shells, 1837, 41 [*n. n.*].
- constatus** Aphodius, J. Sturm, Catal. Ins. Samml. 1826, 95 [*n. n.*].
- Constellaria** J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 116 [*n. n.*]; & Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 537.—Cor.
- constellata** Asterias, Thorent, Mém. Soc. géol. France, III (2) 1839, 259.
- constellata** Caelaster (Thor.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 154.—
- constellata** Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7. [Asterias.
- constellata** Ceriopora, W. Vancleve, P. Amer. Assoc. 1848 (1849), 22 [*n. n.*].
- constellata** Constellaria (Vancleve), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 537.—Ceriopora.
- constellata** Egleis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 155.
- constellata** Helicina, A. Morelet, Rev. Zool. (Soc. Cuv.) X. Ap. 1847, 144.
- constellatum** Polyclinum, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 9.
- constellata** Trochataella (Mor.), L. Pfeiffer in Martini & Chemnitz, Syst. Conch. Carb., ed. 2, Helicinacea (94) 1850, 8.—Helicina.
- Constrictor** J. Wagler, Nat. Syst. Amph. 1830, 168.—R.
- constrictrix** Boa, J. G. Schneider, Hist. Amph. II. 1801, 247.
- constrictor** Coluber (Natrix), L.; B. Merrem, Tent. Syst. Amph. 1820, 108.
- constrictor** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 84.
- constrictor** Draco (L.), L. Oken, Lehrb. Nat. III (2) 1816, 274.—Boa, 1758.
- constrictor** Echinosorhynchus, Olfers, De veget. et anim. 1816, 51 [*teste* Stiles & H.].
- constrictor** Ichneumon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 871.—Cryptus.
- constrictor** Terebella, G. Montagu, Tr. Linn. Soc. London, XII (2) 1819, 343.
- constrictor** Throscus, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 190.
- constrictor** Tropidonotus (Merr.), F. Boie, Isis (Oken), 1827, 526.—Coluber (Natrix).
- constrictorstriatum** Cyrtoceras, J. Hall, N. H. New York (Pal. I.) 1847, 195.
- constrictus** Actinocrinus, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 181.
- constricta** Aeshna, T. Say, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 11.
- constricta** Allorisma, W. King, Ann. Mag. N. H. XIV. Nov. 1844, 316.
- constrictus** Ammonites, J. Sowerby, Min. Conch. II. 1817, 189.

- constricta* Amphidesma, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 347.
constricta Anatolica (Stev.), F. Eschscholtz, Zool. Atlas, IV. 1831, 7.—Tentyria?.
constrictus Andrena, F. Smith, The Zoologist, VII. 1849, App. p. lix.
constrictus Anthicus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 244.
constrictus Anthicus, J. Curtis (*ex* Rudd MS), Brit. Entom. XV (179) Nov. 1838, no. 714.
constrictus Anthocomus, W. F. Erichson, Entomographien, 1840, 104.
constrictus Aphidius (Nees), A. H. Haliday, Entom. Mag. II (1) Jan. 1834, 95.—Bracon.
constricta Arcella, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 410.
constricta Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 643.
constricta Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 134.
constricta Beroe, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 361.
constrictus Brachyderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 563.
constrictus Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 28.
constrictus Bulimus, L. Pfeiffer, Symb. Helic. I. 1841, 43.
constricta Bulla, J. De C. Sowerby, Min. Conch. V. 1824, 96.
constricta Bulla, A. Adams, G. B. Sowerby, II., Thes. Conch. II (11) 1850, 581.
constrictus Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Apr. 1848, 292.
constricta Ceriopora, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 23.
constrictum Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 373.
constrictus Ceuthorhynchus (Marsh.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 141.—Curculio. [77.
constricta Chaetomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
constricta Chemnitzia (Mart.), L. G. de Koninck, Descr. Anim. foss. (10) *exeunte* 1843, 465.—*Turbinites*.
constricta Chrysomela, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 230.
constricta Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 72.
constricta Colletes, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 41 [*n. n.*].
constrictus Conchyliolithus Turbinites, W. Martin, Petref. Derb. 1809, pl. 38.
constrictus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 258.
constricta Disputaeta, T. A. Conrad, Bull. Proc. Nat. Inst. Washington, II. 1842, 194.
constrictum Distomum, Mehlis, Arch. f. Naturg. XII (1) 1846, 142 [*n. n.*].
constrictus Eirrhinus (Say), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 286.—
Rhynchaenus.
constricta Feronia, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 147.
constricta Furcularia (Müll.), Lamarck, An. s. vert. II. 1816, 38.—Vorticella, 1786.
constrictus Fusus, F. C. L. Koch in R. A. Philippi, Abb. Conch. II (1) 1845, 21.
constrictus Globites (Sow.), W. de Haan, Mon. Ammon. 1825, 144.—Ammonites.
constrictus Goniatites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 27.
constricta Goniomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 9.
constricta Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Apr. 25, 1849, 120.
constricta Helix [N. Boubée], Echo Monde Savant, III. 17 Dec. 1836, 220.
constricta Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 39.
constrictus Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
constricta Hydraspis, J. E. Gray, Syn. Rept. 1831, 43. [790.
constricta Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 210.
constrictus Latridius, L. Gyllenhal, Ins. Suecica, I (4) 1827, 138.
constricta Leptura, E. F. Germar, Ins. spec. novae, I. 1824, 520.
constrictus Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 78.
constricta Loxonema (Sow.), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 20.—Melanea. [pls. Mar. 1835, 46.
constricta Marginella, T. A. Conrad, Foss. Shells Tert. N. Amer. (3), republished with
constricta Marginella, R. B. Hinds, Proc. Zool. Soc. London, XII (134) Sept. 1844, 74.
constricta Medea (Cham.), J. F. Eschscholtz, Isis (Oken), 1825, 741.—Beroe.
constrictus Melanea (Mart.), J. Sowerby, Min. Conch. III. 1818, 33.—Conchyliolithus.
constricta Monas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 285.
constricta Monas (Mastichemonas), Duj.; C. M. Diesing, Syst. Helminth. I. 1850, 31.
constricta Monodonta, Lamarck, An. s. vert. VII. 1822, 36.
constrictum Monostomum, C. M. Diesing, Syst. Helminth. I. 1850, 322.

- constrictus** Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
constricta Nerinaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 143.
constricta Nerinella (Roem.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 107.—Nerinaea.
- constricta** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 26. [Solen.
constricta Novaculina (Lam.), W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 490.—
constricta Nuculites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 249.
constrictus Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 462.
- constrictus** Odontaspis, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 388.
constricta Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—
constricta Oliva, I. Lea, Contrib. to Geol. 1833, 182. [Monodonta.
constrictum Oncoceras, J. Hall, N. H. New York (Pal. I.) 1847, 197.
constrictum Orthoceras, T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838, 117.
- constrictus** Oxyrhin (Herm.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 120.—Sorex.
constricta Pamera, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
constricta Patella, F. v. Hagenow, N. Jahrb. f. Min. 1842, 563. [—Goniomya.
constricta Pholadomya (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 359.
constricta Pholas, J. Phillips, Geol. Yorksh. I. 1829, 121 [*n. et f.*].
constricta Pholas, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 489.
constricta Pholas, F. A. Roemer, Palaeontographica, I (6) July 1851, 330.
constrictus Plesiosaurus, R. Owen in F. Dixon, Geol. Sussex, 1850, 398.
constricta Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 42.
constricta Pleurotrocha, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832),
constrictus Rhynchaenus, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 313. [129.
constrictus Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 335.
constricta Rotalia, F. v. Hagenow, N. Jahrb. f. Min. 1842, 571.
constrictus Scaphites (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 1.—Ammonites.
- constrictum** Schizostoma, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 167.
constrictus Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 971.
constricta Scyphia, G. Sandberger, N. Jahrb. f. Min. 1842, 395 [*n. n.*].
constrictus Sitones, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 257.
constrictus Sitones, Germar in L. Redtenbacher, F. Austr., Käfer, 1849, 807.
constrictus Solecurtus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 5.—Solen.
constrictus Solen, Lamarck, An. s. vert. V. 1818, 455.
constrictus Solen, F. S. Voigt in Cuvier, Thierreich, III. 1834, 564.
constrictus Sorex, J. Hermann, Obs. Zool. 1804, 47.
constricta Tachyusa, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 307.
constricta Tellina (Brug.), R. A. Philippi, Abb. Conch., I (3) 1843, 73.—Solen, 1792.
constricta Tentyria, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 86.
constricta Terebra (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.—
constricta Terebra, H. C. Lea, Amer. J. Sci. XL (1) Jan. 1841, 100. [Melanea.
constrictus Tomoderus (Say), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 8 [“Mém. Anth.” *poster. edit.*].—Anthicus.
- constrictus** Triton, W. J. Broderip, Proc. Zool. Soc. London, I (1-3) May 1833, 5.
constrictus Trochus, Quoy & Gaimard in d'Urville, Voy. “Astrolabe,” Zool. III (1834), 251.
constrictus Trochus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 215.—Monodonta.
constrictus Turbinites, W. Martin, Petr. Derb. 1809, pl. 38.
constricta Turritella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 305.—Melanea.
constricta Turritella, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 151.
constricta Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 16, June 1849.
constringens Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 22.
- constructor** Conilurus, W. Ogilby, Tr. Linn. Soc. London, XVIII (1) 1838, 126.
constructor Gobius, A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 427.
consuetor Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 30.

- consuetus** Gymnaetron, Schoenherr in Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.) (4) Nov. 1849, 264.
- Consul** J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
- Consul** J. Huebner, Exot. Schmett., Tab. Consul.—Lep. [*n. et f.*].
- consul** Buccinum (Purpura), F. S. Voigt in Cuvier, Thierreich, III. 1834, 333.
- consul** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 23 ["Mon. Anth." *poster. edit.*].
- consul** Murex (Lam.), W. Wood, Suppl. Index Test. 1828, 50.—Purpura.
- consul** Purpura, Lamarck, An. s. vert. VII. 1822, 237.
- consul** Purpura, L. C. Kiener (*ex* Chemn.), Spec. Coquilles (Purpura) 1835-6, 113.
- consularis** Amara (Dufts.), Dejean, Catal. Coléopt. 1821, 9.—Carabus.
- consularis** Brachinus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 75.
- consularis** Bradytus (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 136.—
- consularis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 120. [Carabus.
- consularis** Callistethus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 198.
- consularis** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 112.
- consularis** Charaxes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 81.
- consularis** Chrysomela, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 190.
- consularis** Cratosomus, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 142.
- consularis** Cyphus, Chevrolat, Rev. Zool. (Soc. Cuv.) Ap. 1836, 56.
- consularis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [*n. n.*].
- consularis** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 712.
- consularis** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 241.
- consumpta** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. liv.
- consumptor** Campoplex, J. L. C. Gravenhorst, Ichneumon. Europ. III. 1829, 515.
- consuta** Haltica (Balanomorpha), E. F. Germar, Linnaea Entom. III. Ap. 1848, 244.
- consutus** Pachymerus, E. F. Germar, Revue Entom. V (3) 1840, 139.
- conta** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 191.
- contabulata** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 28; Catal.
- contabulatus** Fusus, H. E. Anton, Verz. Conch. 1839, 77. [(200) 1841, 4.
- contabulatus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 223.
- contabulatum** Tritonium, H. E. Anton, Verz. Conch. 1839, 82.
- contactus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 63. [taminata.
- contamina** Cixius (Germ.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Flata con-
- contaminalis** Pediasia, J. Huebner, Verz. bekannt. Schmett. 1826, 365.—Tinea contami-
nella, 1796.
- contaminana** Aleimima, J. Huebner, Verz. bekannt. Schmett. 1826, 392.—Tortrix.
- contaminana** Teras (Hueb.), F. Treitschke, Schmett. Europa, VII. 1829, 233.—Tortrix.
- contaminana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 22 (Fernaldo judice 1797)
[*n. et f.*].
- contaminaria** Adactylotis, J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Geometra.
- contaminaria** Cabera (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII
(1) (Noct. 5, pt. 1) 1830, 16.—Geometra. [1808-18] [*n. et f.*].
- contaminaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 68 (Fernaldo judice
- contaminaria** Phalaena (Hueb.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 78.
- contaminatella** Elachista, P. C. Zeller, Isis (Oken), 1847, 892. [—Geometra.
- contaminatus** Anthonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2)
- contaminatus** Aphodius, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 279. [1843, 219.
- contaminata** Atomaria, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 385.
- contaminata** Canistra, C. H. Boheman, Mon. Cassid. I. 1850, 170.
- contaminatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*].
- contaminatum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 149.
- contaminata** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 72.
- contaminata** Cixia (Germ.), H. Burmeister, Handb. Ent. II (1) 1835, 157.—Flata.
- contaminata** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I
(2) Aug. 1835, 11. [(2=Sci. Nat. VI.) (4) Nov. 1849, 272.
- contaminata** Coecinea (*sic*), E. Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII

- contaminata** Colobotea, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 337.
- contaminatus** Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 406.
- contaminata** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (4) 1832, f. 21; Catal. (131) 1837, 11. [Tortrix contaminana.
- contaminata** Dictyopteryx (Huebn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—
- contaminatus** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 52.
- contaminatum** Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 368.
- contaminata** Ephydra, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 185.
- contaminata** Flata, E. F. Germar, Mag. Entom. (Germar) III. 1818, 196. [90.
- contaminatus** Helipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- contaminatus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 840.
- contaminata** Hypera (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 342.—Curculio, 1795.
- contaminatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 391.
- contaminata** Lebia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 36.
- contaminata** Lobiopa, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 296.
- contaminatus** Lygaeus, C. F. Fallen, Mon. Cmicum Sveciae, 1807, 76. [Lygaeus.
- contaminatus** Lygus (Fall.), C. W. Hahn, Wanzentart. Ins. I (4) Feb. 1833, 151.—
- contaminata** Marginella, J. S. Gaskoin, Proc. Zool. Soc. London, XVII (191) Dec. 14, 1849, 20. [1842, 291.—Scarabaeus, 1785.
- contaminatus** Melinopterus (Herbst), E. Mulsant, H. N. Coléopt. France (Lam.) Aug.
- contaminatus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 245.
- contaminata** Phytocoris (Fall.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 487.—Lygaeus. [—Hypera.
- contaminatus** Phytonomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 374.
- contaminata** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 128.
- contaminatus** Pselaphacus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 180.
- contaminatus** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 120.
- contaminata** Ptychoptera (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Tipula, L. 1758. [Tipula, 1758.
- contaminata** Ptychopteryx (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54.—
- contaminatus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 174.
- contaminata** Tychoptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 188.—Tinea c—ella, 1796. [metra contaminaria, Huebn.
- contaminata** Xerene (Hufn.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geo-
- contaminei** Noctua, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 77.
- contaminei** Zygaena, J. A. Boisduval, Ic. hist. Lépidopt. Europe, II (—) 1834, 48.
- contaminellus** Chilo (Huebn.), Zincken, Mag. Entom. (Germar) II. 1817, 107.—Tinea, 1796. [(Noct. 7) 1837, 273.—Tinea, 1796.
- contaminellus** Crambus (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, X
- contarinii** Pleurobranchus, G. B. Verany in Descr. Genova, I. 1846, 96 & 99.
- contectum** Cyclostoma, P. A. Millet, Moll. Maine et Loire, 1813, 5.
- contecta** Gyroidina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 278 [*n. n.*].
- contecta** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Gyroidina.
- contecta** Rotalina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 131.—Gyroidina, 1825.
- contecta** Truncatulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 279 [*n. n.*].
- contei** Eucratea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyps) 1826, 242.
- contemplator** Attus, C. A. Walekenae, Tab. Aran. 1805, 23 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 457.
- contempta** Acrodon, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 367. [(8) 1837, 84.
- contempta** Anthaxia, Mannerheim (*ex* Dej. Cat.), Bull. Soc. Imp. Nat. Moscou, 1837
- contempta** Coccinella, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 592.
- contemptus** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].

- contempta** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 851.
- contempta** Evagora (Mann.), Laporte & Gory, H. N. Coléopt. II. 1839, 3.—Anthaxia.
- contemptus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*]; Spec. gén. Coléopt. IV. 1829, 277. [II. 1830, 343.]
- contempta** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- contemptus** Phyllobius, Schoenherr in E. Ménétries, Cat. Rais. Zool. Caucase, 1832, 219.
- contemptus** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*].
- contemptus** Trigonoderus, F. Walker, Entom. Mag. IV (1) July 1836, 22.
- contemta** Homalota, O. Heer, Coleopt. Helvet. (3) 1841, 593.
- conterminana** Catoptria, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 189.
- conterminata** Larentia, P. C. Zeller, Isis (Oken), 1846, 197.
- contermina** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxi.
- conterminus** Caprimulgus, T. R. Peale in Wilkes, Expl. Exped. VIII. 1848, 169.
- conterminus** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 664.
- contermina** Helix, Shuttleworth in L. Pfeiffer, Mon. Helic. I (1) 1847, 160.
- contermina** Pedicia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 38.
- conterminus** Perilitus, C. G. Nees v. E., Hymenopt. Ich. aff. I. 1834, 32.
- conterminus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 494.
- conterminus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 24.
- contextus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 423.
- contexta** Echinopsis, L. Agassiz, Cat. Ect. Ech. 1840, 9.
- contexta** Eschara (Goldf.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 211.—Flustra.
- contexta** Flustra, G. A. Goldfuss, Petref. German. I (1) 1826, 32.
- contexta** Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 87.
- contextus** Microgaster, Labram & Imhoff, Insekt. d. Schweiz, I (—) 1835-6.
- contexta** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 278.
- contexta** Pyripora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 396.—Flustra.
- contexta** Retepora, J. W. Vancleve, P. Amer. Assoc. 1848 (1849), 24 [*n. n.*].
- contexta** Sarcinula, G. Michelotti, Spec. Zoophyt. diluv. 1838, 112.
- contigualis** Caloptychia, J. Huebner, Verz. bekannt. Schmett. 1826, 359.
- contigualis** Arrhostia, J. Huebner, Verz. bekannt. Schmett. 1826, 311.—Geometra, 1796.
- contiguaria** Dosithea (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 59.—Geometra, 1796. [1796.]
- contiguaria** Idaea (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 447.—Geometra,
- contiguaria** Phalaena Geometra, E. J. C. Esper, Die Schmett. V (10) 1806, 267.
- contiguaria** Ptychopoda (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—
Geometra, 1796. [contiguaria, 1796.]
- contiguata** Idaea (Hueb.), F. Treitschke, Schmett. Europa, X (2) 1835, 224.—Geometra
- contiguata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 350.—Geom. contiguaria,
Hueb. 1796. [Goniates.]
- contiguus** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- contigua** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21
[*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 116.
- contigua** Aleochara, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit.
Ent. (Mand. V.) Ap. 1832, 130. [—Goniates.]
- contiguus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.
- contiguus** Ammonites, H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 148.
- contigua** Anacamptis (Haw.), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—
Recurvaria.
- contigua** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 69.—Melitta.
- contigua** Astrapetes (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 219.—
Noctua, 1775.
- contiguus** Bulinus, L. Reeve, Conch. Icon. V.—Bulinus, no. 582, Sept. 1849.
- contiguum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 304.
- contiguus** Dolichopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 663.
- contiguus** Dolopius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 178.
- contiguus** Goniates, G. v. Muenster, Die Planuliten, 1832, 26. [1775.]
- contigua** Hadenia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—Noctua,

- contiguus** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Miscogaster, 1833.
- contigua** Lunulites, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 533.
- contigua** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 140.
- contigua** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 464.
- contiguus** Murex, G. Brocchi, Conch. Subap. 1814, 433.
- contigua** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 96.
- contigua** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 138.
- contigua** Pavonia (Esp.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 330.—Madrepora, 1795.
- contigua** Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 323.—Murex. [—Madrepora, 1795.]
- contigua** Porites (Esp.), J. D. Dana, Wilkes, U. S. Exped., c. Mar. 1848, 560.
- contigua** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 552.
- contigua** Sapromyza (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 450.—Musca, 1794.
- contigua** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 206.—Musca, 1794.
- contigua** Sphoerophoria, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 78.
- contigua** Tituboea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 149.
- contingens** Holostoma, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 294.
- continuata** Eremobia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- continuella** Gelechia, P. C. Zeller, Isis (Oken), 1839, 198. [707.]
- [continuus -a -um.]**
- continua** Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 51.
- continua** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 117 [*n. n.*].
- continua** Bembex, J. C. Fabricius, Syst. Piezat. 1804, 225. [Stiles & H.]
- continuus** Bothriocephalus, Lidth de Jeude, Recueil de fig. des vers, 1829, pl. 4 [*teste*]
- continua** Clytia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 288.—Musca, ? Panz. 1798.
- continua** Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 553.
- continuus** Crabro, J. C. Fabricius, Syst. Piezat. 1804, 312.
- continuus** Ephialtes, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 100.
- continua** Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 535.
- continua** Jania, P. Duchassaing, Anim. rad. Antilles, 1850, 31.
- continua** Larra, F. Klug in J. Walzl, Reise Tyrol etc. (2) 1835, 97.
- continua** Mutilla, J. C. Fabricius, Syst. Piezat. 1804, 430.
- continuus** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 19.
- continua** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- continuus** Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 471. [92.]
- continua** Stictia (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 195.—Bembex.
- continua** Tachina (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 276.—Musca, 1798.
- continua** Trypeta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 312.
- contorquatus** Serpulites, E. F. v. Schlotheim, Die Petref. 1820, 96.
- Contorta** Megerle in Villa, Disp. Syst. Conch. 1841, 19.—G. [*in syn.*].
- contorticornis** Platygaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 215.
- contortidens** Lamna, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*].
- contortidens** Lamna (Odontaspis), J. L. R. Agassiz, Poiss. Foss. III. 294 (1843).
- contortidens** Odontaspis, Ag.; H. G. Bronn, Index Pal. 1848, 835.—Lamna (O.), 1843.
- contortilis** Crisina (Lonsd.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.—Idmonea.
- contortilis** Idmonea, W. Lonsdale, Proc. Geol. Soc. London, IV. 1844, 314.
- contortium** Buccinum, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 298.
- contortolobata** Plocoscyphia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.—Spongia.
- contorto-lobata** Spongia, H. Michelin, Icon. Zoophyt. (9-12) 1844, 144.
- contortrix** Cenchrus (L.), J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 50.—Boa, 1766.
- contortrix** Ligula, C. A. Rudolphi, Entoz. II (2) 1810, 18.

- contortrix** *Pseudoboa* (L.), J. G. Schneider, Hist. Amph. II. 1801, 286.—*Boa*, 1766.
- contortrix** *Scytale* (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 159.—*Boa*, 1766.
- contortrix** *Trigonocephalus* (L.), J. E. Holbrook, N. Amer. Herpet. II. 1837, 69.—*Boa*, 1766.
- contortula** *Helix*, A. E. Férussac, H. N. g. et p. Moll. I. 1850, 89. [1766.]
- contortuplicatus** *Bulinus*, L. Reeve, Conch. Icon. V.—*Bulinus*, no. 658, Feb. 1850.
- contortuplicata** *Bunode* (L.), A. F. Schweigger, Handb. Naturges. 1820, 601.—*Serpula*, 1758.
- contortuplicata** *Clymene* (L.), L. Oken, Lehrb. Nat. III (1) 1815, 378.—*Serpula*, 1758.
- contortuplicata** *Conis*, W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.
- contortuplicata** *Oliva*, L. Reeve, Conch. Icon. VI.—*Oliva*, no. 51, Oct. 1850.
- contortuplicata** *Polygyra*, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 23 [*n. n.*].
- contorta** *Acroculia*, F. A. Roemer, Verst. Harzgeb. 1843, 26.
- contorta** *Ascaris*, Mehlis, Arch. f. Naturg. XII (1) 1846, 148 [*n. n.*].
- contorta** *Astasia*, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 356.
- contorta** *Astraea*, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 358.
- contorta** *Avicula*, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 126.
- contortus** *Belemnites*, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 326. [Physa.]
- contortus** *Bulinus* (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1838, 117.—
- contorta** *Cancellaria*, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 47.
- contorta** *Capulus* (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—*Acroculia*. [ceramus.]
- contortus** *Catillus* (Portl.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 167.—*Ino-*
- contortum** *Cerithium*, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 194.
- contorta** *Cicindela*, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 31.
- contorta** *Clausilia*, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 278. [1838.]
- contortus** *Cochliodius*, J. L. R. Agassiz, Poiss. Foss. III. 115 (1838).—*Psammodus* on pl.,
- contorta** *Colombellina* (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 231.—*Strombus*. [Poir., *Helix*, L. 1758.]
- contortus** *Coretus* (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 119.—*Planorbis*,
- contorta** *Crepidula*, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 418. [May 1840, 16.—Physa.]
- contorta** *Diastrophia* (Mich.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2,
- contortum** *Distoma*, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 118.
- contortus** *Echinorhynchus*, Bremser in A. H. L. Westrumb, De Helminth. 1821, 25.
- contorta** *Enallastrea* (Leym.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—*Astrea*.
- contorta** *Eunomia*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
- contorta** *Exogyra*, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 185.
- contorta** *Fistulana*, G. P. Deshayes, Mém. Soc. H. N. Paris, I (2) 1824, 251.
- contortus** *Galeocerdo*, R. W. Gibbes, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 193.
- contorta** *Gastrochaena* (Desh.), J. De C. Sowerby, Min. Conch. VI. 1826, 50.—*Fistulana*.
- contorta** *Helix*, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 10.
- contorta** *Helix*, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 168.
- contorta** *Helix*, F. Held, Isis (Oken), 1837, 304.
- contortus** *Hipporhinus*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 764.
- contortus** *Hippurites*, T. A. Catullo, N. Saggi, R. Acc. Sci. Padova, IV. 1838, 16.
- contortus** *Inoceramus*, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 422.
- contorta** *Isis*, Sismonda in G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 56.
- contorta** *Laminopora*, H. Michelin, Magasin de Zool. (2) IV. 1842, pl. 3.
- contortus** *Lithodomus* (Duj.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 247.—
- contorta** *Lobophyllia*, H. Michelin, Icon. Zoophyt. (5) 1842, 53. [Modiola.]
- contorta** *Modiola*, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 225.
- contorta** *Montlivaltia*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.
- contortum** *Paramaecium*, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 45.
- contorta** *Peranema* (*Euperanema*) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 78.—*Astasia*.

- contorta** Physa, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 268.
contorta Pileopsis, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 29.
contortus Planorbis (L.), J. L. M. Poirer, Coq. Aisne, 1801, 89.—Helix, 1758.
contorta Pleurotoma, G. Perry, Conchology, Apr. 1811, pl. 32.
contorta Polita, F. Held, Isis (Oken), 1837, 916.—Helix, 1837.
contortus Pristus, F. Dixon, Geol. Sussex, 1850, 202. [(1838) [*n. et f.*].]
contortus Psammodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 101 (1837); III. 103
contorta Pupa, P. Calcara, Atti Acc. Sci. Palermo, n. s., I. 1845, 28; Cenno Moll. Sicil.,
 Dec. 1845, 48.
contorta Quinqueloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 298.
contorta Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 34.
contortus Sanguinolites, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 48.
contortus Serpula, T. Brown, Ill. Conch. G. B. I. 1827, II. 4 [*n. et f.*].
contorta Serpula, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 43.
contorta Serpula, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 340.
contorta Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 25.
contorta Stephanomia, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XVI. Oct. 1841, 218.
contortus Strombus, E. Forbes (ex Sow. MS), Tr. Geol. Soc. London [2] VII. 1846, 129.
contortus Strongylus, K. A. Rudolphi, Archiv Zool. (Wiedemann), III (2) 1803, 15.
contorta Succinea, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 12.
contortus Trichocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 637.
contortum Trichosomum, Creplin in Ersch & Gruber, Allg. Ency. XXXII. 1839, 278.
contorta Valvata (Müll.), K. T. Menke, Zeitschr. f. Malakozool., Aug. 1845, 115.—
 Nerita, 1774.
contra Pastor (Gm.), J. Wagler, Syst. Avium, I. 1827, sign. 612.—Sturnus, 1758.
contra Sternopastor (L.), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84.—
contractana Cochylis, P. C. Zeller, Isis (Oken), 1847, 744. [Sturnus, 1758.
contractifrons Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 683.
contractilis Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1463.—Anthomyza, 1838.
contractilis Phthiracarus, J. Gistl, Nat. Thierr. 1848, p. xii [*n. n.*].
contractor Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 124.
contractula Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 29.
contracta Allecula, Illiger in Germar, Ins. spec. nov. 1824, 163.
contracta Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 218.
contractus Ammonites, J. De C. Sowerby, Min. Conch. V. 1825, 162. [47.
contractum Anthidium, P. A. Latreille, Ann. Mus. H. N. (Paris) XIII (73) Mar. 1809,
contractus Aphodius, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. 61.
contracta Apis, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 203.
contracta Arca (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 369.—Cucul-
contractus Aspigonus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 69. [Iaea.
contractus Bellerophon, J. De C. Sowerby, Q. J. Geol. Soc. London, III. 1847, 242
contractum Bembidion, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 85. [*n. n.*].
contracta Bitoma (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
 1840, 379.—Lyctus, 1792.
contractus Bombus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 172 [*n. n.*].
contractus Bothrideres (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845,
 289.—Lyctus, 1792.
contractus Brissopsis, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15.
contractum Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 53, Dec. 1846.
contractus Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 339.
contractus Cerylon, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 232.
contractus Ceuthorrhynchus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
 488.—Rhynchaenus. [1816.
contractus Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 298.—Sigalphus,
contractus Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 78, Mar. 1847.
contractus Chrysolampus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 130.
contractus Cis, Dejean, Catal. Coléopt. 1821, 102 [*n. n.*].
contracta Corbula, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 312.

- contracta** Corticaria (Ol.), T. Marsham, Coleopt. Brit., Sept. 1802, 110.—Ips, 1790.
contractus Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 617.
contracta Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 128 [*u. et f.*].
contractus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 250.
contractum Cyclostoma, O. G. Costa, Corresp. Zool. I. 1839, 70 [*n. n.*]. [[*n. n.*].
contracta Cyclostoma, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 192
contracta Cymothoa, A. White, List Crustacea Coll. B. M. 1847, 110 [*n. n.*].
contracta Cypricardia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 292.
contracta Cytherea (Arthemis), R. A. Philippi, Abb. Conch. I (7) 1844, 172.
contractus Falciger, Gyll.; Dejean, Catal. Coléopt. 1821, 84 [*n. n.*].
contracta Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 195.
contractus Fusus, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [?] 1822, 314.
contracta Haltica, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 275.
contractus Helaeus, F. W. Hope, Tr. Entom. Soc. Lond. V (3) Jan. 1848, 53.
contractus Helops, Palisot de B., Ins. Afr. Amér. (—) 1813, 121.
contractus Hylaenus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 58 [*n. n.*].
contractum Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 607.
contractus Leptolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 14 (1834); II (2) 294 (1844).
contracta Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 60.
contracta Lobopoda (Ill.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 234.—Allecula.
contracta Lucina, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 145.
contracta Lyonsia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 74.—
contractus Mesochorus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 109. [Cypricardia.
contractus Metrius, F. Eschscholtz, Zool. Atlas, I. 1829, 8.
contracta Mitra, W. Swainson, Zool. Illust. (1) I (3) Dec. 1820, pl. 18.
contracta Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
contractus Monocheles, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 171.
contracta Mutilla, T. Say, Boston Journ. N. H. I (3) 1836, 295.
contractus Myliobates, F. Dixon, Geol. Sussex, 1850, 200.
contractus Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 25.
contracta Nebularia, W. Swainson, Treat. Malacol. May 1840, 319.
contractus Nedulus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
contractus Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 20. [10 & 11] July 1847, 462.—Bembidium.
contractus Ochthodromus (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV
contracta Orlonota, J. Hall, N. H. New York (Pal. I.) 1847, 300.
contracta Oxypleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 31.
contractus Pachymerus, Herrich-S., Wanzenart. Ins. IV (6) May 1839, 97.
contracta Pamera, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
contracta Parthenope, O. G. Costa, Fauna Regno Napoli, Crost., Parthenope 6 (*ante* Dec. 1838).
contractus Passalus, A. Percheron, Magasin de Zool. (2) III. 1841, pl. 79.
contractus Platycrinus, Gilbertson in J. Phillips, Geol. Yorksh. II. 1836, 204.
contracta Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 116, June 1843.
contracta Ponera, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 257.—Formica,
contractus Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 188. [1802.
contractus Pterostichus, Lasserre in O. Heer, Coleopt. Helvet. (3) 1841, 561.
contracta Pupa, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 374.
contracta Pupa, A. A. Gould, Boston Journ. N. H. III (3) 1840, 399.
contractus Rhynchaenus (Marsh.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 143.—Curculio.
contracta Rhynchonella (Hombres), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1848, 24.—Terebratula. [Pachymerus.
contractum Rhyparachromus (H.-S.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 74.—
contracta Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 32, Sept. 1846.
contracta Scleroderma, J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839, 169.
contracta Serpula, S. Woodward, Geol. Norf. 1833, 47.

- contractus** Sigalpus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 274.
- contractus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838.
- contractus** Stenus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 573. [953.]
- contractus** Tenebrio (Ol.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 484.—Ips, 1790.
- contracta** Terebratula, Hombres-Firmas, Bull. Soc. géol. France, XII. 1841, 262; & *var.* *triplicata*, 262.
- contractus** Thylodrias, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 76.
- contractus** Torymus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 180.
- contractus** Trachodes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 199.
- contracta** Turritella, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 181.
- contracta** Voluta, W. Wood, Suppl. Index Test. 1828, 10 [*n. et f.*].
- contractus** Xylographus, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 227.
- contradens** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 75.
- contraplecta** Rhynchonella (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.—Terebratula.
- contraplecta** Terebratula, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 59.
- contrarius** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1846, 418.
- contraria** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 55, Feb. 1844. [Murex.]
- contrarius** Atractus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1839, 44.—
- contraria** Biloculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 266. [Murex.]
- contrarium** Buccinum (Sow.), Defrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 113.—
- contrarius** Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 8.
- contraria** Crassatella (Gm.), Lamarck, An. s. vert. V. 1818, 482.—Venus, 1790.
- contrarius** Euomphalus, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 105.
- contrarius** Fulgur, T. A. Conrad, Amer. J. Sci. XXXIX (2) Oct. 1840, 387. [1771.]
- contrarius** Fusus (L.), Lamarck, Ency. Méth. (Vers), 1816, pl. 437, Liste 8.—Murex,
- contrarius** Fusus (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 5.—
- contrarius** [1834], 354.—Cancer.
- contrarius** Lambrus (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I.
- contraria** Lucina, W. Dunker, Zeitschr. f. Malakozool., Feb. 1846, 27.
- contraria** Marginulina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 140.
- contrarius** Merodon, F. Walker, List Dipt. Coll. B. M. (3) 1849, 599.
- contrarius** Murchisonia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 70.
- contrarius** Murex, W. Turton, Brit. Fauna, 1807, 176. [—Schizostomia.]
- contrarius** Murex, J. Sowerby, Min. Conch. I (5) June 1813, 63.
- contrarius** Notidamus, G. v. Muenster, Beitr. zur Petref. (6) 1843, 54.
- contrarius** Orthostylus (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 50.—
- contrarius** Helix, 1774.
- contraria** Parthenope, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 85.
- contraria** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 90.
- contraria** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (9) Sept. 1843, 401.
- contraria** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 70.
- contraria** Schizostoma, G. v. Muenster, Beitr. zur Petref. (3) 1840, 87.
- contraria** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 716. [Euomphalus.]
- contrarius** Turbo (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—
- contrarius** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 153.
- contraria** Venus (Lam.), W. Wood, Suppl. Index Test. 1828, 35.—Crassatella.
- contrastriata** Cypraea, G. Perry, Conchology, Apr. 1811, pl. 20.
- contribulis** Luperina, Boissduval, Europ. Lepid. Index, 1829 [1828], 77.
- contribulis** Noctua, Boissduval in Duponchel in J. B. Godart, H. N. Lépid. France, VII (1) (Noct. 4, pt. 1) 357, 1828. [[*n. n.*].]
- contribulis** Raphitoma, M. Hoernes (*ex* Parts MS), Verz. Fossil-Reste Wien, 1848, 21
- contristans** Dolichopus, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 72.
- contristans** Leptopus (Wied.), C. F. Fallen, Mon. Dolichop. Sueciae (3) 1823, 24.—
- contristans** Dolichopus. [Dolichopus.]
- contristans** Psilopus (Wied.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 37.—
- contristans** Sciapus (Wied.), P. C. Zeller, Isis (Oken), 1842, 832.—Dolichopus.
- contristatus** Carabus, Andersch in K. Duftschmid, Fauna Austriae, II. 1812, 102.

- contristatus** Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 492.
contristata Phalaena, E. Donovan, Brit. Ins. XV. 1811, 12.
contristella Euota, J. Huebner, Verz. bekannt. Schmett. 1826, 408.
contristis Epicoma, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 9.
controversa Anomala, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 64.
controversus Brachycerus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 54 [n. n.].
controversa Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 61; (10) 1836, 246.
controversa Cypraea, J. E. Gray, Zool. Journ. I (2) June 1824, 144.
controversus Elater, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 20 [n. n.].
controversa Gryphaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (1) 1835, 63.
controversa Pleurotoma, Jan in L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 591.
controvittana Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.
contrusa Amara, J. C. Schiödte, Gen. Sp. Danmarks Eleuth. I. 1841 [1840], 186.
contubernalis Torymus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 362.
contubernea Phycis (Huebner), A. H. Haworth, Lepidopt. Brit. (3) 1811, 493.—Tinea c—ella, 1796.
contubernea Phycita (Huebner), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—
contumax Epiteles, E. Newman, Entomologist (25) Oct. [i. e. Nov.] 1842, 403. [671.
contumeliosus Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
contundata Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 34.
conturbatella Lita (Huebner), F. Treitschke, Schmett. Europa, IX (2) 1833, 86.—Tinea.
conturbatella Mompha, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea.
conturbatella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 67 (Fernaldo judice 1818-22) [n. et f.].
contusulus Artemon (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
contusula Helix, Férussac, Bull. Sci. X. 1827, 302.
contusa Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 38, Mar. 1850.
contusus Artemon (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 48.—Helix.
contusus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 220, Sept. 1848.
contusus Conus, L. Reeve, Conch. Icon.—Conus, no. 276, Ap. 1848.
contusa Cosmia, C. F. Freyer, Neuere Beitr. Schmett. VI (89) 1849, 85.
contusa Helix, W. Wood (ex Fér.), Suppl. Index Test. 1828, 22 [n. et f.]. [71.
contusa Helix (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
contusa Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 587.
contusa Streptaxis (Fér.), J. E. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 486.—Helix.
Conularia Miller in J. Sowerby, Min. Conch. III. 1820, 107.—Pter.
Conularia *err. pro* Cornularia, Lam.; R. Q. Couch, 9 Ann. Rep. R. Cornwall Polyt. Soc. 1841 [post Feb. 1842], 65.
conularis Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 219.
conularis Venus, Lamarck, An. s. vert. V. 1818, 605.
Conulina H. G. Bronn (ex Muenst.), Leth. Geogn. I. 1835, 244 (in syn.).—Polyz.
Conulina A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 24.—Rh.
Conulites G. Fischer de W., Prodr. Petrom. (2) 1832, 223.—? *pro* Conulus, Park.
Conulites I. Cozzens, Ann. Lyceum N. H. New York, IV (5) post Feb. 1846, 158.—Br.
conuloides Calliostoma (Lam.), W. Swainson, Treat. Malacol., May 1840, 351.—Trochus.
conuloides Ditremaria (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.—Trochotoma.
conuloides Trochotoma, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 109.
conuloides Trochus, Lamarck, An. s. vert. VII. 1822, 24.
conuloides Trochus, G. D. Nardo (ex Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847,
Conulus *emend. pro* Conus, L.; C. S. Rafinesque, Analyse, 1815, 145.—G. [69.
Conulus L. J. Fitzinger, Syst. Verz. 1833, 94.—G.
Conulus L. Nardo, Atti 2 Riun. Sci. Ital. 1841, 244.—G.
conulus Aplocyathus (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 143.—Turbinolia.
conulus Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 293.
conulus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 577, Sept. 1849.
conulus Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 41.

- conula** Calliostoma (Mart.), W. Swainson, Treat. Malacol., May 1840, 351.—Trochus,
conulus Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 121 [*n. et f.*]. [L. 1758.
conulus Cerithium (Oliv.), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 58.—Murex, 1792.
conulus Cerithium, H. E. Anton, Verz. Conch. 1839, 64. [Murex, 1792.
conulus Columbella (Ol.), H. D. de Blainville, Faune Française (23) Malac. 1829, 208.—
conulus Conoelix (Lam.), W. Swainson, Treat. Malacol., May 1840, 321.—Mitra.
conulus Cylichna (Desh.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 517.—Bulla.
conulus Eulima, E. Eichwald, Paleont. Rossii, 1850, 128.
conulus Fusus, A. Risso, H. N. Europe, IV. 1826, 207.—?Murex, Ol. 1792.
conulus Galerites, F. A. Roemer, Verst. Norddeusch. Kreidegeb. (1) 1840, 32.
conulus Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 213.
conulus Paludestrina (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 412.—Bulimus.
conulus Paludina, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 164.
conulus Paludina, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 114 [*n. n.*].
conulus Pleurotoma, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46
 [vero propius 1847] Pleurotomes, pl. ii.
conulus Ptychotrochus, C. Giebel, Jahresber. nat. Ver. Halle, III. 1851, 54.
conulus Spirorbis, H. G. Bronn, Index Pal. 1848, 1186.
conulus Textulária, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 215.
conulus Trochocyathus (Ph.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
conulus Trochus, E. Eichwald, Nat. Lithuæ, 1830, 221. [306.—Caryophyllia.
conulus Trochus, R. A. Philippi, Enum. Moll. Siciliæ, I. 1836, 175.
conulus Turbinolia (Ph.), H. Michelin, Icon. Zoophyt. (1) 1841, 1.—Caryophyllia.
Conura M. Spinola in Magasin de Zool. VII. 1837, pl. 180.—Hym.
conuroides Centroglossa, A. Matthews, Entom. Mag. V (2) Jan. 1838, 195.
Conurus H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 4.—A.
Conurus J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Col.
conura Ascaris, Mehlis, Arch. f. Naturg. XII (1) 1846, 132 [*n. n.*].
conura Diglena, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 206.
conurus Phaetornis (Steph.), G. R. Gray, Genera of Birds, I. Dec. 1848, 104.—Trochilus.
conura Tephritis (Loew), J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2234.—Trypeta.
conurus Trochilus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 240.
conura Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 378.
conus Ancillaria, A. Andrzejevski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 559 [*n. n.*].
conus Buccinum, H. G. Bronn, Zschr. Min. 1827, II (1828), 531.
conus Distoma, F. C. H. Creplin, Obs. de Entozois (1) 1825, 50.
conus Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 369.
conus Halichondria (Mont.), G. Johnston, Hist. Brit. Sponges, 1842, 132.—Spongia.
conus Helix, Philippi in L. Pfeiffer, Symb. Helic. I. 1841, 39.
conus Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 83, Sept. 1844.
conus Orthoceratites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 7.
conus Pupa, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 82 [*n. n.*].
conus Risso, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 155.
conus Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 85.
conus Trochus, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil.
 Soc., n. s., IX (3) Dec. 1846, 265.
convalescens Ateuchus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 21.
Convallarina Bory de St V., Dict. Class. H. N. IV. 1823, 412.—Inf.
convallaria Convallarina (Müll.), Bory de St V., Ency. Méth. (Zoo-ph.) 1824, 208.—Vorticella, L. 1767.
convallaria Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 21.
convecta Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvii.
conveniens Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 57.
convergens Chrysops, F. Walker, List Dipt. Coll. B. M. (1) 1848, 198.
convergens Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 114.
convergens Coccinella (Hippodamia), F. E. Guérin-M., Iconographie, 1844, Ins. 321.
convergens Dichonia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 217.—
 Noctua, 1775.

- convergens** Dryomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 983.
- convergens** Hadenia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—
Noctua, 1775. [nella, Guér.]
- convergens** Hippodamia, F. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 22.—Cocci-
- convergens** Melia (Hauer), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—
Orthoceras.
- convergens** Monanthia, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 261.
- convergens** Noctheras, F. v. Hauer, Naturw. Abhandl. (Haidinger) I. 1847, 259.
- convergens** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 328.
- convergens** Phthiria, H. Loew, Linnaea Entom. I. Feb. 1846, 388.
- convergens** Tachina, C. R. W. Wiedemann, Anal. Entom. 1824, 43.
- conversalis** Pirausta, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5,
pt. 2) 1834, 353. [metra.]
- conversaria** Boarmia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geo-
- conversaria** Deileptenia, J. Huebner, Verz. bekannt. Schmett. 1826, 317.—Geometra.
- conversaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 62 (Fernaldo judice
1800-8) [n. cf.]. [1808-18] [n. cf.].
- conversaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 76 (Fernaldo judice
- conversi** Gouldia (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 86.—Trochilus.
- conversii** Mellisuga (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.
- conversii** Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 313.
- conversa** Catocala (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 95.—Phalaena.
- conversus** Leptochirus, F. L. de Laporte, Etudes Ent. (2) 1835, 132.
- conversa** Noctua (Esper), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 291.—Pha-
- conversa** Phalaena, Esper, Europ. Schmett. IV. 368 (1793). [laena, Lang, 1789.]
- conversus** Solen, S. A. Renier, Tavole [1804] v [n. n.].
- conversus** Turbo, J. W. v. Alten, Conch. Augsburg, 1812, 18.
- convertini[i]** Callidium, L. Petagna, Atti R. Accad. Sci. [Napoli] I. 1819, 38.
- Convexastrea** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Cor.
- convexicollis** Agrilus, L. Redtenbacher, F. Austr., Käfer, 1849, 285. [338.]
- convexicollis** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- convexicollis** Bagous, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 84.
- convexicollis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 690.
- convexicollis** Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
1845, 68.
- convexicollis** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- convexicollis** Cistela, H. C. Kuester, Käfer Europas, XX. 1850, 81. [1837, 495.]
- convexicollis** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1017.
- convexicollis** Ctenomerus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 256.
—Anthonomus.
- convexicollis** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 50.
- convexicollis** Harpalus (Ophonus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 130.
- convexicollis** Helops, Chevrolat in H. C. Kuester, Käfer Europas, XXI. 1850, 34.
- convexicolle** Lathrium, J. L. Leconte in Agassiz, Lake Superior, 1850, 221 [n. n.].
- convexicollis** Ophonus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
1835, 85.—Harpalus.
- convexicollis** Semiotus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 128.
- convexicollis** Stenolophus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9)
Ap. 1847, 409.
- convexificiens** Eristalis, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 438.
- convexiformis** Tanymecus, Schoenherr in Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6]
VIII (2=Sci. Nat. VI.) (4) Nov. 1849, 250.
- convexifrons** Anobium, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec.
1845, 309.
- convexifrons** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1074.
- convexilabris** Amara, J. Schiödte, Naturhist. Tidsskrift, I. 1837, 144.
- convexinervis** Metopia, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851,
- convexior** Amara, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 131. [441.]

- convexior** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 146.
- convexipennis** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 230.
- convexium** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 145.
- convexiuscula** Acrotricha, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table [*n. n.*].
- convexiusculum** Agonum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 765.
- convexiuscula** Aleochara, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 10.
- convexiuscula** Amara, Marsh.; J. Sturm, Catal. Ins. Samml. 1826, 90.
- convexiuscula** Amara (Marsham), Dejean, Spec. gén. Coléopt. III. 1828, 517.—Carabus.
- convexiuscula** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 73.—Melitta.
- convexiusculum** Bembidium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 171.
- convexiusculus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 462.
- convexiusculum** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 146.
- convexiusculus** Clypeaster, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 90. [1007.]
- convexiusculus** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- convexiuscula** Crassina, T. Brown, Ill. Conch. G. B. I. 1827, XVIII. 7 [*n. et f.*].
- convexiusculus** Curtonotus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 138.—Carabus. [1849 (3) 1849, 101.]
- convexiusculus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII.
- convexiuscula** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 166.
- convexiuscula** Nitidula, Mannherheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 255.
- convexiuscula** Phila, V. v. Mochulski, Kaefer Russl., *post* May 1850, 14.
- convexiuscula** Phyla, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 260. [657.]
- convexiusculus** Planorbis, T. Hutton, J. Asiat. Soc. Bengal, XVIII. 1849 (*post* Sept.),
- convexiusculus** Pristonicus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 43.
- convexiusculus** Tenebrio, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- convexiuscula** Valdivia, A. White, List Crustacea Coll. B. M. 1847, 31 [*n. n.*].
- convexo-plana** Avicula, C. F. Roemer, Texas, 1849, 400.
- convexoplana** Nummulites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 57.
- convexula** Lepas, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 150.
- convexula** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 638.
- convexus** Aetobates, F. Dixon, Geol. Sussex, 1850, 200.
- convexa** Agaricia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 323.
- convexum** Agonum, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 89.
- convexum** Agonum, F. v. Gebler (*in lit.*) in Ledebour, Reise Altai, II. 1830, 46.
- convexa** Amara, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 363.
- convexum** Amphidesma (Turt.), J. Fleming, Hist. Brit. Anim. 1828, 431.—Anatina.
- convexa** Anatifa, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 103.
- convexa** Anatina (Wood), W. Turton, Conch. Insul. Brit. 1822, 44.—Mya.
- convexum** Anisotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 367.
- convexa** Anomia, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338.
- convexus** Aphodius, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 810.
- convexus** Armadillo, C. L. Koch, Deutsch. Crust., heft 28, 1839, tab. 12.
- convexus** Ateuchus, Hausmann, Mag. f. Insektenk. (Illiger) VI. 1807, 249.
- convexa** Avicula (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.—Pecten.
- convexus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 312.
- convexa** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- convexa** Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 279. [92.]
- convexus** Brachinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 7.
- convexus** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832.

- convexa Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 58.
convexus Cancer, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 5.
convexus Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 445. [Unio.
convexa Cardinia (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 217.—
convexus Cardiophorus (Say), W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2)
1840, 289.—Elater. [Cancer, 1775.
convexus Carpilius (Forsk.), E. Rueppell, Besch. Krabben rothen Meeres, 1830, 13.—
convexa Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 155 [*n. et f.*].
convexa Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 277.
convexus Chasmagnathus (De H.), Adams & White, Zool. "Samarang" (Crust. 1848),
52.—Ocyptode (C.).
convexa Chelone, R. Owen, Proc. Geol. Soc. London, III. 1841, 575.
convexus Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 544.
convexa Chlorota (Ol.), H. Burmeister, Handb. Ent. IV (1) 1844, 361.—Cetonia, 1789.
convexus Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 359.
convexus Clivina, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 50.
convexum Coelostoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
convexa Colaspis, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 443. [58.
convexus Colymbetes, D. H. Schneider, Verz. Insectensamml. 1828, 74 [*n. n.*].
convexa Conoparia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 83.
convexa Conularia, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3)
1848, 130.
convexa Corticaria, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [*n. n.*].
convexa Crepidula, T. Say, J. Acad. Nat. Sci. Philad. II. July 1822, 227.
convexa Cythere, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 174.
convexa Cytherea, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 397.
convexa Cytherea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 149.
convexa Defrancia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 20.
convexus Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 73.
convexus Egaenus, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 25.—Opilio, 1834-35.
convexa Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 170.
convexa Entalophora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 140.
convexus Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 281.
convexus Epitragus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 118.
convexa Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1842.
convexa Fungia, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 162.
convexa Gryphaea (Say), S. G. Morton, J. Acad. Nat. Sci. Philad. VI. Feb. 1828, 79.
—Ostrea.
convexus Harpalus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 95.
convexus Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 165.
convexa Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 120.
convexus Heliophilus, J. Sturm, Catal. Ins. Samml. 1826, 149 [*n. n.*].
convexa Helix, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
convexa Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [*n. n.*].
convexa Helix, Raf.; G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 253 (II*).
convexa Helix, Aradas & Maggiore, Atti Acc. Gioenia, XVI. 1841, 74.
convexa Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
44 [*n. n.*].
convexus Helops, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
convexus Helops, Lasserre in H. C. Kuester, Käfer Europas, XXI. 1850, 74.
convexus Hydrophilus, Ill.; Dejean, Catal. Coléopt. 1821, 50 [*n. n.*].
convexus Hydrophilus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
convexus Hydroporus, Dejean, Cat. Coléopt., ed. 3, 1837, 65. [1840, 50.
convexus Hydroporus, C. Aubé (ex Dej. Cat.), Spec. gén. Hydroc. 1838, 479.
convexus Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Misco-
gaster, 1833. [Aug. 1845, 232.—Plectambonites.
convexa Leptaena (Pand.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II.
convexum Lepton, J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 187.

- convexa Lutraria, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
- convexa Mactra (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.—Tellina.
- convexa Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zool., c. Mar. 1848, 449.
- convexa Michelinia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.
- convexa Microdera (Tausch.), F. Eschscholtz, Zool. Atlas, IV. 1831, 6.—Tentyria.
- convexus Millericrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
- convexa Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- convexa Montlivaltia (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.—
- convexa Mya, W. Wood, General Conch. 1815, 92. [Caryophyllia.]
- convexa Mygale, C. L. Koch, Die Arachniden, IX (6) 1842, 91.
- convexa Neritina, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 66 [*n. n.*].
- convexa Nesaea, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 14.
- convexa Nitidula, Schüpp.; J. Sturm, Catal. Ins. Samml. 1826, 174.
- convexus Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 1.
- convexus Nucleolites, T. A. Catullo, Giorn. di Fisica, etc. (2) V. 1822, 423.
- convexa Nucula, G. B. Sowerby, I., Conch. Illustr. (16) 1833, f. 22; Catal. (200) 1841, 5.
- convexus Ocypode, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 525.
- convexa Ocypode (Chasmagnathus), W. de Haan in Siebold, F. Japon. (Crust. 1835), 56.
- convexus Opatrinus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 417.
- convexus Opilio, C. L. Koch in Panzer, Ins. Germ., heft 128, 1834-35, tab. 19.
- convexa Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 82.
- convexa Orthocera, J. Fleming, Ann. Phil. V. Mar. 1815, 202.
- convexa Ostrea, T. Say, Amer. J. Sci. II (1) Ap. 1820, 42.
- convexa Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 159.
- convexus Oxycarenus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 345.
- convexus Parmophorus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 322. [1817, 142.]
- convexus Passalus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 333; & App.
- convexus Pecten, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 443.
- convexus Pecten, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 265.
- convexum Phanerotoma, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 303.
- convexa Phasia, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1256.
- convexa Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- convexus Phygas, V. v. Mochulski, Kaefer Russl., post May 1850, 23 [*n. n.*].
- convexa Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 489.
- convexa Platysma, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 337.
- convexa Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 91.
- convexa Polyphillastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
- convexus Portunus (Pontus), W. de Haan in Siebold, F. Japon. (Crust. 1833), 9.
- convexus Pristonychus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 40.
- convexus Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 88.
- convexus Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 77.
- convexa Pronites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 72.
- convexus Rhynchaenus, A. G. Olivier, Entom. V. 1807, 176.—Curculio, 1790.
- convexa Rutela (Ol.), Lamarck, An. s. vert. IV. 1817, 590.—Cetonia, 1789.
- convexum Scaphidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
- convexa Scaphisoma (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 183.—
- convexum Seladerma, F. Walker, Entom. Mag. II (3) July 1834, 290. [Scaphidium.]
- convexus Sigaretus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.
- convexum Sphaerotherium, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 100.
- convexus Sponsor, Laporte & Gory, H. N. Coléopt. II. 1839, 2.
- convexa Stenostoma, Rafinesque, Enum. obj. Cab., Nov. 1831, 3.
- convexa Stenotrema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 425.
- convexus Steropus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 770.
- convexa Strangalia, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.
- convexa Strophomena, D. D. Owen, Rep. geol. expl. Iowa, 1839 (U. S. Senate, 28 Congr. Sess. 1, no. 407) 1844, 70.

- convexus** Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 248.
- convexa** Tellina, W. Wood, Suppl. Index Test. 1828, 33 [*n. et f.*].
- convexa** Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 121.
- convexa** Tentyria, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 39.
- convexa** Terebratula, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338.
- convexa** Thaumantias, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 47.
- convexa** Thracia (Wood), J. P. Couthouy, Boston Journ. N. H. II (2) 1839, 140.—Mya.
- convexa** Thyamis, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 73 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 423.
- convexus** Trechus, W. S. Macleay, Annulosa Javanica, 1825, 20.
- convexa** Tridopsis (Raf.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 22.—Steno-
- convexus** Trochus, J. Parkinson, Org. Rem. III. 1811, 74. [trema.]
- convexa** Ungula, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 59.
- convexus** Unio, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 95.
- convexus** Zabrus, C. Zimmermann, Mon. Carab. (1) 1831, 50.
- convideus** Bulimus, Rossm., v. **conoideus**.
- conviridaria** Leptographa, J. Huebner, Verz. bekannt. Schmett. 1825, 284.
- conviva** Aphis, F. Walker, The Zoologist, VII. 1849, App. p. xxxvi.
- conviva** Oxyopoda, F. G. Macklin, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (1) 1846, 167.
- Convoluta** A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 567.—Verm.
- convolutalis** Exoria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Tinea c—tella, 1775. [[*n. n.*].]
- convoluta** Acteon, A. A. Gould, Rep. Comm. Zool. Surv. State [Massach.] 1838, 107
- convoluta** Amathia, J. V. F. Lamouroux, Hist. Polyp. 1816, 160.
- convolutus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 69.
- convolutus** Ankistrodesmus, J. A. C. Corda, Almanach de Carlsbad, 1838, 197 [? Plantae].
- convoluta** Assula, C. F. Schumacher, Essai Vers test. 1817, 258.
- convolutus** Bellerophon, A. Eaton, Geol. Text Book, ed. 2, 1832, 28.
- convolutus** Brachiolites, J. T. Smith, Ann. Mag. N. H. (2) I. May 1848, 355.
- convoluta** Bulla, G. Brocchi, Conch. Subap. 1814, 277.
- convoluta** Bulla, G. Brocchi, Conch. Subap. 1814, 635.
- convoluta** Bulla, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 86.
- convoluta** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. a.
- convoluta** Chonetes (Phill.), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847, 217.—Leptaena. [1781.]
- convoluta** Darnis (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 141.—Membracis,
- convoluta** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 106.
- convolutus** Graptolithus (His.), J. Morris, Cat. Brit. Foss. 1843, 39.—Prionotus.
- convoluta** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 212.
- convoluta** Leptaena, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 57.
- convoluta** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 216.
- convoluta** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 293.
- convoluta** Planaria, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 26.
- convolutus** Prionotus, W. Hisinger, Lethaea Svecica, 1837, 114.
- convolutus** Seraphs (Lam.), Denys de Montfort, Conch. II. 1810, 375.—Terebellum.
- convoluta** Serialaria, Lamarck, An. s. vert. II. 1816, 131.
- convoluta** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 228.
- convoluta** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 232.
- convoluta** Serpula (Vermilia), Goldf.; H. G. Bronn, Lethaea Geogn. I (5) 1836, 471.
- convoluta** Serpula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 162 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 233.
- convoluta** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 217.
- convoluta** Spirorbis (Goldf.), J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.—Serpula.
- convoluta** Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [*n. et f.*].
- convolutus** Strongylus, Kuhn, Mém. Mus. H. N. (Paris) XVIII [5] 1830, 365.
- convolutum** Terebellum, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 390.
- convolutus** Triton, W. J. Broderip, Proc. Zool. Soc. London, I (1-3) May 1833, 7.
- convolutus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 92, June 1844.

- convoluta** Vermicularia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 6 [n. n.].
- convoluta** Verrucospongia (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 287.—
[convolvens.] [Spongia.]
- convolvens** Cyrtoceras (Montf.), H. G. Bronn, Index Pal. 1848, 393.—Hortolus.
- convolvens** Gyrocera (Stein.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.—
convolvans Hortolus, Denys de Montfort, Conch. I. 1808, 283. [Hortolus.]
- convolvans** Hortolus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 44.
- convolvans** Lituites (Montf.), E. F. Schlotheim, Taschl. Min. 1813, 35.—Hortolus.
- convolvans** Lituites, W. Hisinger, Anteckn. Physik Geogn. V. 1831, pl. v, f. 2; Lethaea Svecica, 1837, 27.
- convolvans** Spirula, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 190.
- convolvularis** Phalaena, J. Sepp, Surinaam Vlinders (5) 1832, 43. [1847, 103.]
- convolvulata** Serpula, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto,
convolvuli Agrius (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx, 1758.
- convolvuli** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 40.
- convolvuli** Bruchus, C. P. Thunberg, K. Vet. Ac. Handl. 1816 (1) 1816, 46.
- convolvuli** Bruchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 78.
- convolvuli** Buprestis, J. Waltl, Reise Tyrol etc. (2) 1835, 59.
- convolvuli** Dermansysus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 17 [n. n.];
ibid. II. July 1834, 24.
- convolvuli** Herse (L.), L. Oken, Lehrb. Nat. III (1) 1815, 762.—Sphinx, 1758.
- convolvuli** Spermothagus (Thunb.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 113.
—Bruchus.
- convolvuli** Sphinx, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 187.
- convolvulus** Lucernaria, G. Johnston, Mag. Nat. Hist. VIII. Jan. 1835, 59.
- convolvus** Lithuities, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 352.
- conwaii** *v.* **conwayi**. [1794.]
- conwayana** Argyrotoza (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis,
conwayana Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 357.
- conwayana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 405.—Pyralis, 1794.
- conwaii** Oplegnathus, J. Richardson, Proc. Zool. Soc. London, VIII (87) Aug. 1840, 27
[conybearei.] [[*rectius* conwayi].]
- conybeari** Ammonites, J. Sowerby, Min. Conch. II. 1816, 70.
- conybeari** Clionites, J. Morris in Mantell, Pict. Atlas, 1850, 100.
- conybeari** Entobia, H. G. Bronn, Index Pal. 1848, 462.
- conybearii** Fusus, I. Lea, Contrib. to Geol. 1833, 149.
- conybearei** Megalosaurus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 354.
- conybeari** Pelorosaurus, G. A. Mantell, Phil. Trans. R. Soc. 1850 (1850), 386.
- conybeari** Planites (Sow.), W. de Haan, Mon. Ammon. 1825, 90.—Ammonites.
- [cooki.]
- cookii** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 244.
- cookii** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 478.
- cookii** Calyptorhynchus (Temm.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1)
1826, 272.—Psittacus.
- cookii** Calyptorhynchus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)
1826, 109.—Psittacus.
- cookii** Corallus, J. E. Gray, Zool. Miscell. (Gray) (2) Mar. 1842, 42.
- cooki** Cyanopica, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.—Cyanopolius, 1850.
- cooki** Cyanopolius, C. L. Bonaparte, Proc. Zool. Soc. London (201) 1850, 86 [in syn.].
- cooki** Hepona (Geoffr.), J. E. Gray, Ann. Nat. Hist. I (3) May 1838, 218.—Phalangista.
- cooki** Imperator (Gm.), J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 236.—Trochus,
cook[i] Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 268. [1790.]
- cooki** Navicella, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 197.
- cooki** Petaurus, F. Cuvier, Dict. Sci. Nat. XXXIX. 1826, 417.
- cooki** Phalangista, Geoffroy, N. Dict. H. N., ed. 2, XXV. 1817, 476.
- cooki** Pica, C. L. Bonaparte, Rep. Brit. Assoc. (Birm. 1849) 1850, 75 [n. n.].
- cooki** Procellaria, G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 199.

- cookii** *Pseudocheirus* (Geoffr.), W. Ogilby, Proc. Zool. Soc. London, V (59) June 1838, 131.—Phalangista.
- cookii** *Psittacus*, C. J. Temminck, Tr. Linn. Soc. London, XIII (1) 1821, 111.
- cookii** *Trichechus*, N. C. de Fremerij, Bijdr. Nat. Wetensch. VI (1) 1831, 385.
- cookii** *Trichosurus*, R. P. Lesson, Ann. Sci. Nat. XVI (63) Mar. 1829, 285.
- cookii** *Trochus*, C. F. Schumacher, Essai Vers test. 1817, 194.
- cookii** *Tubicanthus*, W. Swainson, Treat. Malacol., May 1840, 349. [Gm.]
- Cookia** R. P. Lesson, Illustr. de Zool. (5) Nov. 1832, pl. 15.—G. [*typus* *Trochus cookii*,
- cooksonii** *Neritina*, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 133.
- coombii** *Cypraea*, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 188. [474.
- coombii** *Goniaster* (*Astrogonium*), E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848,
- cooperi** *Accipiter* (Bon.), G. R. Gray, Genera of Birds, I. June 1849, 29.—Falco.
- cooperi** *Astur*, C. L. Bonaparte, List Birds Eur. Amer. 1838, 5.
- cooperi** *Decatoma*, J. Curtis, Brit. Entom. VIII (86) Feb. 1831, no. 345.
- cooperi** *Dendrophilus*, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 159.
- cooperii** *Falco*, C. L. Bonaparte, Amer. Orn. II. 1828, 1.
- cooperi** *Fusus*, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. post Sept. 1834, 148.
- cooperi** *Muscicapa*, T. Nuttall, Man. Ornith., Land Birds, 1832, 282.
- cooperi** *Myiobius* (Nutt.), G. R. Gray, Genera of Birds, I. May 1847, 248.—*Muscicapa*.
- cooperi** *Phloiophilus*, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) June 1830, 82.
- cooperi** *Sorex*, J. Bachman, J. Acad. Nat. Sci. Philad. VII. post June 1837, 388. [capa.
- cooperi** *Tyrannula* (Nutt.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 189.—*Musci-*
- cooperi** *Tyrannus* (Nutt.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 24.—*Muscicapa*.
- cooperi** *Voluta*, I. Lea, Contrib. to Geol. 1833, 175.
- cooperianus** *Unio*, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 61.
- coor** *Papilio*, W. Turton, Linnaeus, Syst. Nat. III. 1802, 9.
- coordinata** *Pinelia*, G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1837 (4) 1837, 17.
- coordinatus** *Volvox*, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 14.
- coosaensis** *Paludina*, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
- copalina** *Altica* (Fab.), A. G. Olivier, Entom. VI. 1808, 720.—*Crioceris*.
- copalina** *Crioceris*, J. C. Fabricius, Syst. Eleuth. I. 1801, 466.
- copalina** *Haltica* (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 311.—*Crioceris*.
- copanense** *Cyclostoma*, G. B. Sowerby, I., Thes. Conch. II (11) 1850, 165*.
- Coparus** L. Agassiz, Nom. Zool. (Aves, 1842), 20 & [97].—*err. pro* *Copurus*, Strickl.
- Copelatus** W. F. Erichson, Gen. Dytic., Dec. 1832, 38.—Col.
- Copeoglossum** J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 162.—R.
- copeoides** *Cidaris*, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- Copestylum** J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 252.—Dipt.
- copeus** *Notommata*, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],
- cophas** *Rhamphomyia*, F. Walker, List Dipt. Coll. B. M. (3) 1849, 499. [213.
- Cophias** B. Merrem, Tent. Syst. Amph. 1820, 14 & 154.—R.
- Cophias** J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 204.—R.
- Cophias** L. Fitzinger, Syst. Rept. 1843, 22.—R.
- cophias** *Chalcides* (Schn.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 459.—*Chamaesaurus*.
- cophias** *Chalcis* (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 75.—*Chamaesaurus*.
- cophias** *Chamaesaurus*, J. G. Schneider, Hist. Amph. II. 1801, 209. [109.
- cophinaria** *Epeira*, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- Cophinus** C. Koenig in R. L. Murchison, Silurian System, Jan. 1839, 697.—? *Phytoz.*
- cophina** *Mitra*, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 171.
- Cophosaurus** F. H. Troschel, Arch. f. Naturg. XVI (1) 1850, 388.—R.
- cophosioides** *Feronia* (Dahl), Dejean, Spec. gén. Coléopt. III. 1828, 269.—*Nomalus*.
- cophosioides** *Neomida*, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 64.
- cophosioides** *Nomalus*, Dahl, Col. u. Lep. 1823, 9.
- Cophosus** Ziegler in Dejean, Cat. Coléopt. 1821, 13.—Col. [mihi non visum].
- Cophozoma** Costa, Ann. Acc. Aspir. Nat. Napoli [2] II. 1849, 36.—Hem. [teste Marschall,
- Cophus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cophosus*, Ziegl.
- Cophus** J. Gistel, Nat. Thierr. 1848, 144.—Hym.

- Copicerus** O. Svartz, K. Vet. Ac. Nya Handl, XXIII (3) 1802, 177.—Hem.
- Copida** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 95.—Lep. [*sine typo*].
- Copidocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copiocera, Burm.
- Copidophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copiphora, Serv.
- Copidosoma** J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, Table facing pp. 40 & 157.—Hym.
- Copidura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Copisura, Schiöd.
- Copilia** Dana, 1847; *teste* Marschall, *sed non comp.*
- copillus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 389.
- Copiocera** H. Burmeister, Handb. Ent. II (2) i, 1838, 611.—Orth.
- Copiophora** H. Burmeister, Handb. Ent. II (2) i, 1838, 703.—Orth. [—Lep.]
- Copiopteryx** Westwood in J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 125.
- copiosus** Chrysotus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 41.
- Copiphora** J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 147.—Orth.
- Copisura** J. Schiöde, Naturhist. Tidsskrift, I. 1837, 603.—Hym.
- Copium** C. P. Thunberg, Hemip. Capen. II. 1822, 8.—Hem.
- Copius** H. Burmeister, Handb. Ent. II (1) 1835, 330.—Hem.
- Copodus** L. Agassiz in Portlock, Rept. Geol. Londonderry, Jan. 1843, 466.—P.
- Copopteroma** A. J. C. Corda, Beitr. ges. Nat. Heilwiss. I (3) 1837, 390.—Verm.
- Coporphampus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 338.—A.
- Coppinia** A. H. Hassall, The Zoologist, VI (9) 1848, 2223.—Coel.
- Coppinia** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 144.—Coel.
- Copraecus** L. Reiche, Ann. Soc. Ent. France, XI (1) May 1842, 70.—Col.
- coprates** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 409.
- coprates** Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 523. [Muls.]
- Copreomorphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coprimorphus,
- copreus** Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 326.
- Coprias** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 6.—Col. [n. d., 26 nom. triv. append.].
- Coprimorphus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 168.—Col.
- Coprina** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 810.—
- Coprina** J. W. Zetterstedt, Ins. Lapp. descr. 1840, 584.—Dipt. [Dipt.]
- coprina** Lordatia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- coprinus** Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 12. [1830, 809.]
- coprivora** Sphaerocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- Coprobates** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 137.—Col. [II. 1830, 807.]
- Coprobis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 535.—Col.
- Coproecus** Reiche, Rev. Zool. (Soc. Cuv.) IV. July 1841, 211.—Col.
- Coprologus** O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 60.—Col.
- Copromyza** C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 19.—Dipt.
- copronymus** Aphodius (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II. (6) Dec. 1844, 136.—Scarabaeus. [rubicundus, F. V. M.]
- copronymus** Scarabaeus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 3 [n. n.] & var.
- Coprophilus** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 439.—Col.
- coprophilus** Hister, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 302.
- coprotheres** Vultur, J. R. Forster in Levaillant, Nat. Afrik. Vögel, 1798, 35.
- Copsichus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 157.—A. [*typus* *Turdus torquatus*].
- Copsicus** C. S. Rafinesque, Analyse, 1815, 67.—A. [n. n.] [*non* Cabanis, *apud* Scudder].
- Copsicus** Morris in N. Wood, Naturalist, II (9) June 1837, 125.—A. [*teste* C. W. R.].
- Copsychus** Wagler, Syst. Avium, 1827 (p. 306, *Gracula*).—A.
- Coptera** T. Say, Boston Journ. N. H. I (3) 1836, 281.—Hym.
- Coptia** A. Brullé, H. N. Ins. IV (2) (Col.) *excunte* 1834, 433.—Col.
- copticum** Phalangium, J. C. Savigny, Mém. Anim. s. Vert. I. 1816, 113.
- Coptocaster** *err. pro* Coptogaster, Ill.; K. Duftschmid, Fauna Austriae, III. 1825, 106.
- Coptocephala** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 419.—Col.
- Coptocephala** G. Fischer de W., Cat. Col. Sibir. [1842], 20.—Col. [*sine typo*].
- Coptocephala** T. Lacordaire (*ex* Dej. Cat., Mém. Soc. R. Sci. Liège, V. May 1848, 345.—Col.

- coptocephaloides Gynandrophthalma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 310.
- Coptocephalus G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 113.—Col.
- Coptocercus F. W. Hope, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 50.—Col.
- Coptochilus Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 47.—Hem.
- Coptocycla Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 372.—Col. [*sine typo*].
- Coptodactyla H. Burmeister, Gen. Ins. (10) 1846, no. II. A 5.—Col.
- Coptodera Dejean, Spec. gén. Coléopt. I. 1825, 273.—Col.
- coptoderus Stenolophus, Dejean, Spec. gén. Coléopt. IV. 1829, 433.
- Coptogaster *id. ac* Eccoptogaster, Herbst; K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 321.
- Coptognathus H. Burmeister, Handb. Ent. V. 1847, 184.—Col.
- Coptolabus A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 58.—Col.
- Coptomia H. Burmeister, Handb. Ent. III. 1842, 549.—Col.
- Coptomma E. Newman, Ann. Nat. Hist. V. Mar. 1840, 18.—Col.
- coptophylla Atta, F. E. Guérin-M., Iconographie, 1844, Ins. 422.
- Coptops Serville in Dejean, Cat. Coléopt., ed. 2 (4) Aug. 1835, 344.—Col.
- Coptops F. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 467.—Col.
- Coptoptera M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 5.—Col.
- Coptopterus F. W. Hope, Trans. Zool. Soc. (London) I (2) July 1834, 107.—Col.
- Coptopygus C. J. Schoenherr, Curc. disp. meth. 1826, 302.—Col. [in syn.].
- Coptorhina F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 62.—Col.
- Coptorhinus Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 152.—Col.
- Coptorhinus Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 72.—Col.
- Coptorhynchus F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. June 1841, 191.—Col.
- Coptorus *v.* **Copturus**; C. J. Schoenherr, Curc. disp. meth. 1826, 302.
- Coptosoma F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 73.—Hem.
- Coptosus J. Gistel in Thon, Entom. Archiv, II (2) May 1830, 80.—Col.
- Coptotomus T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 443.—Col.
- Copturus C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 302 [Coptorus].—Col.
- copula Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 151.
- copulatus Asilus, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 48.
- copulata Cicindela, H. M. Schmidt-G., F. Coleopt. Birman. (I) [1846], 9.
- copulata Haltica, E. F. Germar, Ins. spec. novae, I. 1824, 610.
- copulata Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 295.
- Copurus H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 28.—A.
- coquandi Chaetetes, H. Michelin, Icon. Zoophyt. (24-27) 1847, 306.
- coquandii Cyclostoma, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 211; Rep. trav. Soc. stat. Marseille, VI. 283.
- coquandi Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 587.
- coquandianum Cerithium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 245; Rep. trav. Soc. stat. Marseille, VI. 317.
- coquandiana Cyclas, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 147; Rep. trav. Soc. stat. Marseille, VI. 219.
- coquandiana Helix, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 197; Rep. trav. Soc. stat. Marseille, VI. 269.
- coquandianus Inoceramus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 505.
- coquandiana Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 121.
- coquandianus Lyridon (Orb.), H. G. Bronn, Index Pal. 1848, 685.—Trigonia.
- coquandiana Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 151.
- coquandiana Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 75.
- coquandiana Opis, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 54.
- coquandianus Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 591.
- coquandianus Rhyncholites (Orb.), J. E. Gray, Cat. Moll. Coll. B. M. (I) 1849, 156.—Rhynchoteuthis.
- coquandianus Rhynchoteuthis, A. D. d'Orbigny, Moll. viv. et foss. [1847], 597.
- coquandianus Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 663.
- coquandiana Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 149.

- coquandiana** Turritella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 44.
- coquandus** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 130.
- coqueberti** Astemma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 128.—Lygaeus.
- coquebertii** [Hemityphlus], Hoffmannsegg, Zoologisches Magazin, I (1) 1817, 23.
- coqueberti** Ichneumon, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 144.
- coquebertii** Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 222. [10.]
- coquebertii** Nematoptera, J. O. Westwood, Proc. Zool. Soc. London, IX (97) Sept. 1841,
- coquebertii** Otiocerus, W. Kirby, Tr. Linn. Soc. London, XIII (1) 1821, 18.
- coqueberti** Pyrrhocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 284.—Lygaeus.
- coquebertii** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 202.
- coquereli** Elytrurus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 36.
- coqui** Perdix, A. Smith, Rpt. Exp. C. Afr. 1836, 55.
- coquimbana** Antarctica, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 245.
- coquimbensis** Balanus, G. B. Sowerby, II., in J. C. Chenu, Illustr. conch. I (16) 1843, pl. 6 [*n. et f.*]; in Darwin, Geol. S. Amer. 1846, 264. [1832, 30.]
- coquimbensis** Bulinus, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap.
- coquimbensis** Chiton, J. Fremby, Zool. Journ. III (10) July [*i. e.* Sept.] 1827, 197.
- coquimbensis** Panopaea, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 126.
- coquimbensis** Plectostylus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 58.—
- coquus** Labrus, J. Fleming, Hist. Brit. Anim. 1828, 209. [Bulinus.]
- coquus** Tragidion (L.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 10.—Cerambyx, 1758.
- cor** Arca (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 80.—Cucullaea.
- cor** Cucullaea, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 160; Rep. trav. Soc. stat. Marseille, VI. 232.
- cor** Cyrena, Lamarck, H. N. Anim. s. vert. V. 1818, 552 (sign. 36).
- cor** Cytherea, S. Hanley, Proc. Zool. Soc. London, XII (137) Dec. 1844, 110.
- cor** Hemiastra, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 17.
- cor** Inoceramus, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 111.
- cor** Isocardia (L.), Lamarck, An. s. vert. VI (1) 1819, 31.—Chama, 1767.
- cor** Pectunculus, Lamarck, Ann. Mus. H. N. (Paris) VI (33) June 1805, 217.
- cor** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 95.
- cor** Spatangus, A. Risso, H. N. Europe, V. 1826, 280.
- cor** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 250.
- cor** Unio, T. A. Conrad, New F. W. Shells U. S. 1834, 28.
- cor-anguinum** Micraster (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus, Leske, 1778.
- cor-anguinum** Miliolites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 351.
- cor-anguinum** Spatangus (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 24.—Echinus, 1790.
- cor-avium** Ananchytes, Lamarck, An. s. vert. III. 1816, 27. [cardia.]
- cor-avium** Cardita (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 423.—Veneri-
- cor-avium** Holaster (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 28.—Ananchytes.
- cor-avium** Nucleolites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 422.
- cor-avium** Nucleopygus (DeFr.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 152.—Nucleolites, Cat. [258.—Ananchytes.]
- cor-avium** Spatangus (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- cor avium** Venericardia, Lamarck, Ann. Mus. H. N. (Paris) VII (37) Dec. 1805, 58.
- cor bovis** Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 210. [p. 10.]
- cor-bovis** Micraster, E. Forbes, Mem. Geol. Surv. U. K., Figures, Decade 3, 1850, pl. x,
- cor-testudinarium** Micraster (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus.
- cor testudinarium** Spatangus, G. A. Goldfuss, Petref. German. I (2) 1829, 156.
- cora** Anarta, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 156.—Heliothis, 1837. [Syn. 1827, 333.]
- cora** Antelope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. 216 (1827);

- cora** Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch.-Fred. (1) 1837, 69.—Helix.
- cora** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 307.—Helix, 1835.
- cora** Calothorax (L. & G.), G. R. Gray, Genera of Birds, I. Dec. 1848, 110.—Ortho-
- cora** Cerna, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14. [rhynchus.]
- cora** Chemnitzia, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 398.
- cora** Cyprinus, J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 95). [1793.]
- cora** Danais (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 178.—Papilio corus,
- cora** Gazella (H. Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 161.—Antilope.
- cora** Heliactin (Less.), F. Boie, Isis (Oken), 1831, 546.—Ornismya.
- cora** Heliothis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 47.
- cora** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magazin de Zool. V. 1835, 15.
- cora** Hepialus, F. v. P. Schrank, F. Boica, II (1) 1801, 304.
- cora** Hypanis, Feisthamel, Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 249.
- cora** Limnas, J. Huebner, Exot. Schmett., Tab. Limnas [*n. et f.*].
- cora** Mantispa, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 401.
- cora** Natica, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 401.
- cora** Ornismya, R. P. Lesson, Man. Orn. II. June 1828, 82.
- cora** Orthix, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 48.
- cora** Orthorhynchus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 682.
- cora** Productus, A. d'Orbigny, Amér. Mérid. (Pal.), 1842, 55.
- cora** Quinqueloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 76.
- cora** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 45.
- cora** Thaumastura (L. & G.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 85.—Trochilus.
- cora** Trochilus (L. & G.), W. Jardine, Humming Birds, I (Nat. Libr. I.) 1833, 173.—
- Coracia** L. P. Vieillot, N. Dict. H. N., ed. 2, VIII, 1817, 2.—A. [Orthorhynchus.]
- Coracia** J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Lep.
- coraciæ** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 77 [*n. n.*].
- coraciæ** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 119.
- coraciæ** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 172 [*n. n.*].
- coraciaria** Phaesyale (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 255.—
Geometra coraciata, Huebn. 1796. [1796.]
- coraciata** Acidalia (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 48.—Geometra,
- coraciata** Larentia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra,
1796. [—Geometra, 1796.]
- coraciata** Phalaena (Huebn.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 80.
- Coracina** L. P. Vieillot, Analyse, 1816, 37.—A.
- Coracinus** P. S. Pallas, Zoographia, III. 1814, 255.—P.
- coracinus** Abax (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 59.—Carabus.
- coracinus** Acanthylis, C. L. Bonaparte (*ex* Mueller MS), Consp. gen. Avium, I. 1850, 64.
- coracina** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 350; & Ins.
Fenn. I. 1834, 350. [Aug. 1846, 220.]
- coracinus** Anchomenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7)
- coracinum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 299.
- coracinus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 680.
- coracina** Buprestis, C. Steven, Bull. Soc. Imp. Nat. Moscou, I (9) 1829, 286.
- coracinus** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 49 [*n. n.*].
- coracinus** Catops, A. Kellner, Entom. Zeitung, Stettin, VII (6) June 1846, 177.
- coracinus** Ceratopogon, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3646.
- coracina** Cetonia, Burch.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*].
- coracinus** Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
- coracinus** Chironomus, J. W. Zetterstedt, Dipt. Scand. IX. 1850, 3508.
- coracinus** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 133.
- coracinus** Dasypogon, H. Loew, Linnaea Entom. II. July 1847, 454.
- coracinus** Dolerus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- coracina** Eristalis, J. W. Zetterstedt, Dipt. Scand. II. 1843, 805.
- coracina** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1841.
- coracina** Fallenia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 265.—
Tachina, 1824.

- coracina** Feronia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 386.
coracinus Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 45.
coracina Heliomorphia, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837,*37.
coracinus Heterocrates (White), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 63.—Plataspis.
coracinus Hister, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 152.
coracinus Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 145.
coracinus Hydrophilus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 4.
coracinus Ludius, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 47.
coracinus Meligethes, J. Sturm, Deutschl. Fauna (Insecten) XVI. 1845, 17.
coracina Mygale, C. L. Koch, Die Arachniden, IX (2) *post* May 1841, 37.
coracina Omaloplia, J. Sturm, Catal. Ins. Samml. 1826, 176 [*n. n.*].
coracinus Oribates, C. L. Koch, Deutsch. Crust., heft 31, 1841, tab. 1.
coracina Plataspis, A. White, Mag. Nat. Hist., n. s., III. Nov. 1839, 540.
coracinus Pterostichus (Newm.), J. L. Leconte in Agassiz, Lake Superior, 1850, 206.—Feronia.
coracinus Pterostichus (Poecilus), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 128.
coracina Rhamphomyia, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3037.
coracinus Selenophorus, Dejean, Spec. gén. Coléopt. V. 1831, 825.
coracinus Sparus, I. de Asso, An. Cien. Nat. IV. 1801, 36.
coracina Sphenoptera (Stev.), Laporte & Gory, H. N. Coléopt. II. 1839, 5.—Buprestis.
coracina Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 418.
coracina Tauroma, C. H. Boheman, Mon. Cassid. I. 1850, 129.
coracinus Tenebrio, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 172.
coracina Tenthredo (Dolerus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 302.
coracina Therates, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 219.
coracinum Theridium, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 8.
coracipennella Astyages (Huebn.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 280.—Tinea, 1796.
coracipennella Coleophora (Huebn.), P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 379.—
coracipennella Gracillaria (Huebn.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 584.—Tinea, 1796.
coracipennella Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428.—Tinea, 1796.
coracipennella Ornix (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 213.—Tinea, 1796.
coracipennis Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 536.—Tinea coracipennis.
coracoideus Productus, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 89.
Coracopsis J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 501.—A.
Corades W. C. Hewitson (*ex* Boisd. MS), Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 115.—Lep.
Coraebus Laporte & Gory, H. N. Coléopt. II. 1839, Coraebus, p. 1.—Col.
Coraeus *id.* ac Coreus, Fab.; Lamarck, An. s. vert. III. 1816, 494.
corais Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 23.
corais Drymarchon (Daud.), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
coralensis Ptilinopus, T. R. Peale in Wilkes, U.S. Expl. Exped. VIII. 1848, 190.
[corallensis ? melior calloviensis.]
corallense Cerithium, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 246.
corallensis Fusus, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 247.
corallensis Gastrochoena, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 227.
corallicola Philonthus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. June 1849, 289.
corallicola Serranus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828, 336.
corallifer Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*]. [1845, 34.
corallifer Megaderus, E. Newman, Mag. Nat. Hist., n. s., IV. Ap. 1840, 195.
corallifera Meloe, E. F. Germar, Mag. Entom. (Germar) III. 1818, 259.
corallifera Meloe, Ill.; Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].
coralliferum Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 312.
corallifer Prionus, J. Sturm, Catal. Ins. Samml. 1826, 79.

- corallifer** Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [*n. n.*].
- corallifera** Scutellera, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 466.
- coralliformis** Orthoceras, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 8.
- corallii** Murchisonia (Sow.), d'Archiac & Verneuil, Bull. Soc. géol. France, XII. 1841, 160. —Pleurotoma.
- corallii** Pleurotoma, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 612.
- corallii** Turbo, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 612.
- corallinarum** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275.
- corallinoides** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 337.
- corallinoides** Pecten, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 102.
- Corallinolithus** J. F. Blumenbach, Arch. II. 1816, 20 [*v.* Bronn, Index Pal. 1848, 332].
- corallina** Acrosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.
- corallina** Acteon, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 6.
- corallina** Actinia, A. Risso, H. N. Europe, V. 1826, 285.
- corallina** Adelocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
- coralinus** Agrio, E. De Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831,
- corallina** Alecto, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25. [App. p. 58.
- corallinus** Alumnus, N. A. Vigors, Zool. Journ. II (6) July 1825, 240.
- corallinus** Amorphospingia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 42.
- corallinus** Amphacanthus, Cuvier & Valenc., H. N. Poiss. X. 1835, 139.
- corallinus** Anilius (Laur.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 75.—Anguis, 1768.
- corallinus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 317.
- corallinus** Atylus, A. Risso, H. N. Europe, V. 1826, 99.
- corallina** Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
- corallinus** Baridius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 64 [*n. n.*].
- corallina** Calamophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- corallina** Campecopea, A. Risso, H. N. Europe, V. 1826, 126.
- corallinum** Cardium, Leymerie, Stat. Aube, 1846, pl. x. f. 11.
- corallinus** Carpilius (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 381.—Cancer, Hbst. 1783.
- corallina** Cephaloleia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 151.
- corallinus** Chelifer, H. Loew, Dipterologische Beiträge, I. 1845, 29.
- corallina** Chlamys, F. Klug, Entom. Mon. 1824, 140.
- corallina** Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 909.
- corallinus** Coluber, G. Raddi, Mem. Soc. Ital. Sci. XVIII. 1820, 336.
- coralina** Comatula, A. Risso, H. N. Europe, V. 1826, 275.
- corallinus** Conus, D. Solander, Catal. Portland Mus. 1786, 149 [*n. n.*].
- corallinus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 246.
- corallina** Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
- corallina** Dendrocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.
- corallinum** Dentalium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallina** Dysdera, A. Risso, H. N. Europe, V. 1826, 161.
- corallinus** Elaps, B. Merrem, Tent. Syst. Amph. 1820, 144.
- corallinus** Elaps, Max Wied, N. A. Ac. Caes. Leop. Car. X (1) 1820, 108.
- corallinus** Elaps (Raddi), L. J. Fitzinger, Neue Classif. Rept. 1826, 61.—Coluber.
- corallina** Enallhelia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32. [406.
- corallinus** Eumorphus, J. Gistel, Nat. Thierr. 1848, 124; Handb. Naturges. 1850 [1847],
- corallina** Fissurella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallinus** Fusus (Scac.), A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 82.—Murex.
- corallina** Helcion, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
- corallinus** Hinnites, G. B. Sowerby, I., Zool. Journ. III (9) Jan. 1827, 71.
- corallinus** Hippalimus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 41.
- corallinum** Hippopodium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
- corallinus** Holecitypus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 26.
- corallinum** Imatidium, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
- corallinus** Iuachus, A. Risso, H. N. Europe, V. 1826, 26.

- corallina** Isis, C. F. A. Morren, Ann. Ac. Groning. 1828, 22.
corallinus Iulus, P. Gervais in Vaillant, Voy. "Bonite," Zool. I. 1842, 275.
corallina Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
corallinus Lepidopleurus, A. Risso, H. N. Europe, IV. 1826, 268.
corallina Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
corallinus Lissonotus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 11.
corallinus Lithodomus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 20.
corallina Lobocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.
corallina Locusta, T. W. Harris, Rep. Insects Massach. 1841, 142.
corallinus Lybas, Reiche in Lacordaire, Mon. Erotyl., Sept. 1842, 239.
corallina Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
corallina Maia, A. Risso, H. N. Crust. 1816, 45.
corallina Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 330, Mar. 1845.
corallina Monodonta (Risso), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 53.—Otavia.
corallinus Murex, A. Scacchi, Cat. Conch. Neap. 1836, 11.
corallinus Nerita, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
corallina Nerophis, A. Cocco, Atti 7 Riun. Sci. Ital. 1846, 750 [*n. n.*].
corallina Orthostoma, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 48.
corallina Otavia, A. Risso, H. N. Europe, IV. 1826, 133.
corallina Oulophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 39.
corallinus Pachylocerus, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 19.
corallinus Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 63.
corallinus Pecten (Sow.), Catlow & Reeve, Conch. Nomen. 1845, 80.—Hinnites.
corallinus Pecten, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 22.
corallina Periploma, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
corallina Perna, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.
corallina Pisa (Risso), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 306.
corallina Polytrema, A. Risso, H. N. Europe, V. 1826, 340. [—Maia.
corallina Polytrema, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 41.
corallina Prionastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 35.
corallinus Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 279.
corallina Sitta, B. H. Hodgson, J. Asiatic Soc. Bengal, V. 1836 (1837), 779.
corallina Spongia, A. Risso, H. N. Europe, V. 1826, 379.
corallina Sporophila, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 498.
corallina Stylifer, Petit de la S., Rev. Zool. (Soc. Cuv.) IV. June 1841, 183.
corallina Terebratula, Leymerie, Stat. Aube, 1846, pl. x. f. 16.
corallina Thecidea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25.
corallina Thracia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.
corallinus Tortrix (Laur.), Moppel, Ann. Mus. H. N. (Paris) XVI (95) *inter* Jan.—Mar. 1811, 382.—Anguis, 1768.
corallinus Trichodes, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 166.
corallina Trigonina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
corallinus Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 56, Ap. 1848.
corallina Venerupis, P. Merian, Ber. nat. Ges. Basel, IV. 1838–40 (1840), 76.
corallina Venus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
corallina Vipera (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 3.—
Coralliodendron F. T. Kuetzing, Polyp. Calcif. 1841, 11.—Coel. [Coluber, 1758.
Corallioides L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coralloides, Guett.
Coralliolites E. F. Schlotheim, Taschenb. f. Min. VII. 1813, 36.—Cor. [1770.
Coralliolithes H. G. Bronn, Index Pal. 1848, 322.—Cor.
Coralliophaga H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 343.—L.
coralliophaga Cypriocardia (Gm.), Lamarck, An. s. vert. VI (1) 1819, 28.—Chama, 1790.
coralliophagus Hinnites (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 22.—
 Spondylus.
coralliophagus Mytilus, P. Merian, Ber. nat. Ges. Basel, IV. 1838–40 (1840), 77.
coralliophaga Petricola, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 68.
coralliophagus Spondylus, G. A. Goldfuss, Petref. German. II (5) 1836, 95. [? Desh.
coralliophaga Venerupis (Broc.), Sismonda, Syn. meth. An., ed. 2, 1847, 20.—Petricola,

- corbarica** Lucina, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361.—*varr.* regularis, elongata, quadrata.
- corbarica** Phyllocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.
- corbarica** Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.
- corbarica** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 310.
- corbantium** Buccinum, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III. 1845, 464, pl. iii, f. 24.
- Corbicalao** C. L. Bonaparte, Giorn. Arcad. XLIX. 1831, 49.—A.
- Corbicula** J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 56.—L.
- corbicula** Acarus, Jas. Sowerby, Brit. Miscell. II (77) June 1806, 14.
- corbicula** Cytherea (Gm.), Lamarck, An. s. vert. V. 1818, 563.—Venus.
- corbicula** Fissurella, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 564 [*n. n.*].
- corbicula** Trigona (Lam.), J. E. Gray, The Analyst, VIII (24) July 1838, 304.—Venus,
- corbierei** Chama, J. H. Jonas, Zeitschr. f. Malakozool., Aug. 1846, 126. [Gm. 1790.
- corbieriaca** Cyclolites, H. Michelin, Icon. Zoophyt. (24-27) 1847, 284.
- corbinoides** Tellina, Caillat, Mém. Soc. Sci. Nat. Seine et Oise, I. 1835, 239.
- Corbis** G. Cuvier, R. Anim. II. 1817, 480.—L.
- corbis** Cardita, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 55.
- corbis** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 435.
- corbis** Pleurotoma, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 444.
- corbis** Productus, Potiez & Michaud, Gal. Moll. Douai, II. 1844, 26.
- corbis** Tellina (Corbis), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 602.
- corbis** Venericardia (Ph.), S. V. Wood, I, Ann. Mag. N. H. VI. Dec. 1840, 251.—Car-
- corbis** Venus, Lamarck, An. s. vert. V. 1818, 585. [dita.
- corbisoides** Arcopagia (Caill.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 376.—
Tellina corbinoides. [459.
- corbisoides** Lucina, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- corbisoidem** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Corbivus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- corbo-asprensis** Sciaena, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
- corbula** Arca, L. W. Dillwyn, Catal. Shells, 1817, 235. [1847, 123.
- corbularis** Cardita, Lamarck, An. s. vert. VI (1) 1819, 26.
- corbularius** Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 205.
- corbularius** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 188.
- corbulatum** Cyrtoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 123.
- corbulina** Cytherea, Lamarck, Ann. Mus. II. N. (Paris) VII (38) Dec. 1805, 136 [*err. typ.*
139].
- corbulina** Venus (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 379.—Cytherea.
- corbulo** Caelenorhinus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Papilio,
- corbulo** Xylota, F. Walker, List Dipt. Coll. B. M. (3) 1849, 556. [1781.
- corbuloides** Amphidesma, Lamarck, An. s. vert. V. 1818, 492.
- corbuloides** Astarte, de la Jonkaire, Mém. Soc. H. N. Paris, I (1) 1823, 129.
- corbuloides** Bornia, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 14.
- corbuloides** Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 54.
- corbuloides** Corimya (Roem.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 264.—
Tellina.
- corbuloides** Crassatella, L. Reeve, Proc. Zool. Soc. London, X (109) Nov. 1842, 45.
- corbuloides** Cypricardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 44 (F*).
- corbuloides** Donax, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 99 (N*).
- corbuloides** Osteodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
VI. Mar. 1835, 85.—Amphidesma.
- corbuloides** Pectunculus, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 40.
- corbuloides** Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 120.
- corbuloides** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 70.
- corbuloides** Thracia, Deshayes, Dict. Class. H. N. XVI. 1830, 236.
- corbuloides** Thracia, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 347.
- Corbulomya** P. II. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 59.—L.
- corbulu** (*sic*) Cancellaria, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 308.

- Corburella** J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 422.—L.
corbyi Cratosomus, F. E. Guérin-M., Iconographie, 1844, Ins. 163.
corbyi Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins. 299.
corchori Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 313.
Corcorax R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 324.—A.
Corculus J. Gistel, Nat. Thierr. 1848, 160.—Cr.
Corculus J. Gistel, Handb. Naturges. 1850 [1847], 525.—Cr.
corculum Anachytes, G. A. Goldfuss, Petref. German. I (2) 1829, 147.
corculus Anisoscelsis, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
corculum Anthrax (Newm.), F. Walker, List Dipt. Coll. B. M. (2) 1849, 269.—Neuria.
corculum Conus, J. De C. Sowerby, Min. Conch. VII. 1841, 27.
corculum Echinites, E. F. v. Schlotheim, Die Petref. 1820, 311.
corculum Edessa, Hoffmannsegg in W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 610.
corculum Helix, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842 (1843), 148
corculum Isocardia, F. v. Hagenow, N. Jahrb. f. Min. 1842, 562. [[*n. n.*]
corculum Isocardium, E. Eichwald, Zool. Spec. I. 1829, 284.
corculum Neuria, E. Newman, Entomologist (14) Dec. 1841, 221.
corculum Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 645.
corculum Spirifer, S. Kutorga, Verh. Russ.-Kais. min. Ges. St. P. 1842 (1842) [1843], 25.
corcyra Heterochroa, W. C. Hewitson, Ann. Mag. N. H. XX. Oct. 1847, 262.
corcyrella Myelois, Herrich-S., Syst. Bearb. Schmett. Europ. IV (44) 1851, 98.
corcyrensis Anisoplia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 39 [*n. n.*].
corcyrensis Carocollina (Parsch), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—
 Helix. [June 1838, 40.
corcyrensis Helix, Parsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2)
corcyrensis Helix, A. E. Férussac, H. N. g. et p. Moll. I. 1839, 21.
corcyrensis Pupilla, Parreys in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 84.
cordace Tisiphone, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 42.
cordae Cheirurus, J. Barrande, Not. prélim. Silur. 1846, 76.
cordai Barrandia, F. McCoy, Ann. Mag. N. H. (2) IV. Dec. 1849, 409.
cordai Frondicularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 302.
cordairii Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 205.
cordalis Margarita, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 288.
cordalis Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 36.
cardaticollis Latridius, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 332.
cordatus Abacetus, Dejean, Spec. gén. Coléopt. V. 1831, 742.
cordatum Adelostoma, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 169.
cordata Ammonita, J. Fleming, Hist. Brit. Anim. 1828, 241.
cordatus Ammonites, J. Sowerby, Min. Conch. I. 1813, 51.
cordatus Amphidetus (Penn.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 11.—Echinus, 1777.
cordatus Amphidotus (Penn.), E. Forbes, Hist. Brit. Starfish (4) Jan. 1841, 190.—Echinus,
 Anachytes, Lamarck, An. s. vert. III. 1816, 26. [1777.
cordatus Aradus, J. C. Fabricius, Syst. Rhyng. 1803, 117.
cordata Arca, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 2 [*n. n.*].
cordatus Arescus, A. Sallé, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 433.
cordata Artemis, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 177.
cordata Athalia, Le Peletier, Mon. Tenthred. 1823, 22.
cordata Beßenicea, E. Eichwald, Nat. Lithuanen, 1830, 191.
cordatus Bledius (Say), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 780.—Oxytelus.
cordata Bombyx, S. I. Ljungh, K. Vet. Ac. Handl. 1825 (2) 1826, 347.
cordata Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 262.—Euglossa.
cordatus Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 169.
cordatum Cardisoma (L.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 50.—
 Cancer, 1763.
cordata Castalia, W. Swainson, Treat. Malacol., May 1840, 379. [baeus, 1773.
cordata Cetonia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 63.—Scara-

- cordata** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 604.
cordata Cymindis, P. Rambur, F. Ent. Andal. I (1) 1837, 16.
cordata Cyprina, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 182.
cordatus Cysticercus, A. Tschudi, Blasenwürm. 1837, 59.
cordatum Diploctenium, G. A. Goldfuss, Petref. German. I (1) 1826, 51.
cordatus Ditomus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. I. 1825,
cordata Eleodes, F. Eschscholtz, Zool. Atlas, III. 1829, 12. [441.
cordata Euglossa (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 436.—Apis,
 L. 1758. [L. 1758.
cordata Euglossa (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 385.—Apis,
cordata Eurydesma, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 276.
cordata Flabellina, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 213.
cordata Formica, F. Holl, Handb. Petref. II. 1829, 140.
cordata Frondicularia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 96.
cordata Gecarcinus (Latr.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 430.—
 Ocypode.
cordatus Gnorimus (Fab.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 530.
 —Cetonia, 1787.
cordatum Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 368.
cordatus Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 106.—Cara-
cordatus Helops, Germar in H. C. Kuester, Käfer Europas, XXI. 1850, 53. [bus.
cordatus Hemicircus, T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 211.
cordatum Hemistomum, C. M. Diesing, Syst. Helminth. I. 1850, 308.
cordatus Holaster, Dubois de M., Voy. Caucase, Atlas V. 1843, Foss. pl. 1 [*n. et f.*].
cordata Hyria, C. T. Menke, Syn. meth. Moll. 1828, 63.
cordata Isocardia, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 98.
cordata Lithodomus (Lam.), H. G. Bronn, Index Pal. 1848, 660.—Modiola.
cordatus Lithodomus (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 391.—
 Modiola.
cordatus Micraster (Lam.), L. Agassiz, Cat. Ect. Ech. 1840, 2.—Ananchytes.
cordatus Micrus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848,
 568, Table [*n. n.*].
cordata Modiola, Lamarck, Ann. Mus. H. N. (Paris) IX (50-51) Ap. 1807, 237 [*n. et f.*].
cordatus Morio, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 13.
cordata Myrmecia, J. C. Fabricius, Syst. Piezat. 1804, 425. [Modiola.
cordatus Mytilus (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 571 (Cccc*).—
cordatus Nucleolites, G. A. Goldfuss, Petref. German. I (2) 1829, 142.
cordata Nucula, G. A. Goldfuss, Petref. German. II (6) 1837, 155. [—& *var. rosea*.
cordata Obovaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
cordatus Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11)
 July 1847, 457. [1763.
cordata Ocypode (L.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 37.—Cancer,
cordatus Ophonus, Dufts.; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
cordatus Oxytelus, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 461.
cordatus Pterostichus, Letzner, Uebers. Arb. schles. Ges. 1841 (1842), 101.
cordata Rataria, J. F. Eschscholtz, Syst. Acalephen, 1829, 167.
cordatus Reduvius, J. F. Wolff, Icon. Cimicum (4) 1804, 163.
cordatus Spatangus (Lam.), Bory de St V., Ency. Méth. (Vers) 1824, 143.—Ananchytes.
cordatus Stenus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 198.
cordatus Tachyporus, Dahl; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
cordata Terebratula, A. Risso, H. N. Europe, IV. 1826, 389.
cordatum Trombidium, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 7.
cordata Tubulipora, E. Eichwald, Paleont. Rossii, 1850, 27.—Berenicea, 1830.
cordata Uca (L.), A. White, List Crustacea Coll. B. M. 1847, 31.—Cancer, 1763.
cordata Udora, G. v. Muenster, Beitr. zur Petref. (2) 1839, 70.
cordata Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 312.
corday Colias, J. Huebner, Verz. bekannt. Schmett. [1820], 99.
cordiarii Eilicrinia, J. Huebner, Verz. bekannt. Schmett. 1825, 287.—Geometra, 1796.

- cordiaria** Ennomos (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 427.—Geometra, 1796. [(Noct. 4, pt. 2), 199, 1829.—Geometra, 1796.]
- cordiaria** Philobia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)
- cordicalis** Attus, C. W. Hahn, Mon. Spinnen (4) 1832.
- cordicalis** Buccardites, E. F. Schlottheim, Tasch. Min. 1818, 103.
- cordicaria** Geometra, [Denis & Schiffermüller], Syst. Verz. Schmett. Wien, ed. 2, 1801, 380.—corticaria, 1776.
- cordicilla** Caprimulgus, B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 147.
- cordicollis** Acupalpus, M. de Chaudoir, Enum. Carab. 1846, 232.
- cordicolle** Agonum, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 206.
- cordicollis** Amara, E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 127.
- cordicollis** Anisodactyla, C. Wesm., Bull. Ac. Roy. Brux. II. 1835, 47. [705.]
- cordicollis** Aptinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- cordicollis** Ardistomis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 646.
- cordicollis** Blaps, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 346.
- cordicollis** Brachinus, Dejean, Spec. gén. Coléopt. II. 1826, 466. [1844, 447.]
- cordicollis** Bradyus (*sic*), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- cordicollis** Calleida, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 373.
- cordicollis** Calleida, C. H. Boheman, Ins. Caffr. I (1) 1848, 36. [826.]
- cordicollis** Cephalotes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842,
- cordicollis** Chlaenius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 22.
- cordicollis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 24.
- cordicollis** Crossonychus (Le C.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 97.—Dromius.
- cordicollis** Cychrus, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 442.
- cordicollis** Dromius, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug.
- cordicollis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 306. [1846, 190.]
- cordicollis** Galerita, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 699. [1847, 406.]
- cordicollis** Geobaenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
- cordicollis** Gonopus, A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 234.
- cordicollis** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 209.—Ophonus, 1821.
- cordicollis** Latridius, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 300.
- cordicollis** Leiocnemis (Ménét.), C. Zimmermann, Faunus, I (1) 1832, 38.—Amara.
- cordicollis** Lithophilus, F. E. Guérin-M., Iconographie, 1844, Ins. 318.
- cordicollis** Nebria, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 17.
- cordicollis** Ophonus, Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- cordicollis** Pogonus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 6.
- cordieri** Actinoceras, Castelnau, Ess. Silur. Amér. sept. 1843, 31.
- cordierii** Ammonites, Rivière, C. R. Acad. Sci. (Paris) IV. 1837, 67.
- cordierii** Anodonta, C. d'Orbigny, C. R. Acad. Sci. (Paris) III. 1836, 231 [*n. n.*].
- cordierii** Anodonta, C. d'Orbigny, Mém. div. couches de Terrain Paris [1837], 16.
- cordierii** Anodontes, C. d'Orbigny in Magasin de Zool. VII. 1837, pl. 78.
- cordieri** Antilope, J. de Christol, Ann. Sci. Ind. Midi France, II (5) May 1832, 15.
- cordieri** Antelope, M. de Serres in P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 213 [*n. n.*].
- cordieri** Asaphus, Castelnau, Ess. Silur. Amér. sept. 1843, 18.
- cordieri** Barysmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 273.
- cordieri** Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
- cordieri** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 338.
- cordieri** Dytiscus, C. Aubé, Spec. gén. Hydroc. 1838, 108.
- cordieri** Emys, P. F. Bourdet, 9 Verh. Allg. Schweiz. Gesellsch. 1823, 50 [*n. n.*].
- cordieri** Eucratea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 243.
- cordieri** Fraena, M. Rouault, Bull. Soc. géol. France (sér. 2) VII. 1850, 733.
- cordieri** Halianassa (Christ.), H. G. Bronn, Index Pal. 1848, 562.—Metaxytherium, Bl.
- cordieri** Metaxytherium, H. D. de Blainville, Ostéogr., Manatus, 1843, 130.
- cordierii** Mitra, Maravigna, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 325.
- cordieri** Monocrepidius, Le Guillou, Rev. Zool. (Soc. Cuv.) VII. June 1844, 221.
- cordieri** Nephthea, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 230.

- cordieri** Osmerus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 125 (1839); V (2), 101.
- cordieri** Petricola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 358. [(1844).]
- cordieri** Pholas, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
- cordieri** Pleurotoma, B. C. Payraudeau, Cat. Moll. Corse, 1826, 144.
- cordieri** Trochus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 335.
- Cordieria** M. Rouault, Bull. Soc. géol. France (2) V. 1848, 207.—G.
- cordieria** Turritella, A. Risso, H. N. Europe, IV. 1826, 110.
- cordierianum** Cardium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 159; Rep. trav. Soc. stat. Marseille, VI. 231.
- cordieriana** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Rotalina.
- cordieriana** Rotalina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 33.
- cordierianus** Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
- cordifera** Asterias, Bosc in Deterville's Buffon (Vers) II. 1802, 113. [1845, 448.
- cordifer** Chiton, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 324. [Chiton.
- cordifer** Chitonellus (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—
- cordifera** Chnoodes, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 909.
- cordifer** Clerus, J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May 1849, 21.
- cordifer** Clytus, F. Klug (ex Dej. *lit.*), Insect. Doublet. Z. M. Berlin, 1829, 13. [310.
- cordifer** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cordifera** Ophiura (Bosc), G. Fischer, Mus. Démid. III. 1807, 288.—Asterias.
- cordifera** Parra, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. May 1842, 135.
- cordifera** Parra, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 210.
- cordifera** Strangalia (Ol.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.—Leptura, 1795.
- cordifera** Taenia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 306.
- cordifer** Tetraopes, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- cordiforme** Amphidesma, J. E. Gray, Ann. Phil. XXV. 1825, 135.
- cordiforme** Amphidesma, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 7.
- cordiformis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1616.
- cordiformis** Arkys, H. Nicolet in Gay, Chili, III (Arach.) 1849, 385.
- cordiformis** Astarte, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 80. [1825.
- cordiformis** Atrypa, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 9.—Terebratula,
- cordiformis** Atrypa (Sow.), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17. —Terebratula.
- cordiformis** Bursaria, C. G. Ehrenberg, Infusionthier. 1838, 328. [—Spatangus.
- cordiformis** Cardiaster (S. Woodw.), E. Forbes, Ann. Mag. N. H. (2) VI. Dec. 1850, 443.
- cordiformis** Catillus (Sow.), G. G. Pusch, Geogn. Besch. Polen, II. 1836, 379.—Inoceramus. [Venus.
- cordiformis** Corbis (Desh.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 111.—
- cordiformis** Cucubalus, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 119.
- cordiformis** Cypricardia, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 44 (F*).
- cordiformis** Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 101.
- cordiformis** Cyrena, Deshayes, Dict. Class. H. N. V. 1824, 290.
- cordiformis** Cytherea, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 185.
- cordiformis** Echinites, E. F. Schlotheim, Tasch. Min. 1813, 109.
- cordiformis** Echinospatagus, Mantell, Foss. S. Downs, 1822, 108.
- cordiformis** Eschara, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 606.
- cordiformis** Gelasimus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 53.
- cordiforme** Gomphoceras (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 112. —Orthocera.
- cordiformis** Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 216.
- cordiformis** Holaster (Mant.), J. Morris, Cat. Brit. Foss. 1843, 54.—Echinospatagus.
- cordiformis** Inoceramus, J. De C. Sowerby, Min. Conch. V. 1823, 61.
- cordiformis** Isocardia, Schuebler in C. H. v. Zieten, Pétrif. Wurt. (11) 1833, 82.
- cordiformis** Lima, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 348 (Xx*).
- cordiformis** Lyonsia (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 274.—Gresslya.

- cordiformis** Nucleolites, T. A. Catullo, Giorn. di Fisica etc. (2) V. 1822, 423.
- cordiformis** Nucula, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 21.
- cordiformis** Octopus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 87.
- cordiformis** Orthocera, J. Sowerby, Min. Conch. III. 1819, 85.
- cordiformis** Orthoceratites, DeFrance, Dict. Sci. Nat. XXXVI. 1825, 484.
- cordiformis** Pholadomya, G. P. Deshayes in Leymerie, Mém. Soc. géol. Fr. V. 1842, 3.
- cordiformis** Pinnoctopus (Q. & G.), A. D. d'Orbigny, Moll. viv. et foss. [1845], 193.—
- cordiformis** Salpa, Quoy & Gaimard, Ann. Sci. Nat. X (39) Mar. 1827, 226. [Octopus.
- cordiformis** Salpa, D. F. Eschricht, Afhandl. K. Danske Vid. Selsk. VIII. 1841, 300.
- cordiformis** Spatangus, S. Woodward, Geol. Norf. 1833, 50.
- cordiformis** Tellina, W. Wood, General Conch. 1815, 191.
- cordiformis** Terebratula, J. De C. Sowerby, Min. Conch. V. 1825, 154.
- cordiformis** Terebratula, A. Risso, H. N. Europe, IV. 1826, 390.
- cordiformis** Thecidea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 344.
- cordiformis** Thomisus, A. Risso, H. N. Europe, V. 1826, 171.
- cordiforme** Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 4.
- cordiformis** Unio, J. De C. Sowerby, Min. Conch. VI. 1828, 191.
- cordiformis** Venus, G. P. Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 5.
- cordigera** Anarta (Thunb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 90.—Phalaena; ? Noctua, 1788.
- cordiger** Anthribus, C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 241.
- cordiger** Chlorops, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 431 [*n. n.*].
- cordigera** Cicindela, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 1 [*n. n.*].
- cordiger** Clytus, Géné in A. Aragona, Coleopt. Ital. [1830], 26. [Chrysomela, 1758.
- cordiger** Cryptocephalus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 364.—
- cordiger** Curculio, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 135.
- cordigera** Edessa, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 611.
- cordiger** Graphipterus, Klug in Dejean, Spec. gén. Coléopt. V. 1831, 461. [—Anarta.
- cordigera** Heliolitha (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832, 224.
- cordiger** Metopius, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 120.
- cordigera** Neis, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 103.
- cordiger** Paramesus, L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 32 [*auct. typ.*].
- cordigera** Phalaena Noctua (Th.), E. J. C. Esper, Die Schmett. IV. Abschn. 2, 1796, 32.—Noctua, 1788.
- cordiger** Phytocoris, C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 85.
- cordigera** Poeciliosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*].
- cordigera** Scutellera, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 234.
- cordiger** Tabanus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 47.
- cordigera** Tenthredo, Palisot de B., Ins. Afr. Amér. (—) 1809, 97.
- cordilla** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 291.
- cordillerae** Meloe, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 133.
- cordillerae** Potamophilus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 19.
- cordillarum** Mastodon, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 385.
- Cordilura** C. F. Fallen, Sp. Ent. nov. Dipt. 1810, 15.—Dipt.
- cordimana** Ocyropa, Latreille, N. Dict. H. N., ed. 2, XXIII. 1818, 198.
- cordineri** Serpula, J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 244.
- Cordiola** *err. pro* Cardiola, B. & S.; H. G. Bronn, Index Pal. 1848, 223.
- Cordissa** J. Gistl, Nat. Thierr. 1848, p. xiv.—Cr. [181.—Col.
- Cordistes** Latreille in Dejean, Cat. Coléopt. 1821, 2; Dejean, Spec. gén. Coléopt. I. 1825,
- Cordium** J. Gistl, Nat. Thierr. 1848, p. xiv.—Cr.
- cordofanus** *melior kordofanus, q. v.*
- Cordorinus** *emend. pro* Corydoras, Lac.; C. S. Rafinesque, Analyse, 1815, 89.—P. [*n. n.*].
- cordovens** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 55.
- Cordulecerus** P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 359.—Neur:
- Cordulegaster** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—Neur.
- Cordulia** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—Neur.
- cordula** Hipparchia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 20.—Papilio.

- cordula** Maniola (Fab.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (3) 1828, 117.—Papilio.
- cordula** Papilio, Fabricius, Ent. Syst. III (1) 1793, 226 [cordala *err.* in Ind. Anim. I. 244].
- cordula** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 121 (Fernaldo judice 1805) [*u. et f.*]. [*u. et f.*].
- cordula** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 196 (Fernaldo judice 1834)
- cordula** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 521.—Papilio.
- Corduligaster** J. Macquart, Dipt. exot. 1843; *teste* Agassiz, *sed non comp.*, v. Cordylig→.
- Cordus** F. E. Germar, Linnaea Entom. III. 1848, 209.—Col.
- Cordus** C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 60.—Col.
- Cordyla** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Dipt.
- Cordyla** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 96.—Neur. [n. d., 2 nom. triv. append.].
- Cordyla** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulia, Leach.
- Cordylaspis** A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct.
- cordylea** Calotes (Agama), B. Merrem, Tent. Syst. Amph. 1820, 55. [1837, 17.—Col.
- Cordylegaster** Billberg, Enum. Ins. 1820, 96.—Neur.
- Cordyligaster** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 247.—Dipt.
- Cordylinus** C. S. Rafinesque, Analyse, 1815, 76.—R. [*u. n.*].
- cordylinum** Placosoma, L. J. Fitzinger, Arch. f. Naturg. XIII (1) 1847, 51. [1768.
- cordylina** Stellio (Laur.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 255.—Iguana,
- Cordylis** C. L. Bonaparte, Rep. Brit. Assoc. (Birm. 1849) 1850, 75.—A.
- Cordylocera** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1, 1838, 77.—Col. [*non* C—us, *apud* Agass.]. [Ramb.
- Cordylocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulecerus,
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordyligaster, Macq. [Leach.
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordulegaster,
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corduligaster, Macq. [Billb.
- Cordylogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cordylegaster,
- Cordylomera** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 23.—Col.
- Cordylophora** G. J. Allman, Proc. R. Irish Acad. II (40) 1843 [1843], 395.—Coel.
- Cordylura** C. F. Fallen, Scatomyz. Sveciae, 1819, 6.—Dipt.
- "**Cordylus** C. L. Bonaparte, 1849"; *teste* Waterhouse, Index Avium, *non comp.* Cordylis
- cordylus** [Crossurus], J. Wagler, Nat. Syst. Amph. 1830, 141. [*est.*
- cordylus** Stellio (L.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 24.—Lacerta, 1758.
- cordylus** Zonurus (L.), B. Merrem, Tent. Syst. Amph. 1820, 57.—Lacerta, 1758.
- core** Crastia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1816, 16.—Papilio, 1780.
- core** Euploea (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 88.
- core** Lutianus, G. D. Nardo, Isis, XX (6) June 1827, 479. [—Papilio, 1780.
- corea** Agrion, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*u. n.*].
- coreanica** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 601.
- coreanicus** Chiton, L. Reeve, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 24.
- coreanica** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 61.
- coreanica** Pleurotoma, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 40.
- coreanica** Terebratula, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 71.
- Corecoris** C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 14.—Hem.
- corensis** Cyrenoida, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 80.
- corensis** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 355.
- corensis** Protaetia, A. White, Nomen. Coleopt. Coll. B. M. (1) 1847, 36 [*u. n.*].
- corensis** Siphonaria, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 69.
- corensis** Venus, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 80.
- coregnensis** Ammonites, J. De C. Sowerby in Delabeche, Geol. Man. 1831, 319.
- "**Coregonoides** Soland. Pisc. Austr." Agassiz, Nom. Zool., Pisc. 18.—? MS.
- coregonoides** Paralepis, A. Risso, Journ. de Physique, XCI. Oct. 1820, 253.
- coregonoides** Salmo, P. S. Pallas, Zoographia, III. 1814, 362.

- Coregonus** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 239.—P.
Coregonus C. A. Le Sueur (*ex* Artedi), J. Acad. Nat. Sci. Philad. I (9) May 1818, 231.—P.
Coregonus F. P. Jarocki, Zoologia, IV. 1822, 35.—P. [*typus* Salmo thymallus].
Corethra *err. pro* Corethra, Meig.; B. Angelin, Bibl. Ital. XVII. 1820, 386.
coreiformis Trogulus, C. L. Koch, Die Arachniden, V (5) *ante* Ap. 1839, 133.
corelia Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 953.
Coremia J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 22.—Col.
Coreocoris E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 120.—Hem.
Coreocoris L. Agassiz, Nom. Zool. (Hem.) 1845, 6.—*emend. pro* Corecoris, Hahn, *q. v.*
Coreodoras L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryodoras, Lacep.
Coreodoras L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coridoras, Spix.
Coreomelas C. J. B. Amyot & Serville (Roret's Suite à Buffon), Hém. 1843, 68.—Hem.
Coreomelas A. White, 1839; *teste* Agassiz, Nom. Zool. (Hem.) 1845, Add. 4, *sed ? err. pro* Corimelaena. [Anim. I. 244.]
"Corephium" Browne, Conch. ill. 1827"; *sic* Marschall, Nom. Zool. (Moll.) *sed vide* Ind.
Corephium J. E. Gray, Proc. Zool. Soc. London, XV (173) June 22, 1847, 65.—Moll.
Corephorus E. Grube, Arch. f. Naturg. XII (1) 1846, 161.—Verm. [Hypolimnas.
coresia Adolias (Hueb.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 105.—
coresia Hypolimnas, J. Huebner, Exot. Schmett. II. Tab. [46] [*n. et f.*].
coresia Megalura (God.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 447.—Nymphalis.
coresia Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 359.
coresia Timetes (God.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 263.—Nymphalis.
coresia Zonites, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.—June 1850, 166.
coresilaus Papilio, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 810.
coretas Lampyrotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 173.
coretas Polyommatus, J. W. Meigen, Handb. Schmett. 1827, 73 & 130; Syst. Besch. Europ. Schmett. II (1) 1829, 14.
Corethra J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 260.—Dipt.
corethriarius Bittacus, P. Rambur (Roret's Suite à Buffon), Névrophtères, 1842, 327.
Corethrogaster Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 328.—Col. [*n. n.*].
Corethrura F. W. Hope, Tr. Linn. Soc. London, XIX (2) 1843, 135.—Hem.
Corethrura G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—A. [314.
corethrurus Papilio, Lacordaire in Boissduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836,
Corethrura L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corethrura, Hope.
coretta Scomber, G. Cuvier, Règne Anim., ed. 2, II. 1829, 198.
coretta Thynnus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 102.
Coretus L. Oken (? *ex* Adanson), Allg. Naturges. V (2) 1835, 577.—G.
coreta Danaïs, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 178.
coretus Planorbis, de Blainville, Dict. Sci. Nat. XLI. 1826, 230.
Coriäcella *err. pro* Coriöcella, Bl.; Oken, Isis, 1829, 1111.
coriaceum Alecyonium, E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-1810], 50.
coriaceum Amitrus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 128. [1845, 73.
coriacea Anatolica, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
coriaceus Antliarhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 584.
coriacea Asterias, A. E. Grube, Actin. Adriat. 1840, 22.
coriacea Blaps, G. Fischer de W., Cat. Col. Sibir. [1842], 15.
coriacea Blaps, G. Fischer de W., Cat. Col. Sibir. [1842], 28.
coriacea Bullä (Meck.), Nitzsch, Ersch & Gruber, Allg. Ency. XIV. 1825, 8.—Doridium.
coriaceus Carabodes, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 15.
coriacea Carcopis, C. F. Fallen, Hemipt. Svec. (1) 1826, 14.
coriacea Cetonia, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 38.
coriacea Chelonia (L.), H. Cloquet, Dict. Sci. Nat. VIII. 1817, 382.—Testudo, 1766.
coriacea Chelonia (Sphargis) (L.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 20.—Testudo, 1766.
coriacea Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*]. [1791.
coriacea Cineras (Poli), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 213.—Lepas,

- coriaceus** Coeloscelis, Reiche, Rev. Zool. (Soc. Cuv.) IV. July 1841, 213.
coriacea Coriudo (L.), J. Fleming, Phil. Zool. II. 1822, 271.—Testudo, 1766.
coriacea Cribrina (Cuv.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 264.—Actinia senilis, L. [(1) 1845, 89.]
coriaceum Criocephalum, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
coriacea Culcita, Joh. Mueller & Troschel, Syst. Asterid. 1842, 38.
coriacea Cynthia, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 196.
coriaceus Cyprinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 489.
coriaceus Dasyopogon, C. R. W. Wiedemann, Dipt. exot. 1821, 230.
coriaceus Dermanyus, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii.
coriacea Dermatochelys (L.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 128.—Testudo, 1766.
coriacea Discopora (Esp.), Lamarck, An. s. vert. II. 1816, 168.—Flustra.
coriaceum Doridium, J. F. Meckel, Beytr. Vergl. Anat. I (2) 1809, 33.
coriaceus Dytsiscus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 134.
coriacea Flustra, E. J. C. Esper, Pflanzenth., Flustra, tab. vii [n. d., 1810?].
coriacea Fontaria, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 141.
coriacea Grantia (Mont.), G. Johnston, Hist. Brit. Sponges, 1842, 183.—Spongia.
coriaceus Gryllus (Scleropterus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 232.
coriaceus Hedybius, W. F. Erichson, Entomographien, 1840, 95.
coriaceus Helops, Hoff.; Dejean, Catal. Coléopt. 1821, 70 [n. n.].
coriaceus Homalonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, Issus, J. C. Fabricius, Syst. Rhyng. 1803, 100. [588.]
coriacea Ligia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 211. [184.]
coriacea Limnadia, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842,
coriacea Lobaria (Meck.), L. Oken, Lehrb. Nat. III (1) 1815, 292.—Doridium.
coriacea Lobularia (Esp.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 281.—Alcyonium.
coriacea Lygaeus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 220.—Salda.
coriacea Meladema, Hoffmannsegg in F. L. de Laporte, Etudes Entom. (2) 1835, 98.
coriacea Melolontha, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
coriacea Micropora (Esp.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 115.—
coriacea Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 231, Jan. 1845. [Flustra.]
coriacea Myrmedonia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 43.
coriaceus Ochlerus, Germar in Herrich-S., Wanzenart. Ins. VII (4) Ap. 1844, 64.
coriaceus Omalus, A. G. Dahlbom, Ofvers. K. Vet. Ac. Förh. VII (6) 1850, 135.
coriaceus Onconotus, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 207.
coriaceus Ornithodoros, C. L. Koch, Arch. f. Naturg. X (1) 1844, 219.
coriacea Phlaeothrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 442.
coriacea Piezocera, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
coriacea Pimelia, F. Klug in Ehrenberg, Syn. Phys., Ins. II (1830), sign. a. [573.]
coriacea Piodes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 318.
coriaceum Platyphyllum (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 446.—Gryllus, 1758.
coriaceus Priocnemis, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 103.
coriaceus Procrustes (Fab.), F. A. Bonelli, Mém. Ac. Sci. Turin, 1809-10 (1811), Mém. prés. 43.—Carabus, L. 1758.
coriacea Rana, J. B. v. Spix, Ranar. Brasil. 1824, 5.
coriacea Ranella, L. Reeve, Conch. Icon. II.—Ranella, no. 26, July 1844.
coriacea Sabella, G. D. Nardo (ex Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847,
coriacea Salda, J. C. Fabricius, Syst. Rhyng. 1803, 115.—Acanthia, 1777. [107.]
coriaceus Sigaretus, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 371.
coriacea Sphargis (L.), J. E. Gray, Syn. Rept. 1831, 51.—Testudo, 1766.
coriacea Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 116.
coriaceus Tachypus (L.), F. Weber, Obs. Ent. 1801, 19.—Carabus, 1758.
coriaceus Trachelyopterus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 221.

- coriacea** Trachyderma, J. Phillips, Mem. Geol. Surv. Gt Britain; II (1) 1848, 331.
coriacea Tricondyla, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 221.
coriaceae Truxalis, H. Burmeister, Handb. Ent. II (2) i, 1838, 608.
coriaceus Unio, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 181.
coriarius Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 644.
coriaria Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 833.
coriaria Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 424.
coriaria Craspeda (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 199.—
coriaria Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1847, 145. [Asilus.
coriaria Meloe, Hoffm. in Dejean, Catal. Coléopt. 1821, 76 [n. n.].
coriarius Meloe, Hoffmannsegg in N. A. Ac. Caes. Leop. Car. XVI (1) 1832, 131.
coriarius Sandalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 60 [n. n.].
coriarius Serropalpus, F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [n. n.].
coriaria Timarcha (Fab.), Dejean, Catal. Coléopt. 1821, 122.—Chrysomela, ? Laich. 1781.
coriarius Trichius, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 5 [n. n.] & var. olens.
coriarius Trox, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 205.
Corica F. Hamilton, Fish. Ganges, 1822, 253 & 383.—P.
Corica [*id. ac* Coricus, Cuv.], J. E. Gray, Ill. Indian Zool. II [1832-5] (pl. 91).—P.
Coricella de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.—G.
Coricus G. Cuvier, R. Anim. II. 1817, 263.—P.
corica Cobitis, F. Hamilton, Fish. Ganges, 1822, 359.
Coridala C. T. Wood, Orn. Guide, 1835, 68.—A.
Coridalla S. D. W., The Analyst, III (14) Jan. 1836, 203.—A.
Coridoras J. B. v. Spix, Pisc. Brasil. 1829; *teste* Agassiz, *sed* Corydoras, Lac.
Coridus *emend. pro* Coreus, Fab.; C. S. Rafinesque, Analyse, 1815, 119.—Hem. [n. n.].
coriiceps Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 5.
Corimelaena A. White, Mag. Nat. Hist. III (35) Nov. 1839, 539.—Hem.
Corimorpha Sars; van Beneden, L'Institut, 1845, 154 [*zv.* Corymorpha].
Corimya J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1845, p. xix; (4) 1845, 262.—L.
Corinna C. L. Koch, Die Arachniden, IX (1) *post* May 1841, 17.—Ar.
corinna Alophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 290.—
Hyalomyia.
corynna Coenonympha, J. Huebner, Verz. bekannt. Schmett. 1818, 65.
corinna Danaïs, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap.
1826], 462. [(1847), 88.—Danaïs.
corinna Euploea (MacL.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I
corinna Gazella, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 445.
corinna Hipparchia (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 24.—Papilio.
corinna Hyalomyia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
1830, 301.
corinna Macquartia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 230.
corinna Maniola (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. I (4) 1829, 159.—
Papilio, Huebner. [1813.
corinna Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 360.—Vanessa, Latr.
corinna Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 105 (Fernaldo judice 1804)
corinna Papilio, J. Huebner, Europ. Schmett. (Ziefer), 1805, 40. [[*n. et f.*].
corinna Planorbis, J. E. Gray, Proc. Zool. Soc. London, XVII (200) Jan.—June 1850, 167.
corinna Timetes (Latr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
(1850), 263.—Vanessa. [84.
corinna Vanessa, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813),
corinna Venus, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 29.
corinnaria Phrygonis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 307.—Phalaena
corinna, 1775.
corinnete Epicalia, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
Corinocera Zetterstedt, 1840; *err.* Agassiz *pro* Corynocera, *q.v.* [258 [n. n.].
corinthius Athyrea, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 32.
corinthia Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 112.
corinthius Ceutorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 223.

- corinthia** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 705.
- corinthium** Cyathophyllum, D. D. Owen, Rep. geol. expl. Iowa... 1839 (U. S. Senate, 28 Congr. Sess. I. no. 407) 1844, 69.
- corinthia** Feronia (Germ.), Dejean, Spec. gén. Coléopt. III. 1828, 304.—Molops.
- corinthia** Feronia (Platysma) (Germ.), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 29.—Molops.
- corinthius** Molops, E. F. Germar, Ins. spec. novae, I. 1824, 21.
- corinthus** Centrinus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 788.—Ceutorhynchus corinthus.
- corinthus** Colaspis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 582.
- corinus** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 546.
- coriocyte** H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 259.—G.
- corioginosa** Cleonis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 335.
- coriolanus** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 134.
- Coriolus** *err. pro* Oriolus, E. Forster, Cat. Avium Brit. 1817, 69.
- Coriomeris** J. O. Westwood in Hope, Cat. Hemipt. Coll. Hope, II. 1842, 6.—Hem.
- corion** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 186.
- coriphea** *v.* **coryphaea**.
- Coriphella** Gray, 1850; *teste* Marshall, *v.* Coryphella.
- Coriphilus** J. G. Wagner, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 494.—A.
- Coriplatus** A. White, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 90.—Hem.
- Coris** B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 96.—P.
- coris** Julis, R. P. Lesson, Mém. Soc. H. N. Paris, IV. Sept. 1828, 404.
- coris** Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 491.
- Corisa** Amyot & Serville in Roret's Suite à Buffon (Hém.) 1843, 445. = Corixa, Geoff.
- corisandra** Erebus (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 607.—Phalaena, 1782.
- Corisce** J. Huebner, Verz. bekannt. Schmett. 1825, 279.—Lep.
- Coriscium** P. C. Zeller, Isis (Oken), 1839, 210.—Lep.
- corisopitensis** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 210 (Dd*) [*form.*]
- corissus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 464. [*lat. quimperiana*].
- coristheus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 323.
- Corisus** P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 141.—Hem.
- coritus** Damis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 68.
- corita** Timetes, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 1822, 271.—A. [263 [*n. n.*]].
- Coriudo** J. Fleming, Phil. Zool. II. 1846.—*emend. pro* Corisa, Am. & Serv.
- Corixa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corisa, Am. & Serv.
- corixoides** Jassus, P. Rambur, F. Ent. Andal. II (5) Mar. 1840, 210.
- coriziformis** Trogolus (*sic*), C. L. Koch, Die Arachniden, V (6) *ante* Ap. 1839, 128.
- corizoides** Capsus, Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 35.
- Corizus** C. F. Fallen, Spec. nov. Hemipt. (1) 1814, 8.—Hem.
- Cormadromia** Zetterstedt, 1840; *teste* Scudder, *err. pro* Cormodromia, *q.v.*
- Cormansis** Walker, 1850; *teste* Marshall, 1851 *est*.
- cormasa** Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 524.
- cormatus** Strombus, DeFrance, Dict. Sci. Nat. LI. 1827, 124.
- Cormias** H. G. L. Reichenbach, Avium Syst. Nat., pl. liv (Mar. 1850).—A. [*n. et f.*].
- Cormocephalus** G. Newport, Proc. Linn. Soc. London (20) May 1844, 193.—Myr.
- Cormodromia** Zetterstedt, Ins. Lapp. descr. (1838), 545.—Dipt.
- Cormophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cormyphora, Lap.
- Cormoranus** Baillon, Mém. Soc. R. Emul. Abbeville [sér. 2, vol. 1] 1833 [1834], 76.—A.
- Cormoranus** C. T. Wood, Orn. Guide, 1835, 70.—A. [576].
- cormoranus** Carbo, B. Meyer in B. Meyer & J. Wolf, Taschen. Deutsch. Vögelk. II. 1810,
- cormoranus** Halieus (W. & M.), J. F. Naumann, Naturg. Vögel Deutschl. XI. 1842, 52.—Carbo.
- cormus** Empis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 496.
- Cormyphora** F. L. de Laporte, H. N. Ins. (Col.) II. 1840, 12.—Col.
- cornatus** Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 371.
- corndensis** Asaphus, R. I. Murchison, Silurian System, Jan. 1839, 663.

- corndensis** Euomphalus, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 641. [Euomphalus.]
- corndensis** Straparollus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 6.—
- Cornea** J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 56.—L.
- cornea** *v.* **corneus**.
- corneaeformis** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 189.
- Corneicyclas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corneocyclus, Bl.
- cornelie** Heliconia, F. E. Guérin-M., Iconographie, 1844, Ins. 472.
- Cornelium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 24.—G.
- cornelia** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 2.
- cornelia** Eclectus, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 135.
- cornelius** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 764.
- cornelia** Panopaea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 273.
- cornella** Argyrosetia (Fab.), P. C. Zeller, Linnaea Entom. II. July 1847, 273.—Tinea, 1775.
- cornella** Oecophora, F. Treitschke, Schmett. Europa, IX (2) 1833, 162.
- cornella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 363.
- Corneocyclus** de Blainville (*ex* Fér. MS), Dict. Sci. Nat. XII. 1818, 278.—L.
- Corneola** F. Held, Isis (Oken), 1837, 912.—G.
- corneola** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIII (150) Jan. 1846, 90.
- corneolus** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 234.
- corneola** Tellina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 234.
- cornea** Achatina, L. Brumati, Cat. Conch. Monfalcone, 1838, 35; Poligrafo, XV. 1839,
- cornea** Agronomae, J. Huebner, Verz. bekannt. Schmett. [1822], 227. [174.]
- cornea** Amphidesma, Lamarck, An. s. vert. V. 1818, 491.
- cornea** Anodonta, R. A. Philippi, Zeitschr. f. Malakozool. (Sept.) 1848 [Mar. 1849], 130.
- cornea** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 16, Jan. 1844.
- corneus** Atractus (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1840, 63.—Murex, L. 1758.
- cornea** Auricula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 90.
- corneum** Buccinum (Sow.), DeFrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 114.—Murex.
- corneus** Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 71.—Bulinus.
- corneus** Bulimus, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 25.
- corneus** Bulimus, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 164.
- corneus** Bulimus, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 66.
- corneus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 37.
- cornea** Bulla, Lamarck, An. s. vert. VI (2) 1822, 36.
- cornea** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
- cornea** Campylaea (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 26.—Helix.
- corneum** Cerithium, L. C. Kiener, Spec. Coquilles (Cerithium) 1841-42, 91.
- corneum** Chilostoma (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 98.—Helix.
- cornéa** Columbella, L. C. Kiener, Spec. Coquilles (Columbella) 1841, 13.
- cornea** Coretus (Drap.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 180.
- cornea** Corneola (Drap.), F. Held, Isis (Oken), 1837, 912.—Helix. [—Helix.]
- corneus** Cycladites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 469. [1758.]
- cornea** Cyclas (L.), J. P. R. Draparnaud, Tab. Moll. France, July 1801, 105.—Tellina,
- cornea** Cyclas (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 37.—Tellina, 1758.
- cornea** Cytherea, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 39 [*n. n.*].
- corneus** Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 7.—Murex, L. 1758.
- corneus** Fusus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (13, 14) 1839, 60.—Murex.
- corneus** Fusus, *v.* subangularis; F. v. Hauer, N. Jahrb. f. Min. 1837, 418 [*n. n.*].
- cornea** Helicina, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 13.
- corneus** Helicites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 72.
- cornea** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 89.
- cornea** Helix, Drap., *var.* cyclostoma, E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 33. [1821, 42.]
- cornea** Helix (Helicella), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,

- cornea** Hyalea, Lamarck, Syst. Anim. 1801, 140.—L.
- cornea** Lacuna, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 9 (Phasianella) & *errata*.—
- cornea** Leachia, A. Risso, H. N. Europe, IV. 1826, 102. [Phasianella, 1827.
- corneus** Linneus, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 373.
- cornea** Lingula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 603.
- cornea** Lucina, L. Reeve, Conch. Icon. VI.—Lucina, no. 25 (pl. ix) June 1850.
- cornea** Lymnaea, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),
- cornea** Marginella, Lamarck, An. s. vert. VII. 1822, 360. [251.
- corneus** Melampus (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—Auricula.
- cornea** Melanopsis, Megerle in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 50.
- cornea** Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
- VI. Mar. 1835, 133.—Amphidesma. [1795.
- cornea** Mesodesma (Poli), Forbes & Hanley, Hist. Brit. Moll. I. 1848, 348.—Mactra,
- cornea** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 211.
- corneus** Murex, J. Sowerby (? L.), Min. Conch. I (7) Oct. 1813, 79.
- corneus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 126.
- cornea** Natica, H. P. C. Möller, Index Moll. Groenl. 1842, 7.
- cornea** Natica, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 80.
- cornea** Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 117.
- cornea** Nerita, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (10) 1828, 149.
- cornea** Paludina, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),
- cornea** Paludina, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13 [*u. n.*]. [255.
- cornea** Patella, J. L. M. Poiret, Coq. Aisne, 1801, 101.
- cornea** Patella, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 525.
- cornea** Pecten, J. Sowerby, Min. Conch. III. 1818, 1.
- corneus** Pecten, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 71.
- corneus** Pecten, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 86.
- corneus** Phasianella, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlv, f. 47 [*u. et f.*].
- cornea** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 72.
- cornea** Physa, P. Massot, Soc. Agric. Sci. Pyrén.-orient. VI (2) 1845, 236.
- corneus** Planorbis (L.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 44.—Helix.
- corneus** Planorbis, Studer [*non* Linné], Nat. Anz. Allg. Schweiz. Gesellsch. III (12)
- 1820, 91.
- corneus** Platycloster, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (41) Oct. 1823, 232.
- cornea** Pleurotoma, H. D. de Blainville, Faune Française (20) Malac. 1829, 111.
- cornea** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 73.
- cornea** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 341, Jan. 1846.
- cornea** Rissoa, S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 157.
- corneus** Solen, Lamarck, An. s. vert. V. 1818, 451.
- corneus** Solen, W. Wood, Suppl. Index Test. 1828, 3 [*u. et f.*]. [1800.
- cornea** Spirorbis (L.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 12.—Serpula, ? Adams,
- corneus** Turbo, L. C. Kiener, Spec. Coquilles (Turbo) pl. xix (1847-8) [text is 1873].
- cornea** Turritella, Lamarck, An. s. vert. VII. 1822, 57.
- cornea** Turritella, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 138 [*u. n.*].
- cornea** Vallonia (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix, Drap.
- corneus** Vermetus, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 189.
- cornea** Vitrina, L. Pfeiffer, Symb. Helic. III. 1846, 81.
- corni** Aleurodes, S. S. Haldeman, Amer. J. Sci. (2) IX (25) Jan. 1850, 109.
- corni** Aspidiotes, P. F. Bouché, Entom. Zeitung, Stettin, V (8) Aug. 1844, 298.
- corni** Eretmocerus, S. S. Haldeman, Amer. J. Sci. (2) IX (25) Jan. 1850, 111.
- corni** Heliomanes, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 21.
- corni** Melorchus, Hentz, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 45.
- corni** Schizoneura, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 367.
- corniani** Isocardia, T. A. Catullo, Sagg. Zool. foss. 1827, 251.
- cornica** *v.* **cornicus** -a -um.
- corniceps** Phasma, G. R. Gray, Syn. Phasmodae, 1835, 25.
- cornicina** Lucilia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- II. 1830, 456.—Musca, 1781.

- cornicina** Nephrotoma (L.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 195.—Tipula, 1758. [Tipula, 1758.]
- cornicina** Pachyrhina (L.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 90.—
- cornicina** Volucella (Fabr.), F. v. P. Schrank, F. Boica, III (1) 1803, 132.—Musca, 1781.
- cornicis** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 76 [n. n.].
- cornicis** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 118. [1790.]
- cornicis** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 373.—Taenia,
- cornicis** Nirmus (Latr.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 78.—Ricinus, Retz. 1783.
- cornicis nigrae** Pediculus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 399.
- cornicularis** Mitra, *id. ac* cornicula, 1811; Lamarck, An. s. vert. VII. 1822, 312.
- cornicularium** Anobium, [L. v. Beck], Beitr. baier. Insektenf. 1817, 14.
- corniculata** Acinia (Fall.), F. Walker, Entom. Mag. III (1) Ap. 1835, 75.—Tephritis,
- corniculatum** Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 129. [? Zett.]
- corniculatus** Astropecten, J. E. Gray (*ex* Linck), Ann. Nat. Hist. VI. Nov. 1840, 180.
- corniculatus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 306.
- corniculatus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833,
- corniculatum** Buccinum, Lamarck, An. s. vert. VII. 1822, 274. [429.]
- corniculatus** Buceros (Lath.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 38.—Merops, 1790. [1844, 127.—Buccinum.]
- corniculata** Columbella (Lam.), G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap.
- corniculatus** Copris, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 73.
- corniculatus** Creadion (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 391.—Merops, 1790.
- corniculatus** Cyphonistes, H. Burmeister, Handb. Ent. V. 1847, 214.
- corniculata** Dichotomaria, Lamarck, An. s. vert. II. 1816, 147. [Nereis, 1784.]
- corniculata** Diploceraea (Müll.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 312.—
- corniculata** Entylia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 300.
- corniculata** Fratercula (Naum.), G. R. Gray, Genera of Birds, III. Dec. 1847, 637.—Mormon. [Sci. St Petersb. II (22) Aug. 1837, 348.—Mormon.]
- corniculata** Fratercula (Ceratoblepharum) (Naum.), J. F. Brandt, Bull. Sci. Ac. Imp.
- corniculatus** Gymnops (Lath.), G. Cuvier, R. Anim., ed. 2, I. 1829, 381.—Merops, 1790.
- corniculatus** Hypocolobus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- corniculatus** Illois, W. F. Erichson, Entomographien, 1840, 88. [445.]
- corniculata** Jania (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 274.—Corallina, L. 1758. [p. lxxxvii.—Merops, 1790.]
- corniculatus** Meliphaga (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820,
- corniculata** Mormon, J. F. Naumann, Isis (Oken), 1821, 782.
- corniculatus** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 325.
- corniculatus** Oryctes, Villa & Villa, Coleopt. Europ. 1833, 34.
- corniculatum** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 44.
- corniculatus** Philedon (Lath.), Cuvier, Règne Anim. I. 1817, 359.—Merops, 1790.
- corniculatus** Platyrus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pls. 55, 56.
- corniculata** Podenereis (Müll.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.), 83.—Nereis, 1784.
- corniculatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 198.
- corniculata** Purpura, A. Risso, H. N. Europe, IV. 1826, 168.
- corniculata** Tephritis, J. W. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 84.
- corniculatus** Tropidorhynchus (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 324.—Merops, 1790. [—Tephritis, ? Zett.]
- corniculata** Trypeta (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 335.
- corniculata** Turbinolia, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 18.
- corniculatus** Tychius, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 309.
- Corniculina** G. v. Muenster, Beitr. zur Petref. (1) 1839, 110.—Ceph.
- corniculum** Buccinum, Brocchi [*non* Olivi], Conch. foss. Subap. 1814, 342.
- corniculum** Buccinum, A. Risso, H. N. Europe, IV. 1826, 159.
- corniculum** Buccinum, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 51.

- cornicula** Caryophyllia, C. A. Lesueur, Mém. Mus. H. N. (Paris) VI [4-6] Ap. 1821,
corniculum Cyathophyllum, A. Keyserling, Wiss. Beob. Petschora, 1846, 166. [297.
corniculum Cyclostoma, A. Mousson, Mith. nat. Ges. Zürich, I (3) no. 30, 1848 [1849],
 267. [III. 1845, 327.—Pompilus.
corniculus Dolichurus (Spin.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.
cornicula Fistulana, Lamarck, Syst. Anim. 1801, 129.
cornicula Fistulana, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 209.
corniculum Lasmophyllia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 333.—
 Turbinolia.
cornicula Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 210.
cornicula Mitra, A. Risso, H. N. Europe, IV. 1826, 242. [Voluta, 1758.
cornicula Mitra (L.), H. D. de Blainville, Faune Française (23) Malac. 1829, 217.—
corniculum Nassa (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 217.—
 Buccinum.
cornicula Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.
corniculum Pileopsis, Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 29.
cornicula Planorbis, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 149.
corniculum Planorbis, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 154.
corniculus Pompilus, M. Spinola, Ins. Liguria, II. 1808, 52.
corniculum Scyphia, F. v. Hagenow, N. Jahrb. f. Min. 1840, 641.
corniculum Serpula, G. A. Goldfuss, Petref. German. I (4) 1833, 242.
corniculum Serpula, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 38.
corniculum Streptoplasma, J. Hall, N. H. New York (Pal. I.) 1847, 69.
corniculum Trochomilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct.
 1848, 240.—Turbinolia.
corniculum Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 267.
cornicum Falco, C. L. Brehm, Ornith. (3) 1827, 6.
cornicus Pompilus (Miscus), T. Say, Boston Journ. N. H. I (3) 1836, 305.
cornica Testacella (*err. pro cornina*), Férussac, Essai méth. Conch. 1807, 41.
Cornifer L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cornufer, Tsch.
cornifer Blennius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
 Fische (—) 1830 *vol* 1831, 112.
cornifera Cidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 329.
corniferum Ennearthron, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 371.
cornifera Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1011.
cornifex Scarabaeus, *err. pro* carnifex; F. de Tigny, s. à Deterville ed. Buffon, Ins. V.
 1801, 250.
Corniformis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cornuoides, Brown.
corniformis Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Apr. 1844, 122.
corniformis Creseis, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 87.—Hyalaea, 1836.
corniformis Fistulana, Lamarck, An. s. vert. V. 1818, 435.
corniformis Hyalaea, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 120.
corniformis Styliola (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.—Hyalaea.
corniformis Turbinolia, A. Risso, H. N. Europe, V. 1826, 357.
cornifrons Aegialia, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
cornifrons Aegialia, Griffith (*ex* Guér.), Cuvier, Anim. Kingd., Ins. II. 1832, 781.
cornifrons Ateuchus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
 Geobius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 173. [64.
cornifrons Phaleria (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 304.—Tene-
Corniger L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 121.—P. [briio, 1792.
cornigera Actineda (Herm.), C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 4.—Trom-
 bidium.
cornigera Agaocephala, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 59.
cornigerum Anystis (Herm.), C. v. Heyden, Isis (Oken), 1826, 609.—Trombidium.
cornigera Apis, W. Kirby, Mon. Apum Angl. II. 1802, 190.
corniger Arrhenodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 484.
cornigerus Asaphus (Schl.), Al. Brongniart in B. & Desmarest, H. N. Crust. foss. 1822,
 18.—Trilobites.

- cornigerus** Bolbocerus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
cornigera Caryophyllia, Lamarck, An. s. vert. II. 1816, 228. [138.
cornigera Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
cornigerum Cerastoma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 103.—Opilio, 1836.
cornigerum Ceratosoma, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 68.
cornigera Cerocephala, J. O. Westwood (*ex* Steph. MS), Magasin de Zool. II. 1832, pl. 4.
cornigera Cerocephala, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 104.—? Di-
 rhinus, 1834.
cornigera Chalcis, L. Jurine, N. Méth. class. Hyménopt. 1807, 315 [*n. et f.*].
cornigera Chalcis, Jurine in M. Spinola, Ins. Liguria, II. 1808, 164.
cornigera Chelobasis, Gory in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 366.
cornigera Cladocora (Lam.), H. G. Bronn, Index Pal. 1848, 303.—Caryophyllia.
cornigera Conoparia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 81.
cornigera Copris, C. R. Sahlberg, Peric. Entom. 1823, 6.
corniger Creoxylus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
 1838], 265. [Lam.
cornigera Cynodonta (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—Turbinella,
cornigera Dendrophyllia (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 320.
 —Caryophyllia.
cornigera Diaperis, F. V. Melsheimer, Ins. Pennsylv. 1806, 16 [*n. n.*].
cornigerus Dirhinus (Jur.), F. Walker, Entom. Mag. II (1) Jan. 1834, 38.—Chalcis.
corniger Encyrtus, F. Walker (*ex* Hal. MS.), Entom. Mag. V (2) Jan. 1838, 114.
cornigera Epeira, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 20. [& 44.
cornigerus Erythraeus (Herm.), A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 16
cornigerum Holocentrum, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 481.
cornigera Hydrias, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. d.
cornigera Hyperia, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 387.
cornigera Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 211.
corniger Lycus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 71; & App.
 1817, 25. [? Rossi, 1790.
cornigera Megachile (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 142.—Apis,
cornigerus Milleporites, E. F. v. Schlotheim, Die Petref. 1820, 363.
cornigerus Murex (Turbinella), F. S. Voigt in Cuvier, Thierreich, III. 1834, 395.
cornigera Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 90. [Phalangium.
corniger Opilio (Herm.), C. L. Koch, Die Arachniden, III (5) Dec. 1836, 87.—
cornigera Oplecephala (L.), Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831,
 342.—Hispa, Fab. 1781.
corniger Passaloecus, W. E. Shuckard, Foss. Hymenopt. 1837, 191.
cornigera Pericera (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
cornigerum Phalangium, J. F. Hermann, Mém. Aptér. 1804, 102. [335.—Pisa.
cornigera Pisa, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 141. [1832, 213.
cornigera Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May
cornigera Sclalaria, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer.
 Phil. Soc., n. s., IX (3) Dec. 1846, 259.
cornigerus Scolymus, W. Swainson, Treat. Malacol., May 1840, 304.
cornigera Stenophylla, J. O. Westwood, Arcana Entom. II (16) Nov. 1843, 52.
cornigera Thetis, S. Macri, Atti R. Accad. Sci. [Napoli] II (2) 1825, 164.
cornigera Trachusa (Rossi), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164.—
 Apis, 1790. [1820, 38.
cornigerus Trilobites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*]; Die Petref.
cornigerum Trombidium, J. F. Hermann, Mém. Aptér. 1804, 38.
cornigera Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1010.
cornigera Tubulipora, H. Michelin, Icon. Zoophyt. (24–27) 1847, 322.
cornigera Turbinella, Lamarck, An. s. vert. VII. 1822, 105.
cornigera Turbinella, L. C. Kiener (*ex* Bonanni), Spec. Coquilles (Turbinella) 1841, 12.
cornigera Tyro, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 80.—
 Hyperia, 1830. [270.
corniger Xylocopa, J. O. Westwood in Jardine, Bees (Nat. Libr. XXVI.) Feb. 1840,

- cornigeri** A. [?Asaphus or Paradoxides], H. G. Bronn, Ersch & Gruber, Allg. Ency. (3) XI. 1838, 321. [Testacella.]
- corninus** Plectrophorus (Bosc), A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 86.—
- cornina** Testacella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 240.
- cornirostris** Porpacus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 108.
- Cornix** Koelreuter, N. Comm. Ac. Sci. Imp. Petrop. XI. 1767, 435.—A. [Incertae sedis].
- Cornix** T. I. M. Forster, Syn. Cat. Brit. Birds, 1817, 5.—A.
- cornix** Calandra, J. Sturm, Catal. Ins. Samml. 1826, 106 [*n. n.*].
- cornix** Liparus, A. G. Olivier, Entom. V. 1807, 286.
- cornix** Molytes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 360.—Liparus.
- Coronula** *err. pro* Coronula; J. Parkinson, Org. Rem. III. 1811, 240.
- Cornu** C. F. Schumacher, Ess. Vers test. 1817, 77 & 255.—G.
- cornu** Amphistoma (Goeze), C. A. Rudolphi, Entoz. II (1) 1809, 346.—Distoma, Zed. 1800.
- cornu** Argonauta, W. Wood (*ex* F. & M.), Index Test. 1818, 62.
- cornu** Cyathaxonia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 258.
- cornu** Helix, L. W. Dillwyn, Catal. Shells, 1817, 888.
- cornu** Helix, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 247.
- cornu** Lippistes, Denys de Montfort, Conch. II. 1810, 127. [1800.]
- cornu** Monostoma (Goeze), C. A. Rudolphi, Entoz. Syn. Mant. 1819, 85.—Distoma, Zed.
- cornu** Planorbis, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 371.
- cornu** Planorbis, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. c.
- cornu** Valvulina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 135.
- cornu-ammonis** Gyorbis, L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 117.
- cornu-arietis** Amphidonte (Nilss.), G. G. Pusch, Polens Paleont. (1) 1836, 38.—Chama.
- cornu-arietis** Ampullaria (Lam.), G. B. Sowerby, II., Gen. Shells (4) 1821.—Planorbis.
- cornu arietes** Ampullaria (L.), A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 30.—Helix, 1758.
- cornu arietis** Bellerophon, J. De C. Sowerby, Min. Conch. V. 1824, 108. [Iaria.]
- cornu arietis** Ceratodes (Sow.), L. Guilding, Zool. Journ. III (12) Ap. 1826, 537.—Ampul-
- cornu arietis** Ceratodes (Born), A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 366.—Helix,
- cornu arietis** Chama, S. Nilsson, Petrif. Suec. 1827, 28. [L. 1758.]
- cornu-arietes** Crepidula, I. Lea, Contrib. to Geol. 1833, 97.
- cornu-arietus** Euomphalus (Wahl.), W. Hisinger, Lethaea Svecica, 1837, 36.—Turbinites.
- cornu arietis** Exogyra (Nilss.), G. A. Goldfuss, Petref. German. II (4) 1833, 36.—Chama.
- cornuarietis** Goniatites, G. Sandberger, N. Jahrb. f. Min. 1842, 401 [*n. n.*].
- cornu-arietis** Gryphaea (Nilss.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 210.—Chama. [643.]
- cornu-arietis** Lituities, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- cornu-arietis** Planorbis, Lamarck, Ency. Méth. (Vers) 1816, pl. 460, Liste p. 12 [*n. et f.*].
- cornu arietis** Serpula (Phil.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 340.—Spirorbis.
- cornu arietis** Spirorbis, R. A. Philippi, Arch. f. Naturg. X (1) 1844, 195. [68.]
- cornu arietis** Turbinites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
- cornu arietis** Turbo (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 30.—Euomphalus.
- cornu bovis** Caninia, H. Michelin, Icon. Zoophyt. (20-23) 1846, 185.
- cornu-bovis** Cyathopsis (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Caninia.
- cornu-cervi** Blennius, A. Risso, H. N. Europe, III. 1826, 231.
- cornu cervis** Ergyne, *err. pro* cervicornis, 1816; A. Risso, H. N. Europe, V. 1826, 140.
- cornu-cervi** Triplex, G. Perry, Conchology, Ap. 1811, pl. 7.
- cornu giganteum** Helix (Helicophanta), A. E. Férussac (*ex* Chemn.), H. N. g. et p. Moll., Tabl. Limaçons, 1821, 29.
- cornu-ibex** Orthoceras, T. Brown, Ill. Foss. Conch. G. B. I. (10) 1838, 41.
- cornu militare** Helix (Helicogena), Linn.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 32.
- cornu-pastoris** Biradiolites (Desm.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 231.—Hippurites.
- cornu pastoris** Cyclostoma, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 114.

- cornu pastoris** Hippurites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 288; ed. 2, 1830, 141. [Cyclostoma.]
- cornu-pastoris** Turbo (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 349.—
- cornu-vaccinum** Hippurites, H. G. Bronn, Ersch & Gruber, Allg. Ency. (2) VIII. 1831, 374. [ed. 2, VIII. June 1838, 353.—Helix, 1790.]
- cornu venatorium** Cyclostoma (Gm.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert.,
- cornu-venatorium** Helix, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 910.
- cornubicus** Carcharias (Gm.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus, 1789. [bius, Gm. 1789.]
- cornubicus** Crenilabrus (L.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 385.—Labrus cornu-
- cornubicus** Cyclopterus, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 397.
- cornubicus** Cynaedus, W. Swainson, N. H. Fishes &c. II. July 1839, 229.
- cornubicus** Lamia, A. Risso, H. N. Europe, III. 1826, 124.
- cornubicus** Lamna (Schn.), G. Cuvier, R. Anim. II. 1817, 127.—Squalus, 1789.
- cornubicus** Lophius, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 381.
- cornubiensis** Balanus (Penn.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 361.—Lepas, 1777. [1789.]
- cornubiensis** Labrus, W. Turton, Linnaeus, Syst. Nat. I. 1802, 802.—? = cornubius, Gm.,
- cornubiensis** Lepadogaster (Shaw), J. Fleming, Hist. Brit. Anim. 1828, 189.—Cyclopterus cornubicus.
- cornucola** Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 8.
- Cornucopia** [*non ae, apud* Agassiz], Thomson, Journ. de Physique, LIV. 1802, 245 (*ex* Nouv. de Littér. Sci. Arts, II (23) 1801).—L.
- cornucopia** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 252.
- cornucopia** Anthobothrium, P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849, 278.
- cornucopia** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 22, Dec. 1846.
- cornucopia** Hipponyx, Defrance, Bull. Sci. Soc. Philom. Paris, 1819 (Jan.), 9.
- cornucopia** Hipponix (Lam.), Defrance, Journ. de Physique, LXXXVIII. Mar. 1819, 217.—Patella cornucopiae.
- cornucopia** Hippurites, Defrance, Dict. Sci. Nat. XXI. 1821, 196.
- cornucopia** Lepas, D. Solander, Catal. Portland Mus. 1786, 30 & 52 [*n. n.*].
- cornucopia** Lepas (Leach), W. Wood, Suppl. Index Terr. 1828, 49.—Pollicipes.
- cornucopia** Montlivaltia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 258.
- cornucopia** Neritina, W. H. Benson, J. Asiatic Soc. Bengal, V. 1836, 748.
- cornucopia** Pollicipes, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.
- cornucopia** Serpula, A. Risso, H. N. Europe, IV. 1826, 405.
- cornucopia** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- cornucopia** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 312.—Turbinolia.
- cornucopia** Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 67.
- cornucopiae** Acrosmilina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 384.
- cornucopiae** Buccardites, E. F. Schlotheim, Taschen. Min. 1813, 72.
- cornucopiae** Caninia, Michelin, Dict. Sci. Nat., Suppl. I. Oct. 1840, 485.
- cornucopiae** Capulus (Lam.), H. G. Bronn, Syst. urw. Konch. 1824, 49.—Patella.
- cornucopiae** Cardium, G. A. Goldfuss, Peref. German. II (6) 1837, 216.
- cornucopiae** Caryophyllia, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 643.
- cornucopiae** Cerianthus, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. *pro* V. & VI. 1830, pl. 82 & 103.
- cornucopiae** Cerithium, J. Sowerby, Min. Conch. II. 1818, 197.
- cornucopiae** Chama, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 689.
- cornucopiae** Crepidula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 250.
- cornucopiae** Creseis, F. Eschscholtz, Zool. Atlas, III. 1829, 17.
- cornucopiae** Cyathina, H. G. Bronn, Index Pal. 1848, 365.—Caryophyllia, 1831.
- cornu-copiae** Ellipsosmilina (E. & H.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 5.—Montlivaltia cornucopia.
- cornucopiae** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 44.
- cornucopiae** Galerita (Lam.), G. Fischer, Mus. Dénid. III. 1807, 126.—Patella.

- cornucopiae** Hipponyx (Lam.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 144.—
cornu copiae Lepas, D. Solander, Catal. Portland Mus. 1786, 101. [Pileopsis.
cornucopiae Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 259 [*n. n.*].
cornu-copiae Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 162.
cornucopiae Ostrea, Lamarck, An. s. vert. VI (1) 1819, 210.
cornucopiae Patella, Lamarck, Ann. Mus. H. N. (Paris) I (4) Feb. 1803, 311.
cornucopiae Pileopsis, Lamarck, An. s. vert. VI (2) 1822, 19.—Patella.
cornucopiae Rimula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.
cornucopiae Terebra (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 347.—Cerithium.
cornucopiae Tubularia, G. A. Goldfuss, Handb. Zool. I. 1820, 90.
cornucopiae Turbinolia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 52 [*n. n.*].
cornucopiaeformis Patellites, E. F. v. Schlotheim, Die Petref. 1820, 115.
cornudo Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (4) 1804, 6.
cornudo Maja, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 85.
cornudo Pericera (Herbst), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 59.—
cornueliana Acroua, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 110. [Cancer.
cornuelianus Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 364.
cornueliana Anatina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 372.
cornuelianus Ancyloceras, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 114.—Toxo-
ceras, 1842.
cornueliana Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 208.
cornueliana Astrocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 176.
cornueliana Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 471.
cornuelianum Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 23.
cornuelianum Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 361.
cornueliana Crassatella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 74.
cornuelianus Crioceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 465.
cornueliana Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 357.—Arca.
cornueliana Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 116.
cornueliana Modiola (Orb.), H. G. Bronn, Index Pal. 1848, 735.—Mytilus.
cornuelianus Mytilus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 268.
cornueliana Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 150.
cornueliana Nucula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 79.
cornueliana Pholadomya, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 105 & 117.—
Cardium, 1844.
cornueliana Pholas, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 305.
cornueliana Placopsilina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 111.
cornuelianus Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 484.
cornueliana Unio, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 106.
cornueliana Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 436.
Cornufer J. J. Tschudi, Classif. Batrach. 1838 (*ex* Mém. Soc. Sci. Nat. Neuchâtel, II.
1839 (1840)), 28.—R.
cornuformis Pinna, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847,
Cornularia Lamarck, An. s. vert. II. 1816, 111.—Coel. [37.
Cornulites E. F. v. Schlotheim, Die Petref. 1820, 378.—Verm.
cornulus Marginella, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 165 [*n. n.*]; Tr. Amer.
Phil. Soc., n. s., IX (3) Dec. 1846, 273.
Cornuoides T. Brown, Ill. Conch. G. B. I. (1) 1827, pl. i. f. 49.—? Pt.
cornuoides Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. (2) 1837, 7.
cornus-stricta Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
Cornutella C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 128.—
Polycyst. [Sess. 1, no. 407] 1844, 69.
cornutes Gyrocera, D. D. Owen, Rep. Geol. Expl. Iowa, 1839 (U. S. Senate, 28 Congr.,
cornutor Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 313.
cornutus Acanthoderus, H. Burmeister, Handb. Ent. II (2) i, 1838, 569.
cornutum Acanthosoma (Sastragala), W. S. Dallas, Tr. Entom. Soc. Lond. V (8) Nov.
1849, 193. [1843, 275.—Astemma.
cornutus Acinocoris (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,

- cornutum** *Acridium* (Tetrix), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 167.
- cornutus** *Actinocrinites*, G. Troost, P. Amer. Assoc. 1849 (1850), 60 [*n. n.*].
- cornutus** *Aetalion* (Fabr.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 220. —Centrotus.
- cornuta** *Agama*, R. Harlan, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 299.
- cornuta** *Agapanthia* (Ol.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 37. —Saperda, 1795.
- cornuta** *Alauda*, A. Wilson, Amer. Orn. I. 1808, 87.
- cornuta** *Alauda*, W. Swainson, Zool. Journ. I. 1827, 434; in Richardson, F. Bor.-Amer. (Birds) 1831 [*i.e.* Feb. 1832], 245.
- cornuta** *Amathia*, J. V. F. Lamouroux, Hist. Polyp. 1816, 160.
- cornutus** *Ammonites*, M. Simpson, Mon. Amm. 1843, 31.
- cornutus** *Ammonites*, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 349.
- cornutum** *Amorphosoma* (Thunb.), Laporte & Gory, H. N. Coléopt. II. 1839, 8. —Buprestis, 1787.
- cornutum** *Amphistoma*, C. A. Rudolphi, Entoz. II (1) 1809, 343.
- cornuta** *Anasa*, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 209.
- cornutus** *Anchonus*, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 388.
- cornuta** *Andrena*, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 11.
- cornutus** *Anthus*, J. C. Fabricius, Syst. Eleuth. I. 1801, 289. —Notoxus, 1792.
- cornutus** *Anthrribus*, T. Say, Descr. N. Amer. Curcul., July 1831, 4.
- cornutus** *Antimachus*, Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 782.
- cornutus** *Apaté*, F. V. Melsheimer, Ins. Pennsylv. 1806, 7 [*n. n.*].
- cornutus** *Aphodius*, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 26.
- cornuta** *Archiacia*, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 159.
- cornuta** *Ardea*, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 326.
- cornutus** *Argonauta*, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 262.
- cornutus** *Argus* (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 367. —Theridion.
- cornuta** *Astemma*, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 323.
- cornutus** *Batillus*, C. F. Schumacher, Essai Vers test. 1817, 197.
- cornutus** *Batrachostomus* (Temm.), G. R. Gray, Gen. Birds, I. Oct. 1846, 45. —Podargus.
- cornuta** *Bifrontia*, E. Eichwald, Paleont. Rossii, 1850, 120.
- cornutus** *Boletophagus*, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- cornutus** *Bolitophagus* (Panz.), J. C. Fabricius, Syst. Eleuth. I. 1801, 113. —Trox, Fab. 1792. [Monoculus.]
- cornuta** *Bosmina* (Jur.), W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846], 149. —
- cornuta** *Bufo* (Daud.), D. H. Barnes, Amer. J. Sci. XI (2) Oct. 1826, 271. —Rana, L.
- cornuta** *Callidina*, M. Perty, Mitth. Nat. Ges. Bern, 1850, 21. [1758.]
- cornutus** *Caprimulgus*, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 245.
- cornuta** *Caryophyllia*, H. Michelin, Icon. Zoophyt. (7) 1843, 87.
- cornuta** *Cassia* (L.), Lamarck, Syst. Anim. 1801, 80. —Buccinum, 1758.
- cornutus** *Cassidites*, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 419. [1758.]
- cornuta** *Cassis* (L.), F. de Roissy, Sonnini's Buffon, Moll. VI (1805), 100. —Buccinum,
- cornuta** *Cecidomyia*, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 48.
- cornuta** *Cellaria* (L.), Lamarck, An. s. vert. II. 1816, 139. —Sertularia, 1758.
- cornuta** *Cellepora*, F. v. Hagenow, N. Jahrb. f. Min. 1839, 271.
- cornuta** *Centris*, J. C. Fabricius, Syst. Piezat. 1804, 357. —Andrena, 1787.
- cornutus** *Centrotus*, J. C. Fabricius, Syst. Rhyng. 1803, 19. —Membracis, 1775.
- cornuta** *Cerandria* (Fab.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 345. —Trogosita.
- cornutus** *Ceraphron*, L. Jurine, N. Méth. class. Hyménopt. 1807, 303.
- cornuta** *Cerastes* (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 178. —Vipera. [1767.]
- cornutum** *Cerastoma* (L.), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 30. —Phalangium,
- cornutus** *Ceratistes*, Steven in G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 36. [289. —Dasypogon.]
- cornutus** *Ceraturgus* (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834,

- cornuta** Cercaria, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, III. 1801, 224.
cornuta Cerciis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 406.
cornutus Chalybaeus, G. Cuvier, R. Anim., ed. 2, I. 1829, 354; Règne Anim., disciples' ed., Aves, 72 (1839).
cornuta Chama, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 222.
cornuta Chimerina, F. Eschscholtz, Zool. Atlas, III. 1829, 2. [Oscinis.
cornuta Chlorops (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 158.—
cornutus Chondracanthus (Müll.), A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (2) 1832, 111.—Lernaea, 1776.
cornuta Chonetes (Hall), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847, 200.
cornutus Cis, L. Gyllenhal, Ins. Suecica, I (4) 1827, 626. [—Strophomena.
cornuta Clotho (Daud.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 27.—Vipera.
cornutus Coccyzus (Gm.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1345.—Cuculus, L.
cornutus Colymbus, P. S. Pallas [*non* Gm.], Zoographia, II. 1811, 353. [1766.
cornutus Conocephalus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 277.
cornutus Conocephalus (De G.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 149.—Locusta, 1773. [1773.
cornuta Copiophora (De G.), H. Burmeister, Handb. Ent. II (2) i, 1838, 703.—Locusta,
cornuta Copiphora (De G.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 514.—Locusta, 1773.
cornutum Copium, C. P. Thunberg, Ins. Hemelytr. 1825, 9.
cornutus Copodus, L. Agassiz in J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 466.
cornutus Coreus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 169.
cornutum Corydalius, L. Oken, Lehrb. Nat. III (1) 1815, 658. [robis, L. 1758.
cornutus Corydalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 290.—Heme-
cornutus Cratosomus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 18.—Rhynchaenus.
cornuta Crioceris (Fab.), A. G. Olivier, Entom. VI. 1808, 741.—Lema.
cornuta Crisia (L.), G. Johnston, Hist. Brit. Zooph. 1838, 260.—Sertularia, 1758.
cornuta Crisidia (Lamx.), H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 235.—Eucratea.
cornuta Crisidia (L.), G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 287.—Sertularia, 1758.
cornutus Cyathocrinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 63.
cornuta Cyphocrana, Le Pelletier & Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 445.
cornuta Cyprina (Klöd.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 50.—Isocardia.
cornutus Cyprinus, S. L. Mitchell, Amer. Monthly Mag. II (5) Mar. 1818, 324.
cornuta Cythere, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 165.
cornuta Cythereis (Roem.), T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 21.—Cytherina, F. A. Roemer, N. Jahrb. f. Min. 1838, 518. [Cytherina.
cornutus Daemonocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 62 [*n. n.*].
cornuta Daphnia (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 403.—Monoculus.
cornutus Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 382.
cornuta Diaperis, F. V. Melsheimer, Ins. Pennsylv. 1806, 16 [*n. n.*].
cornuta Diapria (Jur.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 231.—Psilus.
cornutus Ditomus, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 440.
cornuta Doris, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 29. [1790.
cornutus Dytes (Lath.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 41.—Podiceps, 1790.
cornuta Ecclissa (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 103.—Vorticella, 1773.
cornuta Edessa, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 356.
cornuta Elaphroptera, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 243.
cornutus Elater, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 383.
cornuta Eledona (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 312.—Trox, 1792.
cornutus Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 177.
cornutum Ennearthron (Gyll.), J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 362.—Cis.
cornuta Entomoda (Müll.), Lamarck, An. s. vert. III. 1816, 233.—Lernaea, 1776.

- cornuta** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 57 [*n. n.*]; H. N. Aran. (4) 1807, 7.
cornutus Epiphania, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 35.
cornuta Escharina, A. d'Orbigny, Amér. Mérid. (Zooeph.) 1839, 13.
cornuta Eucratea (Ell.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 184.—Cellaria, 1786.
cornuta Eudora, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 175.
cornuta Paula, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
cornuta Floscularia, W. M. Dobbie, Ann. Mag. N. H. (2) IV. Oct. 1849, 233. [124.
cornutus Galesus (Panz.), J. Curtis, Brit. Entom. VIII (85) Jan. 1831, no. 341.—Psilus.
cornutus Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 513.
cornutus Geotrupes, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 398.
cornutus Gerastus, Goldfuss, N. Jahrb. f. Min. 1843, 558.
cornutus Gnathocerus (Fab.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 119.—
 Trogosa, 1798.
cornuta Gymnetis, Gory & P., Mon. Cétoines (12-13) May 1836, 329.
cornutus Harpax (Ol.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 49.—
cornuta Helea, Lamarck, An. s. vert. IV. 1817, 396. [Mantis, ? Man. 1792.
cornutus Heliactin (Wied.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 85.—Trochilus.
cornutus Heniochus (Bl.), G. Cuvier, R. Anim. II. 1817, 335.—Chaetodon, L. 1758.
cornutus Hippalimus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
cornuta Hippasteria, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 279.
cornuta Hippolite, R. Owen, Zool. "Blossom," 1839, 89.
cornuta Hispa, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 511.
cornutum Holostomum (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
 [Nov. 1844], 372.—Amphistoma.
cornutus Hoplostethus, D. Thon in Ersch & Gruber, Allg. Ency. [2] X. 1833, 434.
cornutus Hoplostethus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 470.
cornutus Hylaesus, J. Curtis (*ex* Kirby MS), Brit. Entom. VIII (93) Sept. 1831, no. 373.
cornutus Hypsilophus (Lacep.), L. Fitzinger, Syst. Rept. 1843, 54.—Lacerta, Bonn. 1789.
cornutus Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 261.
cornuta Iguana, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 267.
cornutum Imatidium, Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].
cornuta Ischnostoma (Fab.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838,
 43.—Cetonia, 1781.
cornuta Isocardia, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 211.
cornutum Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 19.
cornutus Jassus, Herrich-S. in Panzer, Ins. Germ., heft 164, 1838, tab. 5.
cornutus Kurtus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 426.
cornutus Lactophrys, W. Swainson, N. H. Fishes etc. II. July 1839, 324.
cornuta Lafoea, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 8.
cornuta Lamprosoma, Dejean, Catal. Coléopt. 1821, 125 [*n. n.*].
cornuta Lasius (Fab.), G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 11.—Andrena,
cornuta Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 475. [1787.
cornuta Lema, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 323.
cornuta Lepas, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 179.
cornutus Leprosomus, F. E. Guérin-M., Iconographie, 1844, Ins. 169.
cornutus Leptus (Herm.), Lamarck, An. s. vert. V. 1818, 50.—Trombidium.
cornuta Lerenntoma (Mull.), H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822,
 441.—Lernaen, 1776.
cornutus Leuciscus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 207.—Cyprinus.
cornuta Lissa, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (4) 1849, 1047.
cornutus Lithurgus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 350.
 —Centris. [220.—Andraena, Fab. 1787.
cornutus Lithurgus (Ol.), Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
cornuta Lucina, I. Lea, Contrib. to Geol. 1833, 56.
cornutus Lychnophaes, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 567.
cornuta Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 57. [136.—Silurus, 1775.
cornutus Macroramphosus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803,

- cornuta** Maja (F.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 257.—Inachus, 1795.
- cornutus** Malachius, F. Gebler in A. D. Hummel, Essais Entom. I (4) 1824, 47.
- cornuta** Megachile, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 59.
- cornuta** Mellisuga (Wied), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Trochilus.
- cornuta** Membracis (Fab.), Latreille, N. Dict. H. N., ed. 2. XX. 1818, 123.—Centrotus.
- cornuta** [Metopoceros] (Cuv.), J. Wagler, Nat. Syst. Amph. 1830, 148.—Iguana, Latr.
- cornutus** Monoculus, L. Jurine, Hist. Monocles, 1820, 142.
- cornutus** Monoplex, G. Perry, Conchology, Ap. 1811, pl. 3.
- cornuta** Monostyla (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 46.—Trichoda, 1786. [phyllia.]
- cornuta** Montlivaltia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.—Caryo-
- cornuta** Musca, J. C. Fabricius, Syst. Antliat. 1805, 298.
- cornuta** Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 64.
- cornuta** Nemozoma, J. Sturm, Catal. Ins. Samml. 1826, 77 & 173 [n. n.].
- cornuta** Nerene, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., III (15) Sept.
- cornutus** Nigidius, W. S. Macleay, Horae Entom. I (1) 1819, 109. [1833, 190.]
- cornuta** Nitidula, J. C. Fabricius, Syst. Eleuth. I. 1801, 349.
- cornutus** Notoxus (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 354.—Anthicus.
- cornutus** Nyctibius (Vieill.), G. R. Gray, Genera of Birds, I. Oct. 1846, 46.—Capri-
- cornuta** Odontopleura, H. E. Beyrich, Untersuchung Trilobiten, 1846, 22. [mulgus.]
- cornuta** Oppia, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 8. [1798.]
- cornutus** Orsilochus (Thunb.), H. Burmeister, Handb. Ent. V. 1847, 113.—Scarabaeus,
- cornuta** Oscinis, C. F. Fallen, Oscinides Sveciae, 1820, 6. [1840, 407.—Megachile.]
- cornuta** Osmia (Latr.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.
- cornutus** Osorius, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 395.
- cornuta** Otocoris (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 246.—Alauda.
- cornutus** Oxytelus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 109.
- cornutus** Oxyurus (Panz.), Lamarck, An. s. vert. IV. 1817, 129.—Psilus.
- cornuta** Pachypus (Ol.), Dejean, Catal. Coléopt. 1821, 57.—Melolontha.
- cornuta** Pangonia, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 337.
- cornutus** Passalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 256. [242.—Nigidius.]
- cornutus** Passalus (MacL.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- cornutus** Paussus, Chevrolat, Magasin de Zool. II. 1832, pl. 49.
- cornuta** Pericera (Herbst), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 335.—Cancer, L. 1758.
- cornutum** Peridinium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 75.
- cornuta** Phaleria (Fab.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 175.—Trogosita, 1798.
- cornutus** Philereinos, C. L. Bonaparte, Proc. Zool. Soc. London, V (59) June 1838, 111 ; List Birds Eur. Amer. 1838, 37 ; N. Ann. Sci. Nat. II. 1838, 407.
- cornuta** Phrynoso-na (Harl.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 45.—Agama. [472.]
- cornuta** Phyllophora, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,
- cornuta** Piaya (L.), G. R. Gray, Genera of Birds, II. Sept. 1846, 457.—Cuculus, 1766.
- cornuta** Pileopsis, W. Hisinger, Lethaea Svecica, 1837, 41.
- cornuta** Pipra, J. B. v. Spix, Avium Brasil. II. 1825, 5.
- cornuta** Planaria, J. R. Johnson, Phil. Trans. R. Soc. 1822 (2) 1822, 437.
- cornuta** Platessa, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 179.
- cornutus** Platycercus (Gm.), N. A. Vigors, Zool. Journ. I (4) Jan. 1825, 528.—Psittacus, 1788. [(5) Feb. 1831, 460.—Oxytelus, Grav.]
- cornutus** Platystethus (Kn.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I
- cornutus** Plecotus (Faber), I. Geoffroy, Magasin de Zool. II. 1832, no. 3 ; Etudes Zool. (1) 1832.—Vespertilio. [(1832), 298.]
- cornutus** Pleurobranchus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II
- cornuta** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 136.
- cornutus** Podargus, C. J. Temminck, Pls. color. 159 (1823). [Colymbus, 1788.]
- cornutus** Podiceps (L.), L. P. Vieillot, Faune Française (17) Oiseaux, 1828, 352.—
- cornuta** Polycera (Müll.), G. Cuvier, R. Anim. II. 1817, 390.—Doris.

- cornuta** Polydora, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 151.
cornutus Polytrophus, J. Gistel, Nat. Thierr. 1848, 120.
cornutus Polytrophus, J. Gistel, Handb. Naturges. 1850 [1847], 394.
cornutus Prisopus, G. R. Gray, Syn. Phasmidae, 1835, 43.
cornutus Psammodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [*n. n.*]; Poiss. Foss. III. 174 (1843) [*n. n.*].
cornutus Psilus, Jurine in G. W. F. Panzer, Ins. Germ., heft 83, 1801, tab. 11.
cornutus Pterichthys, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 496 [*n. n.*].
cornuta Pterocera, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 302.
cornuta Pyrula, L. Agassiz, N. Jahrb. f. Min. 1843, 89.
cornuta Rhinocoeta (Fab.), H. Burmeister, Handb. Ent. III. 1842, 612.—Cetonia, 1781.
cornutus Rhinolophus, C. J. Temminck, Tijdschr. nat. geschied. physiol. I (1) 1834, 30.
cornutus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 457.—Curculio, L. 1758.
cornuta Salpa, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 364.
cornutus Sapajou, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 Saperda, Olivier, Entom. IV. 1795, 26. [1802], 147.
cornuta Satyra, G. R. Gray, List Gen. Birds, ed. 2, 1841, 78.
cornutus Satyrus (Temm.), H. R. Schinz, Nat. Abb. Vögel, 1831-3 [1832], 252.—
 Phasianus, ? Muell. 1776.
cornuta Scaphigenia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 551.
cornuta Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 209.—Musca, 1794.
cornutus Seydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4)
 1844, 818. [Elater.
cornutus Semiottus (Kirby), E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 210.—
cornuta Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 288.
cornuta Serialaria, Lamarck, An. s. vert. II. 1816, 131.
cornutus Silurus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 376.
cornutum Sinodendron, J. C. Fabricius, Syst. Eleuth. II. 1801, 377.
cornuta Siphonaria, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 153.
cornuta Stombus (L.), Gravenhorst, Isis (Oken), 1825, 920.—Rana, 1758.
cornuta Strix, T. Pennant in Forster, Ind. Zool. 1781, 40 [*n. n.*].
cornutus Strombus, G. Perry, Conchology, Ap. 1811, pl. 12.
cornutus Strombus, DeFrance, Dict. Sci. Nat. LI. 1827, 124.
cornutus Strongylus, Fab.; Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].
cornuta Strophomena, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 73.
cornuta Syllis, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 164. [L. 1758.
cornuta Synagris (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 360.—Vespa,
cornutus Syndesus (Fab.), W. S. Macleay, Horae Entom. I (1) 1819, 104.—Sinodendron.
cornuta Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1121. [1775.
cornutus Tauroceras (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 130.—Tenebrio,
cornuta Tauroma, C. H. Boheman, Mon. Cassid. I. 1850, 130.
cornuta Tephritis (Fab.), C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 161.—Musca,
cornuta Terebratula, J. De C. Sowerby, Min. Conch. V. 1824, 66. [1794.
cornutum Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 229.
cornuta Thynnus (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 33.—
 Elaphroptera.
cornuta Tirocera (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 250.—Gymnetis.
cornutus Trachinus, A. Valenciennes in A. Guichenot in Gay, Chili (Peces) 1849, 163.
cornuta Triarthra, J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VI (7)
 Ap. 1847, 110. [III. 1844, 315.
cornutus Trichodectes, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
cornuta Trigonaspis (Goldf.), G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1)
 1849, 31.—Gerastus.
cornuta Triplex, G. Perry, Conchology, Ap. 1811, pl. 7.
cornutus Trochilus, Max Wied, Reise Brasil. II. 1821, 190.
cornutus Trochocyathus, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 679.
cornutum Trombidium, J. F. Hermann, Mém. Aptér. 1804, 47. [Musca, 1794.
cornuta Trypeta (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 318.—

- cornutus** Turbo, D. Solander, Catal. Portland Mus. 1786, 147.
- cornuta** Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 68.—Trogosita, 1798.
- cornuta** Uloma (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19.—Phaleria.
- cornuta** Unicellaria (L.), de Blainville, Dict. Sci. Nat. IX. 1830, 246.—Sertularia, 1758.
- cornutus** Unio, D. W. Barnes, Amer. J. Sci. VI (1) Jan. 1823, 122.
- cornutus** Vespertilio, F. Faber, Tidsskr. for Naturvid. (12) 1826, 282.
- cornuta** Vipera, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 188.
- cornuta** Vipera, H. Schlegel, Essai phys. Serp. 1837, I. 193; II. 582.
- cornutus** Xorides, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 108. [176.]
- cornuta** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- cornutus** Zancus (L.), Cuvier & Valenc., H. N. Poiss. VII. 1831, 102.—Chaetodon, 1758.
- coro** Pristipoma (Bl.), G. Cuvier, R. Anim., ed. 2, II. 1829, 176.—Sciaena, 1792.
- coro** Sandat (Bl.), H. Cloquet, Dict. Sci. Nat. XLVII. 1827, 175.—Sciaena, 1792.
- coro** Sandrus (Cuv.?), J. Hart, Elem. Nat. Hist. I. 1828, 465.—Sciaena, Bl. 1792.
- Corocolla** W. Sheppard, Trans. Lit. Hist. Soc. Quebec, I. 1829, 194.—?
- Coroebus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coraebus, Lap. & G.
- coroides** Umbrina, Cuvier & Valenc., H. N. Poiss. V. 1830, 187.
- corolla** Astraea, P. Duchassaing, Anim. rad. Antilles [1850], 16.
- corolla** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 223.
- corollae** Dictya, J. C. Fabricius, Syst. Antliat. 1805, 331.
- corollae** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 650. [452.—Dictya.
- corollae** Sapromyza (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- corollae** Scaeva, J. C. Fabricius, Syst. Antliat. 1805, 250.—Syrphus, 1794.
- corollana** Laspeyresia, J. Huebner, Verz. bekannt. Schmett. 1826, 381.—Tortrix.
- corollana** Stigmonota (Huebner), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 183.—Tortrix. [[*n. et f.*].
- corollana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 45 (Fernaldo judice 1818–22)
- corollana** Zeiraphera (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 231.—Tortrix.
- corollare** Cyphosoma (Lam.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.—Echinus.
- corollaris** Echinus, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 24.
- corollaris** Echinus, C. Des Moulins [*non* auct.], Actes Soc. Linn. Bordeaux, IX (49) 1837,
- corollaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 152. [144.]
- corollarum** Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 122 [*n. n.*].
- corollatus** Bothriocephalus (Ab.), C. A. Rudolphi, Entoz. II (2) 1810, 63.—Taenia, 1790.
- corollatus** Echinites, E. F. v. Schlottheim, Die Petref. 1820, 317.
- corollatus** Echinococcus, Mayer, Arch. Anat. Physiol. 1842, 216.
- corollata** Eucharia (L.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 8.—Aranea, 1758.
- corollatus** Floriceps (Rud.), H. R. Schinz in Cuvier, Thierreich, IV. 1825, 87.—Bothriocephalus. [1790.]
- corollata** Halysis (Ab.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 330.—Taenia,
- corollatus** Phrurolithus (L.), C. L. Koch, Die Arachniden, VI (4) *ante* July 1839, 100.—Aranea, 1758. [Taenia, 1790.]
- corollatum** Rhynchobothrium (Ab.), de Blainville, Dict. Sci. Nat. LVII. 1828, 595.—
- corollatus** Rhynchobothrium (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 545.—Bothriocephalus.
- coroller** Hesperia, J. A. Boisduval, F. Ent. Madagas. 1833 (5), 66. [214.]
- coroller** Hesperia, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,
- corolliferus** Cyathocrinites, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 6.
- corolliflora** Loligo, Tilesius, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 286.
- corolligera** Floscularia, E. Eichwald, Zool. Spec. I. 1829, 188.
- corolloides** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 460.
- corololo** Felis, *err. pro* colocola, Mol.; G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 369.
- coromandelensis** Ardea, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 577.
- coromandelensis** Hyperops, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 279. [1835, 313.]
- coromandelensis** Microdera, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June
- coromandelensis** Syrphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 149.

- coromandeliae Dacelo (Lath.), P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 155.—Alcedo coromanda, 1790.
- coromandelianus Anastomus (Gm.), C. Illiger, Prod. 1811, 259.—Ardea, 1788.
- coromandeliana Bernicla (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 56.—Anas, 1788.
- coromandelianum Buccinum, Lamarck, An. s. vert. VII. 1822, 271.
- coromandelianus Chenelopez (Gm.), R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 283.—Anas, 1788.
- coromandelianus Cheniscus (Gm.), T. C. Eyton, Mon. Anatidae, 1838, 89.—Anas, 1788.
- coromandeliana Halcyon (Scop.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo, 1786.
- coromandeliana Holotrichia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 139. [1788.
- coromandeliana Microcygna (Gm.), G. R. Gray, List Gen. Birds, 1840, 73.—Anas,
- coromandeliana Neritina, G. B. Sowerby, I., Conch. Illustr. (100) 1836, f. 52 [*n. et f.*].
- coromandelianus Nettapus (Gm.), J. Gould, Birds of Australia, VII (6) 1842, pl. 5.—Anas, 1788. [1788.
- coromandeliana Rhynchochasma (Gm.), J. Hermann, Obs. Zool. 1804, 156.—Ardea,
- coromandelici Tachydromus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 72.
- coromandelica Ardea, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 78.
- coromandelicus Chamaeleon, L. Fitzinger, Syst. Rept. 1843, 41.
- coromandelica Coturnix (Gm.), G. Cuvier, R. Anim. I. 1817, 452.—Tetrao, 1788.
- coromandelicus Cursorius (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 60.—Charadrius, 1788. [Charadrius,
- coromandelicus Cursorius (Gm.), G. R. Gray, Genera of Birds, III. July 1844, 537.—
- coromandelicus Halcyon (Lath.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 654.—Alcedo coromanda, 1790.
- coromandelicus Labrus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 244.
- coromandelica Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 475.—Leptura coromandeliana, 1798.
- coromandelicus Nettapus (Gm.), G. R. Gray, Genera of Birds, III. Nov. 1844, 608.—Anas coromandeliana, 1788.
- coromandelicus Pelopaeus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 306. [1839, 440.
- coromandelica Poeciloptera, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov.
- coromandelicus Rhinobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- coromandelica Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 492.
- coromandelicus Tachydromus (Gm.), C. Illiger, Prod. 1811, 250.—Charadrius, 1788.
- coromandelicus Trionyx, E. Geoffroy St H., N. Bull. Sci. Soc. Philom. Paris, I (22) July 1809, 364.
- coromandelicus Vespertilio, J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 514.
- coromandelina Anas, W. Turton, Linnaeus, Syst. Nat. I. 1802, 324.
- coromander Bubo (Lath.), G. R. Gray, Genera of Birds, I. Sept. 1845, 37.—Strix coromanda, 1788.
- coromandra Halcyon (Lath.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 56.—Alcedo coromanda, 1788.
- coromandra Mesomorpha, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- coromandra Scotophilus (F. Cuv.), J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 498.—[Cuvier *vernac.*] [manda, 1788.
- coromandra Urrua (Lath.), G. R. Gray, List Birds Coll. B. M., I. 1844, 49.—Strix coromanda,
- coromanda Dacelo (Lath.), R. P. Lesson, Traité Ornith. (4) Sept. 1830, 247.—Alcedo, 1790. [1826, 100.—Alcedo, Lath. 1790.
- coromandus Halcyon (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2)
- coromandus Otus (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 58.—Strix, Lath. 1790. [Cuculus, ? L. 1766.
- coromandus Oxylophus (Lath.), T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 222.—
- coromanda-major Alcedo (Halcyon), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1848), 75.

- coromanda-minor** Alcedo (Halcyon), Temminck & Schlegel in Siebold, F. Japon. (Aves, 1848), 76.
- Coromya** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corimya, Ag.
- Corona** J. C. Albers, Die Heliceen, 1850, 193.—G.
- coronna** Aegina, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 25; (corona) R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 303.
- corona** Ammonites, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (2) 1846, 178.
- corona** Astrea, C. F. A. Morren, Ann. Ac. Groning. 1828, 64.
- corona** Cephea (Forsk.), Lamarck, An. s. vert. II. 1816, 517.—Medusa, 1775.
- corona** Clithon (Roissy), Denys de Montfort, Conch. II. 1810, 327.—Nerita, L. 1758.
- corona** Conus, A. Risso, H. N. Europe, IV. 1826, 229.
- corona** Diadema, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 317.
- corona** Echinus, A. Risso, H. N. Europe, V. 1826, 278.
- corona** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 430, Liste p. 7 [*u. et f.*].
- corona** Holigoclonia (Esch.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma. [1786.]
- corona** Keron (Müll.), Bory de St V., Ency. Méth. (Zooth.) 1827, 473.—Himantopus.
- corona** Nerita, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 239.
- corona** Neritina (L.), Lamarck, An. s. vert. VI (2) 1822, 185.—Nerita, 1758.
- corona** Pentadia, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 713.
- corona** Pyrula (Lam.), C. T. Menke, Conch.-Samml. Malsburg. 1829, 50.—Fusus.
- corona** Pyrula (Gm.), L. Reeve, Conch. Icon. IV.—Pyrula, no. 7, May 1847.—Murex, 1790.
- corona** Rhizostoma (Forsk.), J. F. Eschscholtz, Syst. Acalephen, 1829, 52.—Medusa,
- corona** Serpula, d'Archiac, Mém. Soc. géol. France (2) II (1) 1846, 207. [1775.]
- corona** Thomisus, J. G. Children in Back, Narr. Arctic Exped. 1836, 535.
- corona** Turbinellus, G. Fischer, Mus. Démid. III. 1807, 205.
- corona** Turritella, P. M. T. de Serres, Geogn. Terr. tert. 1829, 108.
- corona** Voluta (*ex* Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 576.
- corona australis** Neritina, A. Mousson (*ex* Chemn.), Land-Mollusk. Java, 1849, 83 & 118.
- coronalis** [Tragos], J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 18.
- coronana** Peronaea (Th.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix, 1784.
- Coronaria** O. Fabricius, Fortegnelse, 1823, 104.—L. undefined but = a serpuloid. The following *n. n.* is included :—penis.
- coronarium** Buccinum, D. Solander, Catal. Portland Mus. 1786, 52 & 160. [donta.]
- coronaria** Echinella (Lam.), W. Swainson, Treat. Malacol., May 1840, 352.—? Monop.
- coronaria** Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849).
- coronaria** Linyphia, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 10. [19.]
- coronaria** Litorina (Lam.), R. A. Philippi, Abb. Conch. II (5) 1846, 141.—Monodonta.
- coronaria** Monodonta, Lamarck, Ency. Méth. (Vers) 1816, pl. 447, Liste p. 10 [*u. et f.*].
- coronaria** Odontis (Lam.), G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.—Monodonta.
- coronarium** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 19.
- coronarius** Trochus (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 216.—Monodonta.
- Coronata** Menke, 1830 [*non* 1828]; *teste* Agassiz, *sed* *famen. non gen.*
- coronatella** Phycis, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 314.
- coronator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.—Pimpla.
- coronator** Megischus (Fab.), A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 538.—Pimpla.
- coronator** Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 118. [1835, 656.—Pimpla.]
- coronator** Stephanus (Fab.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- coronatum** Acanthobothrium (Rud.), E. Blanchard, Ann. Sci. Nat. [3] (Zool.) XI. Feb. 1849, 122.—Botriocephalus. [—Locusta, ? De G. 1773.]
- coronata** Acanthodis (Fab.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 151.
- coronata** Achatina, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1846, 158.
- coronata** Agama (Phrynosoma), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) IV [3] Oct. 1835, 284.

- coronatus** Agelaius, L. P. Vieillot, N. Dict. H. N. XXXIV. 1819, 535.
- coronatus** Ammonites, E. F. Schlotheim, Tasch. Min. 1813, 70. [Arrhenodes, 1833.
- coronatus** Amorphocephalus, C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 487.—
- coronatus** Ampeliceps, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 194.
- coronata** Anomia, W. Bean, Mag. Nat. Hist. VIII. Oct. 1835, 564.
- coronata** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1658.
- coronata** Anthreuida, A. White, Ann. Mag. N. H. VII. June 1841, 321.
- coronatus** Anthribus, Dejean, Cat. Coléopt., ed. 2 (3) (1834), 235; C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 246.—Euparius, 1834.
- coronata** Aquila, A. Smith, S. African Quart. Journ. II., no. 3 (3) June 1834; 273.
- coronata** Aquila (L.), G. R. Gray, List Birds Coll. B. M., I. 1844, 5.—Falco, 1766.
- coronata** Arcularia, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 126.
- coronata** Ardea, G. Perry, Arcana, 1811. [Brentus.
- coronatus** Arrhenodes (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 330.—
- coronata** Astraea (Orbicella), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, Attus, C. A. Walckenaer, Tab. Aran. 1805, 24. [211.
- coronatus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 361. [Myiodectes.
- coronatus** Basileuterus (Tsch.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 314.—
- coronatus** Bassus (Grav.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 379.—Exochus.
- coronata** Boa (Schn.), F. M. Daudin, Sonnini's Buffon, Rept. V (1803), 220.—Pseudoboa.
- coronatus** Bolboceras, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 42.
- coronatus** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 141.
- coronatus** Brenthus, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 128.
- coronatus** Brentus, E. F. Germar, Reise Dalm. 1817, 247.
- coronatus** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 83.
- coronata** Bulla, Lamarck, Ann. Mus. H. N. (Paris) IV (21) May 1804, 222.
- coronatus** Byrrhus, Ill.; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*] [Gm. 1788.
- coronatus** Cacatua (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1414.—Psittacus,
- coronata** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 133; II. 46.
- coronata** Cancellaria, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 145 [*n. n.*].
- coronata** Cancellaria, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 5.
- coronata** Cantharis, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 62.
- coronatus** Canthon, J. Sturm, Catal. Ins. Samml. 1826, 109 [*n. n.*].
- coronatus** Canthon, M. Perty, Del. anim. artic. Brasil. (1) 1830, 37.
- coronatus** Cassiculus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 436.
- coronata** Cassidaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 209.
- coronata** Cellaria, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 62.
- coronata** Cellepora, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 37.
- coronata** Cephalophora, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 266.
- coronatus** Cephalophus, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 164.—Cephalophora, 1842.
- coronatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 350.
- coronatus** Cervulus, M. de Serres, Ann. Sci. Ind. Midi France, III (9 & 10) Sept.-Oct. 1832, 34.
- caronatus** (*sic*) Cervulus, P. M. T. de Serres, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XXII. 1835, 136 [*n. n.*].—**coronatus** on p. 187.
- coronatus** Cervus, H. D. de Blainville, Journ. de Physique, XCIV. May 1822, 259.
- coronatus** Cervus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 439.
- coronatus** Cervus, Serres, Dubreuil & Jeanjean, Rech. Oss. Lunel-Viel, 1839, 177.
- coronata** Chettusia (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 64.—Chara-
- coronata** Chlamys, F. Klug, Entom. Mon. 1824, 118. [drius, Bodd. 1783.
- coronata** Chlorocystis, J. Huebner, Verz. bekannt. Schmett. 1826, 323.—Geometra.
- coronata** Chrysis, M. Spinola, Ins. Liguriae, II. 1808, 30.
- coronatus** Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 35.
- coronatus** Cidaris, W. Swainson, Treat. Malacol., May 1840, 349.
- coronata** Cidaris (Goldf.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 59.—Cidarites. [elliptica.
- coronatus** Cidarites, G. A. Goldfuss, Petref. German. I (2) 1829, 119.—*varr.* orbicularis,

- coronatus** Circaetus (Temm.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 48.—Falco.
- coronata** Clavagella, G. P. Deshayes, *Descr. Coq. foss. Paris*, I. 1824, 8.
- coronata** Clavagella, J. De C. Sowerby in F. Dixon, *Geol. Sussex*, 1850, 164.
- coronata** Clavatula, Lamarck, *Syst. Anim.* 1801, 84.
- coronata** Clithon, W. E. Leach, *Zool. Miscell.* II. 1815, 122.
- coronata** Coelophora, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 411.
- coronata** Columbella, G. B. Sowerby, I., *Proc. Comm. Sci. Zool. Soc. London* (19) Aug. 1832, 114.
- coronata** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 8 [*n. et f.*].
- coronatus** Conocephalus, J. Barrande, *Not. prélim. Silur.* 1846, 12.
- coronatus** Conus, L. Reeve, *Conch. Icon.*—Conus, no. 263 (Suppl. pl. vii) June 1849.
- coronata** Copromyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 770.
- coronatus** Corvus (Sw.), A. v. Nordmann in Erman, *Reise Erde, Atlas*, 1835, 10.—Garrulus.
- coronatus** Cothonaspis, T. Hartig in Germar, *Zeitschr. f. d. Entom.* III. 1841, 355.
- coronatus** Cryptocephalus, Kunze in Suffrian, *Linnaea Entom.* II. July 1847, 53.
- coronatus** Cryptonix, C. J. Temminck, *Pig. et Gallin.* III. 1815, 526.
- coronatus** Cucullanus, J. G. H. Zeder, *Anleit. Eingeweidewürm.* 1805, 78.
- coronata** Cyanocitta (Sw.), H. E. Strickland, *Ann. Mag. N. H.* XV. Apr. 1845, 261.—Garrulus. [1838, 109 & 115.—Garrulus.
- coronatus** Cyanocorax (Sw.), C. L. Bonaparte, *Proc. Zool. Soc. London*, V (59) June
- coronatus** Cyanogarrulus (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 377.—Garrulus. [Feb. 1832], 495.
- coronatus** Cyanurus, W. Swainson in J. Richardson, *F. Bor.-Amer.* (2) Feb. 1831 [*i.e.*
- coronatus** Cyclomus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* II (2) 1834, 550.
- coronatus** Cyclopterus, J. Couch, *Cornish Fauna*, I. 1838, 47.
- coronata** Cylindra, C. F. Schumacher, *Essai Vers test.* 1817, 236.
- coronatus** Cymindis (Temm.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (2) 1826, 23.—Falco.
- coronata** Cytherina, F. A. Roemer, *N. Jahrb. f. Min.* 1838, 518.
- coronata** Dacelo, T. R. Peale in Wilkes, *Expl. Exped.* VIII. 1848, 160.
- coronatus** Delphinorhynchus (Frém.), R. P. Lesson, *Man. Mamm.*, May 1827, 405.—Delphinus.
- coronata** Delphinula, F. A. Roemer, *Verst. Norddeutsch. Kreidegeb.* (2) 1841, 81.
- coronata** Delphinula, A. Adams, *Proc. Zool. Soc. London*, XVIII (204) Nov. 12, 1850, 51.
- coronatus** [Delphinus], Fréminville, *N. Bull. Sci. Soc. Philom. Paris*, III (56) May 1812, 71.
- coronata** Dendroica (L.), G. R. Gray, *List Gen. Birds*, ed. 2, Appendix, 1842, 8.—Sylvia, *Lath.* 1790.
- coronatus** Dichodontus, H. Burmeister, *Handb. Ent.* V. 1847, 218.
- coronatum** Distoma, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 686.
- coronata** Doris, L. Agassiz, *Proc. Boston Soc. N. H.* III. 1851 (1850), 191 [*n. n.*].
- coronata** Doto (Gm.), Alder & Hancock, *Mon. Brit. Nud. Moll. (Ray Soc.)* (2) 1846, fam. 3, pl. vi.—Doris, 1790.
- coronatus** Echinites, E. F. Schlottheim, *Tasch. Min.* 1813, 68.
- coronatus** Elaps, H. Schlegel, *Essai phys. Serp.* 1837, I. 182; II. 454.
- coronata** Emberiza, P. S. Pallas, *Zoographia*, II. 1811, 44.
- coronatus** Emphytus (Klug), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 30.—Tenthredo.
- coronatus** Encrinites, E. F. Schlottheim, *Tasch. Min.* 1813, 68.
- coronatus** Enicurus, C. J. Temminck in T. & Laugier, *Pls. color.* (19) Ap. 1822.
- coronata** Eolida, Forbes & Goodsir, *Athenaeum*, 1839, 647.
- coronata** Eolis (F. & G.), Alder & Hancock, *Mon. Brit. Nud. Moll. (Ray Soc.)* (2) 1846, fam. 3, pl. xii.—Eolida, 1839.
- coronatus** Erotylus, P. A. J. Duponchel, *Mém. Mus. H. N. (Paris)* XII [1] June 1825,
- coronatus** Euomphalus, J. De C. Sowerby, *Min. Conch. V.* 1824, 71. [50.
- coronatus** Euparius, Dejean, *Catal. Coléopt.*, ed. 2 (3) 1834, 235.
- coronata** Eupithecia (Hueb.), Duponchel in J. B. Godart, *H. N. Lépid. France*, Suppl. IV (Noct.) [1842], 103.—Geometra.
- coronatus** Exochus, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 342.

- coronatus** Falco, C. J. Temminck (*ex* Azara) in T. & Laugier, Pls. color. (40) Nov. 1823.
coronata Fasciolaria, Lamarck, An. s. vert. VII. 1822, 120.
coronata Ficedula, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1847), 48.
coronata Filaria, C. A. Rudolphi, Entoz. II (1) 1809, 65.
coronata Flabellina (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis.
coronata Flustra, Bory de St.-V. in V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyps) 1826, 239. [1841, wrapper p. 4.]
coronatus Fulgur, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, later issue, Sept.
coronatus Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (10) Aug. 1803, 321.
coronatus Garrulus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 437.
coronata Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 72 (Fernaldo judice 1808-18) [*n. et f.*].
coronatus Gordius, L. Oken, Lehrb. Nat. III (1) 1815, 190. [—Columba, 1766.
coronata Goura (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819, 120.
coronata Gracula (Blyth), G. R. Gray, Gen. Birds, II. Dec. 1845, 330.—Ampeliceps.
coronatum Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 369.
coronatus Halcyon, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 175. [173.—Harpyia.
coronatus Harpyhaliaetus (Vieill.), de Lafresnaye, Rev. Zool. (Soc. Cuv.) V. June 1842,
coronata Harpyia, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 237.
coronatus Heilipus, Boheman (*ex* Dej. Cat.) in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 187.
coronata Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 71.
coronatus Hemifusus (P. Lam.), W. Swainson, Treat. Malacol., May 1840, 91.—Fusus.
coronatus Hippocampus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 274.
coronata Hirundo, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 580.
coronata Hirundo, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 25 [*n. n.*].
coronata Hirundo, J. Lembeye, Aves Isla Cuba, 1850, 45.
coronata Hispa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. May 1840, 140.
coronatus Holocanthus, Desmarest, Dict. Class. H. N. VIII. 1825, 258.
coronatus Hoplopterus (Bodd.), G. R. Gray, Genera of Birds, III. Mar. 1847, 542.—Charadrius, 1783.
coronata Hydra, J. Fleming, Hist. Brit. Anim. 1828, 554.
coronatus Hymenopus, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 46.
coronatus Ichneumon (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 321.—Stephanus, Jur.
coronatus Lanius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 140.
coronatus Lanius, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 306.
coronata Larentia (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra.
coronatus Lemur, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 257. [—
coronata Lepas, G. D. Nardo (*ex* Chierieghini MS), Sin. mod. spec. Lag. Veneto, 1847, 17.
coronatus Lophyrus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 330.—Columba, 1766.
coronatus Macropteryx (Tick.), E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 21.—Hirundo.
coronata Mangalia, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 45.
coronata Mantis, A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI. 1802, 24).
coronatus Melampus, C. B. Adams, Contr. to conch. (3) Oct. 1849, 41.
coronata Melania, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 2.
coronata Melanopsis, Hoeninghaus, Verz. Hoen. Mus. Bonn Petref.-Samml. 1829, 8 [*n. n.*].
coronata Melibea (Turt.), G. Johnston, Ann. Nat. Hist. I (2) Ap. 1838, 117.—Doris, Gm. 1790.
coronata Melolontha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 415.
coronata Membracis, J. C. Fabricius, Syst. Rhyng. 1803, 14. [1785.
coronatus Mithraculus (Herbst), A. White, List Crustacea Coll. B. M. 1847, 7.—Cancer,
coronata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 214.
coronata Mitra, C. F. Schumacher, Essai Vers test. 1817, 239.
coronata Mniotilta (L.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Motacilla, 1766.

- coronatus** Molytes (Latr.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 350.—Curculio, Fourc. 1785.
- coronatus** Morio (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 420.—Cassidaria.
- coronatus** Morphnus (Sh.), Cuvier, Règne Anim. I. 1817, 319.—Falco, L. 1766.
- coronata** Murchisonia, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842,
- coronatus** Murex, J. Sowerby, Min. Conch. III. 1819, 52. [355.]
- coronatus** Murex, A. Risso, H. N. Europe, IV. 1826, 190.
- coronatus** Murex (Brod.), L. Reeve, Conch. Syst. II. 1842, 194.—Typhis.
- coronata** Muscipeta (Gm.), Cuvier, Règne Anim. I. 1817, 345.—Muscicapa, 1788.
- coronatus** Mycotretus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 141.—Erotylus.
- coronatus** Myiarchus (L.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 273.—Muscicapa,
- coronatus** Myiodiotes, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 283. [1766.]
- coronata** Myristica, W. Swainson, Treat. Malacol., May 1840, 86.
- coronata** Nassa (Brug.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 180.—Buccinum, 1789. [1844, 20.]
- coronatus** Nautilus (Tennoncheilus), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland,
- coronata** Nemertes (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 271.—Polia.
- coronata** Numida, G. R. Gray, List Birds Coll. B. M. III. 1844, 29 [*n. n.*].
- coronatum** Onchobothrium (Rud.), de Blainville, Dict. Sci. Nat. LVII. 1828, 597.—Bothriocephalus.
- coronatus** Onitis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 34 [*n. n.*].
- coronatus** Oreaster, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 467.
- coronatus** Oriolus, W. Swainson, Anim. in Menag., Dec. 1837, 342.
- coronata** Otaria, H. M. D. de Blainville in A. G. Desmarest, Ency. Méth. (Mamm.) (1)
- coronata** Paludina, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253. [1820, 251.]
- coronata** Pelta, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) I. Mar. 1844, 151.
- coronata** Pepoaza (Vieill.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 350.—Tyrannus.
- coronata** Perdix, J. Latham, Index Orn., Suppl. 1801, p. lxii.
- coronatus** P[etalcephalus] (Rud.), T. G. v. Lidth de J., Rec. fig. Vers intest. 1829, descr. to pl. iv.—Bothriocephalus.
- coronatus** P[etalostoma] (Rud.), T. G. v. Lidth de J., Rec. fig. Vers intest. 1829, descr. to pl. iv.—Bothriocephalus.
- coronata** Phasma, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 299.
- coronatum** Phasma (Pachymorpha), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 137.
- coronata** Phyllopneuste (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 290.—
- coronata** Pica (Sw.), J. G. Wagler, Isis (Oken), 1829, 750.—Garrulus. [Ficedula.]
- coronatus** Picolaptes, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 314.
- coronatus** Picus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 9.
- coronata** Pipra, J. B. v. Spix, Avium Brasil. II. 1825, 5.
- coronatus** Pissocles, Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- coronata** Pitta, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 89.
- coronatus** Planites (Brug.), W. de Haan, Mon. Ammon. 1825, 83.—Ammonites, 1789.
- coronatus** Platycrinites, Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 344.
- coronatus** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 17.—Muscicapa, Gm. 1788.
- coronata** Pleurotoma, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 21.
- coronata** Pleurotoma, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 23.
- coronata** Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 239.—Mangelia.
- coronata** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 575.
- coronata** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 109.
- coronata** Pleurotomaria, J. G. Cumming, I. of Man, 1848, 357 [*n. n.*]. [105.]
- coronata** Pleurotomaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849,
- coronata** Polia, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 213.
- coronata** Prionotheca (Ol.), A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 41.—Pimelia, 1795.
- coronatus** Psepholax, A. White, Zool. "Ereb. Terr." (Ins. 1846), 15.
- coronata** Pseudoboa, J. G. Schneider, Hist. Amph. II. 1801, 286.

- coronatus** Pterocles, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 65.
coronatus Ptilophyrus, W. Swainson, N. H. Classif. Birds, II. June 1837, 350.
coronata Purpura, Lamarck, Ency. Méth. (Vers) 1816, pl. 397, Liste p. 2 [*n. et f.*].
coronatum Purpura (L.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 240.—Buccinum, ? Br. 1789.
coronata Purpura, J. E. Gray (*ex* Adans.), Figs. Moll. Anim. IV. 1850, 3.
coronatus Pygrrhynchus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 261. [Muscicapa, 1788.
coronata Pyrocephalus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 188.—
coronata Pyrrhula, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 248. ? Gm. 1788.
coronata Pyrrhula (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1024.—Loxia,
coronata Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 78.
coronatus Rhimanphus (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 19.—Mota-cilla, 1766.
coronatus Rhopalophorus (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 400.—Distoma.
coronatus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 459.—Curculio, Fourc. 1785.
coronata Rissoa, Scacchi in R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 127.
coronatus Saurus, v. Hasselt, Alg. Konst. Letterbode, May 1823; Bull. des Sci. Nat. II. 1824, 92.
coronata Sava, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 379.
coronata Scalaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 451, Liste p. 11 [*n. et f.*].
coronata Scytale, B. Merrem, Tent. Syst. Amph. 1820, 91.
coronatus Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 371.
coronatus Simblephilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 188.—Philanthus, 1790.
coronatum Solarium (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 300.—
coronatus Sorex, P. A. Millet, Faune Maine et Loire, I. 1828, 18. [Euomphalus.
coronata Spiroptera, Mehlis, Arch. f. Naturg. XII (1) 1846, 136 [*n. n.*].
coronatus Spizaetus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 63.—Falco, 1766. [439.
coronata Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
coronatus Stephanus, L. Jurine, N. Méth. class. Hyménopt. 1807, 93. [Gm. 1788.
coronata Suiriri (Lath.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 336.—Muscicapa,
coronata Sylvia (T. & S.), G. R. Gray, Genera of Birds, I. Aug. 1848, 174.—Ficedula,
coronata Sylvicola (Lath.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 216.—Sylvia, 1790. [Agelaius.
coronatus Tachyphonus (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 22.—
coronata Taenia, F. C. H. Creplin, N. Obs. de Entozois, 1829, 100.
coronata Taenioptera (Vieill.), G. R. Gray, Genera of Birds, I. Sept. 1847, 241.—Tyrannus.
coronata Tapeina, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 546.
coronatus Tectarius, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
coronata Teleia, F. X. Fieber, Entom. Monogr. 1844, 56. [1832], 271.
coronatus Temnorhynchus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 181.—Geotrupes, 1798. [276.
coronata Tentredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818,
coronata Terebra, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
coronata Tergipes (L.), A. d'Orbigny in Magasin de Zool. VII. 1837, pl. 103.—Doris, Gm. 1790.
coronata Tetrax, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 390.
coronata Thiarella (—), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra, Lam.
coronata Thrasaetus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 29.—Halcyon.
coronata Todirampus (Muell.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 157.—
coronata [Tritonia], Bommé in G. Cuvier, Ann. Mus. H. N. (Paris) VI (36) Dec. 1805, 435.—? Doris, Gm. 1790.

- coronatus** Tritonalia (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 356 & corrig.—Murex.
- coronata** Tritonia (L.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 147.—Doris,
- coronata** Tubularia, J. Ratke in Müller, Zool. Dan., ed. 3, IV. 1806, 25. [Gm. 1790.
- coronatus** Turbo, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 226. [ula.
- coronatus** Turbo (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 223.—Delphin-
- coronatus** Turdus, L. P. Vieillot, Ois. Amér. sept. II. 1807, 8. [178.
- coronatus** Typhis, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
- coronata** Tyrannula (Gm.), W. Swainson, Phil. Mag., n. s., I (5) May 1827, 367.—
Muscipapa, 1788.
- coronatus** Tyrannus, L. P. Vieillot, N. Dict. H. N. XXXV. 1819, 92.
- coronata** Vanga (Raffl.), Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 658.
- coronata** Vermilia, J. Couch, Cornish Fauna (2) 1841, 71. [—Lanius.
- coronatus** Vipio, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- coronata** Voluta, G. Brocchi, Conch. Subap. 1814, 306. [448.
- coronata** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 561.—Mitra.
- coronata** Voluta, W. Wood (ex Chemn.), Index Test. 1818, 99. [culus.
- coronatus** Xanthornus (Sw.), Jardine & Selby, Ill. Orn., sign. 22, pl. 45, 1828.—Cassi-
- coronata** Xolmis (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 54.—
Tyrannus.
- coronatus** Xorides (Jur.), Lamarck, An. s. vert. IV. 1817, 135.—Stephanus.
- coronatus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 289.—Reduvius, 1798.
- Coronaxis** W. Swainson, Treat. Malacol., May 1840, 147 & 311.—G.
- Corone** J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—A.
- Corone** Morris in N. Wood, Naturalist, II (9) June 1837, 123.—A.
- coroneda** Atherina, C. S. Rafinesque-S., Car. n. gen. 1810, 57.
- Coronella** G. A. Goldfuss, Handb. Zool. (1) 1820, 77.—Rot.
- Coronella** Laur., *emend.* C. L. Bonaparte, Giorn. Arcad. LII. 1831, 147.—R.
- coronella** Ammonites, Lamarck, An. s. vert. VII. 1822, 640.
- coronella** Calamaria, H. Schlegel, Essai phys. Serp. 1837, I. 134; II. 48.
- coronella** Pediophis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 25.—Calamaria.
- coroneoides** Corvus, J. Wagler, Syst. Avium, I. 1827, sign. 251.
- corones** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 220.
- coronea** Anaphaeis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1775.
- coronea** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 151.—Papilio, ? Cr.
- Coronica** J. Gould, Syn. Birds Austral. (1) Jan. 1837.—A. [1775.
- coronigera** Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 221.
- coronigera** Frigga, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 66.—Euophrys, 1846.
- coronilla** Belemnites, F. Biguet, Cons. Bélemnites, 1819, 42.
- coronillae** Apista, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 265.
- coronillae** Heterogaster, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 88.
- coronillae** Zygaena, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 139.
- coronillaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 93 (Fernaldo judice
1808–18) [n. et f.]. [metra.
- coronillaria** Gnophos (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 432.—Geo-
- coronillaria** Hemitheia (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VII
(2) (Noct. 4, pt. 2) 1829, 255.—Geometra.
- coronillaria** Pseudoterpna, J. Huebner, Verz. bekannt. Schmett. 1825, 285.—Geometra.
- coronillella** Accompsia (Tisch.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3
(5 & 6) 1850, 42.—Lita, Tr.
- coronillella** Lita, F. Treitschke, Schmett. Europa, IX (2) 1833, 87.
- coronina** Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 17 [n. n.].
- coronini** Chirocentrites, J. J. Heckel, Sitz. k. Ak. Wiss. (Wien) II (1) Jan. 1849, 17.
- coronirostris** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- Coronis** P. A. Latreille, Dict. Sci. Nat. XXVIII. 1823, 345.—Cr. [627.
- Coronis** J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Lep.
- Coronis** C. Gloger, Notizen (Froriep) XVI. 1827, 277.—A.
- Coronis** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 389.—Lep.
- coronis** Cirrospilus, F. Walker, Ann. Nat. Hist. I (6) Aug. 1838, 450.

- coronis** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 133.—Papilio, Cr. 1775.
- coronis** Pontia (Fab.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 144.—Papilio, Cr. 1775. [corona, 1758.]
- corono** Clithon (L.), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 380.—Nerita
- coronoides** Clithon, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 381.
- coronoides** Corvus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 261.
- Coronophis** L. Fitzinger, Syst. Rept. 1843, 26.—R.
- Coronopora** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 140 & 149.—Polyz.
- coronopus** Cellepora, J. Morris, Cat. Brit. Foss. 1843, 32 [*n. n.*].
- coronopus** Cellepora, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 18.
- coronopus** Crisina (Defr.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 397.—Idmonea.
- coronopus** Idmonea, Defrance, Dict. Sci. Nat. XXII. 1821, 565.
- Coronula** Bruguière, Ency. Méth. (Tabl. Vers), 144, pl. 165, 1792.—Cirr.
- Coronula** Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 464.—Cirr.
- coronula** Cyclolithes (Goldf.), H. G. Bronn, Index Pal. 1848, 374.—Fungia.
- coronula** Defrancia, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 38.
- coronula** Fungia, G. A. Goldfuss, Petref. German. I (1) 1826, 50.
- coronula** Micrabacia (Goldf.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.—Fungia.
- coronula** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 179.—Noctua coronulina, 1802.
- coronula** Taenia, F. Dujardin (Roret's Suite à Buffon), Hist. Helminth. 1845 [Nov. 1844].
- coronularia** Otton, H. Nicolet in Gay, Chili (Crust.) 1849, 313. [574.]
- coronulata** Cassis, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xx.
- coronulina** Noctua, A. H. Haworth, Prod. Lepidopt. Brit. 1802, 17 [*n. n.*].
- Coronulites** J. Parkinson, Org. Rem. III. 1811, 240.—Cirr.
- Coronus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 192.—Col. [*n. n.*].
- Corophia** H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 385.—Cr.
- Corophium** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 127.—Cr.
- Corospiza** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 511.—A.
- corosus** Cryptorhynchus, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
- Corphyra** T. Say, Boston Journ. N. H. I (2) 1835, 189.—Col. [(2) 1835, 430.]
- corporalis** Cyprinus, S. L. Mitchill, Amer. Monthly Mag. II (5) Mar. 1818, 324.
- corporalis** Leuciscus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 213.—Cyprinus.
- corporis** Pediculus, Lamarck, An. s. vert. V. 1818, 40.
- corporosus** Diacanthus, Knoch in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 72.
- corporea** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 223.
- corpulenta** Anatolica, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (23) Jan. 1837, 181.
- corpulenta** Anodonta, W. Cooper in Schoolcraft, Narr. Exped. Mississippi, 1834, 154.
- corpulenta** Astartilla, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 691.
- corpulentus** Bythinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- corpulenta** Clausilia, Frivaldsky, Zeitschr. f. Malakozool., Jan. 1848, 7. [1845, 45.]
- corpulenta** Cytherea, J. E. Gray, The Analyst, VIII (24) July 1838, 303.
- corpulenta** Dejeania (Wied.), J. Macquart, Mém. Soc. Sci. Lille, 1842, 1843, 192.—Tachina. [226.]
- corpulentum** Dorcadion, Mannerheim in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832,
- corpulenta** Echinomyia (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 77.—Tachina. [1849, 728.]
- corpulentus** Fusus, T. A. Conrad in J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct.
- corpulentus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- corpulenta** Mya, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 68. [783.]
- corpulentus** Omaseus, J. F. Eschscholtz in F. v. Gebler in Ledebour, Reise Altai, II. 1830, 44.
- corpulentus** Peryphus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 11.
- corpulentus** Planorbis, T. Say in Keating, Exp. Peter River, II. 1824, 262; & ed. London, 1825 (App.), 10.
- corpulentum** Ptenidium, Allibert in H. Lucas, Explor. Algér. (Artic. II.) 1849, 549.
- corpulentus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 967.

- corpulentus** Styphrus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 54.
- corpulenta** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 280.
- corpulentus** Xylographus, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 225.
- corrallatus** Echinus, *id. ac* corollatus, Gm. 1790; W. Turton, Linnaeus, Syst. Nat. IV. 1802, 152.
- correndera** Anthus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 491.
- correntina** Plectonycha, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 302.
- correptaria** Boarmia, P. C. Zeller, Isis (Oken), 1847, 18.
- Corrhecerus** C. J. Schoenherr, Isis (Oken), 1823, 1135; Curc. disp. meth. 1826, 40.—Col.
- Corrhipates** Bl. 1834; *teste* Agassiz *sed non comp.*, v. Cirrhipates.
- corrianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 65.
- corriei** Bellerophon, A. d'Orbigny in Férussac & d'Orbigny, H. N. Céph. acétab. 1840, 194.
- corrientesensis** Monocondylaea, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 38. [Monocondylaea.]
- corrientesinsis** Unio (Orb.), S. Hanley, Ill. Cat. Bivalve Shells (3) *exunte* 1843, 212.—
- corrigiolata** Calobata (L.), J. C. Fabricius, Syst. Antliat. 1805, 263.—Musca, 1767.
- corrigiolatus** Ceyx (L.), Dict. Sci. Nat. VIII. 1817, 42.—Musca, 1767.
- corrigiolatus** Cylindroderus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 181.
- corrigiolata** Micropeza (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276. —Musca, L. 1767.
- corrigiolatus** Sargus (L.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1767.
- corrira** Parra, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- corrivalis** Epipagis, J. Huebner, Verz. bekannt. Schmett. 1826, 358. [340.]
- corrodens** Vermetus, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 235.
- corrosula** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. June 1842, 177.
- corrosa** Agrotis, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-51, 333.
- corrosa** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 74.
- corrosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 409.
- corrosa** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
- corrosa** Edessa, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 82.
- corrosus** Empicoris, Herrich-S., Wanzenart. Ins. VII (3) Jan. 1844, 46.
- corrosa** Hoplophora, L. Fairmaire, Rev. Zool. (Soc. Cuv.) IX. Jan. 1846, 14.
- corrosa** Latipalpis, A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 288.
- corrosa** Lucina, A. Keyserling, Wiss. Beob. Petschora, 1846, 308.
- corrosa** Melyris, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 291.
- corrosus** Unio, A. & J. B. Villa, Syst. Conch. 1841, 61.
- corrugata** Acteonina, J. Alder & A. Hancock, Athenaeum, 1847, 748 [*n. n.*]; Ann. Mag. N. H. (2) I. June 1848, 403.
- corrugata** Alasmodon, J. E. De Kay, N. H. New York (Moll.) 1843, 198.
- corrugatus** Ammonites, J. De C. Sowerby, Min. Conch. V. 1824, 74.
- corrugatum** Amphidesma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 200.
- corrugata** Ampullaria, W. Swainson, Zool. Illust. (1) III (25) Oct. 1822, pl. 120.
- corrugata** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 24, Feb. 1850.
- corrugata** Bilex, G. Perry, Conchology, Ap. 1811, pl. 5.
- corrugatum** Buccinum, G. Brocchi, Conch. Subap. 1814, 652.
- corrugatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 110, Feb. 1847.
- corrugatus** Buceros, C. J. Temminck in T. & Laugier, Pls. color. (89) Feb. 1832; (90) July 1832.
- corrugatus** Bulinus, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 5.
- corrugatus** Bulinus, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831, 341.
- corrugata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. c.
- corrugata** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
- corrugata** Calyptraea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 137.
- corrugata** Cancellaria, R. B. Hinds, Proc. Zool. Soc. London, XI (123) Oct. 1843, 48.
- corrugatus** Cancér, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 8. [Dolabra.]
- corrugata** Cardinia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—

- corrugata Cardiomorpha, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 56.
 corrugata Cardita (Venericardia), A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 190.
 corrugatum Cardium, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 181.
 corrugata Cassida, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 60.
 corrugatus Cassidix (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 90.—Buceros.
 corrugata Cassis, W. Swainson, App. Cat. Bligh, 1822, 5.
 corrugatum Cerithium, Al. Brongniart, Mém. terr. Vicentin, 1823, 70. [xxvi.
 corrugatum Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl.
 corrugata Chama, W. J. Broderip, Proc. Zool. Soc. London, II (24) Ap. 1835, 150.
 corrugatus Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 185, Jan. 1848.
 corrugata Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 824.
 corrugata Cingulifera (Ziegl.), F. Held, Isis (Oken), 1837, 911.—Helix.
 corrugata Circe, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
 corrugata Clausilia (Brug.), J. P. R. Draparnaud, H. N. Moll. France, 1805, 70.—
 Bulimus, 1792.
 corrugata Clavulina, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 242.
 corrugata Corbis (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 78.—Sphaera.
 corrugata Corbis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 106.
 corrugata Crassatella, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 82.
 corrugata Crassina, T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 24 [n. et f.].
 corrugatus Cupellaecrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [n. n.].
 corrugatus Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [n. n.].
 corrugatum Cyclostoma, C. T. Menke, Conch.-Samml. Malsburg, 1829, 10.
 corrugatum Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 95.
 corrugata Cypriocardia, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 188.
 corrugata Cypriocardites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. post Ap. 1842,
 244.
 corrugata Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 79.
 corrugata Cyprina, Lamarck, An. s. vert. V. 1818, 558 (sign. 36). [409.
 corrugatum Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
 corrugata Dolabra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 65.
 corrugata Enchelys, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 390.
 corrugata Fissurella, O. G. Costa, Fauna Regno Napoli, Moll., Scudibranchi, 17 (Oct.
 corrugatus Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 84, Ap. 1848. [1838].
 corrugata Glaucanome, L. Reeve, Conch. Icon. II.—Glaucanome, no. 6, Ap. 1844.
 corrugata Gryphaea, T. Say in Long, Exped. Rocky Mts. II. 1823, 410; not in London
 corrugata Haliotis, J. Mawe, Linnaean syst. Conch. 1823, 181 [n. n.]. [ed.
 corrugata Haliotis, W. Wood, Suppl. Index Test. 1828, 26 [n. et f.].
 corrugata Helcion (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 232.—
 Calyptraea. [1836, 5.
 corrugata Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept.
 corrugata [Helix] (Cochlodina) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl.
 Limaçons, 1821, 66.—Bulimus, 1792.
 corrugata Hyria, Lamarck, An. s. vert. VI (1) 1819, 82.
 corrugata Hyris, de Blainville, Dict. Sci. Nat. XXII. 1821, 395.
 corrugata Isocardia, F. M'Coy, Cat. Mus. Geol. Soc. Dublin, 1841, 26.
 corrugata Latomeandra (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May
 1849, 271.—Meandrina.
 corrugata Leptaena, Goldfuss in Dechen in De la Beche, Handb. Geogn. 1832, 524.
 corrugata Leptaena, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15 [n. n.].
 corrugata Leptaena, A. Fahrenkohl, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4)
 1844, 784. [—Orthis.
 corrugata Leptaena (Portl.), J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 227.
 corrugata Leptoea (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 35.—
 Strophomena, Conr.
 corrugata Lucina, G. P. Deshayes, Magasin de Zool. (2) V. 1843, pl. 82.
 corrugata Lymnaea, G. B. Sowerby, I. (ex Budgin MS), Cat. Shells Tankerville,
 1825, 42.

- corrugata** Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
corrugata Meandrina, H. Michelin, Icon. Zoophyt. (8) 1843, 98. [Sedgwickia.
corrugata Melania, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 431.
corrugata Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
corrugata Membranipora, de Blainville, Dict. Sci. Nat. LX. 1830, 412.
corrugata Microphyllia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.—
 Meandrina.
corrugata Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 205.
corrugata Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
corrugata Modiola, R. A. Philippi, Abb. Conch. II (5) 1846, 147.
corrugatus Mugil, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 184.
corrugatus Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 142.
corrugata Myrmica, T. Say, Boston Journ. N. H. I (3) 1836, 291.
corrugatus Mytilus, Al. Brongniart, Mém. terr. Vicentin, 1823, 78.
corrugata Naia (Lam.), W. Swainson, Treat. Malacol., May 1840, 379.—Unio.
corrugata Nyctelia, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 201.
corrugata Orbicella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 44.—
corrugata Orbicula, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 109. [Orbicula.
corrugata Orthis, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 450.
corrugata Ostrea, G. Brocchi, Conch. Subap. 1814, 670.
corrugatus Otiorhynchus (L.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 636.—
 Curculio, Gm. 1789.
corrugatum Ovulum, R. B. Hinds, Zool. "Sulphur," 1844, 47. [pullaria.
corrugata Pachystoma (Sw.), L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.—Am-
corrugata Panopaea, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 57.
corrugata Panopaea (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 215.—
 Pholadomya.
corrugata Panopaea, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 164.
corrugatus Parmophorus, L. Reeve, Proc. Zool. Soc. London, X (110) Nov. 1842, 50.
corrugatus Pectunculus, P. Calcare, Mem. Conch. Altavilla, 1841, 32.
corrugata Pelonaia, Goodsir & Forbes, 10 Rept. Brit. Assoc. (Glasgow, 1840) 1841,
 Trans. 138; Edinb. N. Phil. Journ. XXXI (61) July 1841, 30.
corrugata Pholadomya, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith.
 1837, 20.
corrugatus Phorus, L. Reeve, Proc. Zool. Soc. London, X (118) Feb. 1843, 163.
corrugatus Platyrcinus, D. D. Owen & B. F. Shumard, Journ. Acad. Nat. Sci. Philad.
 II (1) Nov. 1850, 59.
corrugata Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 137.
corrugatus Portunus (Penn.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 217.—
 Cancer, 1777.
corrugata Potomida, W. Swainson, Treat. Malacol., May 1840, 268.
corrugata Producta, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 107.
corrugata Pupa (Br.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 62.—Bulimus,
corrugata Pyramidella, Lamarck, An. s. vert. VI (2) 1822, 223. [1792.
corrugata Scalaria (Br.), Cristofori & Jan, Cat. Mus. (Sect. II (1) Conch. foss.) 1832, 5.
 —Turbo, 1814.
corrugata Scalaris (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 574.—Turbo, 1814.
corrugatus Scarites, G. J. Billberg, N. Acta Soc. Sci. Upsal. VII. 1815, 280.
corrugata Sedgwickia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 62.
corrugata Serpula, G. Montagu, Test. Brit. II. 1803, 502.
corrugata Serpula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 23.
corrugata Serpula, G. A. Goldfuss, Petref. German. I (4) 1833, 241.
corrugata Serpula, J. Morris, Cat. Brit. Foss. 1843, 66 [n. n.].
corrugata Sphaera, J. Sowerby, Min. Conch. IV. 1822, 42.
corrugata Sphenoptera (K. & E.), Laporte & Gory, H. N. Coléopt. II. 1839, 15.—Bu-
corrugatus Spirorbis (Mont.), J. Morris, Cat. Brit. Foss. 1843, 67.—Serpula. [prestis.
corrugata Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
corrugatus Strombus, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 35.

- corrugata** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842,
corrugata Terebra, Lamarck, An. s. vert. VII. 1822, 287. [256.]
corrugata Theba (Gm.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix,
corrugata Tiara, W. Swainson, Treat. Malacol., May 1840, 319. [1790.]
corrugatus Triphoris [Ino], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 18.
corrugatum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 416, Liste p. 5 [*n. et f.*].
corrugatum Tritonium (Lam.), H. G. Bronn, Zschr. Min. 1827, II (1828), 532.—Triton.
corrugatus Trochus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (3) 1843, 67.
corrugatum Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 16.
corrugatum Tropisoma, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 129.
corrugatus Turbo, G. Brocchi, Conch. Subap. 1814, 376.
corrugatus Turbo (Brug.), L. W. Dillwyn, Catal. Shells, 1817, 875.—Bulimus, 1792.
corrugatus Turbo, W. Wood (*ex* Chemn.), Index Test. 1818, 152.
corrugata Turbo (Lam.), W. Wood, Suppl. Index Test. 1828, 34.—Clausilia, ? Drap.
corrugata Turbonilla (Br.), H. G. Bronn, Index Pal. 1848, 1327.—Turbo.
corrugata Turris (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mitra, ? Lam.
corrugata Turritella (Br.), A. Risso, H. N. Europe, IV. 1826, 108.—Turbo.
corrugata Unio (Müll.), Lamarck, An. s. vert. VI (1) 1819, 78.—Mya, 1774.
corrugata Unio, L. Mauduyt [*non* Lam.], Tabl. Moll. Vienne, 1839, 8.
corrugata Venus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 201.
corrugata Voluta, W. Wood, Suppl. Index Test. 1828, 11 [*n. et f.*].
corrugata Voluta (Mitra), F. S. Voigt in Cuvier, Thierreich, III. 1834, 311.
corugosa Pimelia, W. Turton, Linnaeus, Syst. Nat. II. 1802, 493.
corruptor Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 220.
corruptor Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
corruptor Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 150.
corrupta Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 815.
coruscans etc. *v.* **coruscans etc.**
Corryssorhaphis *emend. pro* Coryzorhaphis, Amyot & Serville; E. Blanchard, Dict. Univ.
Hist. Nat. IV. 1844, 265. [1768.]
corsac Cynalopex (L.), C. H. Smith, Dogs, 1 (Nat. Libr. XXV.) Dec. 1839, 223.—Canis,
corsac Vulpes (L.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 40.—Canis, 1768.
Corsera *emend. pro* Corsyra, Steven; G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov.
1828, 115. [pt. 2] 1833, 306.
corsicalis Cledeobia, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5),
corsicaria Hemitheia, P. Rambur, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 32.
corsicellus Crambus, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836,
corsicus Abax, Latreille; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*]. [85.]
corsicus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9)
1849, 146 ["Mon. Anth." *poster. edit.*].
corsicus Ascalaphus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 349.
corsica Asida, Laporte, Revue Entom. I (1) Mar. 1833, 33. [1834-41] [*n. et f.*].
corsica Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 82 & 83 (Fernaldo giudice
corsicus Coenocycathus, Edwards & Haime, Ann. Sci. Nat. (3) [Zool.] IX. May 1848, 299.
corsica Dianthoecia (Ramb.), Boisduval, Revue Entom. II (6) 1834, 249.—Polia.
corsica Eyrepria (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 207.—Tricho-
soma.
corsica Feronia (Latr.), Dejean, Spec. gén. Coléopt. III. 1828, 397.—Abax, 1821.
corsicus Harpalus (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 42.—Abax.
corsica Helix, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1843, 15.
corsica Miselia (Ramb.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III
(Noct.) 1838, 271.—Polia.
corsicus Necrophorus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 399.
corsica Orgyia, J. A. Boisduval, Ic. hist. lépidopt. Europe, II (—) 1835, 142.
corsica Polia, P. Rambur, Ann. Soc. Ent. France, I (3) c. Oct. 1832, 279.
corsica Salamandra, P. Savi, N. Giorn. Lett. (Pisa) XXXVII (102) 1838, 208.
corsicus Schizaster, L. Agassiz, Cat. Ect. Ech. 1840, 3.
corsicus Spatangus, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 7.

- corsica** Succinea, R. J. Shuttleworth, Mitth. Nat. Ges. Bern, 1843, 13.
- corsica** Tegenia, A. J. J. Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 33.
- corsicus** Thyreonotus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 497. [sign. 19, Feb. 1833.]
- corsicum** Trichosoma, Rambur in Boisdual etc., Coll. icon. hist. Chenilles Europe, corsica Zygaena, Boisdual, Essai Zygén. 1829 [1828], 81.
- Corsira** J. E. Gray, Proc. Zool. Soc. London, V (59) June 1838, 123.—M.
- Corsomyia** H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 40.—Dipt.
- Corsomyza** C. R. W. Wiedemann, N. Dipt. Gen. 1820, 13.—Dipt. [[Mugil].
- corsula** Bagrus (Ham.), Cuvier & Valenc., H. N. Poiss. XIV. 1839, 408.—Pimelodus
- corsula** Mugil, F. Hamilton, Fish. Ganges, 1822, 221.
- Corsyra** Steven in Dejean, Spec. gén. Coléopt. I. 1825, 326.—Col.
- Cortalus** Denys de Montfort, Conch. I. 1808, 114.—Rh.
- cortalus** Rotalites, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 187.
- cortesi** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 81.
- cortesii** Delphinus, J. B. Fischer, Syn. Mamm. 1829, 512.
- cortesyi** Hinnites, DeFrance, Dict. Sci. Nat. XXI. 1821, 169.
- cortesii** Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 262.
- cortesii** Phocaena, Laurillard, Dict. Univ. Hist. Nat. IV. 1844, 634.
- cortesianus** Hinnites, DeFrance in H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 311.
- Corthylus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 64.—Col.
- corticalis** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 87 [*n. n.*].
- corticalis** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 76.
- corticalis** Aradus (L.), J. C. Fabricius, Syst. Rhynch. 1803, 119.—Cimex, 1758.
- corticalis** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 429.
- corticalis** Asopia (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 316.—Pyralis, ? D. & S. 1775.
- corticalis** Boros (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 584.—Trogosita, 1798.
- corticalis** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 201.
- corticalis** Chelifer, C. W. Hahn, Die Arachniden, II (5) May 1835, 63.
- corticalis** Chermes, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 197.
- corticalis** Clubiona, C. A. Walckenaer, Tab. Aran. 1805, 42.—Aranea, 1802. [1775.]
- corticalis** Coreus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 245.—Acanthia,
- corticalis** Cossonus, J. C. Fabricius, Syst. Eleuth. II. 1801, 497. [93.]
- corticalis** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- corticalis** Cynips, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 190.
- corticalis** Degeeria, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 72.
- corticalis** Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 216.
- corticalis** Dromius (Duf.), Dejean, Spec. gén. Coléopt. I. 1825, 245.—Lebia.
- corticalis** Dryophthorus, T. Say, Descr. N. Amer. Curcul., July 1831, 24.
- corticalis** Hister, J. C. Fabricius, Syst. Eleuth. I. 1801, 91.
- corticalis** Hololepta (Fab.), G. Paykull, Mon. Hister. 1811, 106.—Hister.
- corticalis** Iulus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 287.
- corticalis** Lebia, L. Dufour, Ann. gén. Sc. Phys. (Bruxelles) VI. Dec. 1820, 322.
- corticalis** Lebia (Fab.), Dejean, Spec. gén. Coléopt. V. 1831, 390.—Carabus.
- corticalis** Lyctocoris, C. W. Hahn, Wanzenart. Ins. III (2) Feb. 1836, 21. [[& 122].
- corticalis** Microsphaera, L. Redtenbacher, Die Gatt. Deutsch. Käfer Fauna, 1845, 155
- corticalis** Olibrus (Schoen.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 115.—Phalacrus. [[*n. n.*].
- corticale** Omalium, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 76
- corticalis** Otiorhynchus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 432. [toma, 1798.]
- corticalis** Phalacrus (Ill.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 43.—Aniso-
- corticalis** Phloea (Dru.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 56.—Cimex, ? L. 1758. [Aleochara.]
- corticalis** Phloeopora (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 312.—
- corticale** Phylloma (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 98.—Hololepta.
- corticalis** Quedius, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- corticalis** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 284.

- corticalis** Sarothrocrepis (Fab.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 76.—Carabus. [1775.]
- corticalis** Synaphe, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pylalis, ? D. & S.
- corticalis** Trogosita, F. V. Melsheimer, Ins. Pennsylv. 1806, 55 [n. n.].
- corticalis** Trogosita, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II. (5) Oct. 1844, 109.
- corticalis** Trox, J. Sturm, Catal. Ins. Samml. 1826, 205 [n. n.].
- corticana** Anthithesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix, ? D. & S. 1775. [1775.]
- corticana** Epinotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 377.—Tortrix,
- corticana** Paedisca (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 193.—Tortrix,
- Corticaria** T. Marsham, Coleopt. Brit., Sept. 1802, 106.—Col. [1796.]
- corticaria** Auricula (Say), J. E. Gray, Ann. Phil. XXV. 1825, 415.—Odostomia, ? Pupa.
- corticaria** Boarmia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 388, 1829.—Geometra, 1796.
- corticaria** Carychium (Say), A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules [1821], 104.—Odostomia, ? Pupa. [571.]
- corticarius** Ergates, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- corticaria** Mniophila (Huebner), Boisduval, Gen. Index Europ. Lepid. 1840, 200.—Geometra, 1796.
- corticaria** Pholas, G. B. Sowerby, II (ex Gray MS), Thes. Conch. II (10) 1849, 495.
- corticaria** Pupa, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 2.
- corticaria** Tephronia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 318.—Geo-
- corticata** Acidalia, F. Treitschke, Schmett. Europa, X (2) 1835, 208. [metra, 1775.]
- corticata** Antipathes, Lamarck, Mém. Mus. H. N. (Paris) I [6] Mar. 1816, 472.
- corticata** Bulla, Beck, Naturhist. Tidsskrift, IV (1) 1842, 79.
- corticata** Cidaris (Mich.), H. G. Bronn, Index Pal. 1848, 298.—Antipathes, ? Lam.
- corticata** Helicella, H. Beck, Index Moll. Mus. Ch. Fedr. (1) 1837, 7, & "sp. nov." 7.
- corticata** Nucula, Holboll, Naturhist. Tidsskrift, IV (1) 1842, 90.
- corticata** Phloea (Dru.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 117.—Cimex, 1773. [1773.]
- corticatus** Phloeocoris (Dru.), H. Burmeister, Handb. Ent. II (1) 1835, 371.—Cimex,
- corticca** Noctua (Huebner), A. H. Haworth, Lepidopt. Brit. (2) 1809, 218.—Bombyx; Noctua corticea, D. & S. 1775. [L. 1758.]
- corticella** Lampronia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea,
- corticella** Tinea, J. Curtis, Guide Brit. Ins. (6) 1831, 187 [n. n.]; Brit. Entom. XI (128) Aug. 1834, no. 511. [110.]
- corticella** Tinea, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848,
- corticea** Agrotis (Huebner), J. Ochsenheimer, Schmett. Europa, IV. 1816, 66.—Georyx.
- corticea** Georyx (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 227.—Noctua,
- corticea** Tingis, Herrich-S. in Panzer, Ins. Germ., heft 118, 1830–33, tab. 22. [1775.]
- Corticifera** C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 8, Dec. 1817, 178.—Med.
- corticinus** Adicranus, Bourlet, Mém. Soc. R. Agric. Douai, 1841–2 (1843), 127.
- corticina** Aphana, H. Burmeister, Handb. Ent. II (1) 1835, 166.
- corticinus** Artamus, C. L. Koch, Die Arachniden, IV (5) Nov. 1837, 85.
- corticinus** Carpophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 263.
- corticinus** Cimex, E. F. Germar, Revue Entom. V (4) 1840, 178.
- corticina** Clausilia, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 60.
- corticinus** Clytus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 178 [n. n.].
- corticina** Cœtoborrhis, E. F. Germar, Revue Entom. IV (2) 1836, 73.
- corticina** Dilobura (Burm.), M. Spinola, Rev. Zool. (Soc. Cuv.) II. July 1839, 201.—Aphana.
- corticinus** Elater, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 174.
- corticina** Epuraea, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 270.
- corticinum** Glyptoma (Motsh.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 909.—Thoraxophorus.
- corticinus** Laemophloeus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 327.
- corticinus** Lanius, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 19.

- corticina** Lipura (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 296.—
Adicranus. [Paederus.]
- corticina** Lithocharis (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 619.—
- corticina** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- corticinum** Orthosoma (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
II. 1840, 401.—Prionus, 1795.
- corticina** Oxyptoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 351.
- corticinus** Oxytelus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 192.
- corticinus** Paederus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 184.
- corticina** Phaleria, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 16 [*n. n.*].
- corticina** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 401.
- corticinus** Prionus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 345.
- corticinus** Prionus (Macrotoma), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834)
[1833], 204.
- corticina** Rhyxiophloea (Ol.), H. Burmeister, Handb. Ent. III. 1842, 611.—Cetonia,
- corticina** Ricania, H. Burmeister, Handb. Ent. II (1) 1835, 161. [1789.]
- corticinus** Tachinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 142.
- corticinus** Tachyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*]. [98.]
- corticinus** Thoraxophorus, V. v. Mochulski, Bull. Soc. Imp. Nat. Moscou, 1837 (5) 1837,
- corticinus** Trogophloeus (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb.
I (5) Feb. 1831, 463.—Oxytelus.
- corticiperda** Hylesinus, Ill.; W. F. Erichson, Arch. f. Naturg. II (1) 1836, 50.
- corticis** Holothrips (De G.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
640.—Thrips, 1773.
- corticola** Boletophagus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 238.
- corticola** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*] & *var.* pressus, Knoch
- corticola** Cossonus, T. Say, Descr. N. Amer. Curcul., July 1831, 24. [[*n. n.*].]
- corticola** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].
- corticornis** Prionus, J. Duncan, Coleopt. (Nat. Libr. VIII.) May 1835, 247.
- corticosa** Chama, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 341.
- corticulata** Acidalia, C. F. Freyer, Neuere Beitr. Schmett. IV (54) 1840, 53.
- corticum** Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 90.
- corticum** Hemerobius, F. v. P. Schrank, F. Boica, II (2) 1802, 192.
- Corticus** Dejean, Catal. Coléopt. 1821, 67.—Col. [*n. n.*].
- Corticus** L. Fairmaire, Ann. Soc. Ent. France [2] VI (2) Sept. 1843, 171.—Col. [Cor.]
- Corticifera** *err. pro* Corticifera, Les.; J. F. Brandt, Prod. anim. Mertens. I. 1835, 8.—
- cortinaria** Venus, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., V (3) 1835, 333.
- cortius** Chatoessus (Ham.), Cuvier & Valenc., H. N. Poiss. XXI. 1848, 115.—Clupanodon.
- cortius** Clupanodon, F. Hamilton, Fish. Ganges, 1822, 249.
- coruchi** Etroplus, Cuvier & Valenc., H. N. Poiss. V. 1830, 491.
- Coruna** F. Walker, Entom. Mag. I (4) July 1833, 379.—Hym. [Col.]
- Coruphes** W. S. M'Leay (*ex* Gory MS) in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 23.—
- corus** Euploea, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio, 1793.
- corus** Tachynus, F. Sperk, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 155.
- [*coruscans.*]
- coruscans** Anomala (Chevr.), H. Burmeister, Handb. Ent. IV (1) 1844, 282.—Euchlora.
- coruscans** Carabus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 21.
- coruscans** Colibri (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 69.—Trochilus.
- coruscans** Cryptorhynchus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 432.
- coruscans** Euchlora, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 222.
- coruscans** Geotrupes, A. Chevrolat, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 15. [Chiaje.]
- coruscans** Lyonsia (Sc.), G. P. Deshayes, Expl. Algér. (Moll.) 1845-8, 277.—Tellina,
- coruscans** Myctophum, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 40.
- coruscans** Pecten, R. B. Hinds, Zool. "Sulphur," 1844, 61.
- coruscans** Pimelodes, M. H. C. Lichtenstein, Zoologisches Magazin, I (3) 1819, 58.
- coruscans** Platystoma, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 26.
- coruscans** Polytum (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus.
- coruscans** Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 454.

- coruscans** Tellina, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 86.
- coruscans** Trochilus (Petasophora), J. Gould, Proc. Zool. Soc. London, XIV (158) July
- coruscana** Tortrix, F. Froelich, Enum. Tortric. Wuerth. 1828, 58 & 73. [1846, 44.]
- coruscator** Cryptus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31.—Ichneumon,
- corruscula** Gyrophaena, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 189. [1758.]
- [**coruscus** -a -um.]
- corusca** Achatina, L. Reeve, Conch. Icon. V.—Achatina, no. 121, Mar. 1850. [223.]
- corruscus** Anchomenus, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834,
- corruscus** Baridius; Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 140.
- corusca** Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 344.
- corusca** Buprestis, L. Ponzia, Mém. Ac. Sci. Turin, 1804-5 (1805) Mém. prés. 81.
- corruscus** Calliphlox (Licht.), F. Boie, Isis (Oken), 1831, 544.—Trochilus. [69.]
- corruscus** Canthon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- corusca** Chrysodema (Fab.), Laporte & Gory, H. N. Coléopt. I. 1837, 25.—Buprestis,
- corruscus** Conus, D. Solander, Catal. Portland Mus. 1786, 153 [n. n.]. [1787.]
- corusca** Diplolepis, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 270.
- corruscus** Elater, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 11.
- corusca** Haltica (Graptodera), W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 235.
- corruscus** Harpalus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 30. [415.]
- corusca** Lamprocolius, C. L. Bonaparte (ex Licht. MS), Consp. gen. Avium, I. 1850,
- coruscum** Lamprosoma, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins. 293.
- corusca** Lampyrus, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 6.
- corusca** Macaria, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 18.
- corrusca** Osmia, Erichson in J. Walzl, Reise Tyrol etc. (2) 1835, 107.
- corusca** Ostrea, D. Solander, Catal. Portland Mus. 1786, 150 [n. n.].
- corruscus** Phalacrus (Panz.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 109.—Anisotoma, Ill. 1798.
- coruscus** Philonthus (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- corruscus** Photinus (L.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 142.—Lampyrus, 1767.
- corusca** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 89, Ap. 1843.
- corruscus** Polydrusus, E. F. Germar, Ins. spec. novae, I. 1824, 454.
- corrusca** Rutela, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 317.
- corusca** Scaeva, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 375.
- corruscus** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 33.
- corrusca** Stenidia, De La Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 345.
- corusca** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 273.
- corruscus** Tachys, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
- corruscus** Terambus, J. Gistel, Nat. Thierr. 1848, 130. [1847, 472.]
- corruscus** Terambus, J. Gistel, Handb. Naturges. 1850 [1847], 428.
- corruscus** Trechus, Knoch; Dejean, Catal. Coléopt. 1821, 16 [n. n.].
- coruscus** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- coruscus** Trochilus, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 15.
- corvi** Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 105.—Pediculus,
- corvi cornici** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 202. [1758.]
- corvi frugilegi** Ascaris, C. A. Rudolphi, Entoz. Syn. 1819, 54.
- corvi glandarii** Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 197.
- Corvina** Hahn, Voegel aus Asien etc. I (11) 1822, pl. 3.—A. [teste C. W. R.].
- Corvina** G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—P.
- Corvinella** R. P. Lesson, Traité Ornith. (5) inter Sept. 1830 & Feb. 1831, 372.—A.—*typus* Lanius corvinus, Shaw.
- corvinus** Abacetus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 131.
- corvinum** Agonum, Dejean, Spec. gén. Coléopt. V. 1831, 740.
- corvinus** Amblygnathus, Dejean, Spec. gén. Coléopt. IV. 1829, 65.
- corvinus** Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 109.
- corvinus** Aphanobius, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 183.
- corvinus** Aphodius, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 831.

- corvinus** Aphodius, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 104 (2 diagnoses).
- corvina** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 38.—Terebratula.
- corvinus** Attelabus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 304.
- corvinus** Bucco, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
- corvina** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 435.
- corvinus** Cerambyx (Stenocorus), E. F. Germar, Ins. spec. novae, I. 1824, 508.
- corvinum** Cerithium (Brong.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 559.—Rostellaria.
- corvina** Cetonia, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1849 (3) 1849,
- corvinus** Chlaenius, Illiger in Dejean, Spec. gén. Coléopt. II. 1826, 343. [117.]
- corvina** Clivina, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 610.
- corvina** Corvinella (Shaw), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 365.—Lanius.
- corvinum** Criodion (Germ.), J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 572.—Cerambyx.
- corvinus** Dermalichus, C. L. Koch, Deutsch. Crust., heft 33, 1844, tab. 18.
- corvinus** Dytiscus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 103.
- corvinus** Eurylabus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 152.
- corvina** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 281.
- corvinus** Feronicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 16 ["Mon. Anth." *poster. edit.*].
- corvinus** Helops, Frivaldsky in H. C. Kuester, Käfer Europas, XXI. 1850, 44.
- corvinus** Hister, E. F. Germar, Reise Dalm. 1817, 185.
- corvina** Lamprothornis, F. H. v. Kittlitz, Kupfertaf. Nat. Vögel (2) 1832-3, 12.
- corvinus** Lanius, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 337.
- corvina** Lasia, W. F. Erichson, Entomographien, 1840, 143.
- corvina** Lepipterus, J. Reinhardt, Vid. Medd. nat. Foren. Kjöbenhavn, 1849, 30.
- corvina** Madarus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 584.—Calandra.
- corvina** Medoria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 205.
- corvina** Megalaima (Temm.), G. R. Gray, Genera of Birds, II. Mar. 1846, 429.—Bucco.
- corvina** Melania, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 26.
- corvinus** Meligethes, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 177.
- corvinus** Philonthus, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 462.
- corvinus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 937.
- corvina** Pristodactyla, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 217.
- corvinus** Pterostichus (Dej.), J. L. Leconte in Agassiz, Lake Superior, 1850, 207.—Feronia.
- corvinus** Quiscalus, W. Swainson, Anim. in Menag., Dec. 1837, 300.
- corvina** Rostellaria, Al. Brongniart, Mém. terr. Vicentin, 1823, 74.
- corvinus** Scarites, Dejean, Spec. gén. Coléopt. V. 1831, 490.
- corvina** Sparus, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 193.
- corvinus** Tenebrio, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 175.
- corvina** Terebratula, J. Barreande, Naturw. Abhandl. (Haidinger) I. 1847, 426.
- Corvivultur** I. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corvultur, Less.
- corvorum** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 171 [*n. n.*].
- corvorum** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 15 [*n. n.*].
- Corvultur** R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 327.—A.—*typus* Corvus albicollis, Lath.
- corvus** Buceros, J. Wilkes, Ency. Londin. III (142) 1800, 479.
- corvus** Carabus, Brongniart in K. Duftschmid, Fauna Austriae, II. 1812, 97.
- corvus** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 86.
- corvus** Harpalus, Latreille, N. Dict. H. N., ed. 2, XIV. 1817, 229.
- corvus** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 325.
- corvus** Trigla, C. S. Rafinesque-S., Car. n. gen. 1810, 32.
- corvus** Trigla, A. Risso, Mém. Soc. Linn. Paris, III. 1825, 33.
- corvus** Trochus, R. A. Philippi, Zeitschr. f. Malakozool., Oct. 1849 [Mar. 1850], 152.
- corvus** Turbo, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 133.
- Corybantes** J. Huebner, Verz. bekannt. Schmett. [1820], 101.—Lep.

- corybas** Encyrtus, F. Walker, Entom. Mag. V (1) Oct. 1837, 40.
- corybas** Parnassius, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 242.
- Corycaeus** J. D. Dana, Proc. Acad. Nat. Sci. Philad. II (11) Oct. 1845, 285.—Cr.
- corycaeus** Artipus, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 22.
- corycaeus** Asaphus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 277.
- corycaeus** Myllocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 3.
- corycaea** Sitona, Sch.; Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- Corycia** J. Huebner, Verz. bekannt. Schmett. 1825, 265.—Lep. [110.—Lep.
- Corycia** Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2) 1829,
- Corycus** Cuvier, Mém. Mus. H. N. Paris, I. 1816, 359.—P. [Coricus, 1817].
- Coryda** J. C. Albers, Die Heliceen, 1850, 100.—G.
- Corydalia** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 95.—Neur. [*n. d.*].
- Corydalina** J. J. Audubon, Synopsis, 1839, 129.—A.
- Corydalina** L. Agassiz, Noien. Zool. Index Univ. 1846.—*emend. pro* Corydalma, Ag.
- Corydalis** "Tem.", F. Boie, Isis, XIX (10) 1826, 974.—A. [*teste* C. W. R.].
- Corydalis** F. O. Morris, The Naturalist, II (9) June 1837, 125.—A.
- Corydalis** H. G. Bronn, Index Pal. 1848, 340 [*id. ac* Corydalis, Latr. 1802 & 1804].
- Corydalius** L. Oken, Lehrb. Nat. III (1) 1815, 658.
- Corydalla** N. A. Vigors, Zool. Journ. II (7) Oct. 1825, 397.—A.
- Corydalla** N. F. [*i.e.* S. D. W.], The Analyst, II (11) June 1835, 307.—A.
- Corydallis** H. Boie (*ex* Temm.), N. Staatsburg. Mag. (Schleswik) I (1) 1832, 181.—A. [=Corydalis, Temm.].
- Corydalma** J. J. Audubon, Synopsis, 1839; *teste* Agassiz *sed non comp.* ?Corydalina.
- Corydalis** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 290.—Neur.
- Corydendrium** P. J. van Beneden, Bull. Ac. Roy. Brux. XI (2) 1844, 313.—Coel.
- Corydia** J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 42.—Orth.
- Corydocephalus** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 139.—Cr.
- Corydon** R. P. Lesson, Traité Orn. I. 1828, 177.—A. [Psittacidae].
- Corydon** J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 504.—A.
- Corydon** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 264.—A. [Alaudidae].
- corydon** Agriades (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1818, 68.—Papilio, 1775.
- corydon** Argus (Fabr.), Lamarck, An. s. vert. IV. 1817, 22.—Hesperia, 1793.
- corydon** Copris, Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- corydon** Cupido (D. & S.), F. v. P. Schrank, F. Boica, II (1) 1801, 213.—Papilio, 1775.
- corydon** Eurylimus, C. J. Temminck in T. & Laugier, Pls. color. (1) Ap. 1822.
- corydon** Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 15.—Scarab. 1789.
- corydon** Lycaena (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 286.—Hesperia, 1793.
- corydon** Onitis, Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- corydon** Oryctes (Ol.), H. Burmeister, Handb. Ent. V. 1847, 190.—Scarabaeus, 1789.
- corydon** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 59 (Fernaldo judice 1799) [*n. et f.*].
- corydon** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 148 (Fernaldo judice 1817)
- corydon** Phanaeus, Dej. in E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 175.
- corydon** Polyommatus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 119.—
- Corydonix** L. P. Vieillot, Analyse, 1816, 69.—A. [Hesperia, 1793.
- Corydonyx** L. P. Vieillot, Analyse, 1816, 28.—A.
- Corydoras** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 147.—P.
- Corydus** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A [*n. n.* = Alauda].
- Corygonus** *Ferr. pro* Coregonus, Art.; W. Swainson, N. H. Fishes etc. I. Oct. 1838, 245.
- corylana** Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1794.
- corylana** Tachina, Gimmerthal, Bull. Soc. Imp. Nat. Moscov. VII. 1834, 100.
- corylana** Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 422.—Pyralis, 1794.
- corylata** Harpalycy (Th.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 226.—Geometra corylaria, 1784.
- coryli** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo, Panz.
- coryli** Aphis, J. H. Kaltenbach (*ex* Goeze), Mon. Pflanzenläuse, 1843, 98.
- coryli** Apoderus (L.), A. G. Olivier, Entom. V. 1807, 12.—Attelabus, 1758.

- coryli** Apoderus, Gyll.; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*]. [1775.]
- coryli** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 165.—Curculio,
- coryli** Buprestis, J. T. C. Ratzeburg, Forst-Insekten, I. 1837, 55; (ed. 2) 1839, 62.
- coryli** Cneorhinus (Fab.), Schoenherr, Gen. et Sp. Curc. I (2) 1833, 535.—Curculio, 1775.
- coryli** Colocasia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 63.—Phalaena, 1758.
- coryli** Demas (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 60.—Phalaena, 1758.
- coryli** Galleruca, J. F. Melsheimer, J. Acad. Nat. Sci. Philad. III. June 1824, 455.
- coryli** Laria (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 151.—Bombyx, 1775.
- coryli** Lecanium (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 214.—Coccus, 1758. [*n. et f.*]
- coryli** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 4 (Fernaldo judice 1802)
- coryli** Oregyia (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 18.—Phalaena, L. 1758.
- coryli** Phytocoris (L.), C. F. Fallen, Hemipt. Sveciae, 1829, 90.—Cimex, 1758.
- coryli** Potosomus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1139.—Curculio, 1775.
- coryli** Tenthredo, G. W. F. Panzer, Ins. Germ., heft 71, 1799, tab. 8.
- coryli** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 182.
- coryli** Thylacites, Fab.; Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
- coryli** Thylacites (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 411.—Curculio, 1775.
- corylifoliella** Argyromiges (Huebner), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—Tinea, 1796. [Tinea, 1796.]
- corylifoliella** Argyromis (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—
- corylifoliella** Eucestis, J. Huebner, Verz. bekannt. Schmett. 1826, 423.—Tinea, 1796.
- corylifoliella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—Tinea, 1796.
- Corylocecis** C. J. B. Amyot, Ann. Soc. Ent. France, V (4) 1848, 502.—Hem. [*non binom.*].
- Corylophus** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 26; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 405.—Col.
- corylus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 102 [coryli, L.].
- corymbiferarum** Thrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 449 [*n. n.*].
- Corymbites** P. A. Latreille, Ann. Soc. Ent. France, III (1) post Mar. 1834, 150.—Col.
- Corymbopora** L. Michelin, Icon. Zooph. (1846), 213.—Polyz.
- Corymbosa** d'Orb. 1853, *err. pro* Corymbopora, Mich. 1846, *q. v.*
- corymbosa** Arethusia, Denys de Montfort, Conch. I. 1808, 303.
- corymbosa** Caryophyllia (Forsk.), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 315.—Madrepora, 1775.
- corymbosa** Ceriopora (Lamx.), H. Michelin, Icon. Zoophyt. (20-23) 1846, 246.—Millepora.
- corymbosa** Corallina, Lamarck, Mém. Mus. H. N. (Paris) II [4] Sept. 1816, 234.
- corymbosa** Heteropora (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 336.—Madrepora.
- corymbosa** Lobophyllia (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 321.—Madre-
- corymbosa** Madrepora, Lamarck, An. s. vert. II. 1816, 279. [pora, 1775.]
- corymbosa** Millepora, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 87.
- corymbosa** Mussa (Forsk.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 177.—Madrepora, 1775.
- corymbosa** Terebratula, R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 253.
- corymeta** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 415.
- Corymorpha** M. Sars, Beskr. Bergenske Kyst Dyr, 1836, 6.—Coel.
- Corymorpha** J. E. Gray, Syn. cont. Brit. Mus., ed. 42, 1840, 75.—Coel. [Col.]
- Corymorpha** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 12.—
- Corymya** L. Agassiz in Sowerby, Min. Conch. (Germ. ed.) (1843), 439.—L.
- Coryna** L. A. G. Bose, s. à Deterville ed. Buffon, Vers. II. 1802, 239.—Coel.
- Coryna** J. P. Wolff in J. F. Wolff, Icon. Cim. (5) 1811, p. iv.—Hem.
- Coryna** C. J. Billberg, Mon. Mylabr. 1813, 73.—Col.
- Coryna** Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 569.—Hym.
- Corynactis** G. J. Allman, Ann. Mag. N. H. XVII. June 1846, 417.—Coel.
- corynaria** Hydra, L. A. G. Bose, s. à Deterville ed. Buffon, Vers. II. 1801, 236.

- Coryne** Lamarck, Syst. Anim. 1801, 364.—Coel.
Coryne L. Oken, Lehrb. Nat. III (1) 1815, 50.—Coel.
Corynephanes Wesmael, Bull. Ac. Roy. Belg. XVI (1) 1849, 631.—Hym.
Corynephorus C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 234.—Col.
Corynesoma F. Leuckart, 1843 [*? Isis*]; *teste* W. Baird, Cat. Entoz. Coll. B. M. 1853, 116, *sed non comp.*—Verm.
Corynitis C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 26.—Lep.
corynna *v.* **corinna**.
Corynocera J. W. Zetterstedt, Ins. Lapp. descr. 1838, 856.—Dipt.
Corynocere C. G. Nees *v.* E., Hymenopt. Ichn. aff. II. 1834, 122.—Hym.
Corynocerus Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 66.—Col. [*n. n.*].
Corynodes F. W. Hope, Coleopt. Manual, III. 1840, 162.—Col.
corynodes Clausilia, F. Held, Isis (Oken), 1836, 276. [*type*].
Corynomalus Chevrolat, Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 439.—Col. [*sine*].
Corynomalus W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 181.—Col.
Corynomerus M. Spinola, Ess. Ins. Hémipt. 1837, 126.—Hem.
Cory(no)morpha (*sic*) A. F. A. Wiegmann, Arch. f. Naturg. 1836 (2), 190.—*emend. pro*
 Corymorpha, Sars, *q. v.* [Ben].
Corynomorpha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corimorpha,
Corynomorpha L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corymorpha,
 Gray.
Corynoneura J. Winnertz, Entom. Zeitung, Stettin, VII (1) Jan. 1846, 12.—Dipt.
Corynopalpa Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col.
Corynophyllus F. W. Hope, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 112.—Col.
Corynopus Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 802.—Hym.
corynopus Belba (Herm.), C. v. Heyden, Isis (Oken), 1826, 611.—Notaspis.
corynopus Notaspis, J. F. Hermann, Mém. Aptér. 1804, 89. [Notaspis].
corynopus Oribata (Herm.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 532.—
Corynoscelis H. Burmeister, Handb. Ent. V. 1847, 126.—Col.
Corypha G. R. Gray, List Gen. Birds, 1840, 48.—A.
coryphae Bruchus, J. C. Fabricius, Syst. Eleuth. II. 1801, 402.
coryphae Kytorthynus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, II [*post* Nov.]
 1809, 303.—Bruchus, 1795.
Coryphaea W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 29.—Col.
coryphena Novacula, A. Risso, H. N. Europe, III. 1826, 334.
coryphaena Tentacularia, Lamarck, Syst. Anim. 1801, 336.
coryphaenae Distoma (Bosc), C. A. Rudolphi, Entoz. II (1) 1809, 436.—Fasciola.
coryphaenae Fasciola, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 271.
coryphaenae Tentacularia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 13.
Coryphaenoides Lacepède, H. N. Poiss. III. 1802, 219.—P. [*non* Gunner, *teste* Jordan].
Coryphaenoides L. Oken, Lehrb. Naturg. VI. 1816, 54.—P.
coryphaenoides Astrodermus, Bonelli in Cuvier & Valenc., H. N. Poiss. IX. 1833, 353.
coryphaenoides Cyprinus, H. G. Bronn, Jahrb. f. Min. 1830, 28.
coryphaenoides Goniognathus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 491 [*n. n.*];
 Poiss. Foss. V (1), 63 (1844) [*n. n.*].
coryphaenoides Heros, J. Heckel, Ann. Wiener Mus. II [3] 1840, 373.
coryphaenoides Novacula, H. R. Schinz in Cuvier, Thierreich, II. 1822, 430.
coryphaenula Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 131.
Coryphaeus J. Gistl, Nat. Thierr. 1848, pp. ix & 117.—Col.
Coryphaeus J. Gistl, Handb. Naturges. 1850 [1847], 385.—Col.
coryphaea Coccinella, F. E. Guérin-M., Iconographie, 1844, Ins. 320.
coryphaeus Copturus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 135.
coriphea Drymoica, G. R. Gray, Genera of Birds, I. Aug. 1848, 163.
coryphaeus Heros, J. Heckel, Ann. Wiener Mus. II [3] 1840, 364. [nella].
coryphaea Leis (Guér.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 249.—Cocci-
coryphaeus Motacilla, J. Wilkes, Ency. Londin. XVI (1094) 1818, 77.
coryphaeus Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 183.

- coryphaeus** Phytodietus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 945.
coryphaea Pyrrota (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 238.—Tanagra.
coryphaea Saxicola, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 18.
coryphaeus Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 177. [[*n. n.*]]
coryphaeus Tachyphonus (Licht.), G. R. Gray, Genera of Birds, II. July 1844, 365.—Saxicola.
coryphaea Tanagra, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 31. [Drymoica.
coryphaea Thamnobia (Gray), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 40.—
Coryphaspsiza G. R. Gray, List Gen. Birds, 1840, 47.—A.
Coryphe W. S. M'Leay (*ex* Gory MS) in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 23.—
Coryphe J. Gistel, Nat. Thierr. 1848, 174.—Ech. [Col.
Coryphe J. Gistel, Handb. Naturges. 1850 [1847], 575.—Ech.
coryphe Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 8.
coryphe Ommatius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 469.
coryphe Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 266. [[*n. et f.*]].
Coryphegnathus H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxix (June 1850).—A.
Coryphegnathus Reichenbach in C. L. Bonaparte, Consp. gen. Avium, I. June 1850,
Coryphella J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Nud. [450.—A.
Coryphenoides B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 219.—P.
Coryphidea E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 960.—A.
Coryphilus J. Gould, Proc. Zool. Soc. Lond. X (118) Feb. 1843, 165.—A.
Coryphilus H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxxi (June 1850).—A. [*n. et f.*].
Coryphistes T. de Charpentier, Orthopt. (10) 1844, tab. 58.—Orth.
Coryphium J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 344.—Col.
Coryphocera H. Burmeister, Handb. Ent. III. 1842, 220.—Col.
Coryphodon R. Owen, B. Foss. Mamm. (1845), 299.—M. [Gray.
Coryphospiza L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryphaspsiza,
Coryphus Lacepède (*ex* Commerson), H. N. Poiss. III. 1802.—P. [*non binom.*].
Corypticus (? Coryptius, *ex* Dej. Cat.), J. Sturm, Catal. Käfer Samml. 1843, 347.—Col.
Coryptilum P. C. Zeller, Isis (Oken), 1839, 181.—Lep.
Coryptus Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 194.—Col. [*n. n.*].
Corys H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 24.—Ech.
Corys H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxiv (June 1850).—A. [*n. et f.*].
Corysosps Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 301.—Col. [*n. n.*]. [Col.
Coryssomerus C. J. Schoenherr, Isis (Oken), 1825, 583; Curc. disp. meth. 1826, 241.—
Coryssops Dejean, Cat. Coléopt., ed. 3, 1837, 325.—Corysosps, 1835, q. v.
Coryssopus C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 303.—
 Col. [*n. n.*]. [Buffon) Hémiptères, 1843, 79.
Coryssorhaphis *emend. pro* Coryzorhaphis, Spinola; Amyot & Serville (Roret's Suite à
Corystes P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 27.—Cr.
Corystes E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 506.—Col.
Corystion C. S. Rafinesque-S., Car. n. gen. 1810, 24.—P.
Corystium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corystion, Raf.
Corystoides H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 31.
Corythaeolus J. J. Kaup, Isis (Oken), 1828, 1147.—R.
Corythaix C. Illiger, Prod. 1811, 202.—A.
corythaix Basilornis (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 420.—Pastor.
corythaix Heterornis (Wagl.), G. R. Gray, Genera of Birds, II. May 1847, 335.—Pastor.
corythaix Pastor, J. Wagler, Syst. Avium, I. 1827, sign. 67.
corythaix Spelectos, J. Wagler, Syst. Avium, I. 1827, sign. 84.
Corythaixoides A. Smith, S. African Quart. Journ. II., no. 1 (2) Dec. 1833, 48.—A.
Corythalia C. L. Koch, Uebers. Arachnidensyst. V. 1850, 67.—Ar. [[*n. et f.*]].
corythalia Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 3 (Fernando judice 1799)
corythalia Papilio, J. Huebner, Europ. Schmett. (Ziefer) 1805, 7.
Corythea P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 256.—Lep.
Corythia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corydia, Serv.
Corythobatus T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1027.—P.

- Corythoderus* F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. b.—Col.
corythoe Hestia, E. Doubleday (ex Boisd. MS) in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 95 [*n. n.*]. [Leach.]
- Corytholophus* L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corylophus,
Corythophilus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryphilus,
 Wagl. [Gould.]
- Corythophilus* L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryphilus,
Corythopsis C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 93.—A. [Zell.]
- Corythoptilus* L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Coryptilus,
Corythornis J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 71.—A. [*typus* 5 spp. Alcedo].
- Corythrix* J. Fleming, Phil. Zool. II. 1822, 250.—A.
- Corythus* G. Cuvier, R. Anim. I. 1817, 391.—A.
- Corythus* [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 20.—A.
- corythus* Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 440.
- corythus* Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 797.
- Corytophanes* Boie in Férussac, Bull. Sci. IX. 1826, 235.—R. [*n. n.*].
- Corytus* *id. ac* Corythus, Cuv.; A. af Ström, Svenska Foglarna, 1839, 47.
- coryta* Ariadne (Cr.), T. Horsfield, Cat. Lepid. Ins. Mus. E. I. C., expl. pl. 6 (1829).—
 Papilio, 1776.
- corytus* Astraptes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 103.—Papilio, 1777.
- corytus* Entedon, F. Walker, Mon. Chalcid. I. 1839, 116.
- Coryzoplatus* M. Spinola, Ess. Ins. Hémipt. 1837, 148.—Hem.
- Coryzorhaphis* M. Spinola, Ess. Ins. Hémipt. 1837, 353.—Hem.
- Coryzus* L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Corizus, Fall.
- cos* Agrotis (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.) 1837, 181.—Noctua. [[*n. et f.*].]
- cos* Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 154 (Fernaldo iudice 1826—33)
- Coscinaraea* E. & H. 1848; *teste* Marshall, ? *err. pro* Coscinastrea.
- Coscinnastrea* Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Cor.
- Coscinia* J. Huebner, Verz. bekannt. Schmett. [1822], 169.—Lep.
- Coscinia* Dejean, Spec. gén. Coléopt. V. 1831, 478.—Col.
- coscinia* Emydia (Och.), Boisdual, Europ. Lépid. Index, 1829 [1828], 39.—Eyprepia.
- coscinia* Eyprepia, F. Ochsenheimer, Schmett. Europa, III. 1810, 300.
- Coscinopterus* M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 11.—Col.
- Cosciniium* A. Keyserling, Wiss. Beob. Petschora, 1846, 191.—Polyz.
- coscinodiscus* Orbitolites, J. Morris, Cat. Brit. Foss. 1843, 42 [*n. n.*].
- coscinodiscus* Orbitulites, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 21.
- coscinophora* Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 67.
- coscinopleurum* Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843 166.
- Coscinopora* G. A. Goldfuss, Petref. German. I (1) 1826, 30.—Sp.
- Coscinoptera* T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 511.—Col.
- Coscinospira* C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 110 &
cosconius Eulophus, F. Walker, Mon. Chalcid. I. 1839, 145. [131.—Rh.]
- coscoroba* Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 332.—Anas,
 Mol. 1782.
- coscoroba* Cygnus (Mol.), G. R. Gray, Gen. Birds, III. Oct. 1844, 610.—Anas, 1782.
- coscoroba* Olor (Mol.), G. R. Gray, List Birds Coll. B. M. III. 1844, 131.—Anas, 1782.
- cosensis* Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 474, May 1849.
- cosentini* Terebra, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 227.
- Cosila* Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 247.—Hym.
- cosingas* Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 263.
- cosis* Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 68.
- Cosmacanthus* J. L. R. Agassiz, Poiss. F. V. G. R., 120 (1845).—P.
- Cosmacanthus* L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 410.—P.
- Cosmarhynchus* Temm.; *teste* Agassiz, Nom. Zool. (Aves) 1844.—*vide* Casmarrhynchus.
- Cosmella* Nordmann, Mém. présentés Ac. Sci. St Pétersb. IV (6) 1845, 591.—? Inf.
- Cosmema* C. H. Boheman, Ins. Caffr. I (1) 1848, 19.—Col.
- Cosmemma* C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 135.—Hem. [*non binom.*].

- Cosmesus** J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Col.
Cosmetes J. Gistel, Nat. Thierry. 1848, 130.—Col.
Cosmetes J. Gistel, Handb. Naturges. 1850 [1847], 428.—Col.
Cosmethis J. Huebner, Verz. bekannt. Schmett. [1822], 179.—Lep.
Cosmetira E. Forbes, Brit. naked-eyed Medusae, 1848, 42.—Hydroz. [*teste* Stechow].
Cosmetis J. Gistel, Nat. Thierry. 1848, p. viii.—Col.
Cosmetornis G. R. Gray, List Gen. Birds, 1840, 8.—A.
Cosmetus M. Perty, Del. anim. artic. Brasil. (3) 1833, 208.—Ar.
Cosmia J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
Cosmia Ochsenheimer, Schmett. Europa, IV. 1816, 84.—Lep.
Cosmina J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 423.—
Cosmiocomus H. C. Kuester, Käfer Europas, XXI. 1850, 10.—Col. [Dipt.
Cosmisoma J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 19.—Col.
Cosmius A. M. C. Duméril, Zool. Anal. 1806, 282.—Dipt.
Cosmius Perty, Del. anim. artic. Brasil. (2) 1832, 89.—Col.
Cosmocerus Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 321.—Col. [*n. n.*].
Cosmocerus F. E. Guérin-M., Iconogr. 1844, Ins. 219.—Col.
Cosmocerus A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 476.—Col.
cosmodactyla Alucita, J. Huebner, Europ. Schmett., Tab. Alucita, 7 (Fernaldo judice 1823) [*n. et f.*].
cosmodactyla Amblyptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 430.—Alucita.
cosmodactylus Pterophorus (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Jan. 1835, 377.—Alucita.
Cosmogramma W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 157.—Col.
Cosmonessa J. J. Kaup, Skizz. Europ. Thierw. 1829, 46.—A.
Cosmonota Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 197.—Col. [*n. n.*].
Cosmonota E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 30.—Col. [*n. n.*].
Cosmonotus Adams & White in A. White, List Crustacea Coll. B. M. 1847, 129.—Cr.
Cosmonotus Adams & White, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 227.—
Cosmophila J. A. Boisduval, F. Ent. Madagas. (6) 1833, 94.—Lep. [Cr.
Cosmophila J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 242.—
 Lep. [254.
cosmophila Bulla, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
cosmophila Neonympha, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 14.
cosmophorana Grapholitha, F. Treitschke, Schmett. Europa, X (3) 1835, 124.
Cosmophorus J. T. C. Ratzeburg, Die Ichneum. II. 1848, 71.—Hym.
cosmopolita Kolpoda, Bory de St V., Ency. Méth. (Zooeph.) 1827, 475.
cosmopolita Micropteryx (Cuv.), L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 104.—
cosmopolita Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 219. [Seriola.
cosmopolitana Kolpoda, Bory de St V., Dict. Class. H. N. IX. 1826, 138.
Cosmopterix J. Huebner, Verz. bekannt. Schmett. 1826, 424.—Lep.
Cosmopteryx P. C. Zeller, Isis (Oken), 1839, 210.—Lep. [Huebner.
Cosmopteryx L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cosmopterix,
Cosmorhinus C. J. Schoenherr, Isis (Oken), 1823, 1143; Curc. disp. meth. 1826, 196.—
 Col. [*n. n.*].
Cosmorhoe J. Huebner, Verz. bekannt. Schmett. 1826, 326.—Lep.
Cosmosoma J. Huebner, Exot. Schmett. II. Tab. [156] 18—.—Lep. [*n. et f.*].
Cosmosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cosmisoma, Serv.
Cosmotoma Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 338.—Col.
Cosmotriche J. Huebner, Verz. bekannt. Schmett. [1822], 188.—Lep.
Cosmurus H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxxviii (Aug. 1850).—A. [*n. et f.*].
Cosnania *err. pro* Casnonia, Latr.; Dejean, Catal. Coléopt. 1821, 2.—Col.
cosnardi Dictyoptera, Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 46.
cosnardi Psyllobora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 169.
Cosnius Lapeletier & Serville; *teste* Scudder *sed non comp.*
casoni Hemiptera, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 56.
cossi Gamusus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 19.
Cossiformis L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cossodes, White.

- cossivora** Ephialtes, J. Curtis, Guide Brit. Ins. (4) 1829-30, 97 [*n. n.*].
- cossivora** Pimpla, J. Curtis, Brit. Entom. V (53) May 1828, no. 214.
- Cossodes** A. White, N. W. & W. Austr. II. 1841, 477.—Lep.
- Cossonus** J. C. Fabricius, Syst. Eleuth. II. 1801, 496.—Col.
- cossona** Tinea, W. J. Lewin, Prod. Ent. Lep. Ins. N. S. W. 1805, 19.
- cossurae** Rissoa, P. Calcaria, Giorn. Sci. Lett. Sicilia, LXXVI. Oct. 1841, 92; Mon. Spirorbis, 1841, 10. [08] [*n. et f.*].
- cossus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 46 (Fernaldo judice 1802—**cossus** Hepialus (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 299.—Bombyx, 1758.
- cossus** Teredo, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*].
- cossus** Xyleutes (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 195.—Phalaena, 1758.
- Cossypha** N. A. Vigers, Zool. Journ. II (7) Oct. 1825, 396.—A.
- Cossypha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Gossypha*, Less.
- cossyphina** Lampyrus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 28.
- cossyphoides** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 45.
- cossyphoides** Delocrania, F. E. Guérin-M., Magasin de Zool. (2) VI. 1844, pl. 131.
- cossyphoides** Licinus, Duftschmid in Dejean, Catal. Coléopt. 1821, 8 [*n. n.*].
- Cossyphus** C. Duméril, Tabl. élém. d'H. N. 1802; *teste* Agassiz, *mihi non visum sed*
- Cossyphus** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*] [*? vernac.*]
- Cossyphus** "Cuvier," Dumont, Dict. Sci. Nat. XXIX. 1823, 260.—A.
- Cossyphus** Cuvier & Valenc., H. N. Poiss. XIII. 1839, 102.—P.
- Cossyphus** J. McClelland, Calcutta Journ. N. H. IV. 1844, 403.—P.
- costa** Chrysomela, F. Genin, Bull. Soc. H. N. Savoie, I. 1850, 217.
- costa** Cryptophthalmus, N. Prestandrea, Il Progresso, XVIII. 1837, 141.
- costa** Ornismya, Sourcier in Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846).
- costa striata** Purpura, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Aug. 1840, 77.
- costae** Atlanta, E. P. di Mandralisca, Effem. Sci. Lett. Sicilia, XXVIII. Mar. 1840, 148.
- costae** Corbula, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 181.
- costae** Erpetorampus, G. de Natale, Su poche Crost. Messina, 1850.
- costae** Hydrometra, Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 71.
- costae** Leucopsis, Schembri, Ann. Soc. Ent. France [2] V (3) Nov. 1847, p. lxxxvii.
- costae** Lysianassa, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 365.
- costae** Mellisuga (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Ornismya.
- costae** Nereis, A. E. Grube, Actin. Adriat. 1840, 74.
- costae** Ornismya, J. Bourcier, Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 294.
- costae** Rostellaria, D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 193.
- costae** Selosphorus (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 82.—Ornismya.
- costae** Siliquaria, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 394.
- costae** Tellina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 28.
- costae** Trachypterus, A. Cocco, Oss. pesci Messina (*Il Faro*, IV. 1838), 4.
- costae** Tritonia, G. B. Verany in Descr. Genova, I. 1846, 97 & 103. [laena.
- costaestrigalis** Cledeobia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Pha-
- costaestrigata** Lobophora (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Pha-
- costaestrigata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 319. [laena.
- costalis** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 231.
- costalis** Aeschna, H. Burmeister, Handb. Ent. II (2) ii, 1839, 837.
- costalis** Agrotera (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1775.
- costalis** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Hylotoma.
- costalis** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 299.
- costalis** Aphodius, Mannerheim in Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 83. [Clythra.
- costalis** Babia (Foersb.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 430.—
- costalis** Baccha, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 97.
- costalis** Baetis, J. Curtis, Guide Brit. Ins. (5) 1830, 132 [*n. n.*].
- costalis** Baetis, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (20) Feb. 1834, 120.
- costalis** Basicryptus (Germ.), Herrich-S., Wanzenart. Ins. VII (5) May 1844, 82.—Edessa.

- costalis** Brachycentrus, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Sept. 1836, 182.—Philopotamus, 1829.
- costalis** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 616.
- costalis** Campsomeris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 497. [*n. n.*].
- costalis** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*] & var. limbatus, Knoch
- costalis** Cercopis, J. C. Fabricius, Syst. Rhyng. 1803, Index p. 6.
- costalis** Chrysomela, A. G. Olivier, Entom. V. 1807, 513.
- costale** Chrysotoxum, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 172.
- costalis** Cicada, C. F. Fallen, Hemipt. Svec. (2) 1826, 32.
- costalis** Cicada (Fab.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 118.—Tettigonia,
- costalis** Clythra, Foersberg, N. Acta Upsal. VIII. 1821, 271. [1798.]
- costalis** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 448.
- costalis** Copromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2483.
- costalis** Cybister (Fab.), C. Aubé, Spec. gén. Hydroc. 1838, 51.—Dytiscus, 1775.
- costalis** Cyphomyia, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 341.
- costalis** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 278.—Musca, 1794.
- costalis** Derelomus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 93.
- costalis** Diacanthus (Payk.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 76.—Elater,
- costalis** Dioctria, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 6. [1800.]
- costalis** Dismegistus, Reiche & Fairmaire in Ferret & Galinier, Voy. Abyssin. III [1850],
- costalis** Dytiscus, Olivier; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*]. [438.]
- costalis** Edessa, E. F. Germar, Revue Entom. V (3) 1840, 159.
- costalis** Elachistus (Dalm.), C. G. Nees v. E., Hymenopt. Ich. aff. II. 1834, 143.—En-
- costalis** Entedon, Dalman, K. Vet. Ac. Handl. 1820, 174. [tedon.]
- costalis** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 235.
- costale** Glyptoma, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 909.
- costalis** Harmostes, Germar in Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 270.
- costalis** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 224.
- costalis** Hydroptila, J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser., IV (21) Mar. 1834,
- costalis** Hylotoma, J. C. Fabricius, Syst. Piezat. 1804, 24.—Tenthredo, 1775. [218.]
- costalis** Hypsopygia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Feb. 1834, 27.—Phalaena, 1775.
- costalis** Ichthyurus, J. O. Westwood, Cab. Orient. Entom. 1848, 83.
- costalis** Kleidocerys, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65 [*n. n.*].
- costalis** Labidomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52 [*n. n.*].
- costalis** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Miscogas-
- costalis** Lauxania, J. C. Fabricius, Syst. Antliat. 1805, 213. [ter, 1833.]
- costalis** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 59.
- costalis** Limnephilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Jan. 1837, 217.
- costalis** Limnobia, C. R. W. Wiedemann, Anal. Entom. 1824, 10.
- costalis** Lithosia, P. C. Zeller, Isis (Oken), 1847, 16.
- costalis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 47.
- costalis** Ludius (Payk.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, 1800.
- costalis** Lygaeus, Herrich-S., Wanzenart. Ins. VII (2) Sept. 1843, 22.
- costalis** Mantis, H. Burmeister, Handb. Ent. II (2) i, 1838, 532.
- costalis** Mantispia, W. F. Erichson in Germar, Zeitschr. f. d. Entom. I (1) 1839, 164.
- costalis** Megarhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 275.
- costalis** Meroe, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 119 [*n. n.*].
- costalis** Minyops, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 320.
- costalis** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- costalis** Myodochus, Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 96.
- costalis** Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 233.
- costalis** Nautilus (Temnocheilus), Phil.; F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 21.
- costalis** Nemoptera, J. O. Westwood, Tr. Ent. Soc. (Journ.) I. 1835, 75.

- costalis* Ocyptera, H. Loew, Entom. Zeitung, Stettin, V (8) Aug. 1844, 268.
costalis Ortalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 464.
costalis Orthia, J. Hall, N. H. New York (Pal. I.) 1847, 20.
costalis Perla, F. J. Pictet, H. N. Ins. Neuropt. Perlides, 1842, 264.
costalis Philopotamus, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318 [*n. n.*].
costalis Pipiza, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 342.
costalis Plecia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 618.
costalis Pleuropachus (Dalm.), J. O. Westwood, Entom. Mag. IV (5) July 1837, 437.—
 Entedon. [1845], 237.—Baetis, ?Curt.
costalis Potamanthus (Burm.), F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec.
costalis Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent.
 (Mand. VI.) Aug. 1836, 126.
costalis Rhina, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 793.
costalis Rhyncocephalus (Westw.), E. Newman, Entomologist (14) Dec. 1841, 220.—
costalis Salda, R. F. Sahlberg, Mon. Geocoris, Fenn. 1848, 152. [Trichophthalma.
costalis Sciapteryx (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 56.—
 Tenthredo, 1775.
costalis Sciara, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 68.
costalis Selandria (Fab.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 126.—Ten-
 thredo, 1775.
costalis Sepsis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 467.
costalis Serpula, Lamarck, An. s. vert. V. 1818, 367.
costalis Spirifer, Castelnau, Ess. Silur. Amér. sept. 1843, 41.
costalis Stenogaster, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 216.
costalis Stilbopteryx, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 400.
costalis Syrphus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 58 [*n. n.*].
costalis Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 173.
costalis Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 78.
costalis Tetanocera, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 359.
costalis Tettigonia (Fabr.), T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 314.—Cer-
costalis Tipula, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 23. [copis.
costalis Tipula, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 421 [*n. n.*].
costalis Tmesiphorus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 77.
costalis Trichophthalma, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (36)
 June 1835, 448.
costalis Vermetus, L. Rousseau in J. C. Chenu, Illustr. conch. I (23 & 24) 1844, pl. 3
costalis Xestomyza, C. R. W. Wiedemann, Anal. Entom. 1824, 24. [*n. et f.*].
costangularis Neithea (Lam.), C. Drouet, Mém. Soc. Linn. Paris, III. 1825, 188.—Pecten.
costangularis Pecten, Lamarck, An. s. vert. VI (1) 1819, 182. [510.
costana Grapholitha, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836,
costana Lozotaenia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyralis, 1787.
costana Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 346. [1775.
costana Philedone (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix,
costana Tortrix (Fab.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 423.—Pyralis, 1787.
costaria Calyptraea, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 82.
costaria Chemnitzia, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 80.—Tur-
 bonilla, 1842.
costaria Fissurella, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 20.
costaria Fissurella, Desh., z. 20-radiata, H. G. Bronn, Zschr. Min. 1827, II (1828), 538.
costarius Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 532.
costaria Helcion (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 420.—Patella.
costarium Infundibulum (Grat.), H. G. Bronn, Index Pal. 1848, 610.—Calyptraea.
costaria Lucina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
costaria Patella, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 9.
costarius Pecten, Defrance, Dict. Sci. Nat. XXXVIII. 1825, 264.
costarius Pectunculus, Defrance, Dict. Sci. Nat. XXXIX. 1826, 225.
costaria Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 485.
costarius Turbo, G. P. Deshayes, Descr. Coq. char. 1831, 188.

- costaria** Turbonilla, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536 [*n. n.*].
- costaria** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 477.
- costaria** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—
- costasta** Acanthina, G. Fischer, Mus. Démid. III. 1807, 175. [Voluta.]
- costaticollis** Ehippigeria, H. Lucas, Explor. Algér. (Artic. III.) 1849, 17.
- costatipennis** Chariodema, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 117.
- costatipennis** Philax, H. Lucas, Explor. Algér. (Artic. II.) 1846, 328.
- costato-fasciata** Pleurotomaria, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [*n. n.*].
- costato-punctatus** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- costatopunctata** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 76.
- costator** Ichneumon, E. Donovan, Brit. Ins. XIV. 1810, 26.
- costator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 260.
- costato-striatus** Fusus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 23.
- costato-striata** Scalaria (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 217. —Fusus.
- costato-striatus** Turbo, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 17.
- costatula** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 217.
- costatula** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 228.
- costatula** Trigonía, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 421.
- costatus** Acanthocinus, Dejean, Catal. Coléopt. 1821, 106 (2) [*n. n.*].
- costatum** Achilleum, G. A. Goldfuss, Petref. German. I (2) 1829, 94. [1799.]
- costatus** Acocephalus (Panz.), H. Burmeister, Handb. Ent. II (1) 1835, 112.—Cicada,
- costata** Acomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 384.
- costatus** Aganides (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—Goniatis. [492.]
- costata** Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- costata** Alasmidonta, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 318. [1797.]
- costata** Alvania (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo,
- costatus** Alydus, C. P. Thunberg, Hemip. Capen. III. 1822, 4.—Cimex, 1783.
- costata** Amblema, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 315.
- costatus** Ammonites, E. F. v. Schlotheim, Die Petrefact. 1820, 68.
- costatus** Ammonites (Reinecke), C. H. v. Zieten, Pétrif. Wurt. (1) 1830, 5.—Nautilus.
- costatus** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. (2) 1837, 6.
- costatus** Ammophorus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 26.
- costata** Amphithoe, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 378 & 379.
- costatus** Amycterus, d'Urville in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 384.
- costata** Amygdalina, O. G. Costa, Fauna Regno Napoli, Foram., 6 (Feb. 1853).
- costatus** Anacanthus, J. G. Audinet-S., Anr. Soc. Ent. France, I (2) *c.* July 1832, 166.
- costata** Anatina, G. B. Sowerby, I., Proc. Zool. Soc. London, II (20) Oct. 1834, 87.
- costatus** Anculotus, J. G. Anthony, Boston Journ. N. H. III (1) 1840, 278.
- costatus** Ancyloceras, J. Morris, Ann. Mag. N. H. XV. Jan. 1845, 33.
- costatus** Ancyclus, A. Férussac, Dict. Class. H. N. I. 1822, 346.
- costatus** Ancyclus, G. B. Villa, Conch. Ins. Isola Sardegna, 1836 [1] [*n. n.*].
- costatus** Ancyclus, A. & J. B. Villa, Syst. Conch. 1841, 61.
- costatus** Anisorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842,
- costatum** Anobium, Gené in Aragona, Coleopt. Ital. 1830, 16. [311.]
- costata** Anomia, G. Brocchi, Conch. Subap. 1814, 463.
- costatus** Anomites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 62.
- costata** Anthia, H. Gory, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 210.
- costatum** Anthidium, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 140.
- costata** Anthrax, T. Say in Keating, Exp. Peter River, II. 1824, 373; & ed. London, 1825 (App.), 100.
- costatus** Anthribus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- costata** Apate, J. Sturm, Catal. Ins. Samml. 1826, 94 [*n. n.*].
- costata** Aphiodes, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 633.

- costata* Aphis, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 559.
costatus Aptinus, Dejean, Spec. gén. Coléopt. V. 1831, 411.
costatus Aptychus, Voltz, N. Jahrb. f. Min. 1837, 436 [*n. n.*].
costata Aratea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 468.
costata Arca, T. Brown, Trans. Manchester Geol. Soc. 1841, 67.
costatus Ascalaphus, de Winthem in H. Burmeister, Handb. Ent. II (2) ii, 1839, 1000.
costata Asida, G. Fischer de W., Cat. Col. Sibir. [1842], 14.
costatus Ateuchus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 412.
costatus Ateuchus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 21.
costata Auricula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 173.
costata Avicula, W. Smith, Strat. Syst. Org. Foss. 1817, 46.
costata Avicula (Schl.), H. G. Bronn, Gaea Heidelb. 1830, 129.—Mytulites.
costata Baccha, T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 161.
costatus Bagous, Gyll.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
costatus Balanus (Don.), G. Montagu, Test. Brit. I. 1803, 11.—Lepas, 1800.
costatus Bellerophon, J. De C. Sowerby, Min. Conch. V. 1824, 110.
costata Beroe, Reynaud in R. P. Lesson, Cent. Zool. (4-12) ante Mar. 1831, 85.
costata Blaps, J. Sturm, Catal. Ins. Samml. 1826, 101 [*n. n.*].
costata Blepusa, J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 70.
costatus Blossyrus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 540.
costatus Bodianus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 417.
costatus Bolitophagus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 421.
costata Bolivina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 62.
costatus Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 408.
costatus Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 687.
costatus Brachypus, L. Guilding, Zool. Journ. IV (14) Oct. 1828, 167.
costatus Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 160.—
 Curculio, 1787.
costatus Brontes, G. v. Muenster, Beitr. zur Petref. (3) 1840, 41.
costatus Bruchus, E. Blanchard, Ann. Soc. Ent. France [2] II (4) Ap. 1845, p. lxxxiv.
costatus Buccardites, E. F. Schlotheim, Tasch. Min. 1813, 72.
costatum Buccinum, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 197.
costatum Buccinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 417.
costatum Buccinum, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 30.
costata Bulimina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 269 [*n. n.*].
costatus Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 111.
costata Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 307.
costata Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 45.
costata Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 88 [*n. n.*].
costatus Calliocrinus (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.—
 Calyptraea, T. Say, Amer. J. Sci. II (1) Ap. 1820, 40. [Eugeniocrinites].
costata Calyptraea, J. E. Gray, Ann. Phil. XXV. June 1825, 407.
costata Cancellaria, G. B. Sowerby, II., Gen. Shells (5) 1821.
costata Cancellaria, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (13) 1833, f. 42;
costata Cancellaria, I. Lea, Contrib. to Geol. 1833, 141. [Catal. (200) 1841, 7.
costata Cancellaria, P. Calcare, L'Occhio, V. —, no. 143; Rev. Zool. (Soc. Cuv.) VIII.
 Aug. 1845, 281; Cenne Moll. Sicilia, Dec. 1845, 37.
costata Canthidonus (Sow.), W. Swainson, Treat. Malacol., May 1840, 342.—Melano-
costata Caprina, A. d'Orbigny, Rev. Zool. (Soc. Cuv.) II. June 1839, 170. [psis.
costata Capsa, G. Fischer, Mus. Démid. III. 1807, 254.
costatus Carabus, Hoffmannsegg in Dejean, Catal. Coléopt. 1821, 6 [*n. n.*].
costata Cardinia (Morris), J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 156.—Ortho-
costatum Cardium, G. Perry, Conchology, Ap. 1811, pl. 57. [nota.
costatus Catillus, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 226.
costata Catoplatus (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 167.—Tingis.
costata Centrura, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 62.
costatus Ceratopogon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 821.
costatum Cerithium, Defrance, Dict. Sci. Nat. VII. 1817, 522.

- costatum** Cerithium, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 327.
- costatum** Cerithium (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 26.—Strombus, ? Gm. 1790.
- costatum** Cerithium (Don.), J. Fleming, Hist. Brit. Anim. 1828, 357.—Strombus, ? Gm. 1790 *vel* Pult. 1799.
- costata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 123.
- costata** Chama, G. Perry, Conchology, Ap. 1811, pl. 59.
- costata** Chama, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 67.
- costata** Chama, J. C. Chenu, Illustr. conch. II (47) 1845, pl. 7 [*n. et f.*].
- costata** Chelonia, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 213.
- costatus** Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 548.
- costatus** Chiton, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 8.
- costata** Chlorida, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 32.
- costata** Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- costata** Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 362.
- costatus** Chrysops, J. C. Fabricius, Syst. Antliat. 1805, 112.—Tabanus, 1794.
- costatus** Cilibe, A. J. Solier, Baudi & Truqui, Studi Ent. I. 1848, 355.
- costata** Cingula (Adams), J. Fleming, Hist. Brit. Anim. 1828, 305.—Turbo, 1797.
- costata** Cistula (Menke), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 58.—Cyclostoma.
- costata** Clausilia, Ziegler in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 42.
- costata** Clausilina, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. *e*.
- costata** Clavatula (Da C.), S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 58.—Buccinum, 1778.
- costatus** Cleonus, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 60.
- costatus** Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 220.—Curcu-
- costata** Clepsine, Fried. Mueller, Arch. f. Naturg. XII (1) 1846, 82. [lio, 1878.]
- costatum** Cnemidium (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 389.—Scyphia.
- costata** Coccudina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 446.
- costata** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*]. [1787.]
- costatus** Coleotichus (Fab.), A. White, Mag. Nat. Hist. III (35) Nov. 1839, 541.—Cimex,
- costata** Columbella, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 331.
- costata** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 12 [*n. et f.*].
- costata** Comatula (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 381.—Solanocrinites.
- costata** Cominella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 72.—Buccinum.
- costata** Conis (Muenst.), W. Lonsdale, Q. J. Geol. Soc. London, V. 1849, 63.—Achil-
- costatus** Conocephalus, J. C. Zenker, Beitr. Nat. Urwelt, 1833, 49. [leum.]
- costata** Conops, J. C. Fabricius, Syst. Antliat. 1805, 175.
- costatus** Conus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 398.
- Conus**, W. Wood (*non* Gm.), Index Test. 1818, 73.
- costata** Copris, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [*n. n.*].
- costata** Coptomia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 551.—Cetonia.
- costatus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 633.
- costata** Corbula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 223.
- costata** Corbula, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 165.
- costata** Corniculina, G. v. Muenster, N. Jahrb. f. Min. 1842, 98.
- costatus** Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 375.—Phal. costalis, Fab.
- costata** Crania, G. B. Sowerby, II., Gen. Shells (12) 1823.
- costata** Crepidula, G. B. Sowerby, II., Gen. Shells (23) 1824.
- costata** Crepidula, S. G. Morton, J. Acad. Nat. Sci. Philad. VI. July 1829, 115.
- costata** Crepidula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 26 (D*).
- costata** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 292.
- costata** Crypta, J. E. Gray, Figs. Moll. Anim. IV. 1850, 83.
- costatum** Cryptochile (Fab.), A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 252.—Pimelia, ? Gm. 1789.
- costatus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].

- costatus* Cuneus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 50.
costata Cupulospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 288.
costatus Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 530.
costata Cuveriana, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 472 [*n. n.*].
costata Cyathaxonia, F. McCoy, Ann. Mag. N. H. (2) III. Jan. 1849, 6.
costatum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 33.
costatum Cyclostoma, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (42) Oct. 1823, 244.
costatum Cyclostoma, K. T. Menke, Zeitschr. f. Malakozool., Mar. 1846, 47. [*n. n.*].
costata Cylindrella (Guild.), R. A. Philippi, Abb. Conch. I (8) 1844, 183.—Brachypus.
costata Cypraea, D. Solander, Catal. Portland Mus. 1786, 30 [*n. n.*].
costata Cyrtocera, G. v. Muenster, Beitr. zur Petref. (1) 1839, 34.
costata Cythere, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 165.
costata Cytherea (Gm.), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 106.—Venus, 1790.
costata Delphinula (Br.), H. G. Bronn, Zschr. Min. 1827, II (1828), 537.—Nerita.
costatus Dendarus, J. Sturm, Catal. Ins. Samml. 1826, 130 [*n. n.*].
costata Dentalina, E. Eichwald, Paleont. Rossii, 1850, 22.
costata Dentalina, F. de Pourtalès, P. Amer. Assoc. 1850 (1850), 88.
costatum Dentalium, J. Sowerby, Min. Conch. I. 1814, 162.
costata Derbe, J. C. Fabricius, Syst. Rhyng. 1803, 81. [Lagostomus.
costatus Dermatodes (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 896.—
costatum Desmophyllum, Edwards & Haine, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
costata Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 96. [254.
costata Disputaea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 132.—Calyptreaea,
costatum Dolium, C. T. Menke, Conch.-Samml. Malsburg, 1829, 35. [1820.
costatum Dolium, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 144.
costatus Donacites (L.), E. F. v. Schlotheim, Die Petref. 1820, 193.—Trigonia, Park.
costata Donax, J. C. Zenker, Beitr. Nat. Urwelt, 1833, 55. [1788.
costatus Doras (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 116.—Silurus,
costata Doras, J. Hancock, Zool. Journ. IV (14) Oct. 1828, 242.
costata Drosophila, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 776.
costatus Echinus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 370.
costata Emarginula, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 384.
costatus Erodium, Klug in Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 539.
costata Eschara, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Dec. 1836, 338.
costata Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 72.
costata Escharina, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 14.
costata Euchlora, F. W. Hope (*ex* De Haan MS), Proc. Zool. Soc. London, VII (77) Oct. 1839, 73.
costatus Eugeniocrinites, W. Hisinger, Lethaea Svecica, 1837, 90.
costatus Eulachus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 275.
costatus Euomphalus, W. Hisinger, Anteckn. Physik Geogn. V. 1831, 114.
costatus Euomphalus, S. Woodward, Geol. Norf. 1833, 41.
costata Eurytoma, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 177.
costata Exogyra, T. Say, Amer. J. Sci. II (1) Ap. 1820, 43.
costata Fasciolaria, DeFrance, Dict. Sci. Nat. XVI. 1820, 197. [1841, 119.
costata Fasciolaria, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III.
costata Fissurella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 410.
costata Fissurella, J. E. Gray in Sowerby, II., Conch. Illustr. (72) 1835, f. 28; Catal. (80) 1835, 5.
costatum Flabellum, Bellardi in H. Michelin, Icon. Zoophyt. (24-27) 1847, 271.
costatus Fossarus (Broc.), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 148.—Nerita.
costatus Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 45.—Murex, Penn. 1777.
costatus Fusus (Penn.), J. Fleming, Hist. Brit. Anim. 1828, 349.—Murex, 1777.
costatus Fusus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 206.
costatus Fusus, W. Hisinger, Lethaea Svecica, 1837, 43.

- costatus** Fusus, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 6.
costatus Gaulodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 316.
costatus Geoborus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 194. [45.
costatus Georissus, F. L. de Laporte in Brullé, H. N. Anim. art. (Coléopt.) II. 1840,
costatus Goldius (Muenst.), L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 6.—
 Brontes.
costatus Goniattites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 340.
costata Graptodera, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 173.
costatus Gronops (Gyll.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Rhynchaenus.
costata Gymnosoma (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 205.
 —Musca.
costatum Gyrocera (His.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 27.—
costata Haliotis, W. Swainson, App. Cat. Bligh. 1822, 3. [Inachus.
costata Hallirhoa, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 72.
costatus Hamites, T. Brown, Ill. Foss. Conch. G. B. I. (1) 1837, 3.
costata Harpula, W. Swainson, Treat. Malacol., May 1840, 119.
costata Helicina, J. E. Gray, Zool. Journ. I (1) Mar. 1824, 67.
costatus Helluo, F. A. Bonelli, Mém. Ac. Sci. Turin, 1811–12 (1813), 455.
costatus Helopinus, Spinola in Baudi & Truqui, Studi Ent. I. 1848, 199.
costata Hemithiris, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 286.
costatus Heterogaster, Herrich-S., Wanzenart. Ins. VI (2) Nov. 1840, 34.
costata Heterostegina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 212.
costata Hippolyte, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 159.
costatus Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 489.
costatus Hister, J. Sturm, Catal. Ins. Samml. 1826, 152 [n. n.].
costatus Hydrochus, Dejean, Catal. Coléopt. 1821, 50 [n. n.].
costata Hylotoma, C. F. Fallen, K. Vet. Ac. Nya Handl. XXIX (1) 1808, 45.
costatus Hyphyrus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 31.
costatus Hypsonotus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 262.
costatus Inachus, W. Hisinger, Lethaea Svecica, 1837, 38.
costata Isoarca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 138.
costatus Jassus (Panz.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 92.—Cicada,
 1799.
costatus Lagostomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 616.
costatus Latridius, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 242.
costata Leguminaria, C. F. Schumacher, Essai Vers. test. 1817, 126.
costata Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
costata Lepas (Mont.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 24.—
 Balanus.
costata Leptaena (Sow.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 94.—Producta.
costata Leptaena, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 142.
costatus Leucothyreus, H. Burmeister, Handb. Ent. IV (1) 1844, 498.
costata Lima, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 79.
costata Lineolaria, Muenster; D. T. Ansted, Geology, II. 1844, p. xi.
costata Lingulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 62.
costata Linyphia, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 31. [598.
costatum Lithodendron, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845,
costata Lottia, G. B. Sowerby, I., Zool. "Blossom," 1839, 147.
costata Lucina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 586. [[n. n.].
costatus Lyperopherus, Ménétries in V. v. Mochulski, Kaefer Russl., post May 1850, 49
costatum Lyridon (Park.), H. G. Bronn, Lethaea Geogn. I (4) 1836, 364.—Trigonia.
costatum Lyrodon (Park.), G. A. Goldfuss, Petref. German. II (6) 1837, 201.—Trigonia.
costata Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 59.
costata Machaera (Say), A. A. Gould, Rep. Invert. Massach. 1841, 34.—Solen.
costatus Magilus, J. C. Chenu, Illustr. conch. I. Magilus, 1843, 2.
costata Mangelia (Penn.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—
costata Marginella, E. Eichwald, Nat. Lithuae, 1830, 221. [Murex, 1777.
costatus Megalophthalmus, Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 132.

- costatus* Melampus (Q. & G.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 107.—
costata Melanea, J. Sowerby, Min. Conch. III. 1819, 71. [Auricula.
costata Melania, G. A. Olivier, Voy. Othoman, IV (1804), 157.
costata Melania, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 314.
costata Melania, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 155.
costata Melanopsis (Oliv.), J. B. Férussac, Essai Méth. Conch. 1807, 71.—Melania.
costata Melanopsis, Lamarck, Ency. Méth. (Vers) 1816, pl. 458, Liste p. 12 [*n. et f.*].
costata Melanopsis, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 15, 1822
costata Melanopsis, G. B. Sowerby, II., Gen. Shells (22) 1824. [[*n. et f.*].
costata Melanopsis (Oliv.), J. R. Roth, Moll. Orient, 1839, 25.—*var. jordanica*, Roth.
costata Melatoma (Sow.), W. Swainson, Treat. Malacol., May 1840, 342.—Melanopsis.
costata Meria, T. Say, Boston Journ. N. H. I (4) 1837, 361.
costata Mesostena, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 238.
costatus Microgaster, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 404.
costatus Micropeplus, J. L. Leconte in Agassiz, Lake Superior, 1850, 221.
costatus Minyops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 288.
costata Monanthia (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 261.—Tingis.
costatum Monoceros, G. B. Sowerby, I., Proc. Zool. Soc. London, III (28) July 1835, 50.
costata Mopsea, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 42.
costata Mouretia, C. F. F. Krauss, Südafrik. Moll. 1848, 57.
costatus Muricites, E. F. v. Schlotheim, Die Petref. 1820, 146.
costata Musca, G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 23.
costata Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 179.
costata Myoconcha (Brown), R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 245.
costatus Myoparo, I. Lea, Contrib. to Geol. 1833, 74 [P. *costatus*]. [—Arca.
costatus Mytilus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 55.
costatus Mytulites, E. F. Schlotheim, Tasch. Min. 1813, 105 [*n. n.*].
costatum Myzostoma, F. S. Leuckart, Isis (Oken), 1830, 613.
costata Natica, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 47. [Naticella.
costata Natica (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 189.—
costata Naticella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 101.
costatus Nautilus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 63.
costatus Nautilus, G. Montagu, Test. Brit. I. 1803, 199.
costatus Nautilus, G. Brocchi, Conch. Subap. 1814, 453.
costatus Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 87.
costatus Nautilus, G. Fischer v. W., Oryct. Moscou, 1830, sign. b⁴. [—Anatina.
costata Neaera (Sow.), R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 77.
costatus Nemaphorus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 491.
costata Nemoptera, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838), 94.
costata Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 13.
costata Nerita, G. Brocchi, Conch. Subap. 1814, 300.
costata Nerita, C. F. Schumacher, Essai Vers test. 1817, 187.
costata Nerita, J. De C. Sowerby, Min. Conch. V. 1824, 94.
costata Nitidula, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 64.
costata Nodosaria (Mont.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 253.—
costata Nonionina, F. A. Roemer, N. Jahrb. f. Min. 1838, 392. [Nautilus.
costata Nucula, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 4. [1844, 120.
costata Nyctipates, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
costata Ocyptera, C. F. Fallen, K. Vet. Ac. Handl. 1815 (2) 1816, 239.
costatus Odonæus, J. Sturm, Catal. Ins. Samml. 1826, 175 [*n. n.*].
costatus Odontopus, G. Silbermann, Revue Entom. I. 1833, Descr. d'esp. nouv., no. 4.
costatus Ommatius, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 188.
costatum Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 31.
costatum Opatrum, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 218.
costata Operculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 281 [*n. n.*].
costatus Ophion, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 79.
costatus Orectochilus, Gory in C. Aubé, Spec. gén. Hydroc. 1838, 732.
costata Orsodachna, E. Newman, Entom. Mag. V (4) Ap. [i.e. July] 1838, 391.

- costata** Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 639.
costata Orthis, J. Hall, Amer. J. Sci. XLVIII (2) Ap. 1845, 295.
costata Orthonota, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 273.
costata Ortygia, T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 13 [*n. et f.*].
costata Ostrea, J. De C. Sowerby, Min. Conch. V. 1825, 143.
costata Ostrea, J. Steininger, Bemerk. Verst. Eifel, 1831, 40.
costata Paludina, Quoy & Gaimard in d'Urville, Voy. "Arolastre," Zool. III (1834), 170.
costatus Paracairius, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 91 [*n. n.*].
costata Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 415.
costatus Patellites, E. F. v. Schlotheim, Die Petref. 1820, 113.
costatus Pecten, C. F. Schumacher, Essai Vers test. 1817, 119.
costatus Pectunculus, J. Sowerby, Min. Conch. I. 1813, 72.
costatus Pedonoees, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 35.
costata Pentetagonaster, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.
costatus Periechocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 204.
costatus Periechocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 110 [*n. n.*].
costata Petalophora, J. O. Westwood, Cab. Orient. Entom. 1848, 85.
costata Petricola, Lamarck, Syst. Anim. 1801, 121.
costata Petricola, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 163.
costatus Phaenithon (Dej.), C. J. Schoenherr, Isis (Oken), 1823, 1135.—Anthribus.
costata Phasma, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 297.
costatus Philonthus, F. Baudi in Baudi & Truqui, Studi Ent. I. 1848, 128.
costata Pholas, H. D. de Blainville, Man. Malac. 1825, 577.
costatus Phylax, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 69.
costata Phyllodoce, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 304.
costatus Pileolus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
costata Pimelia, J. C. Fabricius, Syst. Eleuth. I. 1801, 132.
costata Pinna, J. Phillips, Geol. Yorksh. II. 1836, 211.
costatus Planites, W. de Haan, Mon. Ammon. 1825, 92. [78].
costatus Planorbis, v. Klein, Jahresh. Ver. vat. Naturk. Württ. II (1) 1846 (*post* Mar.),
costata Planularia, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 253.
costatus Plastologus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 141.
costata Platystrophia (Pand.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 106.
 —Porambonites. [Testacella].
costatus Plectrophorus (Bosc), A. E. Férussac, H. N. g. et p. Moll. II (1) 1819, 86.—
costatus Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 80. [Arca].
costatus Pleurophorus (Brown), W. King, Ann. Mag. N. H. XIV. Nov. 1844, 313.—
costata Pleurotoma (Costa), H. D. de Blainville, Faune Française (20) Malac. 1829, 103.
costatum Pleurotoma, E. Eichwald, Nat. Lithuaen, 1830, 225. [—Buccinum, 1778].
costata Pleurotoma, L. Reeve (*ex* Gray MS), Conch. Icon.—Pleurotoma, no. 298, Dec.
 1845. [Schizostoma].
costata Pleurotomaria (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 69.—
costata Pleurotome, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (6) 1808, 36.
costata Plusiotis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850
 [*ineunte* 1851], 210.
costata Polyglypta, H. Burmeister, Handb. Ent. II (1) 1835, 142.
costatus Polyscopus, J. Walth, Reise Tyrol etc. (2) 1835, 74.
costata Polystomella (F. & M.), Lamarck, An. s. vert. VII. 1822, 625.—Nautilus, 1798.
costata Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 96.
costata Porcellia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 195.—
 Schizostoma.
costata Posidonia, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 78.
costata Posidonomya, G. v. Muenster, Beitr. zur Petref. (5) 1842, 117.
costata Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 222.
costatus Prepodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 18.
costatus Prochilodus, Cuvier & Valenci., H. N. Poiss. XXII. 1849, 79.
costata Producta, J. De C. Sowerby, Min. Conch. VI. 1827, 115.
costatus Productus, G. Fischer v. W., Oryct. Moscou, 1830, sign. c⁴.

- costata Pronites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 73. [37.]
- costatus Psammeticus, Guérin in Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838,
- costatus Psammeticus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 95.
- costata Psammobia, L. Reeve, Proc. Zool. Soc. London, X (116) Jan. 1843, 122.
- costata Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 137.
- costata Pterocera (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 357.—
- costatus Ptilinus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 329. [Rostellaria.]
- costatus Ptynx, A. Lefebvre, Magasin de Zool. (2) IV. 1842, text to pl. 92. [231.]
- costata Purpura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
- costata Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79.
- costata Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301 [*n. n.*].
- costata Ranella, A. Risso, H. N. Europe, IV. 1826, 202. [Murex, 1777.]
- costata Raphitoma (Penn.), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 625.—
- costata Retepora, F. v. Hagenow, N. Jahrb. f. Min. 1840, 646.
- costata Rhamphomyia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 431.
- costata Rhinaria, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 189.
- costatus Rhodocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
- costatus Rhodocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 202.
- costatus Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 89.
- costatus Rhyzodes, Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 58.
- costata Ringicula (Eich.), H. G. Bronn, Index Pal. 1848, 1089.—Marginella.
- costata Rissoa, Fréminville, Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 7.
- costata Rissoa, S. Loven, K. Vet. Ac. Handl. 1839 (1841), 241.
- costata Rissoa, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 9.
- costata Rissoa (Mont.), J. Morris, Cat. Brit. Foss. 1843, 161.—Turbo, ? Pult. 1799.
- costata Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 288 [*n. n.*].
- costata Robulina (F. & M.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 289.—
- costata Rostellaria, DeFrance, Dict. Sci. Nat. XLVI. 1827, 298. [Nautilus, 1798.]
- costata Rostellaria, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 419 [*n. et f.*].
- costata Rostellaria, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 146.
- costata Rotella, Valenciennes in L. C. Kiener, Spec. Coquilles (Rotella) 1838-39, 10.
- costata Salpa, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 37.
- costata Saperda, Dejean, Catal. Coléopt. 1821, 109 [*n. n.*].
- costata Saperda, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 112.
- costata Sapromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 266.
- costata Sarcinula, G. A. Goldfuss, Petref. German. I (1) 1826, 73.
- costatus Saurichthys, G. v. Muenster, Beitr. zur Petref. (1) 1839, 118.
- costata Saxicava, C. T. Menke, Syn. meth. Moll. 1828, 73 [*n. n.*].
- costata Scalaria, F. Cantraine, Bull. Ac. Roy. Brux. IX (2) 1842, 345.
- costatus Scaphites, G. A. Mantell, Foss. South Downs, May 1822, 120.
- costatus Scarites, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 126.
- costata Scolopendra, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 367.
- costata Schizostoma, G. v. Muenster, Beitr. zur Petref. (4) 1841, 106. [287.]
- costata Sciara, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818,
- costata Scissurella, A. d'Orbigny, Mém. Soc. H. N. Paris, I (2) 1824, 344.
- costatus Sclerognathus, F. W. Hope (*ex* Burn. MS), Cat. Lucanoid Coleopt. 1845, 27.
- costatum Sclerostoma (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845
[Nov. 1844], 260.—Strongylus.
- costatus Sclerostomus, H. Burmeister, Handb. Ent. V. 1847, 426.
- costata Scolopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 166.
- costata Scopolia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 252.—
Ocyptera.
- costatus Scotobius, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 16.
- costata Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 6.
- costatum Sepidium, D. H. Schneider, Verz. Insectensamml. 1828, 77 [*n. n.*].
- costata Serpula, F. v. Hagenow, N. Jahrb. f. Min. 1840, 669.
- costatus Sigaretus (Br.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 127.—Nerita.
- costata Silpha, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 167.

- costata** Siphonaria, G. B. Sowerby, I., Proc. Zool. Soc. London, III (25) Ap. 1835, 6.
costata Siphonaria, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 192. [rhoa.
costata Siphonia (Lamx.), H. G. Bronn, Lethaea Geogn. II (7 & 8) 1837, 592.—Halli-
costata Siphonostoma, Guilding in W. Swainson, Treat. Malacol., May 1840, 168 & 333.
costata Sitionia, G. Fischer de W., Cat. Col. Sibir. [1842], 24.
costatus Solanocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 166.
costatus Solen, T. Say, J. Acad. Nat. Sci. Philad. II. Sept. 1822, 315.
costatus Solen, J. C. Chenu, Illustr. conch. I (18 & 19) 1843, pl. 8 [*u. et f.*].
costatus Sphaerotus, De Brême, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 108; Mon. Coléopt. 1842, 15. [1798.
costatus Spincterules (F. & M.), Denys de Montfort, Conch. I. 1808, 223.—Nautilus,
costata Spirifera, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 55.
costatus Spondylus, Lamarck, An. s. vert. VI (1) 1819, 189.
costata Squilla, W. de Haan in Siebold, F. Japon. (Crust. 1849), 223.
costata Steira, J. O. Westwood in Magasin de Zool. VII. 1837, pl. 176.
costata Stellspongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391. —Achilleum.
costata Stenomorphia, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 490.
costata Stomatia (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [2 1822], 352.
costata Strepsidura, W. Swainson, Treat. Malacol., May 1840, 308. [—Nerita.
costatus Strongylus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 647. [Ocyptera.
costata Tachina (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 419.—
costatus Tapenopsis, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 218.
costata Tellina, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 148.
costatus Tenebrio, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 97.
costata Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 142.
costata Terebra, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 309.
costata Terebra, C. T. Menke, Syn. meth. Moll. 1828, 51.
costata Terebra, I. Lea, Contrib. to Geol. 1833, 166. [Volutacea (11) 1839, 26.
costata Terebra, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2,
costata Terebratula, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,
costata Terebratula, R. T. Lowe, Zool. Journ. II (5) Ap. 1825, 105. [1809, 23.
costata Terebratula (Wahl.), S. Nilsson, Petrif. Suec. 1827, 37.—Anomites.
costatus Termes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 305.
costata Testacella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 240.
costata Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 135.—Cimex, 1787.
costatus Thylacites, J. Sturm, Catal. Ins. Samml. 1826, 202 [*u. n.*].
costata Tingis, J. C. Fabricius, Syst. Rhyng. 1803, 125.—Acanthia, 1794.
costata Tingis, P. S. Schilling, Uebers. Arb. schles. Ges. 1837 (1838), 105.
costatus Trachodes, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 409.
costatus Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 438.
costatus Trigonellites (Schl.), J. F. Krueger, Gesch. d. Urwelt (2) 1823, 443.—Donacites.
costata Trigonina, J. Parkinson, Org. Rem. III. 1811, 175.
costatus Trox, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 30.
costata Truncatella, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 356. [239.
costata Turbinolia, H. M. Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
costatus Turbo, E. Donovan, Brit. Shells, 1804, pl. clxxviii.
costatus Turbo, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
costatus Turbo, Beudant, Ann. Mus. H. N. (Paris) XV (87) *inter* Ap.—Sept. 1810, 202.
costatus Turbo, Lamarck, An. s. vert. VII. 1822, 50.
costatus Turbo, S. d. Chiaje, Descr. An. invert. Sicilia, II. 1841, 133. [1797.
costata Turbonilla (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo,
costata Turritiles, Lamarck, Syst. Anim. 1801, 102.
costata Turritella, J. De C. Sowerby, Min. Conch. VI. 1827, 126.
costata Turritella, C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 43.
costata Turritella, T. Brown, Ill. Foss. Conch. G. B. I. (17, 18) [1843], 70.
costatus Turrites (Roissy), W. de Haan, Mon. Ammon. 1825, 76.—Turritiles, Lam.

- costatum** Unicardium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 52.
- costata** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys.—(Bruxelles) V. Sept. 1820, 315.
- costatus** Unio, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 223.
- costatus** Unio, G. A. Goldfuss, Petref. German. II (6) 1837, 182.
- costata** Vaginalina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258 [*n. n.*].
- costatus** Venericardites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 447.
- costata** Venus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 175.
- costata** Venus, Solander in L. W. Dillwyn in Lister, Index Conch., ed. 3, 1823, 20.
- costata** Venus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 521.
- costata** Venus, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 90.—Ortygia, 1827.
- costata** Voluta, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XVII (33) Ap. 1824, 33.
- costata** Voluta, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 221.
- costatus** Nylocharis, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 33.
- costatus** Zophobas (Guér.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 118.—Tenebrio.
- costazii** Cellepora, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyps) 1826, 237.
- Costellaria** W. Swainson, Treat. Malacol., May 1840, 320.—G.
- costellaris** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 206.
- costellaris** Tiara (Lam.), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra.
- costellaris** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 548.—Mitra.
- costellaris** Voluta, W. Wood (*ex* Chemn.), Index Test. 1818, 97.
- costellaria** Bulla, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 89.
- costellaria** Pleurotoma, H. Nyst, Messenger des Sci. XIV. 1836, 172.
- costellatus** Acteon, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 45.
- costellata** Acteon, Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 280.
- costellata** Acteon, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847], Plicacéens, pl. 1.—Auricula, 1828.
- costellatus** Ammonites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 320 [*n. n.*]; *ibid.* V (1) 1842, 15.
- costellata** Auricula, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 107.
- costellata** Avicula, Lamarck, An. s. vert. VI (1) 1819, 149.
- costellatum** Buccinum, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847], Buccins, pl. 1.—Nassa, 1834.
- costellatus** Bulimus, J. Sowerby, Min. Conch. IV. 1822, 89 (pl. 366).
- costellatus** Bulimus, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 99.
- costellata** Byssosarca, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 72.
- costellata** Calyptraea, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 62.
- costellata** Cardiomorpha (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 133.—Sanguinolites.
- costellata** Cardita, DeFrance, Dict. Sci. Nat. VII. 1817, 91.
- costellatum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 202.
- costellatum** Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 31.
- costellatum** Cerithium (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 156.—Nassa.
- costellata** Chemnitzia (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 311 & 342.—Melania.
- costellata** Clymenia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 11 [=var. of striata].
- costellata** Columbella, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829,
- costellatus** Conoclypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 168. [376.
- costellatus** Conus, Grateloup, Actes Soc. Linn. Bordeaux, VII (39) 1835, 109.
- costellata** Corbula, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 86.
- costellata** Cucullaea, J. De C. Sowerby, Min. Conch. V. 1824, 67.
- costellata** Cucullaea, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*].
- costellata** Cytherina, F. A. Roemer, N. Jahrb. f. Min. 1838, 517.
- costellata** Dentalina (Rss.), H. G. Bronn, Index Pal. 1848, 411.—Nodosaria (D.).
- costellata** Diastoma, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 46.
- costellata** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 5.
- costellata** Leptæna, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 15 [*n. n.*].

- costellata** Margarita, G. B. Sowerby, I., *Malac. Conch. Mag.* (1) 1838, 26.
costellata Melania, Lamarck, *Ann. Mus. H. N. (Paris)* IV (24) Aug. 1804, 430.
costellata Melania, Lam. *var. roncana*, Al. Brongniart, *Mém. terr. Vicentin*, 1823, 59.
costellatus Melanites, J. F. Krueger, *Gesch. d. Urwelt* (2) 1823, 399.
costellata Melanopsis, Férussac, *Mém. Soc. H. N. Paris*, I (1) 1823, 157.
costellatus Muricites, E. F. v. Schlotheim, *Die Petref.* 1820, 152.
costellata Nassa, Grateloup, *Actes Soc. Linn. Bordeaux*, VI (37) 1834, 275.
costellata Nassa, J. De C. Sowerby, *Tr. Geol. Soc. London* [2] IV. 1836, 344. [17.
costellatus Nautilus (Discites), F. M'Coy in Griffith, *Syn. Carb. Lst. foss. Ireland*, 1844,
costellatus Nautilus (M'Coy), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 110.—
 Nautilus (Discites). [77.—Corbula.
costellata Neera (Desh.), R. B. Hinds, *Proc. Zool. Soc. London*, XI (125) Dec. 1843,
costellata Nerita, Muenster in G. A. Goldfuss, *Petref. German.* III (8) 1844, 115.
costellata Nodosaria, A. E. Reuss, *Verst. boehm. Kreidef. I.* 1845, 27.
costellata Nucula, G. B. Sowerby, I., *Proc. Comm. Sci. Zool. Soc. London* (25) Mar.
 1833, 198.
costellata Ovula, Lamarck, *Ann. Mus. H. N. (Paris)* XVI (92) *post* Oct. 1810, 110.
costellata Perna, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VII. *post* June 1837, 246.
costellata Petricola, Lamarck, *An. s. vert. V.* 1818, 504.
costellata Pholadomya, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (2) 1845, 55.
costellatus Planulites, G. v. Muenster, *Die Planuliten*, 1832, 13.
costellata Pleurotoma, Lamarck, *Ann. Mus. H. N. (Paris)* III (15) Jan. 1804, 168.
costellata Producta, F. M'Coy in Griffith, *Syn. Carb. Lst. foss. Ireland*, 1844, 108.
costellata Pterocera (Buv.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 356.—
 Rostellaria.
costellata Ptilodictya, F. M'Coy, *Ann. Mag. N. H.* (2) VI. Oct. 1850, 287.
costellatus Pygaster, L. Agassiz, *Mon. Ech. III.* 1842, 81 [Cat. ect. Ech. 1840].
costellata Rissoa, S. V. Wood, I., *Ann. Mag. N. H. IX.* Sept. 1842, 533 [*n. n.*].
costellata Rissoa, Grateloup, *Actes Soc. Linn. Bordeaux*, X (52) 1838, 199.—Bulimus,
 1828. [536.
costellata Rostellaria, A. Buvignier in Sauvage & B., *Stat. min. géol. Ardennes*, 1842,
costellata Rostellaria, A. Buvignier, *Mém. Soc. Philom. Verdun*, II. 1843, 249.
costellatus Sanguinolites, F. M'Coy in Griffith, *Syn. Carb. Lst. foss. Ireland*, 1844, 48.
costellata Scalaria, G. P. Deshayes, *Descr. Coq. foss. Paris*, II. 1832, 200. [30.
costellata Stomatella, A. Adams, *Proc. Zool. Soc. London*, XVIII (202) Nov. 12, 1850,
costellatus Strongylus, F. Dujardin (Roret's Suite à Buffon), *Helminthes*, 1845 [Nov.
 1844], 116.
costellata Terebra, G. B. Sowerby, I., in C. R. Darwin, *Geol. Obs. "Beagle,"* III. 1846,
costellata Tornatella, F. Dujardin, *Mém. Soc. géol. France*, II (2) 1837, 282. [262.
costellatus Trichotropis, J. P. Couthouy, *Boston Journ. N. H.* II (1) 1838, 108.
costellata Trigonia, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (1) 1841, 37.
costellata Turbonilla (Grat.), H. G. Bronn, *Index Pal.* 1848, 1327.—Auricula.
costellata Venus, G. B. Sowerby, I., *Proc. Zool. Soc. London*, III (27) June 1835, 42.
costellifer Cancellaria (Sow.), S. V. Wood, I., *Ann. Mag. N. H. IX.* Sept. 1842, 538.—
costellifer Fusus (Sow.), J. Fleming, *Hist. Brit. Anim.* 1828, 353.—Murex. [Murex.
costellifer Fusus, G. P. Deshayes, *Descr. Coq. foss. Paris*, II. 1835, 558.
costellifer Murex, J. Sowerby, *Min. Conch.* II. 1818, 225.
costellifer Trochus, Muenster in G. A. Goldfuss, *Petref. German.* III (8) 1844, 58.
costellifera Venus, Adams & Reeve, *Zool. "Samarang"* (7) Moll., Aug. 1850, 79.
costella Abebaea, J. Huebner, *Verz. bekannt. Schmett.* 1826, 408.—Tinea; Alucita,
costella Anacampsis, J. O. Westwood, *Brit. Moths*, II (2) 1841, 192. [Fab. 1775.
costellus Chaetochilus (Fab.), J. F. Stephens, *Ill. Brit. Ent. (Haust. IV.)* Dec. 1834, 338.
 —Alucita, 1775.
costellus Coelosternus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (1) 1837, 208.
costella Gelechia (Westw.), J. W. Douglas, *Tr. Entom. Soc. Lond.*, n. s., I (1) Feb.
 1850, 19.—Anacampsis.
costella Hypolepia (Fab.), A. Guénée, *Ann. Soc. Ent. France* [2] III (3) Dec. 1845, 337.
 —Alucita, 1775.

- costella** Rhinosia (Hueb.), F. Treitschke, Schmett. Europa, IX (2) 1833, 17.—Tinea; Alucita, Fab. 1775.
- costellus** Ypsolophus (Fab.), A. H. Haworth, Lepidopt. Brit. (4) 1828, 542.—Alucita, 1775.
- costerii** Bulimus, F. Eydoux, Moll. de la "Favorite" in Magasin de Zool. VIII. 1838,
- costicaudis** Buthus, J. Gistel, Nat. Thierr. 1848, 191. [pl. 116.]
- costicaudis** Buthus, J. Gistel, Handb. Naturges. 1850 [1847], 626.
- costicollis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 109.
- costicollis** Cleonus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 172.
- costicollis** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [n. n.].
- costicollis** Ellimnistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 184.
- costicollis** Exema, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 854.
- costicollis** Melantho, Laporte, Revue Entom. IV (1) 1836, 10.
- costicollis** Ocladius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 699.
- costicollis** Thanasimus, M. Spinola in Gay, Chili, IV (Col.) 1849, 401. [[n. n.].]
- costiculata** Madrepora, de Haan in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 354
- costifera** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 31; Catal. (200) 1841, 5.
- costiferus** Conotrachelus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 452.
- costifera** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (2) Jan. 1841 [3].
- costifera** Purpura, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Aug. 1840, 77.
- costifera** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.-Oct. 1814,
- costifer** Trochus, J. H. Jonas, Zeitschr. f. Malakozool., Aug. 1846, 123. [432.]
- costiferum** Trophon, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 48.
- costiger** Cryptorhynchus, D. H. Schneider, Verz. Insectensamml. 1828, 79 [n. n.].
- costiger** Ocladius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 123.
- costigera** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 78.
- costiguttella** Gelechia, F. Lienig, Isis (Oken), 1846, 290.
- costimaculana** Peronaea, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48 [n. n.]; & Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 160.
- costimanus** Buthus, C. L. Koch, Die Arachniden, IV (2) Oct. 1837, 27.
- costipennis** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 149.
- costipennis** Chlorida, L. Buquet in F. E. Guérin-M., Iconographie, 1844, Ins. 221.
- costipennis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 3.
- costipennis** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 99.
- costipennis** Glyptosomus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 113.
- costipennis** Hypsonotus, Sahlberg in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 166.
- costipennis** Lacon, E. F. Germar, Linnaea Entom. III., Ap. 1848, 181.
- costipennis** Pelobatus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 70.
- costipennis** Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 93.
- costipunctana** Spilonota (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- costipunctana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 443.
- costirostris** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- costirostris** Cosmorhinus, C. J. Schoenherr, Isis (Oken), 1823, 1143 [n. n.]. [403.]
- costirostris** Erihrinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 294.
- costirostris** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1835, 223.
- costirostris** Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 105.
- costirostris** Listroderes, Gyllenhal in C. J. Schoenherr, Isis (Oken), 1823, 1142.
- costirostris** Merionus, Gyll.; Dejean, Catal. Coléopt. 1821, 90 [n. n.].
- costirostris** Rhynchaenus, C. R. Sahlberg, Diss. Ins. Fenn. II (5) 1835, 71. [416.]
- costirostris** Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,
- costnicensis** Coregonus, J. Gistel, Nat. Thierr. 1848, 45 [n. n.].
- costnicensis** Coregonus, Gistel, Handb. Naturges. 1850 [1847], 145.
- costosa** Depressaria, A. H. Haworth, Lepidopt. Brit. (3) 1811, 508.
- costosum** Euryale, Lamarck, An. s. vert. II. 1816, 538. [Euryale.]
- costosus** Gorgonocephalus (Lam.), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 26.—
- costovata** Cidaria (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena.

- costovata** Phalaena, E. Haworth, Prodr. Lep. Brit. 1802, 25.
- costovata** Zerynthia (Haw.), J. Curtis, Brit. Entom. VII (74) Feb. 1830, no. 296.—Pha-
- costrizensis** Cervus, F. Holl, Handb. Petref. I. 1829, 45. [laena.]
- costula** Melania, C. S. Rafinesque, Atlantic Journ. (5) 1833, 166.
- costula** Nassa, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 540 [*n. n.*].
- costula** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 68.
- costularis** Fusus (Lam.), R. A. Philippi, Abb. Conch. II (7) 1847, 193.—Murex.
- costularis** Murex, Lamarck, Ency. Méth. (Vers) 1816, pl. 419, Liste p. 5 [*n. et f.*].
- costularis** Murex, W. Wood, Suppl. Index Test. 1828, 14 [*n. et f.*].
- costularis** Purpura (Lam.), H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832, 232.—Murex.
- costulata** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 75.
- costulata** Achatina, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 13.
- costulata** Actinia, S. A. Renier, Tavole [1804] xxiii.
- costulatus** Aganides (V. & A.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—
- costulatus** Ammonites, E. F. v. Schlotheim, Die Petref. 1820, 78. [Goniatites.]
- costulata** Ammonites, Lamarck, An. s. vert. VII. 1822, 637.
- costulata** Anomia, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 24.
- costulatus** Aphodius, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Aug. 1849, 413.
- costulata** Arcopagia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 235.—
- Tellina.
- costulata** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 455.
- costulata** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 85.
- costulatus** Barinotus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 59 [*n. n.*].
- costulata** Borelis (Eich.), H. G. Bronn, Index Pal. 1848, 171.—Melonia.
- costulatum** Buccinum, S. A. Renier, Tavole [1804] ix.
- costulatum** Buccinum, E. Eichwald, Zool. Spec. I. 1829, 297.
- costulatum** Buccinum, H. E. Anton, Verz. Conch. 1839, 91.
- costulatum** Buccinum, H. E. Anton, Verz. Conch. 1839, 92.
- costulatus** Buccinum, P. Calcara, Mon. Gen. Clausilia e Bulimo, 1840, 50.
- costulatus** Bulimus (Fér.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 138.—
- Helix (Cochlogena).
- costulata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 159.
- costulata** Cancellaria, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 63.
- costulatum** Cardium, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 217.
- costulata** Caryophyllia (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847,
- costulatum** Cerithium, A. Risso, H. N. Europe, IV. 1826, 157. [96.—Actinia.]
- costulatum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 199.
- costulata** Clausilia, Lamarck, An. s. vert. VI (2) 1822, 113.
- costulata** Clausilia, W. Wood, Suppl. Index Test. 1828, 34.—Turbo, 1828.
- costulata** Clausilia, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 3.
- costulata** Clymenia, G. v. Muenster, Beitr. zur Petref. (3) 1840, 94.
- costulata** Cochlocycla (Fér.), G. Jan, Consp. meth. Testac. 1830, 6.—Helix.
- costulata** Columbella, C. B. Adams, Contr. to conch. (4) Jan. 1850, 58.
- costulata** Corbula, Lamarck, An. s. vert. V. 1818, 497.
- costulata** Crenella (Risso), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 205.—Modiolus.
- costulata** Crioceris, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 551.
- costulatum** Cyclostoma, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 22 [*n. n.*].
- costulatum** Cyclostoma, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I
- (5 & 6) July 1837, 49.
- costulatum** Cyclostoma, O. G. Costa, Corrisp. Zool. I. 1839, 70 [*n. n.*].
- costulata** Cylindrella, C. B. Adams, Contr. to conch. (2) Oct. 1849, 4 [*et c.* 20].
- costulata** Delphinula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer.
- Phil. Soc., n. s., IX (3) Dec. 1846, 260. [Sept. 1849, 194.]
- costulatum** Diplomatina, W. H. Benson (*ex* Hutton MS), Ann. Mag. N. H. (2) IV.
- costulatus** Echinocyamus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 142.
- costulata** Exogyra, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2)
- 1849, 351.

- costulatus Fusus, Lamarck, An. s. vert. VII. 1822, 135.
 costulatus Fusus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 393.
 costulata Gervillia, J. A. Eudes-D., Mém. Soc. Linn. Calvados, 1824 (1824), 131.
 costulatus Goniatites, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 341.
 costulata Helcion (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 197.—
 costulata Helix, S. A. Renier, Tavole [1804] xi. [Patella.]
 costulata Helix, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 12 [n. n.].
 costulata Helix, Ziegler in C. Pfeiffer, Naturg. deutsch. land-Moll. (3) 1828, 32.
 costulata Helix (Cochlogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 58 [n. n.].
 costulatus Hippurites, G. A. Goldfuss, Petref. German. II (7) 1840, 302. [[n. n.].
 costulata Isocardia, Voltz in J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 13
 costulata Leptosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 268.
 costulata Lima, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 30.
 costulata Madrepora, de Haan in H. D. de Blainville, Man. Actin. 1834, 390 [n. n.].
 costulata Mangelia, A. Risso, H. N. Europe, IV. 1826, 219.
 costulata Margarita, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 81.
 costulata Margarita, H. P. C. Möller, Index Moll. Groenl. 1842, 8. [82.
 costulata Melania, S. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl.
 costulata Melania (Risso), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 584.—Turbonilla.
 costulata Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 14.
 costulata Melonia, E. Eichwald, Zool. Spec. II. 1830, 22.
 costulata Mitra, A. Risso, H. N. Europe, IV. 1826, 246.
 costulata Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 673.
 costulata Mitrella, A. Risso, H. N. Europe, IV. 1826, 248.
 costulatus Modiolus, A. Risso, H. N. Europe, IV. 1826, 324.
 costulatus Murex, S. A. Renier, Tavole [1804] ix.
 costulatus Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 111.
 costulatus Murex, A. Risso, H. N. Europe, IV. 1826, 197.
 costulatus Murex, G. D. Nardo (ex Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
 costulata Mya (Macgill), Catlow & Reeve, Conch. Nomen. 1845, 7.—Sphenia. [55.
 costulatum Nassa, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 217.
 costulata Nassa, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 220.
 costulata Natica, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 235.
 costulata Neptunea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 13.
 costulata Nerita, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 617.
 costulata Nerita, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 82.
 costulata Nerita, v. d. Busch in R. A. Philippi, Abb. Conch. I (4) 1844, 86.
 costulata Neritopsis (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 222.—
 costulatus Opatrinus, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 321. [Nerita.
 costulatus Orthoceratites, G. v. Muenster, Beitr. zur Petref. (3) 1840, 99.
 costulatus Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
 costulata Patella, G. v. Muenster, N. Jahrb. f. Min. 1834, 10 [n. n.].
 costulata Patella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 7.
 costulatus Pecten, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (9) 1833, 68.
 costulatus Pectunculus, G. A. Goldfuss, Petref. German. II (6) 1837, 163.
 costulatus Planorbis, C. F. F. Krauss, Südafrik. Moll. 1848, 83.
 costulata Pleurotoma (Risso), H. D. de Blainville, Faune Française (20) Malac. 1829, 100.—Mangelia.
 costulatum Pleurotoma, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 394.
 costulata Polystomella, O. G. Costa, Corresp. Zool. I. 1839, 69 [n. n.]. [[n. n.].
 costulata Polystomella, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 186
 costulata Psammobia, W. Turton, Conch. Insul. Brit. 1822, pp. xxviii & 87.
 costulatus Pseudomaseus, V. v. Mochulski, Kaef. Russl., post May 1850, 51.
 costulata Pupa, S. Nilsson, Hist. Moll. Suec. 1822 [1823], 51.
 costulata Pupa, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 187.
 costulata Purpura, A. Risso, H. N. Europe, IV. 1826, 169.

- costulata** Pustulipora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 236 [*n. n.*].
- costulata** Pyramidella, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 137 [*n. n.*].
- costulatus** Rhizotragus, I. Frivaldsky, K. magyar tudos Tarsasag évkönyvei, II. 1835,
- costulata** Rissoa, H. E. Anton, Verz. Conch. 1839, 62. [257.]
- costulata** Rissoa, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 106.
- costulata** Scalaria, L. C. Kiener, Spec. Coquilles (Scalaria) 1838-9, 5.
- costulata** Scalaria, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 392.
- costulatus** Scarabus, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Auriculacea (53) 1845, 67.
- costulata** Sphenia, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 301.
- costulata** Tellina, G. A. Goldfuss, Petref. German. II (7) 1840, 235.
- costulata** Terebra, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 223.
- costulata** Theba, Ziegl.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.
- costulatus** Trochocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
- costulatus** Trochus, Lamarck, An. s. vert. VII. 1822, 14. [304.]
- costulata** Truncatella, A. Risso, H. N. Europe, IV. 1826, 125.
- costulatus** Turbo, W. Wood, Suppl. Index Test. 1828, 20 [*n. et f.*].
- costulata** Turbonilla, A. Risso, H. N. Europe, IV. 1826, 224.
- costulata** Turritiles, Lamarck, An. s. vert. VII. 1822, 646.
- costulata** Turritella, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 313.
- costulata** Turritella (Risso), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 280.—Turbonilla.
- costulata** Turritella, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 83.
- costulata** Turritella, H. P. C. Möller, Index Moll. Groenl. 1842, 10.
- costulata** Turritella, Mighels & Adams, Boston Journ. N. H. IV (1) 1842, 50.
- costulata** Vaginulina, F. A. Roemer, N. Jahrb. f. Min. 1842, 273.
- costulata** Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].
- costulifera** Pleurotoma, H. G. Bronn, Zschr. Min. 1827, II (1828), 535 [*n. n.*].
- costulosa** Achatina, C. B. Adams, Contr. to conch. (7) Ap. 1850, 102.
- costulosa** Alvania, A. Risso, H. N. Europe, IV. 1826, 142.
- costulosum** Buccinum, A. Risso, H. N. Europe, IV. 1826, 159.
- costulosa** Cylindrella, C. B. Adams, Contr. to conch. (6) Mar. 1850, 98.
- costulosa** Geomelania, C. B. Adams, Contr. to conch. (6) Mar. 1850, 96.
- costulosa** Spiraxis, C. B. Adams, Contr. to conch. (6) Mar. 1850, 88.
- costus** Actinocrinus, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 11 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 181.
- cosuatis** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 338.
- Cosymbia** J. Huebner, Verz. bekannt. Schmett. 1825, 302.—Lep.
- Cosymbotus** L. Fitzinger, Syst. Rept. 1843, 19 & 104.—R.—*typus* Hemidactylus platy-
- cosyra** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1042. [urus, Cuv.]
- Cotalpa** H. Burmeister (ex Kirby MS), Handb. Ent. IV (1) 1844, 423.—Col.
- cotentina** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 64.
- Cothonaspis** T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (I) 1840, 186.—Hym.
- cothurnata** Acineta, J. F. Weisse, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. V (15) May 1846, 228.
- cothurnatus** Asilus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 317.
- cothurnata** Calobata (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 387.—
- cothurnatus** Ceyx (Panz.), Dict. Sci. Nat. VIII. 1817, 41.—Musca, 1798. [Musca, 1798.]
- cothurnata** Dioctria, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 244.
- cothurnatus** Dolerus, Le Peletier, Mon. Tenthred. 1823, 123.
- cothurnatus** Elachestus, C. G. Nees v. E., Hymenopt. Ich. aff. II. 1834, 141.
- cothurnata** Empis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 298.
- cothurnatus** Entedon (Nees), F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 136.—[Gryllus, 1799.]
- cothurnatus** Elachestus, 1834.
- cothurnatus** Gomphocerus (Creutz.), H. Burmeister, Handb. Ent. II (2) i, 1838, 647.—
- cothurnatus** Hoplismenus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 426.
- cothurnatus** Ichneumon, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 258.

- cothurnata** Linnobia, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 161.
- cothurnatus** Mecynopus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 223.
- cothurnata** Oedipoda (Creutz.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 743.—Gryllus, 1799.
- cothurnata** Pimelia (Forsk.), F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. c. —Tenebrio, 1775. [(1844), 157.—Hoplismenus.]
- cothurnatus** Platylabus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845
- cothurnatus** Platypalpus, J. Macquart, Ins. dipt. N. France (3) 1827, 100.
- cothurnata** Stomoxys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 249.
- cothurnata** Tachydromia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 98.—Platypalpus.
- cothurnata** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 106.
- cothurnatus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 285.
- cothurnata** Vorticella, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. f, pl. I., f. 14 (1828). [(1843), 345.]
- cothurnella** Ornix, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- Cothurnia** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 94.—Inf.
- cothurnia** Tintinnus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 201.
- cothurnix** *v.* **coturnix**. [Quad. XIV. 1799 [1802], 295.]
- coticus** Tetrao, *err. pro* scoticus, L.; F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.)
- Cotidia** W. Kirby in Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) II (2) 1835, 208.—
- Cotile** F. Boie, Isis (Oken), 1822, 550.—A. [Col.]
- Cotilephorus** W. Swainson, N. H. Fishes etc. II. July 1839, 189 & 308 [Coty].—P.
- Cotinga** C. S. Rafinesque, Analyse, 1815, 67.—A. [*u. n.*].
- Cotinga** C. P. Thunberg, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 175.—A.
- cotini** Glyptiptera, A. P. de Villiers, Ann. Sci. Soc. Agric. Lyon, IV. 1841, 464.
- cotini** Tortrix, A. P. de Villiers, Ann. Sci. Soc. Agric. Lyon, IV. 1841, 465.
- Cotinis** H. Burmeister, Handb. Ent. III. 1842, 254.—Col.
- cotio** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 339. [cotio.]
- cotis** [Abramis] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 288.—Cyprinus
- cotis** Osteobrama (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1033.—Cyprinus
- Cotobotes** J. Gistel, Nat. Thier. 1848, p. xi.—R. [cotio.]
- Cotoptria** A. Guénée, 1845; *err.* Scudder *pro* Catoptria, *q. v.*
- cotorra** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 362.
- Cotostomus** *err. pro* Catostomus, Les.; C. S. Rafinesque, Western Review, II (5) June 1820, 299 [*i. e.* 301]; Ichth. Ohiensis [Dec.] 1820, 54.
- cotra** Colisa (Ham.), Cuvier & Valenc., H. N. Poiss. VII. 1831, 366.—Trichopodus.
- cotra** Trichopodus, F. Hamilton, Fish. Ganges, 1822, 119.
- cotswaldiae** *v.* **cotteswoldiae**.
- cotta** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 389.—Lutjanus.
- cotta** Elania, P. H. Gosse, Ann. Mag. N. H. (2) III. Ap. 1849, 257.
- cotta** Lutjanus, A. Risso, Ich. Nice, 1810, 282.
- cotta** Platyaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 242.
- cottae** Ammonites, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 86.
- cottae** Crenilabrus (Risso), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 204.—Lutjanus cotta.
- cottae** Fusus (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 229.—Pyrula.
- cottae** Lepidotus, J. L. R. Agassiz, Poiss. Foss. II (1), 306 (1844) [*u. n.*].
- cottae** Mytilus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 66.
- cottae** Pinna, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (2) 1840, 55.
- cottae** Pyrula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79. [tites.]
- cottai** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58.—Gonia-
- cottai** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—
- cottai** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 25. [Goniatites.]
- cottaldi** Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 115.
- cottaldiana** Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 3.
- cottaldida** Comophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.
- cottaldina** Acroua, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 320.
- cottaldina** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 217.

- cottaldina** Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 470.
cottaldina Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 91.
cottaldinum Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 22.
cottaldina Confusastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 322.
cottaldina Corbis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 17.
cottaldina Crenaster, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 320.
cottaldina Eunomia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
cottaldinus Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 133.
cottaldinus Hyppalimus, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 180.
cottaldinum Hippopodium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 16.
cottaldina Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 537.
cottaldina Meandrina, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
cottaldina Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.
 —Panopaea.
cottaldina Neritopsis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7.
cottaldina Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 330.
cottaldinus Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 590.
cottaldina Phyllocaenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
cottaldina Phytogyra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 38.
cottaldina Stephanocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 176.
cottaldina Stylosmilina, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
cottaldina Thalamospongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 179.
cottaldina Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 438.
cottaldina Zonopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 171.
cottardii Lavignonus (Payr.), Potiez & Michaud, Gal. Moll. Douai, II. 1844, 250.—
cottardii Lutraria, B. C. Payraudeau, Cat. Moll. Corse, 1826, 28. [Lutraria.
cotteausia Astarte, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
cotteausia Opis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
cotteausius Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 8.
cottellii Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 59.
cottellii Molops (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 166.—Carabus.
cotteswoldia Asterias, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 94.
cotswaldiae Solarium, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 419.
Cottal J. Gistel, Nat. Thierr. 1848, p. x.—Dipt.
cottoides Apistus (L.), Cuvier & Valenc., H. N. Poiss. IV. 1829, 410.—Perca, 1758.
cottoides Clinus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 367.
cottoides Podabrus, J. Richardson, Zool. "Samarang" (Fish, 1848), 13.
cottoides Scorpaena, J. R. Forster, Anim. mar. Aust. 1844, 128.
Cottopsis C. F. Girard, Proc. Boston Soc. N. H. III. 1851 (1850), 303.—P.
Cotunnium S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 28.—G.
Coturniculus C. L. Bonaparte, Comp. List Birds Europ. 1838, 32.—A.
coturnix Buccinus, D. Solander, Catal. Portland Mus. 1786, 98 [*n. n.*].
coturnix Buliminus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 69.—Bulinus.
coturnix Bulinus, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
coturnix C. [=Leptocoris], H. Burmeister, Handb. Ent. II (1) 1835, 305. [30.
coturnix Coturnix (L.), G. Cuvier, R. Anim. I. 1817, 452.—Tetrao, 1758.
coturnix Gymnetis (L.), Burmeister, Handb. Ent. III. 1842, 289.
coturnix Ortygion (L.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lxvi & 202.—
coturnix Perdix (L.), C. Illiger, Prod. 1811, 242.—Tetrao, 1758. [Tetrao, 1758.
cothurnix Venus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 261.
Cotyle F. Boie, Isis (Oken), 1826, 971.—A. [Cotile in 1822].
cotyledonis Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 216.
"Cotylelithus" Vallot, 1842, "teste Scudder, vernac. est.
Cotylophorus W. Swainson, N. H. Fishes etc. I. Oct. 1838, 354.—P.
cotylophorus Silurus (? Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 57.—
 ? Platystachus, 1794.
Cotyli Mueller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1843, 212.—P. [Swains.
Cotylophorus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cotylophorus,

- cotylus** Cyprinus, J. E. Gray, Ill. Ind. Zool. (3) [1830], pl. v, f. 3.
cotylus Discognathus (Gray), J. J. Heckel in Russegger, Reise, I (2) 1843, 1027.—Cyprinus.
cotyto Heliconia, F. E. Guérin-M., Iconographie, 1844, Ins. 471.
Coua L. Oken, Isis, I. 1817, 1184.—A. [*n. n.*; Cuv. *vernac.*].
Coua H. R. Schinz in Cuvier, Thierreich, I. 1821, 651.—A.
couaga Chaetodon, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 726.
quagga Equus, *id. ac* quagga, Gm.; A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822,
coubie Labeo, E. Rueppell, Fortz. Besch. Fische Nil, 1832, 11. [414.
[couchii]
couchii Acantholabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 248.
couchii Crenilabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 178.
couchii Nika, T. Bell, Brit. stalk-eyed Crust. (6) [1846-51], 278.
couchii Serranus, W. Yarrell, Hist. Brit. Fishes, I. 1836, 12.
couchii Zoanthus, D. Johnston in R. Q. Couch, Cornish Fauna (3) 1844, 73.
Couchia W. Thompson, Ann. Nat. Hist. II. Feb. 1839, 411.—P.
Couchia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuchia, Buch.
coucyi Adesmia, H. Lucas, Ann. Soc. Ent. France [2] VIII (1) *post* Mar. 1850, p. xi.
coudougan Oriolus, C. J. Temminck in T. & Laugier, Pls. color. (54) Jan. 1825.
cougneti *v. cogneti*.
coui Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 271.
coui Hystrix, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 345.
coulaci Psittacula, R. P. Lesson, Traité Ornith. (3) July 1830, 202.
culacissi Psittacula (Vieill.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 628.—Psittacus.
coulacissi Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1405. [1835, 353.
couleruana Paedisca, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6),
coulonellus Crambus, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7),
couloni Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 147. [1836, 128.
couloni Coelaster, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 191.
couloni Donacilla (Ag.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 401.—Mac-
couloni Elopides, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844) [*n. n.*]. [tromya.
couloni Gryphaea, Defrance, Dict. Sci. Nat. XIX. 1821, 534.
couloni Holaster, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 22.
couloni Mactromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 195.
couloni Mytilus, J. Marcou, Bull. Soc. géol. France (sér. 2) IV. 1847, 138 [*n. n.*].
couloni Mytilus, J. Marcou, Mém. Soc. géol. France (2) III (1) 1848, 138 [*n. n.*].
couloni Ostrea (Defr.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 698.—Gryphaea.
coulonii Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1842, 212.
couloni Pycnodus, J. L. R. Agassiz, Poiss. Foss. II (2), 200 (1844).
couloni Rotularia, Defrance, Dict. Sci. Nat. XLVI. 1827, 322.
coulonii Smynthurus, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 84. [1839.
couloni Toxaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 26.—Holaster,
coulteri Glandina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.
couma Bagrus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 459.
coupei Ammonites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 391.
coupeii [Myoxus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. II (40)
 Mar. 1823, Lérôt du Sénégal, p. 2.
couperi Chelonia, R. Harlan, Amer. J. Sci. XLIII (1) July 1842, 144.
couperi Coluber, J. E. Holbrook, N. Amer. Herpet., ed. 2, III. 1842, 75.
couperi Mosasaurus, R. W. Gibbes, P. Amer. Assoc. 1849 (1850), 77 [*n. n.*].
couperii Unio, *emend.* cowperianus Anodonta, Lea; S. S. Haldeman, Proc. Acad. Nat.
 Sci. Philad. I (13, 14) May 1842, 177 & 215. [periana, 1840].
couperiana Anodonta, I. Lea, Tr. Amer. Phil. Soc., n. s., VIII (2) 1842, 227 [=cow-
couperianus Unio, *emend.* cowperianus, Lea; S. S. Haldeman, Proc. Acad. Nat. Sci.
 Philad. I (13, 14) May 1842, 177 & 215.
courbina Pogonathus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 120.
couro Emys, A. F. Schweigger, Koenigsb. Archiv, I. 1812, 358.
couro Terrapene (Schw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 45.—Emys.

- couroupa** Achatina, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 318.
- courtaudina** Cidarid, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 105.
- courteaudianum** Diadema, H. G. Cotteau in A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 380.
- cous** Arius (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1094.—Silurus, 1766.
- cous** Pimelodus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 95.—Silurus, 1766.
- coutellii** Anthus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 281.
- couturii** Monodonta, B. C. Payraudeau, Cat. Moll. Corse, 1826, 134.
- couturi** Trochus (Payr.), H. D. de Blainville, Faune Française (28) Malac., 1830, 287.—
- coxio** Chiropteres, R. P. Lesson, Spéc. des Mamm., Nov. 1840, 179. [Monodonta.
- coval** Clupea, G. Cuvier, Règne Anim., ed. 2, II. 1829, 318.
- covierii** Capreolus, *v.* **cauvierii**.
- cowiei** Alligator, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 15.
- cowperiana** Anodonta, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- coxalgica** Lema, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 535.
- coxalgica** Mecynodera (Boisd.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 17.—Lema. [672.]
- coxale** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- coxalis** Agathis, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 196.
- coxalis** Bracon, M. Spinola, Ins. Ligurine, II. 1808, 126. [29.]
- coxalis** Chlaenius, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,
- coxalis** Coryphocera, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 26.
- coxalis** Eubadizon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 235.
- coxalis** Helcon (Eubadizon) (Nees), A. H. Haliday, Entom. Mag. III (2) July 1835, 132.—Eubadizon.
- coxalis** Ixodes, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii [*n. n.*].
- coxalis** Nacerdes, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].
- coxalis** Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 887.
- coxalis** Pterocheilus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 173, 1839, tab. 17.
- coxalis** Rogas (Spin.), C. G. Nees von E., Hymenopt. Ichn. aff. I. 1834, 209.—Bracon.
- coxalis** Tenthredo, T. Hartig, Adelff. Deutschl. I. 1837, 298.
- coxalis** Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 287.
- coxarum** Sepsis, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 748.
- coxator** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 109.
- coxata** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2737.
- coxatus** Philonthus, J. Curtis, Brit. Entom. XIII (153) Sept. 1836, no. 610.
- coxata** Sciomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 739.
- coxata** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 281.
- coxeirana** Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 433.
- Coxelus** Ziegler in Dejean, Cat. Coléopt. 1821, 67.—Col.
- Coxelus** J. Sturm, Cat. Ins. Samml. 1826, 24.—Col.
- Coxendix** J. Gistel, Nat. Thierr. 1848, p. ix.—Dipt.
- coxendix** Bembidium, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 151.
- coxendix** Odontium (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 452.—Bembidium.
- coxii** Macrorhinus (Desm.), P. Boitard, Jardin des Plantes, 1842 [*i. e.* 1841], 277.—Phoca.
- coxii** Phoca, Desmarest, N. Dict. H. N., ed. 2, XXV. 1817, 559.
- coxiranus** Bulimus, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 138.
- coyanus** Aganides, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 116.
- coyana** Eulima, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 117.
- coyana** Lucina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 131.
- coyana** Lyonsia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.
- coyana** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 118.
- coyanus** Nautilus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 111.
- coyanus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 139.
- Coylipne** C. S. Rafinesque, Analyse, 1815, 160.—Coel. [*n. n.*].
- coynarti** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 290.

- coynarti** Turrillites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 181.
- coyolcos** Ortyx (Gm.), G. R. Gray, Genera of Birds, III. May 1846, 514.—Tetrao, 1788.
- coypus** Castor (Mol.), J. B. Fischer, Syn. Mamm. 1829, 288.—Mus, 1782.
- coipus** Hydromys (L.), E. Geoffroy, Bull. Sci. Soc. Philom. [Paris] no. 93, 1804, 254.—
- coztototl** Psarocolius, J. G. Wagler, Isis (Oken) 1829, 757. [Mus, Mol. 1782.]
- coztototl** Yphantis (Gm.), C. L. Bonaparte, Conspectus generum Avium, I. 1850, 432.—Oriolus
- cpriis** *v.* cypris. [costototl, 1788.]
- craboides** Delena, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836].
- crabronarius** Clerus, M. Spinola (*ex* Dej. Cat.), Ess. mon. Clériles, I. 1844, 247. [492.]
- crabroniformis** Aegeria (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 131.
—Sesia, 1793. [1793.]
- crabroniformis** Memythrus (Lasp.), E. Newman, Sphinx vesp. 1832, 53.—Sesia, Fab.
- crabroniformis** Milesia, J. C. Fabricius, Syst. Antliat. 1805, 187.—Syrphus, 1775.
- crabroniformis** Molorchus, J. Gistl, Nat. Thierr. 1848, 190.
- crabroniformis** Molorchus, J. Gistl, Handb. Naturges. 1850 [1847], 624.
- crabroniformis** Trichodes, J. C. Fabricius, Syst. Eleuth. I. 1801, 285.—Clerus, 1787.
- crabroniformis** Trochilium (Lewin), J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828, 138.—Sphinx, 1797.
- Crabronites** T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 110.—Col.
- crabronoides** Scaphidomorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 487.
- craccae** Apion, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 382.
- craccae** Ophiusa (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 93.—Noctua, 1775. [1775.]
- craccae** Ophiussa (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 266.—Noctua,
- craccae** Rhynchites (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 238.—Atte-
labus, Ol. 1789. [Noctua, 1775.]
- craccae** Toxocampa (Fab.), A. Guénée, Ann. Soc. Ent. France, X (2) July 1841, 77.—
[cracherodei]
- crachrodii** Circe, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
- cracherodii** Haliotis, W. E. Leach, Zool. Miscell. I. 1814, 131.
- cracherodii** Helix, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 67.
- Cractes** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 14.—A.
- Cracticornis** G. R. Gray, List Gen. Birds, ed. 2, 1841, 88.—A.
- Cracticus** L. P. Vieillot, Analyse, 1816, 37.—A.
- Cracticus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Craticus, Eyt.
- Cractiornis** G. R. Gray, List Gen. Birds, ed. 2, 1841, 88.—A.
- Craesus** W. E. Leach, Zool. Miscell. III. 1817, 129.—Hym.
- cruesa** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 15 [=croesus].
- cruesus** Solenius, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar.
1835, 727.
- cruesus** Sphex, Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 351.
- Crago** Lamarck, Syst. Anim. 1801, 159.—Cr.
- craignesis** Strephodes, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 275.
- Crambaphis** C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 478.—Hem. [*non*
[*binom.*].
- Crambina** P. C. Zeller, Isis (Oken), 1847, 747.—Lep.
- crambis** Hipparchia, C. F. Freyer, Neuere Beitr. Schmett. V (74) 1845, 99.
- camera** Lycaena, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 217.
- cramerella** Argyromis (Fab.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—
Tinea, 1777.
- cramerella** Argyromis (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, 1777.
- cramerella** Elachista (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8)
[*ante* Nov. 1840], 516.—Tinea, 1777.
- cramer[i]** Hesperia, P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 739.
- cramer[i]** Rhetus, W. Swainson, Zool. Illust. (2) I (7) — 1829, pl. 33. [(1846), 188.]
- cramer[i]** Umbra, J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1844, 35 [*n. n.*]; Abh. 1844
- Crameria** J. Huebner, Verz. bekannt. Schmett. [1822], 168.—Lep.
- Crameria** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 59.—
- cramerianus** Papilio, G. Shaw, Nat. Misc. XX. 1809, pl. 852. [Dipt.]

- crameriana** Tortrix, J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 229.
- cran** Buthus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 49.
- [cranchii]**
- cranchii** Achaeus, W. E. Leach, Malac. podophth. Brit., text to pl. xxii c (16) Dec. 1817.
- cranchii** Alvania, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Bela, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Bulla, J. Fleming, Hist. Brit. Anim., 1828, 292. [1850, 586.]
- cranchii** Bulla, A. Adams (*ex* Leach MS), in G. B. Sowerby, II., Thes. Conch. II (11)
- cranchii** Campeopea, W. E. Leach, Dict. Sci. Nat. XII. 1818, 341.
- cranchii** Chiton, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- cranchii** Cineras, W. E. Leach in Tuckey, Exp. Zaire, 1818, 412.
- cranchii** Ebalia, W. E. Leach, Malac. podophth. Brit., text to pl. xxv (14) Ap. 1817.
- cranchii** Francolinus (Leach), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 336.—Perdix.
- cranchii** Fusus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 5 [*n. et f.*].
- cranchii** Gymnolepas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 374.
- cranchii** Hippolyte, W. E. Leach, Malac. podophth. Brit., text to pl. xxxviii (16) Dec. 1817.
- cranchii** Loligo, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 174.
- cranchii** Megalopa, W. E. Leach in Tuckey, Exp. Zaire, 1818, 414.
- cranchii** Nelocira, W. E. Leach, Dict. Sci. Nat. XII. 1818, 347.
- cranchii** Ocythoe, W. E. Leach, Phil. Trans. R. Soc. 1817 (2) 1817, 295.
- cranchii** Pandarus, W. E. Leach, Dict. Sci. Nat. XIV. 1819, 535.
- cranchii** Perdix, W. E. Leach in Tuckey, Exp. Zaire, 1818, 408.
- cranchii** Phyllosoma, Leach in A. White, List Crustacea Coll. B. M. 1847, 82.
- cranchii** Pimelodus, W. E. Leach in Tuckey, Exp. Zaire, 1818, 409.
- cranchii** Pinnotheres, W. E. Leach, Malac. podophth. Brit., text to pl. xiv (1) Jan. 1815.
- cranchii** Pternistis (Leach), J. G. Wagler, Isis (Oken), 1832, 1229.—Perdix.
- cranchii** Roxania, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- cranchii** Roxania (Flem.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 161.—Bulla.
- cranchii** Trochus, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*].
- cranchii** Vertumnus, "Leach MS," A. White, List Crustacea Coll. B. M. 1847, 89 [*n. n.*].
- Cranchia** W. E. Leach, Zool. Miscell. III. 1817, 140.—Ceph.
- cranchianus** Cineras, W. E. Leach, Zool. Journ. II (6) July 1825, 212.
- cranchianus** Prionorhynchus, W. E. Leach, Trans. Plymouth Inst. 1830, 171.
- "Cranellus** Linder Meyer, Isis, 1843,"—[*non comp.*]. [spinosus].
- Cranellus** R. Tobias, Abh. nat. Ges. Görlitz, IV (1) 1844, 60.—A. [*typus*] Hoplopterus
- crangon** Astacus (L.), T. Pennant, Brit. Zool., ed. 5, IV. 1812, 26.—Cancer, 1758.
- Crangonus** *emend. pro* Crangon, Latr.; C. S. Rafinesque, Analyse, 1815, 98.—Cr. [*n. n.*].
- crangorum** Bopyrus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 43.—Monoculus, 1798. [*n. n.*].
- Cranicella** *emend. pro* Crania, Lam.; C. S. Rafinesque, Analyse, 1815, 148.—Brach.
- Cranidium** Illiger in H. Burmeister, Handb. Ent. II (2) i, 1838, 574.—Orth.
- craniifera** Blabera, H. Burmeister, Handb. Ent. II (2) i, 1838, 516.
- cranio-labris** Helicina, C. B. Adams, Contr. to conch. (1) Sept. 1849, 14.
- craniolaris** Fibularia (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 193.—Echinocyamus, 1778.
- craniolaris** Leucosia (Hbst.), W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 334.—
- Craniolites** E. F. v. Schlotheim, Die Petref. 1820, 246.—Br. [Cancer, L. 1758.
- cranipes** Saxicola, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831.—oranipes, 1828.
- cranium** Inoceramus, J. Phillips, Geol. Yorksh. I. 1829, 119 [*n. et f.*].
- cranium** Leucosia, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 507.
- cranium** Terebratula, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 273 [*n. n.*].
- cranium** Tethya (Müll.), Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 71.—Alcyonium, 1776.
- Cranoceros** H. G. L. Reichenbach, Avium Syst. Nat., pl. 1 (Dec. 1849).—A. [*n. et f.*].
- Cranopellargus** C. W. L. Gloger, Gemeinnütz. Naturges. (2) 1842, 417.—A.
- Cranophorus** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 940.—Col.

- Crantor** A. H. Haliday, Entom. Mag. I. 1833, 268.—Hym. [Papilio, 1793.]
- crantor** Cissia (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 34.—
- crantor** Pholus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 134.—Sphinx, 1777.
- crapa** Lutianus, C. S. Rafinesque-S., Car. n. gen. 1810, 52.
- crapas** Serranus, Cuvier & Valenc., H. N. Poiss. III. 1829, 494. [Dipt.]
- Crapitula** B. B. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 330.—
- Crasodactylus** *pro* Crassodactylus; Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 258.
- Craspedia** J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 33.—Lep. [—Col.]
- Craspedia** J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 198.—Dipt.
- Craspedocephalus** Kuhl & v. Hasselt, Algern. Konst. Letter-Bode, 1822 (7) Feb. 1822, 100; Isis (Oken), 1822, 473.—R. [*non* Kaup, *apud* Agassiz].
- Craspedochaeta** Macquart, 1850; *teste* Marschall, 1851 *est*. [1852.]
- Craspedodonta** Kuester, Conch. Cab. IX. 18—, pl. 27.—L. [*teste* Herrmannsen, Suppl.]
- Craspedonia** J. O. Westwood, Arcana Entom. (2) July 1841, 25.—Orth. [*typus* Phasma gibbosaj].
- Craspedonta** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 367.—Col.
- Craspedophora** G. R. Gray, List Gen. Birds, 1840, Addenda, p. i.—A.
- Craspedophorus** F. W. Hope, Coleopt. Manual, II. 1838, 91 & 165.—Col.
- Craspedopoma** L. Pfeiffer, Zeitschr. f. Malakozool., Mar. 1847, 48.—G.
- craspedopterus** Euplectes, C. L. Bonaparte (*ex* Schiff MS), Consp. gen. Avium, I. 1850,
- Craspedosoma** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 407.—Myr. [446.]
- Craspedosoma** W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 380.—Cr.
- Craspedotus** C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 87.—Col.
- Craspedotus** R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1847, 23.—G.
- Craspedum** P. Rambur, F. Ent. Andal. II (4) Jan. 1839, 138.—Hem.
- Crassa** T. Bruand, Mém. Soc. Emul. Doubs, Vol. III (Tom. 3) (5 & 6) 1850, 48.—Lep.
- crassa** *v.* **crassus**—**a**—**um**.
- crassa lamella** Stylina, H. Michelin, Icon. Zoophyt. (3) 1841, 25. [1787.]
- crassalis** Bomolocha (Fab.), J. Huebner, Verz. bekannt. Schmett. 1826, 343.—Phalaena,
- crassalis** Hypena (Fab.), F. Treitschke, Schmett. Europa, VI (2) 1828, 311.—Phalaena, [1842], 138.
- crassana** Peronea, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- crassatella** Mactra, Lamarck, An. s. vert. V. 1818, 479.
- crassatellaeformis** Astarte, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 511.
- crassatellaeformis** Venus (Astarte), G. G. Pusch, Polens Paleont. (1) 1836, 74.
- crassatellatum** Cardium, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 51.
- crassatellina** Trigonina, Lamarck, An. s. vert. VI (1) 1819, 65.
- Crassatellites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 466.—L. [253.]
- crassatelloides** Cytherea, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837,
- "**Crassatina** T. Brown, 1829;" *non comp.*, **Crassina** *est*.
- crassatina** Ampullaria, Lamarck, Ann. Mus. H. N. (Paris) V (25) Sept. 1804, 33.
- crassatina** Arca, J. McClelland, Calcutta Journ. Nat. Hist. II (6) July 1841, 242.
- crassatina** Arca (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 306.—Cucullaea.
- crassatina** Bulla, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 88.
- crassatina** Cucullaea, Lamarck, Syst. Anim. 1801, 116.
- crassatina** Guttulina (Muenst.), H. G. Bronn, Index Pal. 1848, 559.—Polymorphina.
- crassatina** Natica (Lam.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 581.—Ampullaria.
- crassatina** Polymorphina, G. v. Muenster, N. Jahrb. f. Min. 1838, 385.
- crassator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
- crassatus** Crambus, A. H. Haworth, Lepidopt. Brit. (2) 1809, 366.—**c**—**alis**, Fab., 1798.
- crassatum** Cyclostoma, Omalius d'H., Mém. Géol. Pays-Bas, 1828, 243.
- crassicauda** Aptychus, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (4 & 5) 1848, 314.
- crassicauda** Asaphus (Iliaenus) (Wahl.), J. W. Dalman, K. Vet. Ac. Handl. 1826 (2) 1827, 250.—Entomostracites.
- crassicauda** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 50.
- crassicauda** Bodo (Cercomonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 46.—Cercomonas.
- crassicauda** Cercomonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 288.

- crassicauda** Entomostracites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 27.
- crassicauda** Filaria, F. C. H. Creplin, N. A. Ac. Caes. Leop. Car. XIV (2) 1829, 874.
- crassicauda** Homalonotus, G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 27.
- crassicauda** Illaenus (Wahl.), H. Burmeister, Organ. d. Trilobit. 1843, 119.—Entomo-
- crassicauda** Isotelus (Wahl.), H. M. Edwards (Roret's Suite à Buffon), Crustacés. III. 1840, 300.—Entomostracites. [291.
- crassicaudus** Isothrix, Natterer in J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848,
- crassicaudus** Lebias, L. Agassiz, Jahrb. f. Min. 1832, 136 [*n. n.*]. [V (2) 56 (1839).
- crassicaudus** Lebias, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]; Poiss. Foss.
- crassicauda** Pyrula, R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 98.
- crassicauda** Scorpio, G. A. Olivier, Voy. Othoman, V (1807), 172.
- crassicauda** Spiroptera, F. C. H. Creplin, N. Obs. de Entozois, 1829, 3.
- crassicauda** Trichosoma, O'B. Bellingham, Ann. Mag. N. H. XIV. Dec. 1844, 476.
- crassicaudatum** Diclithorium, F. S. Leuckart, Zool. Bruchst. III. 1842, 13.
- crassicaudata** Didelphis, A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804, 19.
- crassicaudatus** Dysopes (Geoff.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815), 109.—Molossus.
- crassicaudatus** Galago, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 166.
- crassicaudatus** Lemur, H. D. de Blainville, Ostéogr., Lemur, pl. vii [1839]. [1832.
- crassicaudatus** Lepus, I. Geoffroy, Magasin de Zool. II. 1832, pl. 9; Etudes Zool. (2)
- crassicaudata** Manis, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 282.
- crassicaudatus** Molossus, E. Geoffroy, Ann. Mus. H. N. (Paris) VI (32) May 1805, 156.
- crassicaudatus** Otolicus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 292.—Galago.
- crassicaudata** Peramys, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 187 [*n. n.*].
- crassicaudata** Phascogale, J. Gould, Proc. Zool. Soc. London, XII (136) Oct. 1844, 105. [Phascogale, 1844.
- crassicaudatus** Podabrus, J. Gould, Mamm. of Australia, I (1) May 1845, pl. 47.—
- crassicaudatum** Scelotrema, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 155.
- crassicaudatus** Trygonobatus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 337.
- crassicaudis** Coluber (Natrix), Gm.; B. Merrem, Tent. Syst. Amph. 1820, 107.
- crassicaudis** Didelphys, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804—1811 (1815), 107 [*n. n.*].
- crassicaudis** Salamandrachae, J. Gistel, Nat. Thierr. 1848, 188.
- crassicaulis** Flabellaria, Lamarck, An. s. vert. II. 1816, 344.
- crassiceps** Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 139.
- crassiceps** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 364.—Alyselm. 1800.
- crassiceps** Hemiteles, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 151.
- crassiceps** Locusta (Conocephalus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 212. [bezitt., Zool. (Ins.) 1842, 87.
- crassiceps** Mantis (Oxyptilus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- crassiceps** Rhynchobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 572.
- crassiceps** Taenia (Zed.), C. A. Rudolphi, Entoz. II (2) 1810, 172.—Alyselm. 1800.
- crassiclunis** Cerbus, E. F. Germar, Revue Entom. V (3) 1840, 157.
- crassicollis** Taenia, Nordmann in Lamarck, H. N. Anim. s. vert., ed. 2, III. 1840, 573.
- crassicollis** Aucella, A. Keyserling, Wiss. Beob. Petschora, 1846, 300.
- crassicollis** Avicula (Keys.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.—Aucella.
- crassicollis** Brentus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].
- crassicollis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 113. [313.
- crassicollis** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840,
- crassicollis** Chironomus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 18.
- crassicollis** Clemmys (Bell), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 123.—Emys.
- crassicollis** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 98.
- crassicolle** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 378.

- crassicollis** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- crassicollis** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
- crassicollis** Emys, T. Bell in S. Raffles, Mem. T. S. Raffles, 1830, 695 [*n. n.*].
- crassicollis** Emys, J. E. Gray (*ex* Bell MS), Ill. Indian Zool. I (—) [1830-2] (pl. 76); Syn. Rept. 1831, 21.
- crassicollis** Helops, Dejean in H. C. Kuester, Käfer Europas, XXI. 1850, 32.
- crassicollis** Holotrochus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 758.
- crassicollis** Liparus, Dahl; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- crassicollis** Oophorus (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 214.—Elater.
- crassicollis** Oxytelus, Dufts.; Dejean, Catal. Coléopt. 1821, 25 [*n. n.*].
- crassicollis** Pinophilus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 678.
- crassicolle** Pterobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 564.
- crassicolle** Rhynchobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 572.
- crassicollis** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 7.
- crassicollis** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 173.
- crassicollis** Tarus, J. R. Schellenberg, Helvet. Entom. II. 1806, 96.
- crassiconum** Scyllium, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 4.
- crassicornella** Tinea, P. C. Zeller, Isis (Oken), 1847, 810.
- crassicornis** Actinia, Lamarck, An. s. vert. III. 1816, 67.
- crassicornis** Actinia (Isacmaea), Gmelin; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 257. [Lytta.]
- crassicornis** Aenas (Fab.), P. A. Latreille in Bory de St V., Exp. Morée (Ins.) 1832, 229.—
- crassicornis** Aleochara, Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- crassicornis** Aleochara, L. Gyllenhal, Ins. Suecica, I (4) 1827, 486.
- crassicornis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 113.
- crassicornis** Anthribus, J. C. Fabricius, Syst. Eleuth. II. 1801, 407.
- crassicornis** Araeopus (Fab.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 336.—Delphax, 1798. [1798.]
- crassicornis** Asiraca (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 260.—Delphax,
- crassicornis** Atherix, Meigen in G. W. F. Panzer, Ins. Germ., heft 105, 1806-9, tab. 10.
- crassicornis** Bolitochara (Gyll.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 491.—Aleochara.
- crassicornis** Bostrichus, F. V. Melsheimer, Ins. Pennsylv. 1806, 8 [*n. n.*].
- crassicornis** Brentus, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- crassicornis** Bythinus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 317.
- crassicornis** Bythinus, H. M. Schmidt, Beytr. Mon. Pselaphen, 1838, 9.
- crassicornis** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 565.
- crassicornis** Cantharis, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 437.
- crassicornis** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 246.—Acanthia, 1794.
- crassicornis** Cavolina, F. Eschscholtz, Zool. Atlas, IV. 1831, 15.
- crassicornis** Ceraphron, C. H. Boheman, K. Vet. Ac. Handl. 1831 (1832), 331.
- crassicornis** Ceromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 36.
- crassicornis** Chondracanthus, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 203.
- crassicornis** Colliuris, Dejean, Spec. gén. Coléopt. I. 1825, 166.
- crassicornis** Cordyla, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 275.
- crassicornis** Coreus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 201.—Cimex.
- crassicornis** Coreus, P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 205.
- crassicornis** Corizus (L.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 467.—Cimex, 1758.
- crassicornis** Corizus (Fab.), C. F. Fallen, Hemipt. Sueciae, 1829, 41.—Coreus.
- crassicornis** Crabro, M. Spinola, Ins. Liguriae, II. 1808, 262.
- crassicornis** Crepidodera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 343.
- crassicornis** Cribrina (Müll.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 46.—
- crassicornis** Crioceris, A. G. Olivier, Entom. VI. 1808, 731. [Actinia, 1776.]
- crassicornis** Cucujus, J. Walzl, Isis (Oken), 1839, 225.
- crassicornis** Curculio, A. G. Olivier, Entom. V. 1807, 386. [Ichneumon, 1794.]
- crassicornis** Cynips (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 314.—

- crassicornis** Cynips, J. Curtis, Guide Brit. Ins. (4) 1829-30, 108 [*n. n.*].
- crassicornis** Degeeria, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 370.
- crassicornis** Dictyonota (Fall.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 50.—Tingis.
- crassicornis** Elachestus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 148.
- crassicornis** Eriocampa, Tischbein, Entom. Zeitung, Stettin, VII (4) Ap. 1846, 113.
- crassicornis** Euceros, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 370.
- crassicornis** Eucorynus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1135.—Anthribus.
- crassicornis** Eumesius (Grav.), J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 59.—Euceros.
- crassicornis** Evania, M. Spinola, Rev. Zool. (Soc. Cuv.) V. June 1842, 189.
- crassicornis** Evania (Hyptia), Spin.; J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 247.
- crassicornis** Evanosomus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 113.
- crassicornis** Exochus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 347.
- crassicornis** Feronia, G. Fischer de W., Cat. Col. Sibir. [1842], 6.
- crassicornis** Flabellina (Esch.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Cavolina.
- crassicorne** Glyptoma, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 908. [crassimanus.
- crassicornis** Gonatopus (Hal.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Dryinus.
- crassicornis** Gonia (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 345.—Musca, 1794.
- crassicornis** Haematopota, Wahlberg, Ofvers. K. Vet. Ac. Förh. V (9) 1848 (1849), 200.
- crassicornis** Halictus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 267.
- crassicornis** Haltica, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 96 [*n. n.*].
- crassicornis** Haltica, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (2) Sept. 1838, 131.
- crassicornis** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 847.
- crassicornis** Hippolyte, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 375.
- crassicornis** Homalota (Gyll.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 134.—Aleo-
- crassicornis** Hylurgus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 71. [chara.
- crassicornis** Inocellia (Hartl.), W. G. Schneider, Mon. Rhaphidia, 1843, 89.—Rhaphidia.
- crassicornis** Isocardia (Ag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 137.—Ceromya.
- crassicorne** Isosoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 15.
- crassicornis** Itea, C. L. Koch, Deutsch. Crust., heft 36, 1844, tab. 5.
- crassicornis** Julius, J. C. Mikán, Isis (Oken), 1834, 742. [L. 1758.
- crassicornis** Kleidocerys (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Cimex,
- crassicornis** Lampyrus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 118.
- crassicorne** Lathrobium, Dahl; Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
- crassicornis** Latridius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Aug. 1830, 113 (transversus).
- crassicornis** Leia, J. Curtis, Guide Brit. Ins. (7) 1831, 208 [*n. n.*].
- crassicornis** Leia, J. Curtis, Brit. Entom. XIV (161) May 1837, no. 645.
- crassicornis** Lema, Ol.; Dejean, Catal. Coléopt. 1821, 114 [*n. n.*].
- crassicornis** Lonsdaleia, F. M'Coy, Ann. Mag. N. H. (2) III. Jan. 1849, 12.
- crassicornis** Lycoperdina, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 166.
- crassicornis** Lygaeus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 67.
- crassicornis** Lytta, J. C. Fabricius, Syst. Eleuth. II. 1801, 80.
- crassicornis** Machilis, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 253. [1846, 179.
- crassicornis** Malthinus, F. G. Maeklin, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (1)
- crassicornis** Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- crassicornis** Mestogaster, H. M. Schmidt, Beyr. Mon. Pselaphen, 1838, 9. [1846, 218.
- crassicornis** Mycetophila, F. H. Stannius, Obs. Mycetophila, 1831, 22.
- crassicornis** Mycetoporus, F. G. Maeklin, Spec. Fenn. Mycetop. 1847, 9.
- crassicornis** Nematus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 28.
- crassicornis** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 204. [1763.
- crassicornis** Nirmus (Scop.), I. F. M. de Olfers, De Veg. Anim. 1816, 89.—Pediculus,
- crassicornis** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 173.

- crassicornis Nonagria (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua.
 crassicornis Noterus (Fab.), J. R. Schellenberg, Helvët. Entom. II. 1806, 224.—Dytiscus,
 crassicornis Nyctibora, H. Burmeister, Handb. Ent. II (2) i, 1838, 501. [? Müll. 1776.
 crassicornis Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 155.
 crassicornis Odynerus (Panz.), C. Wesmael, Mon. Odyn. Belg. 1833, 39.—Vespa.
 crassicornis Oenas (Fab.), Lamarck, An. s. vert. IV. 1817, 433.—Lytta, ? Ill. 1800.
 crassicornis Oenas (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 29.—Lytta, ? Ill. 1800.
 [Moscou, VI. 1839, 23.
 crassicornis Otiorhynchus, Schoenherr in F. Faldermann, N. Mém. Soc. Imp. Nat.
 crassicornis Pachypalpus, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 269. [52.
 crassicornis Panthus, F. Walker (ex Haliday MS), Ann. Mag. N. H. XVIII. July 1846,
 crassicornis Passandra, E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 319.
 crassicornis Pediculus, H. Burmeister, Gen. Ins. (4) 1838, no. 15. [1832.
 crassicornis Pella, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Ap. 1835, 434.—Aleochara,
 crassicornis Penaeus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 418.
 crassicornis Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 220.
 crassicornis Physoplia, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 543.
 crassicornis Phytocoris, C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 90.
 crassicornis Pimpla, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 375.
 crassicornis Polynema, A. Foerster, Linnæa Entom. II. July 1847, 221.
 crassicornis Pompilus, J. Schiödt, Naturhist. Tidsskrift, I. 1837, 335.
 crassicornis Pompilus, W. E. Shuckard, Foss. Hymenopt. 1837, 63.
 crassicornis Porcellio, C. L. Koch, Deutsch. Crust., heft 34, 1841, tab. 19. [67.
 crassicornis Prioscelis, J. A. Westwood, Proc. Zool. Soc. London, IX (103) Mar. 1842,
 crassicornis Psammethicus, G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844, 54.
 crassicornis Pteromalus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 424.
 crassicornis Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 264.
 crassicornis Pyramis, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 576.
 crassicornis Raphidia, Hartlieb, Beitr. Entom. Schlesien (1) 1832, 15.
 crassicornis Rhopalus (Fab.), P. S. Schilling, Schles. Ges. nat. Kultur, Beitr. Entom.
 1829, 50.—Coreus.
 crassicornis Sabella, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 202.
 crassicornis Saperda, C. J. Schoenherr, Syn. Insect. I (3) 1817, 421.
 crassicornis Sarrotrium, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 260.
 crassicornis Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 23.
 crassicornis Senometopia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II.
 1835, 114.—Tachina.
 crassicornis Setella, J. D. Dana, P. Amer. Ac. I. 1848, 155.
 crassicornis Synergus, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 414.
 crassicornis Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 71.
 crassicornis Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 351.
 crassicornis Tachyporus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1)
 crassicornis Telephorus (Tylocerus), J. W. Dalman, Anal. Entom. 1823, 57. [1844, 180.
 crassicornis Themisto, H. Kröyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 295.
 crassicornis Tingis, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 38.
 crassicornis Tipula, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 841.
 crassicornis Trineura (Meig.), J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2874.—Phora.
 crassicornis Umbonia (A. & S.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec.
 1846, 275.—Physoplia. [1847, 266.
 crassicornis Winthemia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (2) Aug.
 crassicornis Zelus, H. Burmeister, Handb. Ent. II (1) 1835, 225.
 crassicornnuta Melongena, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct.
 crassicosta Argonauta, de Blainville, Dict. Sci. Nat. XLIII. 1826, 213. [1847, 286.
 crassicosta Cancellaria, L. Bellardi, Mem. R. Acc. Sci. Torino [2] III. 1841, 247.
 crassicosta Cardita, Lamarck, An. s. vert. VI (1) 1819, 24.
 crassicosta Corbis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
 crassicosta Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 82.
 crassicosta Patella, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 133.

- crassicosta** Rissoa, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 6.
- crassicosta** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 193.
- crassicostata** Alvania, A. Risso, H. N. Europe, IV. 1826, 143.
- crassicostatus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 197.
- crassicostata** Chama, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
- crassicostata** Chelone, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 27.
- crassicostatus** Clypeaster, L. Agassiz, Cat. Ect. Ech. 1840, 6. [1842, 39.
- crassicostatus** Clypeaster, Agassiz in E. Sismonda, Mem. R. Acc. Sci. Torino [2] IV.
- crassicostatus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 541.
- crassicostata** Helix, W. H. Benson, Ann. Mag. N. H. (2) II. Sept. 1848, 159.
- crassicostata** Mangelia, C. B. Adams, Contr. to conch. (4) Jan. 1850, 66.
- crassicostatus** Murex, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 601.
- crassicostatus** Pecten, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 75.
- crassicostatus** Pecten, W. Dunker, Palaeontographica, I (4) May 1848, 164.
- crassicostata** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 104.
- crassicostata** Scalaria, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 42.
- crassicostatus** Spirifer, J. De C. Sowerby, Q. J. Geol. Soc. London, III. 1847, 248 [*n. n.*].
- crassicostata** Turbinella, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].
- crassicostata** Turbinella, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 265.
- crassicostata** Venericardia, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. IV.
- crassicostata** Venericardia, W. Wood, Suppl. Index Test. 1828, 57.—Chama, 1828.
- crassicostis** Atrypa, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 131.
- crassicostulatus** Ammonites, de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 157.
- crassicrus** Sphaetes, Menzel in Bremi, Entom. Zeitung, Stettin, X (3) Mar. 1849, 95.
- crassidens** Astarte, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 365.
- crassidens** Carcharodon, E. Sismonda, Mem. R. Acc. Sci. Torino [2] X. 1849, 35.
- crassidens** Cardium, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 816.
- crassidens** Coniasaurus, R. Owen in F. Dixon, Geol. Sussex, 1850, 386. [(3) 1840, 503.
- crassidens** Crocodilus (Leptorhynchus), Falconer & Cautley, Tr. Geol. Soc. Lond. [2] V
- crassidens** Delphinus (Ow.), C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 234.—Phocaena.
- crassidens** Elonichthys, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 251.
- crassidens** Gavialis (F. & C.), H. G. Bronn, Index Pal. 1848, 527.—Crocodilus.
- crassidens** Goniopholis, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 69.
- crassidens** Lamna, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 115 (1838); III. 292 (1843).
- crassidens** Lutraria, Lamarck, An. s. vert. V. 1818, 471.
- crassidens** Mactra, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 346.
- crassidens** Mitra, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 372.
- crassidens** Mitra, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 676.
- crassidens** Mulinia, T. A. Conrad, Rep. Assoc. Amer. geol. nat. 1843, 110.
- crassidens** Orca (Owen), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 34.—Phocaena.
- crassidens** Oxyrhina, F. Dixon, Geol. Sussex, 1850, 367.
- crassidens** Pandora, T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, 2.
- crassidens** Pedipes, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 93.
- crassidens** Phocaena, R. Owen, B. Foss. Mamm. (1846), 516.
- crassidens** Sphyrænodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*]; Poiss. Foss. V (1), 99 (1844) [*n. n.*].
- crassidens** Triton, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 287.
- crassidens** Unio, Lamarck, An. s. vert. VI (1) 1819, 71.
- crassidentata** Flustra, Lamarck, An. s. vert. II. 1816, 159.
- crassidentata** Membranipora, F. S. Voigt in Cuvier, Tierreich, VI. 1843, 365.
- crassidentata** Plicatula, H. G. Bronn, Index Pal. 1848, 1020.
- Crassidorsa** T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 98.—G.
- crassifibra** Caprina, C. F. Roemer, Texas, 1849, 408.
- crassificata** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 319.
- crassiflavella** Cephimallota, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III (Tom. 3) (5 & 6) 1850, 32. [bezitt., Zool. (Ins.) 1842, 197.
- crassifolia** Locusta (Phylloptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.

- crassifrons** Harpes, J. Barrande, *Nouv. Trilob., Suppl. à Not. prélim. Silur.* 1846, 15.
crassifrons Pleurohynchus, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VIII. *post* Ap. 1842, 252.
- Crassilabris** W. Swainson, N. H. *Fishes etc.* II. July 1839, 172 & 225 (-brus).—P.
crassilabris Achatina, W. H. Benson, *J. Asiat. Soc. Bengal*, V. 1836, 353.
crassilabris Bulimus, J. E. Gray, *Proc. Zool. Soc. London*, II (19) Nov. 1834, 66.
crassilabris Bulimus, Grateloup, *Actes Soc. Linn. Bordeaux*, XI (55) 1840, 164.
crassilabris Cellepora, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 89.
crassilabris Clausilia, Megerle in C. T. Menke, *Syn. meth. Moll.* 1828, 17 [*n. n.*].
crassilabre Dolium (Val.), K. T. Menke, *Zeitschr. f. Malakozool.*, Dec. 1850 [Ap. 1851], 182.—Malea.
- crassilabris** Helicina, R. A. Philippi, *Zeitschr. f. Malakozool.*, Aug. 1847, 125.
crassilabris Helix, L. Pfeiffer, *Proc. Zool. Soc. London*, XIV (166) Jan. 26, 1847, 111.
crassilabris Malea, A. Valenciennes in Humboldt, *Voy. Intér. Amér. (Obs. Zool. II.* 1832), 327.
- crassilabris** Murex, Potiez & Michaud, *Gal. Moll. Douai*, I. Oct. 1838, 414.
crassilabris Trophon, J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 67.
crassilabris Upeneus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 523.
crassilabrum Buccinum, W. Wood, *Index Test.* 1818, 115.
crassilabrum Cerithium, C. F. F. Krauss, *Südafrik. Moll.* 1848, 107.
crassilabrum Cerithium, A. d'Orbigny, *Prodr. Paléont. II* [Nov.] 1850, 11.
crassilabra Cyclostoma, P. Matheron, *Catal. méth. foss. B. du Rhône*, 1843, 211; *Rep. trav. Soc. stat. Marseille*, VI. 283.
- crassilabrum** Mangelia, L. Reeve, *Conch. Icon.* III.—Mangelia, no. 36, June 1846.
crassilabra Marginella, I. Lea, *Contrib. to Geol.* 1833, 177.
crassilabra Marginella, T. A. Conrad, *Foss. Shells Tert. N. Amer.* (3) Aug. 1833, 33.
crassilabrum Marginella, G. B. Sowerby, I., *Proc. Zool. Soc. London*, XIV (164) Nov. 1846, 96.
- crassilabrum** Monoceros, Lamarck, *Ency. Méth. (Vers)* 1816, pl. 396, *Liste p. 2* [*n. et f.*].
crassilabrum *v. album*, Monoceros, G. B. Sowerby, I., *Proc. Zool. Soc. London*, III (28) July 1835, 49. [1845.]
- crassilabrum** Murex, L. Reeve (*ex* Gray MS), *Conch. Icon.* III.—Murex, no. 146, Aug.
crassilabrum Natica, H. C. Lea, *P. Amer. Phil. Soc.* III. 1843, 164 [*n. n.*]; *Tr. Amer. Phil. Soc.*, n. s., IX (3) Dec. 1846, 254.
- crassilabrum** Pleurotoma, L. Reeve, *Proc. Zool. Soc. London*, XI (130) June 1844, 185.
crassilabrum Pleurotoma, [E. Reuquen], *Cat. Coq. Corse, extremo* 1848, 74.
crassilabrum Pleurotoma, J. W. Mighels, *Proc. Boston Soc. N. H.* II. 1848 (1845), 23.
crassilabrum Pomatias, D. Dupuy, *Cat. extr. mar. Galliae Test.*, Feb. 1849, 4; H. N. *Moll. France* (5) May 1851, 511.
- crassilabrum** Purpura (Lam.), H. D. de Blainville, *N. Ann. Mus. H. N. (Paris)* I [2] *post* May 1832, 247.—Monoceros.
- crassilabrum** Rostellaria, G. P. Deshayes, *Descr. Coq. foss. Paris*, II. 1835, 624.
crassilabrum Rostellaria (Strombus), H. E. Anton, *Verz. Conch.* 1839, 87.
crassilabrum Scalaria, G. B. Sowerby, II., *Thes. Conch.* I (4) *ante* 11 Ap. 1844, 105.
- Crassilabrus** W. Swainson, N. H. *Class. Fishes*, II. 1839, 225.—P.
- crassiloba** Spongia, Lamarck, *Ann. Mus. H. N. (Paris)* XX (119) Jan. 1814, 374.
- crassimanus** Achelous, W. S. M'Leay in A. Smith, *Ill. Zool. S. Afr. (Ins.)* 1838, 61.
crassimanus Borborus (Hal.), F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 1131.—Limosina.
- crassimana** Clythra, C. P. Forsberg, *N. Acta Soc. Sci. Upsal.* VIII. 1821, 276.
crassimanus Dameus, C. S. Rafinesque-S., *Précis Som.* 1814, 26.—Cr. [*n. n.*].
crassimanus Dryinus, J. Curtis (*ex* Hal. MS), *Brit. Entom.* V (51) Mar. 1828, no. 206.
crassimanus Gammarus, D. Viviani, *Phosph. maris*, 1805, 5 & 10.
crassimana Limosina, A. H. Haliday, *Entom. Mag.* III (4) Jan. 1836, 328.
crassimanus Lygaeus, J. C. Fabricius, *Syst. Rhyng.* 1803, 233. [1842, 26.—Syrtsis.
crassimanus Macrocephalus (Fab.), J. O. Westwood, *Tr. Entom. Soc. Lond.* III (1) Jan.
crassimanus Pagurus, H. M. Edwards, *Ann. Sci. Nat.* [2] (Zool.) VI. Nov. 1836, 277.
crassimanus Poteriocrinus, F. M'Coy, *Ann. Mag. N. H.* (2) III. Ap. 1849, 245.

- crassimanus** Scylla (MacLeay), A. White, List Crustacea Coll. B. M. 1847, 26.—Achelous.
- crassimana** Syrtis, J. C. Fabricius, Syst. Rhyng. 1803, 123.
- crassimarginata** Calymene, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 173.
- crassimargo** Chrysis, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 127.
- crassimargo** Chrysomela, Dufts.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- crassimargo** Chrysomela (Ill.), E. F. Germar, Ins. spec. novae, I. 1824, 584. [178.
- crassimargo** Chrysomela, Hoffmannsegg in K. Duftschmid, Fauna Austriae, III. 1825,
- crassimargo** Monachoda, H. Burmeister, Handb. Ent. II (2) i, 1838, 515.
- crassimargo** Natica, Cristofori & Jan, Cat. Mus. (Sect. II.) (1) Conch. foss. 1832, 3.
- Crassina** Lamarck, Anim. s. vert. V, July 1818, 554.—L.
- crassinerva** Eucoila, J. O. Westwood, Introd. class. Insect. II. 1840, Syn. 56.
- crassinervis** Lycus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 22 [*n. n.*].
- crassi-nervis** Ponera, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 150.
- crassinervis** Tanypus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 817.
- crassinervis** Trioza, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 83. [[*n. n.*].
- crassinoda** Eurytoma, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 151
- crassinoda** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 198. [166.
- crassinoda** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39=60) 1842,
- crassinoda** Ponera (Latr.), Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 191.—Formica.
- crassinuclea** Succinea, Benson, Zeitschr. f. Malakozool., July 1849 [Jan. 1850], 110.
- crassior** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 327.
- crassior** Diploria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 289.
- crassior** Lacuna (Mont.), W. Turton, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 192.—Turbo. [errata.—Turbo.
- crassior** Lacuna (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 10 (Phasianella) &
- crassior** Medoria (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.—Turbo.
- crassior** Phasianellus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvii, f. 43.—Turbo.
- crassior** Prionastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 131.
- crassior** Sciaenurus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*]; Poiss. Foss. IV. 296 (1844) [*n. n.*].
- crassior** Turbo, G. Montagu, Test. Brit. II. 1803, 309.
- crassipalpis** Acanthomera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 43.
- crassipalpis** Cordyla, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XII. July 1839, 31.
- crassipalpis** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 102.
- crassipalpis** Sarcophaga, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 112.
- crassipalpus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 353.—Micryphantes.
- crassipalpus** Micryphantes, C. L. Koch, Die Arachniden, IV (6) May 1838, 128.
- crassipennis** Ceroxys (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- crassipennis** Corvus, C. G. Giebel, Fauna d. Vorwelt, I (2) 1847, 17. [438.—Oortalis.
- crassipennis** Musca (Fab.), Lamarck, An. s. vert. III. 1816, 363.—Thereva, 1798.
- crassipennis** Oortalis (Fab.), C. F. Fallen, Oortalides Sveciae (2) 1820, 18.—Scatophaga.
- crassipennis** Phasia (Fab.), Latreille, N. Dict. H. N., ed. 2, XXV. 1817, 505.—Thereva, 1798.
- crassipennis** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 209.—Musca, 1794.
- crassipennis** Tephritis (Fab.), C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 163.—
- crassipes** Anisotoma, Ziegl.; Dejean, Catal. Coléopt. 1821, 69 [*n. n.*]. [Musca, 1794.
- crassipes** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 71 ["Mon. Anth." *poster. edit.*].
- crassipes** Anthophora (F.), Lamarck, An. s. vert. IV. 1817, 62.—Apis, 1793.
- crassipes** Aquila, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- crassipes** Atax (Müll.), C. L. Koch, Deutsch. Crust., heft 7, 1836, tab. 21.—Hydrachna,
- crassipes** Atherix, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 109. [1776.
- crassipes** Bdella, C. L. Koch, Deutsch. Crust., heft 23, 1839, tab. 14.
- crassipes** Berytus, Herrich-S. in Panzer, Ins. Germ., heft 135, 1835, tab. 6.
- crassipes** Blaps, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 167. [123.
- crassipes** Calcar, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844,

- crassipes Callidium, Meg.; Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].
- crassipes Calosoma, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- crassipes Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 95. [745.]
- crassipes Cecidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 31.
- crassipes Centris, J. C. Fabricius, Syst. Piezat. 1804, 359.—Apis, 1793.
- crassipes Chionea, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. III (6) 1846, 179.
- crassipes Chironomus, Meigen in G. W. F. Panzer, Ins. Germ., heft 109, 1813, tab. 22.
- crassipes Chrysomela, H. Lucas, Explor. Algér. (Artic. II.) 1849, 533.
- crassipes Comasinus, Meg.; Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- crassipes Coptognathus, H. Burmeister, Handb. Ent. V. 1847, 185.
- crassipes Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 734.
- crassipes Coriscus, F. v. P. Schrank, F. Boica, II (1) 1801, 99.
- crassipes Crioceris, A. G. Olivier, Entom. VI. 1808, 729. [[*err. pro* 264].]
- crassipes Cryptochile, A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 364
- crassipes Cryptorhynchus, D. H. Schneider, Verz. Insectensamml. 1828, 79 [*n. n.*].
- crassipes Delphax, J. Curtis, Guide Brit. Ins. (7) 1831, 194 [*n. n.*].
- crassipes Diaplochelus, H. Burmeister, Handb. Ent. IV (1) 1844, 133.
- crassipes Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 152.
- crassipes Diphya, H. Nicolet in Gay, Chili, III (Arach.) 1849, 406. [[*n. n.*].]
- crassipes Diplolepis, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
- crassipes Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 425.
- crassipes Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 217.
- crassipes Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 33.
- crassipes Erioptera, J. Curtis, Brit. Entom. XII (139) July 1835, no. 557.
- crassipes Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 237.
- crassipes Feronia (Omaseus), E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 120.
- crassipes Gamasus (L.), C. L. Koch, Deutsch. Crust., heft 26, 1795, tab. 4.—Acarus, 1758.
- crassipes Gelasinus, A. White, Proc. Zool. Soc. London, XV (175) July 20, 1847, 84.
- crassipes Gelasinus, A. White, List Crustacea Coll. B. M. 1847, 36 [*n. n.*].
- crassipes Geophilus, C. L. Koch, Deutsch. Crust., heft 3, 1835, tab. 3.
- crassipes Geotrupes (Ol.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 18.—Scarab. 1789.
- crassipes Gryllus, T. v. Charpentier, Hôrae Ent. 1825, 174.
- crassipes Haematopota, J. C. Fabricius, Syst. Antliat. 1805, 108.
- crassipes Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 14.—Carabus.
- crassipes Helophilus (Fab.), F. Walker, List Dipt. Coll. B. M. (3) 1849, 609.—Eristalis.
- crassipes Hister, Dejean, Catal. Coléopt. 1821, 48 [*n. n.*].
- crassipes Hoplia (Fab.), Dejean, Catal. Coléopt. 1821, 59.—Melolontha, 1775. [1789.]
- crassipes Hoploscelis (Ol.), H. Burmeister, Handb. Ent. IV (1) 1844, 55.—Scarabaeus,
- crassipes Hybos, J. C. Fabricius, Syst. Antliat. 1805, 146.
- crassipes Ichneumon, J. N. Vallot, Concord. à Réaumur, 1802, 175.
- crassipes Ichneumon, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 159.
- crassipes Lamia, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 111.
- crassipes Laphria (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 240.—Dioctria.
- crassipes Lema (Ol.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 310.—
- Crioceris. [1835.]
- crassipes Linotaenia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 188.—Geophilus,
- crassipes Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 504.—Curculio, 1775. [323.]
- crassipes Lycosa, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
- crassipes Lygaeus, J. C. Fabricius, Syst. Rhyng. 1803, 214. [2=plumipes.]
- crassipes Memythrus (Dru.) [*lapsus calami*], E. Newman, Sphinx vesp. 1832, 53.—Sphinx
- crassipes Merodon, J. C. Fabricius, Syst. Antliat. 1805, 196.
- crassipes Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- crassipes Microphor, J. Macquart, Ins. dipt. N. France (3) 1827, 140. [1846, 237.]
- crassipes Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 51.
- crassipes Nomia (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 414.—Eucera, 1798.
- crassipes Oedemera, J. Sturm, Catal. Ins. Samml. 1826, 175 [*n. n.*].

- crassipes** Oedipoda (Charp.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 328.—Gryllus.
- crassipes** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 127. [127.]
- crassipes** Pachygrapsus, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840,
- crassipes** Pedicia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
- crassipes** Pemphredon, J. C. Fabricius, Syst. Piezat. 1804, 315.—Crabro, 1798.
- crassipes** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 335.—Docophorus. [1775.]
- crassipes** Phymata (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 247.—Acanthia,
- crassipes** Phymata (Fab.), Latreille, N. Dict. H. N., ed. 2, XXVI. 1818, 46.—Syrtis.
- crassipes** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 190.
- crassipes** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 95.
- crassipes** Podalirius (Fab.), P. A. Latreille, H. N. Fourmis etc., May 1802, 431.—Apis, 1793. [1793.]
- crassipes** Podalirius (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 379.—Apis.
- crassipes** Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 50.
- crassipes** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 205.
- crassipes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 273.
- crassipes** Rhaphium (Meig.), J. W. Zetterstedt, Dipt. Scand. II. 1843, 466.—Porphyrops.
- crassipes** Sprinpus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 195.
- crassipes** Scolopendra, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VII (11) Mar. 1840, 153.
- crassipes** Siro (Herm.), Lamarck, An. s. vert. V. 1818, 70.—Acarus, L. 1758.
- "crassipes"** Sphinx, ?=plumipes, Sphinx, Drury, *v.* crassipes Memythus.
- crassipes** Sycophaga, J. O. Westwood, Tr. Entom. Soc. Lond. II (4) Nov. 1840, 222.
- crassipes** Syrtis, J. C. Fabricius, Syst. Rhyng. 1803, 121.—Acanthia, 1775.
- crassipes** Tanypus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 819.
- crassipes** Timarcha, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 47. [Microphorus.
- crassipes** Trichina (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 78.—
- crassipes** Trichius (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 110.—Melolontha,
- crassipes** Trogulus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 305. [1775.]
- crassipes** Xanthidium, H. H. White, Trans. Micros. Soc. London, I. 1844, 81.
- crassipes** Xylota, P. F. Wahlberg, K. Vet. Ac. Handl. 1838 (1839), 15.
- crassipinnis** Acara, J. Heckel, Ann. Wiener Mus. II [3] 1840, 357.
- crassiplica** Bulla, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 282.
- crassiplica** Lutraria, Lamarck, An. s. vert. V. 1818, 471.
- crassipora** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 697.
- crassirostris** Alauda, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 373.
- crassirostris** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 107.
- crassirostre** Apion, Meg.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- crassirostre** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 446.
- crassirostris** Bombylius, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 421.
- crassirostris** Brachytrachelus (Goldf.), C. Giebel, Jahresber. nat. Ver. Halle, II. 1850, 3.
- crassirostris** Calandra, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [—Pterodactylus.
- crassirostris** Camarhynchus, J. Gould, Proc. Zool. Soc. London, V (9) Oct. 1837, 6.
- crassirostris** Carpodacus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 476.
- crassirostris** Charadrius, J. B. v. Spix, Avium Brasil. II. 1825, 77.
- crassirostris** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 98.
- crassirostris** Cormoranus, L. A. F. Baillon, Mém. Soc. Enul. Abbeville, 1833 (1834), 77.
- crassirostris** Corsomyia, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 40.
- crassirostris** Corvultur (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 387.—
- crassirostris** Corvus, E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 19. [Corvus.
- crassirostris** Cuculus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 86.
- crassirostris** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 229.
- crassirostris** Curruca (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 294.—
- crassirostris** Cyanocitta, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 378. [Sylvia.
- crassirostris** Dendrocolaptes, G. Such, Zool. Journ. II (5) Ap. 1825, 115.
- crassirostris** Emberiza, C. L. Brehm, Isis (Oken), 1842, 753.

- crassirostris** Empis, C. F. Fallen, Empidiae Sveciae (3) 1816, 31. [362.]
- crassirostris** Enneoctonus, C. L. Bonaparte (*ex* Kuhl MS), Consp. gen. Avium, I. 1850,
- crassirostris** Erana (Vieill.), G. R. Gray, List Gen. Birds, 1840, 48.—Alauda.
- crassirostris** Fringilla, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 564.
- crassirostris** Fulica, J. E. Gray in Griffith, Anim. Kingd. (Birds) III. 1829, 542.
- crassirostris** Gallinula, G. R. Gray, List Birds Coll. B. M. III. 1844, 123.—Fulica, 1829.
- crassirostris** Garrulus, J. Kalenichenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 357.
- crassirostris** Gymnetron, H. Lucas, Explor. Algér. (Artic. II.) 1849, 458.
- crassirostris** Heilipus, A. Chevalrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 147.
- crassirostris** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 319.—Anthomyia.
- crassirostris** Hylemyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 315.—Anthomyia.
- crassirostris** Keropia (Lath.), G. R. Gray, List Gen. Birds, 1840, 28.—Turdus, Gm. 1788.
- crassirostris** Lanius, G. de Paykull, N. Acta Soc. Sci. Upsal. VII. 1815, 282.
- crassirostris** Lanius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 148.
- crassirostris** Larus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 508. [Alauda.]
- crassirostris** Megalophonus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 243.—
- crassirostris** Melanocorypha (Vieill.), F. Boie, Isis (Oken), 1828, 322.—Alauda.
- crassirostris** Miliaria, C. L. Brehm, Isis (Oken), 1841, 56.
- crassirostris** Neomorpha, J. Gould, Syn. Birds of Australia & adj. islands (1) Jan. 1837.
- crassirostris** Nycticorax, A. N. Vigors, Zool. "Blossom," 1839, 27.
- crassirostris** Otus (Vieill.), G. R. Gray, List Birds Coll. B. M. I. 1844, 48.—Strix.
- crassirostris** Pachyrampus (Goldf.), L. Fitzinger, Syst. Rept. 1843, 35.—Pterodactylus.
- crassirostris** Pica, J. Wagler, Syst. Avium, I. 1827, sign. 2112. [Fulica.]
- crassirostris** Porphyriops (Gray), Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 278.
- crassirostris** Pterodactylus, Goldfuss, N. A. Ac. Caes. Leop. Car. XV (1) 1831, 63.
- crassirostris** Pyrrhula (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 301.—
- Loxia, Gm. 1788.
- crassirostris** Quiscalus, W. Swainson, Anim. in Menag., Dec. 1837, 355.
- crassirostris** Rhyncolus, Meg.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*].
- crassirostris** Rhyncolus, Cr.; J. Sturm, Catal. Ins. Samml. 1826, 191.
- crassirostra** Scaphidura, W. Swainson, Anim. in Menag., Dec. 1837, 301.
- crassirostris** Sparus (Cuv.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 54.—Chrysophrys.
- crassirostris** Spermothila (Gm.), G. R. Gray, Genera of Birds, II. Oct. 1844, 386.—
- Loxia, 1788. [Loxia, 1788.]
- crassirostris** Sporophila (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 498.—
- crassirostris** Strix, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 44.
- crassirostris** Sylvia, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
- Vögel (—) 1830 *vel* 1831, 49. [1831, 504.]
- crassirostris** Tetrao, C. L. Brehm, Isis, 1830, 985 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- crassirostris** Totanus, L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 406.
- crassirostris** Treron, L. Fraser, Proc. Zool. Soc. London, XI (122) Oct. 1843, 35.
- crassirostris** Tringa, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1849), 107.
- crassirostris** Turdus, [H. Lichtenstein], Verz. Samml. Kaffernl. 1842, 14.
- crassirostris** Turnagra (Lath.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 38.—Turdus,
- ? Gm. 1788.
- crassirostris** Turnagra, R. P. Lesson, Echo Monde Savant, XI. 20 June 1844, 1139.
- crassirostris** Tyrannus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan.
- 1826, 273.
- crassirostris** Ulula (Vieill.), O. Des Murs in Gay, Chili (Aves) 1847, 254.—Strix.
- crassisepta** Dimorphastrea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 177.
- crassisepta** Meandrastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.
- Crassisetia** C. L. F. v. Roser, C. B. landw. Ver. Wuertr. I (1) 1840, —.—Dipt. [*mihi non*
- Crassisetia** H. Loew, Dipt. Beitr. I. 1845, 49.—Dipt. [*visum*].
- crassisetia** Musca, J. T. C. Ratzeburg, Forst-Insekten, III. 1844, 174.
- crassispinum** Acrosoma, C. L. Koch, Die Arachniden, III (4) *post* July 1836, 55.
- crassispinus** Dentex, J. L. R. Agassiz, Poiss. Foss. III. 39 (1835) [*n. n.*].

- crassispinus** Dentex, J. L. R. Agassiz, Poiss. Foss. IV. 10 (1838), 147 (1839).
crassispinum Diagramma, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 125.
crassispinus Diplacanthus, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. F. V. G. R., 34 & 43 (1844).
crassispina Gunellus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 139.
crassispinus Hybodius, J. L. R. Agassiz, Poiss. Foss. III. 48 (1837).
crassispina Murex, Lamarck, An. s. vert. VII. 1822, 157. [Ophiura.
crassispina Ophiocoma (Say), Joh. Mueller & Troschel, Syst. Asterid. 1842, 103.—
crassispina Ophiura, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 147.
crassispina Plectana (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 180.—Acrosoma.
Crassispira W. Swainson, Treat. Malacol., May 1840, 152 & 313.—G.
crassisquama Spondylus, Lamarck, An. s. vert. VI (1) 1819, 191.
crassissima Ananchytes, L. Agassiz, Cat. Ect. Ech. 1840, 2.
crassissima Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 133.
crassissimus Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 327. [Unio.
crassissima Cardinia (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 206 (1841).—
crassissimus Conoclypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 168.
crassissima Cupulospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 326.
crassissima Hermella (Lam.), A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 20.—Sabellaria.
crassissima Modiola, F. M'Coy, Ann. Mag. N. H. XX. Nov. 1847, 300.
crassissima Ostrea, Lamarck, An. s. vert. VI (1) 1819, 217.
crassissima Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 150.
crassissimus Pachyodon (Sow.), S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 483.—Unio.
crassissima Pinna, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 340.
crassissima Sabellaria, Lamarck, An. s. vert. V. 1818, 352.
crassissimus Spatangus, Defrance, Dict. Sci. Nat. L. 1827, 96.
crassissimus Unio, J. Sowerby, Min. Conch. II. 1817, 121. [Pullastra.
crassistria Cardinia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—
crassistria Leptaena, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 119.
crassistria Pullastra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 54.
crassistriata Rissou, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533 [*n. n.*].
crassistylum Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850,
crasssulca Venus, Lamarck, An. s. vert. V. 1818, 594. [412.
crassitarsata Empis, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 162.
crassitarsis Aphritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 198.
crassitarsis Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 152.
crassitarsis Eumolpus, D. H. Schneider, Verz. Insectensamml. 1828, 85 [*n. n.*].
crassitarsis Megapoda, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 198.
crassitarsis Simulium, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 173.
crassitarsis Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 647.
crassitarsus Scolobates, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 360.
crassitentaculata Fungia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 182.
crassitesta Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 39.
crassitesta Cyprina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 4.
crassitesta Pecten, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 27.
crassitesta Perna, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 105.
crassius Cyprinus *err. pro* carasius, Bloch; J. F. Blumenbach, Handb. Naturg., ed. 11, 1825, 255. [Fenn. I. 1834, 396.
crassiuscula Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (26) 1831, 396; & Ins.
crassiuscula Calyptraea, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (9) 1828, 83.
crassiuscula Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 531.
crassiusculus Cardinia (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 235 (1841).—Unio.

- crassiuscula** Corticaria, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 331. [(1843), 149 [*n. n.*].
- crassiusculum** Cyclostoma, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842
- crassiusculum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 408. [1844], 235.
- crassiusculus** Enoplus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
- crassiuscula** Falagria, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 301.
- crassiuscula** Filaria, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 20.
- crassiuscula** Lispe, H. Loew, Entom. Zeitung, Stettin, VIII (1) Jan. 1847, 31.
- crassiuscula** Ophiusa (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—
Phytometra. [483.—Unio.
- crassiusculus** Pachyodon (Sow.), S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842,
- crassiuscula** Phytometra, A. H. Hayworth, Lepidopt. Brit. (2) 1809, 259.
- crassiuscula** Thalassites (Sow.), F. A. Quenstedt, Floezgeb. Wuerttemb. 1843, 145.—
- crassiusculus** Unio, J. Sowerby, Min. Conch. II. 1817, 191. [Unio.
- crassivarricosa** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 33, May 1845.
- crassiventris** Colpochila, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 107. [1819], 90.
- crassiventris** Orthoceratites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep.
- crassiventre** Pentatoma, W. S. Dallas, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 189.
- Crasodactylus** (*sic*) F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. Feb. 1847, 50.—Col.
- crasso-lamellata** Heterocoenia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Dec. 1848, 309.—Stylina crassa lamella.
- crasso-lamellosa** Diploria, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- crasso-ramosa** Astrea, H. Michelin, Icon. Zoophyt. (9-12) 1844, 109. [291.
- crasso-ramosa** Enallocoenia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—
- crassoramosa** Oculina, H. Michelin, Icon. Zoophyt. (24-27) 1847, 312. [Astrea.
- crassula** Achatina, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Achatina, no. 120, Mar. 1850.
- crassulus** Ammonites, L. Hunton, Tr. Geol. Soc. London [2] V. 1837, 217 [*n. n.*].
- crassulus** Ammonites, M. Simpson, Mon. Amm. 1843, 20.
- crassulus** Bulinus (Dillw.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 117.—Bulla.
- crassula** Bulla, L. Dillwyn, Descr. Cat. Shells, I. 1817, 487.
- crassula** Campeloma, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 423.
- crasula** (*sic*) Clausilia, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 180.
- crassula** Eryma (Muenst.), II. G. Bronn, Index Pal. 1848, 467.—Glyphea.
- crassula** Eulima, J. G. Jeffreys, Malac. Conch. Mag. (2) 1839, 34 [*n. n.*].
- crassula** Glyphea, G. v. Muenster, Beitr. zur Petref. (2) 1839, 17.
- crassula** Helix, R. A. Philippi, Abb. Conch. I (6) 1844, 152.
- crassulus** Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 9 [*n. n.*].
- crassula** Nonionina (W. & J.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 294.
—Nautilus, Jac. 1798.
- crassula** Pentatoma, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 168.
- crassula** Placentula (Walk.), H. D. de Blainville, Faune Française (18) Malac. 1828, 53.
—Nautilus, Jac. 1798. [Jac. 1798.
- crassula** Polystomella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 241.—Nautilus,
- crassula** Rotalia (W. & J.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 1 & errata,
p. 145.—Nautilus, Jac. 1798.
- crassula** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 702.
- crassula** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 124.
- crassa** Acrocera, J. C. Fabricius, Syst. Antliat. 1805, 332. [varia.
- crassa** Acteonella (Duj.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 111.—Vol-
- crassus** Actinocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
- crassa** Agaricia, G. A. Goldfuss, Petref. German. I (1) 1826, 43.
- crassus** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 31.
- crassa** Agronomae, J. Huebner, Verz. bekannt Schmett. [1822], 227.
- crassa** Agrotis (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua.
- crassa** Aleochara, F. Baudi in Baudi & Truqui, Studi Ent. I. 1848, 120.

- crassa** Amara, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 131.
crassa Amiba, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 238.
crassus Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 253.
crassus Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 163 [*n. et f.*].
crassa Amorphospongia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.—
crassa Amphidonte, G. G. Pusch, Polens Paleont. (I) 1836, 39. [Cnemidium].
crassa Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 52.
crassa Ampullaria, W. Swainson, Zool. Illust. (1) III (28) Jan. 1823, pl. 136.
crassa Ampullaria, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 32. [33].
crassa Ampullaria, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835,
crassa Anatifa, J. E. Gray, Proc. Zool. Soc. London, XVI-(182) Nov. 14, 1848, 44.
crassa Anatina, S. Stutchbury, Zool. Journ. V (17) Feb. 1830, 100.
crassa Anculosa, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (4) Jan.
 1842 [3]. [14].
crassus Ancyclus, S. S. Haldeman, Mon. f.-w. univ. Moll. U. S. (7) Jan. 1844, Ancyclus,
crassus Anisodactylus, J. L. Leconte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap.
 1847, 382.
crassus Anodon, W. Swainson, Zool. Illust. (1) III (34) July 1823, pl. 167.
crassa Anodonta, L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch.
 Wien) III. 1833, 120.
crassa Anomala, J. Sturm, Catal. Ins. Samml. 1826, 92 [*n. n.*].
crassus Anomites, W. Martin, Petr. Derb. 1809, pl. 16. [? Penn. 1777].
crassa Arcopagia (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 8.—Tellina,
crassa Arcopagia (Gm.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Venus,
crassa Ascaris, E. Deslongchamps, Ency. Méth. (Zooph.) 1824, 89. [1790].
crassa Astraea (Goldf.), H. G. Bronn, Index Pal. 1848, 124.—Agaricia.
crassa Atrypa, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 636.
crassa Aulopora, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 15.
crassa Auricula, Defrance in A. E. Férussac, H. N. g. et p. Moll., Tabl. Auricules
 [1821], 108 [*n. n.*].
crassa Bacillaria, Bory de St V., Ency. Méth. (Zooph.) 1824, 136.
crassus Balanus, J. Sowerby, Min. Conch. I. 1815, 194.
crassus Belemnites, L. Voltz, Mém. Soc. H. N. Strasbourg, I (1) 1830, 53.
crassus Bombylius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 287.
crassum Buccinum, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 569.
crassum Buccinum (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 277.—Phos.
crassum Buccinum, F. C. L. Koch in R. A. Philippi, Abb. Conch. III (5) 1849, 43.
crassa Byrsopolis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
 1850 [ineunte 1851], 219.
crassus Carcharodon, J. L. Neugeboren, Arch. Ver. Siebenbürg. Landesk. IV (2) 1850,
crassa Cardita, Lamarck, An. s. vert. VI (1) 1819, 27. [40].
crassa Cardita, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 161 & 471 [*n. n.*].
crassa Cardita, G. B. Sowerby, I., Zool. "Blossom" 1839, 152.
crassum Cardium, Defrance, Dict. Sci. Nat. (ed. 2) V (Suppl.) 1817, 106.
crassum Cardium, E. Eichwald, Zool. spec. I. 1829, 283.
crassa Cassidulina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 56.
crassa Cellaria, S. V. Wood, I., Ann. Mag. N. H. XIII. Jan. 1844, 17.
crassus Centrolophus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 348.
crassa Cerambyx, Panzer in Voet, Ins. III. 1794, 23.
crassus Cerebratulus, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct. 1846, 218.
crassa Ceriopora (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 49.—
crassum Cerithium, Defrance, Dict. Sci. Nat. VII. 1817, 521. [Heteropora].
crassum Cerithium, Lamarck, An. s. vert. VII. 1822, 71.
crassum Cerithium, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 288.
crassa Cetonia (Pachnoda), H. Schaum, Tr. Entom. Soc. Lond. V (4) June 1848, 72.
crassa Chaetetes (Lonsd.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 170.—
crassa Chama, W. Smith, Strat. Syst. Org. Foss. 1817, 80. [Stenopora].
crassa Chama, J. C. Chenu, Illustr. conch. III (62) 1846, pl. 5 [*n. et f.*].

- crassa** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 184.
—Melania.
- crassa** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 748.
- crassa** Cidaris, H. G. Cotteau, Bull. Soc. Sci. Yonne, IV. 1850, 211.
- crassus** Clerus, E. Newman, Entomologist (1) Nov. 1840, 15.
- crassus** Clypeaster, L. Agassiz, Cat. Ect. Ech. 1840, 6.
- crassus** Clypeaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 131.
- crassum** Cnemidium, H. Michelin, Icon. Zoophyt. (9-12) 1844, 142.
- crassa** Coccudina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 446.
- crassa** Confusastrea (Goldf.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 10.—Astrea.
- crassus** Conurus (Grav.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 222.—Tachyporus.
- crassa** Corallina, E. J. C. Esper, Pflanzenth., Cor. tab. II. [n. d., 1810?].
- crassa** Corbula, R. B. Hinds in L. Reeve, Conch. Icon.—Corbula, no. 8, Aug. 1843.
- crassa** Coscinopora (Mich.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 186.—
Retepora.
- crassa** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 90.
- crassa** Cristellaria (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 95.—Robulina.
- crassus** Cryptocephalus, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 372.
- crassus** Cupressocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 212.
- crassus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 264.
- crassa** Cyclas (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 422.—Cyrena.
- crassum** Cyclidium, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 287.
- crassum** Cyclostoma, C. B. Adams, Contr. to conch. (8) Oct. 1850, 143 & 147.
- crassus** Cyclurus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [n. n.].
- crassa** Cyrena, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 119.
- crassus** Cyrtus (Fab.), C. R. W. Wiedemann, Anal. Entom. 1824, 32.—Acrocera.
- crassa** Cytherea, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 137.
- crassus** Dasyopogon, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 433.
- crassum** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 373.
- crassa** Didacna, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 167.—
Cardium, 1829. [per], 248.
- crassus** Didelphis, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrap).
- crassus** Dinornis, R. Owen, Proc. Zool. Soc. Lond. XIV (158) July 1846, 46.
- crassum** Distoma, Siebold, Arch. Anat. Phys. 1836, 234. [279.
- crassus** Doehmius, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
- crassus** Dolichoremus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 436.
- crassus** Echinaster, Joh. Mueller & Troschel, Syst. Asterid. 1842, 23.
- crassus** Echinoneus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 143.
- crassus** Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 283; & App.
1817, 135. [293.—Unio.
- crassa** Elliptio (Say), C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
- crassa** Emarginula, J. Sowerby, Min. Conch. I. 1813, 73.
- crassus** Emys, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 76.
- crassa** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 127.
- crassus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 232.—Syrphus, 1787.
- crassa** Eschara (D. & L.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 209.—Flustra.
- crassa** Eumenia, A. S. Orsted, Annul. Dan. Consp. (1) 1843, 47.
- crassus** Euplotes (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 172.—Ploesconia.
- crassus** Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 423.
- crassa** Explanaria, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 18.
- crassa** Favosites, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 284.
- crassa** Fenestella, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 10 [n. n.];
Syn. Carb. Lst. foss. Ireland, 1844, 201.
- crassa** Fenestrellina (M'Coy), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849,
- crassa** Fissurella, Lamarck, An. s. vert. VI (2) 1822, 11. [501.—Fenestella.
- crassum** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 276.
- crassa** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.
- crassa** Flustra, Lamarck, An. s. vert. II. 1816, 160.

- crassa** Frondicularia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 212.
crassa Fungia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 304.
crassus Fusus, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviii, f. 8 [*u. et f.*].
crassus Gastrancistrus, F. Walker, Entom. Mag. II (2) Ap. 1834, 177.
crassus Geotrupes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 166.
crassa Gervillia, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 98.
crassus Gordius, Grube, Arch. f. Naturg. XV (1) 1849, 370.
crassus Gyrinus, C. Aubé, Spec. gén. Hydroc. 1838, 711.
crassa Helicina, A. d'Orbigny in Sagra, Cuba (Moll. I.), 1842, 243.
crassa Helix, J. B. v. Spix, Testac. Brasil. 1827, 4 [*u. n.*].
crassa Helix, L. Pfeiffer, Zeitschr. f. Malakozool., May [July] 1850, 72.
crassus Hepialus (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 2.—
 Phalaena, 1782.
crassus Herpetolithus, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 310.
crassa Heteropora, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 680.
crassa Hornera, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 677.
crassus Hybodius, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 94 (1836); III. 47 (1837).
crassa Idmonea (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 170.
 —Aulopora.
crassa Isocardia, Nyst & Westendorp, Bull. Ac. Roy. Brux. VI (2) 1839, 403.
crassus Ithobalus (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 88.—Papilio, 1777.
crassa Jania, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 23.
crassa Jania, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 197.
crassus Labrus, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 95.
crassa Lacerta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 422.
crassa Lagena, C. F. Schumacher, Essai Vers test. 1817, 240.
crassa Lamia (Voet), C. J. Schoenherr, Syn. Insect. I (3) 1817, 381.—Cerambyx, Panz.
 1794. [(1844).]
crassus Leptolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 120 (1839); II (2) 131.
crassa Leptoxis, S. Haldeman; J. C. Chenu, Illustr. conch. IV., Leptoxis, 1848, 2.
crassa Lima (Limatula), E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 193.
crassa Linckia, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 284.
crassa Lingula, J. Hall, N. H. New York (Pal. I.) 1847, 98.
crassus Lithodomus, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [*u. n.*].
crassus Lonchotus (Klug), H. Burmeister, Handb. Ent. V. 1847, 173.—Geotrupes.
crassa Lucina, J. De C. Sowerby, Min. Conch. VI. 1827, 108.
crassa Lytta (Tetraonyx), F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 451.
crassus Macropneustes, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 9.
crassa Mactra, W. Turton, Conch. Insul. Brit. 1822, pp. xxvi & 69.
crassa Mactra, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 337.
crassa Marginulina, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 251.
crassa Meandrina, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 282.
crassus Megaspis (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 88.—
crassa Melania, G. v. Muenster, Beitr. zur. Petref. (4) 1841, 94. [Eristalis.
crassa Melania, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 2.
crassa Melina, C. F. Schumacher, Essai Vers test. 1817, 111.
crassa Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [*u. n.*].
crassus Meriones, C. J. Sundevall, K. Vet. Ac. Handl. 1842 (1843), 233.
crassus Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 48.
crassa Mitra, W. Swainson, Zool. Illustr. (1) II (17) Feb. 1822, pl. 88.
crassa Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
crassa Monas (Mastichemonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 31.—
 Cyclidium.
crassa Monodonta (Mont.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 326.—
crassus Murex, L. W. Dillwyn, Catal. Shells, 1817, 692. [Trochus, ? Pult. 1799.
crassus Murex, W. Wood (ex Chemn.), Index Test. 1818, 121.
crassa Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 387.
crassa Mutilla, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. f.

- crassa** Mya, Vallot, Exer. Hist. Nat. 1801, 7.
- crassa** Mya, W. Wood, General Conch. 1815, 106.
- crassa** Mya, C. Grewingk, Verh. Russ.-Kais. min. Ges. St P. 1848-9 (1850), 355.
- crassa** Myadora (Stutch.), L. Reeve, Conch. Icon. II.—Myadora, no. 1, May 1844.—[Anatina.
- crassa** Myoconcha, J. De C. Sowerby, Min. Conch. V. 1824, 103.
- crassus** Mytilus, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 241 [*n. n.*].
- crassa** Natica, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 443.
- crassus** Nematus, J. F. Eschscholtz, Entomographien, I (1) 1822, 93.
- crassus** Nematus (Fall.), A. G. Dahlbom, Conspect. Tenthredo. 1835, 7.—Tenthredo.
- crassa** Nemertes (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 275.—Cerebratulus.
- crassus** Nemopteryx, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 137 (1841); V (1), 75 (1844). [1790.
- crassa** Nereiphylla (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 466.—Nereis, Gm.
- crassa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 32 (Fernaldo judice 1802) [*n. et f.*]. [18] [*n. et f.*].
- crassa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 121 (Fernaldo judice 1808—
- crassa** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 99.
- crassa** Nucula, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [*n. n.*].
- crassa** Nummulina, H. G. Bronn, N. Jahrb. f. Min. 1837, 657 [*n. n.*].
- crassa** Nummulites, N. Boubée, Bull. H. N. de France, 1833 (5), 6. [[*n. n.*].
- crassa** Obovaria, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
- crassa** Ocyptera, H. Loew, Entom. Zeitung, Stettin, VI (6) June 1845, 178.
- crassa** Odostomia, W. Thompson, Ann. Mag. N. H. XV. May 1845, 315.
- crassa** Omniretepora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 45.
- crassa** Orbicella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.—Orbi-
- crassa** Orbicula, J. Hall, N. H. New York (Pal. I.) 1847, 290. [cula.
- crassa** Orbulites, Lamarck, An. s. vert. VII. 1822, 642.
- crassus** Orchestes (Fab.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 527.—Rhynchaenus.
- crassus** Ornithichnites, E. Hitchcock, Amer. J. Sci. XXXII (1) Ap. 1837, 175 [*n. n.*].
- crassus** Orthoceratites, F. A. Roemer, Verst. Harzgeb. 1843, 35.
- crassus** Osmeroides, F. Dixon, Geol. Sussex, 1850, 376.
- crassa** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 27. [III. 271 (1843).
- crassus** Otodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494 [*n. n.*]; Poiss. Foss.
- crassa** Oxyrhina, J. L. R. Agassiz, Poiss. Foss. III. 283 (1843). [1834, 164.—Elater.
- crassus** Oxysternus (Gyll.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar.
- crassa** Pachystoma (Sw.), L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.—Ampul-
- crassus** Paederus, C. H. Boheman, Ins. Caffr. I (1) 1848, 288. [laria.
- crassum** Palaeotherium, G. Cuvier, Oss. Foss. III. 1812, 119.
- crassus** Palimphytes, C. G. Giebel, N. Jahrb. f. Min. 1847, 666.
- crassa** Paludina, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 484 [*n. n.*].
- crassa** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 144. [Pleuromya.
- crassa** Panopaea (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 215.—Elater.
- crassus** Paraeyathus, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 23.
- crassa** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 413.
- crassa** Patiria, J. E. Gray, Proc. Zool. Soc. London, XV (175) July 20, 1847, 83.
- crassa** Pavonia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 331.
- crassus** Pecten, A. Risso, H. N. Europe, IV. 1826, 300.
- crassus** Pectunculus, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 13.
- crassus** Pentacrinus, P. J. E. Desor, Bull. Soc. Sci. Nat. Neuchâtel, I (19) 1845, 213.
- crassa** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 39.
- crassum** Phalangium, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 386.
- crassa** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 81.
- crassa** Pholas, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VI. 1838, 223.
- crassus** Phos, R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 257.
- crassa** Pinna, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 130 [*n. n.*].
- crassus** Planorbis, M. de Serres, Ann. Sci. Nat. [3] (Zool.) II. Sept. 1844, 178.
- crassa** Plectambonites, C. H. Pander, Beitr. Geogn. Russ. Reich. 1830, 91.

- crassa** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 125.
- crassa** Pleuromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 240.
- crassa** Pleuronema, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 474.
- crassa** Plexaura (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 429.—Gorgonia, 1786.
- crassa** Ploesconia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 438.
- crassa** Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 385.
- crassus** Poteriocrinites, J. S. Miller, N. H. Crinoidea, 1821, 68.
- crassus** Princeps, J. Huebner, Exot. Schmett., Tab. Princeps [*n. et f.*].
- crassus** Productus (Martin), Dillwyn (*ex* Miller, MS), Index Hist. Conch. Lister, 1823,
- crassus** Productus, J. Fleming, Hist. Brit. Anim. 1828, 379. [24.—Anomites.
- crassus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 27. [241.
- crassa** Pyrapura, H. D. de Blainville, N. Ann. Mus. H. N. (Paris) I [2] *post* May 1832,
- crassus** Pygorhynchus, L. Agassiz, Cat. Ect. Ech. 1840, 5.
- crassus** Pygorhynchus, L. Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 161.
- crassus** Pyrophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 141.
- crassa** Pyryla (Gm.), J. E. Gray, Zool. "Blossom," 1839, 115.—Buccinum, 1790.
- crassa** Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301 [*n. n.*].
- crassa** Ranella (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 547.—Murex.
- crassa** Retepora, H. Michelin, Icon. Zoophyt. (13-19) 1845, 146.
- crassus** Rhinoncus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- crassus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 492.
- crassa** Robulina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 98.
- crassa** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 275 [*n. n.*].
- crassa** Rotalia (Orb.), H. G. Bronn, Index Pal. 1848, 1102.—Rotalina.
- crassa** Rotalina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 32.
- crassus** Scarabaeus, J. Sturm, Catal. Ins. Samml. 1826, 193 [*n. n.*].
- crassa** Serpula, J. Sowerby, Min. Conch. I. 1813, 73.
- crassa** Sowerbya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 362.
- crassus** Sphaenophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 204.
- crassus** Sphaerodius, J. L. R. Agassiz, Poiss. Foss. II (1), 15 (1833); II (2), 212 (1844).
- crassus** Spirifer, L. G. de Koninck, Descr. Anim. foss. (6) Mar. 1843, 262.
- crassus** Spirostreptus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 106.
- crassa** Spisula (Turt.), J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 374.—Mactra.
- crassus** Spondylus, DeFrance, Dict. Sci. Nat. L. 1827, 328. [1846, 509.
- crassus** Staphylinus, C. G. Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2)
- crassa** Stenopora, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845, 632.
- crassus** Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 287.
- crassa** Streptoplasma, J. Hall, N. H. New York (Pal. I.) 1847, 70.
- crassus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 50.
- crassus** Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 190.
- crassus** Tachyporus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- crassus** Taphazous, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post* Oct.), 491.
- crassus** Taphozous, E. Blyth, Ann. Mag. N. H. XV. July 1845, 473.
- crassa** Tellina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
- crassus** Tenthredo, Fallen, K. Vet. Ac. Handl. XXIX. 1808, 106.
- crassa** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 318.
- crassa** Tetraonyx, Klug; J. Sturm, Catal. Ins. Samml. 1826, 201.
- crassa** Thecosmilia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 31.
- crassa** Thyllis (Fab.), W. F. Erichson, Entomographien, 1840, 150.—Acrodera.
- crassus** Trichodectes, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 295.
- crassa** Triloculina, G. Nicolucci, N. Ann. Sci. Nat. [2] VI. 1846 [Oct.], 207.
- crassum** Triton, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*zero propius* 1847], Ranelles, pl. 1.
- crassum** Tritonium (Grat.), H. G. Bronn, Index Pal. 1848, 1292.—Triton.

- crassus** Trochius (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Trochus.
- crassus** Trochocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 304.
- crassa** Trochosmia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, [69].
- crassus** Trochus, J. Fleming, Brewster's Edin. Ency. VII (1) 1813, 82.
- crassa** Turbinella, E. Sismonda, Atti 7 Riun. Sci. Ital. 1846, 1115.
- crassa** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 233.—& *var. geminata*.
- crassa** Turbinolia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 52 [*n. n.*].
- crassa** Turbinolia, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 27.
- crassus** Turbo, W. Wood, Suppl. Index Test. 1828, 20 [*n. et f.*].
- crassa** Turbonilla (Thomps.), S. Loven, Ofvers. K. Vet. Ac. Förh. III (2) 1846, 50.—Odontostomia.
- crassus** Unio, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 3.
- crassa** Venus, D. Solander, Catal. Portland Mus. 1786, 93 [*n. n.*].
- crassa** Venus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 525.
- crassus** Venus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 210 [*n. n.*].
- crassa** Vermilia (Sow.), J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825, 243.—Serpula.
- crassa** Vespa, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 179, 1841, tab. 1 & 4.
- crassus** Vespertilio, F. Cuvier, N. Ann. Mus. H. N. (Paris) I [1] May, 1832, 18.
- crassa** Voluta, W. Wood, Suppl. Index Test. 1828, 10 [*n. et f.*].
- crassa** Volvaria, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 232. [1782.
- crassa** Xyleutes (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 195.—Phalaena,
- crassa** Xylocopa, Lepeletier de St F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 204.
- crassus** Zabrus, Dejean, Spec. gén. Coléopt. III. 1828, 451.
- crasta** Megorima, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427
- Crastia** J. Huebner, Verz. bekannt. Schmett. 1816, 16.—Lep. [*n. n.*].
- crasticornis** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 206.
- Cratacanthus** Dejean, Spec. gén. Coléopt. IV. 1829, 40.—Col.
- crataegalis** Eudorea (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1833, 292.—Tinea crataegella, 1767.
- crataegana** Lozotaenia (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Ap. 1834, 76.—Tortrix. [*n. et f.*].
- crataegana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 17 (Fernaldo judice 1797)
- crataegana** Tortrix, Huebner, J. F. Treitschke, Schmett. Europa, VII. 1829, 228
- crataegaria** Aphis, F. Walker, Ann. Mag. N. H. (2) VI. July 1850, 46. [1761.
- crataegaria** Ennomos (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 428.—Geometra,
- crataegaria** Myrtilina (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 559.—Vorticella, L. 1767. [crataegata, 1761.
- crataegaria** Opisthograptis (L.), J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Phalaena
- crataegata** Ennomos (L.), F. Treitschke, Schmett. Europa, VI (1) 1827, 41.—Geom. 1761.
- crataegata** Opisthograptis (L.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 168.—Phalaena, 1761.
- crataegata** Phalaena (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 17.—Geometra, 1761.
- crataegata** Rumia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 119, 1829.—Geometra, 1761.
- crataegella** Erycia (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 295.—Zaida c—llae.
- crataegella** Eudorea (Huebner), Zeller, Linnaea Entom. I. Feb. 1846, 296.—Tinea.
- crataegella** Scythropia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Phalaena, 1767. [Phalaena, 1767.
- crataegella** Telea (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 245.—
- crataegella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 37 (Fernaldo judice 1796) [*n. et f.*]. [—Tinea, 1767.
- crataegella** Yponomeuta (L.), J. B. Godart, H. N. Lépid. France, V (Noct. 2), 37, 1824.
- crataegellae** Senometopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 115.—Zaida.

- crataegellae** Zaida, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 151.
- crataegi** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 66.
- crataegi** Aporia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 90.—Papilio, 1758.
- crataegi** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 36 (Fernaldo iudice 1802) [*n. et f.*].
- crataegi** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 119.
- crataegi** Bucculatrix, P. C. Zeller, Isis (Oken), 1839, 216. [1758.]
- crataegi** Clisiocampa (L.), J. Curtis, Brit. Entom. V (57), Sept. 1828, no. 229.—Bombyx,
- crataegi** Coccus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 714.
- crataegi** Crioceris (Forst.), T. Marsham, Coleopt. Brit., Sept. 1802, 228.—Chrysomela, 1771.
- crataegi** Diaphone (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 188.—Phalaena, 1758.
- crataegi** Eriosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67 [*n. n.*].
- crataegi** Galleruca, Schott in K. Duftschmid, Fauna Austriae, III. 1825, 223.
- crataegi** Ganoris (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 86.—Papilio, 1758. [1781.]
- crataegi** Gastropacha (L.), F. Ochsenheinner, Schmett. Europa, III. 1810, 278.—Bombyx,
- crataegi** Lasiocampa (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 49.—Phalaena, 1758.
- crataegi** Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 72.
- crataegi** Otiorhynchus, Dahl in E. F. Germar, Ins. spec. novae, I. 1824, 366.
- crataegi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 79 (Fernaldo iudice 1799) [*n. et f.*].
- crataegi** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 164.—Papilio, 1758.
- crataegi** Pontia (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio, 1758.
- crataegi** Psylla (Scop.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1763.
- crataegi** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 118.
- crataegi** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 54.
- crataegi** Trichiura (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 43.—Phalaena, 1758.
- crataegi** Trichola (Steph.), J. Gistl, Nat. Thierr. 1848, p. xi.—Trichiura.
- crataegicola** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 72. [Elachista.
- crataegifoliella** Argyromiges (Dup.), H. T. Stainton, The Zoologist, VI (7) 1848, 2161.—
- crataegifoliella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 339.
- crataegus** Bombycilla, N. F. [i.e. S. D. W.], The Analyst, II (11) June 1835, 307.
- crataegus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 105 [= crataegi, L.].
- crataegus-coccinea** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
- Crataeonyx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crataionyx, Eytton.
- Crataerina** I. F. M. de Olfers, De Veg. Anim. 1816, 101.—Dipt.
- Crataionyx** T. C. Eytton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 104.—A.
- Crateis** C. S. Rafinesque, Analyse, 1815, 135.—Verm. [*n. n.*].
- [crater.]
- crater** Gemmipora (Pall.), de Blainville, Dict. Sci. Nat. LX. 1830, 352.—Madrepora, 1766.
- crater** Turbinaria, L. Oken, Lehrb. Nat. III (1) 1815, 67.
- [cratera.]
- cratera** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 197.
- cratera** Epeira, C. A. Walckenaer, Tab. Aran. 1805, 59.—Aranea, 1802.
- craterus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 224.
- cratera** Siphonia, F. Roemer, N. Jahrb. f. Min. 1848, 685.
- cratera** Solarium, C. F. Schumacher, Essai Vers test. 1817, 195.
- Cratere** Megerle; C. Porro, Mal. Prov. Comasca, 1838, 47.—G.
- Cratere** Hartmann (*ex* Meg.), Erd- und Süssw. Gast. I. 1844, 122.—G.
- crateriformis** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- crateriformis** Ecclissa (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 106.—Vorticella, 1773.
- crateriformis** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 369.—
- crateriformis** Scyphia, L. Oken, Lehrb. Nat. III (1) 1815, 77. [Taenia, Goeze, 1782.]

- crateriformis** Sphaerulites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 241; ed. 2, 1830, 94.
- crateriformis** Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 44.—Vorticella, 1773.
- Craterina** J. Curtis (*ex* Olfers), Brit. Ent. VIII. 1826, 122.—Dipt.
- Craterina** Bory de St V., Ency. Méth. (Zooch.) 1827, 523.—Inf.
- Craterocerus** F. W. Hope, Coleopt. Manual, II. 1838, 74.—Col. [*n. n.*].
- Crateronyx** P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 77.—Lep.
- crateronyx** Lacerta, J. Hermann, Obs. Zool. 1804, 255.
- Crateropus** W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 487.—A. [*v.* Cratopus].
- craterus** *v.* **cratera**.
- crates** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 236.
- crathis** Olyras, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 108.
- Crathoplus** [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 209.—Col.
- craticula** Aphrodes, J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 633.
- craticula** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 127.
- craticula** Janira (Mort.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 253.—Pecten.
- craticula** Pecten, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 293.
- craticula** Tellina, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 166.
- craticulata** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22.
- craticulatum** Buccinum, S. A. Renier, Tavole [1804] ix.
- craticulatus** Cellanthus, Denys de Montfort, Conch. I. 1808, 207.
- craticulatum** Cymatium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 119.—Murex, 1758.
- craticulata** Fasciolaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 429, Liste p. 7 [*n. et f.*].
- craticulatus** Fusus (L.), H. D. de Blainville, Faune Française (20) Malac. 1829, 88.—Murex, 1758. [1780.]
- craticulatus** Murex (Fab.), R. A. Philippi, Abb. Conch. III (2) 1847, 40.—Tritonium,
- craticulata** Plicatella, W. Swainson, Treat. Malacol., May 1840, 304.
- craticulata** Polystomella (F. & M.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 284.—Nautilus, 1798.
- craticulata** Turbinella (Gm.), Lamarck, An. s. vert. VII. 1822, 109.—Voluta, 1790.
- craticulatus** Turbo, S. A. Renier, Tavole [1804] x. [1798.]
- craticulata** Vorticialis (F. & M.), Lamarck, An. s. vert. VII. 1822, 626.—Nautilus,
- craticuloides** Cardium, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 66.
- Craticus** "Viell." T. C. Eyton, Ann. Mag. N. H. VIII (48) Sept. 1841, 47.—A.
- cratidas** Callicore, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 239 [*n. n.*].
- cratiens** Mygale, Latreille, N. Dict. H. N., ed. 2, XXII. 1818, 120.
- cratinus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 255.
- cratitia** Fissurella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 155.
- cratitia** Meliphaga (Gould), G. R. Gray, Genera of Birds, I. Oct. 1846, 122.—Ptilotis.
- cratitius** Ptilotis, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 160.
- Cratocerus** Dejean, Spec. gén. Coléopt. IV. 1829, 12.—Col.
- Cratocnemus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 277.—Col. [*n. n.*; Curc.].
- Cratocnemus** E. Blanchard in Orbigny, Voy. Amér. mérid. (Col.) 1840, 191.—Col. [Lam.].
- Cratoerina** Olfers, 1816; *err.* Scudder *pro* Crataerina, *q.v.*
- Cratognathus** Dejean, Spec. gén. Coléopt. IV. 1829, 46.—Col. [Col.]
- Cratohaerea** M. de Chadoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 13.—
- Cratomerus** A. J. J. Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 295.—Col.
- Cratomus** J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 177.—Hym.
- Cratonychus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 87.—Col. [*sine typo*].
- Cratonychus** Faldernmann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1836, 161.—Col.
- Cratonychus** W. F. Erichson (*ex* Dej.) in Germar, Zeitschr. f. d. Entom. III, 1841, 89.—Col.
- Cratoparis** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 235.—Col. [*sine typo*].
- Cratoparis** C. J. Schoenherr (*ex* Dej. MS), Gen. et Sp. Curc. V (1) 1839, 217.—Col.

- Cratopus** C. J. Schoenherr, *Disp. meth. Curc.* 1826, 120.—Col.
- Cratopus** F. Eschscholtz, *Zool. Atlas*, IV. 1831, 8.—A.
- Cratylus** W. Jardine, *Edinb. Journ. Nat. Geogr. Sci.* III. Feb. 1831, 97.—A.
- Cratoscelis** H. Lucas, *Ann. Soc. Ent. Fr.* III. (2) June 1834, 361 f. n.—Ar.
- Cratoscelis** W. Erichson, *Arch. f. Naturg.* I (1) 1835, 267.—Col.
- Cratosomus** C. J. Schoenherr, *Isis (Oken)*, 1825, 585; *Curc. disp. meth.* 1826, 278.—Col.
- cratylus** *Pteromalus*, F. Walker, *Ann. Mag. N. H.* XIX. June 1847, 392.
- Craugus** [G. J. Billberg], *Syn. Faunae Scand.* I (2) 1828, Tab. A, *dorso* [*n. n.* = *Picus*].
- Craurusa** H. Burmeister, *Handb. Entom.* II (2) 1838, 542.—Orth. [Cuv.]
- craveri** *Venus*, G. Michelotti, *Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem* (2) III (2) 1847, 123.
- Cravus** C. S. Rafinesque, *Analyse*, 1815, 68.—A. [*n. n.*].
- crawfurdii** *Alectrophasis* (J. E. Gray), G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 78.—Phasianus.
- crawfurdii** *Gallophasis* (J. E. Gray), G. R. Gray, *Genera of Birds*, III. Jan. 1845, 498.—
- crawfurdii** *Gennaeus* (Gray), Cabanis in *Ersch & Gruber, Allg. Ency.* (3) XXII. 1846, 148.—Phasianus.
- crawfurdii** Phasianus, J. E. Gray in *Griffith's Cuvier, Anim. Kingd., Aves*, III. 1829, 27.
- crawfurdii** *Phoenicophagus*, J. Crawfurd, *Zool. Miscell.* (Gray) (1) Feb. 1831, 3.
- crawfurdi** *Picus*, J. E. Gray in *Griffith's Cuvier, Anim. Kingd., Aves*, II. 1829, [513] & pl.
- crawfurdii** *Zanclostomus* (J. E. Gray), G. R. Gray, *Genera of Birds*, II. May 1845, 460.—
- crax** *Musca*, W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 621. [Phoenicophagus.
- Craxa** [G. J. Billberg], *Syn. Faunae Scand.* I (2) 1828, Tab. A. [= *Crax*, L.].
- Craxirex** J. Gould, *Zool. "Beagle"* (Birds, 1839), 22.—A.
- Creadion** L. P. Vieillot, *Analyse*, 1816, 34.—A.
- Creadium** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Creadion, Vieill.
- creagra** *Hydropsalis*, C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 58.
- Creagria** W. Soderus, *Bull. Soc. Imp. Nat. Moscou*, 1837 (6) 1837, 94.—Lep. [*sine*
- Creagrius** C. W. L. Gloger, *Gemeinnütz. Naturges.* (1) 1841, 387.—A. [*typo*].
- Creapyga** R. P. Lesson, *Echo Monde Savant*, X. 16 July 1843, 109.—A. [*typus* *Caprimulgus furcatus*, Cuv.].
- Creatonotos** J. Huebner, *Verz. bekannt. Schmett.* [1822], 170.—Lep.
- Creatonotus** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Creatonotos, Huebn.
- Creatophora** R. P. Lesson, *Descr. Mamm. Ois.* 1847, 308.—A.
- creberrimus** *Anthicus*, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (8) 1849, 105 ["*Mon. Anth.*" *poster. edit.*].
- creberrimus** *Cis*, J. Mellié, *Ann. Soc. Ent. France* [2] VI (4) May 1849, 357.
- creberrima** *Scalaria*, R. B. Hinds, *Proc. Zool. Soc. London*, XI (128) Mar. 1844, 125.
- creberrima** *Tauroma*, C. H. Boheman, *Mon. Cassid. I.* 1850, 118.
- crebissimus** *Fusus*, I. Lea, *Contrib. to Geol.* 1833, 147.
- crebricosta** *Atrypa* (Sow.), A. d'Orbigny, *Prodr. Paléont. I.* 1849 [Jan. 1850], 38.—Terebratula.
- crebricosta** *Mitra*, Lamarck, *Ann. Mus. H. N. (Paris)* II (1) May 1803, 58.
- crebricosta** *Pleurotoma*, L. Bellardi, *Mem. R. Acc. Sci. Torino* [2] IX. 1848, 608.
- crebricosta** *Terebratula*, J. De C. Sowerby in R. I. Murchison, *Silurian System*, Jan. 1839, 631.
- crebricostata** *Arca*, L. Reeve, *Conch. Icon.* II.—*Arca*, no. 61, Mar. 1844. [98.
- crebricostata** *Astarte*, R. McAndrew & E. Forbes, *Ann. Mag. N. H.* XIX. Feb. 1847,
- crebricostata** *Clavatulula*, R. B. Hinds, *Proc. Zool. Soc. London*, XI (122) Oct. 1843, 41.
- crebricostatus** *Fusus*, Lamarck, *An. s. vert.* VII. 1822, 130.
- crebri-costata** *Melania*, I. Lea, *P. Amer. Phil. Soc.* II (16) Feb. 1841, 13.
- crebricostatus** *Pecten*, R. A. Philippi, *Abb. Conch. I* (4) 1844, 100.
- crebricostata** *Siphonaria*, Nuttall in J. C. Jay, *Cat. Shells*, ed. 3, 1839, 39 [*n. n.*].
- crebricostatus** *Melania*, W. H. Benson, *Ann. Mag. Nat. Hist.* IX. 1842, 488.
- crebriliratus** *Fusus*, L. Reeve, *Conch. Icon.* IV.—*Fusus*, no. 20, Nov. 1847.
- crebrilirata** *Mitra*, L. Reeve, *Conch. Icon.* II.—*Mitra*, no. 92, Sept. 1844.
- crebriliratus** *Trochus*, J. H. Jonas, *Zeitschr. f. Malakozool.*, Aug. 1846, 125.
- crebriplicata** *Pleurotoma*, L. Reeve, *Conch. Icon.*—*Pleurotoma*, no. 313, Jan. 1846.

- crebripunctatus** *Tropidonotus*, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 250. [Ormocerases.]
- crebriseptum** *Actinoceras* (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 3.—
- crebriseptum** *Ormocerases*, J. Hall, N. H. New York (Pal. I.) 1847, 313.
- crebristria** *Spirifer* (Terebratula), J. Morris in P. de Strzelecki, Phys. descr. N. S. W.
- crebristriata** *Melania*, I. Lea, P. Amer. Phil. Soc. IV (33) Aug. 1845, 166. [1845, 279.]
- crebristriatus** *Mytilus*, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 242.
- crebristriata** *Strophomena*, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 254.
- crebrisulca** *Venus*, Lamarck, An. s. vert. V. 1818, 587.
- Crecca** J. Brookes, Catal. Mus. Brookes (2) July 1828, 101.—A. [teste C. W. R.].
- Crecca** C. T. Wood, Orn. Guide, 1835, 207.—A.
- crecca** *Anas* (Boschas), W. Swainson, Journ. R. Inst. Gt Brit. II. Aug. 1831, 21.
- crecca** *Querquedula* (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 146.—*Anas*, 1758.
- crecoides** *Anas*, P. P. King, Zool. Journ. IV (13) July 1828, 99.
- crecoides** *Querquedula*, C. L. Brehm, Isis, 1830, 998 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 886.
- creditor** *Ichneumon*, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 270.
- credneri** *Ammonites*, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 119.
- credneri** *Cyrena*, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 152; Norddeutsch. Wälderthon, 1843, 26; Mon. Norddeutsch. Weald. 1846, 35.
- credneri** *Lingula*, H. B. Geinitz, Verst. Zechsteingeb. (1) 1848, 11.
- credneri** *Pleurotomaria*, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 163.
- credneri** *Turbo* (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—*Pleurotomaria*.
- credula** *Composia* (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 179.—*Bombyx*, 1775.
- credula** *Composia*, J. Huebner, Exot. Schmett. II. Tab. [188] [*n. et f.*].
- credula** *Phalaena* (*Bombyx*), W. Turton, Linnaeus, Syst. Nat. III. 1802, 226.
- creeks** *Vespertilio*, F. Cuvier, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 18.
- cremans** *Mitra*, L. Reeve, Conch. Icon. II.—*Mitra*, no. 242, Mar. 1844 [*err. pro* 1845].
- Cremastochelilus** A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 115.—*Col.*
- Cremastochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cremastochelilus*, Kn. [chililus, B. & S.]
- Cremastochilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cremastochililus*
- Cremastochililus** Burmeister & Schaum, 1841; *teste* Agassiz *sed? err. pro* C—cheilus.
- Cremastogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Crematogaster*, Lund. [1829, 730.—*Hym.*]
- Cremastus** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III.
- Crematogaster** P. W. Lund, Ann. Sci. Nat. XXIII (90) June 1831, 132; Forriep, Notizen, XXXII. 1831, 104.—*Hym.*
- cremata** *Cancellaria*, R. B. Hinds, Proc. Zool. Soc. London, XI (123) Oct. 1843, 48.
- cremata** *Cymindis*, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 59 [*n. n.*].
- cremata** *Nassa*, R. B. Hinds, Zool. "Sulphur," 1844, 35. [*n. n.*].
- cremenecensis** *Turbo*, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 562
- cremenensis** *Turbo*, A. Andrzejowski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 101.
- cremiaria** *Boarmia*, C. F. Freyer, Neuere Beitr. Schmett. III (43) 1838, 92.
- cremides** *Dexia*, F. Walker, List Dipt. Coll. B. M. (4) 1849, 842.
- cremieri** *Otiorynchus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 363.
- cremieri** *Pachylomma*, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 53.
- cremieri** *Paxillomma*, de Romand, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 434.
- Cremna** E. Doubleday, List Lepid. Coll. B. M. (2) 1847, 14.—*Lep.*
- Cremnodes** A. Foerster, Arch. f. Naturg. XVI (1) 1850, 70.—*Hym.*
- cremnophila** *Helix*, E. Boissier, Zeitschr. f. Malakozool., Sept. 1847, 130. [Risso].
- Cremoria** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 63 & 90.—G. [?= *Cemoria*,]
- crena** *Anas*, F. L. P. Gervais in Dict. pittoresque H. N. I (77) 1834, 616; N. Dict. class. H. N., ed. 2, VI. June 1844, 32.
- crenana** *Epinotia*, J. Huebner, Verz. bekannt. Schmett. 1826, 377.—*Tortrix*.

- crenana** Paedisca (Huebn.), Duponchel in J. B. Godart, II. N. Lépid. France, IX (Noct. 6) 1836, 518.—Tortrix. [173.—Tortrix.]
- crenana** Phlagodes (Huebn.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845,
- crenana** Phoxopteryx (Huebn.), Duponchel in J. B. Godart, II. N. Lépid. France, IX (Noct. 6) 1835, 334.—Tortrix. [[*n. et f.*]]
- crenana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 38 (Fernaldo judice 1811–18)
- Crenaster** Blainville (*ex* Luidius), Dict. Sci. Nat. LX. 1830, 220.—Ast. [*in syn.*].
- Crenaster** A. d'Orbigny (*ex* Luidius), Prodr. Paléont. I. 1849 [Jan. 1850], 240.—Ast.
- crenaticollis** Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. II. N. Paris, Coléopt. I (2) 1850 [*inerte* 1851], 137.
- crenaticollis** Aradus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 139.
- crenaticornis** Spio, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 199.
- crenatimargo** Eschara, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 72.
- crenatipennis** Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 178.
- crenatipes** Hister, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 378.
- crenati**→ *v. et crenato*→.
- crenato-costatum** Cardium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 610.
- crenaticostata** Emalodera, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 195.
- crenator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII.
- crenator** Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 114. [1822, 271.—Pimpla.]
- crenato-striatus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt.
- crenatostriatus** Bradytus, M. de Chaudoir, Enum. Carab. 1846, 161. [IV. 1846, 373.]
- crenatostriata** Feronia, M. de Chaudoir, Enum. Carab. 1846, 138.
- crenatostriatus** Iphthimus, Imhoff, Ber. nat. Ges. Basel, V. 1840–42 (1843), 174.
- crenato-striata** Nebria, C. Bassi (*ex* Bonelli), Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 464.
- crenatostriatus** Oxyomus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 184.
- crenato-striatus** Poecilus, Steven; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenatostriatus** Poecilus, J. Sturm, Catal. Ins. Samml. 1826, 186 [*n. n.*].
- crenato-striata** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 239.
- crenato-striata** Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 2.
- crenatosulcatus** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 177 [*n. n.*].
- Crenatula** Lamarck, Ann. Mus. H. N. (Paris) III (13) Dec. 1803, 28.—L.
- crenatulatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 317.
- crenatuloides** Ostrea, P. M. T. de Serres, Geogn. Terr. tert. 1829, 137.
- crenatula** Goodallia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 249 [*n. n.*].
- crenatus** Abacetus, Dejean, Spec. gén. Coléopt. V. 1831, 743.
- crenata** Achatina, W. Swainson, Zool. Illustr. (1) I (10) July 1821, pl. 58.
- crenata** Acidota (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Staph. 1792.
- crenatum** Acridium (Mastax), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 164.
- crenatus** Acteon, J. De C. Sowerby, Min. Conch. V. 1824, 87. [507.]
- crenata** Amara, Dejean, Cat. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828,
- crenata** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 23.
- crenatus** Ammonites (Reinecke), C. H. v. Zieten, Pétrif. Wurt. (1) 1830, 1.—Nautilus.
- crenatus** Ammonites, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 337.
- crenata** Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 43 [*n. n.*].
- crenatus** Amycterus, d'Urville in J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- crenatus** Angoleus, Hoffin.; J. Sturm, Catal. Käfer Samml. 1843, 24. [1835, 385.]
- crenatum** Anobium, Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
- crenatus** Anthribus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 196.
- crenatus** Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
- crenatum** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- crenatus** Aradus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- crenata** Arca, D. Solander, Catal. Portland Mus. 1786, 37 & 93 [*n. n.*].
- crenata** Arca, H. E. Anton, Verz. Conch. 1839, 13.
- crenata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 51, Feb. 1844.

- crenatus* Argutor, Dufts.: Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenata* Ascaris (Zed.), C. A. Rudolphi, Entoz. II (1) 1809, 146.—Fusaria, 1800.
- crenata* Aspidoglossa (Dejean), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 629.
—Clivina. [114.
- crenata* Atomaria, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844,
- crenata* Aurellia, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 359.
- crenatus* Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 681.
- crenatum* Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 147.—Peryphus, 1821.
- crenata* Bitoma (Fab.), Herbst, Käfer, V. 1793, 30.—Ips, 1777. [Lycetus, 1792.
- crenatus* Bitoma (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 157.—
- crenatus* Bolitophagus, J. C. Fabricius, Syst. Eleuth. I. 1801, 113.—Opatrum, 1792.
- crenatum* Borborus, J. Walth, Isis (Oken), 1837, 283.
- crenatus* Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 407. [348.
- crenatus* Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- crenatum* Buccinum, D. Solander, Catal. Portland Mus. 1786, 102 [*n. n.*].
- crenata* Buprestis, E. Donovan, Epit. N. H. Ins. New Holland, 1805.
- crenata* Calandra, J. Sturm, Catal. Ins. Samml. 1826, 106 [*n. n.*].
- crenatus* Calathus, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- crenatus* Camptodontus, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 41.
- crenatus* Cancer (Euclate), W. de Haan in Siebold, F. Japon. (Crust. 1835), 51.
- crenatus* Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 92.
- crenatus* Cardita, G. A. Goldfuss, Petref. German. II (6) 1837, 185.
- crenatum* Cardium, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 138. [Cardita.
- crenatum* Cardium (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 199.—
- crenatum* Cerithium (Br.), DeFrance, Dict. Sci. Nat. VII. 1817, 522.—Murex.
- crenata* Chersina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 74.
- crenatus* Cis, C. R. Sahlberg, Diss. Ins. Fenn. II (10) 1836, 159.
- crenata* Clausilia (Fér.), C. T. Menke, Syn. meth. Moll. 1828, 16.—Helix. [418.
- crenata* Clivina, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I. 1825,
- crenata* Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 411.—Galleruca, 1792.
- crenata* Copromyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2489.
- crenatus* Cordyle, Billberg, Enum. Ins. 1820, 41.
- crenatus* Coxelus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
- crenata* Crassina (Gray), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 88.—
Nicania.
- crenatus* Cryptophagus, Gyll.; J. Sturm, Catal. Ins. Samml. 1826, 127.
- crenatus* Ctenoptychius, J. L. R. Agassiz, Poiss. Foss. III., 173 (1843) [*n. n.*]. [404.
- crenatus* Ctenoptychius, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- crenatus* Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n. n.*].
- crenatum* Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 38.
- crenata* Cyclostoma (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 87.
—Turbo, 1758. [435.
- crenata* Cymindis, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,
- crenata* Cypraea, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 728.
- crenata* Cytherea, T. A. Catullo, Giorn. di Fisica etc. (2) IX. 1826, 288.
- crenatus* Dasycerus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 50.
- crenatum* Deliphium (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 873.—Omalium.
- crenata* Delphinula, G. B. Sowerby, II., Gen. Shells (39) 1833.
- crenata* Delphinula, L. C. Kiener, Spec. Coquilles (Delphinula) 1838-39, 11.
- crenatus* Dendrophagus (Payk.), Schoenherr, K. Vet. Ac. Nya Handl. XXX (1) 1809,
51.—Cucujus, 1799.
- crenatum* Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 404.—Fasciola, 1802.
- crenata* Ditoma (Herbst), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 266.—
- crenata* Donax, G. Perry, Conchology, Ap. 1811, pl. 58. [Bitoma.
- crenatus* Dryophthorus, Eschscholtz in J. A. Boissduval in d'Urville, Voy. "Astrolabe,"
Ent. (2) 1835, 450.
- crenata* Ebalia, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270 [*n. n.*]. [154.
- crenatus* Elater (Agrypnus), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833],

- crenatus** Elmis, T. Say in Keating, Exp. Peter River, II. 1824, 275; & ed. London, 1825 (App.), 21. [79.—Homalilus.
- crenatus** Eros (Germ.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847,
- crenata** Eurychora, A. J. J. Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 160.
- crenatus** Eurynotus, J. L. R. Agassiz, Poiss. Foss. II (1), 154 (1835).
- crenata** Fasciola, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (1) 1802, 76.
- crenata** Fasciola, J. A. Froelich, Naturforscher, XXIX. 1802, 60.
- crenata** Feronia, Hoffm.; Dejean, Spec. gén. Coléopt. III. 1828, 226.
- crenata** Forficula, F. de Tigny, s. à Deterville ed. Buffon, Ins. IX. 1801, 71.
- crenatus** Geotrupes, W. E. Leach, Zool. Miscell. III. 1817, 98. [1785.
- crenata** Gluphisia (Esp.), Boisdual, Europ. Lepid. Index, 1829 [1828], 56.—Bombyx,
- crenata** Goniadiera, M. Perty, Del. anim. artic. Brasil. (2) 1832, 63.
- crenatum** Halionmma, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839],
- crenata** Haliotis, W. Swainson, App. Cat. Bligh, 1822, 3. [130.
- crenata** Halysis (Gm.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 334.—Taenia,
- crenata** Harpa, W. Swainson, App. Cat. Bligh, 1822, 5. [Goeze, 1782.
- crenata** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 66 [*n. n.*].
- crenatus** Helops, J. Sturm, Catal. Ins. Samml. 1826, 150 [*n. n.*].
- crenatus** Homalilus, E. F. Germar, Ins. spec. novae, I. 1824, 61.
- crenatus** Hydrochus (Fab.), Dejean, Catal. Coléopt. 1821, 50.—Elophorus, 1792.
- crenatus** Hylesinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 390.—Bostrichus, 1787.
- crenatus** Ixodes, T. Say, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 76.
- crenatus** Ixodes, V. Kollar in J. E. Pohl, Reise Brasil. I. 1832, 109.
- crenatus** Jassus, E. F. Germar, Fauna Ins. Europ. (17) [1831–35], 10.
- crenatus** Lacon (Klug), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 263.—Elater.
- crenatus** Lambrus, A. White, List Crustacea Coll. B. M. 1847, 12 [*n. n.*].
- crenata** Leiocnemis (Dej.), C. Zimmermann, Faunus, I (1) 1832, 39.—Amara.
- crenatus** Leptops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 222.
- crenata** Leptoxis, S. Haldeman in J. C. Chenu, Illustr. conch. IV. Leptoxis, 1848, 6.
- crenatum** Megynenum, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
- crenata** Meletta, J. J. Heckel, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 233.
- crenata** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 171; & App. 1817, 78. [Brocl.
- crenata** Mitra (Sw.), L. Reeve, Conch. Icon. II.—Mitra, no. 284, Mar. 1845.—Tiara,
- crenata** Montlivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 35.
- crenatus** Murex, G. Brocchi, Conch. Subap. 1814, 442.
- crenatus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 120.
- crenatus** Mytilus, J. Fleming, Hist. Brit. Anim. 1828, 411.
- crenatus** Mytilus, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 421.
- crenatus** Mytulites, E. F. v. Schlotheim, Die Petref. 1820, 296.
- crenatus** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 80.
- crenatus** Nautilus, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 21 [*n. n.*].
- crenatus** Nautilus (Temnocheilus), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 21.
- crenata** Nerinea, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 46.
- crenata** Nerita, H. E. Anton, Verz. Conch. 1839, 30.
- crenata** Nicania, J. E. Gray, App. Parry's Voy. 1819–20, 1824, p. ccxlii.
- crenata** Niidula, W. Turton, Linnaeus, Syst. Nat. II. 1802, 113. [1785.
- crenata** Notodonta (Esp.), F. Ochsenheimer, Schmett. Europa, III. 1810, 79.—Bombyx,
- crenatus** Odontacanthus, J. L. R. Agassiz, Poiss. F. V. G. R., 115 (1845).—Ctenoptylus,
- crenata** Odontopleura, H. F. Emmrich, Naturg. Trilobiten, 1844, 17. [chius, 1843.
- crenata** Odontota, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 211.
- crenatus** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 629.
- crenatum** Omalium (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 114.—Staphylinus,
- crenata** Oncaea, J. Gistl, Nat. Thierr. 1848, 168. [? Fab. 1792.
- crenata** Oncaea, J. Gistl, Handb. Naturges. 1850 [1847], 550.
- crenatus** Onthophagus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 328.

- crenatum** Opatrum, J. C. Fabricius, Syst. Eleuth. I. 1801, 117.
- crenata** Ostrea, G. A. Goldfuss, Petref. German. II (4) 1833, 6.
- crenatus** Panopaeus, H. Milne-Edw. & H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 16.
- crenata** Parthenia, R. T. Lowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 41.
- crenatus** Passalus (Macl.), F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 24.—Paxillus.
- crenatus** Paxillus, W. S. Macleay, Horae Entom. I (1) 1819, 106.
- crenatus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 262.
- crenatus** Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- crenata** Phalaenites, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 186.
- crenata** Phaleria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 180.
- crenatus** Phobelius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 198.
- crenata** Phthora, Dejean in E. F. Germar, Fauna Ins. Europ. (18) 1835, 11.
- crenatus** Phylan, Dejean, Catal. Coléopt. 1821, 66 [*n. n.*]. [1787.]
- crenata** Pimelia (Thunb.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 136.—Erodusius,
- crenata** Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 22.
- crenatus** Planites (Rein.), W. de Haan, Mon. Ammon. 1825, 83.—Ammonites.
- crenatus** Platynotus, J. C. Fabricius, Syst. Eleuth. I. 1801, 139.
- crenata** Platysia (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 73.—Carabus.
- crenata** Pleurotoma, P. H. Nyst, Bull. Soc. géol. France, XIV. 1843, 453 [*n. n.*];
Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 511.
- crenata** Pleurotomaria, G. v. Muenster, Beitr. zur Petref. (4) 1841, 113.
- crenatus** Polyplex, G. Perry, Conchology, Ap. 1811, pl. 9.
- crenatus** Prionus, J. C. Fabricius, Syst. Eleuth. II. 1801, 264.
- crenatus** Pristonychus, L. Redtenbacher in Russegger, Reise, I (2) 1843, 981.
- crenatus** Prooxys, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 140.
- crenatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 198.
- crenata** Ptygmatis (Goldf.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 108.—
Nerinaea.
- crenata** Pullastra (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 41.—Venerupis.
- crenatus** Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 53 [*n. et f.*].
- crenatus** Pyrgoma, G. B. Sowerby, II., Gen. Shells (18) 1823.
- crenatus** Rhodocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 212.
- crenatus** Rhynchaenus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 207.
- crenata** Robulina, F. v. Hagenow, N. Jahrb. f. Min. 1842, 572.
- crenata** Scalaria (L.), de Blainville, Dict. Sci. Nat. XLVIII. 1827, 15.—Turbo, 1758.
- crenatus** Sigaretus, [W. Swainson], Manchester N. H. Soc. Catal. Shells, 1837, 56
[*n. n.*]. [July], 152.
- crenatus** Smilodon, T. Plieninger, Jahresh. Ver. vat. Naturk. Württ. II (2) 1846 (*post*
- crenatum** Sphaeridium, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 158.
- crenatus** Sphenophorus (Billb.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 876.—
Cordyle.
- crenatus** Strombus, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xix.
- crenatus** Syrrhus, J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 243.
- crenatus** Tenebrio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 477.
- crenata** Terebratula, G. Fischer, Mus. Démid. III. 1807, 278.
- crenatus** Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 270.
- crenata** Tettigonia, C. P. Thunberg, Hemip. Capen. I. 1822, 7.
- crenata** Thalamita, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 461.
- crenatus** Thectodus, Plieninger in Meyer & Plien., Beitr. Pal. Württ. 1844, 116.
- crenatus** Thylacites, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*].
- crenata** Tiara, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 196.
- crenatus** Tornatella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 336.—Acteon.
- crenatus** Trichocephalus, C. A. Rudolphi, Entoz. II (1) 1809, 95.
- crenatus** Trochus, C. T. Menke, Conch.-Samml. Malsburg, 1829, 21.
- crenatus** Truxalis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 86.
- crenatus** Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.

- crenatus** Turbo (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Pleurotomaria.
- crenata** Uloma, Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- crenata** Upis, Dejean, Catal. Coléopt. 1821, 67 [*n. n.*].
- crenata** Uroplata, F. E. Guérin-M., Iconographie, 1844, Ins., 274.
- crenatus** Utriculus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 101.—Acteon.
- crenata** Venericardia, T. A. Catullo, Sagg. Zool. foss. 1827, 165 & 254.
- crenata** Venerupes, Lamarck, An. s. vert. V. 1818, 508.
- crenatus** Venulites, E. F. v. Schlotheim, Die Petref. 1820, 195.
- crenata** Voluta, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 38.
- crenatus** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 396.
- crenata** Xylophila (F.), Lamarck, An. s. vert. IV. 1817, 333.—Lyctus, 1792.
- crenatus** Zancledon, T. Plieninger, Jahresh. Ver. vat. Naturk. Württ. II (2) 1846 (*post* [July]), 258.
- Crenea** A. Risso, H. N. Europe, IV. 1826, 83.—G.
- Crenea** J. C. Albers, Die Heliceen, 1850, 77.—G.
- Crenella** T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxi, f. 12.—L.
- crenellus** Amplexis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 78.—Helix.
- crenella** Cyclostoma, L. A. G. Bosc. s. à Deterville ed. Buffon, Moll. IV. 1801, 87.
- crenella** Helix, G. Montagu, Test. Brit. II. 1803, 441.
- Crenicichla** J. Heckel, Ann. Wiener Mus. II [3] 1840, 416.—P.
- crenicollis** Agrypnus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 166.—Elater.
- crenicollis** Altica, T. Say, Boston Journ. N. H. I. (2) 1835, 200.
- crenicollis** Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 37.
- crenicollis** Elater, E. Ménétries, Cat. Rais. Zool. Caucase, 1832, 156.
- crenicollis** Lacon (Mén.), E. F. Germar, Zeitschr. f. d. Entom. II (2) 1840, 265.—Elater.
- crenicollis** Scotinus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 415.
- crenicollis** Trogossita, F. E. Guérin-M., Iconographie, 1844, Ins. 199.
- crenicornis** Codrus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 357.
- crenicornis** Hylaesus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 57 [*n. n.*]. [407.
- crenicornis** Lampronota, J. Curtis (*ex* Hal. MS.), Brit. Entom. IX (102) June 1832, no.
- crenicosta** Auladera (Guér.), A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 333.—Nyctelia.
- crenicosta** Nyctelia, F. E. Guérin, Classif. Mélasom. in Magazin de Zool. IV. 1834, 5.
- Crenidelphinus** Laurillard, Dict. Univ. Hist. Nat. IV. 1844, 636.—M.
- Crenidens** Cuvier & Valenc., H. N. Poiss. VI. 1830, 378.—P.
- crenidens** Hemiodus, J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1842, 206.
- crenifera** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 29; Catal. (200) 1841, 5.
- creniferum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 354. [128.
- crenifera** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835,
- crenifera** Leda (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.), 1846, 545.—Nucula.
- crenifera** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99–100) July, 1811, 204.
- crenifera** Nucula, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 197.
- crenifera** Scabricola (Lam.), W. Swainson, Treat. Malacol., May 1840, 319.—Mitra.
- creniferus** Turbo, L. C. Kiener, Spec. Coquilles (Turbo), pl. xxxiv (1847–8) [text is 1873].
- crenifera** Venus, G. B. Sowerby, I., Proc. Zool. Soc. London, III (27) June 1835, 43.
- crenifera** Voluta (Lam.), L. W. Dillwyn, Catal. Shells, 1817, 542.—Mitra.
- crenifolia** Locusta, W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 202.
- creni-jugata** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 19.
- crenilabra** Marginella, Bory de St V., Ency. Méth. (Vers) 1824, 167 [*n. et f.*].
- crenilabris** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 88.
- crenilabris** Mugil, Forsk.; J. G. Schneider, Bloch, Syst. Ichth. 1801, 116.—*var.* seheli;
- Crenilabrus** Oken, Isis, 1817 [1821 a].—P. [öür; tade.
- Crenilabrus** H. Cloquet, Dict. Sci. Nat. XI. 1818, 383.—P. [*non* Cuv. *vernac.*].

- crenipes** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 261.
- Creniphilus** *emend. pro* Cryniphilus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845, corrections.
- creniptera** Tiedemannia, A. Krohn, Arch. f. Naturg. X (1) 1844, 324.
- crenirostris** Pyrrhula, L. P. Vieillot, Ois. Chanteurs (8) *post* 1807, 77.
- Crenis** J. Huebner, Index exotic. Lepid. 1821, 2.—Lep.
- Crenis** J. A. Boisdual, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 196.—Lep.
- Crenis** J. A. Boisdual, F. Ent. Madagas. (3) 1833, 48.—Lep.
- crenis** Migonitis, J. Huebner, Verz. bekannt. Schmett. 1816, 12.
- crenistria** Goniatites, J. Phillips, Geol. Yorksh. II. 1836, 234.
- crenistria** Leptaena (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 90.—Strophomena.
- crenistria** Orthis, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 66.—Spirifera, 1836.
- crenistrius** Passalus, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 244.
- crenistria** Pleurotomaria, F. Sandberger, N. Jahrb. f. Min. 1846, 477.
- crenistria** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 216.
- crenistria** Strophomena, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 171.
- crenistriata** Nucula, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 186.
- crenocarina** Melania (Mor.), R. A. Philippi, Abb. Conch. II (6) 1847, 174.—Melanopsis.
- creno-carina** Melanopsis, S. Moricand, Mém. Soc. Phys. H. N. Genève, IX (1) 1841, 61.
- Crenodonta** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 33.—L.
- Crenogenes** Imhoff in Labram, Ins. der Schweiz, II. 1838, 42.—Col.
- Crenophilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cryniphilus, Motsch.
- crenosa** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 4 (Fernaldo judice 1802) [*u. et f.*].
- crenosa** Bombyx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 104.
- crenosa** Drymonia, J. Huebner, Verz. bekannt. Schmett. [1820], 144. [phyllum.
- crenulare** Actinocyathus (Ph.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Cyatho-
- crenularis** Ammonites, J. Phillips, Geol. Yorksh. I. 1829, 164 [*u. et f.*].
- crenularis** Astraea (Ph.), F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 187.—
- crenularis** Cidarites, Lamarck, An. s. vert. III. 1816, 59. [Cyathophyllum.
- crenularis** Clavatulula, Lamarck, Ency. Méth. (Vers) 1816, pl. 440, Liste p. 9 [*u. et f.*].
- crenulare** Cyathophyllum, J. Phillips, Geol. Yorksh. II. 1836, 202. [—Cidarites.
- crenulare** Diadema (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 158.
- crenularis** Hemicidaritis (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 44.—Cidarites [*Cidaritis* on pl.].
- crenularé** Lithostrotion (Ph.), J. Morris, Cat. Brit. Foss. 1843, 40.—Cyathophyllum.
- crenularis** Melania, G. P. Deshayes, Magasin de Zool. (2) VI. 1844, pl. 83.
- crenularis** Pentagonites, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [*u. n.*].
- crenularis** Pleurotoma, Lamarck, An. s. vert. VII. 1822, 92.—Clavatulula, 1816.
- crenularis** Trochilites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 413.
- crenularis** Trochus, Lamarck, Ann. Mus. H. N. (Paris) IV (19) Mar. 1804, 48.
- crenularis** Vitrina, L. Pfeiffer (*ex* Beck MS), Proc. Zool. Soc. London, XVI (187) Ap. 25,
- crenulato-punctata** Feronia, R. F. Sahlberg, F. Ins. Ross. 1844, 39. [1849, 106.
- crenulata** Acetabularia, J. V. F. Lamouroux, Hist. Polyp. 1816, 249.
- crenulatus** Alydus, J. C. Fabricius, Syst. Rhyng. 1803, 250.—Lygaeus, 1794.
- crenulatus** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. a⁴.
- crenulatum** Amphidesma, G. B. Sowerby, I., Conch. Illustr., Catal. issued with (200) 1841, 8 [*u. n.*]. [VII. 1838, 278.
- crenulata** Amphithoe, J. C. H. Reinhardt in Krøyer, Afhandl. K. Danske Vid. Selsk.
- crenulatum** Anobium, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
- crenulata** Ascaris, Bremser, Icones helminth. 1824, 5. [293.
- crenulata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 71.
- crenulata** Atrypa, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 56.
- crenulata** Avicula (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.—
- crenulatum** Bembidium, R. F. Sahlberg, F. Ins. Ross. 1844, 58. [Pecten:
- crenulatus** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 156.

- crenulatus** Byssacanthus, J. L. R. Agassiz, Poiss. F. V. G. R., 116 (1845).
crenulatus Byssacanthus, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 409.
crenulata Cancellaria, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 501.
crenulatum Cardium, Lamarck, An. s. vert. VI (1) 1819, 13.
crenulatum Cardium, L. Rousseau in Dérnidoff, Voy. Russie, II. 1842, 804.
crenulatum Cerithium (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 233.—
crenulata Chama, Lamarck, An. s. vert. VI (1) 1819, 94. [Fusus.
crenulatus Chamites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 463.
crenulata Chemnitzia (Corn.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 58.—
 Melania. [27.
crenulatus Chiton, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
crenulata Chonetes (Roem.), L. G. de Koninck, Rech. Anim. foss. (1) *post* June 1847,
crenulata Clausilia, A. Risso, H. N. Europe, IV. 1826, 86. [205.—Orthis.
crenulata Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4)
 Sept. 1836, 21.
crenulatus Conus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 750.
crenulatus Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849-50, 355.
crenulata Corticaria (Sch.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Latridius.
crenulatus Cryptophagus, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 369. = C.
 crenatus, Gyll.
crenulatus Ctenacanthus, J. L. R. Agassiz, Poiss. Foss. III., 177 (1843) [*n. n.*].
crenulatus Ctenomerus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3)
 1843, 411.
crenulatus Cyclograpsus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 80.
crenulatum Cyclostoma, Potiez & Michaud (*ex* Fér. MS), Gal. Moll. Douai, I. Oct. 1838,
 235.
crenulatum Cyclostoma, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 356. [1843, 148.
crenulatum Cyclostoma, G. B. Sowerby, I. (*ex* Gray MS), Thes. Conch. I (3) *ante* 23 June
crenulatus Discognathus, J. J. Heckel in Russegger, Reise, II (3) [1847], 262.
crenulatum Dolium, R. A. Philippi, Zeitschr. f. Malakozool., Oct. 1845, 148.
crenulatus Drosochrus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 244. [370.
crenulata Emarginula, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829,
crenulata Erycina, A. Scacchi, Cat. Conch. Neap. 1836, 6.
crenulata Escharina, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 68.
crenulatus Eugeniocrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
crenulata Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 215.—Poecilus, 1821.
crenulata Fissurella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. vi.
crenulatum Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 277.
crenulata Fungia, C. D. E. König, Icones foss. 1825, pl. 14 [*n. et f.*].
crenulatus Fusus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 157.
crenulatus Fusus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [*n. n.*].
crenulatus Gastrodus (Fab.), W. S. MacLeay in P. P. King, Narr. Surv. Australia, II.
 1827 [*i.e.* Ap. 1826], 445.—Curculio, 1775. [24.
crenulatus Gomphoceratites, Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849,
crenulatus Grapsus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 15.
crenulatus Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
crenulatus Heliophilus, E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 202.
crenulata Helix, G. A. Olivier, Voy. Othoman, III (1804), 69. [Limaçons, 1821, 49.
crenulata Helix (Helicella), Olivier; A. E. Férussac, H. N. g. et p. Moll., Tab.
crenulatus Hylesinus, K. Duftschmid, Fauna Austriae, III. 1825, 104.
crenulatus Ixodes, C. L. Koch, Deutsch. Crust., heft 39, 1844, tab. 8.
crenulata Kolpoda, Bory de St V., Ency. Méth. (Zoo-ph.) 1827, 475.
crenulatus Latridius, Schüpp.; J. Sturm, Catal. Ins. Samml. 1826, 160.
crenulatus Latridius, L. Gyllenhal, Ins. Suecica. I (4) 1827, 125.
crenulatus Lethrus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845, 334.
crenulatus Limonius, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 169.
crenulata Lithophaga, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 180.

- crenulata** Locusta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 280.
crenulata Lucapina, J. E. Gray, Figs. Moll. Anim. IV. 1850, 92 [*n. n.*].
crenulata Lucina, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, 39.
crenulata Lucina, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 248 [*n. n.*].
crenulatus Lyriodon (Lam.), H. G. Bronn, Index Pal. 1848, 686.—Trigonia.
crenulata Mastrema, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 428 [*n. n.*]. [June 1838, 434.]
crenulata Melania, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII.
crenulata Melania, J. Cornuel, Mém. Soc. géol. France, IV (2) 1841, 289.
crenulata Melolontha, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 132.
crenulatus Mesops, H. Burmeister, Handb. Ent. II (2) i, 1838, 610.
crenulata Monodonta, C. T. Menke, Moll. N. Holl. 1843, 14.
crenulatum Monostoma, C. A. Rudolphi, Entoz. II (1) 1809, 328.
crenulata Nassa, Lamarck, Ency. Méth. (Vers) 1816, pl. 394, Liste p. 1 [*n. et f.*].
crenulata Nassa, J. E. Gray, Figs. Moll. Anim. IV. 1850, 71.
crenulatus Ochthebius, Mulsant & Rey, Ann. Soc. Linn. Lyon (1847-9) 1850, 236.
crenulata Orthis, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 74.
crenulatus Orthoceratites, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 323.
crenulata Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sep. 1806, 163.
crenulatum Oxytrema, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 137.
crenulatus Palemon, A. Risso, H. N. Europe, V. 1826, 60. [19.—Scarites.
crenulatus Parallelomorphus (Chaud.), V. v. Mochulski, Kaef. Russl., *post* May 1850,
crenulatus Passalus, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 5.
crenulatus Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon. Moll. II. 1801, 273.
crenulatus Pecten, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 265.
crenulatus Peprilus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 214 [*n. n.*].
crenulatus Pholus, D. Solander, Catal. Portland Mus. 1786, 102 & 174 [*n. n.*]. [184.
crenulatus Pholidophorus, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843,
crenulatum Phyllostoma, E. Geoffroy, Ann. Mus. H. N. (Paris) XV (87) *inter* Ap.—
 Sept. 1810, 183.
crenulata Pileopsis, J. E. Gray, Ann. Phil. XXV. June 1825, 407.
crenulata Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 168.
crenulatus Poecilus, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
crenulatus Poecilus (Dej.), H. Lucas, Explor. Algér. (Artic. II) 1846, 58.—Feronia.
crenulata Polystomella, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 316.
crenulatus Porcellio (Pall.), P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 46.—
 Oniscus, 1771. [Escharina.
crenulata Pyripora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 263.—
crenulatus Rhombus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 410.
crenulata Rissoa, A. G. L. Michaud, Descr. genre Rissoa, 1830, 13. [(1) 1845, 80.
crenulatum Sarrotrium V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845
crenulata Sca'aria, L. C. Kiener, Spec. Coquilles (Scalaria) 1838-39, 17. [811.
crenulatus Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842,
crenulata Scutella, W. J. Broderip, Proc. Zool. Soc. London, II (18) Sept. 1834, 48.
crenulata Scutellina (Brod.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 168.—Scutella.
crenulatus Stenocorynus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1142.—Curculio,
crenulatus Stenolophus, Dejean, Spec. gén. Coléopt. IV. 1829, 432. [1775.
crenulatus Strongylus, C. A. Rudolphi, Entoz. II (1) 1809, 238.
crenulata Struthiolaria, Lamarck, An. s. vert. VII. 1822, 148.
crenulata Synastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.
crenulata Taenia, Schultze, Ann. ges. Heilk. (Berlin) II. 1825, 127 [*teste* Stiles & H.].
crenulata Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 14.—
 Buccinum, 1758.
crenulata Terebra, Lamarck, Ency. Méth. (Vers) 1816, pl. 402, Liste p. 3 [*n. et f.*].
crenulata Terebratula (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 85.—
 Atrypa.

- crenulata** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov. 1846, 91. [1774.]
- crenulata** Theba (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix,
- crenulata** Tridacna (Chama), F. S. Voigt in Cuvier, Thierreich, III. 1834, 508.
- crenulata** Trigonina, Lamarck, An. s. vert. VI (1) 1819, 63.
- crenulatus** Trochus, G. Brocchi, Conch. Subap. 1814, 354.
- crenulatus** Trochus, G. Brocchi, Conch. Subap. 1814, 662.
- crenulatus** Trochus, Lamarck, An. s. vert. VII. 1822, 22.
- crenulatus** Truxalis, Palisot de B., Ins. Afr. Amér. (—) 1807, 79.
- crenulata** Turbinella, L. C. Kiener, Spec. Coquilles (Turbinella) 1841, 43.
- crenulata** Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 233.
- crenulatus** Turbo, L. Reeve, Conch. Icon. IV.—Turbo, no. 42, Mar. 1848.
- crenulata** Turritella, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 399.
- crenulatus** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4 [*n. n.*].
- crenulata** Venus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 189.
- crenulata** Venus, Lamarck, An. s. vert. V. 1818, 586.
- crenulata** Venus, A. Risso, H. N. Europe, IV. 1826, 358.
- crenulata** Voluta, Lamarck, Ann. Mus. H. N. (Paris) I (6) Ap. 1803, 478.
- crenulata** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—
- crenulicosta** Lima, C. F. Roemer, Texas, 1849, 399. [Voluta.]
- crenulosum** Cyclostoma, C. B. Adams, Contr. to conch. (1) Sept. 1849, 12.
- crenulosum** Solarium, G. Michelotti (*ex* Bonelli MS), Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 168.
- Creobius** F. E. Guérin, Ins. de la "Favorite" in Mag. de Zool. 1838, 4.—Col.
- Creobroter** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 160.—
- Creogenys** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 367.—A. [Orth.]
- creolus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 265.
- creona** Anaphæis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—Papilio, 1776.
- creona** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 131.—Papilio, Cr. 1776.
- Crepophilus** Kirby in Samouelle, Entom. Comp. 1819, 172.—Col.
- Creopoles** J. Gistl, Nat. Thierr. 1848, p. x.—Ar.
- Creotroctes** J. Gistl, Nat. Thierr. 1848, p. x.—P.
- Creoxylus** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 265.—Orth.
- creperum** Cerithium, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537 [*n. n.*].
- creperus** Odontocorynus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 271.
- creperus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 985.
- creperus** Unio, I. Lea, Syn. Naiades, 1836, 28 [*n. n.*].
- creperus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 33.
- Crepicardus** Dejean, Catal. Coléopt., ed. 2 (1-4) July 1836, 103.—Col. [*n. n.*].
- crepida** Lynceus, F. v. P. Schrank, F. Boica, III (1) 1803, 263.
- crepidaria** Lonchæa, J. W. Meigen, Syst. Besch. Zweifl. Insect. V. 1826, 309.
- crepidatus** Larus, Banks & Solander in Hawkesworth, Account of Voyages in S. Hemisphere, ed. 2, II. 1773, 15 [*n. n.*].
- crepidatus** Lestris (Lath.), C. Illiger, Prod. 1811, 273.—Larus, 1787.
- crepitanus** Oceanus (Lath.), K. L. Koch, Syst. baier. Zool. I. 1816, 381.—Larus, 1787.
- crepidatus** Stercorarius (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819,
- crepidianus** *v.* **cepedianus**. [1855.—Larus, 1787.]
- crepidinella** Coleophora, P. C. Zeller, Isis (Oken), 1847, 885.
- crepidipatella** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crepidipatella, Less.
- crepidis** Aphidius, A. H. Haliday, Entom. Mag. II. (1) Jan. 1834, 94.
- Crepidites** Schroeter; Hermannsen, Ind. gen. Malac. I. 1847, 320.—Br.
- Crepidocardius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crepicardus, Dej.
- Crepidodera** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 391.—Col. [*sine typo*].
- Crepidodera** Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 343.—Col.
- Crepidogaster** C. H. Boheman, Ins. Caffr. I (1) 1848, 68.—Col.

- Crepidomenus** W. F. Erichson, *Arch. f. Naturg.* VIII (1) 1842, 440.—Col.
- Crepidopatella** *emend. pro* Crepidatella, Less.; A. N. Hermannsen, *Ind. Gen. Malacoz.* I. 1847, 320.
- Crepidotus** C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 859.—Col.
- crepidula** Calyptraea (L.), S. Borson, *Mem. R. Acc. Sci. Torino*, XXV. 1820, 187.—Patella, 1764.
- crepidula** Cellepora, F. v. Hagenow, *N. Jahrb. f. Min.* 1839, 275.
- crepidula** Crepidula, de Blainville, *Dict. Sci. Nat.* XI. 1818, 399.
- crepidula** Cristellaria (F. & M.), Lamarck, *An. s. vert.* VII. 1822, 608.—Nautilus, 1798.
- crepidula** Nucleolites, Desor, *Ann. Sci. Nat.* [3] (Zool.) VII. Mar. 1847, 154.
- crepidula** Ostrea, DeFrance in G. P. Deshayes, *Descr. Coq. foss. Paris*, I. 1832, 339.
- crepidula** Planularia (F. & M.), A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 260.—Nautilus, 1798.
- crepidularis** Calyptraea, Lamarck, *Ann. Mus. H. N. (Paris)* I (5) Mar. 1803, 385.
- crepidularis** Frondicularia, H. G. Bronn, *Index Pal.* 1848, 504 [*n. n.*].
- crepidulare** Infundibulum (Lam.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 371.—Calyptraea.
- crepidularis** Lingulina (Muenst.), H. G. Bronn, *Index Pal.* 1848, 656.—Planularia.
- crepidularis** Planularia, G. v. Muenster, *N. Jahrb. f. Min.* 1832, 382.
- crepidularis** Planularia, F. A. Roemer, *N. Jahrb. f. Min.* 1842, 273. [Neritina.
- crepidularius** Clithon (Lam.), R. P. Lesson, *Voy. "Coquille," Zool.* II (1) 1831, 383.—
- crepidularia** Nerita, W. Wood, *Suppl. Index Test.* 1828, 25 [*et. cf.*].
- crepidularia** Nerita (Lam.), C. A. Récluz, *Proc. Zool. Soc. London*, X (118) Feb. 1843, 170.—Neritina.
- crepidularia** Neritina, Lamarck, *An. s. vert.* VI (2) 1822, 186.
- crepidularia** Neritina, W. Wood, *Suppl. Index Test.* 1828, 45.—Nerita, 1828.
- crepidulatus** Astacolus, Denys de Montfort, *Conch. I.* 1808, 263.
- Crepidulina** H. D. de Blainville, *Dict. Sci. Nat.* XXXII. 1824, 188.—Prot.
- Crepidulus** Denys de Montfort, *Conch. Syst.* II. 1810, 86 [= Crepidula].
- Crepidatella** R. P. Lesson, *Voy. "Coquille," Zool.* II (1) 1831, 389.—G.
- crepitaculum** Sannionites, G. Fischer v. W., *Oryct. Moscou*, 1830, sign. 62.
- crepitacullum** Thoracoceras, G. Fischer de W., *Bull. Soc. Imp. Nat. Moscou*, XVII. 1844 (4) 1844, 765.—Sannionites, 1830.
- crepitans** Agami (L.), Partington, *Brit. Cyclop. N. H.* I (2) May 1834, 46.—Psophia, 1758.
- crepitans** Alauda, Anon., *Ersch & Gruber, Allg. Ency.* II. 1819, 321.
- crepitans** Brachinus, J. C. Fabricius, *Syst. Eleuth.* I. 1801, 219.—Carabus, L. 1758.
- crepitans** Crex, S. Palmer, *The Analyst*, III (14) Jan. 1836, 274.
- crepitans** Hyla, Max Wied, *Isis (Oken)*, 1824, 671; *Abb. Naturg. Brasil.* (8) 1824.
- crepitans** Hypsiboas (Wied), J. Wagler, *Nat. Syst. Amph.* 1830, 200.—Hyla.
- crepitans** Meliphaga (Lath.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIV (1) 1826, 262.—Muscicapa.
- crepitans** Muscicapa, J. Latham, *Index Orn., Suppl.* 1801, p. li.
- crepitans** Oedienemus, C. J. Temminck, *Man. Orn.* 1815, 322.
- crepitans** Psophodes (Lath.), Vigors & Horsfield, *Tr. Linn. Soc. London*, XV (1) 1826,
- crepitatus** *v.* **crepidatus**. [329.—Muscicapa.
- creplini** Cycas, W. Dunker, *Zeitschr. f. Malakozool.*, Feb. 1845, 20.
- creplini** Cyclostoma, W. Dunker, *Zeitschr. f. Malakozool.* (Dec.) 1848 [Ap. 1849], 177.
- creplinii** Myriopora (Hag.), A. E. Reuss, *Verst. böhm. Kreidef.* II. 1846, 64.—Orbitulites.
- creplinii** Orbitulites, F. v. Hagenow, *N. Jahrb. f. Min.* 1839, 289.
- crepundius** Buliminus (Orb.), H. Beck, *Index Moll. Mus. Ch. Fred.* (1) 1837, 71.—Helix.
- crepundia** Bulimus, A. d'Orbigny, *Amér. Mérid. (Moll.)* 1837, 275.—Helix, 1835.
- crepundia** Helix, A. d'Orbigny, *Syn. Moll. Am. mérid. in Magasin de Zool.* V. 1835, 14.
- crepuscularis** Erebus (Fab.), P. A. Latreille, *Consid. gén. Crust. etc.* 1810, 365.—Noctua, 1781. [1758.
- crepuscularis** Nyctipao (L.), J. Huebner, *Verz. bekannt. Schmett.* 1825, 272.—Phalaena,
- crepuscularis** Persipilio, de Blainville, C. R. Acad. Sci. (Paris) V. 1837, 822 [*n. n.*].
- crepuscularia** Boarmia (D. & S.), F. Treitschke, *Schmett. Europa*, V (2) 1825, 433.—Geometra, 1775.

- crepuscularia** Ectropis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—
Geometra, 1775.
- crepuscularia** Phalaena (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 6.—Geometra,
1775. [Geometra, 1775.]
- crepuscularia** Tephrosia (D. & S.), Boisduval, Gen. Index Europ. Lepid. 1840, 198.—
- crepusculella** Oecophora, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV
(Noct.) [1843], 337.
- crepusculella** Opostega, Fischer v. R. in P. C. Zeller, Isis (Oken), 1839, 214.
- crepusculum** Conus, L. Reeve, Conch. Icon.—Conus, no. 251, Feb. 1844.
- crepusculum** Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- crepusculum** Monas (Eumonas). Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 22.
- crescens** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 237.
- Creseis** P. S. Rang, Ann. Sci. Nat. XIII (51) Mar. 1828, 305.—Pter.
- Crexis** P. C. A. L. Rang, Man. Moll. 1829, 115, f. [v. Creseis].
- cresphontes** Heraclides (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio,
- Cressida** W. Swainson, Zool. Illust. (2) III (21) 1832, pl. 94.—Lep. [1781.]
- cressida** Eurycus (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 392.—
Papilio, 1775.
- cressida** Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 176.
- cressida** Nestorides (Fab.), C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837,
- crestata** Aptenodytes, v. cristata. [13.—Papilio, 1775.]
- cresus** v. croesus.
- cretaceana** Cnephasia, J. Curtis, Guide Brit. Ins. (6) 1831, 171 [n. n.].
- cretaceana** Cochylis, C. F. Freyer, Neuere Beitr. Schmett. IV (54) 1840, 56.
- cretaceana** Sciaphila (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, IX
(Noct. 6) 1835, 397.—Tortrix.
- cretaceana** Teras (Hueb.), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 525.—Tortrix.
- cretaceana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 42. [n. et f.].
- cretaceana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 50 (Fernaldo judice 1830),
- cretacea** Acantia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 80.
- cretaceus** Acrodus, F. Dixon, Geol. Sussex, 1850, 364. [II. 1813], 51.
- cretacea** Altisa [= Altica], P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool.
- cretacea** Alveolina, d'Archiac, Mém. Soc. géol. France, II (2) 1837, 191.
- cretacea** Amblophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- cretacea** Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 244.
- cretacea** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 35, Mar. 1850.
- cretaceum** Aspergillum, C. Rominger, N. Jahrb. f. Min. 1847, 659 [n. n.].
- cretacea** Axogaster, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 257.
- cretaceum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 112, Feb. 1847.
- cretaceum** Callidium, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- cretacea** Chama, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 689.
- cretacea** Clavagella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 300.
- cretaceus** Cleonus, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 49.
- cretaceus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 264.
- cretacea** Cyclolina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 139.
- cretaceus** Cyphus (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
1840, 306.—Curculio, 1792.
- cretaceus** Echinus, L. A. Sornet, Oursins foss. Eure, Ap. 1850, 34.
- cretacea** Emarginula, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 130.
- cretacea** Entobia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 360.
- cretacea** Eschara (D. & L.), G. Michelotti, Spec. Zoophyt. diluv. 1838, 210.—Flustra.
- cretaceus** Eunotus, F. Walker, Entom. Mag. II (3) July 1834, 298.
- cretacea** Fasciculipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 115.
- cretacea** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.
- cretacea** Flustra, Lamarck, An. s. vert. II. 1816, 161.
- cretaceus** Fusus, L. Reeve, Conch. Icon. IV.—Fusus, no. 48, Dec. 1847.
- cretacea** Globigerina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 34.
- cretacea** Guttulina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 262.

- cretaceus Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 119 (1839); II (2), 233.
cretaceus Harmodytes, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 177. [(1844).
cretaceus Holaster, L. A. Sorignet, Oursins foss. Eure, ap. 1850, 69.
cretacea Idmonea, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 237.
cretaceum Infundibulum, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 390.—
Trochatella on pl.
cretacea Isocardia, G. A. Goldfuss, Petref. German. II (6) 1837, 211.
cretacea Lichenopora, Defrance, Dict. Sci. Nat. XXVI. 1823, 257.
cretaceus Linnaeus, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 157.
cretacea Lucina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 230.
cretacea Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 360.
cretacea Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 141; Rep. trav.
Soc. stat. Marseille, VI. 213.
cretaceus Microcerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 727.
cretacea Modiola, T. A. Conrad, Trans. Geol. Soc. Pennsylv. I (2) 1835, 340.
cretacea Myoconcha, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 260.
cretacea Myopsis (Math.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 255.—
cretaceus Mytilus, F. v. Hagenow, N. Jahrb. f. Min. 1842, 562. [Lutraria.
cretacea Narica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 170.
cretacea Natica, G. A. Goldfuss, Petref. German. III (8) 1844, 119.
cretacea Operculina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 35.
cretacea Ostrea, S. G. Morton, Syn. Org. Rem. Cret. 1834, 52.
cretacea Ovula, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 128.
cretaceus Oxyderces (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1140.—Curculio, 1792.
cretacea Panopaena (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 233.—
cretaceus Pentacrinites, F. v. Hagenow, N. Jahrb. f. Min. 1840, 662. [Lutraria.
cretaceus Pentacrinites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 319
[n. n.]; *ibid.* V (1) 1842, 2.
cretacea Perna, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 185.
cretaceus Phylloodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 222.
cretaceus Pinnites, E. F. Schlottheim, Tasch. Min. 1813, 113. [1838], 470.
cretaceus Pseudophyllus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
cretaceus Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 122 (1839); II (2) 198
cretacea Pyrula, E. Bayle in Fournel, Rich. min. Algérie, I. 1849, 362. [(1844).
cretaceus Rhyncholithes, Jos. Mueller, Beitr. Petref. Aachen. Kreidef. 1846, 13.
cretaceus Rhyncholithus, F. v. Hagenow, N. Jahrb. f. Min. 1842, 567.
cretacea Seriatopora, Defrance, Dict. Sci. Nat. XLVIII. 1827, 496.
cretacea Tornatella, G. G. Pusch, Polens Paleont. (2) 1837, 111.
cretacea Triloculina, A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 210.
cretaceum Trochatella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, *vide* cretaceum
cretacea Turbinolia, E. Eichwald, Nat. Lithuana, 1830, 187. [Infundibulum.
cretaceus Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 228.
cretacea Venus, A. d'Orbigny, Coq. Fos. Colomb. 1842, 47.
cretaceus Verticillites, Defrance, Dict. Sci. Nat. LVIII. 1829, 5.
cretacea Vincularia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 110.
cretacea Volvaria, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 213.
cretae Anatifera, J. Steenstrup, Naturhist. Tidsskrift, I. 1837, 359.
cretana Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 345.
cretaria Cabera, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 395.
cretata Chlorina, Dejean, Catal. Coléopt. 1821, 92 [n. n.].
cretata Helix, W. J. Broderip, Proc. Zool. Soc. London, IX (98) Oct. 1841, 23.
cretatus Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 329.
cretatus Ichneumon, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 146.
cretatus Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 652.
cretata Saperda, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 395.
cretensis Bulimus, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (5) 1846, 124.
cretensis Clausilia, Megerle in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4)
Sept. 1836, 11.

- cretensis** Scarus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 285.—Labrus, 1758.
- creteus** Astraptes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 103.—Papilio, 1780.
- creteus** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 739.—Papilio, 1780.
- cretheis** Eurytoma, F. Walker, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 150.
- cretheus** Conus, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 41.
- crithon** *v.* **crithon**.
- creticola** Nabis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- cretica** Bulla, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 188.
- cretica** Chaerocampa (Boisd.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 160.—Sphinx.
- cretica** Chrysomela, A. G. Olivier, Entom. V. 1807, 518.
- creticus** Cryptoccephalus, A. Suffrian, Linnaea Entom. II. July 1847, 178.
- cretica** Deilephila, J. A. Boisdual, Ic. hist. lépidopt. Europe, II (23 & 24) 1834, 20.—
- cretica** Helix, Fér.; L. Pfeiffer, Symb. Helic. I. 1841, 40. [Sphinx, 1827.
- cretica** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 49 [*n. n.*]. [Deilephila.
- cretica** Macroglossa (Boisd.), F. Treitschke, Schmett. Europa, X (1) 1834, 138.—
- creticus** Omaseus, Frivaldsky, K. magyar termes. Tars. évkönyvei I [1845], 179.
- creticus** Scarus, G. Cuvier [*non* Bloch], Règne Anim., ed. 2, II. 1829, 265.
- cretica** Sphinx, J. A. Bois-Duval, Mém. Soc. Linn. Paris, VI. 1827, 118.
- cretica** Theba (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix.
- cretiferus** Byrrhus, Leach; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*].
- cretifera** Chaetophora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 99 [*n. n.*].
- cretifera** Lamia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- cretifera** Syncalypta, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 133.
- cretosus** Astacus, G. A. Mantell, Medals, II. 1844, 539.
- cretosa** Cetonia, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.
- cretosus** Chaetites, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 63.
- cretosa** Emarginula, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 230.
- cretosus** Galerites, G. A. Mantell, Medals, I. 1844, 349.
- cretosa** Panopea, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 223.
- cretosus** Pecten, DeFrance in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 383.
- cretosus** Pectinites (Cuv.), J. F. Krueger, Gesch. d. Urwelt (2) 1823, 520.—Pecten.
- cretosa** Polytrema (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 209.—Chaetites.
- cretula** Anthophila, C. F. Freyer, Neuere Beitr. Schmett. IV (60) 1842, 124.
- Creurgus** F. O. Morris, The Naturalist, II (9) June 1837, 124.—A.
- Creurgus** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 29.—A.
- creusa** Anthocharis, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 56 [*n. et f.*].
- creusa** Caligo, J. Huebner, Exot. Schmett. II. Tab. [68] [*n. et f.*]. [1758.
- creusa** Coenochromia (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 121.—Sphinx,
- creusa** Palaemon, A. White, List Crustacea Coll. B. M. 1847, 78 [*n. n.*].
- creusa** Syntomis (L.), Boisdual, Essai Zygén. 1829 [1828], 121.—Sphinx, 1758.
- creusa** Venus, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 29.
- Creusia** W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 171.—Cirr.
- creutzeri** Bradybatas (Meg.), E. F. Germar, Ins. spec. novae, I. 1824, 306.—? Rhinodes.
- creutzeri** Bruchus, Rossi; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*].
- creutzeri** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 173.
- creutzeri** Cechenus (Ziegl.), G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 111.—Carabus, ? Fab.
- creutzeri** Meleus, Meg.; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- creutzeri** Platychrus (Fab.), F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.—Carabus.
- creutzeri** Rhinodes, Meg.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- Crex** P. H. G. Moehring, Ges. Vogel. (Nozemann & Vosmaer's ed.) 1758, 6 & 61.—A.
- Crex** J. M. Bechstein, Orn. Taschenb. 1803, 336.—A.
- crex** Crex (L.), C. Illiger, Prod. 1811, 266.—Rallus, 1758.
- crex** Gallinula, [M. Tunstall], Orn. Britt. 1771, 3.

- crex** *Ortygometra* (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 218.
—*Rallus*, 1758.
- Cribaria** Persoon, Neu. Mag. Bot. I. 1794, 91.—Rh. [*teste* Waterh., *sed* Plantae].
- cribaria** Eschara, G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 352.
- cribaria** Seriatopora, DeFrance, Dict. Sci. Nat. XLVIII. 1827, 496. [cibraria.
- cribarius** Thyreocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 384.—Tetyra
- Cribella** Audouin & Edwards, 1830; *teste* Scudder, *vernac. est.*
- Cribella** L. Agassiz, Ann. Sci. Nat. [2] VII. 1837, 286 [=? Cribrella].
- cribella** v. **cribellus** et **cribrellus**.
- cribellatus** Aphodius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 34 [*n. n.*].
- cribellatus** Carabus, M. Adams, Mém. Soc. Imp. Nat. Moscou, III. 1812, 167.
- cribellata** Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 116 [*n. n.*]. [(3) 1849, 102.
- cribellatus** Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
- cribellatus** Lyperophorus, Ménétries in V. v. Mochulski, Kaefer Russl., *post* May 1850, 49 [*n. n.*]. [22.
- cribellum** Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, XVII (191) Dec. 14, 1849,
- cribella** Lithosia (Hueb.), J. B. Godart, H. N. Lépid. France, V (Noct. 2), 29, 1824.—
Tinea cribella, 1796. [[*n. n.*]
- cribellum** Ophonus, J. Curtis (*ex* Leach MS), Brit. Entom. IV (48) Dec. 1827, no. 191
- cribellum** Ophonus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 163.
- cribellum** Trypeta, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 430 [*n. n.*].
- cribralis** Herminia (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 311.—Pyralis, 1796.
- cribralis** Macrochilo, J. Huebner, Verz. bekannt. Schmett. 1826, 345.—Pyralis, 1796.
- cribralis** Polypogon (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Pyralis, 1796. [[*n. ef.*]
- cribram** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 28 (Fernaldo judice 1802)
- cribrarium** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 78.
- cribrarius** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 178.
- cribraria** Amphitrite (Lam.), A. White, List Crustacea Coll. B. M. 1847, 27.—Portunus.
- cribrarius** Aphodius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 171.
- cribraria** Astrea, H. Michelin, Icon. Zoophyt. (2) 1841, 21.
- cribrarius** Attelabus, A. G. Olivier, Entom. V. 1807, 8.
- cribrarius** Brachycerus, A. G. Olivier, Entom. V. 1807, 58.
- cribrarium** Buccinum, Lamarck, An. s. vert. VII. 1822, 274.
- cribraria** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 434.—Curculio, 1798.
- cribraria** Camptolenes, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, V. May 1848, 115.
- cribrarium** Cerithium, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537 [*n. n.*].
- cribraria** Chrysobothris, Dejean, Cat. Coléopt., ed. 2 (1) Jan. 1833, 80 [*n. n.*].
- cribraria** Chrysobothris, Solier (*ex* Dej. Cat.), Ann. Soc. Ent. France, II (2) c. July 1833, 311.
- cribraria** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
- cribraria** Columbella (Lam.), J. E. Gray, Zool. "Blossom," 1839, 129.—Buccinum.
- cribraria** Columbella (Lam.), G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 129.—Buccinum. [1843, 66.—Tetyra.
- cribrarium** Coptosoma (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
- cribrarius** Cossus, S. I. Ljungh, K. Vet. Ac. Handl. 1825 (2) 1826, 348.
- cribrarius** Crabro (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 331.—Sphex, 1767.
- cribrarius** Curculio, A. G. Olivier, Entom. V. 1807, 348.
- cribrarius** Dasyles, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 151.
- cribrarius** Enodius (Br.), Laporte, Revue Entom. IV (1) 1836, 31.—Dasyles.
- cribraria** Eudea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 251.
- cribrarius** Geonemus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 214.—
- cribrarius** Haliphus, J. L. Leconte in Agassiz, Lake Superior, 1850, 212. [Curculio.
- cribraria** Lucina, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 147.
- cribraria** Lupea (*sic*) (Lam.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 452.—Portunus.

- cribraria** Orthostixis, J. Huebner, Verz. bekannt. Schmett. 1825, 304.—Geometra, 1796.
- cribraria** Phyllocoenia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.—
- cribrarius** Portunus, Lamarck, An. s. vert. V. 1818, 259. [Astrea.
- cribrarius** Rhizoplatys, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 455.
- cribraria** Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 143.—Cimex, 1798. [1798.
- cribraria** Thyreocoris (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 26.—Cimex,
- cribrarius** Thyreopus (Fab.), Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 752.—Crabro, 1775.
- cribraria** Venericardia, T. Say, Amer. Conch., wrapper of (5) Aug. 1832.
- cribraria** Venus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 310.
- cribratella** Myeloides, P. C. Zeller, Isis (Oken), 1847, 762.
- cribraticollis** Diplotaxys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 171. [I (2) 1850 [*ineunte* 1851], 238.
- cribratipennis** Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.
- cribratipennis** Staphylinus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 78.
- cribrator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 264.
- cribratus** Aclees, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 18. [648.
- cribratum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- cribratus** Adoretus, A. White, Ann. Mag. N. H. XIV. Dec. 1844, 424.
- cribratus** Adoretus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 234.
- cribratus** Agriotes, Eschscholtz, Die Quatember, II (3) 1830, 18.
- cribratus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 199.
- cribratus** Apotomorphinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- cribratus** Asilus, H. Loew, Linnaea Entom. IV. Dec. 1849, 3. [1844, 259.
- cribrata** Aspidoglossa, Reiche in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 634.
- cribratum** Buccinum, Hoeninghaus, Verz. Hoen. Mus. Bonn. Petref.-Samml. 1829, 8
- cribratus** Carabus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 171. [*n. n.*].
- cribratus** Cercyon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 62.
- cribrata** Cerosterna, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 195.
- cribrata** Cicindela, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 9.
- cribratus** Cis, H. Lucas, Explor. Algér. (Artic. II.) 1849, 469.
- cribratus** Coscinoptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 512.
- cribratus** Cryptocephalus, E. Suffrian, Linnaea Entom. II. July 1847, 90.
- cribrata** Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 69.
- cribrata** Dichroa, P. S. Schilling, Uebers. Arb. schles. Ges. 1826 (1827), 23 [*n. n.*].
- cribratus** Elampus, F. Klug in J. Walth, Reise Tyrol etc. (2) 1835, 90.
- cribrata** Ephydra, C. Stenhammar, K. Vet. Ac. Handl. 1843 (1844), 269.
- cribrata** Euchlora, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 194.
- cribrata** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 354.—Pterostichus, 1821.
- cribratum** Himatidium, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 76 [*n. n.*].
- cribratus** Hydrobius, E. Mulsant, Ann. Sci. Soc. Agric. Lyon, VII. 1844, 377.
- cribratum** Lacon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 144.
- cribratus** Lissomus, J. F. Eschscholtz in Thon, Entom. Archiv. II (1) Jan. 1829, 31.
- cribratus** Phileurus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 90.
- cribratus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 431.
- cribratus** Pinophilus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1842, 86.
- cribratus** Pleuracanthus, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Dec. 1842, 374.
- cribratus** Polyxenes, Denys de Montfort, Conch. I. 1808, 139.
- cribrata** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 236.
- cribratus** Pterostichus, Bon.; Dejean, Catal. Coléopt. 1821, 12 [*n. n.*].
- cribratus** Rhyzophagus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 637.
- cribrata** Schizonychia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 150.
- cribrata** Silpha, Faldermann in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 168.
- cribratus** Sphaerotus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 108.
- cribratus** Spheniscus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].

- cribrata** Sphenoptera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 152.
- cribratus** Stenus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 220.
- cribrata** Tentyria, Bonelli in Génér., Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. iii.
- cribrata** Zerene, F. Treitschke, Schmiett. Europa, V (2) 1825, 445.
- Cribrella** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 [1836], 191.—Ech. [*in syn.*].
- cribrellum** Hesperia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (1) 1841, 25.
- cribrella** Hoplia, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 171.
- cribrella** Lispe (Hueb.), F. Treitschke, Schmiett. Europa, IX (1) 1832, 205.—Tinea, 1796.
- cribrella** Phycis (Hueb.), F. Treitschke, Schmiett. Europa, VIII. 1830, 297.—Tinea.
- cribriceps** Dorcus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 224.
- cribricollis** Anchonus, Coquerel, Rev. et Mag. de Zool. (2) I. May 1849, 227.
- cribricollis** Ancyronycha, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 524.
- cribricollis** Ancyronycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*incunte* 1851], 133.
- cribricollis** Aphodius, H. Lucas, Explor. Algér. (Artic. II.) 1846, 260.
- cribricollis** Blatta, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 93.
- cribricollis** Bledius, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 210.
- cribricollis** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 644.
- cribricollis** Chlaenius, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 316.
- cribricollis** Cryptorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 28.
- cribricollis** Cymindis, Dejean, Spec. gén. Coléopt. V. 1831, 311.
- cribricollis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [*n. n.*].
- cribricollis** Feronia, Dejean, Spec. gén. Coléopt. V. 1831, 755.
- cribricollis** Harpalus, Steven in Dejean, Spec. gén. Coléopt. IV. 1829, 208.
- cribricollis** Hegeter, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 66.
- cribricollis** Lampyrus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 157.
- cribricollis** Leirus, M. de Chaudoir, Enum. Carab. 1846, 231.
- cribricollis** Liparus, Dahl; Dejean, Catal. Coléopt. 1821, 88 [*n. n.*].
- cribricollis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 44.
- cribricollis** Loborhynchus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 164.
- cribricollis** Ludius, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- cribricollis** Natalis, M. Spinola, Ess. mon. Clérîtes, I. 1844, 203. [Mar. 1835, 361.
- cribricollis** Ochthebius, J. L. Leconte in Agassiz, Lake Superior, 1850, 217.
- cribricollis** Omaseus, V. v. Mochulski, Kaeler Russl., *post* May 1850, 47. [582.
- cribricollis** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834,
- cribricollis** Pachygaster, Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- cribricollis** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 487.
- cribricollis** Platystethus, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 145.
- cribricollis** Sitona, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 101.
- cribricollis** Trionychus, H. Burmeister, Handb. Ent. V. 1847, 142.
- cribrifera** Heterostoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
- cribriformis** Adeona, Lamarck, An. s. vert. II. 1816, 180. [IV. 1847, 248.
- Cribrilina** J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 116 & 147.—Polyz.
- Cribrina** Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 264.
- cribripenne** Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*]. [—Coel.
- cribripennis** Desmonota, C. H. Boheman, Mon. Cassid. I. 1850, 159.
- cribripennis** Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4)
- cribripennis** Helops, H. Lucas, Explor. Algér. (Artic. II) 1846, 353. [1842, 830.
- cribripennis** Ischiopachys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 476.
- cribripennis** Nötöxus, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 140.
- cribripenne** Pelonium, M. Spinola, Ess. mon. Clérîtes, I. 1844, 379.
- cribripennis** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 117.
- cribripennis** Prosymnus, Laporte, Revue Entom. IV (2) 1836, 52.
- cribripennis** Pseudodophonus (Chaud.), V. v. Mochulski, Kaeler Russl., *post* May 1850,
- 30.—Harpalus. [1843, 723.
- cribripennis** Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4)
- cribripennis** Stenochia, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 175.

- cribripes** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 11.
- cribripora** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 470.
- cribripora** Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 564.
- cribrithorax** Onchorhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 339. [1843, 345.]
- cribrosicollis** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1)
- Cribrospongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Sp.
- cribrosus** Aegithus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 293.
- cribrosus** Agrypnus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
- cribrosa** Blaps, Dupont in Baudi & Truqui, Studi Ent. I. 1848, 304.
- cribrosa** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 87.
- cribrosa** Cerceris, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 119.
- cribrosa** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 36.
- cribrosa** Chrysomela, E. F. Germar, Fauna Ins. Europ. (1) 1812, 10.
- cribrosa** Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 179.
- cribrosa** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [n. n.].
- cribrosus** Cremastocheilus, Gory & Percheron, Mon. Cétoines (1) 1833, 50; (4) 1834, 117.
- cribrosus** Curculio, E. F. Germar, Fauna Ins. Europ. (2) 1814, 14.
- cribrosa** Dentipora, de Blainville, Dict. Sci. Nat. LX. 1830, 348 [n. n.].
- cribrosa** Epilampra, H. Burmeister, Handb. Ent. II (2) i, 1838, 505. [Lichenopora.
- cribrosa** Fasciculipora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 268.—
- cribrosa** Fistulipora (Goldf.), F. M'Coy, Ann. Mag. N. H. (2) III. Feb. 1849, 130.—Manon.
- cribrosa** Gematis, J. Sturm, Catal. Ins. Samml. 1826, 143 [n. n.]. [stoccheilus,
- cribrosus** Hoplostomus (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 657.—Crem-
- cribrosa** Lichenopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 64.
- cribrosum** Manon, G. A. Goldfuss, Petref. German. I (1) 1826, 3.
- cribrosa** Melolontha, J. Sturm, Catal. Ins. Samml. 1826, 169 [n. n.].
- cribrosa** Monticulipora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 184.—Ceriopora.
- cribrosum** Omalius, Gravenhorst in O. Heer, Coleopt. Helvet. (3) 1841, 569.
- cribrosus** Otiorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 346.—Curculio, 1814.
- cribrosus** Pachygaster, Sturm; Dejean, Catal. Coléopt. 1821, 90 [n. n.].
- cribrosus** Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [n. n.].
- cribrosus** Ptychophorus (G. & P.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. III. 1841, 274.—Cremastocheilus.
- cribrosus** Rhyssenus, J. L. Leconte in Agassiz, Lake Superior, 1850, 225.
- cribrosus** Sciocoris, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. d.
- cribrosa** Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [n. et f.].
- cribrosus** Strophoconus, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 167 & 272.
- cribrosa** Tentyria, J. Sturm, Catal. Ins. Samml. 1826, 201 [n. n.].
- cribrosa** Thalamopora (Goldf.), F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 21.—Ceriopora.
- cribrosus** Trinucleus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 40.
- cribrosa** Uvigerina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 377.
- cribrum** Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 379. [1843, 161.—Edessa.
- cribrum** Brachystethus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères,
- cribrum** Cassida, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 8.
- cribrum** Chelymorphia, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18 [n. n.].
- cribrum** Coscinia (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 169.—Phalaena, 1761.
- cribrum** Cyphosoma, L. Agassiz, Cat. Ect. Ech. 1840, 11. [402.]
- cribrum** Cyphosoma, Agassiz in E. Sismonda, Mem. R. Acc. Sci. Torino [2] VI. 1844,
- cribrum** Discopora, Lamarck, An. s. vert. II. 1816, 166.
- cribrum** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 154.—Cimex, 1781.
- cribrum** Emydia (L.), Boissduval, Europ. Lepid. Index, 1829 [1828], 39.—Phalaena, 1761.
- cribrum** Eulepia (L.), J. Curtis, Brit. Entom. II (14) Feb. 1825, no. 56.—Phalaena, 1761.
- cribrum** Eyprepia (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 302.—Phalaena, 1761.

- cribrum** Gorgonia, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- cribrum** Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 93.
- cribrum** Hoplophora, L. Fairmaire, Ann. Soc. Ent. France (2) IV (3) Dec. 1846, 272.
- cribrum** Leiosomus, C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 318.—Molytes, [1834.
- cribrum** Liparus, Meg.; Dejean, Catal. Coléopt. 1821, 88 [n. n.].
- cribrum** Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 197.—Bombyx, 1775.
- cribrum** Mesomphalia (Klug), C. H. Boheman, Mon. Cassid. I. 1850, 356.—Cassida.
- cribrum** Molytes (Sturm), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 357.—Liparus, ? Meg.
- cribrum** Phanerostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 372.
- cribra** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 151.
- cribrum** Setina, F. v. P. Schrank, F. Boica, II (2) 1802, 166.
- cribrum** Spongia, C. G. Ehrenberg, N. Jahrb. f. min. 1841, 732 [n. n.].
- cribrum** Spongophyllum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 92.
- cribrum** Trox, J. Gené, Mem. R. Acc. Sci. Torino, XXXIX, 1836, 186.
- cribrum** Trox, Gené, Ann. Soc. Ent. France, V (1) post Mar. 1836, p. iii.
- Cricacanthus** J. L. R. Agassiz, Poiss. Foss. III., 176 (1843).—P. [n. n.].
- Cricetodipus** T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 52.—M.
- Cricetomys** G. R. Waterhouse, Proc. Zool. Soc. London, VIII (85) July 1840, 2.—M.
- cricetorum** Helix, S. A. Renier, Tavole [1804] xi.
- Cricetus** N. G. Leske, Anfangsgr. Naturgesch. I. 1779, 168.—M.
- cricetus** Cricetus (L.), A. Desmarest, Nouv. Dict. N. H. XXIV (Tab.) 1804, 23.—Mus, 1758.
- cricetus** Geotrupes, Hausmann, Mag. f. Insektenk. (Illiger) VI. 1807, 266.
- cricetus** Hamster (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 167.—Mus, 1758.
- cricetus** Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 90.
- crichtoni** Bulinus, W. J. Broderip, Proc. Zool. Soc. London, IV (40) July 1836, 44.
- Cricocercus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 345.—A.
- Cricochalcis** A. F. A. Wiegmann, Herpet. Mex. 1834, 11.—R.
- Cricodus** L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 195.—P.
- Cricodus** L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 406.—P.
- cricoides** Entacmaea, P. Duchassaing, Anim. rad. Antilles [1850], 10.
- Cricopora** de Blainville, Dict. Sci. Nat. LX. 1830, 385.—Cor.
- Cricostoma** *emend. pro* Cricostoma, Blainv.; A. N. Hermannsen, Ind. Gen. Malacoz.
- Cridotheres** Vieillot, Galerie des Ois. I. 1825, pl. 148 [= Acridotheres]. [I. 1847, 323.
- criella** Palpula, F. Treitschke, Schmett. Europa, X (3) 1835, 194.
- Crimia** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 305.—Hem.
- Crimophilus** *emend. pro* Crymophilus, Vieill.; L. Agassiz, Ind. Univ. 1846, 104.
- crinalis** Bagrus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 282.
- crinalis** Herminia, F. Treitschke, Schmett. Europa, VI (2) 1828, 311.
- crinella** Tinea, C. H. G. Sodovski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 70.
- crini** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 229.
- Crinia** J. J. Tschudi, Classif. Batrach. 1838, ex Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 38 & 78.—R.
- crinicauda** Dolichopus, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3087.
- crinicaudus** Mycetes, P. W. Lund, Afhandl. K. Danske Vid. Selsk. VIII. 1841, 110.
- crinicaudis** Tormys, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
- crinicollis** Copris, E. F. Germar, Ins. spec. novae, I. 1824, 100.
- crinicollis** Melolontha, Grav.; J. Sturm, Catal. Ins. Samml. 1826, 169.
- crinicornis** Dolichopus, C. R. W. Wiedemann, Anal. Entom. 1824, 39. [pro 305].
- crinicornis** Eulophus, E. Perris, Ann. Soc. Ent. France, IX (4) post May 1841, 405 [err.
- crinicornis** Heterotoma, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 276.
- crinicornis** Saperda, E. F. Germar, Ins. spec. novae, I. 1824, 490.
- crinicornis** Tetanocera, C. F. Fallen, Sciomyz. Sveciae, 1820, 5.
- crinicornis** Thyrsocera, Klug in H. Burmeister, Handb. Ent. II (2) i, 1838, 499.
- Crinifer** F. P. Jarocki, Zoologia, II. 1821, 181.—A. [*typus* Phasianus africanus, Lath.]

- criniformis** Docmius (Goeze), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 276.—Ascaris, 1782.
- criniformis** Strongylus (Goeze), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 39.—Ascaris, 1782.
- crinifrons** Batrachostomus, C. L. Bonaparte (*ex* Temm. MS), Consp. gen. Avium, I. 1850.
- crinifrons** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal., 1841, 23. [57.]
- Criniger** C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lx.—A.
- criniger** Brachypodius, A. Hay, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 577.
- crinigera** Decura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- criniger** Drymoica (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 458.—Suya.
- criniger** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 82.
- crinigera** Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 214.
- criniger** Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 140.
- criniger** Setornis, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. June 1839, 167.
- criniger** Suya, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 183.
- crinigerella** Nemophora, Anon., Ber. lepidopt. Tauschver. [Jena] for 1850, 70 [*n. n.*].
- crinipes** Apiomerus (Trichoscelis) (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 613.—Reduvius.
- crinipes** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 35.
- crinipes** Dolichopus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 581.
- crinipes** Harpalus, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 148. [361.]
- crinipes** Psilopus, v. Winthgen in J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830,
- crinipes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 273.
- crinipes** Sybistroma, C. Staeger, Naturhist. Tidsskrift, IV (1) 1842, 6.
- Crinisus** C. S. Rafinesque, Analyse, 1815, 161.—Prot. [*n. n.*] [= Proteus, Brug.].
- crinisus** Augiades (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 112.—Papilio, 1780.
- crinisus** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 750.—Papilio, 1780. [603.—Papilio, 1780.]
- crinisus** Tamyris (Cr.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- crinitarsis** Apate, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 177.
- crinitarsis** Cryptorhynchus (Germ.), J. Sturm, Catal. Ins. Samml. 1826, 128.—? Poecilma.
- crinitarse** Macromerus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 585.—Poecilma.
- crinitarse** Poecilma, E. F. Germar, Ins. spec. novae, I. 1824, 253.
- crinitarsis** Rhamphomyia, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 41.
- crinitella** Adela, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1008 (sign. 64).
- crinitella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 109. [Chiton, Penn. 1777.]
- crinitus** Acanthopleurus (Wood), L. Guilding, Zool. Journ. V (17) Feb. 1830, 28.—
- crinitus** Acyphoderes (Klug), E. Newman, Entomologist (2) Dec. 1840, 22.—Stenopteris.
- crinitum** Anisonyx (Fab.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 120.—Melolontha, 1777.
- crinitus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 105 ["Mon. Anth." *poster. edit.*].
- crinita** Anthypna (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 473.—
- crinita** Avicula, F. A. Roemer, Verst. Harzgeb. 1843, 21. [Melolontha, 1777.]
- crinitus** Blennius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 237. [? Mitch. 1826.]
- crinitus** Blepharis (Ak.), J. E. De Kay, N. H. New York (Fish) 1842, 123.—Zeus,
- crinitus** Bradypus, J. E. Gray, Proc. Zool. Soc. London, XVII (194) Jan.-June 1850, 67.
- crinita** Cetonia, T. v. Charpentier, Horae Ent. 1825, 213.
- crinita** Chetetes (Lonsd.), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 711. —Stenopora.
- crinitus** Clinus, L. Jenyns, Zool. "Beagle" (Fish, 1841), 90.
- crinita** Coracias, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 401.
- crinitum** Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 369.
- crinita** Epicometis (Charp.), H. Burmeister, Handb. Ent. III. 1842, 436.—Cetonia.
- crinita** Eucera, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. k.
- crinitus** Eusomatus, J. Sturm, Catal. Ins. Samml. 1826, 141 [*n. n.*].
- crinita** Hetaerornis, G. R. Gray, Genera of Birds, II. May 1847, 335.
- crinitus** Heterocerus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 224.

- crinita** Hoplophora, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 8.
- crinita** Hypera, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
- crinitus** Ichthyocoris (Val.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 67.—Blennius.
- crinitus** Isonychus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 88. [1826, 60.]
- crinitus** Lachnaeus, C. J. Schoenherr, Isis (Oken), 1823, 1146 [*n. n.*]; Curc. disp. meth.
- crinitus** Larinus, C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 144.—Lachnaeus,
- crinita** Lima, F. A. Roemer, Palaeontographica, I (6) July 1851, 330. [1823.]
- crinitus** Macrostylus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 923.
- crinita** Medusa, J. G. Dalyell, Rare Anim. Scotland, II. 1848, 248.
- crinita** Mitra, Cristofori & Jan, Cat. Mus. (Sect. II.) (1) Conch. foss. 1832, 14.
- crinita** Muscivora, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 230. [1766.]
- crinitus** Myiobius (L.), G. R. Gray, Genera of Birds, I. May 1847, 248.—Muscipapa,
- crinitus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 20.
- crinita** Notopygos, A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 288 [*n. n.*].
- crinita** Odontocera (Kl.), J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 549.—Stenopterus.
- crinitus** Omias, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 547.
- crinitus** Orchestes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 380.
- crinita** Pachyscelis, A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836, 61.
- crinitus** Pecten, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 71.
- crinitus** Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 403.
- crinita** Pinelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. b.
- crinitus** Pogonocherus, Panz.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- crinitus** Polydrosus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 56 [*n. n.*].
- crinitus** Pyrrhocorax (Daud.), L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 568.—Corvus, 1800.
- crinitus** Rhynchites, Ziegl.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
- crinitus** Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 58.
- crinita** Sitona (Ol.), Dejean, Catal. Coléopt. 1821, 94.—Curculio, ? Gm. 1789.
- crinita** Stenopora, W. Lonsdale in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 265.
- crinitus** Stenopterus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 474.
- crinitus** Syngnathus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 148. [51.—Pinelia.]
- crinita** Thriptra (Klug), A. J. J. Solier, Ann. Soc. Ent. France, V (1) post Mar. 1836,
- crinitus** Todus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 23 [*n. n.*].
- crinita** Trichius (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 232.—Melolontha, 1777. [1849], 103.
- crinitus** Trochus (Phorcus), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb.
- crinita** Tyrannula (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 189.—Muscipapa, 1766. [1826, 271.—Muscipapa, 1766.]
- crinitus** Tyrannus (L.), W. Swainson, Q. Journ. Sci. (R. Inst. Gt Brit.) XX (40) Jan.
- crinitus** Zeus, S. L. Mitchill, Amer. J. Sci. XI (1) ? June 1826, 146.
- Crino** J. Huebner, Index exot. Lepid. 1821, 6.—Lep.
- Crino** J. Huebner, Verz. bekannt. Schmett. [1822], 216.—Lep.
- Crino** J. Gistl, Nat. Thierr. 1848, 166.—G.
- Crino** J. Gistl, Handb. Naturges. 1850 [1847], 544.—Pter.
- crino** Cirrospilus, F. Walker, Ann. Nat. Hist. I (5) July 1838, 382.
- crinocea** Sericocera, *v. erinaceus*.
- Crinocerus** H. Burmeister, Handb. Ent. II (1) 1835, 318.—Hem.
- crinoidea** Flustra, J. S. Miller, Tr. Geol. Soc. London [2] III. 1829, 36 [*n. n.*].
- Crinola** *emend. pro* Crino, Lam.; C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].
- Crinomorpha** P. J. van Beneden, Bull. Ac. Roy. Brux. XI (2) 1844, 385.—Polyz.
- Crinopora** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.—Cor.
- Crinopsis** C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].
- Crinosoma** Castelnau, Ess. Silur. Amér. sept. 1843, 50.—Ech. [—Cr.]
- Criocarcinus** Guérin in H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 331.
- Criocephalum** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 328.—Col. [*sine typo*].

- Criocephalum** V. v. Motchulski, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 89.—Col.
- Criocephalus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 63.—Col.
- Criocera** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 92.—Ceph.
- Crioceras** *emend. pro* Crioceratites, Lév.; A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 457.—Ceph.
- Crioceratites** C. Léveillé, Mém. Soc. géol. France, II (2) 1837, 313.—Ceph.
- Criocerina** E. F. Germar, Mag. Entom. (Germar) I (1) 1813, 14.—Col.
- Criocerus** W. King, Ann. Mag. N. H. XIV (91) Oct. 1844, 276.—Ceph.
- Criodion** Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 173.—Col. [*n. n.*].
- Criodion** J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 571.—Col.
- Criodium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Criodion, Serv.
- Criodrilus** W. Hoffmeister, Regenwürmer, 1845, 41.—Verm.
- Criomorphus** J. Curtis, Guide Brit. Ins. (7) 1831, 194.—Hem.
- Criomorphus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 337.—Col. [*n. n.*].
- Criomorphus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 58.—Col.
- Criopododerma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Criopoderma, Poli, 1795.
- Crioprosopus** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 53.—Col.
- Criopus** J. E. Gray, London Med. Repos. XV. 1821, 238.—Br.
- Criorhina** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 236; VII. 1838, 115.—Dipt.
- Criorrhina** Meig. 1822; *teste* Scudder *sed* Criorhina *est*.
- Criotaurus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 148.—M.
- Cripolus** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*] [*v. et* Cnipolus].
- [**crippsi**; "J. M. Cripps"]. [*ceramus*, Mant.
- crispii** (*sic*) Catillus (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 167.—Ino-
- crispii** (*sic*) Inoceramus, G. A. Mantell, Foss. South Downs, May 1822, 133.
- Criseis** *err. pro* Creseis, Rang; E. Forbes, 13 Rep. Brit. Assoc. (Cork, 1843) 1844, 132.
- Criserpia** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 208.—Polyz.
- crishna** *v.* **krishna**. [Coel.
- Crisia** J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 183.—
- Crisia** *id. ac* Creseis, Rang; Menke, Zeitschr. f. Malak. 1844, 72.
- crisia** Euptychia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 21.
- crisia** Leptalis (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 422.—Pieris.
- crisia** Licinia (God.), W. Swainson, Zool. Illust. (1) III (25) Oct. 1822, pl. 124.—Pieris.
- crisia** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 167.—Papilio, Dru.
- crisia** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 738. [1782.
- Crisidia** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 203 & 235.—Polyz.
- Crisina** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 656.—Polyz.
- Crisina** d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 265.—Polyz.
- Crisioidea** Michelin, Icon. Zooph. 1847, 263.—Polyz. [*non* 1840, *apud* Marschall].
- crisioidea** Dynamena, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 291.
- [**crisioidea**] Sertularia (Q. & G.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 152.—Dynamena, Lamx.
- crisioidea** Tubularia, Quoy & Gaimard, Ann. Sci. Nat. XIV (55) July 1828, 250 [*n. n.*].
- crisioidea** Websteria, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, pp. lxxxiv & 43.
- Crisisina** A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 113.—Polyz.
- Crisonoma** *err. pro* Crinosoma, Castelnau, Ess. Silur. Amér. sept. 1843, 56.
- crisopogon** *v.* **chrysopogon**.
- crispa** *v.* **crispus**. [689.
- crispatirostris** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- crispata** Alasmodonta, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849],
- crispata** Anatina, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VI. 1834, 77. [270.
- crispata** Anodonta, Lamarck, An. s. vert. VI (1) 1819, 86.
- crispata** Astarte, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 399.
- crispata** Asterias, A. J. Retzius, Diss. Sp. Aster. 1805, 17.

- crispata** *Astraea* (Orbicella), Lam.; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 217.
- crispata** *Astrea*, Lamarck, An. s. vert. II. 1816, 265.
- crispatus** *Astropecten*, E. Forbes, Mem. Geol. Surv. Gt Britain, II (2) 1848, 479.
- crispata** *Avicula*, Goldfuss in F. A. Alberti, Beitr. Bunter, 1834, 94.
- crispatum** *Buccinum*, D. Solander, Catal. Portland Mus. 1786, 105 [n. n.].
- crispatum** *Buccinum*, L. W. Dillwyn (ex Chemn.), Catal. Shells, 1817, 613.
- crispatum** *Buccinum*, J. De C. Sowerby, Min. Conch. V. 1823, 12.
- crispatus** *Buceros*, Anon., Ency. Londin. III (142) 1800, 479.
- crispata** *Corallina*, J. V. F. Lamouroux, Hist. Polyp. 1816, 289.
- crispata** *Derephysia*, Herrich-S., Wanzenart. Ins. IV (4) Ap. 1838, 72.
- crispatus** *Fusus*, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 479.
- crispata** *Haliotis*, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1848), 251.
- crispata** *Helix*, O. G. Costa, Cat. Test. Sicilie, 1829, pp. cvi & cxi.
- crispata** *Helix*, Fér.; L. Pfeiffer, Symb. Helic. II. 1842, 26.
- crispata** *Helix* (Helicogena), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 33 [n. et f.]. [Terebratula.
- crispata** *Hemithiris* (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 37.—
- crispatus** *Hipporhinus* (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I. (2) 1833, 476.—
Curculio, 1781.
- crispatus** *Hydroporus*, Dejean in E. F. Germar, Fauna Ins. Europ. (11) [1825–28], 1.
- crispatus** *Irus*, L. Oken, Lehrb. Nat. III (1) 1815, 231.
- crispatus** *Loborhynchus*, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 164.
- crispata** *Maia*, A. Risso, H. N. Europe, V. 1826, 23.
- crispata** *Manicina*, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 287.
- crispata** *Margaritana*, A. Mousson, Zeitschr. f. Malakozool., Dec. 1849 [Ap. 1850], 185.
- crispata** *Mitra*, Schmidt in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea (20) 1840, 115. [[Mar. 1849], 155.
- crispata** *Modiola* (Lithophagus), R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848
- crispatus** *Murex*, Lamarck, Ency. Méth. (Vers) 1816, pl. 419, Liste p. 5 [n. et f.].
- crispata** *Orthis*, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 404.
- crispata** *Ostrea*, G. A. Goldfuss, Petref. German. II (4) 1833, 15.
- crispata** *Oulastrea* (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 495.—*Astrea*.
- crispatus** *Pachygaster*, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [n. n.].
- crispatus** *Pholas*, D. Solander, Catal. Portland Mus. 1786, 38 [n. n.].
- crispata** *Pleurotoma*, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 149 [n. n.].
- crispata** *Pleurotoma*, Cristofori & Jan, Cat. Mus. Sect. II (1) Conch. foss. 1832, 9.
- crispata** *Polytropa*, W. Swainson, Treat. Malacol., May 1840, 81.
- crispatum** *Purpura* (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 341.—*Buccinum*.
- crispata** *Purpura* (Gm.), J. E. Gray, Zool. "Blossom," 1839, 123.—*Buccinum* (*non comp.*).
- crispatus** *Rhytirhinus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 436.
- crispata** *Scissurella*, J. Fleming, Hist. Brit. Anim. 1828, 366.
- crispatus** *Scotobius*, E. F. Germar, Ins. Spec. novae, I. 1824, 136.
- crispatus** *Sisyphus*, Dejean in Gory, Mon. gen. Sisiphe, 1833, 13. [440.
- crispata** *Spongia*, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.–Oct. 1814,
- crispata** *Stomatia*, H. Lichtenstein, Verz. Samml. Neuholland. 1837, 9 [n. n.].
- crispatus** *Strombus*, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 26. [624.
- crispata** *Terebratula*, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- crispata** *Terèbratula*, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 292.
- crispata** *Unio*, A. A. Gould, Proc. Boston Soc. N. H. I (2–3) [1844–5], 141.
- crispi** *err. pro crippsi*.
- crispiceps** *Criniger* (Blyth), G. R. Gray, Genera of Birds, I. Oct. 1847, 236.—*Tricophorus*.
- crispiceps** *Tricophorus*, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 204.
- crispicollis** *Rhyssomatus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 367.
- crispicularis** *Brachycerus*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 690.
- crispinae** *Tenthredo*, J. N. Vallot, Mém. Ac. Sci. Dijon, 1847–8, Sci. (1849), 201.

- crispisulcatus** Spatangus, G. G. Pusch, Geogn. Besch. Polen, II. 1836, 244.
- crispula** Clausilia, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 353.
- crispula** Cylindrella, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 42.—Clausilia, 1839.
- crispula** Delphinula, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 21.
- crispulus** Trochus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 156.
- crispa** Actinia (Entacmaea), Hemprich in C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 260.
- crispa** Admete, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 88.
- crispa** Admete, H. P. C. Möller, Index Moll. Groenl. 1842, 15.
- crispa** Agaricia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 330.
- crispus** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. *b*¹.
- crispa** Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 392.—Ceriopora.
- crispa** Antilope, C. J. Temminck in Siebold, F. Japon. (Mam. 1842-5), 55.
- crispa** Apiodera, Klug in M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- crispa** Astrea, H. Michelin, Icon. Zoophyt. (13-19) 1845, 162. [1848, 38.
- crispus** Balanus, DeFrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 167.
- crispa** Cancellaria, G. B. Sowerby, I., Conch. Illustr. (12) 1833, f. 30; Catal. (200) 1841, 5.
- crispa** Casnonia, F. Klug, Jahrb. Insectenk. I. 1834, 48.
- crispa** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 38.
- crispum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 406.
- crispa** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 120, May 1847.
- crispa** Chrysaora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 379.—Ceriopora.
- crispa** Clausilia, R. T. Lowe, Tr. Cambridge Phil. Soc. IV (1) 1831, 65.
- crispus** Coccus, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 204.
- crispus** Colibri, J. B. v. Spix, Avium Brasil. I. 1824, 80.
- crispa** Corbula, R. B. Hinds in L. Reeve in Conch. Icon.—Corbula, no. 43, May 1844.
- crispus** Cysticercus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 181.
- crispa** Delthyris, W. Hisinger, Anteckn. Physik Geogn. IV. 1828, 220.
- crispa** Discopora, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 69.
- crispa** Echenais (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 19.—Papilio, 1777.
- crispus** Fusus, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [7 1822], 317.
- crispus** Fusus, A. A. Gould (*ex* Couthouy MS), Proc. Boston Soc. N. H. III. 1851 (1849),
- crispus** Gallus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 146. [141.
- crispa** Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 368.
- crispus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 48.
- crispus** Hemerobius, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 127.
- crispus** Hinnites (Br.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 628.—Ostrea.
- crispus** Hinnites (Br.), H. G. Bronn, Ersch & Gruber, Allg. Ency. (2) VIII. 1831, 264.
- crispa** Hornera, DeFrance, Dict. Sci. Nat. XXI. 1821, 432. [—Ostrea.
- crispus** Hyopotamus, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXIX. 1849, 572.
- crispus** Lemonias (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 16.—Papilio,
- crispa** Lichenopora, DeFrance, Dict. Sci. Nat. XXVI. 1823, 257. [1777.
- crispa** Ligula, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 134 [*n. n.*].
- crispa** Meandrina, Lamarck, An. s. vert. II. 1816, 247.
- crispus** Megaspilus, Haliday in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.
- crispa** Membranipora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 262.—Discopora.
- crispa** Merulina, J. D. Dana, Wilkes, U.S. Exped., Zooph., c. Mar. 1848, 274.
- crispus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 224.
- crispus** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 176.
- crispa** Mussa (Lam.), J. D. Dana, Wilkes, U.S. Exped., Zooph., c. Mar. 1848, 183.—
- crispus** Mytilus, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 397. [Meandrina.
- crispus** Nemorrhædus (Temm.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 39.—Antilope.
- crispa** Nerinea, L. Zeuschner, Naturw. Abhandl. (Haidinger) III (1) 1850, 138.
- crispa** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 100.
- crispa** Orbicula, DeFrance, Dict. Sci. Nat. XXXVI. 1825, 293.

- crispus** Ornithorhynchus, W. Macgillivray, Mem. Werner. N. H. Soc. VI. Jan. 1832, 128.
- crispa** Orthis, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 29.
- crispa** Orthis, R. Kner, Naturw. Abhandl. (Haidinger) III (2) 1850, 32.
- crispa** Ostrea, G. Brocchi, Conch. Subap. 1814, 567.
- crispus** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 319.
- crispa** Oulophyllia (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Meandrina.
- crispa** Pavonia (Ehr.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 322.—
- crispus** Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 257. [Agaricia.]
- crispus** Pecten, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 51.
- crispus** Pelecanus, Bruch, Isis (Oken), 1832, 1109.
- crispa** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) 1842, 48.
- crispa** Pholas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 359.—crispatus, Sol.
- crispus** Phorus (Kön.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
- crispum** Phrissoma (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 483.—Lamia, 1777.
- crispa** Piesticystis (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 494.—Cysticercus.
- crispa** Pileopsis (Defr.), H. G. Bronn, Index Pal. 1848, 973.—Orbicula.
- crispa** Pleurotoma, Lamarck, Ency. Méth. (Vers) 1816, pl. 439, Liste p. 8 [*n. et f.*].
- crispa** Polystomella (F. & M.), Lamarck, An. s. vert. VII. 1822, 625.—Nautilus, L. 1758.
- crispa** Prionastrea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 334.—Astrea.
- crispa** Pyrrhula, L. P. Vieillot, Ois. Chanteurs (8) *post* 1807, 76.
- crispa** Scalaria, Lamarck, Ann. Mus. H. N. (Paris) IV (21) May 1804, 213.
- crispa** Serialaria, Lamarck, An. s. vert. II. 1816, 131.
- crispus** Sphenotrochus (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848, 241.—Turbinolia. [40.—Terebratula.]
- crispus** Spirifer (His.), L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837].
- crispus** Spirifer (Dalm.), J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 614 & 624.—Delthyris. [1758.]
- crispus** Spirifer (L.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 41.—Anomia,
- crispa** Terebratula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 227.
- crispus** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 68, June 1844.
- crispus** Trochus, C. D. E. König, Icones foss. 1825, 3.
- crispus** Trochus, DeFrance, Dict. Sci. Nat. LV. 1828, 484.
- crispa** Turbinolia, Lamarck, An. s. vert. II. 1816, 231.
- crispa** Vorticialis, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 181.
- crissalis** Fringilla, N. A. Vigors, Zool. "Blossom," 1839, 19.
- Crissia** ? *id.* ac Crisia, Lamouroux; J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 76. [crista.]
- crista** Dicholophus (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. xcvi.—Palamedea cristata, 1766.
- crista** Ostracites, E. F. v. Schlotheim, Die Petref. 1820, 240.—galli (240); planulatus (241); complicatus, ungulatus, urogalli (242); vaginatus, hastellatus (243); parasiticus, cornucopiaeformis (244); difformis (245).
- crista** Ostrea, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 163.
- crista** Phalangium, A. Brullé in Bory de St V., Exp. Morée (Arach.) 1832, 60.
- crista** Streblota, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*]. [f. 6.]
- crista flammæa** Acrydium, M. Perty, Del. anim. artic. Brasil. (2) 1832, 124 & pl. xxiv,
- crista flammæa** Monachidium, M. Perty, Del. anim. artic. Brasil. (2) 1832, 124.
- cristagalli** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1847, 434. [Sol.]
- crista-galli** Dendrostræa (Sow.), W. Swainson, Treat. Malacol., May 1840, 389.—Ostrea,
- crista-galli** Desmophyllum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- crista galli** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 130. [253.]
- crista galli** Madrepora (Porites), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 340.
- crista-galli** Manopora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 494.
- crista galli** Millepora, C. F. A. Morren, Ann. Ac. Groning. 1828, 24.
- crista galli** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 72.

- crista galli** Ostrea (L.), D. Solander, Catal. Portland Mus. 1786, 137.—Mytilus, 1758.
- crista-galli** Spirigera (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 204.—Terebratula.
- crista galli** Terebratula, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 217.
- crista meleagris** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 112.
- crista-urogalli** Ostracites, E. F. Schlotheim, Tasch. Min. 1813, 112.
- cristalana** Peronea (Don.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, 3.
- cristalis** Nephopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea cristella, [1796.]
- cristallarioides** *v. cryst*→.
- cristallinus** *v. cryst*→.
- cristallisatus** *v. cryst*→.
- cristalloides** *v. cryst*→.
- cristana** Eclectis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Tortrix, 1775.
- cristana** Peronea (Fab.), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, 4.—Tortrix, D. & S. 1775.
- cristana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 353.
- cristana** Teras (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 253.—Tortrix, 1796.
- Cristaria** C. F. Schumacher, Essai Vers test. 1817, 38 & 107.—L.
- Cristatella** Lamarck [*non* Cur. 1798], Syst. Anim. 1801, 385.—Polyz.
- cristatellus** Acridotheres (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818.
- cristatella** Agama, H. Kuhl, Beitr. Zool. I. 1820, 108. [393.—Gracula, L. 1758.]
- cristatellus** Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 143.
- cristatella** Bronchocela (Kuhl), J. Kaup, Isis (Oken), 1827, 619.—Agama.
- cristatellus** Calotes (Kuhl), A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 219.—Agama. [1839.]
- cristatella** Ceroclastes, P. C. Zeller, Linnaea Entom. III. Ap. 1848, 300.—Lyonetia,
- cristatellus** Corvus, C. J. Temminck in T. & Laugier, Pls. color. (33) Ap. 1823.
- cristatellus** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 495.
- cristatellus** Edolius, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 171.
- cristatella** Emberiza, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 928.
- cristatellus** Falco, C. J. Temminck in T. & Laugier, Pls. color. (48) July 1824.
- cristatella** Fratercula, C. Dumont, Dict. Sci. Nat. XXVII. 1823, 480.
- cristatellus** Garrulus (Temm.), J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 360.—Corvus. [Emberiza.]
- cristatella** Gubernatrix (Vieill.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 61.—
- cristatella** Hetaerornis (L.), G. R. Gray, Genera of Birds, II. May 1847, 335.—Gracula,
- cristatella** Lenticulites, S. Nilsson, Petrif. Suec. 1827, 7. [1758.]
- cristatella** Lyonetia, Fischer v. R. in Zeller, Isis (Oken), 1839, 214.
- cristatella** Pastor (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lv.—Gracula, [Alca, 1769.]
- cristatella** Phaleris (Pall.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. cxii.—
- cristatella** Pica (Temm.), J. Wagler, Syst. Avium, I. 1827, sign. 2113.—Corvus.
- cristatellus** Ptychonotus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 65.—Anolis.
- cristatellus** Spizaetus (Temm.), Jardine and Selby, Ill. Orn., pl. 66, 1829.—Falco.
- cristatellus** Tachyphonus (Spix), G. R. Gray, Genera of Birds, II. July 1844, 365.—
- cristatella** Tanagra, J. B. v. Spix, Avium Brasil. II. 1825, 40. [Tanagra.]
- cristatellus** Thamnophilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 749.
- cristatellus** Trochilus, J. Latham, Index Orn., Suppl. 1801, p. xxxix. [[1802], 232.]
- cristatellus** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cristatellus** Tylorampus (Pall.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug. 1837, 348.—Alca, 1769.
- cristatella** Uria, P. S. Pallas, Zoographia, II. 1811, 370.—Alca, 1769. [Anolis.]
- cristatellus** Xiphosurus (D. & B.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 197.—
- cristator** Exochus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 352.
- cristatus** Acanthonotus, R. Owen in Ross, App. 2 Voy. 1835, p. xc. [1758.]
- cristatus** Acrydium (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802) 283.—Gryllus,

- cristatum** Adelostoma, F. Eschscholtz, Zool. Atlas, IV. 1831, 12.
- cristatus** Aegothales (White), G. R. Gray, List Gen. Birds, 1840, 7.—Caprimulgus, 1790.
- cristata** Aenippe, R. A. Philippi, Arch. f. Naturg. IX (1) 1843, 62.
- cristata** Agama, B. Merrem, Tent. Syst. Amph. 1820, 50.
- cristata** Agaricia, G. Fischer, Mus. Démid. III. 1807, 303.
- cristata** Alauda, P. S. Pallas, Zoographia, I. 1811, 523. [[1802], 287.
- cristata** Alcedo, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cristatus** Amblyrhynchus, T. Bell, Zool. Journ. II (6) July 1825, 206.
- cristatus** Ammonites, Deluc in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 395.
- cristatus** Ammonites, J. De C. Sowerby, Min. Conch. V. 1823, 24.
- cristata** Amphithoe (Ow.), H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 322.—Acanthonotus.
- cristatus** Anabates, J. B. v. Spix, Avium Brasil. I. 1824, 83.
- cristata** Anas (Steph.), L. Benoit, Orn. Sicil. 1840, 204.—Fuligula. = Anas, L.
- cristata** Ancula (Alder), S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 137.—
- cristata** Anodonta, H. D. de Blainville, Man. Malac. 1825, 631. [Polycera.
- cristata** Apomecyna, J. Sturm, Catal. Ins. Samml. 1826, 97 [n. n.].
- cristata** Apsendesia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 82.
- crestata** (*sic*) Aptenodytes, J. F. Miller, Icones (9) ? 1784, pl. 49.
- cristatus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 364.—Theridion.
- cristata** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1579.
- cristatus** Armiger (L.), J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 172.—
- Planorbis, ?Drap. [322.
- cristatus** Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820.
- cristata** Aspidiscus (Lam.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 277.—Cyclolites.
- cristata** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 66.
- cristatus** Astromyces (L.), J. E. Gray, List Mamm. Coll. B. M. 1843, 76.—Sorex, 1758.
- cristatus** Astur, G. R. Gray, Ann. Mag. N. H. XI. May 1843, 371.
- cristatus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 363. [1831, 916.
- cristata** Aythya, C. L. Brehm, Isis, 1830, 998 [n. n.]; Handb. Nat. Vögel Deutschl.
- cristatus** Basiliscus, Bory de St V., Dict. Class. H. N. II. 1822, 214.
- cristatus** Batrisus, J. Le Conte, Boston Journ. N. H. VI (1) 1850, 96.
- cristatus** Blechropus, W. Swainson, Flycatchers (Nat. Libr. XXI) June 1838, 99.
- cristatus** Bostrichus, J. C. Fabricius, Syst. Eleuth. II. 1801, 389.
- cristatus** Bruchus, J. Sturm, Catal. Ins. Samml. 1826, 103 [n. n.].
- cristatus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 122.
- cristatus** Buceros, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 591.
- cristatus** Buceros, E. Rueppell, Neue Wirbelth. Abyssin. (2) 1835, 3.
- cristatus** Bucorvus (Ruepp.), C. L. Bonaparte, Cons. gen. Avium, I. 1850, 89.—Buceros.
- cristatus** Bufo, A. F. A. Wiegmann, Isis (Oken), 1833, 660.
- cristatus** Buteo, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 481.
- cristatus** Buteo (Cuv.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1225.—Pernis.
- cristata** Cacatua (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 10.—
- Psittacus, L. 1758.
- cristatus** Calanus, H. Krøyer, Naturhist. Tidsskrift [2] II (5) 1848, 546.
- cristata** Caligus, A. A. Gould, Rep. Invert. Massach. 1841, 341.
- cristata** Calotes (Agama), B. Merrem, Tent. Syst. Amph. 1820, 50.
- cristata** [Calyptura] (Vieill.), J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 491.—Pardalotus.
- cristata** Calyptura, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 24.
- cristata** Cancellaria (Br.), Cristofori & Jan, Cat. Mus. (Sect. II (1) Conch. foss. 1832,
- cristatus** Caprimulgus, Shaw in White, Voyage N. S. W. 1790, 241. [10.—Murex.
- cristatus** Carbo (Lath.), C. J. Temminck, Man. Orn., ed. 2, II. Oct. 1820, 900.—
- Pelecanus, ?Brunn. 1764.
- cristata** Cariana (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 275.—Palamedea, 1766.

- cristata** Caryophyllia (Esp.), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 315.—Madrepora, 1789. [?Penn. 1781.]
- cristatus** Cassicus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 362.—Oriolus,
- cristatus** Cassicus *var.* viridis, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818,
- cristata** Cavia, G. Fischer, Zoogn., ed. 3, III. 1814, 84. [14.]
- cristata** Cellepora, Lamarck, An. s. vert. II. 1816, 172. [pora.]
- cristata** Cellectoraria (Lam.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 43.—Celle-
- cristatum** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (16) ?Feb. 1804, 273.
- cristatus** Chameleon, S. Stutchbury, Tr. Linn. Soc. London, XVII (3) 1836, 361.
- cristatus** Charadrius, J. A. Scopoli, Del. Insub. 1783, 93.
- cristatus** Charadrius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 483.
- cristata** Chimaera, F. Faber, Nat. Fische Islands, 1829, 45.
- cristatus** Chironomus, J. C. Fabricius, Syst. Antliat. 1805, 39.
- cristata** Chlamys (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 343.—Clythra.
- cristata** Cicada, J. C. Fabricius, Syst. Rhynch. 1803, 62.
- cristata** Ciconia, McClelland, India Review, 1838, 512.
- cristata** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10. [phalus.]
- cristatus** Cirrus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 122.—Euom-
- cristata** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar.
- cristata** Clausilia, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 180. [1836, 19.]
- cristata** Clavagella, Lamarck, An. s. vert. V. 1818, 432.
- cristata** Clymenia, R. Richter, Beitr. Pal. Thüringer Wald, 1848, 31.
- cristata** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 33.
- cristatus** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 542.
- cristata** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 531.
- cristatus** Coccyzus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 274.—
- Cuculus, L. 1766.
- cristatus** Coeliodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 294.
- cristatus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- 362.
- cristatus** Colopterus, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 253.
- cristata** Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1809, 20.
- cristatus** Condylura (L.), C. Illiger, Prod. 1811, 126.—Sorex, 1758. [438.]
- cristatus** Conotrachelus, Fabricius in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- cristata** Coracia, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 3.
- cristatus** Cormoranus, C. T. Wood, Orn. Guide, 1835, 211.
- cristata** Corytophanes (Merr.), Férussac, Bull. Sci. IX. 1826, 235.—Agama.
- cristatus** Cosmorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 521.
- cristata** Cotinga (Gm.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—Ampelis,
- Mill. 1777.
- cristata** Coua (L.), G. R. Gray, List Gen. Birds, 1840, 56.—Cuculus, 1766.
- cristatus** Crioceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 467.
- cristatus** Cryptocephalus, Dufour in Suffrian, Entom. Zeitung, Stettin, X (1) Jan. 1849, 19.
- cristatus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- cristatus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- 1844, 336.
- cristata** Cryptosoma, H. M. Edwards in Brullé, H. N. Crust. II. 1837, 110 [*n. n.*].
- cristata** Cryptosoma, A. Brullé in Webb & Berthelot, Canaries (Crust.) 1840, pl.
- [*n. et f.*].
- cristatus** Ctenodus, J. L. R. Agassiz, Poiss. Foss. III., 137 (1838). [Corvus, 1758.]
- cristata** Cyanocitta (L.), H. E. Strickland, Ann. Mag. N. H. XV. Ap. 1845, 261.—
- cristatus** Cyanocorax (L.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus,
1758. [Corvus, 1758.]
- cristatus** Cyanogarrulus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 376.—
- cristatus** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1832, 495.
- cristatus** Cychnus, T. W. Harris, Boston Journ. N. H. II (2) Feb. 1838, 200.
- cristata** Cyclolites, Lamarck, Syst. Anim. 1801, 369 [*n. n.*]; An. s. vert. II. 1816, 234.
- cristata** Cyclolites, Lamarck, Ency. Méth. (Vers) 1816, pl. 483, Liste p. 16 [*n. et f.*].

- cristata** Cyclophyllia (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXXVII. Nov. 1848, 491.—Cyclolites. [(1815), 77 [n. n.].]
- cristatus** Cynocephalus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811
- cristata** Cyrthia (Schl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 168.—Terebratulites. [? Erx. 1777.]
- cristata** Cystophora (Fab.), G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 31.—Phoca,
- cristata** Dasyprocta, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 358.
- cristata** Dexia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 41.
- cristata** Dicholophus (L.), C. Illiger, Prod. 1811, 253.—Palamedea, 1766.
- cristatus** Dicrurus, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 587.
- cristata** Dictyonota (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64.—Tingis.
- cristata** Dinera (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 188.—Dexia.
- cristata** Diplorhina, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 50.
- cristatum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 117.
- cristatus** Dolichopus, J. C. Fabricius, Syst. Antliat. 1805, 266.—Musca, 1775.
- cristatus** Echimyus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 291.
- cristatus** Elania (Cab.), G. R. Gray, Genera of Birds, III. App. 1849, 30^b.—Colopterus.
- cristata** Emarginula, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 140.
- cristata** Emberiza, W. Swainson, Zool. Illust. (1) III (30) Mar. 1823, pl. 148.
- cristata** Emberiza, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (3) Mar. 1831, 35.
- cristatus** Enneoctonus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 362.—Lanius, 1758.
- cristatus** Entedon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 163.
- cristata** Eolidia, S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 6.
- cristata** Ephialtes (Daud.), G. R. Gray, Genera of Birds, I. Sept. 1845, 38.—Strix, 1800.
- cristata** Ephydatis, Bory de St V. in Dict. pittoresque H. N. IX. 1839, 124; N. Dict. class. H. N., ed. 2, XLII. 1847, 268.
- cristatus** Epilus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 596.
- cristatus** Euomphalus, J. Phillips, Geol. Yorksh. II. 1836, 225. [drius.]
- cristata** Eupodotis (Scop.), G. R. Gray, Genera of Birds, III. Feb. 1845, 533.—Chara-
- cristatus** Eupsychortyx (L.), J. Gould, Mon. Odontophorinae (2) 1846, pl. 9.—Tetrao, 1766.
- cristata** Eurylepta (Quatr.), C. M. Diesing, Syst. Helminth. I. 1850, 210.—Proceros.
- cristata** Euscarthmus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 184.—Motacilla, ? Müll. 1776.
- cristata** Explanaria, Lamarck, An. s. vert. II. 1816, 257.
- cristata** Felis, Falconer & Cautley, Asiat. Researches, XIX (1) 1836, 135.
- cristata** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 197.
- cristata** Fulica, W. J. Burchell, Trav. S. Afr. I. 1822, 263.
- cristata** Fuligula (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 190.—Anas, Gm. 1788.
- cristata** Galerida (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 245.—Alauda, 1758.
- cristata** Galeruca (Adimonia), T. W. Harris, Trans. N. H. Soc. Hartford, I. 1836, 90.
- cristatus** Gallus, C. J. Temminck, Cat. Syst. cab. Orn. 1807, 145.
- cristatus** Garrulus (L.), G. Cuvier, R. Anim. I. 1817, 399.—Corvus, 1758.
- cristatus** Gecko, F. M. Daudin, Sonnini's Buffon, Rept. IV (1802), 167.
- cristata** Gemmipora (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 344.—Explanaria. [571.—Cicada.]
- cristata** Germaria (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- cristatus** Geronticus (Bodd.), G. R. Gray, Genera of Birds, III. Ap. 1847, 566.—? Ardea, ? Müll. 1758.
- cristatus** Graculus (Fab.), G. R. Gray, Genera of Birds, III. Jan. 1845, 667.—?
- cristata** Grammatophora, J. E. Gray, Ann. Mag. N. H. VII. Ap. 1841, 87.
- cristata** Guttera (Pall.), J. G. Wagler, Isis (Oken), 1832, 1226.—Numida, 1767.
- cristatus** Harpalus, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 328.
- cristatus** Harpyia (L.), Cuvier, Règne Anim. I. 1817, 317.—Falco, Gm. 1788.
- cristata** Helix (Müll.), G. Montagu, Test. Brit. II. 1803, 460.—Valvata, 1774.
- cristatus** Heterops, B. H. Hodgson, Zool. Miscell. (Gray) (6) June, 1844, 84 [n. n.].

- cristata** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. Sept. 1817, 523.
cristata Hirundo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (1) 1817, 94.
cristatus Hybodius, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 219.
cristata Hydralector (Vieill.), Isis (Oken), 1832, 280.—Parra.
cristatus Hydrocorax (Br.), L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 89.—
 Pelecanus, 1764.
cristatus Hydroporus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 155.
cristatus Hypselomus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 96.
cristatus Hypsilophus (Bell), L. Fitzinger, Syst. Rept. 1843, 55.—Amblyrhynchus.
cristatus Ibis (Gm.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 335.—Tantalus, 1788. [1788].
cristatus Icterus (Lath.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 46.—Oriolus, Gm.
cristatus Issus, J. C. Fabricius, Syst. Rhyng. 1803, 100.
cristatus Lanio (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 305.—Tanagra,
 L. 1766. [Prionops].
cristatus Lanius (Ruepp.), P. A. J. Drapiez, Dict. class. Sci. Nat. VIII. 1842, 635.—
cristatus Leptotilus (McClell.), G. R. Gray, Gen. Birds, III. Feb. 1848, 561.—Ciconia.
cristata Liponix (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 501.—
 Columba, ? Gm. 1788. [—Madrepora, 1789].
cristatum Lithodendron (Esp.), A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. vi.
cristata Lobophyllia (Esper), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap.
 1849, 251.—Madrepora, 1789. [—Nelumys].
cristata Loncheres (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 332.
cristata Loncheres (Desm.), G. R. Waterhouse, Nat. Hist. Mamm. II. 1848, 315.—
 Echimys. [—Fringilla, 1788].
cristata Lophospiza (Gm.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424.
cristata Lophostrix (Daud.), G. R. Gray, List Birds Coll. B. M. I. 1844, 47.—Strix, 1800.
cristata Loxia, P. L. S. Müller, Natursyst., Suppl. 1776, 149.
cristata Lucina, C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 270.
cristatus Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 114.
cristatus Madrepores, J. F. Blumenbach, Spec. Arch. tellur. 1803, 251; Comm. Soc.
 Reg. Sci. Göttingen, XV. 1804, 154.
cristata Maevia, C. L. Koch, Die Arachniden, XIV (2) Dec. 1846, 70.
cristata Maia (L.), Lamarck, An. s. vert. V. 1818, 242.—Cancer, 1758.
cristata Megachile, Bomer de Fonscolombe, Ann. Soc. Ent. France [2] IV (1) July 1846,
cristatum Megasoma, Feisthamel, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 347. [46].
cristatus Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 9.
cristata Mellisuga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
 250.—Trochilus, 1758.
cristatus Mergus, P. S. Pallas, Zoographia, II. 1811, 291.
cristatus Merlinus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
cristata Micippa (L.), W. E. Leach, Zool. Miscell. III. 1817, 16.—Cancer, 1758.
cristatus Mirounga (Gm.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn.
 1827, 179.—Phoca, Erx. 1777.
cristatus Morpchnus, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 51.
cristatus Murex, G. Brocchi, Conch. Subap. 1814, 394.
cristatus Murex, J. Sowerby, Min. Conch. III. 1819, 52.
cristatus Murex, W. Wood, Suppl. Index Test. 1828, 14 [*n. et f.*]. [Sylvia, 1790].
cristata Muscicapa (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 471.—
cristata Muscipeta (Lath.), G. Cuvier, R. Anim. I. 1817, 344.—Muscicapa, ? Penn. 1781.
cristata Muscipeta (Lath.), G. Cuvier, R. Anim. I. 1817, 345.—Motacilla, ? Müll. 1776.
cristata Muscivora (Gm.), G. R. Gray, Gen. Birds, I. Aug. 1846, 258.—Muscicapa, 1788.
cristata Musophaga, L. P. Vieillot, Analyse, 1816, 68.
cristata Mycetophila, C. Staeger, Naturhist. Tidsskrift, III (2 & 3) 1840, 254.
cristatus Myxodes, Cuvier & Valenc., H. N. Poiss. XI. 1836, 401.
cristata Nelomys, I. Geoffroy, Mag. de Zool. 1840, 51.
cristata Nyctoporis, F. Eschscholtz, Zool. Atlas, IV. 1831, 11.
cristata Odontochila, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 94.

- cristatum** Ophiostoma (Froel.), C. A. Rudolphi, Entoz. Syn. Mant. 1819, 60.—Rictularia.
- cristatus** Ophiotheres, L. P. Vieillot, N. Dict. H. N., ed. 2, XXX. 1819, 468.
- cristatus** Opisthocomus (Gm.), C. Illiger, Prod. 1811, 239.—Phasianus, 1788.
- cristatum** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 21.
- cristatus** Orchilus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
- cristata** Oreica (Lewin), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—Turdus.
- cristatus** Oreocephalus (Bell), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 189.—Ambly-
- cristatus** Oriolus, P. Boddaert, Tab. Planch. Enl. 1783, 21. [rhynchus.
- cristata** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (4-9) *inter* May & Nov. 1829, 113.
- cristatus** Orthorhynchus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 281.—Trochilus, 1758.
- cristata** Ortyx (Gm.), Jardine & Selby, Ill. Orn., sign. C₂, 1828.—Tetrao, L. 1766.
- cristata** Ostrea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 20.
- cristatus** Oxyrhynchus, W. Swainson, Zool. Illust. (1) I (9) June 1821, pl. 49.
- cristatus** Pachycephalus, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844) [*n. n.*].
- cristatus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VI. Nov. 1836, 269.
- cristatus** Pamphagus, H. Burmeister, Handb. Ent. II (2) i, 1838, 618.
- cristatus** Pardalotus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIV. 1818, 528.
- cristata** Parra, L. P. Vieillot, N. Dict. H. N., ed. 2, XVI. 1817, 450.
- cristatus** Passer (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,
- cristata** Pavona, Lamarck, Syst. Anim. 1801, 372. [41.—Fringilla, 1788.
- cristata** Pavonia, Lamarck, An. s. vert. II. 1816, 239.
- cristatus** Pecten, H. G. Bronn, Zschr. Min. 1827, II (1828), 542.
- cristatus** Pecten (Pleuronectes), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 624.
- cristatus** Peneus, A. Risso, H. N. Europe, V. 1826, 67.
- cristata** Perdix (Gm.), C. Illiger, Prod. 1811, 242.—Columba, 1788.
- cristatus** Perdix (Gm.), C. Illiger, Prod. 1811, 242.—Phasianus, 1788.
- cristata** Peristera (Lath.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba,
- cristatus** Pernis, Cuvier, R. Anim., ed. 2, I. 1829, 335. [Gm. 1788.
- cristatus** Phalacrocorax (Fab.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 83.—Pelecanus, Br. 1764.
- cristata** Phallusia, A. Risso, H. N. Europe, IV. 1826, 276.
- cristatus** Phanerotinus (Ph.), J. De C. Sowerby, Min. Conch. VII. 1843, 29.—Euomphalus.
- cristata** Phibalura, W. Swainson, Zool. Illust. (1) I (6) Mar. 1821, pl. 31.
- cristata** Phoca, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 241.
- cristata** Pica, J. Wagler, Syst. Avium, I. 1827, sign. 217.
- cristatus** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 98.
- cristatus** Pimelodus, J. Mueller & Troschel in E. Schomburgk, Reisen Brit.-Guiana, III. 1848, 628.
- cristata** Planella (Müll.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13.—Valvata,
- cristatus** Planorbis, J. P. R. Draparnaud, H. N. Moll. France, 1805, 44. [1774.
- cristatus** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 20.—Muscicapa, ?Penn. 1781. [1801, 153.
- cristatus** Pleuronectes, [A. A. H.] Lichtenstein in J. G. Schneider, Bloch, Syst. Ichth.
- cristata** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847,
- cristata** Plicatula, Lamarck, An. s. vert. VI (1) 1819, 185. [284.
- cristatus** Ploceus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 129.
- cristata** Plumatella, Lamarck, An. s. vert. II. 1816, 107.
- cristata** Plumularia, Lamarck, An. s. vert. II. 1816, 125. [1758.
- cristatus** Plectolophus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 7.—Psittacus,
- cristata** Polycera, J. Alder, Ann. Mag. N. H. VI. Jan. 1841, 340.
- cristata** Polyphyllia, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 305 [*n. n.*].
- cristata** Porcellana, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 254.
- cristata** Presbytes (Raffl.), J. E. Gray, List Mamm. Coll. B. M. 1843, 3.—Simia.
- cristatus** Prionops (Lanius), E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 30.
- cristatus** Prionotus (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 357.—Cimex, 1763.
- cristatus** Proceros, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) IV. Sept. 1845, 139.

- cristatus** Proteles (Sparrm.), E. D. Blyth, *The Analyst*, X (28) July 1839, 71.—Viverra,
cristatus Psaris, W. Swainson, *Zool. Journ.* II (7) Oct. 1825, 355. [1783.
cristatus Psarocolius (Vieill.), J. Wagler, *Syst. Avium*, I. 1827, sign. 223.—Cassicus.
cristatus Psittacus (Vieill.), C. Ranzani, *Elem. Zool.* III (2) 1821, 59.—Cacatua.
cristatus Pteraulus, A. J. J. Solier, Baudi & Truqui, *Studi Ent.* I. 1848, 201.
cristata Pterochroza, Audinet-Serville (Roret's Suite à Buffon), *Orthopt.* 1839 [Dec.
cristatus Pteromalus, A. Foerster, *Beitr. Monogr. Pteromal.* 1841, 20. [1838], 435.
cristatus Ptiloleptus, W. Swainson, N. H. *Classif. Birds*, II. June 1837, 323.
cristata Pyrgita (Gm.), Cuvier, *Règne Anim.* I. 1817, 385.—Fringilla, 1788.
cristatus Regulus, L. P. Vieillot, *Ois. Amér. sept.* II. 1807, 50.
cristata Rhinaria, W. Kirby, *Tr. Linn. Soc. London*, XII (2) 1819, 431.
cristata Rhinaria, J. A. Boissduval in d'Urville, *Voy. "Astrolabe," Ent.* (2) 1835, 415.
cristata [Rhinaster] (L.), J. Wagler, *Nat. Syst. Amph.* 1830, 14.—Sorex, 1758.
cristatus Rhombus (Schn.), G. Cuvier, *R. Anim.* II. 1817, 222.—Pleuronectes.
cristatus Rhombus, R. T. Lowe, *Proc. Zool. Soc. London*, VII (77) Oct. 1839, 88.
cristata Rictularia, J. A. Froelich, *Naturforscher*, XXIX. 1802, 9.
cristatus Rollulus (Gm.), G. R. Gray, *List Gen. Birds*, ed. 2, 1841, 80.—Tetrao, L. 1766.
cristata Rotularia, DeFrance, *Dict. Sci. Nat.* XLVI. 1827, 322.
cristata Sabellides, M. Sars, *Nyt Mag. for Naturvid.* VI (2) 1850, 205.
cristata Salpa, G. Cuvier, *Ann. Mus. H. N. (Paris)* IV (23) July 1804, 366.
cristatus Samaris, J. E. Gray, *Zool. Miscell. (Gray)* (1) Feb. 1831, 5.
cristata Sarama (Gm.), R. P. Lesson, *Echo Monde Savant*, IX. 8 Dec. 1842, 1036.—
 Palamedea, L. 1766. [Gm. 1788.
cristata Sasa (Lath.), L. P. Vieillot, N. *Dict. H. N.*, ed. 2, XXX. 1819, 216.—Phasianus,
cristata Scalops (L.), A. Desmarest, *Nouv. Dict. H. N.* XXIV (Tab.) 1804, 14.—Sorex,
 1758.
cristata Scolopendra, G. Newport, *Ann. Mag. N. H.* XIII. Feb. 1844, 98.
cristata Scops (Daud.), W. Jardine, *Contr. Orn.* I. 1848, 60.—Strix, 1800.
cristatus Semnopus (Raf.), W. C. L. Martin, *Mag. Nat. Hist.*, n. s., II. Aug. 1838,
 435.—Simia.
cristatus Serisomus, W. Swainson, N. H. *Classif. Birds*, II. June 1837, 323.
cristatus Serpenterius (Vieill.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 16.—Ophio-
cristata Serpula, Lamarck, *An. s. vert.* V. 1818, 365. [theres.
cristata Serpula, G. B. Sowerby, II., *Gen. Shells* (22) 1824.
cristata Serpula (Duj.), A. E. Reuss, *Verst. boehm. Kreidf.* I. 1845, 18.—Vermilia.
cristata Sicyonia, W. de Haan in Siebold, *F. Japon. (Crust.* 1849), 194.
cristata Siliquaria, F. W. Hoeninghaus, *Jahrb. f. Min.* 1831, 139 [n. n.].
cristata Simia, G. A. Goldfuss, *Vergl. Naturb. Säugeth.* (1) 1809, 55.
cristata Simia, T. S. Raffles, *Tr. Linn. Soc. London*, XIII (1) 1821, 244.
cristata Simia, "Shaw," J. B. Fischer, *Syn. Mamm.* 1829, 34.
cristatus Simorhynchus, B. Merrem, *Ersch & Gruber, Allg. Ency.* II. 1819, 406.
cristata Siphona (Fab.), J. W. Zetterstedt, *Dipt. Scand.* VIII. 1849, 3212.—Stomoxys.
cristatus Smergades (L.), F. Boie, *Isis (Oken)*, 1831, 547.—Trochilus, 1758.
cristata Sparacta, L. P. Vieillot, N. *Dict. H. N.*, ed. 2, XXXI. 1819, 526.
cristatus Sparactes (L.), C. Illiger, *Prod.* 1811, 219.—Lanius, 1758.
cristatus Spatangus, A. Risso, *H. N. Europe*, V. 1826, 281.
cristata Sphaerulites, C. Des Moulins, *Bull. H. N. Soc. Linn. Bordeaux*, I (5) 1827, 262;
 ed. 2, 1830, 115.
cristatum Sphenostoma, J. Gould, *Syn. Birds Austral.* (4) Ap. 1838. [lites
cristatus Spirifer (Schl.), H. B. Geinitz, *Verst. Zechsteingeb.* (1) 1848, 13.—Terebratu-
cristatus Spirifer (Schl.), R. Howse, *Tr. Tyneside Nat. F. C.* I (3) 17 Aug. 1848, 254.—
 Terebratulites.
cristata Spirorbis, DeFrance, *Dict. Sci. Nat.* L. 1827, 303.
cristata Spongia (L.), J. V. F. Lamouroux, *Ency. Méth. (Zooth.)* 1824, 347.
cristata [Stemmatopus] (L.), F. Cuvier, *Mém. Mus. H. N. (Paris)* XI [3] Oct. 1824,
 197.—Phoca, *Erx.* 1777.
cristata Sterna, J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (1) 1826, 146.
cristata Sterna, W. Swainson, *Birds W. Africa*, II (Nat. Lib. XIX) Sept. 1837, 247.

- cristata** Stomoxys, J. C. Fabriciûs, Syst. Antliat. 1805, 281.
- cristatus** Strombus, Lamarck, An. s. vert. VII. 1822, 202. [Cneorhinus.
- cristatus** Strophosomus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 883.—
- cristatus** Sycobius, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 37.
- cristata** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 473. [Astraea.
- cristata** Synastrea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 386.—
- cristatus** Syrrhus, Schummel, Uebers. Arb. schles. Ges. 1836 (1837), 85.
- cristata** Tachyphonus (L.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 356.—
Tanagra, 1766.
- cristata** Tadorna (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
77.—Anas, 1788.
- cristatus** Talpa (L.), G. Cuvier, R. Anim. I. 1817, 138.—Sorex, 1758. [1788.
- cristata** Tchitrea (Gm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.—? Muscicapa,
- cristata** Terebella (Müll.), Lamarck, An. s. vert. V. 1818, 354.—Amphitrite, 1776.
- cristatus** Terebratulites, E. v. Schlotheim, Denkschr. K. Ak. Wiss. München, VI. 1816—
17 (1820), 28. [capa.
- cristata** Terpsiphone (Gm.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 59.—Musci-
- cristatus** Tetranychus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 28.
- cristata** Tetrao, P. de la Llave, Reg. Trimestre, I (2) Apr. 1832, 144.
- cristatus** Thamnophilus (Lath.), Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1003.
—Turdus, ? Penn. 1781.
- cristatum** Theridion, Wied in Reuss, Abh. Senckenb. Mus. I (3) 1834, 224.
- cristatus** Thomisus (Clerck), C. A. Walckenaer, Tab. Aran. 1805, 32.—Aranea, 1757.
- cristata** Tingis, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 19.
- cristata** Tityra (Sw.), Jardine & Selby, Ill. Orn., sign. D₃, 1826.—Psaris.
- cristatus** Trachypterus, F. A. Bonelli, Mem. R. Acc. Sci. Torino, XXIV. 1820, 487.
- cristatus** Trachysomus (Perty), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.)
II. 1840, 482.—Hypselomus. [Terebratulites.
- cristata** Trigonotreta (Schl.), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 127.—
- cristata** Triton (Bechst.), J. Wagler, Nat. Syst. Amph. 1830, 208.—Salamandra,
? Houtt. 1782.
- cristata** Tritonalia (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 356 & corrig.—Murex.
- oristatus** Trochilus, *err. pro* cristatus, L.; J. M. Bechstein in Latham, Vögel, IV (1) 1811,
- cristatus** Trochilus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 21. [218.
- cristatus** Trochilus, C. L. Lemaire, H. N. Ois. exot. 1836, 26.
- cristata** Turbo, J. L. M. Poiret, Coq. Aisne, 1801, 29.
- cristatus** Turbo, Vallot, Exer. Hist. Nat. 1801, 6.
- cristatus** Turbo (Müll.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 169.—
Valvata, 1774.
- cristatus** Turbo (Mont.), W. Turton, Conch. Dict. 1819, 227.—Helix.
- cristatus** Turdus, T. Pennant in Forster, Ind. Zool. 1781, 41.
- cristatus** Turdus, J. W. Lewin, Birds of N. Holland, 1808, 13.
- cristatus** Vanellus, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, IV. 1809, 346.
- cristata** Vermilia, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 233.
- cristatus** Vireo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 130.—
Tanagra, 1817; ? L. 1766. [1833, 107.
- cristata** Walckenaeria, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., III (14) Aug.
- cristaurea** Regulus, J. Forster, Pocket Encycl. Nat. Phenom. 1827, 411 [*teste* Iredale].
- cristea** Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 492.
- cristea** Phycita (Haw.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Phycis.
- cristella** Chama, Lamarck, An. s. vert. VI (1) 1819, 96.
- cristella** Lenticulites, S. Nilsson, K. Vet. Ac. Handl. 1825 (2) 1826, 337.
- cristella** Phycis (Hueb.), Zincken, Mag. Entom. (Germar) III. 1818, 152.—Tinea, 1796.
- Cristellaria** Lamarck, Ency. Méth. (Vers) 1816, pl. 467, Liste p. 14.—Rh. [*non* 1812,
vernac.].
- cristelloides** Maina, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 771 [*n. n.*].
- Cristiceps** Cuvier & Valenc., H. N. Poiss. XI. 1836, 402.—P.
- cristiceps** Chrysophrys, Cuvier & Valenc., H. N. Poiss. VI. 1830, 132.

- cristimanus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 64.
cristini Muraenophis, A. Risso, Ich. Nice, 1810, 368.
cristoforii v. **de cristoforii**. [1796].
cristulalis Hercyna (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—Pyralis,
cristulalis Nola (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2)
 (Noct. 5, pt. 2) 1833, 269.—Pyralis, 1796.
cristulalis Nolites (Huebner), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2,
 pts. 5 & 6) 1846, 113.—Pyralis, 1796.
cristulana Roeselia, J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Pyralis, 1796.
cristularis Pecten, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 74.
cristulifer Calliptamus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
 1838], 692.
cristula Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
Crisularia J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 111.—Polyz. [45 [n. n.].
Crithagra W. Swainson, Zool. Journ. III (11) Dec. 1827, 348.—A.
crithæa Jaera (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 38.—Papilio, ? Dru. 1773.
crithæa Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 353.
crithæa Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 5.
crithæa Panopæa, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 273.
crithæa Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 258.
crithia Limenitis (Cr.), Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 93.—Papilio,
 ? Dru. 1773.
Crithias Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 17.—Cr.
crethon Timetes (Fab.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
 (1850), 263.—Papilio crithon, 1777.
critica Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 376.
critomedia Enantia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 41.
critomedia Leptalis (Huebner), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836,
 424.—Enantia.
Critoneura H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 36.—Dipt.
critrinula Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 & 6)
 July 1837, 40.
Crius A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 45.—P.
crius Miscogaster, F. Walker, Mon. Chalcid. I. 1839, 201.
croaticus Carabus, Dejean, Catal. Coléopt. 1821, 5 [n. n.].
croaticus Carabus, Dejean, Spec. gén. Coléopt. II. 1826, 40. [1797].
croatica Cephonodes (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 131.—Sphinx,
croaticus Corymbites, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 59.
croatica Helix, Partsch in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar.
croatica Hypera, Dejean, Catal. Coléopt. 1821, 89 [n. n.]. [1836, 3].
croaticus Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 164 [n. n.]. [1797].
croatica Macroglossa (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 42.—Sphinx,
croatica Poneræ, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 148.
croaticus Scydmaenus, C. Hampe, Entom. Zeitung, Stettin, XI (10) Oct. 1850, 351.
croaticus Termes, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 34.
croatica Tragomma (Partsch), F. Held, Isis (Oken), 1837, 916.—Helix.
croaticus Trechus, Dejean, Catal. Coléopt. 1821, 16 [n. n.].
croaticus Trechus, Dejean, Spec. gén. Coléopt. V. 1831, 22.
croatica Zonites (Partsch), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 8.—Helix.
Crobilocerus H. Loew, Linnaea Entom. II. July 1847, 533.—Dipt. [*typhus* Dasygogon
Crobylus C. v. Heyden, Isis (Oken), 1826, 610.—Ar. [megilliformis].
crocale Callidryas (Cr.), Boisduval (Roret's Suite à Buffon), Lepid. I. Ap. 1836, 625.—
 Papilio, 1775.
crocale Catopsilia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 98.—Papilio, 1775.
crocale Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 239.
Crocallis F. Treitschke, Schmett. Europa, V (2) 1825, 431.—Lep. [1777].
crocas Zatrephes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 171.—Phalaena crocos,
crocator Bracon, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 261.

- crocatum** Amorphosoma, Laporte & Gory, H. N. Coléopt. II. 1839, 13.
- crocatu8** Ampedus (Lap.), F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 159.—Elater.
- crocatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 97, Dec. 1846.
- crocata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 129.
- crocata** Clythra, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 226.
- crocatu8** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 424.
- crocata** Corticaria, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 53.
- crocatu8** Donax, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 255.
- crocatu8** Dytiscopterus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 82.
- crocatu8** Elater, Ziegl.; Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- crocatu8** Elater, F. L. de Laporte, H. N. Ins. Coléopt. I. 1840, 244.
- crocata** Fasciolaria, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 25.
- crocatu8** Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 457.
- crocata** Lamia (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 395.—Cerambyx, 1795.
- crocata** Liparis, Boisduval in A. Delegorgue, Voy. Afrique austr. II. 1847, 599.
- crocatu8** Lygaeus, C. P. Thunberg, Hemip. Capen. IV. 1822, 3.
- crocata** Macrocera, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 90 [*n. n.*].
- crocata** Margarita, W. Swainson, Zool. Illust. (2) II (12) — 1831, pl. 55.
- crocata** Meloe, P. S. Pallas in Georgi, Nach. Besch. Russ. Reichs, 1802, 337 [*n. n.*].
- crocata** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 202.
- crocatu8** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 168, Oct. 1845. [1782.]
- crocata** Mylabris (Pall.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 98.—Meloe,
- crocata** Mylabris, Billb.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- crocata** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 343.
- crocatu8** Nematu8, A. G. Dahlbom, Conspect. Tenthred. 1835, 8 [*n. n.*].
- crocata** Nephrotoma (L.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 195.—
Tipula, 1758. [Tipula, 1758.]
- crocata** Pachyrina (L.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 88.—
- crocata** Paropsis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 564.
- crocata** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 415.
- crocata** Patella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 26.
- crocata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 174, Oct. 1845.
- crocatu8** Pterocera8, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 109.
- crocatu8** Rhyncholophu8, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 15.
- crocata** Stenotarsia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 593.—Cetonia.
- crocata** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 183.
- crocatu8** Unio, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 31. [D. & S. 1775.]
- croceago** Hoporina (Fab.), Boisduval, Gen. Index Europ. Lepid. 1840, 147.—Noctua,
- croceago** Hoporina (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 513.—Noctua, D. & S. 1775. [1775.]
- croceago** Jodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 234.—Noctua,
- croceago** Lampetia (Fab.), J. Curtis, Entom. Mag. I (2) Jan. 1833, 189.—Noctua, D. & S. 1775.
- croceago** Phalaena Noctua (Fab.), E. J. C. Esper, Die Schmett. IV (53-54) 1804-5, 674.—Noctua, D. & S. 1775. [1775.]
- croceago** Xanthia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Noctua,
- croceago** [Xantholeuca] (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July [i.e. Aug.] 1831, 333.—Noctua, 1775. [1796.]
- crocealis** Botys (Hueb.), F. Treitschke, Schmett. Europa, VI (2) 1828, 314.—Pyralis,
- crocealis** Ebulea (Hueb.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 239.—Pyralis, 1796.
- crocealis** Sitochroa, J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyralis, 1796.
- croceana** Lozotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix, ? Huebn. 1797.
- croceana** Pandemis, J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix, 1797.
- croceana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort. 19 (Fernaldo judice 1797) [*n. et f.*].

- crocearia** *Pseudopanthera* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 295.—*Phalaena*
- croceata** *Chama*, Lamarck, An. s. vert. VI (1) 1819, 96. [croceata, 1781.
- [crocei→.]
- croceo-cincta** *Lamia*, W. W. Saunders, Tr. Entom. Soc. Lond. II (3) July 1839, 178.
- croceicollis** *Calleida*, E. Ménétriés, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. II (4) July 1843, 53.
- crocicollis** *Lycus*, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 116.
- croceicollis** *Monolepta*, E. F. Germar, Linnaea Entom. III. Ap. 1848, 243.
- croceicollis** *Necydalis*, L. Gyllenhal, Ins. Suecica, I (4) 1827, 523.
- croceicollis** *Oedemera* (Gyll.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 80.—*Necydalis*.
- crocicollis** *Omoiotelus*, T. Lacordaire, Mon. Erotyl., Sept. 1842, 514.
- croceicornis** *Atractodes*, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 119.
- croceicornis** *Macrus*, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 710.
- croceifemoratum** *Apion*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839,
- croceonotata** *Acmaeodera*, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 27. [396.
- croceopennis** *Labidostomis*, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849, 148.
- croceipennis** *Psolidophora*, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 30.—*Spongiphora*, 1831.
- croceipennis** *Spongiphora*, J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 31.
- croceipes** *Capsus*, Herrich-S., Wanzenart. Ins. VIII (1) Sept. 1845, 16.
- croceipes** *Gorytes*, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 394.
- croceipes** *Ichneumon*, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 161.
- croceipes** *Pentatomia*, Herrich-S., Wanzenart. Ins. VII (5) May 1844, 97.
- croceipes** *Stenus*, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 710.
- croceoplagiatus** *Trachymerus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- croceopterus** *Lethrinus*, Cuvier & Valenc., H. N. Poiss. VI. 1830, 302. [1844, 267.
- croceo signata** *Apatura*, Laporte & Gory, H. N. Coléopt. I. 1838, 5. [210.
- croceosignatus** *Centrinus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- croceoventre** *Dicaeum*, Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 673.
- croceiventris** *Laphria*, C. R. W. Wiedemann, Dipt. exot. 1821, 234.
- croceiventris** *Tenthredo* (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 59.
- croceo**→ *v.* **crocei**→.
- Crocethia** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 132.—A.
- croceum** *Agrion*, H. Burmeister, Handb. Ent. II (2) ii, 1839, 819.
- crocea** *Alauda*, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 365.
- crocea** *Altica*, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- croceum** *Amphidesma*, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 218.
- crocea** *Avicula*, Lamarck, An. s. vert. VI (1) 1819, 148.
- crocea** *Capsa*, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272 [*n. n.*].
- crocea** *Cicada*, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 182.
- croceus** *Cinnyris*, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 294.
- crocea** *Circe*, J. E. Gray, The Analyst, VIII (24) July 1838, 307.
- croceus** *Crenilabrus*, R. P. Lesson, Mém. Soc. H. N. Paris, IV. Sept. 1828, 407.
- crocea** *Cyclostoma* (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 357.—Turbo.
- croceum** *Cyclostoma*, G. B. Sowerby, I., Thes. Conch. I (3) ante 23 June 1843, 150.
- crocea** *Cytherea* (Gray), S. Hanley, Ill. Cat. Bivalve Shells (1) *incunte* 1843, 103.—
- croceum** *Eucelium*, A. Risso, H. N. Europe, IV. 1826, 281. [Circe.
- croceus** *Eupalus*, C. L. Koch, Deutsch. Crust., heft 20, 1838, tab. 21.
- croceus** *Euplocamus*, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 103.
- croceum** *Farcimen* (Sow.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 29.—*Cyclo-*
- crocea** *Fringilla*, L. P. Vieillot, Ois. Chanteurs (5) 1808, 51. [stoma.
- crocea** *Galleruca*, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].
- croceus** *Gamasus* (L.), J. C. Fabricius, Syst. Antliat. 1805, 365.—*Acarus*, 1758.
- croceus** *Gyrtator* (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 228.—*Planaria*.
- crocea** *Holothuria* (Cucumaria), R. P. Lesson, Cent. Zool. (4-12) ante Mar. 1831, 153.
- crocea** *Huechys* (Guér.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 252.—*Cicada*.

- crocea** Idalia (Ph.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 105.—Euplocamus.
- croceus** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 144, 1837, tab. 7.
- crocea** Lacerta, J. Wolf in Sturm, Deutsch. Fauna (III. Amph.) (4) 1805, sign. 2.
- crocea** Lacerta, L. J. Fitzinger, Neue Classif. Rept. 1826, 52 [n. n.].
- croceus** Leuciscus, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1845), 48. [266.]
- crocea** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841].
- croceus** Macronyx (Vieill.), G. R. Gray, List Gen. Birds, 1840, 48.—Alauda.
- crocea** Megilla, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. k.
- crocea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 320, Mar. 1845.
- croceus** Nematus (Fall.), A. G. Dahlbom, Conspect. Tenthred. 1835, 8.—Tenthredo.
- croceus** Nematus (Fall.), A. G. Dahlbom, Clavis Hymenopt. 1835, 24.—Tenthredo.
- crocea** Nereis, S. A. Renier, Tavole [1804] xviii.
- crocea** Ostrea, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 209.
- croceus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 275.
- crocea** Pentacta, G. F. Jaeger, De Holothur. 1833, 12.
- crocea** Phiale, C. L. Koch, Die Arachniden, XIII (6) June 1846, 194.
- crocea** Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 34.
- croceum** Prostoma (Fab.), A. S. Orsted, Plattwürm. 1844, 63.—Planaria.
- croceus** Pteroglossus, Jardine & Selby, Ill. Orn., sign. c 2, pl. 6, 1826.
- crocea** Ricania, F. E. Guérin-M., Iconographie, 1844, Ins. 359.
- crocea** Sciaena, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 224.
- croceus** Seps (Wolf), Koch in Sturm, Deutsch. Fauna (III. Amph.) (5) 1828, 8.—Lacerta.
- croceus** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 192.
- croceus** Spondylus, G. B. Sowerby, II. (*ex* Chemn.), Thes. Conch. I (8) *post* May 1847,
- crocea** Spongia, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 170. [419.]
- crocea** Squilla, C. S. Rafinesque-S., Précis Som. 1814, 25.
- crocea** Tenthredo, J. C. Fabricius, Syst. Piezat. 1804, 39.
- crocea** Tridacna, Lamarck, An. s. vert. VI (1) 1819, 106.
- crocea** Turbinella, J. E. Gray, Zool. "Blossom," 1839, 113.
- croceus** Turbo (Gm.), L. W. Dillwyn, Catal. Shells, 1817, 862.—Helix, 1790.
- crocea** Turritella, L. C. Kiener, Spec. Coquilles (Turritella) 1843-44, 24.
- croceus** Tydeus, C. L. Koch, Deutsch. Crust., heft 4, 1836, tab. 12.
- crocea** Zootoca (Wolf), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 325.—Lacerta.
- Crochiphora** J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 26.—Lep.
- Crocias** C. J. Temminck in T. & Laugier, Pls. color. (100) 1836.—A.
- crocicollis** *v.* **crocicollis**.
- Crocidomera** P. C. Zeller, Isis (Oken), 1848, 865.—Lep.
- Crocidosema** P. C. Zeller, Isis (Oken), 1847, 721.—Lep. [*non* C—soma *apud* Marshall].
- Crocidura** J. Wagler, Isis (Oken), 1832, 275.—M.
- crocinea** Apista (Tengstr.), Zeller, Linnaea Entom. IV. Dec. 1849, 277.—Coleophora.
- crocinea** Coleophora, J. M. J. af Tengström, Not. Sällsk. fauna Fenn. Förh. I. 1848, 140.
- crocinus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 146, May 1847. [363.]
- crocinus** Podoscirtus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- crocipes** Cypra, J. A. Boissduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 235.
- crocipes** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 47.
- crocipes** Heteropus, E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 218.—Elater, 1834.
- crocipes** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- crocipes** Poecilus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 10.
- Crocisa** L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164; N. Méth. class. Hyménopt. 1807, 239.—Hym.
- crococephalus** Regulus, C. L. Brehm, Beitr. Vögelk. II. 1822, 120. [*binom.*].
- Crocoderus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 160.—Hem. [*non*
- crocodili** Doras, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 181.
- crocodilinus** Ada (Merr.), J. E. Gray, Ann. Phil. XXVI. 1825, 200.—Teius.
- crocodilina** Dracaena (Merr.), H. R. Schinz in Cuvier, Thierreich, II. 1822, 36.—Teius.
- crocodilinus** Ophisurus, E. T. Bennett, Proc. Zool. Soc. London, I (1-3) May 1833, 32.
- crocodilinus** Teius, B. Merrem, Tent. Syst. Amph. 1820, 62.

- crocodilocephaloides** Pterodactylus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 344.
- crocodiloides** Halilimnosaurus, Ritgen, N. A. Ac. Caes. Leop. Car. XIII (1) 1826, 331.
- crocodilorum** Unio, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 28.
- Crocodilurus** J. B. v. Spix, Lacert. Brasil. 1825, 19.—R. [crocodilinus.
- crocodilurus** Ada (Merr.), J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 278.—Teius
- crocodila** Belona, Péron & Lesueur, J. Acad. Nat. Sci. Philad. II. Nov. 1821, 129.
- crocodilus** Engraulis, P. Bleeker, Nat. Tijds. Ned. Indie, I (1) 1850, 15.
- crocodilus** [?Gasteropelecus], A. Risso, Ich. Nice, 1810, 357.—v. Serpe.
- crocodilus** Lampanyctus (Risso), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 36.—
- crocodilus** Platycephalus, Cuvier & Valenc., H. N. Poiss. IV. 1820, 256. [Scopelus.
- crocodilus** Scopelus, A. Risso, Mem. R. Acc. Sci. Torino, XXV. 1820, 265.
- crocodilus** Scopelus (Risso), H. Cloquet, Dict. Sci. Nat. XLVIII. 1827, 190.—Serpe.
- crocodilus** Serpe, A. Risso, Ich. Nice, 1810, 357. [Ent. (2) 1835, 492.
- crocogaster** Acanthocinus, Dupont in J. A. Boissduval in d'Urville, Voy. "Astrolabe,"
- crocogrammos** Coleophora, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 325.
- croconota** Dasyprocta, J. G. Wagler, Isis (Oken), 1831, 618.
- croconotus** Icterus (Wagl.), G. R. Gray, Genera of Birds, II. Oct. 1844, 343.—Psaro-
- croconotus** Psarocolius, J. G. Wagler, Isis (Oken), 1829, 757. [colius.
- crocopelmus** Baridius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 720.
- crocopelmus** Cylindrocercus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 791.
- crocopelmus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 28.
- Crocopsis** II. G. L. Reichenbach, Avium Syst. Nat., pl. liv (Mar. 1850).—A. [*n. et f.*].
- crocoptera** Urapteryx, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 483.
- crocopus** Calathus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.), Mar. 1828, 99.
- crocopus** Elater, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- crocopus** Ludius, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 63.
- crocorrhous** Pycnonotus, H. E. Strickland, Ann. Mag. N. H. XIII. June 1844, 412.
- crocostoma** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 40, Sept. 1846.
- Crocota** J. Huebner, Verz. bekannt. Schmett. 1825, 295.—Lep.
- crocata** Dysdera, C. L. Koch, Die Arachniden, V (4) Sept. 1838, 81.
- crocotatus** Anguis, J. G. Schneider, Hist. Amph. II. 1801, 340.
- crocotatus** Typhlops (Schn.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 77.—Anguis.
- crocotolalis** Epicorsia, J. Huebner, Verz. bekannt. Schmett. 1826, 355.
- Crocotta** J. J. Kaup, Skizz. Europ. Thierw. 1829, 78.—M. [*typus* Hyaena sp.].
- crocro** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 264.
- Crocuta** J. J. Kaup, Isis (Oken), XXI. 1828, 1145.—M.
- crocuta** Hyaena, H. D. de Blainville, Ostéogr., Hyaena, 1844, 82.—*varr.* capensis,
- Croesia** J. Huebner, Verz. bekannt. Schmett. 1826, 392.—Lep. [habessynica.
- Croesus** *id. ac.* Craesus, Leach; J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 125.
- croesa** Autographa (Cr.), J. Huebner, Verz. bekannt. Schmett. [1825], 251.—Phalaena cresus, 1777.
- croesa** Autographa, J. Huebner, Exot. Schmett. II. Tab. [199] [*n. et f.*].
- croesus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 183.
- croesus** Curculio, E. Donovan, Nat. Repository, III. pl. 95 (Nov. 1824).
- croesus** Democrates (Newm.), H. Burmeister, Handb. Ent. V. 1847, 29.—Scarabaeus.
- croesus** Dichodontus (Fab.), H. Burmeister, Handb. Ent. V. 1847, 219.—Geotrupes.
- cresus** Diophthalma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 466.—Papilio, 1777.
- croesus** Epomis, Bon. in Dejean, Catal. Coléopt. 1821, 8 [*n. n.*].
- croesus** Epomis (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 139.—Carabus.
- croesus** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 581.—Papilio, 1777.
- croesus** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 7.
- croesus** Harpalus (Fab.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 44.—Carabus.
- cresus** Laertias (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio cresus, 1777.

- croesus** Platymus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 17 [*n. n.*].
- croesus** Polybotris, Dupont, Magasin de Zool. III. 1833, pl. 77.
- croesus** Scarabaeus, E. Newman, Entom. Mag. IV (3) Jan. 1837, 256.
- croesus** Sphinx, J. W. Dalman, Anal. Entom. 1823, 48. [1790.]
- croicensis** Erychthys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 226.—Scarus.
- croizeti** Cervus, Croiz.; H. G. Brönn, Index Pal. 1848, 277 [*n. n.*].
- croizeti** Phaenicopterus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 220.
- croizeti** Plesictis, A. Pomel, Bull. Soc. géol. France (sér. 2) IV. 1847, 385.
- croizeti** Scincus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 222 [*n. n.*].
- crokeri** Euprepia, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv. Australia, II. 1827 [i.e. Ap. 1826], 465. [1827 [i.e. Ap. 1826], 458.]
- crokeri** Pontia, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv. Australia, II.
- croker** Sciaena, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 309.
- crolus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 33.—Papilio, 1780.
- crolus** Tmolus (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Papilio, 1780.
- Cromba** F. P. Jarocki, Zoologia, II. 1821, 42.—A. [*typhus* Cuculus afer].
- Crombus** H. G. L. Reichenbach, Avium Syst. Nat., pl. xxxiv (Dec. 1849).—A. [*n. et f.*].
- crombus** Leptosomus, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, VI. 1829, 418.
- cromerense** Tachypus, Wilk.; Dejean, Cat. Coléopt. 1821, 18 [*n. n.*].
- Cromileptes** W. Swainson, N. H. Fishes etc. II. July 1839, 168 & 201.—P.
- Cromus** J. Barrande, Sitz. k. Ak. Wiss. (Wien) [V] 1850 (2) Oct. (Nov.), 315.—Cr.
- cromus** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 165.
- cromyodes** Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 150.
- cronia** Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1038.
- cronigera** Favosites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.
- cronis** Castnia (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 801.—Papilio, 1775.
- cronis** Haemonides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 101.—Papilio, 1775.
- cronis** Pieris (Cr.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 548.—Papilio, 1775. [1775.]
- cronissa** Pieris (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 814.—Papilio cronis,
- croockewitii** Cybium, P. Bleeker, Nat. Tijd. Ned. Indie, I (1) 1850, 161.
- crossalis** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 282.
- crossbeyi** Ammonites, M. Simpson, Mon. Amm. 1843, 22.
- crossotus** *v.* **crossotus**.
- Crossarchus** F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (47) Feb. 1825, Mangue, p. 3.—M.
- Crossaster** J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1840, 102.—Ech.
- Crossaster** Mueller & Troschel, Arch. f. Naturg. VI (1) 1840, 368.—Ech.
- crossii** Paradoxurus, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 67.
- Crossocerus** Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 763.—Hym.
- crossocheilos** Arius, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 172.
- Crossocheilus** *v.* Hasselt, Algem. Konst. Letter-Bode, 1823 (35) Aug. 1823, 132.—P.
- Crossodactylus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 635.—R.
- Crossodera** J. Gould, Icones Avium (1) Aug. 1837, text to pl. 1.—A. [Verm.]
- Crossodera** F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 434.—
- Crossonychus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 98.
- Crossophorus** C. G. Ehrenberg, Sym. Phys., Mam. I (1828), sign. f.—Verm. [—Col.]
- Crossoptilon** B. H. Hodgson, J. Asiat. Soc. Bengal, VII. 1838, 864.—A.
- crossoptilon** Phasianus, B. H. Hodgson, J. Asiat. Soc. Bengal, VII. 1838, 864.
- Crossoptilum** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crossoptilon,
- Crossopus** J. Wagler, Isis (Oken), 1832, 275.—M. [Hodgs.]
- Crossorhinus** Joh. Mueller & Henle, Ber. Verh. k. pr. Ak. Wiss. 1837, 113; Syst. Plagiost. (1) 1838, 21.—P. [M. & H.]
- Crossorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Crossorhinus,
- Crossostoma** Morris & Lycett, 1850 [*teste* Marshall, 1851 *est*].
- Crossotus** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 52.—Col.

- crossotus** (*sic*) Ceraurus, J. Loche, Amer. J. Sci. XLIV (2) Ap. 1843, 346.
- Crossurus** J. Wagler, Nat. Syst. Amph. 1830, 141.—R.
- Crossurus** H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 39.—Cr.
- Crostocheilus** v. Hasselt, Alg. Konst. Letterbode, Aug. 1823, no. 35; Bull. des Sci. Nat. II. 1824, 376.—P.
- Crostoma** C. S. Rafinesque, Analyse, 1815, 148.—Asc. [*n. n.*].
- crotalariae** Apion (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 251.—Attelabus.
- crotalariae** Argina (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Bombyx, 1775.
- crotalariae** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 424.
- crotalariae** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 225.
- crotalariae** Piezotrachelus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 368.—[Achatina c—ria.
- crotalariae** Subulina (Schum.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 77.—
- crotallaria** Achatina, C. F. Schumacher, Essai Vers test. 1817, 202.
- crotali** Linguatula, H. D. de Blainville, Dict. Sci. Nat. LVII. 1828, 532.
- crotali** Porocephalus, A. Humboldt, Voy. Intér. Amér. (Obs. Zool.) 1809, 402.
- crotali** Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 16 [*n. n.*].
- crotali durissi** Distoma, C. A. Rudolphi, Entoz. II. (1) 1809, 433.
- Crotalinus** C. S. Rafinesque, Analyse, 1815, 77.—R. [*n. n.*].
- crotalinus** Cophias, B. Merrem, Tent. Syst. Amph. 1820, 154.
- crotalinus** Lachesis (Merr.), F. Boie, Isis (Oken), 1827, 560.—Cophias.
- crotalinus** Trigonoccephalus, H. R. Schinz in Cuvier, Thierreich, II. 1822, 144.
- crotalina** Vipera (Echidna) (L.), B. Merrem, Tent. Syst. Amph. 1820, 153.—Coluber, 1771.
- Crotalocrinites** T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*]; XI. Mar. 1843, 198 [*non -us, apud Agassiz*].
- Crotalocrinus** J. Morris, Cat. Brit. Foss., July 1843, 50.—Crin.
- crotaloides** Cirrus, S. G. Morton, Syn. Org. Rem. Cret. 1834, 49. [Cirrus.
- crotaloides** Pleurotomaria (Mont.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 225.—
- Crotalophorus** J. E. Gray (*ex* Linn.), Ann. Phil. XXVI. Sept. 1825, 205.—R.
- crotalostomus** Euomphalus, M. C. Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 36.
- crotaphomelas** Lacerta, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 209.
- crotaphomelos** Scincus, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 209.
- Crotaphopeltis** L. Fitzinger, Syst. Rept. 1843, 27.—R.
- crotaphus** Julis, G. Cuvier, Règne Anim., ed. 2, II. 1829, 258.
- Crotaphytus** J. E. Holbrook, N. Amer. Herpet., ed. 2, II. 1842, 79.—R.
- crotchii** Conus, L. Reeve, Conch. Icon.—Conus, no. 254 (Suppl. pl. vi) June 1849.
- crotiana** Phalaena (Pyrilis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 355.
- croton** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 182.
- crotonae** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 123.
- crotonis** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 412.—Chrysomela, 1792.
- crotope** Euselasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio crotopus, 1780. [Berlin, 1820, 5 [*n. n.*].
- crotopezus** Turdus, M. H. C. Lichtenstein, Verz. Vögeln Conch. Ins. Doubl. Zool. Mus.
- crotophaga** Caracara (Wied), B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 160.
- crotophagus** Falco, Max Wied, Reise Brasil. I. 1820, 297. [—Falco.
- crotopus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 258.
- crotopus** Scoptes (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 111.—Papilio, 1780.
- crothus** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 252.
- crouanii** Bacillus, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 293.
- crouanii** Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 138.
- croulinensis** Clausina, J. G. Jeffreys, Ann. Mag. N. H. XX. July 1847, 19.
- crowii** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 20 [*n. n.*].
- crox** Dentalium, A. Keyserling, Beitr. Kenntn. russ. Reichs, XII. 1847, 228.
- crozeti** Buccinum, [E. Requin], Cat. Coq. Corse, *extremo* 1848, 103.
- crucialis** Aglaophenia, J. V. F. Lamouroux, Hist. Polyp. 1816, 169.
- crucialis** Hyla, R. Harlan, Amer. J. Sci. X (1) Oct. 1825, 64.

- crucialis** Plumularia (Lamx.), de Blainville, Dict. Sci. Nat. LX. 1830, 443.—Aglaophenia.
- crucialis** Spirifer, Sowerby & Salter, Proc. Geol. Soc. London, IV. 1843, 220 [*n. n.*].
- crucians** Anopheles, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 12.
- crucians** Chrysops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 211.
- cruciator** Dorcadion, J. Gistel, Nat. Thierry. 1848, 131.
- cruciator** Dorcadion, J. Gistel, Handb. Naturges. 1850 [1847], 431.
- cruciatus** Acanthogenius (Marc), L. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 335.—Helluo. [Gryllus.
- cruciatum** Acridium (Charp.), O. G. Costa, Fauna Regno Napoli, Ortott. 37 (ad 1836).—
- cruciata** Altica, A. G. Olivier, Entom. VI. 1808, 674.
- cruciatus** Alurnus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 201.
- cruciatus** Alurnus, J. Sturm, Catal. Ins. Samml. 1826, 90 [*n. n.*].
- cruciata** Amonia, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 7.
- cruciatus** Anomoeus, G. Fischer de W., Lettre à Pander, 1821, 10.
- cruciatus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 261.
- cruciata** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 190.
- cruciata** Arca, R. A. Philippi, Abb. Conch. III (6) 1849, 87.
- cruciatus** Arthrodeis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 517.
- cruciata** Bdella (Koch), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 157.—Amonia.
- cruciatum** Bembidium, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 100.
- cruciatum** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 114.—Peryphus, 1821.
- cruciata** Boa, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 73.
- cruciatus** Bombylius, Salzmann in E. F. Germar, Fauna Ins. Europ. (1) 1812, 25.
- cruciatus** Brachinus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 231.
- cruciatus** Brachinus, Steven in Dejean, Catal. Coléopt., 1821, 3 [*n. n.*].
- cruciatus** Brachinus, Steven in G. Fischer v. W., Entom. Imp. Russ. III. *post* Nov. 1828, 110.
- cruciatus** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 407. [1828, 110.
- cruciatus** Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
- cruciatus** Bruchus, A. D. Hummel, Essais Entom. I (6) 1827, 9.
- cruciatus** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 434.—Curculio, 1775.
- cruciata** Callimorpha, E. Ménétrics, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 195.
- cruciata** Cassida, Ol.; Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
- cruciatus** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 18.
- cruciatus** Chirurus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 135.
- cruciatus** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 634.
- cruciata** Chlamys, F. Klug, Entom. Mon. 1824, 107.
- cruciata** Chlorima, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 55 [*n. n.*].
- cruciata** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 426.
- cruciata** Clausilia, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 89.
- cruciatus** Clerus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 176.
- cruciatus** Clerus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap. 1826], 442.
- cruciata** Clythra, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 184.
- cruciata** Crioceris, F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 63.—Lema, 1840.
- cruciata** Cymindis (Fisch.). Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 133. —Anomoeus.
- cruciata** Cypridella, L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 20.
- cruciata** Dachrys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1849, 409.
- cruciatus** Dasypogon, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 52.
- cruciatus** Diacanthus (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 151.—Elater, ? L. 1758. [mecus, 1821.
- cruciatus** Diaprosomus, Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 256.—Tany-
- cruciatum** Dorcadion (Fab.), Dejean, Catal. Coléopt. 1821, 108.—Lamia, 1787.
- cruciatus** Echinites, E. F. Schlotheim, Tasch. Min. 1813, 110.
- cruciatus** Echinoneus, L. Agassiz, Mon. Ech. III. 1842, 46.
- cruciatus** Ectrichodia (L. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 7.—Reduvius.

- cruciata** Edessa, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
cruciatus Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*].
cruciata Engis, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 138.
cruciata Epeira, C. A. Walckenaer, Tab. Aran. 1805, 57.—Aranea, 1802.
cruciata Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 708.
cruciata Episcapha, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 123 [*n. n.*].
cruciata Episcapha, T. Lacordaire (*ex* Dej. Cat.), Mon. Erotyl., Sept. 1842, 55.
cruciata Eumenes, D. H. Schneider, Verz. Insectensamml. 1828, 88 [*n. n.*].
cruciatus Eumorphus, Latr.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
cruciata Fissurella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 156.
cruciata Fissurella, C. F. F. Krauss, Südafrik. Moll. 1848, 67.
cruciata Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
cruciatus Gomphocerus (Charp.), H. Burmeister, Handb. Ent. II. (2) i, 1838, 647.—Gryllus.
cruciatus Gryllus, T. v. Charpentier, Horae Ent. 1825, 137.
cruciata Gyriodera (Thunb.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 122.—Clythra.
cruciata Haltica, J. Sturm, Catal. Ins. Samml. 1826, 146 [*n. n.*].
cruciata Haltica, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
cruciatus Heilipus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 62.
cruciata [Helix] (Cochlodina), Venetz in A. E. Férussac, H. N. g. et. p. Moll., Tabl. Limaçons, 1821, 67.
cruciatus Helluo, Marc, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 113.
cruciatus Hister, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
cruciata Holigoclonia (Less.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma.
cruciata Hydnocera (Chevr.), A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 41.—
cruciata Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 218. [Theano.
cruciatus Leiohatas (Lac.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Raja.
cruciata Lema, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 41.
cruciata Leptura, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 23.
cruciata Lerne (Les.), J. E. De Kay, N. H. New York (Cr.) 1844, 59.—Lerneocera.
cruciata Lerneocera, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 286.
cruciatus Lissonotus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 8.
cruciatus Lopus, R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 89.
cruciatus Ludius (—), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—
 Elater, ? L. 1758. [chus, Panz. 1795.
cruciata Lycoperdina (Fab.), C. J. Schoenherr, Syn. Insect. I (2), 1808, 324.—Endomy-
cruciata Lycosa, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 185.
cruciata Megacephala, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.), 1837, 2.
cruciata Mestyriles, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [*n. n.*].
cruciatus Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 67.
cruciata Monolepta, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 331.
cruciata Mycetina (Schall.), E. Mulsant, H. N. Coléopt. France (Sulcic.) Sept. 1846, 15.—Chrysomela, 1783.
cruciatus Naupactus, J. Sturm, Catal. Ins. Samml. 1826, 172 [*n. n.*].
cruciata Nemoura, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 141.
cruciatus Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 429.
cruciatus Notocera (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 536.—Centrotus.
cruciata Ocyrhoe, R. Templeton, Mag. Nat. Hist. IX. June 1836, 302.
cruciata Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 192.
cruciata Oedipoda (Ch.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 92.—
cruciatus Omalisus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 15. [Gryllus.
cruciatus Onthophagus, E. Ménétries, Cat. Rais. Zool. Caucase, 1832, 178.
cruciata Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 153.

- cruciatus** Panageus, Buquet in Dejean, Spec. gén. Coléopt. V. 1831, 602.
cruciatus Pausus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 400.
cruciata Pentatoma (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 132.—Cimex, 1775.
- cruciatus** Peryphus, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
cruciatus Petalocheirus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
cruciata Phaeoxantha (Brullé), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 7.—Megacephala.
- cruciatus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 350.—Nirmus.
- cruciata** Phorcynia (L.), J. F. Eschscholtz, Syst. Acalephen, 1829, 107.—Medusa, 1758.
cruciata Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 496.
cruciata Rhizostoma, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 25.
cruciata Pontocardia, R. P. Lesson in Férussac, Bull. Sci. XII. 1827, 296.
cruciata Pontocardia, R. P. Lesson, Mém. Soc. H. N. Paris, III (3) Oct. 1827, 418.
cruciatus Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 205.
cruciata Pterygia (Fab.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 264.—Centrotus.
- cruciata** Raja, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 210.
cruciatus Reduvius, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 279. [121.
cruciata Rhizostoma, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838),
cruciatus Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 121.—Curculio, 1775.
cruciatus Saprinus (Payk.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 229.—Hister, Fab. 1792. [—Elatr, 1758.
- cruciatus** Selatosomus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 269.
cruciata Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1195.—Spongia, ? Müll. 1776. [—Leptura, 1795.
- cruciata** Strangalia (Ol.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 263.
cruciata Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 326.
cruciatus Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 690.
cruciatus Tanymecus, Dejean, Catal. Coléopt. 1821, 94 [*n. n.*]. [277.
cruciatus Tetraonyx, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cruciatus Theano, A. Chevrolat, Ann. Soc. Ent. France [2] I (1) Apr. 1843, 33.
cruciatum Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 275.
cruciatus Tomoderus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 3 ["Mon. Anth." *poster. edit.*].
- cruciatum** Tritonium, H. G. Bronn, Zschr. Min. 1827, II (1828), 532.
cruciatus Trochoideus (Dalm.), J. O. Westwood, Tr. Linn. Soc. London, XVI (3) 1833, 675.—Pausus.
- cruciatus** Tydeus, C. L. Koch, Deutsch. Crust., heft. 20, 1838, tab. 7.
cruciatus Typocephalus, Lacord.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 427.
cruciata Urolophus (Lac.), Mueller & Henle, Mag. Nat. Hist., n. s., II. Feb. 1838, 90. —Raja.
- cruciatus** Vertex (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 231.—Planaria.
- Crucibulum** C. F. Schumacher, Essai Vers test. 1817, 56 & 182.—L.
- crucibulum** Distoma (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 435.—Monostoma.
- crucibulum** Monostoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 83. [585.
crucicollis Cryptoecephalus, J. A. Boisduval in d'Urville, Voy. "Astralabe," Ent. (2) 1835,
crucicollis Prionopleura, Boisduval, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.
cruciellus Adrastus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 120.
crucifer Acanthocerus, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 204.
crucifer Acanthocinus, Cristofori & Jan, Cat. Mus. (IIIa, Coleopt.) 1832, 72 [*n. n.*].
crucifera Actinia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I., no. 8, Dec. 1817, 174.
crucifera Aelia, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 32.
cruciferus Ananchytes, S. G. Morton, Amer. J. Sci. XVIII (2) July 1830, 245.
crucifer Anisoplia (Herbst), J. Sturm, Catal. Ins. Samml. 1826, 92.—Melolontha, 1790.
crucifer Attus, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 215.

- crucifer** Bufo, Max Wied, Isis (Oken), 1824, 672.
- crucifer** Cerbus, Herrich-S., Wanzenart. Ins. VI (4) June 1841, 60. [Rhynchaenus.
- crucifer** Ceuthorrhynchus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 511.—
- crucifera** Chelonida, M. Perty, Del. anim. artic. Brasil. (3) 1833, 160.—Lep.
- crucifera** Chrysomela, Dejean, Catal. Coléopt. 1821, 123 [*n. n.*].
- crucifera** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 196.
- crucifera** Cidar, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 61.
- crucifera** Cleothodia, E. Mulsant, Ann. Soc. Agric. Lyon (2) II. 1850, 555.
- crucifer** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 540.
- crucifer** Coluber, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 482.
- crucifer** Coluber (Natrix), Daudin; B. Merrem, Tent. Syst. Amph. 1820, 106.
- crucifera** Coptodera, Dejean, Spec. gén. Coléopt. V. 1831, 391.
- cruciferus** Dromius, H. Lucas, Explor. Algér. (Artic. II.) 1846, 15.
- crucifera** Epeira, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 42.
- crucifera** Euophrys (Sund.), C. L. Koch, Ueber, Arachnidensyst. I. 1837, 33.—Attus.
- crucifer** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- crucifer** Hyla, Max Wied, Reise innere N. Amer. I. 1839-40, 275.
- crucifer** Hymeniphera (Pal.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 43.—Acanthocerus. [1843, 212.—Acanthocerus.
- crucifer** Hymenophora (Pal.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, [chytes, 1830.
- crucifera** Mictis, W. E. Leach, Zool. Miscell. I. 1814, 92.
- crucifer** Nucleolites, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 294.—Anan-
- crucifer** Pachycerus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 485. [1840, 477.—Cerambyx, 1795.
- crucifera** Phrynetia (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.
- cruciferus** Phytophilus, Eschscholtz in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 21.
- crucifer** Portunus (Oceanus), W. de Haan in Siebold, F. Japon. (Crust. 1835), 40.
- crucifer** Psammophis, L. J. Fitzinger, Neue Classif. Rept. 1826, 59 [*n. n.*].
- crucifer** Psammophis (Merr.), F. Boie, Isis (Oken) 1827, 525.—Coluber.
- crucifer** Pygorhynchus (Mort.), E. Ravenel, Echinidae, Jan. 1848, 4.—Nucleolites.
- crucifer** Rhynchaenus (Herbst), A. G. Olivier, Entom. V. 1807, 210.—Curculio cruciger,
- crucifer** Scotinus, F. Eschscholtz, Zool. Atlas, IV. 1831, 14. [1784.
- crucifer** Strophosomus (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 882.—Cneorhinus. [462.—Portunus.
- crucifera** Thalamita (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,
- crucifera** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 454.
- cruciferarum** Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 519.
- cruciformis** Avicula, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150,
- cruciformis** Chiton, G. B. Sowerby, II., Gen. Shells (12) 1823. [1841, 54.
- cruciforme** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 23.
- cruciformis** Ptilodictya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.
- crucifrons** Cneorhinus, Billberg in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 533.
- crucifrons** Strophosomus (Billb.), C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 869.—Cneorhinus. [(8) 1849, 94 ["Mon. Anth." *poster. edit.*].
- cruciger** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
- crucigerus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 25 [*n. n.*].
- crucigerus** Attus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 59.
- crucigera** Aurelia (Gm.), Lamarck, An. s. vert. II. 1816, 514.—Medusa, 1790.
- cruciger** Brachinus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- cruciger** Bufo, E. Eichwald, Reise Casp. Kauk. I. 1834, 31 [*n. n.*]. [712.
- cruciger** Bufo, P. Schmidt, Abh. nat. Ver. Hamburg, I. 1846, 169.
- crucigera** Calochroa, F. W. Hope, Coleopt. Manual, II. 1838, 162.
- "cruciger"** Canis, Gesner," R. P. Lesson, Man. Mamm., May 1827, 167.
- cruciger** Caryoborus, J. F. Stephens, Man. Brit. Coleopt. 1839, 265.
- crucigera** Chrysomela, Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 75.
- cruciger** Cimex, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 267.
- crucigera** Coccinella, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 182.
- crucigera** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 364.

- cruciger** Crinocerus (Fab.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 612.—Lygaeus, 1794.
- cruciger** Delphinus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 87.
- cruciger** Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- cruciger** Eumorphus, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 355.
- cruciger** Falciger, Sturm; Dejean, Catal. Coléopt. 1821, 84 [*n. n.*].
- cruciger** Fringilla, C. J. Temminck in T. & Laugier, Pls. color. (45) Ap. 1824.
- cruciger** Gecko, J. B. v. Spix, Lacert. Brasil. 1825, 16.
- crucigerus** Gryllus, P. Rambur, F. Ent. Andal. II (3) Dec. 1838, 86.
- cruciger** Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 458.
- cruciger** Hydrochoreutes, C. L. Koch, Deutsch. Crust., heft 11, 1837, tab. 15.
- crucigera** Laodicea, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 18; (Roret's Suite à Buffon), Acalèphes, 1843, 294.
- crucigera** Leia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 861.
- crucigera** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 493.
- crucigera** Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].
- crucigera** Machtima (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 215.—Lygaeus, 1794.
- crucigera** Medusa (Aurelia), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 165.
- cruciger** Megalotis (Temm.), W. Swainson, Zool. Journ. III (11) Dec. 1827, 347.—
Fringilla. [Du T.
- crucigera** Melicerta, G. A. Goldfuss, Handb. Zool. (1) 1820, 76.—? Rotifer crucigere,
- cruciger** Milesia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 105.
- crucigera** Pales (Walck.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 65.—Attus.
- crucigerus** Panagaeus, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 69.
- cruciger** Passer (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 41.—Fringilla.
- crucigerus** Peryphus, Kirby; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- cruciger** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 69.
- cruciger** Plagiocera (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 120.
—Milesia.
- crucigera** Polia, S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 40.
- cruciger** Psammophis (Merr.), Boie in Férussac, Bull. Sci. IX. 1826, 238.—Coluber
crucifer. [Fringilla.
- cruciger** Pyrrhulauda (Temm.), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 35.—
- cruciger** Reduvius, J. C. Fabricius, Syst. Rhynch. 1803, 270. [1813, 385.
- crucigere** (*sic*) Rotifer, du Trochel, Ann. Mus. H. N. (Paris) XIX (113) *inter* Jan.-July
- cruciger** Stenidius, F. de La Ferté-S., Mon. Anthicus, 1848 [*i. e.* 1849], 333.—Anthicus,
1849.
- cruciger** Stenochorus, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 428.
- cruciger** Stenolophus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 199.—Carabus, 1798.
- cruciger** Strachia, C. W. Hahn, Wanzenart. Ins. I (5) June 1833, 184.
- crucigera** Strix, J. B. v. Spix, Avium Brasil. I. 1824, 22.
- crucigera** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 648.
- crucigera** Tellina, Lamarck, An. s. vert. V. 1818, 522. [1798.
- cruciger** Trechus (Fab.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 85.—Carabus,
- crucigera** Vespa, F. Weber, Obs. Ent. 1801, 101.
- crucigera** Vulpes, C. H. Smith, Dogs, II (Nat. Libr. XXVIII.) June 1840, 244.
- Cruciloculina** A. d'Orbigny in Sagra, Cuba (Foram.), 1839, 182.
- crucirostra** Corax, Sonnini in Ledru, Voy. Teneriffe, II. 1810, 204.
- crucirostra** Loxia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
[1802], 244.
- crucirostris** Stomphax, G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 160.
- crucis** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 209.
- crucis** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 307.
- crucis** Sphecx (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 129.—Pepsis.
- crucisignatus** Jassus, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 89 [*n. n.*].

- crudelis** Chrysops, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1829, 195.
- crudelis** Dromius, E. Newman, Entomologist (3) Jan. 1841, 37.
- crudelis** Leptocoris, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 18.
- crudelis** Lygaeus, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 198.
- crudelis** Megaera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 95.
- crudelis** Miltogramma (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 235.—Megaera, R.-D.
- crudelis** Misaphidus, C. Rondani, N. Ann. Sci. Nat. [2] IX. 1848 [Feb.], 11.
- crudelis** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 40.
- crudelis** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 269.
- crudelis** Scolopendra, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 170.
- crudelis** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 300.
- crudelis** Tyrannus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XX (40) Jan. 1826, 275.
- crudella** Myelois, P. C. Zeller, Isis (Oken), 1848, 657.
- cruda** Clausilia, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18 [n. n.].
- cruda** Clausilia, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 79.
- cruda** Conops, F. Walker, List Dipt. Coll. B. M. (3) 1849, 671.
- crudus** Coreus, E. Newman, Entom. Mag. V (2) Jan. 1838, 174.
- crudus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 76.
- crudus** Hypselomus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 148.
- crudus** Mandalotus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 194. [1775.
- cruda** Orhodius (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 231.—Noctua,
- cruda** Orthosia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 230.—Noctua,
- crudus** Sphenophorus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 137. [1775.
- cruentalis** Uresiphita, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 29.
- cruentana** Tortrix, F. Froelich, Enum. Tortric. Wuert. 1828, 52. [Geometra, 1796.
- cruentaria** Aspitates (Hueb.), F. Treitschke, Schmett. Europa, V (2) 1825, 431.—
- cruentaria** Euchlidon, J. Huebner, Verz. bekannt. Schmett. 1825, 300.—Geometra, 1796.
- cruentator** Alomya, G. W. F. Panzer, Ins. Germ., heft 102, 1806-9, tab. 21.
- cruentator** Cryptus (Mesostenus), F. Klug in J. Walz, Reise Tyrol etc. (2) 1835, 89.
- cruentator** Megastylus, G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 139.
- cruentata** Acidota, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 469.
- cruentatum** Acridium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 216.
- cruentata** Actinia, Couthouy in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 138.
- cruentatus** Anomalon, G. W. F. Panzer, Ins. Germ., heft 94, 1804, tab. 15.
- cruentatum** Apion, J. Walton, Ann. Mag. N. H. XIII. June 1844, 452.
- cruentatus** Atelecyclus, A. G. Desmarest, Consid. gén. Crust. 1825, 89.
- cruentatus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 463.
- cruentata** Babia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 435.
- cruentata** Bdella, C. L. Koch, Deutsch. Crust., heft 23, 1839, tab. 10.
- cruentatus** Blatta, J. Gistel, Handb. Naturges. 1850 [1847], 448.
- cruentatus** Bufo, J. J. Tschudi, Mém. Soc. Sci. Neuchâtel, II. 1839 (1840), 88.
- cruentata** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 577.
- cruentata** Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 455.
- cruentata** Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 431.—Curculio, 1775.
- cruentatum** Callidium, Dejean, Catal. Coléopt. 1821, 110 [n. n.].
- cruentata** Calopteryx, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 228.
- cruentatus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 575.
- cruentata** Cantharis, W. Turton, Linnaeus, Syst. Nat. II. 1802, 367.
- cruentata** Cassida, W. Turton, Linnaeus, Syst. Nat. II. 1802, 117.
- cruentata** Cassida, W. Marsham, Coleopt. Brit., Sept. 1802, 145.
- cruentata** Cassida, A. G. Olivier, Entom. VI. 1808, 929. [1783.
- cruentatus** Centurus (Bodd.), G. R. Gray, Genera of Birds, III. Ap. 1849, 22.—Picus,
- cruentatus** Cephus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 63.
- cruentatus** Charmon, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.

- cruentata** Chrysaora, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 57; (Roret's Suite à Buffon), Acalèphes, 1843, 403.
- cruentata** Cicada (Ol.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 6 (=42).—Tettigonia, Fab. 1775.
- cruentata** Cinnyrus (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 406.—Nectarinia.
- cruentata** Collyris, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 14.
- cruentatus** Coluber, C. Steven, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 317.
- cruentatus** Conurus (Wied.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psittacus.
- cruentatus** Cryptus, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 115.
- cruentata** Cyrtanota, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 152.
- cruentata** Diaperis, F. Klug (*ex Dej. lit.*), Insect. Doublet. Z. M. Berlin, 1829, 12.
- cruentata** Dicaeum (L.), Cuvier, Règne Anim. I. 1817, 410.—Certhia, 1758.
- cruentatus** Dictyophorus (Serv.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 39.—Petasia.
- cruentatus** Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 435.
- cruentatum** Enchophyllum (Germ.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 534.—Membracis.
- cruentatus** Eucnemis (Schoen.), C. G. Mannerheim, Eucnemis, 1823, 16.—Elater, Gyll.
- cruentata** Eumena, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 90.
- cruentata** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 46.
- cruentata** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 116.
- cruentatus** Grapsus, P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 70.
- cruentatus** Gyrohypnus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staph.
- cruentatus** Helictes, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 115.—Cryptus, 1838.
- cruentata** Helix (Guild.), Catlow & Reeve, Conch. Nomen. 1845, 123.—Stenopus.
- cruentatus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 137.
- cruentatus** Hylocharis (Mann.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 128.—Eucnemis.
- cruentatus** Ithaginis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- cruentatus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 452.
- cruentatus** Laniarius, E. Rueppell, Neue Wirbelth. Abyssin. [1835-36], 32.
- cruentata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 411.
- cruentatus** Leptophryne (Tsch.), L. Fitzinger, Syst. Rept. 1843, 32.—Bufo.
- cruentatus** Malurus, J. Gould, Proc. Zool. Soc. London, VII (82) Mar. 1840, 143.
- cruentata** Melania, C. T. Menke, Syn. meth. Moll. 1828, 80. [Pompilus cruentus.
- cruentatus** Mellinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 318.—
- cruentata** Membracis, E. F. Germar, Revue Entom. III (5) 1835, 226.
- cruentata** Mesomphalia (Erichs.), C. H. Boheman, Mon. Cassid. I. 1850, 382.—Cyrtanota.
- cruentatus** Miris, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 78.
- cruentata** Mitra (L.), G. Fischer, Mus. Démid. III. 1807, 170.—Voluta, 1790.
- cruentata** Mitra, C. T. Menke, Conch.-Samml. Malsburg, 1829, 83.
- cruentata** Mitra, H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Volutacea (11) 1839, 44.
- cruentata** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 126, Oct. 1844.
- cruentata** Mylabris, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. a.
- cruentata** Natica, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 290.
- cruentata** Natica (Gm.), Lamarck, An. s. vert. VI (2) 1822, 199.—Nerita, 1790.
- cruentata** Natica, J. E. Gray, Zool. "Blossom" 1839, 137.
- cruentata** Nectarinia, E. Rueppell, Syst. Ueber. Vogel N.-O. Afr. 1845, 26.
- cruentatus** Nomius, E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 214.
- cruentatus** Notoxus, M. Spinola, Ess. mon. Clériles, I. 1844, 225. [1846.
- cruentatus** Novius, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 943.—Nomius,
- cruentata** Oedipoda, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 93.
- cruentatus** Ophion (Panz.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 517.—Anomalon.
- cruentatus** Pagurus, H. M. Edwards, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 62.

- cruentata** Patella, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 191.
- cruentata** Petasia (Stoll), J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 279.
- cruentata** Platydemia, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 379.
- cruentatus** Priacanthus (Lac.), Cuvier & Valenc., H. N. Poiss. III. 1829, 102.—Labrus.
- cruentatus** Psittacus, Max Wied, Reise Brasil. I. 1820, 72.
- cruentata** Purpura (Gm.), Lamarck, An. s. Vert. VII. 1822, 244.—Buccinum, 1790.
- cruentata** Pyrrhula, R. P. Lesson, Rev. Zool. (Soc. Cuv.) App. 1839, 101.
- cruentata** Rana, Kuhl, Bull. des Sci. Nat. II. 1824, 371. [51.]
- cruentata** Ranella, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (101) Oct. 1841,
- cruentata** Sarcophaga, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 28.
- cruentatus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 277.
- cruentatus** Scincus (Pall.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 76.
—Lacerta cruenta, 1771.
- cruentata** Sittace (Wied), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 648.—Psittacus.
- cruentatus** Sparus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 51.
- cruentatus** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 516.
- cruentatus** Stenopus, L. Guilding, Zool. Journ. III (12) Ap. 1828, 527.
- cruentata** Stenura, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) 1847, 64.
- cruentata** Strangalia (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.—Stenura. [1799.]
- cruentata** Thamnotettix (Panz.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada,
- cruentatus** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 534. [26.]
- cruentatus** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838,
- cruentatus** Turbo, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 211.
- cruentatus** Xylophilus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 35.—Elater. [[1843], 365.]
- cruentella** Ilythia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- cruentella** Semnia (Dup.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 322.
—Ilythia.
- cruenticollis** Paederus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 174.
- cruentipennis** Triplax, T. Lacordaire, Mon. Erotyl., Sept. 1842, 205.
- cruentus** Accipiter (Gould), G. R. Gray, Genera of Birds, I. June 1849, 29.—Astur.
- cruentus** Aceratodes (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 160.—Edessa. [1790.]
- cruenta** Acmaeodera (Ol.), Laporte & Gory, H. N. Coléopt. I. 1835-1836, 2.—Buprestis,
- cruenta** Actinodoris (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 102.—Doris.
- cruentus** Alydus, Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 100.
- cruenta** Anomia, D. Solander, Catal. Portland Mus. 1786, 53 [n. n.].
- cruenta** Anomia, L. W. Dillwyn, Catal. Shells, 1817, 295.
- cruentus** Arpactus (Fab.), L. Jurine, N. Méth. class. Hyménop. 1807, 194.—Pompilus.
- cruentus** Asopus, H. Burmeister, Handb. Ent. II (1) 1835, 380.
- cruenta** Asteronotus, J. E. Gray, Figs. Moll. Anim. IV. 1850, 102.
- cruentus** Astur, J. Gould, Birds of Australia (8) Sept. 1842; Proc. Zool. Soc. London, X
- cruentum** Cardium, G. Perry, Conchology, Ap. 1811, pl. 57. [(115) Jan. 1843, 113.]
- cruentum** Cnodalum, Dejean, Catal. Coléopt. 1821, 69 [n. n.].
- cruenta** Darnis, H. Burmeister, Revue Entom. IV (4) 1836, 173.
- cruentus** Dermacentor, C. L. Koch, Arch. f. Naturg. X (1) 1844, 236.
- cruenta** Diaperis, M. Perty, Del. anim. artic. Brasil. (1) 1830, 60.
- cruenta** Doris, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 260.
- cruenta** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 153.—Cimex, 1794.
- cruentus** Elater, F. de Tigny, s. à Deterville ed. Buffon, Ins. VI. 1801, 224.
- cruenta** Encaustes (MacL.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 38.—Engis.
- cruenta** Engis, W. S. Macleay, Annulosa Javanica, 1825, 42.
- cruentus** Genuchus (Ol.), W. Kirby, Tr. Linn. Soc. London, XIV (3) 1825, 570.—Cetonia,
- cruenta** Glaucopis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 157. [Fab. 1787.]

- cruenta** Goura (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819, 128.
—Columba, 1788.
- cruenta** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 56, July 1846.
- cruentus** Harpactor (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 230.—Reduvius,
- cruenta** Hispa, D. H. Schneider, Verz. Insectensamml. 1828, 83 [n. n.]. [1787.
- cruentus** Ithaginis (Hardw.), J. G. Wagler, Isis (Oken), 1832, 1228.—Phasianus.
- cruentus** Laniarius (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 360.—Vanga.
- cruentus** Lanius, C. G. Ehrenberg, Sym. Phys., Aves (1833) Plate 1828, text 1833.
- cruentus** Lanius, Drapiez, Dict. Class. H. N. XIII. 1828, 527.
- cruenta** Leptopteryx, J. Wagler, Syst. Avium, I. 1827, sign. 251.
- cruenta** Lophospiza (Less.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 471.—Tiaris.
- cruentus** Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 114.
- cruenta** Lystra, H. Burmeister, Gen. Ins. (1) 1837, no. 1.
- cruenta** Oliva (Dillw.), L. Reeve, Conch. Icon. VI.—Oliva, no. 30, Sept. 1850.—
Voluta, ? Wood.
- cruentus** Onthophagus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 42.
- cruenta** Peltophora, H. Burmeister, Handb. Ent. II (1) 1835, 393.
- cruenta** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 148. [Edessa.
- cruenta** Pentatoma (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 55.—
- cruenta** Perdix (Hardw.), C. J. Temminck in T. & Laugier, Pls. color. (56) Mar. 1825.
- cruenta** Pericopsis, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 24. [—Phasianus.
- cruenta** Phaloe (Huebn.), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
284.—Pericopsis.
- cruenta** Phaneroptera, H. Burmeister, Handb. Ent. II (2) i, 1838, 691.
- cruentus** Phasianus, T. Hardwicke, Tr. Linn. Soc. London, XIII (1) 1821, 237.
- cruentus** Phocides, J. Huebner, Verz. bekannt. Schmett. [1820], 103.
- cruentus** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 192.—Sphex, 1798.
- cruenta** Purpura (L.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 241.—Buccinum,
? cruentatum, 1790. [1795.
- cruentus** Quedius (Ol.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 527.—Staphylinus,
- cruenta** Querula (Bodd.), G. R. Gray, Genera of Birds, I. Feb. 1847, 239.—Muscicapa,
- cruenta** Rana, P. S. Pallas, Zoographia, III. 1811, 12. [1783.
- cruentus** Rhynocoris (Fab.), C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 21.—
Reduvius, 1787.
- cruentus** Ripiphorus, E. F. Germar, Ins. spec. novae, I. 1824, 168.
- cruentus** Rogas, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 212.
- cruentus** Sclerostomus, H. Burmeister, Handb. Ent. V. 1847, 425.
- cruenta** Scorpaena, J. Richardson (ex Solander MS), Ann. Mag. N. H. IX. May 1842,
- cruentus** Solen, D. Solander, Catal. Portland Mus. 1786, 101 [n. n.]. [217.
- cruentus** Stigmaeus, C. L. Koch, Deutsch. Crust., heft 4, 1836, tab. 9.
- cruenta** Tellina, D. Solander, Catal. Portland Mus. 1786, 10 & 58.
- cruenta** Terebratula, E. Donovan (ex Solander MS), Nat. Repository, II. pl. 56 (Oct.
- cruentus** Tiaris, R. P. Lesson, Rev. Zool. (Soc. Cuv.) VII. Dec. 1844, 435. [1823].
- cruenta** Trachys, Fab.; Dejean, Catal. Coléopt. 1821, 30 [n. n.].
- cruentus** Trichoglossus (Psittacus), R. P. Lesson, Echo Monde Savant, XI. 21 July 1844,
- cruentus** Trochus, R. A. Philippi, Abb. Conch. I (6) 1844, 140. [126.
- cruenta** Typhlocyba, Herrich-S. in Panzer, Ins. Germ., heft 164, 1838, tab. 15.
- cruenta** Vanga, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 256.
- cruenta** Voluta, D. Solander, Catal. Portland Mus. 1786, 140 [n. n.].
- cruenta** Voluta, W. Wood (ex Chemn.), Index Test. 1818, 91.
- cruentus** Zelus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
102.—Reduvius, 1787.
- Crumena** Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 68.—Inf.
- crumena** Anomites, W. Martin, Petr. Derb. 1809, pl. 36.
- crumena** Cassidaria (Lam.), Actes Soc. Linn. Bordeaux, VI (35) 1834, 197.—Cassis.
- crumena** Cassis (Brug.), Lamarck, Ency. Méth. (Vers) 1816, pl. 406, Liste p. 3.—
Cassidea, 1792. [Cercaria, 1786.
- crumena** Crumena (Müll.), Nitzsch, Ersch & Gruber, Allg. Ency. XVI. 1827, 69.—

- crumena** Furcocerca (Müll.), Lamarck, An. s. vert. I. 1815, 447.—Cercaria, 1786.
- crumena** Furcularia (Müll.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 151.—Cercaria, 1786. [1786.]
- crumena** Leiodina (Müll.), Bory de St V., Dict. Class. H. N. IX. 1826, 272.—Cercaria,
- crumena** Lingula, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 453 [*n. n.*].
- crumena** Lingula, J. Phillips, Mem. Geol. Surv. Gt Britain, II (1) 1848, 369.
- crumena** Ranella, Lamarck, Ency. Méth. (Vers) 1816, pl. 412, Liste p. 4 [*n. et f.*].
- crumena** Terebratula (Mart.), J. Sowerby, Min. Conch. I. 1815, 190.—Anomites.
- crumena** Tritonium (Lam.), L. Pfeiffer, Rev. Zool. (Soc. Cuv.) VI. May 1843, 135.—Ranella.
- Crumenaecrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 420; P. Amer. Assoc. 1849 (1850), 62.—Crin. [*non* -us, *apud* Scudd.].
- crumenatus** Birgus, L. Oken, Allg. Naturges. V (2) 1835, 645.
- crumeniferum** Amphistomum, Creplin, Arch. f. Naturg. XIII (1) 1847, 30.
- crumenifera** Ciconia, R. P. Lesson, Traité Orn. 1831, 585.
- crumenifera** Leptopilos (Cuv.), G. R. Gray, List Birds Coll. B. M. III. 1844, 89.—Ciconia, ? Less.
- crumeniferus** Rhinolophus, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxxv.
- crumenoides** Ranella, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 297.
- crumenophthalmus** Caranx (Bl.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 62.—Scomber,
- Crumenula** F. Dujardin, Ann. Sci. Nat. [2] V. 1836, 205.—Inf. [1793.]
- Crumomyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 569.—Dipt.
- cruricollis** Anthia, Schoenherr in Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 48.
- Cruphiocera** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 369.—Dipt.
- Cruptus** *err. pro* Cryptus; L. Jurine, N. Méth. class. Hyménopt. 1807, pl. 2.
- cruralis** Calliope, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 933.
- cruralis** Chlaenius, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (11) 1829, 369.
- cruralis** Cinclocephalus (V. & H.), J. Gould, Syn. Birds of Australia & adj. islands (Descriptions p. 4, Ap. 1838).—Megalurus.
- cruralis** Dolichopus, Wahlberg, Ofvers. K. Vet. Ac. Förh. VII (8) 1850, 219.
- cruralis** Larvivora (Blyth), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 301.—Calliope.
- cruralis** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 511.
- cruralis** Malurus (Horsf.), P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 270.—
- cruralis** Megalopus, F. Klug, Entom. Mon. 1824, 64. [Megalurus.]
- cruralis** Megalurus, Vigors & Horsfield, Trans. Linn. Soc. Lond. XV. 1826, 228.
- cruralis** Ruticilla (Blyth), G. R. Gray, Genera of Birds, I. May 1846, 180.—Calliope.
- cruralis** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 212.
- crurifolium** Phyllium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 291.
- crusma** Heliasus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 510.
- crustaceus** Favites, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 25.
- crustacites** Spirorbis, Denys de Montfort, Conch. II. 1810, 35. [Hym.]
- crustalis** Trigonaspis, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1840, 195.—
- crustatus** Rhynchophorus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2), 1801, 176.
- crustatus** Turbo, G. L. Hartmann, Alpina, II. 1807, 211.
- Crustipora** H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 395.—Polyz.
- crustosa** Thomisoides, H. Nicolet in Gay, Chili, III (Arach.) 1849, 355.
- crustularius** Acardo, Lamarck, Syst. Anim. 1801, 130.—L.
- crustulenta** Cellepora (Pall.), L. Oken, Lehrb. Nat. III (1) 1815, 86.—Eschara, 1766.
- crustulenta** Discopora (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 252.—Cellepora, Ok. [Pall. 1766.]
- crustulenta** Eschara (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 394.—Cellepora,
- crustuloides** Echinoecyamus (Mort.), Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 35.—Scutella.
- crustuloides** Scutella, S. G. Morton, Amer. J. Sci. XXIV (1) Ap. 1833, 131.
- cruvirostra** *v. curvirostra.*

- crux** Aphodius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 26.
- crux** Balaninus (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 296.—Curculio, Fab. 1777.
- crux** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 291.
- crux** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 12.
- crux** Cryptocephalus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848, 47.
- crux** Cryptohypnus, H. C. Kuester, Käfer Europas, XVIII. 1849, 15.
- crux** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 277.—Musca, 1794.
- crux** Deuterocampta, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 157.
- crux** Ectrychotes (Th.), H. Burmeister, Handb. Ent. II (1) 1835, 238.—Cimex, 1783.
- crux** Lamia (Dorcadion), Billberg in C. J. Schoenherr, Syn. Insect. I (3) 1817, 401; & App. 1817, 175.
- crux** Loricerus, C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 30.
- crux** Nedys (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhynchaenus.
- crux** Phalaena (Hepialus), W. Turton, Linnaeus, Syst. Nat. III. 1802, 841.
- crux** Physorhynchus (Thunb.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 342.—Cimex, 1783.
- crux** Reduvius, C. P. Thunberg, Hemip. Capen. III. 1822, 5.—Cimex, 1783.
- crux** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 455.—Curculio, 1777.
- crux** Rissos, E. Eichwald, Paleont. Rossii, 1850, 132.
- crux** Salticus, C. W. Hahn, Die Arachniden, I (3) Dec. 1832, 69.
- crux** Tanypus, C. R. W. Wiedemann, Anal. Entom. 1824, 10.
- crux** Tetragonoderus, Dejean, Spec. gén. Coléopt. IV. 1829, 507.
- crux** Trechus, J. Sturm, Catal. Ins. Samml. 1826, 203 [n. n.] [Musca, 1794.]
- crux** Trypeta (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 488.—
- crux** Verania (Castr.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 373.—Coccinella, ? Th. 1781.
- crux-andrae** Breyria (Lam.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July
- crux-andreae** Spatangus, Lamarck, An. s. vert. III. 1816, 31. [1847, 12.—Spatangus.
- crux major** Panagaeus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 91.—Carabus, L. 1758. [1758.]
- crux-minor** Lebia (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 251.—Carabus,
- crux nigra** Lamia, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 64.
- crux-nigra** Prionopleura, W. W. Saunders (ex Hope MS), Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.
- Cruziana** A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 30 [incertae sedis].
- cruziana** Columba, Knip (ex d'Orb. MS), Pigeons, II (1838-43), 89, pl. 48.
- cruziana** Peristera (Orb.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba.
- Crymodes** Guénée, Ann. Soc. Ent. France, X. 1841, 238.—Lep.
- Crymodes** J. L. Leconte in Agassiz, Lake Superior, 1850, 232.—Col.
- Crymonessa** W. Macgillivray, Man. Brit. Orn. II. 1842, 185.—A.
- Crymophilus** L. P. Vieillot, Analyse, 1816, 62.—A. [—Col.]
- Cryniphilus** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 32.
- Cryobius** M. de Chadoir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 111.—Col.
- Cryopus** G. P. Deshayes in Lamarck, H. N. An. s. vert., ed. 2, VII. 1836, 314.—Br.
- Cryphaeus** F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 177.—Col.
- Cryphaeus** J. Green, Amer. J. Sci. XXXII (2) July 1837, 343.—Cr.
- Cryphalus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 61.—Col.
- Cryphia** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 14.—Lep.
- Cryphia** J. W. Meigen, Syst. Besch. Schmett. II. 1830, 190.—Lep. [Macq.]
- Cryphiocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—emend. pro Cruphiocera,
- Cryphocricos** V. Signoret, Rev. et Mag. de Zool. (2) II. May 1850, 290.—Hem.
- Crypsirhina** H. E. Strickland, Ann. Mag. N. H. VII (41) Mar. 1841, 30.—emend. pro
- Crypsirina** L. P. Vieillot, Analyse, 1816, 36.—A. [Crypsirina, Vieill.]
- Crypta** "Kirby," J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [n. n.]; & Ill. Brit. Ent. (Mand. III.) Aug. 1830, 103.—Col.
- Crypta** J. E. Gray, Figs. Moll. Anim. IV. 1850, 83.—G.
- Cryptabacia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.—Cor.

- Cryptacanthodes** D. H. Storer, Rep. Ichth. Massach. 1839, 27; Boston Journ. N. H. II (3) 1839, 322.—P.
- cryptacanthus** Al[utera], G. Cuvier, Règne Anim., ed. 2, II. 1829, 374.
- Cryptangia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Cor.
- Cryptanura** A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 242.—
- Cryptarcha** W. E. Shuckard, Elem. Brit. Entom. I. 1839, 165.—Col. [Hym.]
- Cryptarchus** O. Heer, Coleopt. Helvet. (3) 1841, 409.—Col. [v. Cryptarcha].
- cryptarum** Amaurobius, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 15.
- cryptarum** Bombus, J. C. Fabricius, Syst. Piezat. 1804, 344.—Apis, 1775.
- cryptarum** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 235.—Syrphus, 1794.
- cryptarum** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 640.
- cryptarum** Opilio, C. L. Koch, Die Arachniden, III (3) July 1836, 49.
- cryptator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 275.
- Cryptella** Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 310.—G.
- Cryptellus** A. d'Orbigny in R. de la Sagra, H. N. Cuba, Moll. I. 1841, 237, tabl.
- cryptella** Lucina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 587. [[=Cryptella].
- cryptella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 367.
- cryptella** Triloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 70.
- Cryptera** *err. pro Cryptura* in L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 103.
- cryptea** Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 493.—Tinea cryptella, Huebn., ?Fab. 1775. [[Cryptohelia in Index, 1854].
- Crypthelia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 69.—Cor.
- crypticola** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 207.
- crypticolens** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 275.—Aranea crypticola, 1802.
- crypticornis** Aleiodes, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 120.
- Crypticus** P. A. Latreille in Cuvier, R. Anim. III. Mar. 1817, 298.—Col.
- Crypticus** W. Swainson, N. H. Classif. Birds, II. June 1837, 338.—A.
- crypticus** Eumolpus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 449.
- cryptica** Helix, W. J. Broderip, Proc. Zool. Soc. London, IX (98) Oct. 1841, 22.
- crypticus** Odynerus, T. Say, Western Quart. Reporter, II (1) 1823, 81.
- crypticum** Rygchium, T. Say, Boston Journ. N. H. I (4) 1837, 384.—Odynerus, 1823.
- cryptiformis** Xorides, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 106.
- Cryptina** G. P. Deshayes, Mém. Soc. géol. France, II. 1835, 47.—L.
- Cryptobacia** Edw. & Haime, 1848; *teste* Marschall *sed err. pro* Cryptabacia, 1849, *q. v.*
- Cryptobatis** F. Eschscholtz, Zool. Atlas, II. 1829, 7.—Col.
- Cryptobia** J. Leidy, Proc. Acad. Nat. Sci. Philad. III (5) Oct. 1846, 100. [35.—Col.]
- Cryptobias** Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
- Cryptobium** Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 452.
- Cryptoblables** P. C. Zeller, Isis (Oken), 1848, 644.—Lep. [—Col.]
- Cryptoblepharis** *emend. pro* C—us, Wieg. ; T. Cocteau, Etudes Scinc. (1) 1836, 8.
- Cryptoblepharus** A. F. A. Wiegmann, Herp. Mex. 1834, 12; N. Acta Ac. Caes. Leop.-Carol. XVII (1) 1835, 203.—R.
- Cryptobranchia** T. v. Middendorff, 1848; *teste* Marschall *sed non comp.*
- Cryptobranchus** S. Leuckart, Isis (Oken), 1821, Litt. Anz., 260.—Rept.
- Cryptocampus** T. Hartig, Adelfl. Deutschl. I. 1837, 222.—Hym. [*typi* Nemati spp.].
- Cryptocentrum** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 260.—Hym.
- Cryptocentrus** C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XII. 1837, 111.—P.
- cryptocentrus** Batrachus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 485.
- cryptocentrus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 550.
- cryptocentrus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 111. [1848, 315.]
- cryptocephaloides** Aetheomorpha, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May
- cryptocephaloides** Phaenithon, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 161.
- Cryptocephalus** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (1) 1849, 192.—Verm.
- cryptocephalus** Bagous, Dejean, Catal. Coléopt. 1821, 89 [*n. n.*]. [*n. n.*].
- cryptocephala** Haltica, J. J. Hoffmann, etc., Entom. Hefte, II. 1803, 22. [367.]
- cryptocephalus** Tylomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843,

- Cryptoceras** J. Barrande, Not. prélim. Syst. Silur. Trilob. Bohême, 1846, 43.—Ceph.
- Cryptoceras** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 58 & 114.—Ceph.
- cryptoceras** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 106.
- cryptoceras** Isocardia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 48.
- Cryptocerus** P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 260.—Hym.
- Cryptocerus** J. C. Fabricius, Syst. Piezat. 1804, 418.—Hym.
- cryptocheilus** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 61.
- Cryptocheilus** G. W. F. Panzer, Krit. Revis. II. 1806, 120.—Hym.
- Cryptochile** Latreille in Cuvier, R. Anim., ed. 2, V. 1829, 7; in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 102.—Col.
- Cryptochilon** *err.* Marschall *pro* Cryptochiton, *q. v.*
- Cryptochilus** C. J. Billberg, Enum. Ins. 1820, 106.—Hym. [*emend.* C—cheilus, Panz.].
- Cryptochiton** J. E. Gray, Proc. Zool. Soc. London, XV (173) June 22, 1847, 65.—Moll.
- Cryptochiton** T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2=Sci. Nat. VI.) (1 & 2) Feb. 1848, 97.—Moll. [*typus* Chiton stelleri].
- Cryptochrostitis** J. Huebner, Verz. bekannt. Schmett. 1825, 297.—Lep.
- Cryptocoenia** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
- Cryptoconchus** E. J. Burrows, Elem. Conch. 1815, 190.—Chiton.
- Cryptocranium** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 75.—Col.
- Cryptocrinites** L. v. Buch, Arch. f. Min. XV. 1840, 36.—Crin.
- Cryptocrinus** v. Buch, Monatsb. k. pr. Ak. Wiss. Berlin, 1840, 60.—Cr.
- Cryptodinus** W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 11.—Col.
- Cryptodon** W. Turton, Conch. Insul. Brit. 1822, pp. xxxii & 121.—L.
- Cryptodon** P. A. Latreille in Dejean, Cat. Coléopt., ed. 2 (2) July 1833, 150.—Col.
- Cryptodon** T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 235.—L.
- Cryptodontes** Dejean in H. Burmeister, Handb. Ent. V. 1847, 292.—Col.
- Cryptodus** W. S. Macleay, Horae Entom. I (1) 1819, 138.—Col.
- cryptogamus** Coccus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 357.
- Cryptogenius** J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 457.—Col.
- Cryptogenius** A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 215 & 249.—Col.
- cryptogenys** Archibuteo, B. H. Hodgson, Calcutta Journ. Nat. Hist. VIII (29) Ap. 1847 [*i.e.* August], 96.
- Cryptoglana** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 150.—Rot.
- Cryptoglossa** A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 680.—Col.
- Cryptognatha** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 497.—Col.
- Cryptognathus** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 945.—Col.
- cryptogrammus** Turbo, L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 453.
- Cryptohelia** *v.* **Crypthelia**.
- Cryptohypnus** Eschscholtz, Die Quatember, II (3) 1830, 17.—Col.
- Cryptoicus** J. Leidy, Proc. Acad. Nat. Sci. Philad. III (10) Aug. 1847, 239.—Verm.
- Cryptolites** *emend. pro* Cryptolithus, Green; C. S. Rafinesque, Atlantic Journ. (2) 1832, 72.
- Cryptolithodes** J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII (11) June 1848, 175.—Cr.
- Cryptolithus** J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.—Cr.
- Cryptolopha** W. Swainson, N. H. Classif. Birds, II. June 1837, 259.—A.
- Cryptomma** J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 572.—Col.
- Cryptomonas** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 56.—Inf.
- Cryptomphalus** L. Agassiz in Charpentier, N. D. Allg. Schweiz. Gesellsch. I. 1837, 5.—G.
- cryptomphala** Rotalina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 371.
- Cryptomya** T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (6) Dec. 1848, 121.—L.
- Cryptonix** C. J. Temminck, Pig. et Gallin. III. 1815, 526.—A.
- Cryptonychus** C. J. Schoenherr, Syn. Ins. I. 1817, App. 3, 7.—Col.
- Cryptonymus** E. Eichwald, Geogn. Zool. Ingria, 1825, 44.—Cr.
- Cryptonyx** C. J. Temminck, Pig. et Gallin. III. 1815, 745.—*v.* Cryptonix.
- Cryptopalpus** C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 169.—Dipt.
- Cryptopeza** C. v. Heyden, Isis (Oken), 1826, 611.—Ar.
- Cryptophagus** C. S. Rafinesque, Analyse, 1815, 116.—Col. [*u. n.*]=Cis, Latr.

- cryptophagus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 14.
Cryptophasa W. J. Lewin, Prod. Ent. Lep. Ins. N. S. W. 1805, 11.—Lep.
Cryptophthalmus C. S. Rafinesque-S., Précis Som. 1814, 23.—Cr.
Cryptophthalmus C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. *k*.—Nud.
cryptophthalmus Phacops, H. F. Emmrich, Naturg. Trilobiten, 1844, 15.
Cryptoplax H. M. D. de Blainville, Dict. Sci. Nat. XII. 1818, 124.—Chit. [1817, *apud* de Bl.].
Cryptoplectron Streubel, Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 291.—A.
Cryptopleura J. L. de Conte, Journ. Ac. Nat. Sci. Philad. (2) II. 1850, 6.—Col.
Cryptopleurum E. Mulsant, H. N. Coléopt. France (Palp.), May 1844, 188.—Col.
Cryptoplus W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 198.—Col.
Cryptopodia H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 360.—Cr.
cryptopora Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 33.
cryptopora Heteropora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 382.—Ceriopora.
cryptoportica Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 171.
Cryptoprocta E. T. Bennett, Proc. Zool. Soc. London, I (4) May 1833, 46.—M.
Cryptoprora C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1847, Tab. p. 54.—Prot.
Cryptops W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 408.—Myr.
Cryptops C. J. Schoenherr, Isis (Oken), 1823, 1138; Curc. disp. meth. 1826, 65.—Col.
Cryptopus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 269; P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 100.—Cr. [*vernac.* in 1825].
Cryptopus Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 499.—R.
Cryptorhina J. G. Wagler, Syst. Avium, I. 1827, sign. 814.—A.
Cryptorhis G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 43.—Col. [n.d. 6, nom. triv. append.]. [42.—Col.
Cryptorhopalum F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838,
Cryptorhynchus K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 330.—Col.
cryptorhynchus Cimex, E. F. Germar, Revue Entom. V (4) 1840, 169.
cryptorius Ichneumon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 365.
cryptorrhaphæ Pleurotoma, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App. p. xiv.
Cryptosaurus Anon., N. Jahrb. f. Min. 1833, 612.—*err. pro* Cystosaurus, Geoff.
Cryptosaurus Geoff. 1831; Agassiz, Nom. Zool. (Rept.) 1844.—R. [*non comp. in orig.*].
Cryptosoma A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 335.—Col. [*? err. pro* Cryptostoma].
Cryptosoma H. M. Edwards in Brullé, H. N. Crust. II. 1837, 110.—Cr. [*n. n.*].
Cryptosoma A. Brullé in Webb & Berthelot, Canaries (Crust.) 1840, 16.—Cr.
Cryptospira R. B. Hinds, Zool. "Sulphur," 1844, 46.—G.
cryptospira Velutina, A. T. v. Middendorff, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VIII (1 & 2) Mar. 1849, 18.
Cryptostemma Herrich-S. in Panzer, F. Germ., heft 135, 1835, tab. 11.—Hem.
Cryptostemma F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Jan. 1838, 11.—Ar.
Cryptostoma H. D. de Blainville, Dict. Sci. Nat. XII. 1818, 126.—G. [1817, *apud* de Bl.].
Cryptostoma Dejean, Catal. Coléopt. 1821, 34.—Col.
Cryptostoma Col., *v. ?* Cryptosoma *err.*
Cryptostoma J. B. Robineau-D., Ann. Sci. Observ. III (1) Jan. 1830, 127.—Ar.
Cryptostomum Nitzsch, 1819; *teste* Agassiz, *sed non comp.*
Cryptostomum Nitzsch in Nordmann, Mikrogr. Beitr. Naturg. (1) 1832, 30 & 50.—Verm.
Cryptostomus de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Aug.), 120.—G.
cryptosus Rhombus (Mitch.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 408.—Stromateus.
cryptosus Stomateus (*sic*), S. L. Mitchell, Rept. Fishes N. York, Jan. 1814, 3.
Cryptothelea J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 115.—Lep.
Cryptothyra C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 87.—G. [*gen. caelebs*].
Cryptotis A. Pomel, Arch. Sci. Phys. Nat. IX. Nov. 1848, 249.—M.
Cryptotrophus J. Gistel, Nat. Thierr. 1848, p. xi.—Col.
cryptozona Campylaea (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 25.—Helix.
cryptozona Corneola (Ziegl.), F. Held, Isis (Oken), 1837, 912.—Helix.
cryptozona Helix, Ziegler in E. A. Rossmacssler, Icones L. u. S. Moll. Europ. 1 (2) Aug. 1835, 4.

- Crypturgus** W. F. Erichson, Arch. f. Naturg. II (1) 1836, 60.—Col.
crypturi Trichosoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 636.
Crypturus C. Illiger, Prod. 1811, 244.—A.
Crypturus Lamarck, An. s. vert. IV. 1817, 139.—Hym.
Crypturus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus pp. 64 & 655.—Hym.
Crypturus Erichson in Klug, Jahrb. Ins. I. 1834, 125.—Col.
crypturus Asaphus, J. Green, Trans. Geol. Soc. Pennsylv. I (1) 1834, 37.
crypturus Gymnetis, H. Burmeister, Handb. Ent. III. 1842, 290.
cryptura Talpa, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 928 [*n. n.*].
Cryptus L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 163; N. Méth. class. Hyménopt. 1807, 49.—Hym.
Cryptus J. C. Fabricius, Syst. Piezat. 1804, 70.—Hym.
Cryptus J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus p. 64 & II. 1829, 407 & 432.—Hym.
cryptum Cardium, A. d'Orbigny, Paléont. I. 1849 [Jan. 1850], 279.
crypta Lamia, T. Say, N. sp. N. Amer. Ins. Louisiana, Jan. 1832, 5.
crysantheana *v.* **chrysantheana**.
Crysis *id. ac* Chrysis, L.; M. Spinola, Ins. Liguria, II. 1808, 26.
Crysochus Redtenbacher, Fauna Austria, 1849, 558.—Col.=Chrysochus, Chev.
crysoleucas *v.* **chrysoleucas**.
crysos *v.* **chrysos**.
Cryptotoma *err. pro* Cryptostoma, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II. (1832), 221.
crystallana Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 347.
cristallarioides Marginulina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 140.
crystallina Actinia (Isacmaea), Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 257.
crystallinus Aetheocerus (L.), Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 109.—Podura, Müll. 1776.
crystallinus Anarthrus, W. G. Tilesius, N. Ann. Wetterau. Ges. Nat. I (1) 1818, 7.
crystallinum Aplidium (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 17.—Polycitor.
crystallinus Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 194, July 1848.
chrystallina Clavelina, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 95.
chrystallina Clavellina, H. P. C. Möller, Index Moll. Groenl. 1842, 22.
crystallina Cytherina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 58.
cristallinus Discus (Müll.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 99.—Helix, 1774.
crystallinum Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 100.
crystallina Emarginula, W. Wood, Suppl. Index Test. 1828, 38.—Patella, 1828.
crystallina Emma, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 293.
crystallina Gleba, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 368.
crystallina Gulnaria (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 114.—Helix, ? Müll. 1774. [Helix, 1774.]
crystallina Helicella (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.—
cristallina Helix (Helicella), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 45. [Podura, Müll. 1776.]
cristallina Heterotoma (L.), Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 396.—
crystallinus Lophopus, Dumortier, Bull. Ac. Roy. Brux. II. 1835, 424.
cristallina Ocyroe, P. S. Rang, Bull. H. N. Soc. Linn. Bordeaux, I (6) 1827, 317; ed. 2, 1830, 178. [[1834], 223.]
crystallinus Oecistes, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
cristallina Orchesella (Müll.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 288.—Podura, 1776.
cristallina Ovula, L. C. Kiener, Spec. Coquilles (Ovula) 1843 *vel* 1844, 14.
crystallina Paludina, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 253.
crystallina Patella, W. Wood, Suppl. Index Test. 1828, 27 [*n. et f.*].
cristallina Physalia, Fréminville, Bull. Sci. Soc. Philom. Paris, 1824 (Mar.), 44.

- crystallina** Pileopsis, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 161.
crystallinus Placostegus (Scacchi), R. A. Philippi, Arch. f. Naturg. X (1) 1844, 192.—
 Serpula. [134.—Tubularia, 1766.]
- crystallina** Plumatella (Pall.), F. L. P. Gervais, Ann. franç. et étrang. Anat. III. 1839,
crystallina Polita (Müll.), F. Held, Isis (Oken), 1837, 916.—Helix, 1774.
crystallinus Polycitor, S. A. Renier, Tavole [1804] xvii.
crystallinus Proteus, F. v. P. Schrank, F. Boica, III (2) 1803, 24.
crystallinus Pyramis, T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 76 [*n. et f.*].
crystallina Rissoa, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 13.—Pyramis, 1827.
crystallina Serpula, A. Scacchi, Cat. Conch. Neap. 1836, 18.
crystallina Sida (Müll.), H. E. Strauss, Mém. Mus. H. N. (Paris) VI [1-3] Aug. 1820,
crystallina Tellina, W. Wood, General Conch. 1815, 149. [157.—Daphne, 1776.]
crystallina Tiedemannia, S. d. Chiaje, Descr. An. invert. Sicilia, I. 1841, 98.
crystallina Turritella (Müll.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV.
 1801, 81.—Turbo, 1776.
- crystallina** Vaginicola, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832)
 [1830], 41 [*n. n.*]; *ibid.* 1831 (1832), 93.
- crystallinus** Vermetus, P. Calcara, Mon. Gen. Clausilia e Bulimo, 1840, 46.
crystallinus Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 11.
crystallinus Zonites (Drap.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2,
 May 1840, 176.—Helix, Müll. 1774.
- crystallisata** Clamys, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 163 [*n. n.*].
crystallisata Epipedonota (Lac.), G. R. Waterhouse, Ann. Mag. N. H. XIII. Jan. 1844,
 41.—Nyctelia.
- crystallisatus** Nyctelia, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 278.
- crystalloдон** Lebias, J. J. Heckel in Russegger, Reise, II (3) [1847], 269. [(1838), 64.]
- crystalloides** Plethosoma, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2
- crystallum** Pupa, A. Morelet, Rev. Zool. (Soc. Cuv.) XI. Dec. 1848, 354.
- crystalellus** Malacorhynchus, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 =
 Sci. Nat. I.) (5) July 1835, 523.
- crystalula** Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 163.
- Cryptops** *err. pro* Cryptops, Leach; Brullé in Bory, Exp. Morée (Myr.) 1832, 62.
- Cryptura** [*?err. pro* Cryptura]; W. Swainson, N. H. Classif. Birds, II. June 1837, 72.—A.
- Cryxus** W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 407.—Myr.
- cryzona** Alcedo, C. J. Temminck in T. & Laugier, Pls. color. (86) Sept. 1830.
- Csopula** *err. pro* Scopula; J. E. Fischer v. R., Abbild. Schmett. (19) 1842, 276.
- cteatus** Telenomus, F. Walker, Mon. Chalcid. II. 1839, 60.
- Cteisa** A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 232 & 242.—Col.
- Ctenacanthus** J. L. R. Agassiz, Poiss. Foss. II (1), 139 (1835); III., 10 (1837).—P.
- ctenacantha** Asteropsis, Valenciennes in Joh. Mueller & Troschel, Syst. Asterid. 1842, 63.
- Ctenaster** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ast. [*gen. caelebs*].
- Ctenecephalus** Hawle & Corda, 1847; *teste* Marschall, *sed non comp.*, v. Ctenocephalus.
- Ctenema** C. S. Rafinesque, Analyse, 1815, 136.—Verm. [*n. n.*].
- Ctenia** Lepeletier, Ency. Méth. X (Ins.) 1825, 650.—Lep. [*?gen.*].
- Ctenicera** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 454.—Col.
- Ctenicerus** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 265.—Col.
- Ctenidia** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 264.—Col.
 [non 1833 *apud* Agassiz].
- Ctenidion** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 104.—Col.
- Ctenidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenidion, Dej.
- Cteniopus** A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 245 & 246.—Col.
- Ctenioschelus** De Romand, Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 336.—Hym.
- Ctenipus** G. Fischer v. W., Entom. Imp. Russ. II. 1823, 176.—Col.
- Ctenipus** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 400.—Col.
- Cteniscus** Haliday in Curtis, Guide, ed. 2, 1836, 98; Ann. Mag. N. H. II (8) Oct. 1838,
 113.—Col.
- Ctenistes** H. G. L. Reichenbach, Mon. Pselaph. 1816, 75.—Col.

- Cteniurus** C. S. Rafinesque, Specchio d. Sci. II (11) Nov. 1814, 155.—? Nud. [*sine typo*].
- Cteniurus** C. S. Rafinesque, Analyse, 1815, 141.—Pt. [*n. n.*].
- Cteniza** P. A. Latreille, N. Ann. Mus. H. N. (Paris) I (1) May 1832, 72.
- Ctenize** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 298.—Ar. [*vernac.* 1825].
- ctenizoides** Eresus, C. L. Koch, Die Arachniden, III (2) Feb. 1836, 19.
- Ctenoblepharys** J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 158.—R.
- Ctenocephalus** Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 26.—Cr.
- Ctenocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenicera, Latr.
- Ctenocercus** L. Fitzinger, Syst. Rept. 1843, 17 & 68.—R. [*typus* Dactyloa bullaris, Wagl.].
- Ctenocerus** A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 456.—Hym.
- ctenocerus** Agrilus, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 247.
- Ctenoconcha** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 135 & 150.—L.
- Ctenocrinites** Steininger, Verst. Uebergangsgeb. Eifel, 1849, 22.—Crin.
- Ctenocrinus** H. G. Bronn, N. Jahrb. f. Min. 1840, 542 & 547.—Ech.
- Ctenodactyla** Dejean, Spec. gén. Coléopt. I. 1825, 226.—Col.
- Ctenodactylus** J. E. Gray, Spicil. Coléopt. II. Aug. 1830, 10.—M. [D. & B.].
- Ctenodactylus** L. Fitzinger, Syst. Rept. 1843, 20.—R. [*typus* Acanthodactylus vulgaris, ctenodactylus Lacerta, A. Smith, Mag. Nat. Hist., n. s., II. Feb. 1838, 93.
- ctenodeira** L. Fitzinger, Syst. Rept. 1843, 17 & 66.—R. [*typus* Anolis richardii, D. & B.].
- Ctenodes** A. G. Olivier, Entom. VI. 1808, 779.—Col.
- Ctenodira** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenodeira, Fitz.
- Ctenodiscus** Joh. Mueller & Troschel, Syst. Asterid. 1842, 13 & 76.—Ech.
- Ctenodon** J. Wagler, Nat. Syst. Amph. 1830, 153.—R.
- Ctenodon** C. L. Bonaparte, Giorn. Arcad. LII. 1831, 175.—P.
- Ctenodon** C. G. Ehrenberg, Infusionsth. 1838, 432.—Rot.
- Ctenodon** W. Swainson, N. H. Fishes etc. II. July 1839, 178 & 255.—P.
- ctenodon** Acanthurus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 224.
- Ctenodus** J. L. R. Agassiz, Poiss. Foss. III. 137 (1838).—P. [Pimelodus.
- ctenodus** Calophysus (Ag.), Müller & Troschel, Ber. Verh. k. pr. Ak. Wiss. 1842, 179.—
- ctenodus** Pimelodus, ? Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 21.
- Ctenognathus** L. Fairmaire, Ann. Soc. Ent. France (2) I. 1843, 13.—Col.
- Ctenogyna** J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 46.—Dipt.
- ctenoides** Cervus, F. Nesti, Atti 3 Riun. Sci. Ital. 1841, 159.
- Ctenolabrus** Cuvier & Valenc., H. N. Poiss. XIII. 1839, 223.—P.
- Ctenolepis** J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2), 179 (1844).—P. [*n. n.*].
- Ctenomerus** C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 254.—Col. [Ceramby.].
- Ctenomerus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 408.—
- Ctenomorpha** G. R. Gray, Entom. Austral. I. Phasma, 1833, 16.—Orth. [Col.
- Ctenomys** H. M. D. de Blainville, N. Bull. Sci. Soc. Philom. Paris, 1826 (Ap.), 64.—M.
- Ctenoncus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 366.—
- Ctenonotus** L. Fitzinger, Syst. Rept. 1843, 16 & 64.—R. [Col.
- Ctenonychus** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 272.—Col.
- Ctenonychus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 87.—Col.
- Ctenophora** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Dipt.
- Ctenophorus** L. Fitzinger, Syst. Rept. 1843, 18 & 83.—R.
- Ctenophyllia** J. D. Dana, Struct. & Classif. Zooph. 1846, 114; in Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 169.—Cor.
- Ctenopoma** Peters, Ber. Verh. k. pr. Ak. Wiss. 1844, 34.—P.
- Ctenops** J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 281.—P.
- Ctenoptychius** J. L. R. Agassiz, Poiss. Foss. III., 99 (1838).—P.
- Ctenopus** G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 174.—Col.
- Ctenopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ctenipus, F. de W. 1823; Latr. 1829. [Eytton.
- Ctenorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ktinorhynchus,
- Ctenosaura** A. F. A. Wiegmann, Isis (Oken), 1828, 371.—R.
- Ctenoscelis** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 134.—Col.
- Ctenoscellis** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 391.—Col.

- Ctenosthoma** *err. pro* Ctenostoma, Klug; J. Sturm, Catal. Ins. Samml. 1826, 128.—Col.
- Ctenostoma** F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1820, 302.—Col.
- ctenostomoides** Allelidea, G. R. Waterhouse, Tr. Entom. Soc. Lond. II (3) July 1839,
- Ctenostylum** Macq. 1850; *teste* Marshall, 1851 *est*. [194.]
- Ctenucha** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 305.—Lep.
- Ctenus** C. A. Walckenaer, Tab. Aran. 1805, 18.—Ar.
- Ctesias** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Aug. 1830, 124.—Col.
- ctesias** Platygaster, F. Walker, Mon. Chalcid. II. 1839, 57.
- ctesiphon** Eupalamides, J. Huebner, Exot. Schmett. II. Tab. [141] [*n. et f.*].
- Ctimene** J. A. Boissudal in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 202.—Lep.
- Cuama** J. E. Gray, Lond. Med. Repos. XV. Ap. 1821, 307.—M.
- cuandu** *v.* coendu.
- cuanensis** Pagurus, W. Thompson, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 267 [*n. n.*].
- Cuaris** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*]. [nomus.]
- cubae** Cephalalgae (Chev.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 469.—Phyto-
- cubae** Corixa, F. E. Guérin-M., Iconographie, 1844, Ins., 353.
- cubae** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 275.
- cubae** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cubae** Fringilla, F. L. P. Gervais, Magasin de Zool. V. 1835, pl. 44. [342.]
- cubae** Galeodes, H. Lucas, Magasin de Zool. V. 1835, pl. 11.
- cubae** Phytomomus, Chevrolat, Rev. Zool. (Soc. Cuv.) Nov. 1838, 281.
- cubae** Polycesta, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 55.
- cubae** Solpuga (Lucas), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 90.—Galeodes. [104.]
- cubae** Strix, C. L. Brehm, Isis, 1828, 1271 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- cubae** Typhlops, Bibron in J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.) 1839, 204.
- cubaensis** Locusta (Raphidophorus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 218.
- cubanensis** Ortyx, Gould in G. R. Gray, Genera of Birds, III. May 1846, 514.
- cubaniana** Achatina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 166.
- cubaniana** Melania, A. d'Orbigny in Sagra, Cuba (Moll. II.) 1842, 11.
- cubana** Mygale, C. A. Walckenaer (Roret's S. à Buffon), Aptères, I. 1837 [1836], 213.
- cubanus** Trochus (Calcar), R. A. Philippi, Zeitschr. f. Malakozool. (July) 1848 [Feb. 1849], 104. [append.]
- Cubaris** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 137.—Cr. [*n. d.*, 1 nom. triv.]
- Cubaris** J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 189.—Cr.
- cubensis** Ampullaria, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 24.
- cubensis** Ardea, Gundlach in J. Lembeye, Aves Isla Cuba, 1850, 84.
- cubensis** Astacus (Cambarus), W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 100.
- cubensis** Baccha, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 465.
- cubensis** Caryophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 238.
- cubensis** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 102.
- cubensis** Helix, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 250.
- cubensis** Hololepta, W. F. Erichson, Jahrb. Insectenk. I. 1834, 93.
- cubensis** Limnaeus, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 354.
- cubensis** Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 206.
- cubensis** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cubense** Onchidium, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 250. [1830, 342.]
- cubensis** Physa, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 354. [526.]
- cubensis** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- cubensis** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 263.
- cubensis** Schizaster, d'Orbigny in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July
- cubensis** Scotophilus, J. E. Gray, Ann. Nat. Hist. IV. Sept. 1839, 7. [1847, 22.]
- cubensis** Tornatellina, L. Pfeiffer, Symb. Helic. II. 1842, 130.
- cubensis** Tropidurus (Leiolaemus), J. E. Gray, Ann. Nat. Hist. V. Ap. 1840, 110.
- cubentus** *v.* cupentus.
- Cubiceps** R. T. Lowe, Proc. Zool. Soc. London, 1843, 82.—P.
- Cubicodon** G. F. Jaeger, Foss. Rept. Württ. 1828, 23.—R.

- cubicodon Phytosaurus, G. F. Jaeger, Foss. Rept. Wuertt. 1828, 23. [1775-
cubicularis Athetis (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 209.—Noctua,
cubicularis Caradrina (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 80.—
Noctua, 1775. [507.—Psittacus, 1762.
cubicularis Palaeornis (L.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832),
cubicularis Tegenaria, C. L. Koch in Panzer, Ins. Germ., heft 125, 1834, tab. 12.
cubicularius Acarus, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 23.
cubiculata Serpula, DeFrance, Dict. Sci. Nat. XLVIII. 1827, 571.
cubicus Hemiasper, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 18.
cubica Moluris, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 285.
cubiensis Oniticeus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cubifrons Lophius (Malthe), J. Richardson, F. Bor.-Amer. (3) 1836, 103. [92-
Cubina J. E. Gray, Cat. Lizards Coll. B. M. 1845, 174.—R.
Cubinia *id. ac* Cubina; J. E. Gray, Cat. Lizards Coll. B. M. 1845, 274.
cubitalis Cothonaspis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 356.
cubitalis Nematus, A. G. Dahlbom, Consp. Tenthr. 1835, 9 [*n. n.*].
cubitorius Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 280.
cubitus Mytilus, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 263.
cubitus Ostrea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 365.
cubla Dryoscopus (Levaill.), F. Boie, Isis (Oken), 1826, 973.—Lanius, Lath.
cubla Entomovorus (—), R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. July 1839, 197.—
?Lanius, Lath.
cubla Hapalophus (Shaw), G. R. Gray, Mag. Nat. Hist., n. s., I. Sept. 1837, 489.—Lanius.
cubla Lanarius (Sh.), G. R. Gray, Genera of Birds, I. Aug. 1845, 299.—Lanius.
cubla Lanius, J. Latham, Index Orn., Suppl. 1801, p. xx.
cubla Lanius, G. Shaw, Gen. Zool. VII (2) 1809, 328.
cubo Cyanurus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 381.
Cubocephalus J. T. C. Ratzeburg, Die Ichneum. II. 1848, 121.—Hym.
cubocephalus Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 17.
Cuboides Quoy & Gaimard, Ann. Sci. Nat. X (37) Jan. 1827, 18.—Coel.
cuboides Atrypa, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. to pl. 56.
cuboides Cymba, J. F. Eschscholtz, Syst. Acalephen, 1829, 135. [Atrypa,
cuboides Terebratula (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 84.—
cuboides Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 98.
cucercus Porcellio, *v. eucercus*.
Cuchia Buchanan in Taylor, Edinb. Journ. Sci. (2) V (1) July 1831, 42.—P.
cuchia Amphipneus, J. Mueller, Abh. k. pr. Ak. Wiss. 1841, 246.
cuchia Unibranchapertura, F. Hamilton, Fish. Ganges, 1822, 16.
Cuchoa J. E. Gray, Cat. Tort. Coll. B. M. 1844, 61.—R. [285-
cuclis Tringa, *err. pro* cinclus; L. P. Vieillot, Faune Française (15 & 16) Oiseaux 1828,
cucubali Dianthoecia (Huebner), Boissduval, Revue Entom. II (6) 1834, 248.—Noctua,
D. & S., 1775. [1775-
cucubali Hadenia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 71.—Noctua,
Cucubalus Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 118.—Coel.
cucubali Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 94.
Cucujida J. Gistel, Isis (Oken), 1831, 304.—Col.
cucujides Omotes, E. Newman, Entomologist (22) Aug. 1842, 353.
cucuiiforme Callidium, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].
cucujiforme Callidium, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 277.
cucujiformis Platycantharus, J. Gistel, Isis (Oken), 1831, 308.
cucuiiforme Smidicium (Say), S. S. Haldeman, Tr. Amer. Phil. Soc., n. s., X (1) Nov.
1847, 38.—Callidium.
cucujus Elater, K. Illiger, Ges. Nat. Fr. Berlin, Mag. I. 1807, 152.
cucujus Pyrophorus (Ill.), E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 73.—Elater.
cucularia Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 204.—Musca, 1767.
cucularia Tetanocera, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 169.
cucularia Tetanocera (L.), H. Loew, Dipterologische Beiträge, I. 1845, 44.—Musca, 1767.
cuculatus Corvus, C. T. Wood, Orn. Guide, 1835, 197.

- cuculatus** Eurylaimus, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.
- cuculi** Nirmus, H. Denny, Mon. Anoplur. 1842, 120.
- cuculi** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 345.—Nirmus. [Fab. 1775.]
- cuculi** Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 106.—Pediculus, "Cuculides" Latr. 1825; Agassiz, Nom. Zool. (Aves) 1842.—A. [vernac.].
- Cuculina** *emend. pro* Cucullea, Lam.; C. S. Rafinesque, Analyse, 1815, 147.—L. [*n. n.*].
- cuculina** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx 5 (Fernaldo judice 1803) [*n. et f.*]. [cucullio, 1786.]
- cuculio** Bursaria (Müll.), Bory de St V., Ency. Méth. (Zooth.) 1824, 160.—Kolpoda
- cuculipenella** Argyromiges (Haw.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284. —Tinea. [Tinea.]
- cuculipenella** Argyromis (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—
- cuculipennella** Tichotripis, J. Huebner, Verz. bekannt. Schmett. 1826, 425.—Tinea.
- cuculipenella** Tinea, J. Huebner, Lepidopt. Zuträge, 1820, 13 [*n. n.*].
- cuculipenella** Tinea, E. Haworth, Lep. Brit. (4) 1828, 579.
- Cuculla** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 523.—
- Cucullaea** Lamarck, Syst. Anim. 1801, 116.—L. [Dipt.]
- cucullaeaeformis** Arca, E. Eichwald, Nat. Lithuæ, 1830, 211. [1837, 31.]
- cucullaeaeformis** Corbula, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith.
- cucullalis** Nola, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B, ed. 2 (Aug. 1849), 14.
- Cucullana** M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 112 [subg. of
- Cucullanus** Müller, 1774; *err. typ.* Ind. Anim. I. *pro* 1777. [Arca.]
- cucullanus** Ascaris, J. G. H. Zeder, Anleit. Nat. Eingeweidewürm. 1803, 92 [teste Stiles].
- cucullaris** Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 206.
- cucullare** Lithothemus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 300.
- cucullare** Menopon, H. Burmeister, Handb. Ent. II (2) i, 1838, 439.
- cucullaris** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 219.
- cucullaria** Dictya (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 277.—Musca c—laria, L. 1767. [Musca c—laria, 1767.]
- cucullaria** Elgiva (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 366.—
- cucullaria** Tetanocera (L.), C. F. Fallén, Sciomyz. Sveciæ, 1820, 9.—Musca c—laria, 1767.
- cucullatalis** Nolites (—), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2, pts. 5 & 6) 1846, 113.—? Pyralis, Haw. [tella, L. 1758.]
- cucullatalis** Pyralis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 387.—Phal. Tin. cucula-
- cucullatana** Roeselia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Phalaena c—tella, 1758.
- cucullatella** Nola (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena, 1758.
- cucullata** Acentroptera, F. E. Guérin-M., Iconographie, 1844, Ins. 271.
- cucullata** [Aegle] (Gray), L. Oken, Lehrb. Nat. III (1) 1815, 327.—Pneumodermis.
- cucullatus** Aganides (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 59.—Goniatites.
- cucullata** Agaricia (E. & S.), Lamarck, Syst. Anim. 1801, 373.—Madrepora, 1786.
- cucullata** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 7.
- cucullata** Altica, Schup.; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- cucullata** Amadina (Sw.), G. R. Gray, Gen. Birds, II. June 1849, 370.—Spermestes.
- cucullatum** Amorphosoma, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 272.
- cucullata** Ampelis, C. J. Temminck in T. & Laugier, Pls. color. (61) Aug. 1825.
- cucullata** Amphibulima, Lamarck, Ann. Mus. H. N. (Paris) VI (34) Aug. 1805, 305.
- cucullata** Anas, G. Fischer, Bull. Soc. Imp. Nat. Moscou, III. 1831, 279.
- cucullatus** Andigena, J. Gould, Proc. Zool. Soc. 1850, 93.—Pteroglossus, 1846.
- cucullata** Anthopora, J. E. Gray, Proc. Zool. Soc. London, III (30) Sept. 1835, 86.
- cucullata** Arca, Münster in G. A. Goldfuss, Petref. German. II (6) 1837, 148.
- cucullata** Ardea, J. G. Wagler, Isis (Oken), 1829, 661.
- cucullatus** Argus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 368.—Micryphantes.
- cucullatus** Barbitistes, T. v. Charpentier, Horæ Ent. 1825, 98.
- cucullatus** Boletophagus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 151 [*n. n.*].

- cucullatus** Brachyurus (Hartl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 255.—Pitta.
- cucullatum** Bradypodion (Gray), L. Fitzinger, Syst. Rept. 1843, 43.—Chamaeleo.
- cucullata** Calliste (Sw.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Aglaia.
- cucullatus** Calymnaphorus (Lac.), A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Apr. 1841, 246.—Nyctelia.
- cucullatus** Calyptrophorus (Lath.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 329.—
- cucullatum** Cardium, G. A. Goldfuss, Petref. German. II (6) 1837, 218. [Loxia, 1790.]
- cucullata** Carduelis, W. Swainson, Zool. Illust. (1) I (2) Nov. 1820, pl. 7.
- cucullata** Carpornis (Sw.), G. R. Gray, Genera of Birds, I. Dec. 1846, 279.—Procnias.
- cucullata** Ceblepyris, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin; 1835, 22
- cucullatus** Cebus, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 9. [[n. n.]]
- cucullata** Cecidomyia, J. W. Meigen, Syst. Besch. Insekt. I. 1818, 96.
- cucullata** Cellaria, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 60.
- cucullata** Certhia, G. Shaw in Audebert & Vieillot, Ois. dorés, II. 1802, pl. 60.
- cucullatus** Chamaeleo, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 54.
- cucullatus** Charadrius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 136.
- cucullata** Chettusia (Temm.), G. R. Gray, Gen. Birds, III. Mar. 1847, 541.—Vanellus.
- cucullata** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 711.
- cucullata** Chrysomitris (Swains.), Cabanis, Ersch & Gruber, Allg. Ency. L. 1849, 217.
- Carduelis.
- cucullata** Columba, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 355.
- cucullatus** Colymbus, P. S. Pallas, Zoographia, II. 1811, 355. [III.]
- cucullatus** Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- cucullata** Cuculla, Muenster in H. G. Bronn, Index Pal. 1848, 357.—Arca, 1837.
- cucullatum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 31.
- cucullata** Cypricardia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 235.
- Cardium.
- cucullata** Dafila (Fisch.), G. R. Gray, Genera of Birds, III. Mar. 1845, 615.—Anas.
- cucullata** Discopora, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 12.
- cucullatus** Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 264.
- cucullatum** Ennearthron, J. Mellié (*ex* Dej. Cat.), Ann. Soc. Ent. France [2] VI (4) May 1849, 372. [166.—Barbitistes.]
- cucullata** Ehippigeria (Charp.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831,
- cucullata** Escharina (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 263.—
- cucullatus** Falco, W. Swainson, Anim. in Menag., Dec. 1837, 340. [Discopora.]
- cucullata** Flustra, P. Duchassaing, Anim. rad. Antilles, 1850, 23.
- cucullata** Fringilla (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 231.—
- Loxia, Müll. 1776.
- cucullata** Germaria, Laporte, Ann. Soc. Ent. France, I (2) c. July 1832, 223.
- cucullatus** Goniates, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1838, 33; Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 156. [[n. n.]]
- cucullata** Gracula, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 12
- cucullatus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- cucullata** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 73.
- cucullata** Helioseris (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Agaricia.
- cucullata** Hemiptycha, H. Burmeister, Handb. Ent. II (1) 1835, 140.
- cucullata** Hyphantornis (Sw.), G. R. Gray, Gen. Birds, II. Mar. 1849, 351.—Ploceus.
- cucullatus** Icterus, W. Swainson, Phil. Mag., n. s., I (6) June 1827, 436.
- cucullatus** [Lanius], H. Lichtenstein, Zool. Mus. Univ. Berlin, 1816, 39 [n. n.].
- cucullatus** Lanius, C. J. Temminck, Man. Orn., ed. 2, IV. Dec. 1839, 600.
- cucullatus** Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
- cucullatus** Leptoglossus, W. Swainson, N. H. Classif. Birds, II. June 1837, 327.
- cucullatus** Lobivanellus (Temm.), H. E. Strickland, Proc. Zool. Soc. London, IX (99) Oct. 1841, 33.—Vanellus.
- cucullatus** Lorius (Sh.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.
- cucullata** Loxia, C. L. Lemaire, H. N. Ois. exot. 1836, 135. [—Psittacus.]
- cucullatus** Loxodes, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 451.

- cucullatus** Lucanus, E. Blanchard in d'Orbigny, *Amér. Mérid.* (Ins.) 1846, 194.
cucullatus Macrodités, Denys de Montfort, *Conch.* I. 1808, 239.
cucullatus Megalodon, J. De C. Sowerby, *Min. Conch.* VI. 1827, 132. [—Merops.
cucullatus Meliphaga (Lath.), C. J. Temminck, *Man. Orn.*, ed. 2, I. Oct. 1820, p. lxxvii.
cucullatus Melithreptus (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIV. 1817, 324.
cucullata Membracis, M. Perty, *Del. anim. artic. Brasil.* (3) 1833, 178. [—Certhia.
cucullatus Merganser (L.), J. F. Stephens in G. Shaw, *Gen. Zool.* (Aves) XII (2) 1824, 168.—Mergus, 1758.
cucullatus Merops, J. Latham, *Index Orn.*, Suppl. 1801, p. xxxiii.
cucullatus Micryphantes, C. L. Koch, *Die Arachniden*, III (3) July 1836, 45.
cucullata Motacilla, W. Turton, *Linnaeus, Syst. Nat.* I. 1802, 601.
cucullata Muscicapa, J. Latham, *Index Orn.*, Suppl. 1801, p. li.
cucullata Muscicapa, A. Wilson, *Amer. Ornith.* VI. 1812, p. xiii.
cucullatum Mycedium, L. Oken, *Lehrb. Nat.* III (1) 1815, 69.
cucullata Mycetophila, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 54 [*n. n.*].
cucullatus Mymar, J. Curtis, *Guide Brit. Ins.* (4) 1829-30, 112 [*n. n.*].
cucullatus Notoxus, F. de la Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim. artic.* (4) 1849, 27 ["Mon. Anth." *poster. edit.*].
cucullatus N[yc]telia, J. T. Lacordaire, *Ann. Sci. Nat.* XX (79) July 1830, 286.
cucullatus Nycticorax (Wagl.), G. R. Gray, *Gen. Birds*, III. May 1847, 558.—Ardea.
cucullata Orbulites, H. D. de Blainville, *Dict. Sci. Nat.* XXXII. 1824, 184.
eucullatus Orthotomus, C. J. Temminck in T. & Laugier, *Pls. color.* (101) 1836; cucullatus, *Tabl. méth.*, Jan. 1839, p. 28.
cucullatum Paidium, A. Herrich-Schaeffer in Fürnrohr, *Fauna Ratisbon.* III. 1840, 356.
cucullatus Palaeornis, E. Lear, *Psittacidae* (11) 1831-2.
cucullata Paludina, F. W. Hoeninghaus, *Jahrb. f. Min.* 1831, 138 [*n. n.*].
cucullatus Pamphagus, H. Burmeister, *Handb. Ent.* II (2) 1, 1838, 616.
cucullata Pardaria (Vieill.), C. L. Bonaparte, *Giorn. Arcad.* LII. 1831, 206.—Fringilla.
cucullatus Paussus, J. O. Westwood, *Proc. Linn. Soc. London* (41) Dec. 1849, 59.
cucullatus Pendulinus (Sw.), C. L. Bonaparte, *Consp. gén. Avium*, I. 1850, 433.—Icterus.
cucullatus Pentatoma, F. de Tigny, s. à Deterville ed. Buffon, *Ins.* IV. 1801, 293.
cucullata Petroica (Lath.), H. E. Strickland, *Ann. Mag. N. H.* XI. May 1843, 337.—Muscicapa.
cucullata Phalangista, J. K. W. Illiger, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1804-11 (1815),
cucullata Philedon (Sh.), Cuvier, *Règne Anim.* I. 1817, 360.—Certhia. [89 [*n. n.*].
cucullatus Philemon (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXVII. 1818, 423.—Merops.
cucullata Phoca, J. K. W. Illiger, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1804-11 (1815), 70
cucullata Pitta, Hartlaub, *Rev. Zool.* (Soc. Cuv.) VI. Mar. 1843, 65. [[*n. n.*].
cucullatus Ploceus, W. Swainson, *Birds W. Africa*, II (Nat. Lib. XIX) Sept. 1837, 261.
cucullatum Pneumodermon, J. E. Gray, *Cat. Moll. Coll. B. M.* (2) 1850, 39.
cucullata Praocis, F. E. Guérin, *Classif. Mélasom.* in *Magasin de Zool.* IV. 1834, 9.
cucullata Procnias, W. Swainson, *Zool. Illust.* (1) I (7) Ap. 1821, pl. 37.
cucullatus Psarocolius (Sw.), J. G. Wagler, *Isis* (Oken), 1829, 755.—Icterus.
cucullatus Psittacus, G. Shaw, *Gen. Zool.* (Aves) VIII (2) 1812, 461.
cucullatus Pteroglossus, J. Gould, *Proc. Zool. Soc. London*, XIV (162) Oct. 1846, 69.
cucullatus Pteromys, J. B. Fischer, *Syn. Mamm.* 1829, 365.
cucullata Pyrauga, B. Du Bus, *Bull. Ac. Roy. Brux.* XIV (2) 1847, 105.
cucullata Pyrgita, C. Dumont, *Dict. Sci. Nat.* XXXI. 1824, 546. [Carduelis.
cucullata Pyrrhomitris (Sw.), C. L. Bonaparte, *Consp. gén. Avium*, I. 1850, 517.—
cucullatus Rhinoceros, J. A. Wagner in Schreber, *Säugeth.* VI. 317 (1834) pl. cccxvii f (1834).
cucullata Rimula, A. A. Gould, *Proc. Boston Soc. N. H.* II. 1848 (1846), 159.
cucullata Rondania, J. B. Robineau-D., *Ann. Soc. Ent. France* [2] VIII (2) *post* June
cucullatus Scatimus, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 110. [1850, 193.
cucullatus Sclerostomus (Blanch.), H. Burmeister, *Handb. Ent.* V. 1847, 427.—Lucanus.
cucullatus Semnopithecus, I. Geoffroy in C. Bélanger, *Voy. Indes Orient.* (1) Feb. 1831, 38 & 72.

- cucullata** Spermerstes, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 201. [1776.]
- cucullata** Spiza (Lath.), G. R. Gray, Genera of Birds, II. June 1849, 375.—Loxia, Müll.
- cucullata** Spongia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8 [n. n.].
- cucullata** Succinea, Lamarck, An. s. vert. VI (2) 1822, 135.—Amphibulima, 1805.
- cucullata** Tanagra, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 17
- cucullata** Tanagra, Jardine & Selby, Ill. Orn., pl. 43, n. s., 1841. [[n. n.].]
- cucullatus** Telophorus (Temm.), G. R. Gray, Gen. Birds, I. Feb. 1847, 292.—Lanius.
- cucullata** Tetrax, H. Burmeister, Handb. Ent. II (2) i, 1838, 658.
- cucullatus** Textor (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 441.—Ploceus.
- cucullata** Thyreocoris, F. v. P. Schrank, F. Boica, II (1) 1801, 68.
- cucullata** Trachelomonas, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 366.
- cucullatum** Uloma, Fischer in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 204.
- cucullatus** Vanellus, C. J. Temminck in T. & Laugier, Pls. color. (85) July 1830.
- cucullatus** Volvox, S. A. Renier, Tavole [1804] xxvi.
- Cucullia** F. v. P. Schrank, F. Boica, II (2) 1802, 157.—Lep.
- cuculliae** Echinomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 49. [1850, 166.]
- cuculliae** Hubneria, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
- cuculliae** Latreillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 107. [—Latreillia.]
- cuculliae** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 124.
- cuculliae** Phorocera, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June
- cuculliger** Bradypus, J. G. Wagner, Isis (Oken), 1831, 605. [1850, 177.]
- cuculliger** Merops, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 10.
- cuculliger** Philedon, M. H. C. Lichtenstein, Zweites Preisverz. Doubl. Zool. Mus. Berlin, 1820, 3.—Merops, 1818.
- cuculliger** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- cucullina** Aulopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 186.
- cucullina** Cellepora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 324.
- cucullina** Lophopteryx (D. & S.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 69.—Bombyx, 1775.
- cucullina** Notodonta (D. & S.), F. Ochsenheimer, Schmett. Europa, III. 1810, 55.—Bombyx, 1775. [byx, 1775.]
- cucullina** Odontosia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 146.—Bom-
- cucullio** Loxodes (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 63.—Kolpoda, 1786.
- cuculoides** Arca, T. A. Conrad, Foss. Shells Tert. N. Amer. (3) Aug. 1833, 37.
- cucullulus** Chilodon (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 287.—Kolpoda, 1786. [[1834], 169.—Kolpoda, 1786.]
- cucullulus** Euodon (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835)
- cucullulus** Loxodes (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 42.—Kolpoda, 1786.
- Cucullus** *err. pro* Cucullanus; Zeder, Einleit. Nat. Eingeweidewürm. 1803, 50 [teste Stiles].
- Cucullus** Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 119.—Coel.
- cucullus** Bulinus, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 9.
- cucullus** Cydippe (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 25.—Beroe, 1790.
- cucullus** Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 92.
- cuculla** Lophopteryx (Borkh.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 27.—Bombyx, ? Esp. [1786.]
- cuculla** Stentorina (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 698.—Vorticella,
- cucullus** Torneutes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 273.
- cuculla** Urceolaria (Müll.), Lamarck, An. s. vert. II. 1816, 42.—Vorticella, 1786.
- Cuculoides** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52.—Col.
- cuculoides** Athene (V. & G.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 313.—Noctua.
- cuculoides** Aviceda, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 104.
- cuculoides** Baza (Sw.), G. R. Gray, List Birds Coll. B. M. I., ed. 2, 1848, 40.—Aviceda.
- cuculoides** Cymindis, W. Swainson, N. H. Classif. Birds, I. Oct. 1836, 311.

- cuculoides** Falco, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.
- cuculoides** Noctua, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 8.
- cuculopsis** Heterophasia, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 187.
- Cuculus** R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 459.—Med.
- cuculus** Glycyphana, H. Burmeister, Handb. Ent. III. 1842, 352.
- cuculus** Raja, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 669.
- cuculus** Trigla, A. Risso, Mém. Soc. Linn. Paris, III. 1825, 27.
- cuculus** Trygon (Lac.), H. Cloquet, Dict. Sci. Nat. XXXVIII. 1825, 61.—Raja.
- Cucumaria** Blainville, Dict. Sci. Nat. IX. 1830, 173.—Ech. [*gen. caelebs*].
- Cucumaria** R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 153.—Ech.
- cucumer** Holothuria, A. Risso, H. N. Europe, V. 1826, 291.
- cucumerina** Clavicula, W. Smith, Strat. Syst. Org. Foss. 1817, 23.
- cucumerinum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 360.
- cucumerina** Fasciola, C. A. Rudolphi, Bermerk. Naturg. I. 1804, 166.
- cucumerina** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 215.
- cucumeris** Galeruca, F. V. Melsheimer, Ins. Pennsylv. 1806, 26 [*n. n.*].
- cucumeris** Haltica, T. W. Harris, Treat. Ins. N. England, 1842, 103.
- cucumifera** Cidaris, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 70.
- cucumiforme** Alcyonium, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 68.
- Cucumis** G. B. Sowerby, II. (*ex* Klein), Conch. Man. 1839, 33.—G.
- cucumis** Beroë, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 522.
- cucumis** Idya (Fab.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 133.—Beroë, 1780.
- cucumis** Janira (Mert.), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 104.—
- cucumoides** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 285. [Beroë.]
- Cucupicus** R. P. Lesson, Man. Orn. II. June 1828, 116.—A.
- cuçura** Cobitis, F. Hamilton, Fish. Ganges, 1822, 352.
- cucurbita** Purpura, P. L. Duclos, Ann. Sci. Nat. XXVI (101) May 1832, 112.
- cucurbita** Voluta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 24.
- cucurbitae** Aegeria, T. W. Harris, New England Farmer, VIII. 1828, 33; Treat. Ins. N. England, 1842, 232.
- cucurbitina** Epeira (L.), C. A. Walckenaer, Tab. Aran. 1805, 63.—Aranea, 1758.
- cucurbitina** Miranda (L.), C. L. Koch, Die Arachniden, V (3) Sept. 1838, 53.—Aranea,
- cucurbitina** Mitra, R. A. Philippi, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 27. [1758.]
- cudonoidea** Phorcynia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810,
- Cudulus** J. E. Gray, 1850; *teste* Scudder, *sed* Cadulus. [333.]
- Cufaea** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268.—Nud. [*n. n.*].
- cuhas** Julius, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 24.
- cuisensis** Tellina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 322.
- cuja** Bola, F. Hamilton, Fish. Ganges, 1822, 18.
- cuja** Corvina (Ham.), G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—Bola.
- cuja** Nasua (Mol.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 109 & 120.—Mustela, 1782.
- cuja** Viverra, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 433.
- culacissi** *v.* coulacissi.
- Culampis** R. P. Lesson, Trochil. 1832, p. vii [=Eulampis, Boie, *teste* Waterhouse].
- Culana** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
- culbertsonii** Merycoidodon, J. Leidy, Proc. Acad. Nat. Sci. Philad. IV (2) Ap. 1848, 47.
- culbertsonii** Ornithichnites, A. T. King, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
- Culcita** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 192.—Ast. [176.]
- Culeus** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A, *dorso*.—A. [*n. n.*].
- Culicia** J. D. Dana, Struct. & Classif. Zooph., Feb. 1846, 114 [*n. n.*]; Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 376.—Cor.
- culiciformis** Aegeria (L.), G. Samouelle, Entom. Comp., June 1819, 453.—Sphinx, 1758.
- culiciformis** Asilus, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 32.
- culiciformis** Baetis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26.—Ephemera, 1758.
- culiciformis** Chironomus, J. C. Fabricius, Syst. Antliat. 1805, 47.—Tipula, ? L. 1767.

- culiciformis** Cloe (L.), F. J. Pictet, H. N. Ins. Néuropt. Ephémér. 1845 [*i.e.* Dec. 1845], 270.—Ephemera, 1758. [Tipula, ? L. 1767.]
- culiciformis** Corethra (Deg.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 260.—
- culiciformis** Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 172.—Asilus, 1775.
- culiciformis** Lepidophora, F. Walker, The Zoologist, VIII. 1850, App. p. xcvi.
- culiciformis** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 66.
- culiciformis** Neides, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 163.
- culiciformis** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 19 (Fernaldo judice 1802-08) [*n. et f.*].
- culiciformis** Tanypus (Meig.), Lamarck, An. s. vert. III. 1816, 443.—Corethra.
- culiciformis** Tanypus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 63.—Tipula, ? L. 1767. [Sphinx, 1758.]
- culiciforme** Trochilium (L.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 41.—
- culiciformis** Xestomyza, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 212.
- culicina** Bivonia, A. Cocco, Ephem. Sci. Lett. Sicilia, II. June 1832, 208.
- culicina** Empis, C. F. Fallen, Empidiae Sveciae (3) 1816, 28. [—Empis.]
- culicina** Rhamphomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 52.
- culicippennella** Ornix (Huebner), F. Treitschke, Schmett. Europa, IX (2) 1833, 204.—Tinea, 1796.
- Culicipeta** E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 968.—A.
- culicis** Acarus, Degeer, Mém. Hist. Ins. VII. 1778, 120.
- culicis** Trombidium (Deg.), J. F. Hermann, Mém. Aptér. 1804, 49.—Acarus.
- Culicivora** W. Swainson, Zool. Journ. III (11) Dec. 1827, 359.—A.
- culicivora** Acanthiza (Gould), G. R. Gray, Genera of Birds, I. Feb. 1848, 189.—Psilopus.
- culicivorus** Basileuterus, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 17.
- culicivorus** Gerygone, J. Gould in G. Grey, Journ. 2 Exp. Austral. II. 1841, 417.—Psilopus, 1841.
- culicivorus** Psilopus, J. Gould, Proc. Zool. Soc. London, VIII (95) July 1841, 174.
- culicivora** Sylvia, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 2.
- culicivora** Tetragnatha, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- Culicoides** P. A. Latreille, Gen. Crust. Ins. IV. 1809, 251.—Dipt. [[1841], 214.]
- culicoides** Ancylos, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 23.
- culik** Pteroglossus, J. Wagler, Syst. Avium, I. 1827, sign. 111.
- culinaris** Cossonus, E. F. Germar, Ann. Wetterau. Ges. Nat. IV (1) 1818, 130.
- culinaris** Phaleria (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 162.—Tenebrio,
- culinaris** Rhyncolus, Sturm; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*]. [L. 1758.]
- culinaris** Rhyncolus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1066.—Cossonus.
- culinaris** Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 67.—Tenebrio, L. 1758.
- culius** Cheilodipterus, F. Hamilton, Fish. Ganges, 1822, 55.
- cullumana** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 359. [1802.]
- cullumanus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 168.—Apis,
- culmalis** Exoria (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Phalaena culmella,
- culmaria** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 155. [1758.]
- culmea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 485.—Tinea culmella, L. 1758.
- culmellus** Chilo (L.), Zincken, Mag. Entom. (Germar) II. 1817, 70.—Tinea, 1758.
- culmellus** Crambus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Tinea, 1758.
- culmicola** Cecidomyia, M. H. Morris, Proc. Acad. Nat. Sci. Philad. IV (10) Aug. 1849, 194.
- culminaria** Egea (Eversm.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 245.—Idaea. [—Idaea.]
- culminaria** Eremia (Eversm.), Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1847, 35.
- culminaria** Idaea, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 552.
- culminata** Campephaga (Hay), G. R. Gray, Genera of Birds, III. App. 1849, 13.—Ceblepyris.
- culminatus** Ceblepyris, A. Hay, Madras Journ. XIII (31) Dec. 1844, 157. [96.]
- culminatus** Corvus, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832,
- culminata** Diomedea, J. Gould, Proc. Zool. Soc. London, XI (126) Dec. 1843, 107.
- culminatus** Rhampastos, J. Gould, Proc. Zool. Soc. London, I (6) Sept. 1833, 70.

- culminella** Chionea, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 312.
culmineus Buliminus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 69.—Helix.
culmineus Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 288.—Helix, 1835.
culminea Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 13.
culminea Paludestrina, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 386. [408.
culmorum Chelostoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
culmorum Platycephala, C. F. Fallen, Oscinides Sveciae, 1820, 2.
culonii Dasygnathus, H. Burmeister, Handb. Ent. V. 1847, 205.
culpator Bracon, J. C. Fabricius, Syst. Piezat. 1804, 105.
culpator Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 277.
culpatorius Ichneumon, J. C. Fabricius, Syst. Piezat. 1804, 440 (*errata*) non calpatorius.
culta *v.* **cultus** -a -um.
culturalia Phrygonis, J. Huebner, Verz. bekannt. Schmett. 1826, 307.
cultellator Atractodes, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 120.
cultellator Banchus, J. C. Fabricius, Syst. Piezat. 1804, 127.—Ichneumon, 1793.
cultellator Cynips (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 286.—Banchus.
cultellator Ibalia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 307.—Ophion, 1798.
cultellator Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 265.
cultellator Sagaris (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 91.—Banchus.
cultellatus Cellullus, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
cultellatus Platycephalus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 217.
cultellatus Solen, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 277. [339.
cultelliformis Nucula, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s., V (3) 1835,
cultelliformis Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. V (1) Feb. 1850, 10.
Cultellus C. F. Schumacher, Essai Vers test. 1817, 43 & 130.—L.
Cultellus T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 232.—L.
Cultellus G. B. Sowerby, II., Conch. Man. 1839, 33.—L.
cultellus Ammonites, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 103.
cultellus Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 341.
cultellus Modiola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 359.
culter Donax, S. Hanley, Proc. Zool. Soc. London, XIII (144) Ap. 1845, 14.
culter Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 69.
culzor Scarabaeus, Dejean, Catal. Coléopt. 1821, 57 [*n. n.*].
culzor Stenocrates, H. Burmeister, Handb. Ent. V. 1847, 85.
cultrarius Cephus, T. Hartig, Adelfl. Deutschl. I. 1837, 363.
cultraria Platypteryx (Fab.), Lamarck, An. s. vert. III. 1816, 562.—Phalaena, 1775.
cultractor Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 616.
cultratus Aades (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1138.—Curculio, 1775.
cultratus Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 144.
cultratus Aterpus (Fab.), C. J. Schoenherr, Curc. disp. meth. 1826, 157.—Curculio, 1775.
cultratus Bellerophon, A. d'Orbigny, A. E. Férussac & A. d'Orbigny, H. N. Céph. acétab. 1840, 208.
cultratus Buceros, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VI (6) 1849, 160.
cultrata Cetonia, Gory & Percheron, Revue Entom. III (3) 1833, 128.
cultrata Cichla, J. G. Schneider, Bloch, Syst. Ichth. 1801, 344.
cultratus Cryptops, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 172.
cultratum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 36.
cultratus Cyprinus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 461.
cultratus Cyrtolites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 72.—Bellerophon, 1840.
cultrata Frondicularia, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (8) 1850, 124.
cultrata Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 172.
cultrata Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 211 & 217.
cultrata Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
cultratus Leuciscus (Bl.), G. Cuvier, R. Anim. II. 1817, 195.—Cyprinus, L. 1758.
cultrata Membracis, J. C. Fabricius in A. J. Coquebert, Icon. Ins. (2) 1801, 77.
cultrata Monocarya, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 247.

- cultratus** Pagurus, A. White, List Crustacea Coll. B. M. 1847, 60 [*n. n.*].
- cultratus** Paussus, J. O. Westwood, Proc. Linn. Soc. London (41) Dec. 1849, 59.
- cultratus** Pelecus (L.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 39.—Cyprinus, 1758.
- cultratus** Planorbis, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 196.
- cultrata** Pygora (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 564.—Cetonia.
- cultratus** Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 121.—Curculio, 1775.
- cultrata** Robulina (Montf.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 287.—
- cultratus** Robulus, Denys de Montfort, Conch. I. 1808, 215. [Robulus.]
- cultrata** Rotalina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 76.
- cultratus** Schizaster, L. Agassiz, Cat. Ect. Ech. 1840, 3.
- cultrata** Sciaena (Schn.), J. R. Forster, Anim. mar. Aust. 1844, 292.—Cichla.
- cultrata** Seriola (Forst.), Gray & Richardson in Dieffenbach, Trav. N. Z. II. Jan. 1843, 210.—Sciaena.
- cultratus** Solenites, E. F. v. Schlotheim, Die Petref. 1820, 181.
- cultratus** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 4.
- cultratus** Xyrichthys, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 37. [1796.]
- cultrea** Palpara, A. H. Haworth, Lepidopt. Brit. (3) 1811, 482.—Tinea cultrella, Huebn.
- cultrella** Harpipteryx (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 41.—Tinea, 1796. [—Tinea, 1796.]
- cultrella** Pteroxia (Huebn.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 335.
- cultrella** Theristis, J. Huebner, Verz. bekannt. Schmett. 1826, 406.—Tinea, 1796.
- cultricollis** Cyphus, E. F. Germar, Ins. spec. novae, I. 1824, 432. [Cyphus.]
- cultricollis** Platymus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 155.—
- Cultridens** Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 7 Livr. 1827.—M.
- cultridens** Crocodilus, R. Owen, Odont. (1841), 287.
- cultridens** Felis, A. Bravard, Monogr. Mont. Perrier, 1828, 143.
- cultridens** Lamprima, H. Burmeister, Handb. Ent. V. 1847, 416.
- cultridens** [Machairodus] (Cuv.), J. J. Kaup, Descr. Oss. foss. (2) 1833, 24.—Ursus.
- cultridens** Steneodon (Cuv.), Croizet in E. Geoffroy, Rev. Ency. LIX. 1833, 86.—Ursus.
- cultridens** Suchosaurus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 67.—Croco-
- cultridens** [Ursus], G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 517. [dilus, 1841.]
- cultridens-arvernensis** Ursus, Croizet & Jobert, Oss. foss. Puy de Dôme, 195 (1828).
- cultridens issiodorensis** Ursus, Croizet & Jobert, Oss. foss. Puy de Dôme, 194 (1828).
- Cultrides** Pucheran, Rev. Zool. VIII. 1845, 51.—A.
- cultrifera** Euphyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 169.
- cultrifera** Nereis, A. E. Grube, Actin. Adriat. 1840, 74.
- cultriformis** Ichneumon, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 327.
- cultrifrons** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 101.
- cultrijugatus** Spirifer, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 70.
- cultrimanus** Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 35 [*n. n.*].
- cultrimanus** Gelasimus, A. White, Proc. Zool. Soc. London, XV (175) July 20, 1847, 84.
- cultrimanus** Xantho, A. White, List Crustacea Coll. B. M. 1847, 17 [*n. n.*].
- cultrimanus** Xantho, A. White, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 225.
- cultripennis** Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 273.
- Cultripes** J. Mueller, Zeitschr. f. Physiol. IV (2) 1832, 212.—R.
- cultripes** Heilipus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 130.
- cultrirostris** Scyphius, Michahelles, Isis (Oken), 1830, 252. [951.]
- cultrirostris** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- cultrirostris** Trogorhinus, Lacord.; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 280.
- cultriventris** Tormys, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
- Cultrunguis** B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836, 363.—A.
- cultrunguis** Icthyaetus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post Jan.*), 110.
- [cultus -a -um.]
- culta** Buprestis, F. Weber, Obs. Ent. 1801, 75.
- culta** Chariptera (Fab.), A. Guénée, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 125. [1775.]
- culta** —Noctua, D. & S. 1775.
- culta** Lamprosticta (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 207.—Noctua

- culta** Miselia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 73.—Noctua, 1775.
- culta** Sommeria, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 13.
- Cuma** H. M. Edwards, Ann. Sci. Nat. XIII (51) Mar. 1828, 294.—Cr.
- Cuma** W. Swainson, Treat. Malacol., May 1840, 87 & 307.—G.
- cuma** Helix, G. D. Nardo (*ex* Chiareghini MS), Sin. mod. spec. Lag. Veneto, 1847, 85.
- Cumallia** *err. pro* Eumallia, Burm.; Ann. Soc. Ent. France, VIII (4) *post* Mar. 1840, p. lxxix. [p. 2.]
- cumanensis** Aedicnemus, F. L'Herminier in Magasin de Zool. VII. 1837, text to pl. 84,
- cumanensis** Crotalus, A. Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 6.
- cumanensis** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 387.
- cumanensis** Notoxus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 18 ["Mon. Anth." *poster. edit.*].
- cumanensis** Psittacus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 6.
- cumanensis** Turbo, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 272.
- cumanus** Carabus, Steven in G. Fischer v. W., Entom. Imp. Russ. II. *post* Nov. 1824, 252.
- cumana** Felis, H. R. Schinz, Syst. Verz. Säug. I. 1844, 453.
- cumana** Psammobia, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 188.
- cumana** Tellina, O. G. Costa, Cat. Test. Sicilie, 1829, pp. xiv & xx.
- cumana** Tellina (Costa), S. Hanley in G. B. Sowerby, II., Thes. Conch. I (6) *ante* 21 Jan. 1846, 298.—Psammobia.
- cumatile** Bembidium, J. C. Schiodte, Gen. Sp. Danmarks Eleuth. I. 1841 [1842], 585.
- cumberland** Salmo, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 695.
- cumberlandensis** Emys, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 55.
- cumberlandiana** Carocolla, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 289.
- cumberlandiana** Helix (Lea), L. Pfeiffer, Mon. Helic. I (1) 1847, 125.—Carocolla.
- cumberlandianus** Unio, I. Lea, Syn. Naiades, 1836, 27 [*n. n.*].
- cumberlandicus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., VI (1) 1838, 25.
- Cumerina** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*teste* Scudder *sed* Camerina,
- Cumia** A. Bivona e B., Giorn. Sci. Lett. Sicilia, LXIII. Sept. 1838, 322.—G. [[*q. v.*].
- cumiae** Helix, P. Calcara, Descr. Isola Lampedusa, 1847, 37.
- [**cumingi**.]
- cumingii** Amphiperas, O. A. L. Morch, Catal. Conch. Kierulf, 1850, 30. [1832], 344.
- cumingii** Ampullaria, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July
- cumingii** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 30, Mar. 1850.
- cumingii** Asterias, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 180.
- cumingii** Balanophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug. 1848, 87.
- cumingii** Balanus, J. C. Chenu, Illustr. conch. I (12 & 13) 1843, pl. 4 [*n. et f.*]. [39.]
- cumingii** Broderipia, A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850,
- cumingii** Buccinum, W. L. Powys, Proc. Zool. Soc. London, III (30) Sept. 1835, 94.
- cumingii** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 44.
- cumingii** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 88.
- cumingii** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 599.
- cumingii** Cardium, W. J. Broderip, Proc. Zool. Soc. London, I (7) Sept. 1833, 82.
- cumingii** Comatula, J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1847 (1849), 255.
- cumingii** Conus, L. Reeve, Conch. Icon.—Conus, no. 282, Ap. 1848.
- cumingii** Conus, L. Reeve, Conch. Icon.—Conus, no. 277 (Suppl. pl. viii) June 1849.
- cumingii** Cyclostoma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 32.
- cumingii** Cyndrella, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 14.
- cumingii** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (1) 1832, f. 5; Catal. (131) 1837, 9.
- cumingii** Desmidophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 3.
- cumingii** Desmophyllum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. Ap. 1848,
- cumingii** Dolium, L. Reeve, Conch. Icon. V.—Dolium, no. 13, Jan. 1849. [254.]
- cumingii** Ferdina, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 283.
- cumingii** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 17, Aug. 1849.

- cumingii Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 275.
 cumingii Fusus, L. Reeve (*ex* Jonas MS), Conch. Icon. IV.—Fusus, no. 67, Jan. 1848.
 cumingii Geophilus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 322.—Gonibregmatas.
 cumingii Glandina, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.
 cumingii Gonibregmatas, G. Newport, Proc. Zool. Soc. London, X (119) Feb. 1843, 181.
 cumingii Helix, L. Pfeiffer, Symb. Helic. II. 1842, 26.
 cumingii Helix, L. Pfeiffer, Proc. Zool. Soc. London, X (113) Dec. 1842, 88.
 cumingii Leucosia, A. White, List Crustacea Coll. B. M. 1847, 48 [*n. n.*].
 cumingii Lima, G. B. Sowerby, II., Thes. Conch. I (3) *ante* 23 June 1843, 87.
 cumingii Lima, G. B. Sowerby, II., Proc. Zool. Soc. London, XI (121) July 1843, 23.
 cumingii Litorina, R. A. Philippi, Abb. Conch. III (1) 1847, 17.—Trochus, 1846.
 cumingii Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 17.
 cumingii Luperosaurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 163.
 cumingii Menippe, A. White, List Crustacea Coll. B. M. 1847, 19 [*n. n.*].
 cumingii Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 67, Sept. 1844.
 cumingii Mocoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 81.
 cumingii Murex (Brod.), L. Reeve, Conch. Syst. II. 1842, 194.—Typhis.
 cumingii Mus (Phloeomys), G. R. Waterhouse, Proc. Zool. Soc. London, VII (78) Nov. 1839, 108. [221].
 cumingii Mycteristes, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841,
 cumingii Mycteristes (Phaedimus), J. O. Westwood, Arcana Entom. (1) May 1841, 5.
 cumingii Nina (Ph.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 78.—Trochus.
 cumingii Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 97. [47].
 cumingii Octodon, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,
 cumingii Octodon, Benn., *var.* peruana, J. J. Tschudi, Fauna Peru. (Mamm.) 1845, 171.
 cumingii Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 19, Sept. 1850.
 cumingii Onychophis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 133.
 cumingii Orbicula, W. J. Broderip, Proc. Zool. Soc. London, I (11) Mar. 1834, 124.
 cumingii Otosaurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 93.
 cumingii Oxynopterus, F. W. Hope, Proc. Zool. Soc. London, X (113) Dec. 1842, 77.
 cumingii Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 218.
 cumingii Paludestrina, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 385.—Paludina, 1835.
 cumingii Paludina, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 30.
 cumingii Parmacella, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847,
 cumingii Pelta, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 100 [*n. n.*]. [109].
 cumingii Pentaceros, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 276.
 cumingii Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 44.
 cumingii Phlaeomys (Waterh.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 22.—Mus (Phl.).
 cumingii Phoenicophaus, L. Fraser, Proc. Zool. Soc. London, VII (79) Dec. 1839, 112.
 cumingii Placunanomia, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 29.
 cumingii Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 120 [*n. n.*].
 cumingii Pleurotoma (Powys), L. Reeve, Conch. Icon.—Pleurotoma, no. 110, June 1843.—Buccinum.
 cumingii Prionus, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 64.
 cumingii Robulina, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 292.
 cumingii Scorpio (Ichnurus), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 236.
 cumingii Septifer, C. A. Récluz, Rev. et Mag. de Zool. (2) I. Mar. 1849, 132.
 cumingii Spondylus, G. B. Sowerby, II., Thes. Conch. I (8) *post* May 1847, 425.
 cumingii Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 59.
 cumingii Thelphusa, A. White, List Crustacea Coll. B. M. 1847, 30 [*n. n.*].
 cumingii Tomigerus, L. Pfeiffer (*ex* Newcomb MS), Zeitschr. f. Malakozool. (May) [Nov.] 1849, 67.
 cumingii Triomphalia, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 502.

- cumingii** Trochus, R. A. Philippi, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 138.
cumingii Truncatella, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 12.
cumingii Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 13, May 1849. [177.
cumingii Typhis, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
cumingi Varanus, W. Martin, Proc. Zool. Soc. London, VI (65) July 1838, 69.
cumingii Venus, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 563. [1849, 104.
cumingii Vitrina, L. Pfeiffer (ex Beck MS), Proc. Zool. Soc. London, XVI (186) Mar. 13,
cumingii Voluta, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 33.
Cumingia G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 34; Gen.
 Shells (40) 1833.—L.
cumingiana Amphipeplea, L. Pfeiffer, Proc. Zool. Soc. London, XIII (147) Sept. 1845,
cumingiana Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22. [68.
cumingianum Aspergillum, J. C. Chenu, Illustr. conch. I. Aspergillum, 1843, 3.
cumingianum Buccinum, W. Dunker, Zeitschr. f. Malakozool., 1846, 111.
cumingiana Cancellaria, S. Petit, Magasin de Zool. (2) VI. 1844, pl. 112.
cumingiana Chilina, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 109 [n. n.].
cumingiana Clausilia, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1845, 158. [122.
cumingianus Conovulus, C. A. Récluz, Proc. Zool. Soc. London, XIII (152) Feb. 1846,
cumingiana Cylindrella, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (2) 1845, 51.
cumingiana Elasmatina, S. Petit de la S., Proc. Zool. Soc. London, XI (120) July
 1843, 2. [121.
cumingiana Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849,
cumingiana Helix (Pet.), Catlow & Reeve, Conch. Nomen. 1845, 123.—Elasmatina.
cumingiana Marginella, S. Petit, Rev. Zool. (Soc. Cuv.) IV. June 1841, 185.
cumingiana Narica, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 6.
cumingiana Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 210.
cumingiana Navicella, C. A. Récluz, Proc. Zool. Soc. London, X (118) Feb. 1843, 157.
cumingiana Nerita (Neritina), C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 74.
cumingiana Ostrea, W. Dunker, Zeitschr. f. Malakozool., Mar. 1846, 48.
cumingianus Planorbis, W. B. R. H. Dunker, Proc. Zool. Soc. London, XVI (182)
 Nov. 14, 1848, 41.
cumingianus Scarabus, S. Petit de la S., Proc. Zool. Soc. London, XI (120) July 1843, 3.
cumingianum Stoaostoma, C. B. Adams, Mon. Stoaost. 1849, 9.
cumingiana Streptaxis, L. Pfeiffer, Proc. Zool. Soc. London, XVII (197) Jan.—June
 1850, 126. [1850, 134.
cumingiana Tornatellina, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June
cummingsii Chiton, J. Fremby, Zool. Journ. III (10) July [i.e. Sept.] 1827, 198.
Cuminia J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 27 & 38.—R.
cummingii Cheirolepis, P. Duff, Geol. Moray, 1842, 71 [n. et f.].
cummingiae Cheirolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 489 [n. n.];
 Poiss. F. V. G. R., 34 & 45 (1844).
cumulans Phorus (Brong.), H. G. Bronn, Index Pal. 1848, 968.—Trochus.
cumulans Termes, V. Kollar in J. E. Pohl, Reise Brasil. I. 1832, 111.
cumulans Trochus, Al. Brongniart, Mém. terr. Vicentin, 1823, 57.
cumulana Catoptria, A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 189.
cumulata Lichenopora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 319.
Cumulipora G. v. Muenster, N. Jahrb. 1835, 434 [n. n.]; H. G. Bronn, Lethaea Geogn.
 II (9-) 1838, 879.—Polyz.
cumulus Tubulipora, E. Eichwald, Nat. Lithuæn, 1830, 191.
cuna Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 166.
Cunaxa C. v. Heyden, Isis (Oken), 1826, 609.—Ar.
cuncalus Syngnathus, F. Hamilton, Fish. Ganges, 1822, 12.
cuncimeris Venus, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 24.
cunctans Acalles, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 418.
cunctans Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 178.
cunctans Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 133.
cunctans Lasioips, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 324.—An-
 thomyia, 1826.

- cunctans** Mycetophila, C. R. W. Wiedemann, Zoologisches Magazin, I (1) 1817, 68.
- cunctans** Oxyptoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 349.
- cunctans** Scopolia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 252.—Tachina, 1824.
- cunctans** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 419.
- cunctans** Tipula, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 23.
- cunctator** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 433.
- cunctator** Bassus, J. C. Fabricius, Syst. Piezat. 1804, 100.—Ichneumon, 1793.
- cunctator** Bothynus (Mannerh.), H. Burmeister, Handb. Ent. V. 1847, 116.—Scarabaeus.
- cunctator** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 554, Aug. 1849.
- cunctator** Rogas (Clinocentrus), A. H. Haliday, Entom. Mag. IV (2) Oct. 1836, 95.
- cunctator** Scarabaeus, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 48.
- cunctus** Cleonus, Gyllenhal in C. J. Schoepferr, Gen. et Sp. Curc. II (1) 1834, 218.
- cuncta** Zammara, F. Walker, List Homopt. Coll. B. M. (1) 1850, 39.
- Cuncuma** B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 367.—A.
- cundinga** Cyprinodon, F. Hamilton, Fish. Ganges, 1822, 254.
- cundinga** Elops (Ham.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1271.
- cunea** *v.* **cuneus**. [—Cyprinodon.]
- cunealis** Arca, L. Reeve, Conch. Icon. II.—Arca, *errata* (end of Index) ? June 1844.
- cuneata** Actinodonta, J. Phillips, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 366.
- cuneata** Anatina, J. E. Gray, Spec. Zool. 1828, 6.
- cuneata** Anodonta, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 316.
- cuneatum** Apion, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 464.
- cuneatus** Aptychus (Desl.), Voltz, N. Jahrb. f. Min. 1837, 434.—Muensteria.
- cuneata** Arca, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 69.
- cuneata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 37, Feb. 1844.
- cuneata** Astarte, J. Sowerby, Min. Conch. II. 1816, 86 (pl. 137).
- cuneatus** Caprimulgus, B. Merrem, Ersch & Gruber, Allg. Ency. XV. 1826, 147.
- cuneata** Cardinia (St.), J. L. R. Agassiz, Hist. crit. Moll. foss. (3) 1843, 222.—Pachyodon.
- cuneata** Cardinia, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 156.
- cuneata** Caryophyllia, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 472.
- cuneatum** Ceratidium, C. G. Ehrenberg, Infusionsthier. 1838, 367. [Gnathodon].
- cuneatus** Clathrodon, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 340 [*err. pro*].
- cuneata** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 364.
- cuneata** Columba, J. Latham, Index Orn., Suppl. 1801, p. lxi.
- cuneata** Corbula, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 152.
- cuneata** Corbula, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 55.
- cuneata** Crassatella, Lamarck, An. s. vert. V. 1818, 483.
- cuneata** Cunicula (Lam.), W. Swainson, Treat. Malacol., May 1840, 267.—Unio.
- cuneata** Cyclas, J. De C. Sowerby, Edinburgh New Phil. Journ., Oct. 1829, 297 [*n. et f.*].
- cuneata** Cypricardia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 59.
- cuneata** Cyprina, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- cuneata** Cyrena, J. H. Jonas, Zeitschr. f. Malakozool., Dec. 1844, 186.
- cuneata** Cytherea, Lamarck, An. s. vert. V. 1818, 578.
- cuneata** Cytherea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 131.
- cuneatus** Dendrocolaptes, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 13.
- cuneatum** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 358.
- cuneata** Echinella, Bory de St V., Ency. Méth. (Zooph.) 1824, 292.
- cuneata** Erycina (Lam.), J. E. Gray, Ann. Phil. XXV. 1825, 135.—Crassatella.
- cuneata** Flabellina (v. M.), A. E. Reuss, N. Jahrb. f. Min. 1849, 839.—Fronidulina.
- cuneatum** Flabellum (Goldf.), H. Michelin, Icon. Zoophyt. (4) 1842, 45.—Turbinolia.
- cuneatum** Flabellum (Sassi), G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 31.—Caryophyllia.
- cuneata** Formica, M. Perty, Del. anim. artic. Brasil. (3) 1833, 134.
- cuneata** Fronidulina, G. v. Muenster, N. Jahrb. f. Min. 1838, 383.
- cuneata** Geopelia (Lath.), G. R. Gray, List Birds Coll. B. M. III. 1844, 11.—Columba.
- cuneatus** Glyphorhynchus (Licht.), G. R. Gray, Genera of Birds, I. Feb. 1847, 141.—Dendrocolaptes.

- cuneata** Gnathodon, J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 376.
- cuneata** Grateloupea, J. E. Gray, The Analyst, VIII (24) July 1838, 304.
- cuneata** Hemiptycha, E. F. Germar, Revue Entom. III (5) 1835, 246.
- cuneata** Leda (Sow.), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 546.—Nucula.
- cuneata** Lima (Limatula), E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 192.
- cuneata** Lingula, T. A. Conrad, [3 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 275, 1839, 64. [lina.
- cuneata** Lingulina (v. M.), H. Karsten, Verz. Rostock. Mus. Verst. 1849, 7.—Frondicu-
- cuneata** Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 140; Rep. trav. Soc. stat. Marseille, VI. 212.
- cuneata** Lycosa (Clerck), C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 187.—Araneus, 1757. [183.—Araneus, 1757.
- cuneata** Lycosa (Tarantula) (Clerck), C. L. Koch, Die Arachniden, XIV (6) May 1847,
- cuneata** Lyonsia (Gray), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 518.—Anatina.
- cuneata** Mactra, J. Sowerby, Min. Conch. II. 1817, 136.
- cuneata** Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
- cuneata** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 487.
- cuneata** Megadesmus, J. De C. Sowerby in T. L. Mitchell, Three Exped. Australia, I. 1838, 15. [VI. Mar. 1835, 133.—Crassatella.
- cuneata** Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,
- cuneata** Modiola, J. Sowerby, Min. Conch. III. 1818, 19.
- cuneata** Modiola, J. Sowerby, Min. Conch. III. 1819, 87.
- cuneata** Muensteria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, V. 1835, 65.
- cuneata** Myoconcha, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 237.
- cuneata** Myopsis (Math.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—
- cuneatus** Mytilus, J. Phillips, Geol. Yorksh. I. 1829, 156 [n. et f.]. [Lutraria.
- cuneatus** Mytilus (Sow.), G. A. Goldfuss, Petref. German. II (6) 1837, 177.—Modiola.
- cuneata** Nucula, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. [1833, 198.
- cuneata** Nucula, J. Phillips, Geol. Yorksh. II. 1836, 210. [1833, 198.
- cuneata** Nucula, F. C. L. Koch & Dunker, B. z. K. d. Norddeusch. Oolith. 1837, 31.
- cuneata** Nucula, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 153.
- cuneata** Nucula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 84.
- cuneatus** Ornithichnites, J. Barratt, Amer. J. Sci. XXXII (1) Ap. 1837, 175 [n. n.].
- cuneatus** Ornithoidichnites, E. Hitchcock, Final Rep. Geol. Massach. II. 1841, 488.
- cuneata** Osteodoma (Gray), S. Hanley, Ill. ed. Lamarck's Shells (1) *extremo* 1842, 25. —Anatina.
- cuneatus** Pachydomus (J. Sow.), J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 272.—Megadesmus.
- cuneatus** Pachyodon, S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 484.
- cuneata** Phalaena, E. Donovan, Brit. Ins. XIV. 1810, 52.
- cuneata** Pholadomya, J. Morris, Cat. Brit. Foss. 1843, 97; J. De C. Sowerby, Min. Conch. VII. 1844, 40.
- cuneata** Pholadomya, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 232.
- cuneata** Pholas, J. S. Schroeter, Archiv Zool. (Wiedemann) II (1) 1801, 107.
- cuneata** Pinna, J. Phillips, Geol. Yorksh. I. 1829, 144 & 150 [n. et f.].
- cuneata** Planularia, S. G. Morton, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 214.
- cuneata** Pleurobema, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 313.—& *varr.* maculata; sulcata.
- cuneata** Pterinea, T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838,
- cuneatus** Spatangus (Micraster), F. v. Hagenow, N. Jahrb. f. Min. 1840, 654. [116.
- cuneatus** Spirifer, F. A. Roemer, Verst. Harzgeb. 1843, 12. [Terebratula.
- cuneata** Spirigerina (Dalm.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 42.—
- cuneata** Sylvia, Rafinesque, Bull. Sci. Soc. Philom. [Paris], no. 68, 1802, 153.
- cuneata** Terebratula, A. Risso, H. N. Europe, IV. 1826, 388.
- cuneata** Terebratula, Dalman, K. Vet. Ac. Handl. 1827, 141.
- cuneatus** Thomisus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- cuneata** Turbinolia, A. Risso, H. N. Europe, V. 1826, 358. [470.
- cuneata** Turbinolia, G. A. Goldfuss, Petref. German. I (1) 1826, 53; I (2) 1829, 108.

- cuneata** Turbinolia, Goldf. *v. anceps* & *angusta*, H. G. Bronn, Zschr. Min. 1827, II (1828), 544.
- cuneata** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 313.
- cuneatus** Unio, D. H. Barnes, Amer. J. Sci. VI (2) *post* Ap. 1823, 263.
- cuneatus** Unio, W. Swainson, Phil. Mag. LXII (308) Dec. 1823, 402.
- cuneata** Venus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 422.—Cytherea.
- cuneata** Vespa, J. C. Fabricius, Syst. Piezat. 1804, 258.
- cuneicauda** Eudynamys, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 139.
- cuneicauda** Glareola, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 244.
- cuneicaudata** Aquila, C. L. Brehm, Isis (Oken), 1845, 356.
- cuneicaudatus** Craticus, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 356.
- cuneiceps** Chelone, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 33.
- cuneiceps** Halysis, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 344.—Alyselm. 1800.
- cuneiceps** Taenia (Z.), C. A. Rudolphi, Entoz. II (2) 1810, 143.—Alyselminthus, 1800.
- cuneicornis** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 682.
- cuneicornis** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1532.—Anthomyza, 1838.
- cuneicornis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1080.
- cuneifer** Battus, J. Barrande, Not. prélim. Silur. 1846, 18.
- cuneifer** Mesospheniscus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 46.
- cuneiformis** Anthaxia, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 290.
- cuneiformis** Apocrytus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 310.
- cuneiformis** Aptychus, L. Rousseau in Dénidoff, Voy. Russie, II. 1842, 788.
- cuneiformis** Ascaris (Z.), C. A. Rudolphi, Entoz. II (1) 1809, 177.—Fusaria, 1800.
- cuneiformis** Astarte, T. A. Conrad, Foss. Med. Tert. U. S. (2) May 1840, 42.
- cuneiformis** Avicula, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- cuneiformis** Blennius, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 359. [473.
- cuneiformis** Buprestis, Dejean, Catal. Coléopt. 1821, 29 [*n. n.*].
- cuneiformis** Cyclas, J. Sowerby, Min. Conch. II. 1817, 140.
- cuneiformis** Cyclas (Fér.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 304.—Cyrena.
- cuneiformis** Cyrena, A. E. Férussac, H. N. g. et p. Moll., wrapper of livr. 19, 1822 [*n. et f.*].
- cuneiformis** Cyrena (Sow.), G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 122.—Cyclas.
- cuneiformis** Fistulana (Lam.), Deshayes, Dict. Class. H. N. VI. 1824, 522.—Gastrochaena.
- cuneiforme** Flabellum, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 512.
- cuneiformis** Galaxaura, P. Duchassaing, Anim. rad. Antilles (1850), 30.
- cuneiformis** Gastrochaena, Lamarck, An. s. vert. V. 1818, 447.
- cuneiformis** Inoceramus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 512.
- cuneiformis** Megathiris, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 147.
- cuneiformis** Menoetius, Dejean, Catal. Coléopt. 1821, 94 [*n. n.*].
- cuneiformis** Modiola, S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 237.
- cuneiformis** Nucula, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxii.
- cuneiformis** Nucula, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 432.
- cuneiformis** Nuculites, T. A. Conrad, [5 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841, 50.
- cuneiformis** Otiorynchus, G. R. Waterhouse, Ann. Mag. N. H. XVI. July 1845, 38.
- cuneiformis** Pholas, T. Say, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 322.
- cuneiformis** Pholas (Lam.), W. Wood, Suppl. Index Test. 1828, 39.—Gastrochaena.
- cuneiformis** Placosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 234.
- cuneiformis** Sphenoptera, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 314.
- cuneiformis** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263 [*n. n.*].
- cuneiformis** Textularia, T. R. Jones in W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850,
- cuneiformis** Toxaster, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 341. [18.
- cunifrons** Phyllosoma, Latreille, N. Dict. H. N., ed. 2, XXVI. 1818, 36.
- cuneigera** Agrotis, J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Ap. 1829, 123.
- cuneipennis** Styphlus, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 341.
- cuneiventris** Cordylura, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2020.
- Cuneolaria** Chamisso & E., N. Acta Ac. Caes. Leop. Carol. X. 1821, 369.—Med.
- Cuneolina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 150.—Rh.

- cuneolus** Conus, L. Reeve, Conch. Icon.—Conus, no. 205, Dec. 1843.
- cuneolus** Ellipsosmia (E. & H.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 202.—Trochosmia.
- cuneola** Mactra, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 216.
- cuneolus** Terebratula, G. Sandberger, N. Jahrb. f. Min. 1842, 399 [*n. n.*].
- cuneolus** Trochosmia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 237.—Turbinolia.
- cuneolus** Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 287.
- cuneolus** Unio, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 286.
- cuneolus** Xysticus, C. L. Koch in Panzer, Ins. Germ., heft 134, 1835, tab. 24.
- Cuneus** Megerle, Ges. nat. Fr. Berlin, Mag. V. 1811, 50.—L.
- cunea** Cycnia (Dru.), J. Huebner, Verz. bekannt. Schmett. [1822], 184.—Phalaena, 1770.
- cuneus** Lithoderma, G. Cuvier, R. Anim., ed. 2, III. 1830, 242.
- cuneus** Pectunculus, T. A. Conrad, Amer. J. Sci. XXIII (2) Jan. 1833, 342.
- cuneus** Pleurorhynchus, T. A. Conrad, [4 Ann. Rep. N. Y. Geol. Surv.] Assembl. no. 50, 1840, 206.
- cunea** Spilosoma (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 34.—Phalaena,
- cuneus** Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 105. [1770.
- cuneus** Vaginaria, F. v. P. Schrank, F. Boica, III (2) 1803, 142.
- cunex** Trichoda, A. Pritchard, N. H. Animalcules, 1834, 135.
- cunica** Geometra, P. Cramer, Utitl. Kapellen, pl. 257 G (? 1779).
- cunicaria** Euchera (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 305.—Phalaena cunina,
- Cunicula** W. Swainson, Treat. Malacol., May 1840, 267 & 378.—L. [1779.
- cunicularis** Athene (Mol.), T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 77.—Strix c—aria, 1782.
- cunicularis** Thelphusa, J. O. Westwood, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 183.
- cunicularia** Alauda, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 369.
- cunicularia** Andrena (L.), J. C. Fabricius, Syst. Piezat. 1804, 323.—Apis, 1761.
- cunicularius** Arvicola, Jules Ray, Rev. Zool. (Soc. Cuv.) X. Oct. 1847, 302 & 306.
- cunicularius** Astacus (Engaeus), W. F. Erichson, Arch. f. Naturg. XII (1) 1846, 102.
- cunicularia** Athene (Mol.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 6.—Strix, 1782.
- cunicularius** Cercomys, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. III (60) Sept. 1829, Cerc. du Brésil, p. 2.
- cunicularia** Certhilauda (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 71.—Alauda.
- cunicularia** Cixia (L.), H. Burmeister, Handb. Ent. II (1) 1835, 157.—Cicada, 1767.
- cunicularius** Cixius (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Cicada, 1767.
- cunicularia** Colletes (L.), W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 207.—Apis, 1761.
- cunicularius** Crabro, F. v. P. Schrank, F. Boica, II (2) 1802, 334.
- cunicularia** Cunistris (L.), R. P. Lesson, Echo Monde Savant, X. 21 Sept. 1843, 540.—Strix, Mol. 1782.
- cunicularia** Flata (L.), J. C. Fabricius, Syst. Rhyng. 1803, 55.—Cicada, 1767.
- cunicularius** Furnarius (Vieill.), G. R. Gray in J. Gould, Zool. "Beagle" (Birds, 1839), 65.—Alauda.
- cunicularia** Geositta (Vieill.), G. R. Gray, List Gen. Birds, 1840, 16.—Alauda.
- cunicularius** Hylesinus, Kn.; W. F. Erichson, Arch. f. Naturg. II (1) 1836, 49.
- cunicularia** Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 56.—Cicada, L. 1767.
- cunicularia** Melitta (L.), W. Kirby, Mon. Apum Angl. II. 1802, 106.—Apis, 1761.
- cunicularia** Mygale, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 86.
- cunicularia** Noctua (Mol.), A. d'Orbigny, Amér. Mérid. (Ois.) 1837, 128.—Strix, 1782.
- cunicularia** Nyctipetes (Mol.), W. Swainson, N. H. Classif. Birds, II. June 1837, 218.—Strix, 1782.
- cunicularia** Phalaena Geometra, E. J. C. Esper, Die Schmett. V (9) 1803, 239.—? Geo-
- cunicularius** Sorex, [E. A.], Compend. Bibliothek, XXI (Zoologie, V.—VIII. 1797), 25.
- cunicularia** [Speotyto] (Mol.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 226.
- cunicularia** Strix, L. P. Vieillot, Ois. Amér. sept. I. 1807, 48. [—Strix, 1782.
- cunicularia** Surnia (Gm.), J. J. Audubon, Synopsis, 1839, 22.—Strix, Mol. 1782.

- cuniculator** Anostostoma, C. Coquerel, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 282.
- cuniculi** Cuterebra (Fab.), B. Clark, Essay Bots, 1815, 70.=Oestrus, Clark, 1797.
- cuniculi** Trypoderma (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 256.—Oestrus, Clark, 1797.
- cuniculina** Amara, Andersch in Dejean, Spec. gén. Coléopt. V. 1831, 798.
- cuniculinus** Carabus, K. Duftschmid, Fauna Austriæ, II. 1812, 87.
- cuniculina** Eucera, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. 1.
- cuniculinus** Harpalus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 61.—Carabus.
- cuniculina** Leiocnemis (And.), C. Zimmermann, Faunus, I (1) 1832, 39.—Amara.
- cuniculina** Oxyptoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 348. [30.]
- cuniculoides** Reithrodon, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837,
- cuniculorum** Blephariptera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 413.—Leria. [370.—Blephariptera.]
- cuniculorum** Helomyza (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
- cuniculorum** Leria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cuniculosus** Murex, P. H. Nyst, Mess. Sci. Arts Belg. IV. 1836, 176. [1830, 655.]
- cuniculosa** Spongia, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 345.
- cuniculosus** Typhis (Nyst), H. G. Bronn, Index Pal. 1848, 1340.—Murex.
- Cuniculus** J. Wagler, Nat. Syst. Amph. 1830, 21.—M. [Microtinae].
- Cuniculus** S. D. W., The Analyst, IV (15) Ap. 1836, 72.—M. [pymnus.]
- cuniculus** Bettongia (Og.), J. Gould, Mon. Macropidae (2) May 1842, pl. 29.—Hypsi-
- cuniculus** Bothynus (Fab.), W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 95.—
- cuniculus** Geotrupes, J. C. Fabricius, Syst. Eleuth. I. 1801, 20. [Geotrupes.]
- cuniculus** Hypsiprymnus, W. Ogilby, Proc. Zool. Soc. London, VI (65) July 1838, 63.
- cuniculus** Hyracotherium, R. Owen, Ann. Mag. N. H. VIII. Sept. 1841, 1.
- cuniculus** Larinus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 145.—Lixus.
- cuniculus** Lixus, A. G. Olivier, Entom. V. 1807, 282.
- cuniculus** Podalgus, H. Burmeister (ex Dej. Cat.), Handb. Ent. V. 1847, 119.
- cuniculus** Scarabæus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 193.—Geotrupes.
- cuniferus** Aulacocheilus, *err. pro* luniferus, Guér.; T. Lacordaire, Mon. Erotyl., Sept.
- cunifrons** v. **cuneifrons**. [1842, 249.]
- cunigunda** Epcantharia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 183.—Phalaena,
- Cunina** J. F. Eschscholtz, Syst. Acalephen, 1829, 117.—Coel. [1781.]
- cuning** Caesio (Bl.), Cuvier & Valenc., H. N. Poiss. VI. 1830, 444.—Sparus, 1791.
- cuning** Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 336.—Sparus, 1791.
- cunipes** Mesites, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1046.
- Cunistrix** R. P. Lesson, Echo Monde Savant, X. 21 Sept. 1843, 540.—A.
- cunliffei** Ammonites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 109.
- cunliffei** Arca, J. McClelland, Calcutta Journ. Nat. Hist. II (6) July 1841, 242.
- cunliffei** Cypraea, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 134.
- cunliffei** Ophiura, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 158.
- cunliffei** Palaeocoma (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.—Ophiura. [(1827) *err. pro* canna.]
- cunna** Damalis, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV. plate only
- cunnesius** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 114.
- cunninghami** Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- cunninghamii** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 181, Oct. 1847. [81.]
- cunninghami** Egernia, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 288.—Tiliqua, 1832.
- cunninghami** Gubernetes, G. Such, Zool. Journ. II (5) Ap. 1825, 114.
- cunninghamii** Haliotis, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 494.
- cunninghami** Helix, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. &c. 1834, 597.
- cuninghami** Macrocyclis (Gray), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 24.—Helix cunninghami. [Australia, II. 1827 [*i.e.* Ap. 1826], 468.]
- cunninghamii** Nephila, W. S. MacLeay (ex King MS) in P. P. King, Narr. Surv.
- cunninghamii** Pamborus, F. L. de Laporte, Etudes Entom. (2) 1835, 156. [40.]
- cunninghami** Tiliqua, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832,

- cunninghami** Trochus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. &c. 1834, 600.
- Cunolites** Defrance, Dict. Sci. Nat. XXII. 1821, 402.—? Br.
- Cuon** B. H. Hodgson, Ann. Nat. Hist. I (2) Ap. 1838, 152.—M.
- cupa** Pupa, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 3.
- cupa** Pupilla (C. & J.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Pupa.
- cupai** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 245.
- cupani** Helix, P. Calcara, Cenzo Topog. Termini, 1842, 32.
- cupanus** Polyacanthus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 357.
- cupavia** Aterica (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 287.—Papilio, 1779.
- cupavia** Catonephele (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 40.—Papilio, 1779.
- cupavius** Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 382.—Papilio, Cr. 1779.
- Cupellaecrinites** G. Troost, Amer. J. Sci. [2] VIII. Nov. 1849, 419; P. Amer. Assoc. 1849 (1850), 61.—Ech.
- cupentia** Coenipeta (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Phalaena, 1779. [1784.]
- cupentus** Bithys (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 75.—Papilio cupentus,
- cupentus** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 631.—Papilio, 1784.
- cupentus** Thecla (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 34.—Papilio,
- Cupes** J. C. Fabricius, Syst. Eleuth. II. 1801, 66.—Col. [1784.]
- Cupesius** *emend. pro Cupes*, Fab.; C. S. Rafinesque, Analyse, 1815, 110.—Col. [n. n.].
- cupestrata** Ctesias, C. F. Freyer, Beitr. Gesch. europ. Schmett. (18) 1829, 49.
- cupestrata** Geometra, C. F. Freyer, Beitr. Gesch. europ. Schmett. (18) 1829, 49.
- Cupha** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 79.—Lep. [n. d., 1 nom. triv. append.]. [—Sciaphila.]
- cuphana** Eriopsela (Fisch.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 163.
- cuphana** Grapholitha, Fischer, Isis (Oken), 1846, 245.
- cuphana** Sciaphila, Fischer v. R. in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 150.
- Cuphanao** J. Huebner, Verz. bekannt. Schmett. [1822], 230.—Lep.
- Cuphocera** Macquart, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 267.—Dipt.
- Cuphorhynchus** Megerle in Dahl, Cat. Coléopt. 1823, 58.—Col.
- cuphulana** Syndemis, Herrich-S., Syst. Bearb. Schmett. Europ. IV (48) 1851, 276.
- Cuphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Kuphus*, Guett. 1770.
- cupidina** Hexuroptera, J. Huebner, Verz. bekannt. Schmett. 1818, 22.
- Cupido** F. v. P. Schrank, F. Boica, II (1) 1801, 153.—Lep.
- Cupido** J. Huebner, Verz. bekannt. Schmett. 1818, 77.—Lep.
- cupido** Argus (Fab.), Lamarck, An. s. vert. IV. 1817, 23.—Hesperia, 1793.
- cupido** Bonasa (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 299.—Tetrao, 1758.
- cupido** Erycina (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 563.—Papilio, 1758.
- cupido** Geophagus, J. Heckel, Ann. Wiener Mus. II [3] 1840, 399.
- cupido** Helicopsis (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—Hesperia, 1793.
- cupido** Julis, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 170.
- cupido** Polypteryx, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [n. n.].
- cupido** Psilopis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 643.
- cupido** Rusticus, J. Huebner, Exot. Schmett., Tab. Rusticus [n. et f.].
- cupido** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 227.
- cupido** Tympanuchus (L.), C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 396.—[cupidus -a -um.] [Tetrao, 1758.]
- cupida** Acanthobrama, J. J. Heckel in Russegger, Reise, II (3) [1847], 235.
- cupida** Ephemera, T. Say, Western Quart. Reporter, II (2) 1823, 163.
- cuppigera** Cydonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 442.
- cuppula** Calyptraea, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 121.
- cuppula** Helcion (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 272.—Calyptraea.
- cuprariella** Coleophora, P. C. Zeller, Isis (Oken), 1847, 36.

- cuprarius** Amarygmus (Fab.), E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 308.—Helops.
- cupraria** Chrysogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 194.
- cupraria** Doryphora, E. F. Germar, Ins. spec. novae, I. 1824, 577.
- cuprarius** Helops, F. Weber, Obs. Ent. 1801, 40.
- cupraria** Oxyera (Fab.), Lamarck, An. s. vert. III. 1816, 388.—Sargus, 1798.
- cupraria** Sphenoptera, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 96.
- cuprasens** Melolontha, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 89.
- cupratum** Agonum, J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 218.
- cuprata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. b.
- cupratus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 785.
- cupratus** Eurhin, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 309.
- cupratus** Gyropleurus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 9 [n. n.].
- cupratus** Saprinus, F. A. Kolenati, Melet. Entom. (5) June 1846, 62.
- cupratus** Tormys, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 375.
- cuprea** *z.* **cupreus -a -um.**
- cuprealis** Aglossa (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1832, 67.—Pyralis.
- cuprealis** Hypsopygia, J. Huebner, Verz. bekannt. Schmett. 1826, 348.—Pyralis.
- cuprealis** Pyralis, J. Huebner, Samml. europ. Schmett. (Pyr.) pl. 23, f. 153 [Fernaldo judice 1800-11].
- cuprearia** Larentia, Herrich-S., Syst. Bearb. Schmett. Europ. III (—) 1848, 174.
- cupreata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 32.
- cupreata** Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 282.
- cupreata** Larentia, Herrich-S. in Panzer, Ins. Germ., heft 163, 1838, tab. 8.
- cupreata** Talpa, C. S. Rafinesque-S., Précis Som. 1814, 14.
- cupreoaenea** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 91.
- cupreo-aenea** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-36, 39.
- cupreo-aeneus** Polydrusus, Ill.; Dejean, Catal. Coléopt. 1821, 93 [n. n.].
- cupreocauda** Mellisuga (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.
- cupreocauda** Metallura, J. Gould, Proc. Zool. Soc. London, XV (175) July 20, 1847, 94.—Trochilus, 1846.
- cupreicauda** Trochilus, J. Gould, Proc. Zool. Soc. London, 1846, 87.
- cupreiceps** Strigoderma, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 203. [1848, 83.]
- cupreocincta** Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
- cupreo cinctus** Chlaenius, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 266.
- cupreicollis** Apogonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 229.
- cupreicollis** Gnorimus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 533.
- cupreicolle** Hyboma, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 157.
- cupreicollis** Staphylinus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 34.
- cupreifrons** Diallyta, F. Walker (ex Barnston MS), List Dipt. Coll. B. M. (4) 1849, 966.
- cupreomicans** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 148 [n. n.].
- cupreoniger** Canthon, J. Sturm, Catal. Ins. Samml. 1826, 109 [n. n.].
- cupreonitens** Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [n. n.].
- cupreonitens** Harpalus, Sturm in Dejean, Spec. gén. Coléopt. IV. 1829, 287.
- cupreotata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 67.
- cupreipennis** Buprestis, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 65.
- cupreopennis** Demetrias, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 130.
- cupreopunctata** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 248.
- cupreosignata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 63.
- cupreo-splendens** Evagora, Laporte & Gory, H. N. Coléopt. II. 1839, 4.
- cupreovertris** Eriopus (Fras.), J. Gould, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 17.—Trochilus.
- cupreovertris** Hylocharis (Fras.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—Trochilus.
- cupreo-ventris** Trochilus, L. Fraser, Proc. Zool. Soc. London, VIII (86) July 1840, 15.

- cupreoviridis** Chrysomela, Kollar; J. Sturm, Catal. Ins. Samml. 1826, 116.
- cuprella** Adela (Fab.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 652.—
Alucita, 1787.
- cuprella** Nemotois (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 417.—Tinea, 1775.
- cupreoaeneus** *v.* **cuprei**→.
- cupreocauda** *v.* **cuprei**→.
- cupreocinctus** *v.* **cuprei**→.
- cupreoides** Helops, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
- cupreolus** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 23 [*n. n.*].
- cupreola** Agra, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 109.
- cupreola** Cicindela, J. O. Westwood, Ann. Mag. N. H. VIII. Nov. 1841, 203.
- cupreola** Halticoptera, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 148
- cupreomicans** *v.* **cuprei**→. [*n. n.*].
- cupreoniger** *v.* **cuprei**→.
- cupreonitens** *v.* **cuprei**→.
- cupreonotatus** *v.* **cuprei**→.
- cupreopennis** *v.* **cuprei**→.
- cupreopunctatus** *v.* **cuprei**→.
- cupreosignatus** *v.* **cuprei**→.
- cupreosplendens** *v.* **cuprei**→.
- cupreovertris** *v.* **cuprei**→.
- cupreoviridis** *v.* **cuprei**→. [158.—Buprestis.
- cuprescens** Agrilus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835,
- cuprescens** Amorphosoma, Laporte & Gory, H. N. Coléopt. II. 1839, 9.
- cuprescens** Apion, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 289.
- cuprescens** Apogonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 228.
- cuprescens** Buprestis, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 154. [1850, 127.
- cuprescens** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- cuprescens** Uroxys, J. O. Westwood, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 61.
- cupressana** Retinia (Dup.), A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 181.
—Tortrix. [495.
- cupressana** Tortrix, Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836,
- cupressaria** Corythea (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 257.
—? Geometra cupressata, Huebn.
- cupressata** Ctesias (Huebn.), Donzel in Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 511.—Geometra.
- cupressata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom. 107 (Fernaldo judice 1828–33) [*n. et f.*].
- cupressi** Ancylochira (Dej.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis.
- cupressi** Buprestis, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 104.
- cupressi** Buprestis, Dejean in E. F. Germar, Fauna Ins. Europ. (17) [1831–35], 2.
- cupressina** Aglaophenia, J. V. F. Lamouroux, Hist. Polyp. 1816, 169.
- cupressina** Antipathes, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, III. 1801, 40.
- cupressino** Cancellaria (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 214.
- cupressina** Corallina, E. J. C. Esper, Pflanzenth., Cor. Tab. vii [1810?]. [—Voluta,
- cupressina** Mitra (Broc.), Deffrance, Dict. Sci. Nat. XXXI. 1824, 493.—Voluta.
- cupressinum** Nigellastrum (L.), L. Oken, Lehrb. Nat. III (1) 1815, 93.—Sertularia, 1758.
- cupressina** Plumularia (Lamx.), de Blainville, Dict. Sci. Nat. LX. 1830, 443.—Aglaophenia,
- cupressina** Voluta, G. Brocchi, Conch. Subap. 1814, 319. [phenia.
- Cupressocrinis** G. A. Goldfuss, Petref. German. I (3) 1831, 212.—Ech.
- Cupressocrinus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 198.—Crin.
- cupreus** Ablepharus, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 335. [233.
- cupreus** Acanthopus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- cupreum** Adelum, G. R. Gray in Griffith's Cuvier, Anim. Kindg., Ins. II. 1832, 22.
- cupreus** Adelus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 329.
- cupreum** Agonum, Dejean, Spec. gén. Coléopt. V. 1831, 735.
- cuprea** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 291.

- cupreus Agrilus, L. Redtenbacher, F. Austr., Käfer, 1849, 286.
cuprea Altica, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*].
cupreus Amarygmus, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 272.
cupreus Amaurus, Herrich-S., Wanzenart. Ins. V (4) Jan. 1840, 61.
cupraea Andrena, F. de Tigny, s. à Deterville ed. Buffon, Ins. III. 1801, 314.
cuprea Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1839, 5.
cuprea Apamea (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 76.—Tinea cuprella, 1775.
cupreum Apion, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 53 [*n. n.*].
cupreus Apogon, Ehrenberg in Cuvier & V., H. N. Poiss. II. 1828, 158.
cuprea Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 245.
cupreus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 59.—Scarab. 1775.
cupreus Attus, C. A. Walckenaer, Tab. Aran. 1805, 24.—Aranea, 1802.
cupreus Baridius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
cuprea Baris, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
cupreum Bembidius, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 246.
cuprea Buprestis, F. V. Melsheimer, Ins. Pennsylv. 1806, 45 [*n. n.*].
cuprea Buprestis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 43.
cuprea Bura, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 419.
cupreum Callisoma, V. v. Mochulski, Kaefer Russl., *post* May 1850, 89.
cuprea Callithrix, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 23.
cuprea Capillaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 521.—Alucita cuprella, Fab. [1787].
cuprea Carpophaga, T. C. Jerdon, Madras Journ. XII (28) July 1840, 12. [1787].
cuprea Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 201.
cuprea Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 554.
cupreum Chaeridium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 169.
cupreus Chalconotus, Fab.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 136.
cuprea Chlamys, F. Klug, Entom. Mon. 1824, 94.
cuprea Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 365.
cuprea Chortophila, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 324.
cuprea Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 40.
cupreus Chrysococyx (Lath.), F. Boie, Isis (Oken), 1826, 977.—Cuculus, Shaw, 1792.
cupreus Chrysogaster, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 425 [*n. n.*].
cupreus Chrysotus, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 232.
cupreum Cinnyrus (Vieill.), Cuvier, Règne Anim. I. 1817, 412.—Certhia, Shaw.
cupreus Ctenicerus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 266.—
Elater, 1775.
cupreus Ctenicerus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Elater,
cuprea Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 524.
cupreum Cnodulus, J. C. Fabricius, Syst. Eleuth. I. 1801, 12.—Erotylus, 1775.
cuprea Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 414.
cuprea Colaspis, A. G. Olivier, Entom. VI. 1808, 888.—Cryptoccephalus, 1787.
cupreus Colaspoides, F. L. de Laporte, Revue Entom. I (1) Mar. 1833, 20.
cupreus Coluber, P. S. Pallas, Zoographia, III. 1811, 45.
cuprea Columba, J. Wagler, Syst. Avium, I. 1827, sign. 1615.
cupreus Corymbites (Fab.), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 150.—Elater, 1775.
cuprea Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 458.
cuprea Ctenicera (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 454.—
Elater, 1775.
cupreus Dasytes (Th.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 15.—Cantharis, 1784.
cuprea Diplolepis, M. Spinola, Ins. Liguriae, II. 1808, 212.
cupreus Dolichopus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 86.
cupreus Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (2) 1823, 15.
cuprea Donacia, F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*].
cuprea Donacia, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 225.
cuprea Donacia, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 158.
cuprea Doris, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. g.

- cuprea** Doryphora, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
- cupreus** Drassus, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., V (25) July 1834, 50.
- cupreus** Dromius, J. Walzl, Reise Tyrol etc. (2) 1835, 52.
- cupreus** Elachestus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 39.
- cupreus** Elaphrus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 194.
- cupreus** Elaphrus, Dufts.; Dejean, Catal. Coléopt. 1821, 18 [*n. n.*].
- cupreus** Elaphrus, Baudet-L., Ann. Sci. Auvergne, X. 1837, 168.
- cupreus** Elmis (Muell.), J. Sturm, Catal. Ins. Samml. 1826, 138.—Linnius.
- cuprea** Empecta, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*invenite* 1851], 153.
- cupreus** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 105.
- cuprea** Euchlora, F. W. Hope (*ex* Siebold MS), Proc. Zool. Soc. London, VII (77) Oct. 1839, 72. [*longicornis*, F. V. M. [*n. n.*].
- cupreus** Eumolpus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*]; & *var.*
- cupreus** Eumolpus, A. G. Olivier, Entom. VI. 1808, 897.
- cuprea** Ferdinandeae (Scop.), C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Oct.], 199.—Conops, 1763.
- cuprea** Feronia (Fab.), Dejean, Spec. gén. Coléopt. III. 1828, 207.—Carabus, L. 1758.
- cuprea** Graptodera, J. L. Leconte in Agassiz, Lake Superior, 1850, 238 [*n. n.*].
- cuprea** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 28.
- cupreus** Harpalus (L.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 115.—Carabus, 1758.
- cupreus** Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].
- cupreus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 281.
- cupreum** Hedychrum, A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 3.
- cupreus** Heliophanus (Walck.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 30.—
- cupreus** Helops, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*]. [Attus.
- cupreum** Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, 1787.
- cupreus** Homonyx, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 300.
- cupreus** Hydrophorus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 427.
- cuprea** Ibis, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1018.
- cuprea** Ischiopachys (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
- cupreus** Labrus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 527. [471.—Clythra, 1798.
- cupraea** Lamprima, Lamarck, An. s. vert. IV. 1817, 601. [Adelus.
- cupreus** Lathiphronus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 192.—
- cuprea** Latipalpis (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 289.—
- cuprea** Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 477. [Buprestis, L. 1758.
- cuprea** Leptura, F. Weber, Obs. Ent. 1801, 90.
- cupreus** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 361.
- cupreus** Linnius, P. W. J. Mueller, Mag. f. Insektenk. (Illiger) V. 1806, 205.
- cuprea** Lucilia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 459. [—Elater, 1775.
- cupreus** Ludius (Fab.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.
- cuprea** Lycophotia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 215.—
- cuprea** Noctua, 1775. [125.
- cuprea** Lydina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- cupreus** Macroductylus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 91. [1784.
- cupreus** Malachius, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 37.—Cantharis,
- cupreus** Medeterus, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 107.
- cupreum** Megymenum, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 172.
- cuprea** Melasoma (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 351.—
- cuprea** Chrysomela, 1775.
- cuprea** Melolontha, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 275.
- cuprea** Mocoa, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 83.—Ablepharus.
- cupreus** Monodontomerus (Nees), F. Walker, List Hymenopt. Coll. B. M. (2)-1848, 101.—
- cuprea** Torymus.
- cuprea** Musca (Desv.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 268.—
- cuprea** Nebria, J. Sturm, Catal. Ins. Samml. 1826, 173 [*n. n.*]. [Lucilia.

- cuprea Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 254.—Certhia.
- cuprea Nereis, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 142. [304.]
- cuprea Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820,
- cupreus Ocyus (Rossi), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 443.—Staphy-
- cuprea Omphalina, Rafinesque, Enum. obj. Cab., Nov. 1831, 3. [linus, 1790.]
- cuprea Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 368.
- cupreus Onitis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 90.
- cupreus Oodes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 761.
- cuprea Pelidnota, M. Perty, Del. anim. artic. Brasil. (1) 1830, 49.
- cuprea Peristera (Wagl.), G. R. Gray, Genera of Birds, II. June 1845, 476.—Columba.
- cuprea Perotis (Fab.), M. Spinola, Ann. Soc. Ent. France, VI (1) *post* Mar. 1837, 110.—
Buprestis, L. 1758. [Nov. 1844, 247.]
- cupreus Peryphus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
- cupreus Pezodontus (Fab.), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 203.—
Tenebrio, 1792.
- cupreus Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 13.
- cuprea Phormia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 467. [Ohiensis [Dec.] 1820, 65.—Silurus, 1820.]
- cupreus Pimelodus, C. S. Rafinesque, Western Review, II (6) July 1820, 359; Ichth.
- cupreus Platynus (Dej.), J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—Agonum.
- cuprea Platysma (Fab.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 94.—Carabus, L. 1758.
- cuprea Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 140, Nov. 1843.
- cupreus Poecilus (Fab.), Dejean, Catal. Coléopt. 1821, 11.—Carabus, L. 1758.
- cuprea Poropleura (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 870.—
Chlamys. [Rhapium.]
- cupreus Porphyrops (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 151.
- cupreus Psilogaster, E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- cupreus Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 102. [260.]
- cupreus Pterostichus (L.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 67.—Carabus, 1758. [1830, 464.]
- cuprea Pyrellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cuprea Pyrellia (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 299.—
Lucilia.
- cupreum Rhaphium, J. Macquart, Rec. Trav. Soc. Sci. Lille, 1826-7, 1827, 1828, 264.
- cupreus Rynchites (L.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 117.—
Curculio, 1758.
- cupreus Rhynchites, J. Walton, Ann. Mag. N. H. XIII. Feb. 1844, 87.
- cupraea Rutela, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 310.
- cuprea Rutela, E. F. Germar, Ins. spec. novae, I. 1824, 120.
- cupreus Salticus (Walk.), C. W. Hahn, Die Arachniden, II (4) Oct. 1834, 42.—Aranea.
- cupreus Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 182.
- cupreus Scytalus, C. S. Rafinesque, Amer. J. Sci. I (1) 1818, 85.
- cupreus Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 238. [51.]
- cupreus Silurus, C. S. Rafinesque, Q. Journ. Sci. (R. Inst. Gt Brit.) IX (17) Ap. 1820,
- cupraea Smidtia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848, 595.
- cupreus Staphylinus, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 88.
- cupreus Steius, F. L. de Laporte, Etudes Entom. (2) 1835, 124.
- cuprea Strigidia (Germ.), H. Burmeister, Handb. Ent. IV (1) 1844, 389.—Rutela.
- cupreus Tenebrio (Pezodontus), Fab.; J. C. F. Klug in Erman, Reise Erde, Atlas, 1835,
- cuprea Tesseratoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 27. [40.]
- cuprea Tisiphone, L. J. Fitzinger, Neue Classif. Rept. 1826, 63 [*n. n.*]. [Ilepis.]
- cupreus Torymus (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 67.—Diplo-
- cuprea Toxophora (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 178.—Bombylius,
- cupreus Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 414. [1787.]
- cuprea Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) IV. Sept. 1820, 304.

- cuprea** Upis (Fab.), W. E. Leach in T. E. Bowdich, Miss. Ashanti, 1819, 495.—Tenebrio,
cuprea Usia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 383. [1792.
cupriacella Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 67 (Fernaldo judice 1818–22)
 [n. cf.].
- cupricauda** Trochilus, J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 87.
cupriceps Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 457.
cupricollis Agrilus, Gory (ex Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 240.
cupricollis Anomala, Dupont in L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 46.
cupricollis Ateuchus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 261 [n. n.].
cupricollis Chlamys, F. Klug, Entom. Mon. 1824, 131.
cupricollis Cicindela, V. Kollar, Ann. Wiener Mus. I [2] 1836, 329.
cupricolle Cnodulon, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 359.
cupricolle Ethon, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 64.
cupricolle Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 586.
cupricollis Popillia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
cupricollis Rhopalophora, F. E. Guérin-M., Iconographie, 1844, Ins. 235.
cupricollis Tetratoma, J. Sturm, Catal. Ins. Samml. 1826, 202 [n. n.].
cupricollis Zenina, Laporte & Gory, H. N. Coléopt. II. 1838, 2.
cupricrus Cordylura, F. Walker (ex Barnston MS), List Dipt. Coll. B. M. (4) 1849, 974.
cuprifer Acmaeodera, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 25.
cuprifer Aspongopus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 25.
cuprifer Ateuchus, J. Sturm, Catal. Ins. Samml. 1826, 98 [n. n.].
cuprifer Brius, Dahl; Dejean, Catal. Coléopt. 1821, 92 [n. n.].
cuprifer Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 457.
cuprifer Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 59.
cuprifer Buprestis, Laporte & Gory, H. N. Coléopt. II. 1838, 119.
cuprifer Loborhynchus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 164.
cuprifer Mecinus, Meg.; Dejean, Catal. Coléopt. 1821, 98 [n. n.].
cuprifer Miccotrogus (Germ.), C. J. Schoenherr, Isis (Oken), 1825, 583.—Sibinia.
cuprifer Phytobius, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
 1845, 100.
cuprifer Sibinia, Ziegl.; Dejean, Catal. Coléopt. 1821, 83 [n. n.].
cuprifer Sibinia (Panz.), E. F. Germar, Ins. spec. novae, I. 1824, 291.—Curculio, 1799.
cuprifer Tychius (Panz.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 422.—
cuprifrons Pelidnota, J. Sturm, Catal. Ins. Samml. 1826, 182 [n. n.]. [Curculio, 1799.
cuprifrons Pteromalus, C. G. Nees v. E., Hymenopt. Ich. aff. II. 1834, 96.
cuprifrons Sphenoptera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 153.
cuprifulgens Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 563.
cuprina Acmaeodera, Chevrolat in Spinola, Ann. Soc. Ent. France, VII (3) post Nov.
 1838, 367. [Nov. 1844, 138.
cuprinum Agonum, V. Motschulsky, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1–3)
cuprinus Anchomenus (Motsh.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII.
 1850 (3) 1850, 123.—Agonum.
cuprinus Bubastes, A. White, Nomen. Coleopt. Coll. B. M. (3) 1848, 11 [n. n.].
cuprina Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. d.
cuprina Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 18 [n. n.].
cuprina Chrysomela, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 177.
cuprinus Coraebus, Laporte & Gory, H. N. Coléopt. II. 1839, 11.
cuprinus Dolichopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 230.
cuprina Macraspis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
cuprina Musca, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 654. [117.
cuprina Nerita, C. A. Récluz, Proc. Zool. Soc. London, XI (124) Nov. 1843, 72.
cuprina Olisthoena, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 451.
cuprinus Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 489.
cuprinus Selenophorus, Dejean, Spec. gén. Coléopt. IV. 1829, 96.
cuprina Stratiomys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 69.
cuprinus Unio, I. Lea, Tr. Amer. Phil. Soc., n. s., IV (1) 1831, 94. [Trochilus.
cupripennis Aglaeactis (B. & M.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 73.—

- cupripenne Agonom (Say), Dejean, Spec. gén. Coléopt. III. 1828, 139.—Feronia.
- cupripennis Agra, Dejean, Spec. gén. Coléopt. V. 1831, 305. [Cnodulon.
- cupripennis Amarygmus (Hope), E. F. Germar, Linnaea Entom. III. Ap. 1848, 200.—
- cupripennis Amphicomma, L. Redtenbacher in Russegger, Reise, I (2) 1843, 986.
- cupripennis Anthaxia, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 77.
- cupripennis Attelabus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 68.
- cupripennis Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 87.
- cupripennis Cisseis (Guérin.), Laporte & Gory, H. N. Coléopt. II. 1839, 5.—Buprestis, Boisduval.
- cupripennis Cnodulon, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 359.
- cupripennis Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [n. n.].
- cupripennis Dyscolus, F. L. de Laporte, Etudes Entom. (1) 1834, 57.
- cupripennis Elater, J. Sturm, Catal. Ins. Samml. 1826, 136 [n. n.].
- cupripennis Feronia, T. Say, Tr. Amer. Phil. Soc., n. s., II. 1825, 50.
- cupripennis Harpalus (Germ.), Dejean, Spec. gén. Coléopt. IV. 1829, 284.—Poecilus.
- cupripennis Lebia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 75. [Trochilus.
- cupripennis Mellisuga (B. & M.), G. R. Gray, Genera of Birds, I. Dec. 1848, 112.—
- cupripennis Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 15.
- cupripennis Platanus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—Feronia.
- cupripennis Poecilus, E. F. Germar, Ins. spec. novae, I. 1824, 16.
- cupripennis Prionus, J. Sturm, Catal. Ins. Samml. 1826, 187 [n. n.].
- cupripennis Selenophorus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 239.
- cupripennis Trochilus, J. Bourcier, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 71.
- cupripes Cetonia, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 146.
- cupripes Euchlora, F. W. Hope, Proc. Zool. Soc. London, VII (77) Oct. 1839, 68.
- cupripes Lomaptera, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 221.
- cupripes Pelidnota, J. Sturm, Catal. Ins. Samml. 1826, 182 [n. n.].
- cupripes Pelidnota, M. Perty, Del. anim. artic. Brasil. (1) 1830, 48.
- cupripes Protactia (Wied.), H. Burmeister, Handb. Ent. III. 1842, 483.—Cetonia.
- cupripes Stenochia, Imhoff, Ber. nat. Ges. Basel, V. 1840-42 (1843), 175.
- cuprirostris Baridius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 706.—Attelabus, 1792.
- cuprirostris Baridius (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 355.—Attelabus, 1792.
- cuprirostris Baris (Ol.), E. F. Germar, Ins. spec. novae, I. 1824, 199.—Rhynchaenus.
- cuprirostris Curculio, F. de Tigny, s. à Deterville ed. Buffon, Ins. VIII. 1801, 132.
- cuprirostris Rhynchaenus (Fab.), A. G. Olivier, Entom. V. 1807, 149.—Curculio, 1787.
- cupriventris Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 23.
- cupriventris Cicindela, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Aug. 1842, 240.
- cupriventris Raphirhinus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 414.
- cupriventris Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 18.
- cupriventre Thyridium, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 207. [1813], 49.
- cuproaenea Buprestis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- cuproeus Chrysogaster, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 462.
- cupronitens Psyllodes, A. Foerster, Verh. nat. Ver. pr. Rheinf. VI. 1849, 37.
- cupro-vittatus Eristalis, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 190.
- cupula Ierea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.
- cupula Turbinaria, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 305.
- cupula Turbinolia, M. Rouault, Mém. Soc. géol. France (2) III (2) 1850, 461.
- Cupularia C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], Tab. facing p. 120.—Polyz.
- Cupularia F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 15.—Polyz.
- Cupularia Lamx. 1821; L. Agassiz, Nom. Zool. (Polypii) 1844-45.—[Lamx. vernac. est.]
- cupularia Cyclolites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.
- cupulifer Cancer, P. A. Latreille in J. Milbert, Voy. Ile de France, II. 1812, 273.
- cupulifer Pilumnus, P. A. Latreille, Ency. Méth. X (Ins.) 1825, 124.

- cupulifer** Polydectus (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 146.—Pilumnus.
- cupuliformis** Coscinopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 283.
- cupuliformis** Cupulospongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 181.
- cupuliformis** Millericrinus, A. d'Orbigny, H. N. Crinoides (2) Nov. 1840, 51.
- cupuliformis** Ocellaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 284.
- cupulina** Confusastrea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 322.
- Cupulita** Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 33.—Coel.
- cupulita** Physophora, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 508.
- Cupulites** Lamouroux, 1821; *teste* Sherborn, Index Foram. 1893 *vernac. est.*, 2. Cupulita.
- Cupulites** A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 397.—Rh.
- Cupulocrinus** A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 23.—Crin.
- cupuloidea** Patella, O. G. Costa, Atti 7 Riun. Sci. Ital. 1846, 838.
- Cupulospongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 550.—Sp.
- cura** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 284.
- curaeus** Agelaius (Mol.), G. R. Gray, Genera of Birds, II. Dec. 1844, 347.—Turdus, 1782.
- curaeus** Psarocolius (Mol.), C. L. Bonaparte, Conspectus gen. Avium, I. 1850, 425.—Turdus, 1782. [curacao, 1787.]
- curassao** Glyphisodon (Bl.), Cuvier & Valenc., H. N. Poiss. V. 1830, 471.—Chaetodon
- curator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.
- curata** Acidalia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 597.
- curchius** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 289.
- curchius** [Labeo] (Ham.), J. McClelland, Asiatic Researches, XIX (2) 1839, 268.—Cyprinus.
- curculio** Acteon (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 219.—Tornatella.
- curculio** Tanais, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 184.
- curculio** Tornatella, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 135.
- Curculioides** W. Buckland, Geol. & Min. II. 1836, 76.—Col.
- curculioides** Cyrtoderes, A. J. J. Solier, Mém. R. Acc. Sci. Torino [2] VI. 1844, 248.
- curculioides** Mycterus (Fab.), A. G. Olivier, Entom. V. 1807, 450.—Rhinomacer, 1781.
- curculioides** Trachynotus, Dej.; P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829,
- Curculionites** O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 199.—Col. [14.]
- curculionoides** Chyphus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 124.
- curculionoides** Diplolepis, P. F. Bouché, Nat. Ins. 1834, 169. [222.]
- curculionoides** Doliops, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841,
- curculionoides** Eubrachis, Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 414.—Atte-
labus, 1767. [Rhynchites, 1797.]
- curculionoides** Ithycerus (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 246.—
- curculionoides** Lamia, Fab.; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- curculionoides** Mesosa (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 44.—Lamia, 1775.
- curculionoides** Mesosa (L.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 466.—Cerambyx, 1761.
- curculionoides** Metopias, Gory, Magasin de Zool. II. 1832, pl. 42.
- curculionoides** Mycterus (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 106.—Rhinomacer, 1781.
- curculionoides** Pachycoris, Herrich-S., Wanzenart. Ins. III (6) Dec. 1836, 106.
- curculionoides** Rhynchostomis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 15.
- curculionoides** Scelodonta, J. O. Westwood, Proc. Zool. Soc. London, V (59) June 1838,
- curculionoides** Tentyria, Herbst; Dejean, Catal. Coléopt. 1821, 64 [*n. n.*]. [129.]
- curema** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 87.
- Curetis** J. Huebner, Verz. bekannt. Schmett. [1820], 102.—Lep.
- Cureus** F. Boie, Isis (Oken), 1831, 541.—A. [Eyprepia.]
- curialis** Arctia (Ochs.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 32.—
- curialis** Eyprepia (Borkh.), F. Oechsenheimer, Schmett. Europa, III. 1810, 326.—Bombyx,
- curialis** Homophoeta, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 172. [1790.]
- curialis** Leptocerus, E. F. Germar, Ins. spec. novae, I. 1824, 423. [Cecrus.]
- curialis** Naupactus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 571.—Lepto-

- curialis** Syrphus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 287.
- curianensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 390, Jan. 1849.
- curiatus** Asilus, F. Walker, List Dipt. Coll. B. M. (2) 1849, 432.
- curiatus** Diacanthus (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 228.—Elater.
- curiatus** Elater, T. Say, Tr. Amer. Phil. Soc., n. s., VI (2) 1839, 173.
- curiensis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 410.
- curillus** Salmo, P. S. Pallas, Zoographia, III. 1814, 351.
- curimata** Characinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 271.
- Curimates** *id. ac* Curimata, Cuv. [Walb.]; F. P. Jarocki, Zoologia, IV. 1822, 36.
- Curimates** H. R. Schinz in Cuvier, Thierreich, II. 1822, 278.—P. [*non* Cuvier, *vernac.*].
- Curimatus** Oken, Isis, 1817 [1182 a].—P. [Curimata, 1792].
- Curimus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 472.—Col.
- curionii** Sigaretus, T. Catullo [Letter on Sigaretus curionii] 1843.
- Curis** Laporte & Gory, H. N. Coléopt. II. 1837, Stigmodera, p. 47.—Col.
- curis** Pelamis, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 434.
- Curius** E. Newman, Entomologist (2) Dec. 1840, 17.—Col.
- curius** Erycina, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 564.
- curius** Erycine (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 827.—Papilio, 1787.
- curius** Iphiclides (Fab.), C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 15.—Papilio, 1787.
- curius** Leptocircus (Fab.), W. Swainson, Zool. Illust. (2) III (23) 1833, pl. 106.—Papilio, Curlirius C. S. Rafinesque, Analyse, 1815, 71.—A. [*n. n.*]. [1787.]
- curmuca** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 294.
- curmuca** [Gobio] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 276.—Cyprinus.
- curmuca** Isocephalus (Buchan.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cyprinus.
- curnonense** Cainotherium, Bravard in H. D. de Blainville, Ostéogr., Anoploth. 1849, 81.
- curona** Mycetophila, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (3) 1846, 60. [Gm. 1788.]
- curonica** Hiaticula (Bes.), G. R. Gray, List Birds Coll. B. M. III. 1844, 68.—Charadrius,
- currens** Feronia (Melaninus *vel* Omaseus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.)
- currens** Hydrometra, J. C. Fabricius, Syst. Rhynch. 1803, 259.—Gerris, 1794. [1838, 28.]
- currens** Oeys, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 10.
- currens** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 183.
- currens** Velia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 270.—Gerris, 1794.
- Curretis** J. Gistel, Nat. Thier. 1848, pp. ix & xi.—Col.
- curreyana** Margaritana, I. Lea, P. Amer. Phil. Soc. I (13) Oct. 1840, 288.
- curreyana** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 13.
- curriculum** Leuciscus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 299.
- currori** Atella, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 167
- currori** Feylinia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 129. [*n. n.*].
- Curruca** Bechstein, Orn. Taschenb. 1802, 165.—A.
- curruca** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 677.
- curruca** Celia, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 239.
- curruca** Philomela (Bechst.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806,
- curruca** Sylvia, J. M. Bechstein, Naturg. Stubenvogel, ed. 4, 1840, 343. [32.—Sylvia.]
- currucaria** Arachnechthera (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 105.—Certhia, 1766.
- currucaria** Cinnyris (L.), Cuvier, Règne Anim. I. 1817, 412.—Certhia, 1766.
- currucipennella** Apista, P. C. Zeller, Linnaea Entom. IV. Dec. 1849, 286.—Coleophora,
- currucipennella** Coleophora, Fischer v. R. in Zeller, Isis (Oken), 1839, 207. [1839.]
- curso** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 290.
- curso** Labeo (Buch.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 361.—Cyprinus.
- cursis** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 292.
- cursis** [Labeo] (Ham.), J. McClelland, Asiat. Researches, XIX (2) 1839, 268.—Cyprinus.
- cursis** Rohita (Ham.), Cuvier & Valenc., H. N. Poiss. XVI. 1842, 265.—Cyprinus.
- cursitans** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 267 [*n. n.*].

- cursitans** Anthocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 69.—Lygaeus, 1807.
- cursitans** Calliceras, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 284.
- cursitans** Celia, C. Zimmermann, Faunus, I (1) 1832, 22.
- cursitans** Ceraphron, J. Curtis, Guide Brit. Ins. (4) 1829-30, 111 [*n. n.*].
- cursitans** Cisticola (Frankl.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 884.—
- cursitans** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 91.—Ichneumon, 1775. [Prinia.
- cursitans** Empis, J. V. Zetterstedt, K. Vet. Ac. Handl. 1819 (1) 1819, 82.
- cursitans** Gelis (Fab.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 200.—
- cursitans** Ichneumon. 1775.
- cursitans** Hydrometra, J. C. Fabricius, Syst. Rhyng. 1803, 259.—Gerris, 1794.
- cursitans** Hylophila (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.
- cursitans** Isotoma, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 403.
- cursitans** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 74.
- cursitans** Nepa, W. Turtin, Linnaeus, Syst. Nat. II. 1802, 608.
- cursitans** Pezomachus (Fab.), J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 923.—
- cursitans** Ichneumon, 1775.
- cursitans** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- cursitans** Platypalpus (Meig.), J. Macquart, Ins. dipt. N. France (3) 1827, 99.—Tachy-
- cursitans** Podura, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 118. [dromia.
- cursitans** Prinia, J. Franklin, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 118.
- cursitans** Sargus (Fab.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1775.
- cursitans** Tachydromia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 269.
- cursitans** —Musca, 1775.
- cursitans** Tachypeza, J. W. Zetterstedt, Dipt. Scand. I. 1842, 322.—Empis, 1819.
- cursitans** Xylocoris (Fall.), R. F. Sahlberg, Mon. Geocoris. Fenn. 1848, 81.—Anthocoris.
- cursitans** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 284.
- cursor** Agonura, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Feb. 1828, 91.
- cursor** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];
- & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 155. [—A.
- Cursor** *emend. pro* Cursorius, Latham; F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 55.
- cursor** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];
- & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 159.
- cursor** Amara, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 57.
- cursor** Anthia, Olivier in Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]. [—Toxotus.
- cursor** Argaleus (—), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 319.
- cursor** Argutor, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- cursor** Bembidion (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 204.—Carabus,
- cursor** Bufo, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 164. [1792.
- cursor** Callichroma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 70 [*n. n.*].
- cursor** Calophis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 26.—Herpetodryas.
- cursor** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
- cursor** Ceratophthalma (Herbst), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838,
- 64.—Cancer, L. 1758.
- cursor** Chlaenius, L. A. A. Chevrolat, Coléopt. Mex. (7) July 1835, no. 168.
- cursor** Cinetus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 109 [*n. n.*].
- cursor** Cinetus, J. Curtis, Brit. Entom. VIII (95) Nov. 1831, no. 380.
- cursor** Coluber, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 125.
- cursor** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 113.
- cursor** Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 426.
- cursor** Dromicus (Shaw), J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.) 1843, 225.—
- Coluber, Lac. 1789.
- cursor** Dryinus, J. Curtis (*ex* Hal. MS), Brit. Entom. V (51) Mar. 1828, no. 206.
- cursor** Formica, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] IV (1) July 1846, 41.
- cursor** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic.
- (7) 1849, 10 ["Mon. Anth." *poster. edit.*].
- cursor** Gonatopus (Hal.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Dryinus.
- cursor** Herpetodryas, H. Schlegel, Essai phys. Serp. 1837, I. 153; II. 199.
- cursor** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 256.

- cursor** Leptura (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 308.—Cerambyx,
cursor Lestignathus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 134. [1758.
cursor Lycosa, C. W. Hahn, Die Arachniden, I (1) Mar. 1831, 17.
cursor Motacilla, J. Wilkes, Ency. Londin. XVI (1095) 1818, 86.
cursor Ocypode, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 476.
cursor Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 208.
cursor Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 339.—Docophorus.
cursor Pimelia, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 192. [329.
cursor Rallus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
cursor Salpingus (L.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 716.—Tenebrio, 1758.
cursor Staphylinus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 32.
cursor Tarantula, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 34.—Lycosa, 1831.
cursor Tetragonoderus, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II [1] 1833, 62 [*n. n.*].
cursor Toxotus, Fab.; Dejean, Catal. Coléopt. 1821, 112 [*n. n.*]. [1775.
cursor Toxotus (Payk.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 374.—Rhagium, Fab.
cursor Toxotus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 16.—Cerambyx, 1758.
cursor Xystus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 200.
cursor Zophosis, Ol.; Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
Cursoria J. E. Gray, Cat. Snakes Coll. B. M. 1849, 84 & 107.—R.
cursoriella Nepticula, P. C. Zeller (*ex* Heyd. litt.), Linnaea Entom. III. Ap. 1848, 326.
cursoria Agrotis (View.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 67.—Noctua,
 1790.
cursoria Anthia (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 234.—Carabus
 cursor, 1795. [1799 [1802], 342.
cursorius Charadrius, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV.
cursorium Cylindronotum, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
 1848, 88. [Sylvia, ? Oenanthe.
cursoria Dromolaea (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 302.—
cursorius Falcinellus, C. J. Temminck in T. & Laugier, Pls. color. (86) Sept. 1830.
cursoria Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 210.
cursoria Fluvicola, W. Swainson, Zool. Illust. (2) II (11) — 1831, pl. 46.
cursoria Georyx (Borkh.), J. Huebner, Verz. bekannt. Schmett. [1822], 227.—Noctua,
cursorius Ichneumon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 365. [Huebner.
cursoria Lycosa (Pardosa), C. L. Koch, Die Arachniden, XV (2) July 1847, 49.
cursoria Noctua, J. Huebner, Samml. europ. Schmett. (Noctua), pl. 116, f. 540 [Fer-
 nando judice 1808-18].
cursoria Oenanthe, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 431.
cursorius Poecilus (Dej.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 57.—Feronia.
cursoria Saxicola (Vieill.), V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826,
 274.—Sylvia, ? Oenanthe.
cursorius Selenophorus, Dejean, Spec. gén. Coléopt. V. 1831, 827.
cursorium Trombidium, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,
 curta *v.* curtus -a -um, [III. 1844, 187.
curtalis Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 282.
curtalis Synaphe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pylalis,
curtansata Corbula, J. Phillips, Geol. Yorksh. I. 1829, 128 & 140 [*n. et f.*]. [1775.
curtansata Corburella (Phil.), J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 422.—
 Corbula.
curtatus Hister, J. Le Conte, Proc. Boston Soc. N. H. I (—) 1844, 186; Boston Journ.
 N. H. V (1) 1845, 54.
curtatus Philonthus, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
curticaudus Cyclops, J. D. Dana, P. Amer. Ac. I. 1848, 151.
curticeps Tyrannula, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 54.
curticollis Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 47.
curticollis Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 118.
curticorne Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 572.
curtifilis Megalops, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 310.

- curtilabris** Cicindela, F. Klug, Jahrb. Insectenk. I. 1834, 14.
- curtilabris** [Phyllodroma] (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843 [Separata 1842], 109.—Cicindela.
- Curtilla** L. Oken, Lehrb. Nat. III (1) 1815, 445.—Orth. [1847, 169.
- curtipennis** Eumolpus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb.
- curtipennis** Hydnoceera, E. Newman, Mag. Nat. Hist., n. s., IV. July 1840, 364.
- curtipennis** Locusta (Chloëaltis), T. W. Harris, Rep. Insects Massach. 1841, 149.
- curtipennis** Proctotrupes, J. Curtis, Guide Brit. Ins. (4) 1829-30, 109 [*n. n.*].
- curtipes** Hectarthrum, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 398.
- curtipes** Lithobius, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 150.
- curtipes** Phasma (Necrosia), J. O. Westwood, Cab. Orient. Entom. 1848, 79.
- curtipes** Trombidium, J. F. Hermann, Mém. Aptér. 1804, 26.
- curtisella** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 324.
- curtisellus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 164.—Apis.
- curtisella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France. XI (Noct. 8) [ante Nov. 1840], 546.
- curtisella** Telea (Don.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 245.—Phalaena, 1793.
- curtisella** Yponomeuta (Don.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena, 1793.
- curtisi** Apion, J. Curtis (*ex* Kirby MS), Brit. Entom. V (53) May 1828, no. 211 [*n. n.*].
- curtisi** Bracon, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 32.
- curtisi** Bythinus, W. E. Leach, Zool. Miscell. III. 1817, 83.
- curtisi** Calomela (Kirby), F. W. Hope, Coleopt. Manual, III. 1840, 166.—Chrysomela.
- curtisi** Calosoma, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
- curtisi** Cetonia, N. A. Vigors, Zool. Journ. II (6) July 1825, 237.
- curtisi** Chrysomela, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 473.
- curtisi** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me* judice 1836], 49.
- curtisi** Cnemida, W. Kirby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 148.
- curtisi** Cordulia, Dale, Mag. Nat. Hist. VII. Jan. 1834, 60.
- curtisi** Cteniscus, A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 113.—Tryphon, 1838.
- curtisi** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 514.—Phal. curtisella, Don. 1793.
- curtisi** Haemonia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 214.
- curtisi** Halictophagus, Dale in J. Curtis, Brit. Entom. IX (108) Dec. 1832, no. 433.
- curtisi** Hypsonotus, Sahlberg in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 148.
- curtisi** Labidus (Typhlopone), W. E. Shuckard, Ann. Nat. Hist. V. June 1840, 265.
- curtisi** Necrodes, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 89.
- curtisi** Odontoscelis, G. R. Waterhouse, Mag. Nat. Hist., n. s., IV. July 1840, 357.
- curtisi** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 973.
- curtisi** Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 61.
- curtisi** Telephorus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 247.
- curtisi** Tryphon, A. H. Haliday, Ann. Nat. Hist. II (8) Oct. 1838, 113.
- Curtisia** A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 440.—Dipt.
- curtisianus** Bythinus, W. E. Leach, Zool. Journ. II (8) Jan. [*i.e.* Ap.] 1826, 446.—curtisi, [1817.
- curtius** Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 167.
- Curtocera** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 182.—Dipt.
- curtocerus** Cervus, J. J. Kaup in H. v. Meyer, Palaeologica, 1832, 94 [*n. n.*].
- curtocerus** Cervus, J. J. Kaup, Arch. f. Min. VI. 1833, 222.
- curtoides** Zabrus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 34.
- Curtonomerus** J. F. Stephens, Man. Brit. Coleopt. 1839, 275.—Col.
- Curtonevra** J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 147.—Dipt.
- Curtonotum** J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 350.—Dipt.
- Curtonotus** J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 138.—Col.
- Curtonotus** W. de Haan in Siebold, F. Japon. (Crust. 1833), 20.—Cr.
- curtorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 280.
- Curtos** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 36.—Col.
- curtulus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 147.

- curtula** Blethisa, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 93.
- curtula** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 22 (Fernaldo judice 1802)
- curtulus** Bostrichus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 87. [[*n. et f.*].
- curtula** Cantharis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 84.
- curtula** Cymindis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 125.
- curtula** Ichthyura (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 162.—Phalaena, 1758.
- curtula** Laria (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 151.—Phalaena, 1758.
- curtula** Lithocharis, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 618.
- curtulus** Lucanus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- curtula** Melalopha, J. Huebner, Tentamen (me judice 1806), 1 [*n. n.*]. [1845, 60.
- curtula** Melipona, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 158 [*n. n.*].
- curtula** Oxypoda, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 350.
- curtulus** Pristonychus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 44.
- curtula** Pygaera (L.), F. Ochseneheimer, Schmett. Europa, III. 1810, 232.—Bombyx,
- curtulus** Semionotus, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 294. [1758.
- curtulus** Sunius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 645.
- curtula** Symmela, W. F. Erichson, Arch. f. Naturg. I (1) 1835, 266.
- Curtus** C. Duméril, Consid. gén. Ins. 1823, 229 [=Cyrthus, Latr.].
- curta** Actinia, Drayton in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 148.
- curta** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (26) 1831, 400; Ins. Fenn. I.
- curta** Amara, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]. [1834, 400.
- curta** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 468.
- curtus** Amblytelus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 130.
- curta** Apate, J. T. Lacordaire, Ann. Sci. Nat. XXI (82) Oct. 1830, 169 [*n. n.*].
- curtus** Aphodius, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 105.
- curta** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 22.
- curta** Astraea (Orbicella), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 209.
- curtus** Bagous, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 81.
- curtus** Belemnites, A. D. d'Orbigny, Moll. viv. et foss. [1846], 495.
- curtus** Benibras, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 42.
- curtus** Braidira (*sic*), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 22 [*n. n.*];
- emend.* Bairdia in Syn. Carb. Lst. foss. Ireland, 1844, 164.
- curtum** Buccinum, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 300.
- curtus** Bulimus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (6) 1844, 158.
- curta** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 582.
- curtus** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 131.
- curtus** Calygus, L. Oken, Lehrb. Nat. III (1) 1815, 359.
- curtus** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 340.
- curtus** Carabus, J. C. Fabricius, Syst. Eleuth. I. 1801, 202.
- curtum** Cerithium, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX (3) Dec. 1846, 268.
- curtus** Ceutorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 29.
- curta** Chelidoura, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 49.
- curta** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 263.
- curtus** Chirolepis, F. M'Coy, Ann. Mag. N. H. (2) II. Nov. 1848, 302.
- curta** Clausilia, E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 19.
- curta** Clausilia (Pupa), H. E. Anton, Verz. Conch. 1839, 47.
- curtus** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 34.
- curta** Cobitis, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 223.
- curtus** Coeliodes (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 287.—Ceutorhynchus.
- curtus** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 205.
- curta** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 27 [*n. et f.*].
- curta** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 14.
- curtum** Cryptobium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 573.

- curtus** Cryptohypnus, F. E. Germar, Zeitschr. f. d. Entom. V. 1844, 141.
- curtus** Cydnus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 81.
- curta** Cypricardia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—
Orthonota. [1841, 53.]
- curta** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150,
- curta** Cypricardites, L. Vanuxem, N. H. New York (Geol. 3 dist.) 1842, 65.
- curtus** Cyrtonus, L. Fairmaire, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 547.
- curta** Cythere (Bairdia), McCoy, W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850.
61.—Bairdia, 1844.
- curtus** Dasypogon, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 6.
- curtus** Dasytes, Dejean, Catal. Coléopt. 1821, 39 [n. n.].
- curtus** Dinornis, R. Owen, Proc. Zool. Soc. London, XIV (1858) July 1846, 47.
- curta** Eccoptochile, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 131.
- curtus** Echinolampas, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 164.
- curta** Echiopsis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 28.—Naja.
- curtum** Ennearthron, J. Mellié, Ann. Soc. Ent. France [2] VI (4) May 1849, 367.
- curta** Eolis, J. Alder & A. Hancock, Ann. Mag. N. H. XII. Oct. 1843, 234.
- curtus** Erodium, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 63.
- curta** Eurytoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 24.
- curtus** Fusus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 353.—Murex.
- curtus** Gamusus, C. L. Koch, Deutsch. Crust., heft 26, 1839, tab. 10.
- curta** Glauconome, L. Reeve, Proc. Zool. Soc. London, XII (1832) July 1844, 20.
- curta** Gnophota, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 238.
- curtus** Gonicotetes, H. Burmeister, Handb. Ent. II (2) 1, 1838, 432.
- curtus** Harpalus (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 33.—Zabrus.
- curtus** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [n. n.].
- curta** Helix, G. B. Sowerby, I., Proc. Zool. Soc. London, IX (97) Sept. 1841, 20.
- curtus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 785.
- curtus** Hybodus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368 [n. n.]; Poiss. Foss. III.
49 (1837).
- curta** Hydraena, H. v. Kiesenwetter, Linnaea Entom. IV. Dec. 1849, 425.
- curtus** Hydrus, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 562.
- curtus** Hydrus (Enhydrys), Shaw; B. Merrem, Tent. Syst. Amph. 1820, 140.
- curtus** Hypomeces, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 209.
- curtus** Isodon, H. Burmeister, Handb. Ent. V. 1847, 107.
- curtus** Lapemis (Sh.), J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 60.—Hydrus.
- curtus** Lindenius, Le Peletier de St F. & Brullé, Ann. Soc. Ent. France, III (4) post
Mar. 1835, 799.
- curta** Lingula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. post Ap. 1842, 266.
- curta** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33. [lopsis.]
- curta** Lyonsia (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 11.—Modiolopsis.
- curta** Marginella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (18) July
1832, 105.
- curta** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 297.
- curta** Melania, C. T. Menke, Syn. meth. Moll. 1828, 81.
- curta** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (3) July 1841 [3].
- curta** Modiolopsis, J. Hall, N. H. New York (Pal. I.) 1847, 297.
- curtus** Mugil, W. Yarrell, Hist. Brit. Fishes, I. 1836, 210.
- curtus** Murex, J. Sowerby, Min. Conch. II. 1818, 227.
- curta** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 277.
- curta** Myopsis, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 260.
- curta** Naja, H. Schlegel, Essai phys. Serp. 1837, I. 185; II. 486.
- curta** Nassa, A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 153.
- curtus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 570.
- curtum** Opatrum, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 290 [n. n.].
- curta** Orthonota, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 76.
- curtus** Pachycormus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 118 (1839); II (2), 112
- curtus** Pagellus, J. Couch, 25 Ann. Rep. R. Inst. Cornwall, 1843 (1844), 29. [(1844).]

- curtus** Pagellus, J. Couch, The Zoologist, II (1) 1844, 395.
curtum Palaeotherium, G. Cuvier, Oss. Foss. III. 1812, 6 Mém., p. 59. [111.
curtus Pentodon, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3) 1849,
curta Phaneroptera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
curta Phila, V. v. Mochulski, Kaefer Russl., *post* May 1850, 14 [*n. n.*]. [417.
curtus Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 359.—Goniocotes. [Sanguinolites.
curta Pholadomya (McCoy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
curta Pholas, G. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 71.
curtus Phytonomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 365.
curtus Podabrus, J. L. Leconte in Agassiz, Lake Superior, 1850, 229.
curtus Pompilus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 438.
curta Praocis, A. J. J. Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 226.
curtus Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 490.
curta Ptinella (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2)
 1848, 568, Table.—Trichopt.
curta Pupa, Ziegler in Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 164.
curta Pustulipora, E. Eichwald, Paleont. Rossii, 1850, 28.
curtus Quedius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 534.
curtus Rhytirhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 432.
curta Rissos, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 279.
curta Rostellaria, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 22.
curta Sabella, G. Montagu, Test. Brit. II. 1803, 554.
curtus Sanguinolites, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 48.
curtus Saprinus, W. G. Rosenhauer, Beitr. Ins.-Faun. Europ. 1847, 26.
curtus Scarabaeus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 81.
curta Schizostoma, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 189.
curta Scutellera, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 233.
curtus Serpulites, J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 333.
curta Siphonotreta, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 685.
curtus Solen, C. Des Moulins, Actes Soc. Linn. Bordeaux, V (26) 1832, 113.
curtus Solen, T. A. Conrad, Amer. J. Sci. (2) V (15) May 1848, 433.
curtum Sphaeroma, W. E. Leach, Dict. Sci. Nat. XII. 1818, 345.
curta Tentyria, C. Steven, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 92.
curta Terebella (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 8.—Sabella.
curta Thracia, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837, 248.
curta Torquilla (Zieg.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 86.
curta Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 52.
curta Trichopteryx, C. J. F. Gillmeister, Trichopterygia, 1845, 92.
curtus Trissodon, W. F. Erichson; *v.* **curtus** Isodon, Burm.
curta Vertigo, F. Held, Isis (Oken), 1837, 304.
curtus Zabrus, Latr.; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
curtus Zabrus, Latreille in Dejean, Spec. gén. Coléopt. III. 1828, 445.
curta Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 611.
curucu Pipa, J. B. v. Spix, Ranar. Brasil. 1824, 29.
curucui Trogon, J. B. v. Spix, Avium Brasil. I. 1824, 49.
Curucus C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*]. [Wien] II. 1832, 83.
curvana Grapholitha, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch.
curvatinnervis Trioza, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 83.
curvator Andriæus, T. Hartig; E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 191.
curvator Anomalon (Fab.), J. J. Trentepohl, Isis (Oken), 1829, 956.—Ichneumon, 1793.
curvator Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 88.—Ichneumon, 1793.
curvator Exochus (Fab.), J. L. C. Gravenhorst, Ichneumon. Europ. II. 1829, 335.—Ichneu-
curvatorius Bassus, J. C. Fabricius, Syst. Piezat. 1804, 96. [mon, 1793.
curvatula Phalaena (Bombyx), Borkhausen, Samml. europ. Schmett. III. 1790, 460.
curvatula Platypteryx (Borkh.), J. H. Laspeyres, N. Schrift. Berlin Ges. Nat. Freunde,
 IV. 1803, 36.—Phal. (Bombyx) 1790.
curvatum Allorisma, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 270.

- curvatus** Ammonites, G. A. Mantell. Foss. South Downs, May 1822, 118.
- curvatus** Balaninus (Marsh.), J. F. Stephens. Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- curvata** Bombyx, E. Donovan, Epit. N. H. Ins. New Holland, 1805. [1845, 15.]
- curvatus** Carabus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- curvata** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 7.
- curvata** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 29.
- curvatus** Clytus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 171.
- curvata** Conularia, G. Sandberger, N. Jahrb. f. Min. 1847, 22.
- curvata** Cryptomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 57.
- curvata** Cryptomonas (Eucryptomonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850,
- curvatus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 287. [52.]
- curvatus** Encrinus, A. Eaton, Amer. J. Sci. XXI (1) Oct. 1831, 135.
- curvata** Falcaria, A. H. Haworth, Lepidopt. Brit. (2) 1809, 154.
- curvata** Gregarina (Hamm.), A. de Frantzius, De Gregarinis, 1846, 26.—Rhizinia.
- curvata** Helcion (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—Patella.
- curvatus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 139.
- curvatus** Mastostethus (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 627.—Clythra.
- curvatus** Megalopus (Fab.), F. Klug, Entom. Mon. 1824, 82.—Clythra.
- curvata** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 243.
- curvata** Motacilla, J. Wilkes, Ency. Londin. XVI (1096) 1818, 103.
- curvata** Myadora, L. Reeve, Conch. Icon. II.—Myadora, no. 9, May 1844.
- curvatus** Mytilus, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 208.
- curvata** Ostrea, A. Risso, H. N. Europe, IV. 1826, 288.
- curvata** Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 157.
- curvata** Patella, J. Phillips, Geol. Yorksh. II. 1836, 223.
- curvatus** Pecten, H. B. Geinitz, Verst. Kieslingswalda, 1843, 16.
- curvata** Pholadomya (Homomya), (Morris), J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 688.—Allorisma.
- curvata** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.
- curvata** Rhizinia, K. E. Hammerschmidt, Isis (Oken), 1838, 356.
- curvata** Sesarma, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 75.
- curvatus** Spirifer (Schl.), J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 34.—Terebrat.
- curvatus** Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 280.
- curvatus** Turbo, G. D. Nardo (ex Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 83. [Tinea, 1761.]
- curvella** Argyresthia (L.), H. T. Stainton, The Zoologist, VII. 1849, App. p. xiv.—
- curvella** Ederesa (L.), J. Curtis, Brit. Entom. XV (180) Dec. 1838, 719.—Tinea, 1761.
- curvella** Ismene (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Oct. 1834, 250.—Phalaena, 1761.
- curvella** Yponomeuta (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena,
- curvi** Pteropsis, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166. [1761.]
- curvicauda** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1618.
- curvicauda** Coenia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 530.—Ephydra.
- curvicauda** Epeira, C. Vauthier, Ann. Sci. Nat. I (3) Mar. 1824, 261.
- curvicauda** Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 116.
- curvicauda** Fusus, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 140.
- curvicauda** Gasteracantha (Vauth.), H. Lucas, H. N. Anim. artic. (Annél. etc.) 1840, 430.—Epeira. [1831, 159.—Locusta, 1773.]
- curvicauda** Phaneroptera (De G.), J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1830, 234.—Tachina. [1837 [1841], 175.—Epeira,
- curvicauda** Plectana (Vauth.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1830, 234.—Tachina. [1837 [1841], 175.—Epeira,
- curvicauda** Pteroceras (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 250.—
- curvicauda** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (2) 1820, 17. [Fusus.
- curvicauda** Trichosomum, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 16.

- curvicaudus** Uloborus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 492.
- curvicauda** Uromyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 202.—Tachina. [Aptères, IV. 1847, 195.—Spirostreptus.
- curvicaudatus** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Spirostreptus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 269.
- curvicaudis** Spathius, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 49.
- curvicinctus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 109.
- curvicollis** Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 158.
- cervicollis** Cyphoderus (Bourl.), H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 382.—Lepidocyrtus.
- curvicollis** Lepidocyrtus, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 392.
- curvicornis** Aegopsis (Westw.), H. Burmeister, Handb. Ent. V. 1847, 282.—Agaocephala. [sed non comp.
- curvicornis** Agaocephala, Westwood, *dict.* in Partington, Brit. Cyclop. N. H. III. 1837,
- curvicornis** Anuraea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 197.
- curvicornis** Apis (Scop.), F. v. P. Schrank, F. Boica, II (2) 1802, 398.—Eucera, 1770.
- curvicornis** Callionymus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 298.
- curvicornis** Cerastoma, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 30.
- curvicornis** Curculio, W. Turton, Linnaeus, Syst. Nat. II. 1802, 274.
- curvicornis** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 401.
- curvicornis** Jaera, H. Nicolet in Gay, Chili (Crust.) 1849, 263.
- curvicornis** Myllocerus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1144.—Curculio.
- curvicornis** Onthophagus, P. A. Latreille in A. Humboldt, Voy. Intér. Amér. (Obs. Zool.)
- curvicornis** Paussus, Chevrolat, Rev. Zool. (Soc. Cuv.) Feb. 1838, 21. [1809, 365.
- curvicornis** Phyllognathus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 379.
- curvicornis** Roeselia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 254.
- curvicornis** Tipula, J. S. Presl, Delic. Prag. 1822, 200.
- curvicorne** Toxicum, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 119.
- curvicosta** Cicada, E. F. Germar, Revue Entom. II (2) 1834, 66.
- curvicosta** Melania, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 149.
- curvi-costa** Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [vero propius 1847] Ranelles, pl. ii.
- curvicosta** Pleurotoma, Lamarck, Ann. Mus. H. N. (Paris) III (15) Jan. 1804, 169.
- curvicosta** Pleurotoma, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 183.
- curvicostatium** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 311.
- curvicostata** Chemnitzia, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 79.—Turbonilla, 1842.
- curvicostatus** Fusus, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 154.
- curvicostata** Melania, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 94.
- curvicostata** Turbonilla, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536 [*n. n.*].
- curvidens** Belorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Cûrc. I (1) 1833, 341.—
- curvidens** Brentus, J. C. Fabricius, Syst. Eleuth. II. 1801, 545. [Brentus.
- curvidens** Centrotus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 515.
- curvidens** Chimaera, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 154.
- curvidens** Chimaera (Ganodus), P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss.
- curvidens** Cicindela, Dejean, Catal. Coléopt. 1821, 2 [*n. n.*]. [III. 348 (1843).
- curvidens** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 27.
- curvidens** Clivina, Laferté-S., Rev. et Mag. de Zool. (2) II. July 1850, 390.
- curvidens** Cõngrus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 111.
- curvidens** Lucanus, F. W. Hope, Proc. Linn. Soc. London (9) Nov. 1840, 78.
- curvidens** Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 149.
- curvidens** Podops, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 108.
- curvidens** Pupa, A. A. Gould, Rep. Invert. Massach. 1841, 189.
- curvidens** Tomicus, E. F. Germar, Ins. spec. novae, I. 1824, 462.
- curvidens** Tychaeus (Fab.), G. Fischer, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 267 & 310.—Brentus. [I. 1836 [1835], 179.—Formica.
- curvidentatum** Eciton (Latr.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.

- curvidentata** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 269.
- curvidigitatus** Scorpio (Androctonus), F. L. P. Gervais, Archives Mus. H. N. (Paris) IV [2] 1844, 214.
- curvidorsata** Ostrea, H. B. Geinitz, Verst. Kieslingswalda, 1843, 17.
- curvifasciana** Cnephasia, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 130.
- curvifrons** Schizopyge, J. J. Heckel in Russegger, Reise, II (3) [1847], 286 [*n. n.*].
- curvifrons** Schizothorax, J. J. Heckel, Fische Casch. 1838, 25.
- curvigaster** Helophilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 122.
- curvilabris** Glandina, L. Pfeiffer, Proc. Zool. Soc. London, XIII (154) Feb. 1846, 137.
- curvilabrum** Helix, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 59.
- curvilineatus** Bellerophon, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII. *post* Ap. 1842, 269. [1834, 6.]
- curvilineatus** Gyriosomus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV.
- curvilineata** Pachyta, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 239.
- curvilineata** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) ante 11 Apr. 1844, 94.
- curvilineum** Buccinum, J. Phillips, Geol. Yorksh. II. 1836, 230.
- curvilinea** Chemnitzia (Ph.), L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 467.—Buccinum. [19.—Buccinum.]
- curvilineus** Chrysodomus (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842,
- curvilinea** Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 812.
- curvilineus** Macrocheilus (Phil.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 28.—Buccinum.
- curvilineus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 63.
- curvilirata** Terebra, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 327.
- curvinervis** Anthophilina, J. W. Zetterstedt, Ins. Lapp. [descr. 1838, 785.
- curvinervis** Orillia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849,
- curvinervis** Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2620. [475.
- curvinervis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1018.
- curvinervis** Tachydromia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 301.
- curvinodus** Ammonites, J. Phillips, Geol. Yorksh., I. 1829, 123 [*n. et f.*].
- curvipalpis** Agromyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2782.
- curvipennis** Drosophila, C. F. Fallen, Geomyzides Sveciae, 1823, 4.
- curvipennis** Oscinis, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 383.
- curvipennis** Trochilus, M. Lichtenstein, Preisverz. Deppe Mex., Sept. 1830, 1.
- curvipes** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.), Ap. 1832, 147.
- curvipes** Anisoscels (Fab.), Latreille in Cuvier, Règne Anim., ed. 2, V. 1829, 197.—Lygaeus, 1794. [1841, 167.
- curvipes** Anisotoma, Kunze; W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom. III.
- curvipes** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 137.—
- curvipes** Anthribus, E. F. Germar, Ins. spec. novae, I. 1824, 176. [Musca.
- curvipes** Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 542.
- curvipes** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1433.—Musca.
- curvipes** Borborus (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca.
- curvipes** Brentus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 278.
- curvipes** Bruchus, P. A. Latreille in A. Humboldt, Voy. Intér. Amér. (Obs. Zool.) 1809, 234. [Lampetis.
- curvipes** Buprestis (Chevr.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 104.—
- curvipes** Calosoma, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 380.
- curvipes** Capsus, L. R. Meyer, Verz. Schweiz. Rhynchoten, 1843, 98.
- curvipes** Chrysobothris, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 179.
- curvipes** Cistela, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 226.
- curvipes** Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 29.
- curvipes** Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 148.
- curvipes** Damalis, J. C. Fabricius, Syst. Antliat. 1805, 147.
- curvipes** Diabasis (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1835, 208.—Tabanus.
- curvipes** Dolichopus, C. F. Fallen, Mon. Dolichop. Sveciae (3) 1823, 20.

- curvipes** Engis, Dejean, Catal. Coléopt. 1821, 44 [*n. n.*].
curvipes Erodias, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 567.
curvipes Gonyleptes, Guérin in Dict. pittoresque H. N. VII. 1838, 350; N. Dict. class. H. N., ed. 2, XXXIV. 1846, 148.
curvipes Gonyleptes, Kollar in C. L. Koch, Die Arachniden, VII (2) *post* July 1839, 36.
curvipes Haematopota, J. C. Fabricius, Syst. Antliat. 1805, 106.
curvipes Helops, Dejean, Catal. Coléopt. 1821, 71 [*n. n.*] [—Musca.
curvipes Hydrotaea (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 305.
curvipes Lampetis, A. Chevrolat, Revue Entom. V (1) c. Sept. 1838, 60.
curvipes Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 25. [Dolichopus.
curvipes Medeterus (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 65.—
curvipes Megalopus (Fab.), F. Klug, Entom. Mon. 1824, 79.—Clythra.
curvipes Megilla, J. C. Fabricius, Syst. Piezat. 1804, 330.—Andrena, 1793.
curvipes Megischia (Dej.), A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 247.—Cistela, ? Br.
curvipes Menoetius (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 170.—Curculio, 1787.
curvipes Merodon, J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 274.
curvipes Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 90.
curvipes Myscelus, C. v. Heyden, Isis (Oken), 1826, 612.
curvipes Necrophorus, Meg.; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
curvipes Necrophorus, Megerle in K. Duftschmid, Fauna Austriaca, III. 1825, 112.
curvipes Nomia (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 182.—Andrena, 1793.
curvipes Omophlus, Dejean in H. C. Kuester, Käfer Europas, XIX. 1849, 58 (2).
curvipes Orthogonius, Dejean & Boisduval, Icon. Coléopt. I. 1830, 148.
curvipes Phasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 76.
curvipes Platycrana (Stoll), G. R. Gray, Syn. Phasmidae, 1835, 37.—Phasma.
curvipes Pselaphaeus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. May 1841, 157.
curvipes Pseudoblaps, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 29.
curvipes Ptilopus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 42.—Curculio, 1787.
curvipes Rhyssa, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 265.
curvipes Sphaerocera, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 394.
curvipes Sphaerotus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 417.
curvipes Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 285.
curvipes Stephanorhynchus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 17.
curvipes Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 90.
curvipes Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 75.
curvipes Tenthredo (Macrophya), B. A. Gimmerthal, Arbeit. nat. Ver. Riga, I (1) 1847, 56.
curvipes Uloma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 149 [*n. n.*]. [56.
curvipunctata Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 490.
curvipunctosa Depressaria, A. H. Haworth, Lepidopt. Brit. (3) 1811, 511.
curvipustulata Coccinella, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 287.
curviradiata Lucina, P. H. Nyst, Coq. Foss. Anvers, 1835, 6.
Curvirostra C. L. Brehm, Beitr. Vögelk. I. 1820, 604.—A.
curvirostra Cerithium, G. Perry, Conchology, Ap. 1811, pl. 35.
curvirostra Gallinula, W. Swainson, Anim. in Menag., Dec. 1837, 337.
curvirostra Loxia, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 90.
curvirostra rubrifasciata Loxia, Bonaparte & Schlegel, Mon. Loxiens, 1850, 5.
cruvirostra Loxorynchus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
curvirostrum Nucula, G. B. Sowerby, I. (*ex* Humphrey MS), Conch. Illustr. (15) Jan. 1833, f. 5; Catal. (200) 1841, 3.
curvirostra Rostellaria, Lamarck, Ency. Méth. (Vers) 1816, pl. 411, Liste p. 4 [*n. et f.*].
curvirostrum Rostellaria, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 22.
curvirostra Trigonina, W. Smith, Strat. Syst. org. foss. 1817, 44.
curvirostra Vinago (Gm.), C. Ranzani, Elem. Zool. III (1) 1821, 237.—Columba, 1788.
curvirostrae Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 172.

- curvirostratus** Typhis, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 285. [116.]
- curvirostratus** Typhis, T. A. Conrad, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848.
- curvirostris** Acallopius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 455. [—Daphne, 1776.]
- curvirostris** Acanthocercus (Müll.), J. E. Schoedler, Arch. f. Naturg. XII (1) 1846, 307.
- curvirostris** Alauda, J. Hermann, Tabl. Aff. Anim. 1783, 216 [teste Stresemann].
- curvirostre** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 264.
- curvirostris** Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 114.
- curvirostris** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 144.
- curvirostris** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 185.
- curvirostris** Centrinus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins. 161.
- curvirostris** Centrophorus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 181. [516.]
- curvirostris** Cecephalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840.
- curvirostris** Chloropsis, W. Swainson, Anim. in Menag., Dec. 1837, 345.
- curvirostris** Cleopus, Dejean, Catal. Coléopt. 1821, 83 [n. n.].
- curvirostris** Coluber, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 51.
- curvirostris** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- curvirostris** Conors, J. Gould, Proc. Zool. Soc. London, IV (38) May 1836, 18. [411.]
- curvirostris** Cucullus, G. Shaw, Nat. Misc. XXI. 1810, pl. 905.
- curvirostris** Drymoica, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 104.
- curvirostris** Emarginula, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 111 (o*).
- curvirostris** Fusus, W. Wood, Suppl. Index Test. 1828, 39.—Murex, 1828.
- curvirostris** Fusus, S. V. Wood, l., Ann. Mag. N. H. IX. Sept. 1842, 541 [n. n.].
- curvirostris** Harporhynchus (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 81.—
- curvirostris** Kölga, G. v. Muenster, Beitr. zur Petref. (2) 1839, 63. [Orpheus.]
- curvirostris** Lemur, G. A. Goldfuss, Vergl. Naturb. Säugeth. (1) 1809, 81.
- curvirostris** Limnornis, J. Gould, Zool. "Beagle" (Bird. 1839), 81.
- curvirostris** Loxorynchus (L.), F. O. Morris, The Naturalist, II (9) June 1837, 124.—
- curvirostris** Loxia curvirostra, 1758. [Trigonellites.]
- curvirostris** Lyrodon (Schloth.), G. A. Goldfuss, Petref. German. II (6) 1837, 198.
- curvirostris** Mimus (Sw.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 273.—
- curvirostris** Murex, W. Wood (ex Chemn.), Index Test. 1818, 131. [Orpheus.]
- curvirostris** Myophoria (Schl.), H. G. Bronn, Lethaea Geogn. I (2) 1835, 171.—Trigo-
- curvirostris** Orpheus, W. Swainson, Phil. Mag., n. s., I (5) May 1827, 369. [nellites.]
- curvirostris** Ostrea, S. Nilsson, Petrif. Suec. 1827, 30. [677.—Tetrao.]
- curvirostris** Perdix (Rafll.), Vigors & Horsfield in S. Rafles, Mem. T. S. Rafles, 1830,
- curvirostris** Phoenicophaeus (Sh.), G. R. Gray, Genera of Birds, II. May 1845, 459.—
- curvirostris** Cuculus.
- curvirostris** Pleurotoma, W. Wood, Suppl. Index Test. 1828, 49.—Murex, 1818.
- curvirostris** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 446.—Curculio, 1781.
- curvirostris** Sitta, J. Hermann, Tabl. Aff. Anim. 1783, 204 [teste Stresemann].
- curvirostris** Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 172.
- curvirostris** Strombus (Lam.), W. Wood, Suppl. Index Test. 1828, 51.—Rostellaria.
- curvirostris** Terebratula, S. Nilsson, Petrif. Suec. 1827, 33.
- curvirostris** Tetrao, T. S. Rafles, Tr. Linn. Soc. London, XIII (2) 1822, 323.
- curvirostris** Thamnophilus (L.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 18.—Lanius, 1766.
- curvirostris** Toxostoma (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 277.—Orpheus.
- curvirostris** Trigonellites, E. F. v. Schlotheim, Die Petref. 1820, 192.
- curvirostris** Trigonion (Schl.), G. G. Pusch, Geogn. Besch. Polen, I. 1833, 254.—Trigo-
- curvirostris** Tringa, J. Hermann, Obs. Zool. 1804, 188. [nellites.]
- curvirostris** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 227. [150.—Lanius, ? L., 1766.]
- curvirostris** Vanga (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826,
- curvirostris** Zosterops, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (post Sept.), 563.

- curvispina** Caelopygus (Perty), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 18.—
Gonyleptes. [—Gonyleptes.]
- curvispina** Caelopygus (Perty), C. L. Koch, Die Arachniden, VII (4) *post* July 1839, 78.
- curvispinus** Dyschirius, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 561.
- curvispina** Epeira, F. E. Guérin-M., Iconographie, 1844, Arach. 8.
- curvispina** Gonyleptes, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
- curvispina** Phoracantha, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19 [*n. n.*].
- curvispina** Plectana (Guér.), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 154.—Epeira. [413 & 477.]
- curvospira** Nummulina, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850,
- curvitarus** Crossocerus, Herrich-S. in Panzer, Ins. Germ., heft 179, 1841, tab. 19.
- curviventris** Astomella, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 210.
- curvo** → *v.* **curvi** →
- Curvula** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.—L.
- Curvulites** Rafinesque, Enum. obj. Cab., Nov. 1831, 4.—L.
- curvula** Oxyuris, K. A. Rudolphi, Archiv Zool. (Wiedemann), III (2) 1803, 6.
- curvus** Ceratodus, J. L. R. Agassiz, Poiss. Foss. III. 131 (1838).
- curva** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 516.—Phal. Tin. curvella,
- curva** Hippurites, Lamarck, An. s. vert. VII. 1822, 598. [L. 1761.]
- curvus** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 282. [Ichneumon.]
- curvus** Phygadeuon (Schr.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 679.—
- curvus** Tetrodon, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 472.
- Curynorhynchus** *err. pro* Euryno → Nils.; Temminck, Man. Orn., ed. 2, I. 1820, p. civ.
- cusanensis** Malachius, A. Costa, Ann. Accad. Aspir. Nat. (2) 1847, 105. [—A.]
- cusanus** Cervulus (Croiz.), P. M. T. de Serres, Ann. Soc. Agric. Lyon, 1838, 411.—
Cervus.
- cusanus** Cervus, Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 8 Livr. 1828.
- Cuscus** R. P. Lesson in Duperry, Voy. "Coquille" (Zool.) I (1) 1826, 150.—M. [= Coes-
Cuscutaria H. M. de Blainville, Dict. Sci. Nat. LX. 1830, 461.—Polyz. [coes, 1799].
- cuscuta** Sertularia (Peripyxis) (Müll.); C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 298. [1758.]
- cuscuta** Vesicularia (L.), J. V. Thompson, Zool. Res. (V.) Dec. 1830, 97.—Sertularia,
- cuscuta** Walkeria (L.), J. Fleming, Mem. Werner. N. H. Soc. IV (2) May 1823, 490.—
- Cusoria** J. E. Gray, Cat. Snakes Coll. B. M. 1849, 107.—R. [Sertularia, 1758.]
- cuspicauda** Aluterus (Mitch.), J. E. De Kay, N. H. New York (Fish) 1842, 338.—Balistes.
- cuspicauda** Balistes, S. L. Mitchell, Amer. Monthly Mag. II (5) Mar. 1818, 326.
- cuspidana** Anchylopera (Tr.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 113.
—Phoxopteris.
- cuspidana** Phoxopteris, F. Treitschke, Schmett. Europa, VIII. 1830, 236.
- cuspidana** Steganoptycha (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—
- cuspidana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 451. [Tortrix.]
- Cuspidaria** G. D. Nardo, Atti Riun. Sci. Ital. I. 1839 (1840), 175; Ann. Sci. Lomb.-Ven., X. 1840, 50.—L.
- cuspidaria** Donatia, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- cuspidata** Achatina, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 280.
- cuspidatus** Acteon, J. De C. Sowerby, Min. Conch. V. 1824, 77.
- cuspidata** Amphiroa (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 300.—Coral-
- cuspidatus** Ancylus, A. H. Haliday, Entom. Mag. I (3) Apr. 1833, 261. [lina, 1786.]
- cuspidatus** Anomites, W. Martin, Petr. Derb. 1809, pl. 46.
- cuspidatum** Anthophyllum (Esp.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 402.—Madrepora, 1789.
- cuspidata** Ascaris, K. A. Rudolphi, Ges. Nat. Fr. Berlin, Mag. VI (2) 1812, 93.
- cuspidata** Asterias, Lamarck, An. s. vert. II. 1816, 553. [Goniaster.]
- cuspidatum** Astrogonium (Gray), Joh. Mueller & Troschel, Syst. Asterid. 1842, 56.—
- cuspidata** Atrypa, J. Hall, N. H. New York (Pal. I.) 1847, 138.
- cuspidatus** Berosus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 228.
- cuspidata** Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. c.
- cuspidatum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 373.

- cuspidata** Clausilia, F. Held, Isis (Oken), 1836, 276.
- cuspidata** Cleodora (Bosc), S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 83.—Hyalaea.
- cuspidata** Cleodora (Bosc), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 384.—Hyalaea.
- cuspidata** Clerodora, L. Oken, Lehrb. Nat. III (1) 1815, 326.
- cuspidata** Clio (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 122.—Cleodora.
- cuspidata** Clio (Bosc), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 13.—Hyalaea.
- cuspidatus** Coccosteus, L. Agassiz, 12 Rept. Brit. Assoc. (Manch. 1842) 1843, 87 [*n. n.*].
- cuspidatus** Coccosteus, J. L. R. Agassiz, Poiss. Foss. V. G. R., 28 (1844), 137 (1845).
- cuspidata** Corbula, J. Sowerby, Min. Conch. IV. 1822, 85. [1792.]
- cuspidata** Corbula (Oliv), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 599.—Tellina,
- cuspidatus** Ctenoptychius, J. L. R. Agassiz, Poiss. Foss. III. 173 (1843) [*n. n.*].
- cuspidata** Cyrtia (Martin), F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17.—Anomia.
- cuspidata** Delthyris, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 270.
- cuspidatus** Dichodon, R. Owen, Q. J. Geol. Soc. London, IV. 1848, 42.
- cuspidatus** Elater (Conoderus), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 154. [[1841], 154.—Gasteracantha,
- cuspidata** Epeira (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- cuspidata** Erycina (Oliv), A. Risso, H. N. Europe, IV. 1826, 366.—Tellina, 1792.
- cuspidatus** Eucamptus, L. A. A. Chevrolat, Coléopt. Mex. (1) Oct. 1833, no. 35.
- cuspidata** Eupelix (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 94.—Cicada,
- cuspidatus** Eusirus, H. Krøyer, Naturhist. Tidsskrift [2] I (5) 1845, 501. [1775.]
- cuspidata** Gasteracantha, C. L. Koch, Die Arachniden, IV (1) May 1837, 22.
- cuspidatus** Goniaster, J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 280.
- cuspidatus** Goniodyscus (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 60.—
- cuspidatus** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 56. [Asterias.
- cuspidata** Hyalaea, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 241.
- cuspidatus** Hybodius, J. L. R. Agassiz, Poiss. Foss. III. 194 (1843).
- cuspidatus** Hydroporus, Germ.; Dejean, Catal. Coléopt. 1821, 20 [*n. n.*].
- cuspidatus** Hyphydrus, G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 68.
- cuspidata** Ischnostoma (Fab.), H. Burmeister, Handb. Ent. III. 1842, 607.—Cetonia, 1787.
- cuspidata** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 215.
- cuspidata** Lamma, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]; Poiss. Foss. III. 290 (1843).
- cuspidatus** Leiophron (Ancyclus), A. H. Haliday, Entom. Mag. II (5) Jan. 1835, 462.
- cuspidata** Leptaena, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 233.
- cuspidatus** Lyridon (Sow.), H. G. Bronn, Index Pal. 1848, 686.—Trigonia.
- cuspidata** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 485.
- cuspidata** Melanophila (K. & E.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 76.—Buprestis.
- cuspidata** Modiola, L. v. Buch, Ber. Verh. k. pr. Ak. Wiss. 1838, 34; Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839], 164.
- cuspidatus** Mytilus (Buch), G. v. Muenster, Beitr. zur Petref. (3) 1840, 55.—Modiola.
- cuspidata** Neaera (Ol.), R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 76.—Tellina, 1792.
- cuspidatus** Nirmus (Scop.), H. Denny, Mon. Anoplur. 1842, 130.—Pediculus, 1763.
- cuspidata** Nucula, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 47.
- cuspidata** Paludina, H. Nyst, Messenger des Sci. XIV. 1836, 163.
- cuspidatum** Paramaecium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 45.
- cuspidata** Pardalisca, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 153.
- cuspidata** Patella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 26 [*n. n.*].
- cuspidatus** Philopterus (Scop.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 346.—Pediculus, 1763. [[*n. n.*].
- cuspidatus** Platymus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 17
- cuspidatus** Priestobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.

- cuspidatus** Proteus, M. Losana; Mem. R. Acc. Sci. Torino, XXIX. 1825, 196.
cuspidata Purpura, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 33.
cuspidata Ranella, L. Reeve, Conch. Icon. II.—Ranella, no. 48, July 1844.
cuspidatus Siderodactylus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 260.
cuspidatus Spirifer (Mart.), J. Sowerby, Min. Conch. II. 1816, 42.—Anomites.
cuspidata Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 22.
 —Buccinum, Gm. 1790.
cuspidata Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 157.
cuspidata Terebratula (Sow.), G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 34.—
 Spirifer. [Cicada, 1775.
cuspidata Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 261.—
cuspidatus Thyreopterus, F. Klug, Arch. f. Naturg. I (1) 1835, 387.
cuspidatus Tornatella (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 336.—Acteon.
cuspidata Tornatella, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 136.
cuspidata Trigonina, J. De C. Sowerby, Min. Conch. VI. 1826, 8.
cuspidata Trypeta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 328.
cuspidata Urophora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 457.—Trypeta. [Aug. 1833, 108.
cuspidata Walckenaeria, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser., III (14)
cuspidella Adela (Hueb.), F. Treitschke, Schmett. Europa, VIII. 1830, 301.—Tinea,
 D. & S. 1775.
cuspidella Lita (D. & S.), F. Treitschke, Schmett. Europa, IX (2) 1833, 110.—Tinea, 1775.
cuspidella Oxybelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 408.—Tinea,
cuspidella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 373. [1775.
cuspidata Drasteria, J. Huebner, Beiträge z. Exot. Schmett. I. 1818, 16.
cuspidiferum Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] ante Sept. 1815, 168.
cuspidifera Ophiura, Lamarck, An. s. vert. II. 1816, 547.
cuspidiusculus Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 128.
cuspis Acronicta (Hueb.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 62.—Noctua.
cuspis Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 157. [[n. et f.].
cuspis Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 108 (Fernaldo judice 1808–18)
cuspis Nodosaria, H. D. de Blainville, Faune Française (18) Malac. 1828, 27.
cuspis Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 72.
cuspis Triacna, J. Huebner, Verz. bekannt. Schmett. [1822], 200.
Custa J. Fleming, Phil. Zool. II. 1822, 274.—A.
custator Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 164.
Custodiella C. F. A. Morren, Tent. Biozoogen. generalis, 1829, 27.—? Diatom.
custos Arma (Fab.); C. W. Hahn, Wanzenart. Ins. I (3) Nov. 1832, 95.—Cimex, 1794.
custos Asopus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 379.—Cimex, 1794.
custos Jalla (Fab.), M. Spinola, Ess. Ins. Hémipt. 1837, 336.—Cimex, 1794.
custos Palaemon, P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 337.
custos Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 188.—Cimex,
custos Phronima, A. Risso, H. N. Crust. 1816, 121. [1794.
custos Pontonia, F. E. Guérin in Bory de St V., Exp. Morée (Crust.) 1832, 36.
custos Stiretrus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
 153.—Cimex, 1794.
custugensis Cytherea, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361.
custugensis Venus (Leym.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 322.—Cytherea.
cuta Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 139.
cutaceus Aquillus (L.), Denys de Montfort, Conch. II. 1810, 579.—Murex, 1767.
cutaceus Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 427, Liste p. 6 [n. et f.].
cutaceum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 414, Liste p. 4 [n. et f.].
cutaceum Tritonium (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 122.
cutberti Anas, P. S. Pallas, Zoographia, II. 1811, 235. [—Murex, 1767.
cutcutia Tetrodon, F. Hamilton, Fish. Ganges, 1822, 8.
Cuterebra B. Clark, Essay Bots, 1815, 64.—Dipt.
Cutia B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 772.—A. [stomum.
cuticola Diplostomum (Nordm.), C. M. Diesing, Syst. Helminth. I. 1850, 306.—Holo-

- cuticola** Holostomum, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 49.
- cuticularis** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 189. [1838], 523.
- cuticulare** Orchelimum, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 523.
- cutilia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 954.
- cutipora** Phrynomera (D. & B.), L. Fitzinger, Syst. Rept. 1843, 31.—Rana.
- cutipora** Rana, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 338.
- Cutiterebra** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuterebra, Clark.
- cutleri** Cavia, E. T. Bennett (*ex* King MS), Proc. Zool. Soc. London, III (36) Ap. 1836, 189.
- cutleriana** Skenea, W. Clark, Ann. Mag. N. H. (2) IV. Dec. 1849, 424. [191.
- cutora** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 172.
- cutta** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 486.
- cutteri** Cavia, Bennett in G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 192.
- cuvera** Coryphocera (Hope), H. Burmeister, Handb. Ent. III. 1842, 222.—Dicheros.
- cuvera** Dicheros, E. Newman, Entom. Mag. V (4) Ap. (*i.e.* July) 1838, 384.
- cuvera** Heterorhina, J. O. Westwood, Arcana Entom. (9) Sept. 1842, 139.
- cuvera** Odontolabris, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 127.
- cuveriae** Alabes, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 221.
- Cuveriana** F. W. Hoeninghaus, Jahrb. f. Min. 1830, 472.—L.*[n. n.]*.
- Cuviera** Rang, "Bull. Soc. Philom. Paris. 1827"; *err.* Scudderi *pro* Cuvieria, *q. v.*
- Cuvierana** *emend. pro* Cuveriana, Hoen.; H. G. Bronn, Index Pal. 1848, 363.—L.
- cuvieri** Abrocoma, G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 32.
- cuvieri** Acanthina, J. E. Gray, Proc. Zool. Soc. London, XV (176) Aug. 5, 1847, 102.
- cuvieri** Actinoceras (Troost), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 3.—
- cuvieri** Adapis, J. B. Fischer, Syn. Mamm. 1829, 428. [Conotubularia.
- cuvieri** Aello, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 71.
- cuvieri** Algira, J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 283.
- cuvieri** Alligator (Leach), Bory de St V., Dict. Class. H. N. V. 1824, 104.—Crocodylus.
- cuvierii** Ammonites, G. Fischer v. W., Oryct. Moscou, 1830, sign. *a*¹.
- cuvier** Anampses, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 276.
- cuvieri** Anilocra, W. E. Leach, Dict. Sci. Nat. XII. 1818, 350.
- cuvieri** Anolis, B. Merrem, Tent. Syst. Amph. 1820, 45.
- cuvieri** Anolius, H. R. Schinz in Cuvier, Thierreich, II. 1822, 67.
- cuvieri** Antelope, W. Ogilby, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 35.
- cuvieri** Aplysia, S. della Chiaje, Atti R. Ist. Incoragg. Napoli, IV. 1828, 71.
- cuvieri** Argentina, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 413.
- cuvierii** Aricia, Audouin & Edwards, Ann. Sci. Nat. XXIX (116) Aug. 1833, 397.
- cuvieri** Ascidia, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 15.
- cuvierii** Asteria, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 79.
- cuvieri** Ateuchus (MacLeay), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 32.—
- cuvieri** Ausonia, A. Risso, H. N. Europe, III. 1826, 342. [Scarabaeus.
- cuvierii** Balacnoptera, Balsamo-Grivelli, Giorn. R. Ist. Lomb. e Bibl. Ital. III. 1842, 306.
- cuvierii** Belosaepia, Voltz, Mém. Soc. H. N. Strasbourg, I. 1830, 23. [Sepia.
- cuvieri** Belosepia (Desh.), F. E. Edwards, Eoc. Moll. (Pal. Soc. II.) July 1849, 31.—
- cuviera** Berenix, Péron in R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 20; (Roret's Suite à Buffon), Acalèphes, 1843, 297.
- cuvier** Bodian (*sic*), J. W. Bennett, Fishes Ceylon (3) *ante* Nov. 1829, no. 13; **cuvieri**
- cuvieri** Brachypus, L. J. Fitzinger, N. classif. Rept. 1826, 50. [in ed. 3, 1841.
- cuvierii** Buccinum, B. C. Payraudeau, Cat. Moll. Corse, 1826, 163.
- cuvieri** Calyptraea, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll., descr. to pl. 48 (1839). [Trochilus.
- cuvieri** Campylopterus (Delatt.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 71.—
- cuvieri** Caranx, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 183.
- cuvieri** Carassius, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 194.
- cuvieri** Cardita, J. W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 56.
- cuvieri** Catillus (Sow.), Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 386.—Inoceramus.
- cuvieri** Cerithium (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 318.—Melania.

- cuvieri Chaeropotamus, R. Owen, Tr. Geol. Soc. London [2] VI. 1841, 41.
 cuvieri Chalcides (Fitz.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 453.—Brachypus.
 cuvieri Chalcis (Fitz.), J. Wagler, Nat. Syst. Amph. 1830, 196.—Brachypus.
 cuvieri Chelonia, J. E. Gray, Syn. Rept. 1831, 54.
 cuvierii Cichrinus, T. C. Jerdon, Madras Journ. XV (35) 1849, 304.
 cuvierii Clypeaster, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 133.
 cuvieri Coluber (Natrix), B. Merrem, Tent. Syst. Amph. 1820, 100.
 cuvierii Conotubularia, G. Troost, Trans. Geol. Soc. Pennsylv. I (2) 1835, 248 [*n. n.*].
 cuvieri Corallina, J. V. F. Lamouroux, Hist. Polyp. 1816, 287.
 cuvieri Crocodilus, W. E. Leach, Zool. Miscell. II. 1815, 117.
 cuvieri Crocodilus, J. E. Gray, Syn. Rept. 1831, 61.
 cuvierii Ctenodon, W. Swainson, N. H. Fishes etc. II. July 1839, 256.
 cuvieri Ctenonotus (Merr.), L. Fitzinger, Syst. Rept. 1843, 64.—Anolis.
 cuvieri Cynthia, Philippi, Arch. Anat. Phys. Med. 1843, 50.
 cuvieri Cyrene (Val.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1025.—Dangila.
 cuvieri Dactyloa (Merr.), J. Wagler, Nat. Syst. Amph. 1830, 148.—Anolis.
 cuvieri Dangila, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 230.
 cuvieri Delphinus (Gray), J. A. Wagner in Schreber, Säugth. VII. 292 (1846-7) pl. cccxlv
 cuvieri Didelphys, J. B. Fischer, Syn. Mamm. 1829, 268. [(1846-7).—Grampus.
 cuvieri Dimadon, J. J. Kaup, Class. Säugth. Vögel, 1844, 91.
 cuvieri Dinotherium, J. J. Kaup, Descr. Oss. foss. (1) 1832, 14.
 cuvierii Diphylidia, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 199.
 cuvieri Dorippe, A. Risso, H. N. Crust. 1816, 35. [(1836), 186.—Clypeaster.
 cuvieri Echinolampus (Muenst.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835
 cuvieri Emarginula, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.), 1826, 21.
 cuvieri Emys, J. E. Gray, Syn. Rept. 1831, 33.
 cuvieri Emys, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 45.
 cuvierii Eolidia (Lam.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 277.—Eolis.
 cuvieri Eolis, Lamarck, An. s. vert. VI (1) 1819, 302.
 cuvieri Eryon, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 512.
 cuvieri Eulabeornis (Puch.), G. R. Gray, Genera of Birds, III. Nov. 1846, 595.—Rallus.
 cuvieri Eupholus, J. A. Boissduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 363.
 cuvieri Euplocomus, K. Tyzenhaus, Orn. powz. III. 1846, 20.
 cuvieri Falcinellus, C. L. Bonaparte, List Birds Eur. Amer. 1838, 50.
 cuvierii Falco, A. Smith, S. African Quart. Journ. I (4) Sept. 1830, 392.
 cuvieri Flabellina (Johnst.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Eolis, Lam.
 cuvieri Galeus, J. L. R. Agassiz, Poiss. Foss. IV. 33 (1835). [phorus.
 cuvieri Gallophasis (Temm.), G. R. Gray, Genera of Birds, III. Jan. 1845, 498.—Lopho-
 cuvieri Gallus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 83.
 cuvieri Gasterosteus, Girard, Boston Journ. N. H. VI (2) 1850, 254.
 cuvieri Gennaeus (Temm.), Cabanis, Ersch & Gruber, Allg. Ency. (3) XXII. 1846, 148.
 —Lophophorus.
 cuvieri Gerbillus, G. R. Waterhouse, Proc. Zool. Soc. London, VI (64) July 1838, 56.
 cuvieri Grampus, J. E. Gray, Ann. Mag. N. H. XVII. Feb. 1846, 85.
 cuvieri Gymnolepas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 374.
 cuvieri Gyrodus, J. L. R. Agassiz, Poiss. Foss. II (1) 16 (1833); II (2) 230 (1844).
 cuvieri Halianassa (Christ.), H. G. Bronn, Index Pal. 1848, 562.—Halicore.
 cuvierii Halicore, J. de Christol, Ann. Sci. Ind. Midi France, II (8) Aug. 1832, 244.
 cuvieri Hamiuaea, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
 cuvieri Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 82.
 cuvieri Helixarion, A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 24.
 cuvieri Holigoctonia (P. & L.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24)
 Jan. 1837, 191.—Rhizostoma.
 cuvieri Homarus, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849,
 cuvieri Homola, A. Risso, H. N. Europe, V. 1826, 34.—Dorippe, 1816. [117.
 cuvieri Hyaena, P. Boitard, Jardin d. Plantes, 1842 [*i.e.* 1841], 233.
 cuvieri Hydriophora, G. Fischer de W., Not. foss. Gouv. Moscou, II. 1810, 11.

- cuvieri** Hydnophora (Lam.), C. D. E. König, Icones foss. 1825, 1.—Monticularia.
- cuvieri** Inoceramus, J. Sowerby in Parkinson, Tr. Geol. Soc. V. 1819, 55.
- cuvieri** Julis, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 128.
- cuvieri** Julis (Halichoeres), P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 160. [35.]
- cuvieri** Lacerta (Algyra), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.
- cuvieri** Lagidium (Benn.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 306.—Lagotis.
- cuvieri** Lagotis, E. T. Bennett, Proc. Zool. Soc. London, I (2) July 1833, 58.
- cuvieri** Lebia, F. P. Jarocki, Zoologia, IV. 1822, 98.
- cuvieri** Lemintina, A. Risso, H. N. Europe, IV. 1826, 114.
- cuvieri** Lepas (Leach), W. Wood, Suppl. Index Test. 1828, 46.—Otion.
- cuvieri** Libythea, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 171.
- cuvieri** Lophophorus, C. J. Temminck, Man. Orn., ed. 2. I. Oct. 1820, p. xci [n. n.].
- cuvieri** Lophophorus, C. J. Temminck in T. & Laugier, Pls. color. (1) Ap. 1822.
- cuvieri** Lophura, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn. 60.
- cuvieri** Lunulites, Defrance, Dict. Sci. Nat. XXVII. 1823, 361.
- cuvieri** Macropus, G. Fischer de W., Comm. Soc. phys.-med. Mosq. I (1) 1808, 63.
- cuvieri** Manatus, H. D. de Blainville, Ostéogr., Manatus, 1843, 122.
- cuvieri** Mastodon, J. Hays, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 334.
- cuvieri** Megalonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 219.
- cuvieri** Megatherium, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 365.
- cuvieri** Melania, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1825, 104.
- cuvieri** Meriones (Waterh.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 473.—Gerbillus.
- cuvieri** Merops, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 13.
- cuvieri** Merops, G. Cuvier, Règne Anim., ed. 2, I. 1829, 442.
- cuvieri** Metaxytherium, H. D. de Blainville, Ostéogr., Manatus, 1843, 123.
- cuvieri** Monticularia (Fisch.), Lamarck, An. s. vert. II. 1816, 251.—Hydnophora.
- cuvieri** Myoxus, C. G. Giebel, Fauna d. Vorwelt, I (1) 1847, 81.
- cuvieri** Myscelia (God.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 223.—Libythea. [stat. Marseille, VI. 251.]
- cuvieri** Mytilus, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 179: Rep. trav. Soc.
- cuvieri** Nautilus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [n. n.].
- cuvieri** Nodosaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 255.
- cuvieri** Notarchus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 266.
- cuvieri** Numenius, J. C. Savigny, Hist. Nat. Ibis, 1805, 25.
- cuvieri** Oello, de Blainville, C. R. Acad. Sci. (Paris) V. 1837, 822 [n. n.]. [225.]
- cuvieri** Ommatolampus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845.
- cuvieri** Ophiura (Chiaje), F. Dujardin in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb. 1840, 228.—Asteria.
- cuvieri** Opisthognathus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 504.
- cuvieri** Oplcephalus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.
- cuvieri** Orestias, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 225. [84 [n. n.].]
- cuvieri** Orthoceras, Kolenati, K.-B. zool.-min. Ver. Regensburg, III. 1849, 122.
- cuvieri** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 27 [n. n.].
- cuvieri** Otion, W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) III (1) 1818, 170.
- cuvieri** Pachyramphus (Sw.), G. R. Gray, List Gen. Birds, 1840, 31.—Psaris.
- cuvieri** Pachyrhynchus (Swains.), J. B. v. Spix, Avium Brasil. II. 1825, 33.—Psaris.
- cuvieri** Pelors, J. E. Gray, Ill. Indian Zool. II (19, 20) Feb. 1835 (pl. 90).
- cuvieri** Phalangista, J. E. Gray in Waterhouse, Marsupials (Nat. Libr. XXX.) Aug. 1841,
- cuvieri** Phyllurus, Bory de St V., Dict. Class. H. N. VII. 1825, 183. [263.]
- cuvieri** Physalaemus, L. J. Fitzinger, Neue Classif. Rept. 1826, 65 [n. n.].
- cuvieri** Platydactylus, J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 199 [n. n.]. [1839.]
- cuvieri** Platyonyx, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 311.—Megalonyx,
- cuvieri** Podargus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) Mar. 1827, 200.
- cuvieri** Polytmus (L. & L.), G. R. Gray, Genera of Birds, I. Dec. 1848, 107.—? Trochilus,
- cuvieri** Pomatomus, A. Cocco, Giorn. Sci. Lett. Sicilia, XXVI. 1829, 143. [D. & B.]

- cuvieri** Proetus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 29.
cuvierii Psaris, W. Swainson, Zool. Illust. (1) I (6) Mär. 1821, pl. 32.
cuvierii Pterotrachea (Pér.), Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 346.—Firola [*non comp.*].
- cuvieri** Pygorhynchus (Goldf.), L. Agassiz, Cat. Ect. Ech. 1840, 5.—Clypeaster.
cuvieri Rallus, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 279.
cuvieri Ramphastos, J. Wagler, Syst. Avium, I. 1827, sign. 13.
cuvierii Regulus, J. J. Audubon, Birds of Amer., pl. 55 (1829); Orn. Biogr. I. 1831, 288.
cuvieri Rhinoceros, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 402.
cuvieri Rhinoceros, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (9) 1829, 282.
cuvierii Rhizostoma, Lamarck, Syst. Anim. 1801, 354.
cuvieri Rhizostoma, C. A. Rudolphi, Bemerk. Naturg. I. 1804, 170.
cuvieri Rhizostoma, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 362.
cuvieri Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1849, 39.
cuvieri Rostellaria, I. Lea, Contrib. to Geol. 1833, 160.
cuvieri Salanx, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 360.
cuvieri Salminus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 56.
cuvieri Sargus, J. L. R. Agassiz, Poiss. Foss. IV. 11 (1838), 168 (1839).
cuvieri Scaphites, S. G. Morton, J. Acad. Nat. Sci. Philad. VI. July 1829, 109.
cuvieri Scarabaeus, W. S. Macleay, Horae Entom. I (2) 1821, 499.
cuvieri Scrofaria (Risso), J. Gistel, Nat. Thierr. 1848, p. viii.—Ausonia.
cuvieri Sepia, A. d'Orbigny, Ann. Sci. Nat. VII (26) Feb. 1826, 157.
cuvieri Sepia, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 758.
cuvierii Serranus, A. Smith, S. Afr. Q. Journ. (5) Oct. 1831, 20.
cuvieri Silurus (Acanthonotus), J. E. Gray, Ill. Indian Zool. I (1) Jan. 1830 (pl. 85).
cuvieri Simia, J. B. Fischer, Syn. Mamm. 1829, 30. [1844].
cuvieri Sphenolepis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 144 (1843); V (2), 89
cuvier Squalus, Péron & Lesueur, J. Acad. Nat. Sci. Philad. II. Nov. 1822, 351.
cuvieri Streptospondylus, R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 88.
cuvierii Succinea, L. Guilding, Zool. Journ. II (8) Jan. [*z. e. ap.*] 1826, 443.
cuvieri Talegalla, R. P. Lesson, Man. Orn. II. June 1828, 186.
cuvieri Telegallus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 716.
cuvieri Testudo, L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 123.
cuvieri Tetragonurus, A. Risso, Ich. Nice, 1810, 347.
cuvieri Thoracoceras (Troost), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 770.—Conotubularia.
- cuvierii** Tityra (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 136.—
cuvieri Tityra (Sw.), Jardine & Selby, Ill. Orn., sign. D 3, 1826.—Psaris. [Psaris.
cuvieri Trionyx, J. E. Gray, Syn. Rept. 1831, 50. [Syn. 19.
cuvieri Trionyx (Tetraonyx), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
cuvierii Trochilus, De Lattre & Bourcier, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.] 1846,
cuvieri Typhline, A. F. A. Wiegmann, Herpet. Mex. 1834, 11. [310.
cuvieri Typhlomorphus (Wiegmann), L. Fitzinger, Syst. Rept. 1843, 23.—Typhline.
cuvierii Unio, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 169; Rep. trav. Soc. stat. Marseille, VI. 241.
- cuvieri** Vastres, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 441.
cuvieri Vitrina (Fér.), G. B. Sowerby, II., Gen. Shells (11) 1822.—Helixarion.
cuvieri Xiphostoma, J. B. v. Spix, Pisc. Brasil. 1829, 79.
cuvieri Xiphosurus (Merr.), L. J. Fitzinger, Neue Classif. Rept. 1826, 48.—Anolis.
cuvieri Zygaena, Boisdual, Essai Zygén. 1829 [1828], 53.
- Cuvieria** Péron & Lesueur, Voy. Terr. Austr. (Atlas I. 1807), pl. xxx.—Med.
Cuvieria W. E. Leach, Edinb. Ency. VII. 1814, 435.—Cr.
Cuvieria Péron (Cuv. Règn. anim. IV. 1817, 58); L. Agassiz, Nom. Zool. (Ech.) 1842 [= Medusae, 1807].
- Cuvieria** P. S. Rang, Ann. Sci. Nat. XII (47) Nov. 1827, 322.—Pt.
cuvieria Berenice, Péron in H. D. de Blainville, Man. Actin. 1834, 276.
cuvieria Cuvieria, G. F. Jaeger, De Holothur. 1833, 20.
cuvieria Raja, J. G. Schneider, Bloch, Syst. Ichth. 1801, 367.

- cuvieria** Spongia, A. Risso, H. N. Europe, V. 1826, 371.
- cuvieriana** Cyclostoma, S. Petit, Rev. Zool. (Soc. Cuv.) IV. June 1841, 184.
- cuvieriana** Helix, I. Lea, P. Amer. Phil. Soc. I (10) Feb. 1840, 175.
- cuvieriana** Ibla, J. E. Gray, Ann. Phil. XXVI. Aug. 1825, 101.
- cuvieriana** Narica, C. A. Récluz, Magasin de Zool. (2) VII. 1845 [1846], pl. 134.
- cuvieriana** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 338.
- cuvierianus** Otion, W. E. Leach, Zool. Journ. II (6) July 1825, 211 [= *cuvieri*, 1818].
- cuvieriana** Quinqueloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 190.
- cuvierianus** Sigaretus, C. A. Récluz in J. C. Chenu, Illustr. conch. I. Sigaretus, 1843, 18.
- cuvierianum** Tropidophora (Petit), F. H. Troschel, Zeitschr. f. Malakozool., Mar. 1847, 44.—Cyclostoma.
- cuyoensis** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 152.
- cuzcoensis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 514, July 1849.
- cyamites** Satyrus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 152.
- cyamium** R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 50.—L.
- Cyamobolus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 177.—Col.
- cyamon** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 176.
- cyana** *v.* **cyanus**.
- Cyanaea** Cuvier, R. Anim. IV. 1817, 56.—Med. [1782.]
- cyanalysios** Conurus (Mol.), O. Des Murs in Gay, Chili (Aves) 1847, 367.—Psittacus,
- cyanaria** Phaesyale (B.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 254.—
? *Geometra cyanata*, Huebn.
- cyanator** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 442.
- cyanator** Dacnis, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 458.
- cyanator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 272.
- cyanata** *Geometra*, J. Huebner, Europ. Schmett., Tab. Geom. 62 (Fernaldo judice 1800—08) [n. et f.].
- cyanata** Glaucopteryx, J. Huebner, Verz. bekannt. Schmett. 1826, 332.—*Geometra*.
- cyanata** Larentia (Huebn.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—*Geometra*.
- cyanauchen** Psittacus, S. Müller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (3 & 4) 1841, 107. [(1850), 304.—*Nymphalis*.]
- cyane** Apatura (Latr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II
- cyane** Cethosia (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 247.—*Papilio*, Dru. 1770.
- cyane** Dysphania (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 175.—*Phalaena*, 1780.
- cyane** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, 1841 (1) 1841, 23.
- cyane** Nymphalis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813).
- cyane** Sylvia, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1841 (1) 1841, 163. [82.]
- cyane** Thamnotettix, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 158.
- Cyanea** Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 363.—Med.
- Cyanea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro Cyanaea*, Cuv.
- cyanea** *v.* **cyaneus** -a -um.
- cyaneae** Hyperia (Sab.), H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 387.—
Talitrus.
- cyaneae** Talitrus, E. Sabine, App. Parry's Voy. 1819—20, 1824, p. cccxxxiv.
- Cyanecula** C. L. Brehm (ex Brisson), Isis, 1828, 1280 [n. n.]; Handb. Nat. Vögel
Deutschl. 1831, 349.—A.
- Cyanecula** J. J. Kaup, Skizz. Europ. Thierw. 1829, 157.—A. [*typus* *Sylvia suecica*].
- cyaneacula** Erithacus (M. & W.), C. D. Degland, Orn. Europ. I. 1849, 510.—*Sylvia*, Meisn.
- cyaneacula** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- cyaneacula** Motacilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 16. [207.]
- cianecula** Pandicilla, C. T. Wood, Orn. Guide, 1835, 191.
- cyaneacula** [Phaenicura], S. Palmer, The Analyst, IV (16) July 1836, 276.
- cyaneacula** Ruticilla, W. Macgillivray, Hist. Brit. Birds, II, 1839, 300.
- cyaneacula** *Sylvia*, F. Meisner, Syst. Verz. Vögel Schweiz, 1804, 30.
- cyanei** → *v.* **cyano** →.
- cyanella** Adela, J. Mann in Zeller, Entom. Zeitung, Stettin, XI (4) Ap. 1850, 134.
- cyanella** Anthaxia, Gory (ex Dej.) in Laporte & G., H. N. Coléopt. IV. 1841, 285.

- cyanellum Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
 cyanella Auchenia (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 215.—Chrysomela,
 cyanella Brachys, Laporte & Gory, H. N. Coléopt. II. 1840, 8. [1758].
 cyanella Cassida, D. H. Schneider, Verz. Insectensamml. 1828, 83 [*n. n.*].
 cyanellus Catascopus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)
 cyanellus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 328. [1848, 113].
 cyanella Chlamys, F. Klug, Entom. Mon. 1824, 108.
 cyanella Chrysomela, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 213.
 cyanellus Corynetes, And.; Dejean, Catal. Coléopt. 1821, 42 [*n. n.*]. [276.—Musca.
 cyanella Curtonevra (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
 cyanella Dianaea (Pér.), Lamarck, An. s. vert. II. 1816, 507.—Pelagia. [698].
 cyanella Drypta, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
 cyanellus Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
 1850, 387.
 cyanellus Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 168.
 cyanellus Entedon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 431.
 cyanellus Eumolpus, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
 cyanella Evagora, L. Oken, Lehrb. Nat. III (1) 1815, 123. [1835, 583].
 cyanella Haltica, L. Redtenbacher, F. Austr., Käfer, 1849, 531.
 cyanella Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 231.
 cyanella Ichthelis, C. S. Rafinesque, Western Review, I (6) Jan. 1820, 376; Ichth.
 Ohiensis [Dec.] 1820, 28.
 cyanella Lema (Fab.), Dejean, Catal. Coléopt. 1821, 115.—Crioceris, 1775.
 cyanellus Lepomis, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 420.
 cyanella Medusa (Pelagia), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 163.
 cyanella Meloe, Ziegl.; Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].
 cyanella Meloe, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 229.
 cyanella Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 77.
 cyanella Pelagia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 349.
 cyanella Saperda, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 437; & App.
 cyanelytrius Staphylinus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 31. [1817, 190].
 cyanemus Styripus, C. S. Rafinesque, Specchio d. Sci. II (11) Nov. 1814, 132.
 cyaneo → *v.* cyano →.
 Cyaneopsis J. F. Brandt, Prod. anim. Mertens. I. 1835, 24.—Med.
 Cyaneopsis J. F. Brandt, Bull. Sci. Ac. Sci. St Pétersb. I. 1838, 189.—Scyphoz. [*teste*
 cyanerythrus Dasys, M. Perty, Del. anim. artic. Brasil. (1) 1830, 29. [Stechow].
 cyanescens Acmaeodera, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 46.
 cyanescens Andrena, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 321.
 cyanescens Anthaxia, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 284.
 cyanescens Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 306.
 cyanescens Athyreus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 30.
 cyanescens Atomosia, C. Rondani, Baudi & Truqui, Studi Ent. I. 1848, 92.
 cyanescens Bembidion, C. Wesmäl, Bull. Ac. Roy. Brux. II. 1835, 48.
 cyanescens Boxaodon, A. Guichenot in Gay, Chili (Peces) 1849, 209.
 cyanescens Calleida, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 14.
 cyanescens Carabus, J. Sturm, Deutschl. Fauna (Insecten) III. 1815, 93.
 cyanescens Chlorima, Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
 cyanescens Cleonymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 33. [[*n. n.*].
 cyanescens Corvus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 13
 cyanescens Crepidodera, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 471
 [*n. n.*].
 cyanescens Cylas, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 371.
 cyanescens Erpeinus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 25.—Harpalus, 1844.
 cyanescens Falco, A. Sparman, Svenske Orn. (—) [“1806, pl. 3”].
 cyanescens Galbula, E. Deville, Rev. et Mag. de Zool. (2) I. Feb. 1849, 56.
 cyanescens Gymnopleurus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849
 (3) 1849, 101. [(1 & 2) Oct. 1837, 159].
 cyanescens Gymnurus, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV

- cyanescens** Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 274.
cyanescens Harpalus, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
cyanescens Harpalus, V. Motschulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 209.
cyanescens Helophilus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 511.
cyanescens Helops, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 46 [*n. n.*].
cyanescens Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 155.
cyanescens Hydrocera, J. L. Le Conte, Ann. Lyceum N. H. New York, V (1) May 1849,
cyanescens Idia, H. Loew, Entom. Zeitung, Stettin, V (1) Jan. 1844, 24. [28.
cyanescens Lacerta, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 420.
cyanescens Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I
 (2) 1850 [*incaute* 1851], 238.
cyanescens Myas, Dejean, Spec. gén. Coléopt. III. 1828, 425.
cyanescens Mylabris, Illiger in Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
cyanescens Oedemera, Dejean, Catal. Coléopt. 1821, 77 [*n. n.*].
cyanescens Oedemera, W. Schmidt (*ex* Dej. Cat.), Linnaea Entom. I. Feb. 1846, 72.
cyanescens Pachycarus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2)
 1850, 445. [485.
cyanescens Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845.
cyanescens Philonthus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 14.
cyanescens Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 356.
cyanescens Pogonostoma, F. Klug, Arch. f. Naturg. I (1) 1835, 383.
cyanescens Pollenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 1830, 414.
cyanescens Rhinodes, J. Sturm, Catal. Ins. Samml. 1826, 190 [*n. n.*].
cyanescens Ricania, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 261.
cyanescens Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 254.
cyanescens Scyrnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 993.
cyanescens Taenodema (Nordm.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 680.—
 Gymnurus.
cyanescens Trochus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 36.
cyanescens Volucella, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 84.
cyanescens Xylocopa, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 339.
cyanesthis Lema, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 532.
cyanea Aequorea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 337.
cyaneus Agrilus (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 305.—Buprestis,
 1775.
cyaneus Agrio, E. de Selys-L. in P. v. d. Maelen, Dict. géogr. Liège, 1831, App. p. 58.
cyanea Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 401.
cyanea Altica, F. Weber, Obs. Ent. 1801, 57.
cyaneus Alurnus, Brème, Ann. Soc. Ent. France [2] II (3) Jan. 1845, 312.
cyanea Anas, T. L. Mitchell, Three Exped. Australia, I. 1838, p. xviii.
cyaneus Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 106. [446.
cyaneus Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
cyaneus Anthicus, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.
cyanea Anthomyia, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 356.
cyanea Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 381.—Andrena, 1793.
cyaneum Apion (Fab.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 45.—? Clerus, 1787.
cyanea Apis, W. Kirby, Mon. Apum Angl. II. 1802, 308.
cyanea Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 542.
cyaneus Apoderus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
cyaneus Apoderus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 286.
cyanea Arbelorhina (L.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
 675.—Certhia, 1766.
cyaneus Arrenga (Horsf.), C. L. Bonaparte, Consp. gen. Avium, I. 1850; 258.—Turdus.
cyaneus Ateuchus, J. C. Fabricius, Syst. Eleuth. I. 1801, 56.—Coprois, 1798.
cyaneus Attelabus, F. Klug, N. A. Ac. Caes. Leop. Car. XII (2) 1825, 453.
cyaneus Attelabus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 358.

- cyaneus Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 365.
 cyaneus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 137.
 cyaneus Baris, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 99.
 cyaneus Baris, J. Curtis, Guide Brit. Ins. (2) 1829-30, 45 [*n. n.*].
 cyaneum Bembidium, M. de Chaudoir, Enum. Carab. 1846, 203. [1830, 731.
 cyanea Boisduvalia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
 cyanea Brachys, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 344.
 cyaneum Buccinum, Beck, Naturhist. Tidsskrift, IV (1) 1842, 84.
 cyaneum Buccinum, A. Hancock (*ex* Chemn.), Ann. Mag. N. H. XVIII. Nov. 1846, 328.
 cyaneum Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 69, Dec. 1846.
 cyaneus Buteo (L.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 466.—Falco, 1766.
 cyaneus Buthus, C. L. Koch, Die Arachniden, III (5) Dec. 1836, 75.
 cyanea Calamita (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 64.—Hyla.
 cyaneus Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1846.
 cyanea Calleida, V. v. Mochulski, Kaefer Russl., *post* May 1850, 39. [405.
 cyaneus Callimome (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 19.—
 Torymus.
 cyaneus Callimome (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Ichn. 1798.
 cyaneus Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
 cyaneum Carenum (Fab.), F. A. Bonelli, Mém. Ac. Sci. Turin, 1811-12 (1813), 480.—
 Scarites, 1775.
 cyanea Ceyx, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 241.
 cyaneus Chalcas, L. Buquet, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, p. lxxviii
 cyaneus Chalcas, L. Buquet, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 408. [[*n. n.*].
 cyanea Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 164. [1758.
 cyaneum Chalybion (L.), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 22.—Sphecx,
 cyaneus Charactes, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 81.
 cyanea Chariea, Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832,
 cyanea Chlamys, V. Kollar, Mon. Chlamydom, 1824, 46. [198.
 cyaneus Chrysolampus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 37.
 cyanea Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 196.
 cyanea Chrysomela, F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*].
 cyanea Chrysomela, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 178. [122.
 cyanea Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839,
 cyaneus Circus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
 [1802], 221.—Falco, 1766.
 cyaneus Cleonymus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 34.
 cyaneus Cnemacanthus, A. Brullé, H. N. Ins. IV (2) (Col.) *exeunte* 1834, 376.
 cyaneus Cnemalobus (Br.), A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 194.—Cnema-
 cyaneus Cocalus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 181. [canthus.
 cyanea Coccinella, Dejean, Catal. Coléopt. 1821, 130 [*n. n.*].
 cyaneâ Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 522.—
 Loxia, L. 1758. [L. 1766.
 cyanea Coereba (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 44.—Certhia,
 cyanea Colaspidea, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 19 [*n. n.*].
 cyanea Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].
 cyaneus Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 115.
 cyaneus Colymbetes, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 17 [*n. n.*]; &
 Ill. Brit. Ent. (Mand. V.) Mar. 1835, 394.
 cyaneus Coriphilus (Sparrm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829-30 (Dec.
 1832), 564.—Psittacus, 1787.
 cyanea Corydia, H. Burmeister, Handb. Ent. II (2) i, 1838, 492.
 cyaneus Corynodes (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 162.—Eumolpus.
 cyaneus Cricetus (Mol.), P. Boitard, Jardin d. Plantes 1842 [*i.e.* 1841], 331.—Mus cyanus,
 cyaneus Culex, J. C. Fabricius, Syst. Antliat. 1805, 35. [1782.
 cyaneus Curculio, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 390.
 cyanea Curtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 314. [Cyane.
 cyanea Cyanecula (Eversm.), G. R. Gray, Genera of Birds, III. App. 1849, 8.—Sylvia

- cyaneus** Cyanistes (Pall.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—Parus cyaneus, 1770. [1758.]
- cyanea** Cyanoloxia (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—Loxia.
- cyaneus** Cyanopica (Pall.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 382.—Corvus cyaneus, 1776. [Trichodes.]
- cyaneus** Cylidrus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 476.—
- cyaneus** Cylidrus (Fab.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 262.—Clerus, 1787. [263.]
- cyaneus** Cyllindrocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- cyanea** Cinips (Fab.), Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 288.—Diplolepis. [57.—Stratiomys, 1794.]
- cyanea** Cyphomyia (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830,
- cyanea** Cyrtoneura, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1358.
- cyanea** Cyrtanota (L.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 575.—Cassida, 1758.
- cyaneum** Dasyte, F. E. Guérin-M., Voy. "Favorite" (Zool.) V (2) 1839, 119.
- cyaneus** Dasytes, D. H. Schneider, Verz. Insectensamml. 1828, 75 [n. n.].
- cyaneus** Dasytes, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838, 39.
- cyaneus** Desmocerus (Fab.), Dejean, Catal. Coléopt. 1821, 111.—Stenocorus, 1775.
- cyaneus** Dicaelus, Dejean, Spec. gén. Coléopt. V. 1831, 686.
- cyanea** Diglossa (Lafr.), G. R. Gray, Genera of Birds, I. Feb. 1846, 137.—Uncirostrum.
- cyanea** Dioctria, J. C. Fabricius, Syst. Antliat. 1805, 150.—Asilus, 1781.
- cyanea** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 151.—Ichneumon, 1798.
- cyaneus** Ditomus, Olivier in Dejean & Boisduval, Icon. Coléopt. I. 1830, 244.
- cyaneus** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 78.
- cyanea** Dreissena, P. J. van Beneden, Bull. Ac. Roy. Brux. IV. 1838, 41.
- cyaneus** Dromius, Dejean, Ann. Sci. Nat. XX (78) June 1830, 223 [n. n.].
- cyaneus** Dromius, Dejean, Spec. gén. Coléopt. V. 1831, 355.
- cyaneus** Dromius, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 139.
- cyanea** Drypta, F. L. de Laporte, Etudes Entom. (2) 1835, 141.
- cyanea** Drypta, Buquet, Rev. et Mag. de Zool. (2) I. July 1849, 347.
- cyanea** Dymusia (Ol.), H. Burmeister, Handb. Ent. III. 1842, 210.—Cetonia, 1789.
- cyaneus** Elachestus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 40.
- cyaneus** Elater, T. Marsham, Coleopt. Brit., Sept. 1802, 388.
- cyaneus** Elater, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 136.
- cyaneus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 160.
- cyaneum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist. 181.
- cyaneus** Erotylus, P. A. J. Duponchel, Mém. Mus. II. N. (Paris) XII [1] June 1825, 60.
- cyaneus** Eumolpus, J. C. Fabricius, Syst. Eleuth. I. 1801, 419.—Chrysomela, 1792.
- cyanea** Euphonia (Sw.), G. R. Gray, Genera of Birds, III. App. 1849, 17.—Pipraeidea.
- cyaneus** Eurhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 814.
- cyaneus** Eurygaster, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 111.
- cyaneus** Falciger, J. Sturm, Catal. Ins. Samml. 1826, 141 [n. n.].
- cyaneus** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 163.
- cyanea** Fringilla, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 250.
- cyanea** Fringilla (L.), A. Wilson, Amer. Ornith. I. 1808, 100.—Tanagra, 1766.
- cyaneus** Galgalus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 868.
- cyanea** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 497.
- cyaneus** Garrulus, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 476.
- cyanea** Gastrophysa, F. E. Melzheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847,
- cyaneus** Glyphisodon, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 392. [175.]
- cyaneus** Goerius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Staphylinus, ? Payk. 1789.
- cyaneus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- cyaneus** Gymnopleurus (Hoffm.), Illiger, Mag. f. Insektenk. (Illiger) II. 1803, 200.—Ateuchus, ? Fab.

- cyanea Gynandrophthalma (Fab.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 300.—Clythra, 1798. [1835, 280.]
- cyanea Gynoplistia, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser., VI (34) Ap.
- cyanea Hadrus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 208.
- cyanea Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca.
- cyanea Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 274.
- cyanea Haltica (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Chrysomela.
- cyaneus Harpalus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 153.
- cyaneum Hedychrum, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- cyanea Hesperia, G. Osculati, Explor. Reg. Equat. 1850, 125 [n. n.]. [1846, 52.]
- cyaneum Himatidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 151.—Cassida, L. 1758.
- cyanea Hispa, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 433.
- cyaneus Hydrophilus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 257 [n. n.].
- cyanea Hyla, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 43.
- cyanea Hylocharis (Vieill.), G. R. Gray, Genera of Birds, I. Dec. 1848, 114.—Trochilus
- cyaneum Imatidium, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 435. [cyaneus.]
- cyanea Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 277.
- cyanea Lacerta, J. Hermann, Obs. Zool. 1804, 255.
- cyaneus Laius, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 78.
- cyanea Lamprosoma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 78 [n. n.].
- cyaneum Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 603.
- cyaneus Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 110.—Misco-
- gaster, 1833.
- cyanea Languria, F. W. Hope, Tr. Zool. Soc. London, I (2) July 1834, 94.
- cyanea Laphria, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 286.
- cyanea Larviva, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [n. n.].
- cyanea Lauxania, J. C. Fabricius, Syst. Antliat. 1805, 213.
- cyanea Lebia, Dejean, Spec. gén. Coléopt. V. 1831, 386.
- cyaneus Leptura (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 219.—Stenocorus,
- cyanea Leptura, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II: 1832, 70. [1775.]
- cyanea Lucilia (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 302.—Musca,
- cyaneus Luperus, Dejean, Catal. Coléopt. 1821, 119 [n. n.]. [1781.]
- cyanea Lyda, F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 281.
- cyanea Lyda, Schummel, Uebers. Arb. schles. Ges. 1831 (1832), 74 [n. n.].
- cyaneus Malachius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 24 [n. n.]. [1790.]
- cyaneus Malachius, Laporte, Revue Entom. IV (1) 1836, 29.
- cyaneus Malurus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 215.—Sylvia,
- cyanea Megachile (Fab.), C. A. Walckenaer, Faune Paris. II. 1802, 141.—Andrena, 1793.
- cyanea Megapoda, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 288.
- cyanea Meloe, J. C. Fabricius, Syst. Eleuth. II. 1801, 589.
- cyaneus Melyris, F. de Tigny, s. à Deterville ed. Buffon, Ins. VI. 1801, 109.
- cyanea Merula, H. Bouteille, Orn. Dauphiné, I. 1843, 173.
- cyanea Mesomphalia (L.), C. H. Boheman, Mon. Cassid. I. 1850, 325.—Cassida, 1758.
- cyaneus Microdon, M. Perty, Del. anim. artic. Brasil. (3) 1833, 186.
- cyaneus Micronyx, C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 20.
- cyaneus Micronyx, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 424.
- cyanea Mynas, G. Cuvier, R. Anim. IV. 1817, 24.
- cyanea Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 463.
- cyanea Motacilla, W. Ellis, Narr. Voy. Cook, II. 1782, 156.
- cyanea Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 447.
- cyanea Muscicapa, P. J. Begbie, Malayan penin. 1834, 517.
- cyanea Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 600.
- cyaneus Myiophonus (Horsf.), G. R. Gray, Genera of Birds, I. Dec. 1846, 214.—Turdus.
- cyaneus Myiophonus (Horsf.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 187.—Turdus.
- cyaneus Mytilus (Bened.), Catlow & Reeve, Conch. Nomen. 1845, 74.—Dreissena.
- cyanea Nectarinia (L.), M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 12.—
- Certhia, 1766.

- cyaneus** Nerius, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 301.
- cyanea** Octopus, J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 15. [Linus, 1792.
- cyaneus** Ocypus (Fab.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 440.—Staphy-
- cyanea** Odontomyia (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 432.—Stratiomys, 1794.
- cyaneus** Odontopus (Fab.), G. Silbermann, Revue Entom. I (—) 1833, Descr. d'esp. nouv., no. 6.—Tenebrio, 1789.
- cyaneus** Odontoscelis (Brullé), G. R. Waterhouse, Mag. Nat. Hist., n. s., IV. July 1840, 356.—Cnemacanthus.
- cyanea** Oedemera (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 10.—Necydalis, 1792.
- cyanea** Oliva, L. Reeve, Conch. Icon. VI.—Oliva, *errata*, ? Nov. 1850. [113.
- cyanea** Omalosoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
- cyanea** Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 370. [199.
- cyanea** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (14 & 15) Ap. *vel* May 1830,
- cyaneus** Orobitis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio, 1758.
- cyanea** Pallosoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 493.
- cyaneus** Pamphilus (Klug), P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 686.—Lyda. [Riza, Gm. 1788.
- cyanea** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 7.—Embe-
- cyanea** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 417.
- cyaneus** Pelopaeus (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 35.—Pepsis.
- cyanea** Pepsis (L.), J. C. Fabricius, Syst. Piezat. 1804, 211.—Spheg, 1758.
- cyaneus** Perilampus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 573.
- cyanea** Petrocincla, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- cyaneus** Petrocosphyus (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 297.—Turdus, Muell. 1776. [1850 [*ineunte* 1851], 203.
- cyanea** Phoenomeris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
- cyanea** Phryssopoda, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 315.
- cyanea** Physa, E. Pirajno de M., Giorn. Sci. Lett. Sicilia, LXXVII. Feb. 1842, 161; Nota Moll. terr. Sicilia, 1842, 8.
- cyaneus** Pica (Pall.), G. Cuvier, R. Anim. I. 1817, 398.—Corvus cyaneus, 1776.
- cyanea** Pipra, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 284.
- cyanea** Pipraeidea, W. Swainson, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 174.
- cyanea** Pitta, Blyth; G. R. Gray, Genera of Birds, I. Dec. 1846, 213.
- cyanea** Pitta, J. Gould, Birds of Asia, V (1) 1850, pl. 80.
- cyaneus** Pitylus (Gm.), G. R. Gray, Gen. Birds, II. July 1844, 362.—? Tanagra, L. 1766.
- cyanea** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 392.
- cyaneus** Poecilus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 234.
- cyaneus** Poecilus, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841, 371.
- cyaneus** Poecilus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
- cyaneus** Pogonocherus, Dejean, Catal. Coléopt. 1821, 107 [*n. n.*]. [231.
- cyanea** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 279.—Vespa, 1775.
- cyanea** Popillia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 23.
- cyanea** Poria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 885.
- cyaneus** Psecas, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 50.—Cocalus, 1846.
- cyaneus** Pterygophorus, W. E. Leach, Zool. Miscell. III. 1817, 119.
- cyaneum** Rhagium, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 148.
- cyanea** Rhipicera, Guérin in Laporte, Ann. Soc. Ent. France, III (2) *post* June 1834, 237.
- cyaneus** Rhynchites, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- cyaneus** Rhynchites (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 238.—Atte-labus; ? Clerus, 1787.
- cyanea** Sagra, J. W. Dalman, Anal. Entom. 1823, 72.
- cyanea** Salpa, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1826, 63.
- cyaneus** Saprinus (Fab.), W. F. Erichson, Jahrb. Insectenk. 1834, 178.—Hister, 1775.
- cyaneus** Sargus, J. C. Fabricius, Syst. Antliat. 1805, 258.

- cyaneus** Scarabaeus (Fab.), W. S. Macleay, Horae Entom. I (2) 1821, 515.—Coprins, 1798.
- cyaneum** Sceliphron (L.), F. Klug, N. Schrift. Berlin Ges. Nat. Freunde, III. 1801, 566.
—SpheX, 1758.
- cyanea** Scolia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 525.
- cyaneus** Smicronyx (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 314.—
Micronyx. [II (3) 1838, 2.]
- cyaneus** Sorex, G. L. Duvernoy, L'Institut, Ap. 1838, 111; Mém. Soc. H. N. Strasbourg,
- cyanea** Spiza (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 35.—Tanagra, 1766.
- cyanea** Spiza (Wils.), J. J. Audubon, Synopsis, 1839, 108.—Fringilla.
- cyaneus** Staphylinus, J. C. Fabricius, Ent. Syst. I (2) 1792, 521.
- cyanea** Stenidia, de la Ferté-S., Rev. et Mag. de Zool. (2) I. July 1849, 346.
- cyaneus** Stenocorus, Fab.; F. V. Melsheimer, Ins. Pennsylv. 1806, 35, *var. sambuci*,
F. V. M. [*n. n.*].
- cyanea** Stenura, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 151.
- cyaneus** Stenus, E. Truqui in Baudi & Truqui, Studi Ent. I. 1848, 142.
- cyanea** Sternoptyx, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 131.
- cyanea** Stichophora, J. F. Brandt, Prod. anim. Mertens. I. 1835, 17.—Cor.
- cyanea** Storena, C. A. Walckenaer, Tab. Aran. 1805, 83 [*n. et f.*].
- cyaneus** Strigiceps (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 35.—Falco, 1766.
- cyaneus** Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 152.
- cyaneus** Teius, B. Merrem, Tent. Syst. Amph. 1820, 61.
- cyaneus** Tejus, T. Cocteau in Dict. pittoresque H. N. I (17) Jan. 1834, 132; N. Dict.
class. H. N., ed. 2, II. Mar. 1844, 48.
- cyaneus** Telephorus, J. Curtis, Brit. Entom. V (54) June 1828, no. 215.
- cyaneus** Thaumantias (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 78.—Tro-
chilus cyaneus. [1846, 151.]
- cyaneus** Thyreodon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- cyaneus** Tormus (Fab.), C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 366.—
Ichneumon, 1798.
- cyanea** Tragopa, Klug in H. Burmeister, Revue Entom. IV (5) 1836, 189.
- cyaneus** Trichodes, J. C. Fabricius, Syst. Eleuth. I. 1801, 285.—Clerus, 1787.
- cyanea** Tricondyla, Dejean, Spec. gén. Coléopt. I. 1825, 161.
- cyaneus** Trochilus (Less.), W. Jardine, Humming Birds, I (Nat. Libr. I.) 1833, 139.—
Ornismya.
- cyanea** Trogosita, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 68 [*n. n.*].
- cyaneus** Turdus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 149.
- cyaneus** Turdus, J. F. Blumenbach, Handb. Naturg., ed. 11, 1825, 152.
- cyaneum** Uncistrostrum, de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Ap. 1840, 102.
- cyanea** Velella, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 54.
- cyanea** Voluta, G. D. Nardo (*ex Chierighini MS*), Sin. mod. spec. Lag. Veneto, 1847,
cyani→ *v. cyano*→. [47.]
- cyaniceps** *v. cyanoiceps*.
- Cyanicterus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 240.—A.
- cyanicterus** Pyrauga, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXVIII. 1819, 290.
- cyaninus** Callimome (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 19.—
Tormus.
- cyaninus** Tormus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 367.
- cyanipennis** Ceutorhynchus, Illiger in E. F. Germar, Ins. spec. novae, I. 1824, 235.
- Cyanippa** H. Lucas, H. N. Anim. artic. (Annél. etc.) 1840, 7.—Ann.
- cyanippe** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 414.
- Cyanippeus** F. L. de Laporte, H. N. Ins. II. 1840, 323.—Col.
- Cyaniris** J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 63.—Lep.
- Cyaniris** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.—Col. [*sine*
[*type*]].
- Cyaniris** Kuester, Käfer Europas, V. 1846, 99.—Col.
- cyaniris** Myscelia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 222
- Cyanistes** J. J. Kaup, Skizz. Europ. Thierw. 1829, 99.—A. [[*n. et f.*]].
- cyanites** Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].
- cyanobrancha** Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish. 1844), 7.

- cyanobranchiata** Tritonia, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Wirbellose Thiere (—) 1830 *vel* 1831, 16.
- cyanocapillus** Cyanocorax, J. Cabanis in J. J. Tschudi, Fauna Peru. (Orn.) 1846, 233.
- cyanocapilla** Pipra, C. W. Hahn, Voegel aus Asien etc. (15) 1826, pl. 3.
- cyaneocapillus** Psittacus, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1373.
- Cyanocephalus** C. L. Bonaparte, Oss. stat. Zool. Europ. 1840-41, 17.—A.
- cyanocephalus** Achorutes (Nic.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 438.—Podura.
- cyanocephala** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 5.
- cyanocephala** Aglaia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 32.
- cyanocephala** Alcedo, G. Shaw, Gen. Zool. (Aves), VIII (1) 1812, 100.
- cyanocephalus** Ampedus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 365.
- cyanocephalus** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 179.
- cyanocephalus** Baryphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 315.
- cyanocephalus** Brachinus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 38.—Carabus, L. 1758.
- cyanocephala** Casnobia, Latreille & Dejean, H. N. Icon. Col. Europe (3) 1826, 130.
- cyanocephala** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 192.
- cyanocephala** Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 203.
- cyanocephalus** Chrysotis, W. Swainson, N. H. Classif. Birds, II. June 1837, 301.
- cyanocephala** Cinnerys (Gm.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia, ? Bech.
- cyanocephala** Clythra, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 359.
- cyanocephala** Coptocephala, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 348.
- cyanocephala** Cosnania, Fab.; Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
- cyanocephalus** Cuculus, J. Latham, Index Orn., Suppl. 1801, p. xxx. [Gm. 1788.
- cyanocephalus** Daenis (L.), A. d'Orbigny, Amér. Mérid. (Ois.) 1838, 221.—Motacilla,
- cyanocephalus** Diaphorus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 33.
- cyanocephala** Dubusia (Orb.), C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 424. [—Carabus, 1758.
- cyanocephalus** Echimothus (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 81.
- cyanocephalus** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 344.
- cyanocephalus** Encyrtus, Goureau, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 244.
- cyanocephala** Galbula, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 32.
- cyanocephalus** Geophilus (L.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, 216.—Columba, 1758. [125.—Columba, 1758.
- cyanocephala** Goura (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (1) 1819,
- cyanocephala** Gymnokitta (Wied), C. L. Bonaparte, Cons. gen. Avium. I. 1850, 382.—Gymnorhinus, 1840.
- cyanocephalus** Gymnorhinus, Max Wied, Reise innere N. Amer. II. 1840-41, 22.
- cyanocephala** Hylocharis (Mol.), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—Trochilus, 1782.
- cyanocephalus** Icterus (Wagl.), A. v. Nordmann in Erman, Reise Erde, Atlas, 1835, 9.—Psarocolius.
- cyanocephalus** Icthycallus, W. Swainson, N. H. Fishes etc. II. July 1839, 232.
- cyanocephalus** Iulis (Bl.), G. Cuvier, R. Anim. II. 1817, 262.—Labrus, 1791.
- cyanocephalus** Lamprias (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) July 1827, 29.—Carabus, 1758. [Carabus, L. 1758.
- cyanocephalus** Lebia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 85.—Nectarinia, W. Swainson, Zool. Illust. (1) II (24) Sept. 1822, pl. 117.
- cyanocephala** Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843, 189.—Certhia.
- cyanocephala** Odacantha, J. C. Fabricius, Syst. Eleuth. I. 1801, 229.—Cicindela, 1798.
- cyanocephala** Ophionea (Fab.), F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 300.—Cicindela, 1798.
- cyanocephalus** Orcus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 467.
- cyanocephalus** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (11-13) *inter* Jan. & Ap. 1830, p. xlv.

- cyanocephalus** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 662.
- cyanocephalus** Palaemonis (Gm.), J. G. Wagler, Abh: K. bayer. Ak. Wiss. I. 1829-30 (Dec. 1832), 517.—Psittacus, L. 1766.
- cyanocephala** Petrophila, W. Swainson, N. H. Classif. Birds, II. June 1837, 232.
- cyanocephala** Phyllopertha, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 499.
- cyanocephala** Pipra, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 165.
- cyanocephala** Podura, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 56.
- cyanocephalus** Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 28.
- cyanocephalus** Psarocolius, J. G. Wagler, Isis (Oken), 1829, 758.
- cyanocephalus** Psilorhinus (Wied), G. R. Gray, Genera of Birds, III. App. 1849, 14.—Gymnorhinus.
- cyanocephalus** Pteromalus, P. F. Bouché, Nat. Ins. 1834, 167. [Columba.
- cyanocephala** Starnoens (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 41.—
- cyanocephala** Syzygonia, F. Klug, Entom. Mon. 1824, 180.
- cyanocephala** Tanagra, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 23.
- cyanocephalus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 318.
- cyanocephala** Thraupis (Orb.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 29.—Aglaia.
- cyanocephalus** Todus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830,
- cyanocephalus** Tropidonotus, Boie in Férussac, Bull. Sci. IX. 1826, 237 [n. n.]. [227.
- cyanocephalus** Turdus, J. Latham, Index Orn., Suppl. 1801, p. xliii.
- cyaniceps** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 197.
- cyaniceps** Lychnophaes, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 573.
- cyano-chloris** Cheilio, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 346.
- cyanochloris** Ocypus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 118. [168.
- cyanochloros** Pimelodus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846,
- cyanochlorus** Garrulus, J. Kaleniczenko, Bull. Soc. Imp. Nat. Moscou, 1839 (3) 1839, 352.
- cyanochlora** Pica, J. Wagler, Syst. Avium, I. 1827, sig. 215.
- cyanocinctus** Enhydris (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 166.—Hydrophis.
- cyanocinctus** Hydrophis, F. M. Audin, Sonnini's Buffon, Rept. VII (1803), 383.
- cyanocinctus** Hydrus (Enhydris) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 141.—Hydrophis.
- cyanocincta** Leioselasma (Daud.), L. J. Fitzinger, Isis (Oken), 1827, 739.—Hydrophis.
- Cyanocitta** H. E. Strickland, Ann. Mag. N. H. XV. Ap. 1845, 260.—A.
- cyanoclavis** Gobius, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1167.
- cyanicollis** Aglaia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 33.
- cyanicollis** Ampedus, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 365.
- cyanicollis** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 179.
- cyanicollis** Anchomenus, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. [1841, 371.
- cyanicollis** Anomala, Villa & Villa, Coleopt. Europ. 1833, 34.
- cyanicollis** Bucco (Vieill.), C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831. [1835, 91.
- cyanicollis** Buprestis, MacLeay in Boisduval in d'Urville, Voy. "Astrolabe" (Ent.) II.
- cyanicollis** Callospiza (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 286.—Aglaia.
- cyanicollis** Capito, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 498.
- cyanicollis** Chlaenius, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 33.
- cyanicollis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-36, 5.
- cyanicollis** Chrysomela, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- cyanicollis** Clythra, Dahl; Dejean, Catal. Coléopt. 1821, 126 [n. n.].
- cyanicollis** Colaris (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 710.—Eurystomus.
- cyanicollis** Cybister, Dupont in Dejean, Cat. Coléopt., ed. 3, 1837, 67 [n. n.].
- cyanicollis** Dyscolus, A. Brullé, H. N. Ins. IV (2) (Col.) *excutite* 1834, 324.
- cyanicollis** Eumolpus, A. G. Olivier, Entom. VI. 1808, 902.—Cryptocephalus, 1791.
- cyanicollis** Eurystomus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 425.
- cyanicollis** Geoffroyus, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 137; Conspectus gen. Avium, I. 1850, 6.—Psittacus.
- cyanicollis** Helops, F. Weber, Obs. Ent. 1801, 41.

- cyanicollis** Helops, J. C. Fabricius, Syst. Eleuth. I. 1801, 158.
- cyanicollis** Homalonotus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 590.—Rhynchaenus.
- cyanicollis** Orectochilus, C. Aubé, Spec. gén. Hydroc. 1838, 736.—Cybister, Dejean, 1837.
- cyanicollis** Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 28.
- cyanicollis** Psittacula, M. & S.; G. R. Gray, Genera of Birds, II. Feb. 1846, 423.
- cyanicollis** Psittacus, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (3 & 4) 1841, 108.
- cyanicollis** Psittacus (Psittacula), S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (6 & 7) 1843, 182.
- cyanicollis** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 458.—Curculio, ? L. 1758.
- cyanicollis** Sphaenothecus, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 59.
- cyanicollis** Staphylinus, F. L. de Laporte, Etudes Entom. (2) 1835, 115.
- cyanicollis** Stigmodera (Boisd.), Laporte & Gory, II. N. Coléopt. II. 1837, 34.—Buprestis.
- cyanicollis** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 177.
- cyanicollis** Tanagra, A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 271.—Aglais, d'O. & Lafr.
- cyanicolor** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836,
- cyanicolor** Pyrellia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1323. [335.]
- cyanicolor** Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 229.
- Cyanocorax** F. Boie, Isis (Oken), 1826, 975.—A.
- cyanicornis** Anthaxia (? Ol.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1790.
- cyanicornis** Aromia, F. E. Guérin-M., Iconographie, 1844, Ins. 222.
- cyanicornis** Buprestis, Koy & Böhm, Naturforscher, XXIX. 1802, 108.
- cyanicornis** Callichroma (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 342.—Cerambyx, 1798.
- cyanicornis** Clythra, Dahl; Dejean, Catal. Coléopt. 1821, 126 [*n. n.*].
- cyanicornis** Clytra, Dahl in E. F. Germar, Fauna Ins. Europ. (7) [1822-25], 7.
- cyanicornis** Cratomerus (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 296.—Buprestis, ? Ol. 1790. [1775.]
- cyanicornis** Phyllocharis (Fab.), J. W. Dalman, Ephem. Entom. 1824, 21.—Chrysomela,
- cyanicornis** Staphylinus, Harris in Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 441.
- cyanicornis** Stenochia, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 121.
- cyaneco-crocea** Hylotoma (Forst.); J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29.—Tenthredo cyanocrocea, 1770.
- Cyanocyclas** de Blainville, Dict. Sci. Nat. XII. 1818, 280.—L.
- cyanodactylus** Gecus, C. S. Rafinesque-S., Car. n. gen. 1810, 9.
- cyanidens** Phidippus, C. L. Koch, Die Arachniden, XIII (5) May 1846, 156.
- cyanodus** Cossyphus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 131.—Labrus, 1843.
- cyanodus** Labrus, J. Richardson, Ann. Mag. N. H. XI. May 1843, 355.
- cyanodus** Lachnolaimus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 131.—Labrus,
- cyanEIFER** Eristalis, F. Walker, List Dipt. Coll. B. M. (3) 1849, 621. [1843.]
- cyanifrons** Encyrtus, J. W. Dalman, K. Vet. Ac. Handl. 1820 (1) 1820, 159.
- cyanifrons** Polytmus (Bourc.), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—Trochilus. [chilus.]
- cyanifrons** Thalurania (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 77.—Tro-
- cyanifrons** Trochilus, J. Bourcier, Rev. Zool. (Soc. Civ.) VI. Ap. 1843, 100.
- cyanifrons** Trochilus, Bourcier & Mulsant, Ann. Sci. Agric. Lyon, VI. 1843, 42.
- cyanifrons** Xyrichthys, Cuvier & Valenc., II. N. Poiss. XIV. 1839, 46.
- Cyanogarrulus** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 376.—A.
- Cyanogaster** L. Oken, Isis, 1823, Litt. Anz., 460.—G. [gaster, Oken].
- Cyanogaster** Rud.; teste H. M. de Blainville, Man. Malac. 1825, 471.—Nud. [? Cyano-
- cyanogaster** Acanthocercus (Ruepp.), L. Fitzinger, Syst. Rept. 1843, 84.—Stellio.
- cyanogaster** Baryphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 317.
- cyanogaster** Chrysotis (Vicill.), G. R. Gray, Genera of Birds, II. Feb. 1846, 422.—Psittacus. [—Certhia, 1790.]
- cyanogastra** Coereba (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiv.
- cyanogaster** Coracias, G. Cuvier, Règne Anim. I. 1817, 401.

- cyanogaster Erythrostomus, W. Swainson, Anim. in Menag., Dec. 1837, 344.
 cyanogaster Euprepis (Less.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 114.—Scincus.
 cyanogaster Garrulus (Cuv.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 436.—Coracias.
- cyanogastra Irena, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 97.
 cyanogaster Julis, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 444.
 cyaneogaster Laphria, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 180.
 cyanogaster Liolaemus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 74.—Proctotretus.
 cyanogaster Merops, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 80.
 cyanogaster Prionites, L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 38.
 cyanogaster Proctotretus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, [273].
 cyanogaster Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 413.
 cyanogaster Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 328.
 cyanogaster Psittacus, Max Wied, Isis (Oken), 1820, Litt. Anz., 982.
 cyanogaster Salpa, Péron & Lesueur, Voy. Aust. (Atlas I. 1807), pl. xxx.
 cyanogaster Scincus, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 47.
 cyanogaster Stellio, E. Rueppell, Neue Wirbelth. Abyssin. (3) 1835, 10.
 cyanogastra Triclaria (Vieill.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 632.—Psittacus.
- cyanogaster Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 499.
 cyanogenia Eos, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 135.
 cyanogenia Eos, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 4. [chilus.
 cyanogenys Hylocharis (Wied), G. R. Gray, Genera of Birds, I. Dec. 1848, 115.—Tro-
 cyanogenys Lamprocolius, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (5) 1850, 127.
 cyanogenys Saucerottia (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 77.—
 cyanogenys Trochilus, M. Wied, Beitr. Nat. Brasil. IV. 1833, 70. [Trochilus.
 cyanognathos Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846,
 cyanogramma Aequorea, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 563. [165.
 cyanogramma Julis, J. Richardson, Proc. Zool. Soc. London, XVIII (205) Nov. 12, 1850, 73.
- cyanogrammus Trichoglossus, J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 554.
 cyanogularis Aratinga, J. B. v. Spix, Avium Brasil. I. 1824, 33. [1832), 554.
 cyano-gularis Merops, T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 229.
 cyanoides Coccoborus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) X. Mar. 1847, 74.
 cyanoides Cyanoloxia (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—Coccoborus.
- cyanoleuca Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 401.
 cyanoleuca Atticora (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 47.—Hirundo.
 cyanoleucus Coluber, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 401.
 cyanoleucus Corvus, J. Latham, Index Orn., Suppl. 1801, p. xxv.
 cyanoleucus Corvus, Max Wied, Reise Brasil. II. 1821, 190. [Corvus.
 cyanoleucus Cracticus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 356.—
 cyanoleucus Cyanocorax (Wied), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—[Corvus.
 cyanoleuca Grallina (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—
 cyanoleuca Halcyon (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1846, 79.—Alcedo.
 cyanoleuca Herse (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 341.—Hirundo.
 cyanoleuca Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 509.
 cyanoleucus Hylophilus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 734.
 cyanoleuca Motacilla, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 15.
 cyanoleucus Platyrhynchos, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 11.
 cyanoleucus Porphyrio, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 27.
 cyanoleuca Uroleuca (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—
 Cyanoloxia C. L. Bonaparte, Consp. gen. Avium, I. 1850, 502.—A. [Cyanus.
 cyanolyseos Conurus (Mol.), G. R. Gray, Genera of Birds, II. Nov. 1845, 413.—Psittacus, 1782. [123.
 Cyanoma = Cyanea, Péron & Lesueur; C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814,
 cyaneomaculatum Enoplium, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 94.

- cyanomelanura** Cyanoptila, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 125.
- cyanomelana** Hypothymis (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 320.—Muscicapa.
- cyanomelana** Muscicapa, C. J. Temminck in T. & Laugier, Pls. color. (79) Aug. 1829.
- cyanomelana** Niltava (Temm.), G. R. Gray, Genera of Birds, I. Aug. 1846, 264.—Muscicapa.
- cyanomelas** Chrysolampis (Gm.), F. Boie, Isis (Oken), 1831, 546.—Trochilus, 1788.
- cyanomelas** Cyanocorax (Vieill.), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Pica.
- cyanomalas** Dacnis (Gm.); J. Cabanis, Mus. Heineanum (1) 1850 [1851], 95.—Motacilla [non comp.].
- cyanomelas** Epimachus (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 87.—Falcinellus.
- cyanomelas** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 165.
- cyanomelas** Irrisor (Vieill.), G. R. Gray, Genera of Birds, I. July 1846, 90.—Falcinellus.
- cyanomelas** Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 473.
- cyanomelas** Olishops, J. Richardson, Proc. Zool. Soc. London, XVIII (205) Nov. 12, 1850, 75. [Muscicapa.]
- cyanomelas** Philentoma (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 324.—
- cyanomelas** Pica, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 127.
- cyanomelas** Psittacus, H. Kuhl, N. A. Ac. Caes. Leop. Car. X (1) 1820, 53.
- cyanomelas** Rhinopomastus (Vieill.), R. P. Lesson, Traité Ornith. (3) July 1830, 239.—Falcinellus.
- cyanomelas** Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 392.
- cyanomelas** Sylvia, F. M. Dauidin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 269.
- cyanomelas** Tanagra, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 453.
- cyanomelas** Tchitrea (Vieill.), G. R. Gray, Genera of Birds, I. Aug. 1846, 260.—Muscicapa.
- cyanomelas** Tejus, Max Wied, Abb. Naturges. Brasil. (5) 1824. [capa.]
- cyanomelas** Telephorus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 28. [Muscicapa.]
- cyanomelas** Trochocercus (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 58.—
- cyanomelas** Vanessa, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 201 [*n. et f.*]. [Moluk.], 25.
- cyanomos** Gobius, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Blennioid. Soenda).
- Cyanomu** *emend. pro* Cyanea, Pér.; C. S. Rafinesque, Analyse, 1815, 154.—Coel. [*n. n.*].
- cyanonothus** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 334.
- cyanonoton** Aloa, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1847), 242.
- cyanonotus** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 386.
- cyanopareja** Cyrene, J. J. Heckel in Russegger, Reise, I (2) 1843, 1025.
- cyanipectus** Aleyone (Lafr.); C. L. Bonaparte, Consp. gen. Avium, I. 1850, 158.—Ceyx.
- ciano-pectus** Aleyone (Lafr.), W. Jardine, Contrib. Ornith. III. 1850, "82-11" = 83.—
- cyano-pectus** Ceyx, de Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 33. [Ceyx.]
- cyanopectus** Lampornis (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 72.—Trochilus.
- cyanopectus** Polytum (Gould), G. R. Gray, Genera of Birds, I. Dec. 1848, 108.—
- cyanopectus** Trochilus (Lampornis), J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 88.
- cyanipennis** Aemaedera, H. Lucas, Explor. Algér. (Artic. II.) 1846, 144. [1846, 88.]
- cyanipennis** Aegythus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 120.
- cyanipenne** Aenigma, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 426.
- cyanipennis** Agrilus, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 92.
- cyanipennis** Agrilus, Laporte & Gory, H. N. Coléopt. II. 1839, 18.
- cyanipennis** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 676.—Galleruca, 1798.
- cyanipennis** Alurnus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 99. [1845, 370.]
- cyanipennis** Ammophila, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
- cyanipennis** Anodonta, W. W. Saunders (*ex* Hope MS), Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 67.
- cyanipennis** Anthaxia, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 286.
- cyanipennis** Anthypna (Fab.), Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 473.—Melolontha.

- cyanipenne Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 307.
 cyanipennis Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 420.
 cyanipennis Boleopteris, F. Klug, Arch. f. Naturg. I (1) 1835, 384.
 cyanipennis Brachinus, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 143.
 cyanipennis Buprestis, Dejean, Catal. Coléopt. 1821, 30 [n. n.].
 cyanipennis Calleida, M. Perty, Del. anim. artic. Brasil. (1) 1830, 5. [1844, 467-
 cyanipennis Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
 cyanipennis Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 329.
 cyanipennis Cantharis, Ziegl.; Dejean, Catal. Coléopt. 1821, 36 [n. n.]. [1835, 191.
 cyanipennis Cantharis, Ziegler in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV.
 cyanipennis Carabus, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 456.
 cyanipennis Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 155.
 cyanipennis Clerus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 307.
 cyanipennis Cnodonul, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
 cyanipennis Colaspis, Ill.; Dejean, Catal. Coléopt. 1821, 124 [n. n.].
 cyanipennis Colaspis, Ziegl.; Dejean, Catal. Coléopt. 1821, 125 [n. n.].
 cyanipennis Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 451.
 cyanipennis Cryptus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 cyanipennis Culex, Anon., Notizen (Froriep) III. 1822, 99. [1846, 188.
 cyanipennis Dendroides, Latreille, N. Dict. H. N., ed. 2, IX. 1817, 251.
 cyanipennis Dromius, A. Brullé, H. N. Ins. IV (1) (Col.) July 1834, 195.
 cyanipennis Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (7) 1837, 12.
 cyanipennis Dyscolus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 72. [68.
 cyanipennis Elaphidion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) post Mar. 1834,
 cyanipennis Eumenes (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 361.—
 Vespa, 1793.
 cyanipennis Euplynes, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 52.
 cyanipennis Galerita, Dejean, Spec. gén. Coléopt. V. 1831, 293. [35-
 cyanipennis Galerita, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
 cyanipennis Gaurates (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan.
 1850, 325.—Rhagium.
 cyanipennis Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 317.—Galleruca,
 cyanipenne Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 72. [1798.
 cyanipennis Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 65.
 cyanipennis Idiocephala, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845,
 144.—Anodonta, 1843.
 cyanipennis Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
 cyanipennis Lebia, Eschscholtz in Dejean, Spec. gén. Coléopt. V. 1831, 385. [276.
 cyanipennis Lema, J. C. Fabricius, Syst. Eleuth. I. 1801, 472.
 cyanipennis Luperus, H. C. Kuester, Käfer Europas, XIV. 1848, 98.
 cyanipennis Malachius, Dejean, Catal. Coléopt. 1821, 38 [n. n.].
 cyanipennis Malachius, W. F. Erichson, Entomographien, 1840, 86.
 cyanipennis Megachile, F. E. Guérin-M., Iconographie, 1844, Ins. 450.
 cyanipennis Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 184. [264.
 cyanipennis Odynerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),
 cyanipennis Oedicerus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 557.
 cyanipennis Paederus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 62.
 cyanipennis Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 933.
 cyanipennis Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 209.—Spheg, 1793.
 cyanipennis Philonthus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) July 1832, 230.
 —Staph. 1792.
 cyanipennis Phyllotrupes (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 170.—Crioceris.
 cyanipennis Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
 1846, 101.
 cyanipennis Polistes, J. C. Fabricius, Syst. Piezat. 1804, 275.—Vespa, 1793.
 cyanipennis Pristonychus, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 57.
 cyanipennis Quedius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staphy-
 linus, 1792.

- cyanipenne** Rhagium, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 423.
- cyanipennis** Rhynchaenus (Germ.), L. Gyllenhal, Ins. Suecica I (4) 1827, 594.—Ceutorhynchus.
- cyaueopennis** Rhynchites, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 199.
- cyaueipennis** Rhizophagus, J. Hardy, Ann. Mag. N. H. XIX. June 1847, 379.
- cyanipennis** Scolia, J. C. Fabricius, Syst. Piezat. 1804, 244.
- cyanipennis** Sphaerion, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 68.—Elaphidion, 1834.
- cyanipennis** Staphylinus, Grav.; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- cyanipennis** Staphylinus, W. H. Runde, Brachelytr. 1835, 7.
- cyanipennis** Tenebrio, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 360.
- cyanipennis** Xantholinus, Dahl; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- cyanipennis** Zethus (F.), Lamarck, An. s. vert. IV. 1817, 84.—Vespa, 1793.
- cyanipes** Buprestis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 164.
- cyanipes** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 767.
- cyanipes** Chlorima, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 70.
- cyanipes** Chlorion, J. O. Westwood, Ann. Mag. Nat. Hist. VII. no. 42, Ap. 1841, 152.
- cyanipes** Coptorhynchus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 227.
- cyanipes** Crioceris, F. Weber, Obs. Ent. 1801, 58.
- cyanipes** Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 450. [[*Dej. non comp.*].
- cyanipes** Cryptocephalus, E. Suffrian (*ex* Dej. Cat.), Linnaea Entom. II. July 1847, 146.
- cyanipes** Cyphus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 630.—Curculio, 1787.
- cyanipes** Euryomorpha, F. W. Hope, Coleopt. Manual, II. 1838, 15 & 160 [*n. n.*].
- cyanipes** Galleruca, Fab.; Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- cyanipes** Helops, J. C. Fabricius, Syst. Eleuth. I. 1801, 158.
- cyanipes** Hispa, W. Erichson, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 270.
- cyanipes** Hydrachna, H. Lucas, Explor. Algér. (Artic. I.) 1846, 314.
- cyanipes** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 6.
- cyanipes** Limnesia, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 19.
- cyanipes** Mimela (Newm.). H. Burmeister, Handb. Ent. IV (1) 1844, 289.—Paracrusis.
- cyanipes** Nocarodes, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 269.
- cyanipes** Paracrusis, E. Newman, Mag. Nat. Hist., n. s., III. July 1839, 366.
- cyanipes** Pelecium, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 378.
- cyanipes** Pelidnota, N. A. Vigors, Zool. Journ. I (4) Jan. 1825, 541.
- cyanipes** Phyllocharis (Fab.), J. W. Dalman, Ephem. Entom. 1824, 22.—Chrysomela.
- cyanipes** Rutela, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 406.
- cyanipes** Scutellera (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 70.—Tetyra.
- cyanipes** Stenochia, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 424.
- cyanipes** Tectocoris (Fab.), C. W. Hahn, Wanzenart. Ins. II (2) Feb. 1834, 34.—Tetyra.
- cyanipes** Tenebrio, A. W. Knoch, N. Beitr. Insectenkunde (1) 1804, 176.
- cyanipes** Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 133.
- cyanipes** Tricondyla, F. Eschscholtz, Zool. Atlas, I. 1829, 6.—Col.
- cyanipes** Tricondyla, Eschscholtz in Dejean & Boisduval, Icon. Coléopt. I. 1829, 57.
- cyanophlyctis** Bufo (Schn.), P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 132.—Rana, 1799.
- cyanophrys** Naucrates, W. Swainson, N. H. Fishes etc. II. July 1839, 412.
- cyanophrys** Psenes, Cuvier & Valenc., H. N. Poiss. IX. 1833, 260.
- cyanophthalma** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 657.
- cyanophthalmus** Portunus, Péron & Lesueur, Voy. Aust. I. 1807, 322.
- Cyanopica** C. L. Bonaparte, Cons-p. gen. Avium, I. 1850, 382.—A.
- cyanopis** Fringilla (Lath.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 47.—Emberiza, Gm. 1788. [246.]
- cyanopis** Loxia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1739 [1802].
- cyanopis** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 325.
- cyanipoda** Scutellera, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 622.

- cyanopodus** Serranus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 233.
- cyanopogon** Calothorax (Less.), G. R. Gray, List Gen. Birds, 1840, 13.—Ornismya.
- cyanopogon** Chloropsis (Temm.), Jardine & Selby, Ill. Orn., sign. F. 3, 1830.—Phyllornis.
- cyanopogon** Corvus, Max Wied, Reise Brasil. II. 1821, 137.
- cyanopogon** Cyanocorax (Wied), G. R. Gray, Genera of Birds, II. Mar. 1845, 307.—Corvus.
- cyanopogon** Cyanurus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831, 495.
- cyanopogon** Garrulus (Wied), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 67.—Corvus.
- cyanopogos** Nectarinia, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 15.
- cyanopogon** Ornisma, R. P. Lesson, H. N. Oiseaux-Mouches (3) Ap. 1829, 50.
- cyanopogon** Ornismya, R. P. Lesson, H. N. Colibris, Jan. 1832, 117.
- cyanopogon** Phyllornis, C. J. Temminck in T. & Laugier, Pls. color. (81) Oct. 1829.
- cyanopogon** Pica (Wied), J. Wagler, Syst. Avium, I. 1827, sign. 214.—Corvus.
- cyanopogon** Trochilus, W. Swainson, Selection Birds Brazil & Mexico, 1841, pl. 77.
- cyanopogon** Trochilus, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 13.
- cyanopogos** Trochilus, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 14.
- cyanopogon** Uroleuca (Wied), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 379.—
- Cyanopolius** C. L. Bonaparte, Proc. Zool. Soc. London, 1850, 86.—A. [Corvus.
- cyanops** Baetis, F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*z.c.* Dec. 1844], 171.
- cyanops** Bucco, G. Cuvier, Règne Anim. I. 1817, 428.
- cyanops** Dysporus, C. J. Sundevall, Phys. Sällsk. Tidsk. I (3) 1838, 218.
- cyanops** Ichneumon, G. Cuvier, Revue Entom. I (5) *c.* Nov. 1833, 207.
- cyanops** Meliphaga (Lath.), J. W. Lewin, Birds of N. Holland, 1808, 8.—Merops.
- cyanops** Merops, J. Latham, Index Orn., Suppl. 1801, p. xxxiv.
- cyanops** Philedon (Lath.), Desmarest, Dict. Sci. Nat. XXXIX. 1826, 489.—Merops.
- cyanops** Philemon (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 427.—Merops.
- cyanops** Sula (Sund.), G. R. Gray, Genera of Birds, III. Jan. 1845, 666.—? Dysporus.
- cyanopsis** Coccothraustes (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 87.—Emberiza cyanopsis, 1788.
- Cyanopterus** A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 22.—Hym.
- Cyanopterus** T. C. Eyton, Mon. Anatidae, 1838, 38.—A.
- Cyanopterus** B. H. Hodgson, J. Asiatic Soc. Bengal, XVI. 1847, 896.—M. [*n. n.*] [*?err. pro Cynopterus*].
- cyanopterus** Agapornis, W. Swainson, Anim. in Menag., Dec. 1837, 320.
- cyanopterus** Agathomerus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
- cyanoptera** Aglaia, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pl. 8. [677.
- cyanopterus** Amarygmus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.
- cyanoptera** Anas, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 104.
- cyanoptera** Anas, B. Merrem, Ersch & Gruber, Allg. Ency. XXXV. 1841, 33.
- cyanoptera** Anthrax, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. 1830, 638.
- cyanoptera** Aspasia, Dejean, Spec. gén. Coléopt. V. 1831, 364.—Lebia, 1825.
- cyanoptera** Bernicla, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 129. [49.
- cyanopterus** Brachinus, J. L. Le Conte, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844,
- cyanoptera** Brachyurus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 254.—
- cyanoptera** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 212. [Pitta.
- cyanoptera** Calleida, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 137.
- cyanoptera** Callispiza (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 27.—Aglaia.
- cyanoptera** Calliste (Sw.), G. R. Gray, Genera of Birds, II. July 1844, 366.—Aglaia.
- cyanopterus** Centrarchus, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.) 1843, 165.
- cyanopterus** Ceuthorrhynchus, L. Redtenbacher, F. Austr., Käfer, 1849, 380.
- cyanopterus** Cheilodipterus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 540.
- cyanopterus** Chloropsis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- cyanoptera** Chrysophrys, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846) & p. 330 (? 1855).

- cyanopterus** Conurus (Bodd.), G. R. Gray, *Genera of Birds*, II. Nov. 1845, 413.—Psit-
cyanopterus Coryphistes, T. de Charpentier, *Orthopt.* (10) 1844, tab. 59. [tacus, 1783.
cyanoptera Cryptobatis (Dejean), F. Eschscholtz, *Zool. Atlas*, II. 1829, 7.—Lebia.
cyanopterus Elater, F. W. Hope in J. F. Royle, *Ill. Bot. Himalay.* (11) 1840, p. lv.
cyanopterus Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 97.
cyanopterus Formicomus, F. de La Ferté-S. in F. E. Guérin-M., *Spec. et Icon. Anim.*
 artic. (7) 1849, 5 ["Mon. Anth." *poster. edit.*].
cyanopterus Galissus, H. Dupont, *Suppl. Mon. Trachyd.* in *Magasin de Zool.* (2) II.
 1840, pl. 28.
cyanoptera Galleruca, J. Krynicki, *Bull. Soc. Imp. Nat. Moscou*, V. 1832, 166.
cyanoptera Galleruca, d'Urville in J. A. Boissduval in d'Urville, *Voy. "Astrolabe," Ent.*
 (2) 1835, 547.
cyanopterus Gryllus, T. v. Charpentier, *Horae Ent.* 1825, 143.
cyanoptera Haltica, K. Illiger, *Mag. f. Insektenk.* (Illiger) VI. 1807, 77.
cyanoptera Harmonia, E. Mulsant, *Ann. Soc. Agric. Lyon* (2) II. 1850, 82.
cyanopterus Ischyryus, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 180.
cyanopterus Labrus (Lac.), G. Shaw, *Gen. Zool. (Pisc.)* IV (2) 1803, 513.—Cheilo-
cyanoptera Lebia, Dejean, *Spec. gén. Coléopt.* I. 1825, 258. [dipterus.
cyanopterus Leiosomus, L. Redtenbacher, *F. Austr.*, Käfer, 1849, 440.
cyanoptera Leiothrix (Hodg.), E. Blyth, *J. Asiat. Soc. Bengal*, XI. 1842, 184.—Siva
 cyanouroptera.
cyanoptera Lema, T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov. 1845, 369.
cyanoptera Loxia, J. Latham, *Index Orn.*, *Suppl.* 1801, p. xlv.
cyanopterus Luperus, J. Sturm, *Catal. Ins. Samml.* 1826, 165 [*n. n.*].
cyanopterus Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 472.
cyanopterus Mycotretus, T. Lacordaire, *Mon. Erotyl.*, Sept. 1842, 179.
cyanopterus Nycticeus (Raf.), R. P. Lesson, *H. N. Mamm. Ois. depuis 1788*, V. 1836,
 114.—Vespertilio.
cyanoptera Ocnoscelis, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 174.
cyanopterum Ommexecha, E. Blanchard, *Ann. Soc. Ent. France*, V (4) *post* Jan. 1837,
cyanopterus Phaedon, F. E. Guérin-M., *Iconographie*, 1844, *Ins.* 302. [608.
cyanoptera Pica, S. Palmer, *The Analyst*, IV (16) July 1836, 271.
cyanoptera Pitta, C. J. Temminck in T. & Laugier, *Pls. color.* (37) Aug. 1823.
cyanoptera Pitta, B. H. Hodgson, *Zool. Miscell. (Gray)* (6) June 1844, 83 [*n. n.*].
cyanoptera Popillia, F. W. Hope, *Ann. Mag. N. H.* IX. Aug. 1842, 495.
cyanopterus Psittacus, P. Boddaert, *Tab. Planch. Enl.* 1783, 27.
cyanopterus Psittacus, G. Fischer de W., *Nat. Mus. Paris*, II. 1803, 157.
cyanopterus Saltator, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIV. 1817, 104.
cyanopterus Staphylinus, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 57 [*n. n.*].
cyanopterus Staphylinus, Cristofori & Jan, *Cat. Mus.* (III a, Coleopt.) 1832, 15 [*n. n.*].
cyanoptera Syzygonia, F. Klug, *Entom. Mon.* 1824, 179.
cyanopterus Tenerus, M. Spinola, *Ess. mon. Clérites*, I. 1844, 165. [Saltator.
cyanoptera Thraupis (Vieill.), J. Cabanis, *Mus. Heineanum* (1) 1850 [1851], 29.—
cyanopterus Trochilus, L. Fraser (*ex* Loddiges MS), *Proc. Zool. Soc. London*, VIII (86)
 July 1840, 17.
cyanopterus Vespertilio, C. S. Rafinesque, *Amer. Monthly Mag.* III (6) Oct. 1818, 445.
cyanopterus Xantholinus, W. F. Erichson, *Gen. Spec. Staph.* (1) 1839, 311.
Cyanoptila E. Blyth, *J. Asiat. Soc. Bengal*, XVI. 1847, 124.—A.
cyanepunctatus Chiton, C. F. F. Krauss, *Südafrik. Moll.* 1848, 40.
cyanopus Agelaius, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXXIV. 1819, 552.
cyanopus Asilus, H. Loew, *Linnaea Entom.* IV. Dec. 1849, 53.
cyanopus Asturina, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, III. 1816, 41.
cyanopus Numenius, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, VIII. 1817, 306.
cyanopus Psarocolius (Vieill.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 426.—
cyanopygius Merops, R. P. Lesson, *Traité Ornith.* (3) July 1830, 238. [Agelaius.
cyanopygius Psittacus, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXV. 1817, 335.
cyanopygos Nectarinia, M. H. C. Lichtenstein, *Verz. Säug. Vög. Z. M. Berlin*, 1835, 11
cyanopyrra Hirundo, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIV. 1817, 510. [[*n. n.*].

- cyanorhynchus** Larus, B. Meyer in Meyer & J. Wolf, *Tasch. Deutsch. Vögelk.* II. 1810, 480. [1837, 164.]
- cyanorhynchus** *Spermophaga*, W. Swainson, *Birds W. Africa*, I (Nat. Libr. XVII.) May
- cyanirostris** Ada (Vieill.), A. d'Orbigny, *Amér. Mérid. (Ois.)* 1840, 340.—*Muscicapa*.
- cyanorostris** Anas, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, V. 1816, 165.
- cyanirostris** *Fluvicola* (Vieill.), A. d'Orbigny & Lafresnaye, *Syn. Av. Amér. mérid.* in *Magasin de Zool.* VII. 1837, 59.—*Muscicapa*.
- cyanirostris** Fulgora, F. E. Guérin-M., *Rev. Zool. (Soc. Cuv.)* VIII. Nov. 1845, 439.
- cyaneirostris** *Knipolegus* (Vieill.), F. Boie, *Isis (Oken)*, 1828, 317.—*Muscicapa cyani-*
- cyanirostris** *Muscicapa*, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXI. 1818, 447. [rostris.
- cyanorrrhos** Merops, H. Boie, *N. Staatsburg. Mag. (Schleswig)* I (2) 1823, 473 [*n. n.*].
- cyanospina** Epeira, H. Lucas, *Dict. pittor. H. N.* III (169) 1835, 70.
- cyanospina** *Plectana* (Lucas), C. A. Walckenaer (*Roret's Suite à Buffon*), *Aptères*, II. 1837 [1841], 178.—*Epeira*.
- cyanosticta** Agra, F. Klug, *Jahrb. Insectenk.* I. 1834, 57.
- cyanostigma** Alcedo, E. Rueppell, *Neue Wirbelth. Abyssin.* (10) 1837, 70.
- cyanostigma** Julis, Cuvier & Valenc., *H. N. Poiss.* XIII. 1839, 391.
- cyanostigma** *Pristotis*, E. Rueppell, *Neue Wirbelth. Abyssin.* (12) 1838, 128.
- cyanostigma** *Salarias*, P. Bleeker, *Verh. Batav. Genootsch.* XXII. 1849 (*Blennioid. Soenda-Moluk.*), 18.
- cyanostigma** *Serranus*, Kuhl & v. Hasselt in Cuvier & Valenc., *H. N. Poiss.* II. 1828, 359.
- cyanostigmatoides** *Serranus*, P. Bleeker, *Verh. Batav. Genootsch.* XXII. 1849 (*Percoid. Malayo-Moluk.*), 31.
- cyanostola** *Callicore*, E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I (1849), 239 [*n. n.*].
- cyanostolus** *Cossyphus*, J. Richardson, 15 *Rept. Brit. Assoc. (Cambr.)* 1846, 256.
- cyanostoma** *Achatina*, Rueppell in L. Pfeiffer, *Symb. Helic.* II. 1842, 58.
- cyanostoma** *Glandina* (Ruepp.), R. A. Philippi, *Abb. Conch.* I (6) 1844, 134.—*Achatina*.
- cyanostoma** *Subulina* (Ruepp.), H. Beck, *Index Moll. Mus. Ch. Fred.* (1) 1837, 76.—*Achatina*.
- cyanostriata** Eos, G. R. Gray, *Genera of Birds*, II. Oct. 1845, 417 [*vide fig.*].
- cyanostyla** *Aequorea* (Esch.), H. D. de Blainville, *Man. Actin.* 1834, 278.—*Polyxenia*.
- cyanostylis** *Polyxenia*, J. F. Eschscholtz, *Syst. Acalephen*, 1829, 119.
- Cyano-sylvia** C. L. Brehm, *Isis*, XXI (8-9) 1828, 920.—A.
- cyanotaenia** *Leuciscus*, P. Bleeker, *Verh. Batav. Genootsch.* XXIII. 1850 (*Ichth. fauna*
- cyaneo-taeniatus** *Maenoides*, J. Richardson, *Icones Piscium*, 1843, 8. [Java], 21.
- cyanitarsis** *Cicindela*, V. Kollar, *Ann. Wiener Mus.* I [2] 1836, 332.
- cyanitarsis** *Colobogaster*, Laporte & Gory, *H. N. Coléopt.* II. 1835-1836, 6.
- cyanitarsis** *Julodis*, Dejean, *Cat. Coléopt.*, ed. 2 (1) Jan. 1833, 74 [*n. n.*].
- cyanitarsis** *Julodis*, Solier (*ex Dej. Cat.*), *Ann. Soc. Ent. France*, II (2) c. July 1833, 273.
- cyanitarsis** *Pelidnota* (Lap.), H. Burmeister, *Handb. Ent.* IV (1) 1844, 407.—*Rutela*.
- cyanitarsis** *Rutela*, H. L. Gory, *Ann. Soc. Ent. France*, II (1) c. Ap. 1833, 67.
- cyanitarse** *Thyridium*, [E. Blanchard], *Cat. Coll. Ent. Mus. H. N. Paris, Coléopt.* I (2) 1850 [*ineunte* 1851], 207.
- Cyanotis** W. Swainson, *N. H. Classif. Birds*, II. June 1837, 243.—A.
- cyanotis** Alcedo (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 159.—*Halcyon*.
- cyanotis** Bucco, E. Blyth, *Journ. Asiat. Soc. Bengal*, XVI. 1847, 465.
- cyanotis** *Buceros*, E. Blyth, *J. Asiat. Soc. Bengal*, XVI. 1847, 465.
- cyanotis** *Chrysotis*, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 301.
- cyanotis** *Colibri* (Bourc.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 69.—*Trochilus*.
- cyanotis** *Dacelo*, C. J. Temminck in T. & Laugier, *Pls. color.* (44) Mar. 1824.
- cyanotis** *Dendrocolaptes*, M. H. K. Lichtenstein, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1818-1819 (1820), 201.
- cyanotis** *Entomiza*, W. Swainson, *N. H. Classif. Birds*, II. June 1837, 130 & 328.
- cyanotis** *Gracula*, Latham, *Ind. Orn.*, Suppl. 1801, p. xxix.
- cyanotis** *Gymnops* (Lath.), G. Cuvier, *R. Anim.*, ed. 2, I. 1829, 381.—*Gracula*.
- cyanotis** *Halcyon*, W. Swainson, *Birds W. Africa*, II (Nat. Libr. XIX.) Sept. 1837, 103.
- cyanotis** *Juida* (Sw.), G. R. Gray, *Genera of Birds*, II. Ap. 1846, 327.—*Lamprolornis*.

- cyanotis** Lamprocolius (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 415.—
Lamproternis. [146.]
- cyanotis** Lamproternis, W. Swainson, *Birds W. Africa*, I (Nat. Libr. XVII.) May 1837.
- cyanotis** Megalaima (Blyth), G. R. Gray, *Genera of Birds*, III. App. 1849, 21.—Bucco.
- cyanotis** Merops, M. H. C. Lichtenstein, *Verz. ausgestop. Säug. Vög.* 1818, 10.
- cyanotis** Philemon (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXVII. 1818, 426.—
Gracula. [59.]
- cyanotis** Psittacus, C. J. Temminck in T. & Laugier, *Pls. color.*, *Tabl. méth.*, Jan. 1839.
- cyanotis** Tropicorhynchus (Lath.), Vigors & Horsfield, *Tr. Linn. Soc. London*, XV (1) 1826, 325.—Gracula.
- cyanotropus** Hylocharis, Wied.; F. Boie, *Isis* (Oken). 1831, 546. [1820, 187.]
- cyanotropus** Procnias, Max Wied, *Litt. Anz.* 972; *Reise Brasil*. I.
- cyanotus** Petasophora (Bourc.), J. Gould, *Proc. Zool. Soc. London*, XV (168) Mar. 29, 1847, 8.—Trochilus.
- cyanota** Petrocincla, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 83 [*n. n.*].
- cyanotus** Polytus (Bourc.), G. R. Gray, *Genera of Birds*, I. Dec. 1848, 108.—Trochilus.
- cyanotus** Trochilus, J. Bourcier, *Rev. Zool. (Soc. Cuv.)* VI. Ap. 1843, 101.
- cyanotus** Trochilus, Bourcier & Mulsant, *Ann. Sci. Soc. Agric. Lyon*, VI. 1843, 41.
- cyanotus** Turdus, Jardine & Selby, *Ill. Orn.*, sign. E 3, pl. 46, 1828. [1838.]
- cyanouropterus** Joropus, B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 84.—Siva.
- cyanouroptera** Leiothrix (Hodgs.), G. R. Gray, *Genera of Birds*, I. Jan. 1845, 269.—
- cyanouroptera** Siva, B. H. Hodgson, *India Rev.* II. 1838, 88. [Siva.]
- cyanous** Turdus, J. Latham, *Index Orn.*, *Suppl.* 1801, p. xlii.
- cyanoventris** Alcedo, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIX. 1818, 412.
- cyaniventris** Ammophila, F. E. Guérin-M., *Magasin de Zool.* (2) V. 1843, text to
pl. 114, 9.
- cyaneiventris** Aphritis, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1844, 1845, 1846, 249.
- cyaneiventris** Blepharipeza, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1844, 1845, 1846, 285.
- cyanoventris** Calliste, G. R. Gray, *Genera of Birds*, II. July 1844, 366.
- cyaneiventris** Calobata, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1844, 1845, 1846, 343.
- cyaneiventris** Chrysomyia, J. W. Zetterstedt, *Dipt. Scand.* I. 1842, 156.
- cyaneiventris** Cicindela, L. A. A. Chevrolat, *Coléopt. Mex.* (2) Mar. 1834, no. 3.
- cyaniventris** Cuterebra, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1842, 1843, 180.
- cyanoventris** Euphonia (Vieill.), G. R. Gray, *Genera of Birds*, II. July 1844, 367.—
Tanagra. [1842.]
- cyaniventris** Ixodia, E. Blyth, *J. Asiat. Soc. Bengal*, XIV. 1845, 578.—Pycnonotus.
- cyaneiventris** Megapoda, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1844, 1845, 1846, 199.
- cyaniventer** Oligura, B. H. Hodgson, *Proc. Zool. Soc. London*, XIII (146) Aug. 1845, 25.
- cyaniventer** Oligura (Tesia), B. H. Hodgson, *Zool. Miscell.* (Gray) (6) June 1844, 82
[*n. n.*]. [263.]
- cyaniventris** Pelopaeus, Guérin-M. in Duperry, *Voy. "Coquille."* *Zool.* II (2) 1 (1838),
- cyaniventris** Pycnonotus, E. Blyth, *J. Asiat. Soc. Bengal*, XI. 1842 (*post* July), 792.
- cyaniventris** Reduvius, Guérin-M. in Duperry, *Voy. "Coquille."* *Zool.* II (2) 1 (1838).
- cyanoventris** Tanagra, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXXII. 1819, 426. [179.]
- cyaniventer** Tesia, B. H. Hodgson, *J. Asiat. Soc. Bengal*, VI. 1837, 101.
- cyaneo-violaceus** Carabus, V. Motshulski, *Mém. présentés Ac. Imp. Sci. St Pétersb.* V
(1-3) Nov. 1844, 99.
- cyanovirens** Columba, Lesson & Garnot, *Dict. Sci. Nat.* XL. 1826, 343.
- cyaneovirens** Geospiza, T. R. Peale in Wilkes, *U. S. Expl. Exped.* VIII. 1848, 117.
- cyano-virens** Ptilonopus (Less.), P. J. Selby, *Pigeons* (Nat. Lib. IX.) 1835, 109.—
Columba.
- cyaneo-iridis** Tabanus, J. Macquart, *Mém. Soc. N. Sci. Lille*, 1849, 1850, 335.
- cyanoxanthus** Lethrinus, J. Richardson, *Icones Piscium*, 1843, 7.
- cyanuroides** Pitta, Less.; G. R. Gray, *Genera of Birds*, I. Dec. 1846, 214.
- Cyanurus** W. Swainson in J. Richardson, *F. Bor.-Amer.* (2) Feb. 1831 [*i.e.* Feb. 1832],
- cyanura** Actenodes, A. Chevrolat, *Revue Entom.* V (2) c. Sept. 1838, 72. [495.—A.]
- cyanura** Ardea, L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XIV. 1817, 421.
- cyanurus** Asilus, H. Loew, *Linnaea Entom.* IV. Dec. 1849, 84.

- cyanura** Auchenia, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
cyanura Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 196.
cyanurus Coluber, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 446.
cyanurus Corvus (Lath.), G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 384.—Turdus, Gm. 1788.
cyanurus Crotalinus, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 41.
cyanurus Dascyllus, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 127.
cyanura Hydrophis, C. S. Rafinesque, Amer. Monthly Mag. I (6) Oct. 1817, 432.
cyanurus Itamus, H. Loew, Linnaea Entom. IV. Dec. 1849, 84.—Asilus, 1849.
cyanurus Lorius (Forst.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.—Psittacus, 1795. [1773.]
cyanura Lusciola (Pall.), J. F. Brandt in Tchihatcheff, Voy. Altai, 1845, 443.—Motacilla,
cyanura Mabouya (Less.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 96.—Scincus.
cyanura Melitta, W. Kirby, Mon. Apum Angl. I. 1802, 212.
cyanura Mellisuga (Steph.), G. R. Gray, Genera of Birds, I. Dec. 1848, 113.—Trochilus.
cyanura Myiothera (Gm.), M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 7.—Turdus, 1788.
cyanura Nemura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [n. n.].
cyanura Nemura, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 27.
cyanurus Ostracion, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (10) 1828, 4.
cyanurus Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 226.
cyanura Pitta (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 356.—Turdus, Gm. 1788.
cyanura Pitta, Mueller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Aves) 1840, 3.
cyanurus Polytmus (L.), F. Boie, Isis (Oken), 1831, 545.—Trochilus, Gm. 1788.
cyanura Prosopis (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 45.—Melitta.
cyanurus Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 538.
cyanurus Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 261.
cyanurus Scincus, R. P. Lesson, Ann. Sci. Nat. XIII (52) Ap. 1828, 388.
cyanura Stigmodera, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 62.
cyanurus Telephorus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
cyanura Tiliqua (Less.), J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 289.—Scincus.
cyanurus Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 369.
cyanurus Trochilus [non Gm.], L. P. Vieillot, Ency. Méth. (Orn.) 1822, 568.
cyanurus Trochilus, J. F. Stephens in Shaw, Gen. Zool. XIV. 1826, 339.
cyanurus Turdus, P. Boddaert, Tab. Planch. Enl. 1783, 21.
cyana Calliope (Hodg.), F. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 883.—Larvivora.
cyana Dacnis (Gm.), Cuvier, Règne Anim. I. 1817, 395.—Motacilla, 1773. [vora.
cyanus Hylocharis (Vieill.), F. Boie, Isis (Oken), 1831, 546.—Trochilus.
cyanus Hypodaues, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815),
cyana Larvivora, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 102. [108 [n. n.].
cyanus Lemmus (Mol.), F. Tiedemann, Zool. 1808, 475.—Mus, 1782.
cyanus Monticola (L.), F. Boie, Isis (Oken), 1822, 552.—Turdus, 1766.
cyanus Onthophagus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 177.
cyanus Pepliphorus (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 71.—Papilio, 1781.
cyanus Petrocossyphus (Gm.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. June 1840, 165.
 —Turdus, L. 1766. [Pall. 1776.
cyana Pica (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 127.—Corvus,
cyanus Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 642.—Papilio, 1781.
cyana Rutililla (Hodgs.), G. R. Gray, Genera of Birds, I. May 1846, 180.—Larvivora.
cyanus Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 426.
cyana Trypeta, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1031.
Cyathaxonia H. Michelin, Icon. Zooph. (1846), 257.—Cor.
Cyathellia Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 68.—Cor.
Cyathella Steenstrup, 1846; teste Marshall, sed non comp., ? Cyathidium, q. v.

- cyathellus** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (1858) July 1846, 41.
- cyathicollis** Cnemalobus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 194.
- Cyathidium** Steenstrup, Amtl. Ber. 24 Vers. deutsch. Naturf. Aerzte (Kiel) 1846, 150.—
- cyathifera** Amphiroa, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 50. [Ech.]
- cyathifera** Antennularia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 687.
- cyathifera** Cidaris, L. Agassiz, Cat. Ect. Ech. 1840, 10.
- cyathiformis** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (1) 1809, 287.
- cyathiformis** Episus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 376.
- cyathiformis** Eumenes, J. C. Fabricius, Syst. Piezat. 1804, 289.
- cyathiformis** Gemmipora, de Blainville, Dict. Sci. Nat. LX. 1830, 353 [*n. n.*].
- cyathiformis** [Gen. non det.], J. Hall, N. H. New York (Pal. I.) 1847, 72.
- cyathiformis** Palaeospongia (Hall), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547 [Gen. non det.].
- cyathiformis** Retepora, G. A. Goldfuss, Petref. German. I (1) 1826, 28.
- cyathigerum** Agrion, T. de Charpentier, Libell. Europ. 1840, 163.
- cyathigera** Lebia (Rossi), Dejean, Catal. Coléopt. 1821, 3.—Carabus, 1790.
- Cyathina** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 300.—Cor.
- cyathina** Noctua, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap. 1826], 466.
- cyathina** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 386.
- Cyathocrinites** J. S. Miller, N. H. Crinoidea, 1821, 85.—Crim.
- Cyathocrinites** G. Troost, P. Amer. Assoc. 1849 (1850), 61.—Crim.
- Cyathocrinus** Phillips, Geol. Yorksh. II. 1836, 206.—Crim.
- Cyathocrinus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 197.—Crim.
- Cyathodera** E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 130.—Col.
- Cyathodonta** T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 155.—L.
- cyathoides** Podabacia, Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 71.
- cyathoides** Spongites, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8
- cyathoides** Turbinolia, Lamarck, An. s. vert. II. 1816, 231. [*n. n.*].
- Cyathophora** H. Michelin, Icon. Zoophyt. (8) 1843, 104.—Cor.
- Cyathophyllum** G. A. Goldfuss, Petref. German. I (1) 1826, 54.—Cor.
- Cyathopora** D. D. Owen, Rep. Geol. Expl. Iowa, 1839 (U. S. Senate 28 Congr., Sess. 1. 407) 1844, 69.—Cor.
- Cyathopsis** A. d'Orbigny, Note Polyp. foss., Oct. 1849, 12.—Cor.
- Cyathoseris** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Cor.
- Cyathostoma** E. Blanchard, Ann. Sci. Nat. [3] (Zool.) XI. Mar. 1849, 182.—Verm.
- cyathulum** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 114, Aug. 1850.
- cyathula** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 163.
- cyathus** Anthophyllea (Gm.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 162.—Madrepora, E. & S. 1786. [pora, E. & S. 1786.]
- cyathus** Anthophyllum (Esp.), A. F. Schweigger, Handb. Naturges. 1828, 417.—Madre
- cyathus** Caryophyllia (L.), Lamarck, Syst. Anim. 1801, 370.—Madrepora, E. & S. 1786.
- cyathus** Crescis, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 1.
- cyathus** Cyathina (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 300.—Caryophyllia.
- cyathus** Cyathina (E. & S.), R. A. Philippi, Arch. f. Naturg. VIII (1) 1842, 40.—Madre-
- cyathus** Eschara, A. Risso, H. N. Europe, V. 1826, 343. [pora, 1786.]
- cyathus** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 123.
- cyathus** Hippurites, H. G. Bronn, Jahrb. f. Min. 1832, 173.
- cyathus** Turbinolia, A. Risso, H. N. Europe, V. 1826, 357.
- cyathus** Vorticella, G. Shaw, Nat. Misc. XVIII. 1807, pl. 771.
- Cyatocrinus** L. Agassiz, Cat. Ect. Ech. 1840, 13.—Crim.
- Cyatophyllum** Morren in Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 189.—Cor.
- Cybdelis** Boissudval, s. à Bufion (Lép.) I. 1836, expl. pl. ix.—Lep.
- Cybebus** C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 447.—Col.
- Cybele** S. Loven, Ofvers. K. Vet. Ac. Förh. II (4) 1845, 110.—Cr.
- cybele** Acidalia (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 31.—Papilio, 1775.

- cybele** Argynnis (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 263.—Papilio, 1775.
- cybele** Atrypa (Barr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 39.—Terebra-
- cybele** Cardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310. [tula.
- cybele** Heliconia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 104.—Papilio, 1777.
- cybele** Melania, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 222.
- cybele** Terebratulina, J. Barrande, Naturw. Abhandl. (Haidinger) I. 1847, 453.
- cybele** Trigonia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.
- Cybernetes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Gubernetes, Such.
- Cybicodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cubicodon, Jaeg.
- cybioides** Phalacrus, L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].
- cybira** Stomoxys, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1159.
- Cybister** J. Curtis, Brit. Entom. IV (38) Feb. 1827, no. 151.—Col.
- Cybister** Eschscholtz in Dejean, Cat. Coléopt., ed. 2 (1) 1833, 59.—Col.
- Cybigistes** A. White (*ex* Spinola, MS), List Crust. B. M. 1847, 106.—Cr.
- Cybium** G. Cuvier, R. Anim., ed. 2, II. 1829, 199.—P.
- Cybocephalus** W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 441.—Col.
- Cyboidea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuboides, Q. & G.
- Cybosia** J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Lep.
- cycacea** Clotho, C. L. Koch, Die Arachniden, X (5) 1843, 85.
- cycadis** Rhynchophorus, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, *id. ac* Cichla, Bl.; J. B. v. Spix, Pisc. Brasil. 1831, 99. [136.
- cychla** *v.* cichla.
- cychlura** *v.* cichlura.
- Cycreus** C. S. Rafinesque, Analyse, 1815, 101.—Cr. [*n. n.*].
- cycreus** Urolepis, F. Walker, Ann. Mag. N. H. (2) V. Feb. 1850, 131.
- Cyclacantha** Hermannsen, Ind. gen. Malac. I. 1847, 347.—G. [*v.* Cycloc➤].
- Cycladea** *emend. pro* Cyclas, Lam.; C. S. Rafinesque, Analyse, 1815, 146.—L. [*n. n.*].
- cycladensis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 289, Dec. 1845.
- cycladea** Crassatella, Lamarck, An. s. vert. V. 1818, 483.
- cycladia** Kellia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- cycladea** Mesodesma (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI. Mar. 1835, 133.—Crassatella.
- cycladiformis** Cyclas (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 381.—Cyrena.
- cycladiformis** Cyrena, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 121.
- cycladiformis** Cytherea, H. G. Bronn, Zschr. Min. 1827, II (1828), 539.
- cycladiformis** Erycina, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 736.
- cycladiformis** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 70.
- cycladiformis** Venus (Bronn), P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 171.—Cytherea.
- Cycladina** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 209.—L. [*vernac.* 1825].
- Cycladina** F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 399.—L.
- cycladis rivicolae** Cercaria, C. M. Diesing, Syst. Helminth. I. 1850, 298.
- Cycladites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 469.—L.
- cycladoides** Isaura, Joly, C. R. Acad. Sci. (Paris) XIII. 1841, 1068.
- Cycladophora** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab. p. 385.
- Cyclarhis** W. Swainson, Zool. Journ. I (3) Oct. 1824, 294.—A. [—P.
- Cyclaris** W. Swainson in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829 [1830], 679.—A.
- Cyclarthrus** J. L.-R. Agassiz, Poiss. Foss., Feuilleton, 95 (1836); III. 382 (1843)—P.
- Cyclas** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 196.—Col.
- Cyclas** H. F. Link, Besch. Nat. Samml. Rostock, III. 1807, 150.—L.
- cyclas** Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
- cyclastra** Astraea, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 251.
- Cyclatella** P. J. van Beneden, Bull. Ac. Roy. Brux. VI (2) 1839, 277.—Polyz.
- Cyclemis** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 424.—G.
- Cyclemys** T. Bell, Proc. Zool. Soc. London, II (15) June 1834, 17.—R.
- Cyclepites** C. S. Rafinesque, Atlantic Journ. (2) 1832, 68.—? [*n. n.*].

- Cycleptus** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 421.—P.
cyclica Helicogena, G. Jan, Consp. méth. Testac. 1830, 3 [*n. n.*].
Cyclidium M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 23.—Prot.
cyclidium Acomia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June, 1841, 382.
cyclidium Mystacodella, Bory de St V., Dict. Class. H. N. XI. 1827, 411.
ciclydium Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 195.
cyclidium Trichoda, F. v. P. Schrank, F. Boica, III (2) 1803, 97.
Cyclidius W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 17.—Col.
Cyclina G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 623.—L.
Cyclinus W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 78.—Col.
cyclioides Enchelis, Bory de St V., Dict. Class. H. N. VI. 1824, 158.
Cyclopleurus F. W. Hope, Trans. Zool. Soc. Lond. I (2) 1834, 107.—Col.
cyclips Toxolasma, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
cyclips Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 2.
Cycliscus C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 185.—Col.
cyclobates Haliotis, Péron & Lesueur, Voy. Aust. II. 1816, 80.
Cyclobatis P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 442.—P.
Cyclobostryx L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclocirra, Muell.
cyclocantha W. Swainson, Treat. Malacol., May 1840, 215 & 348.—G.
Cyclocarcinus Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 11.—Cr.
Cyclocephala P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 552.—Col.
 [*vernac.* 1825].
Cyclocephalus A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 361.—Col.
cyclocephalus Acrossus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 270.
Cycloceras F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 10.—Ceph.
cycloceros Ovis, T. Hutton, Calcutta Journ. Nat. Hist. II (8) Jan. 1842, 514.
cyclochalis Trochus, Lamarck, Ency. Méth. (Vers) 1816, pl. 445, Liste p. 10 [*n. et f.*].
Cyclochila Anyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 470.—Hem.
Cyclochilus L. Agassiz, Nom. Zool. (Moll.) 1845, 26.—G.
Cyclocirra J. Mueller, Arch. f. Naturg. 1841 (1), 147.—Verm.
Cyclocoenia A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.—Cor.
Cycloconus N. Da Rio, Oritt. Eugen. 1836, 79 & 80.—Cor.
Cycloconus Hombres-Firmas, Bull. Soc. géol. France, XIV. 1842, 72.—Cor.
Cyclocotyla A. G. Otto, Consp. anim. (1) 1821, 19.—Verm.
Cyclocotyle H. Burmeister, Handb. Naturg. 1837, 530 [=Cyclocotyla; *teste* Stiles].
Cyclocrinites E. Eichwald, Silur. Estland, 1840, 192.—Crin.
Cyclocrinus A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 291.—Crin.
Cyclocyathus Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, p. xiv.
 —Cor.
Cyclocyrtia L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclonassa, Swains.
Cyclodactyla J. F. Brandt, Rec. des Actes Ac. Imp. Sci. St Pétersb. 1834 (1835), 214.—
 Cor. [*teste* Agassiz *sed* ? *fam. non gen.*].
Cyclodema F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 68.—Col.
Cyclodera Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 408.—Col. [*n. n.*].
Cyclodera A. White in J. L. Stokes, Discov. in Australia, I. 1846, 510.—Col.
Cycloderes Schoenherr in C. R. Sahlberg, Peric. Entom. 1823, 21.—Col.
Cyclodiscus C. G. Ehrenberg, Abh. k. pr. Ak. Wiss. Berlin, 1839; *sic* Agassiz, *sed non*
Cyclodoma W. Swainson, Treat. Malacol., May 1840, 193.—G. [*comp.*]
Cyclodomorphus L. Fitzinger, Syst. Rept. 1843, 23.—R.
cyclodon Helix, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 65.
cyclodontia Oxyrhina, P. M. Pédroni, Actes Soc. Linn. Bordeaux, XIII. 1843 (1844), 288.
Cyclodontina H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 88.—G.
Cyclodus J. Wagler, Descr. Icon. Amph. (1) 1828, tab. 6; Nat. Syst. Amph. 1830, 162.—R.
Cycloë W. de Haan in Siebold, F. Japon. (Crust. 1837), 68.—Cr.
Cyclogaster J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 256.—Dipt.
Cyclogaster J. O. Westwood, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 20.—Ilem.
cyclogaster Eulophus, J. T. C. Ratzeburg, Die Ichneum. I. (c. Mar.) 1844, 167.
Cyclogasterus H. Cloquet, Dict. Sci. Nat. XII. 1818, 285.—P.

- Cycloglena** C. G. Ehrenberg, *Sym. Phys.*, Phyt. 1831 (pls. 1828), sign. *b*.
- Cyclognathus** E. Geoffroy St H., *Rev. Ency.* LIX. 1833, 79.—M.
- Cyclognathus** Croiz.; H. G. Bronn, *Index Pal.* 1848, 373 [= *Anthracterium*].
- Cyclognathus** Croizet; v. Trouessart, *Cat. Mamm.* II. 1898, 804 [= *Hyopotamus*, *sed non comp.*].
- cyclognathum** *Anthracterium*, A. Bravard, *Ann. Sci. Auvergne*, XVI. 1843, 432 [*n. n.*].
- Cyclognatus** E. Geoffroy St H., *Études progr.* 1835, 90.—M. [*Anoplotherium laticurvatum*]. [(2) 1850, 378.]
- cyclogonus** Diaphoronus, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXIII. 1850
- cyclogonus** Harpalus, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XVII. 1844 (3) 1844, 449.
- Cyclogramma** E. Doubleday, *Gen. diurn. Lepid.* I (—) Ap. 1849, 217; pl. 27 (1847).—
- Cyclogramma** M. Perty, *Mith. Nat. Ges. Bern*, 1849, 39.—Inf. [Lep.]
- Cyclograpsus** H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 77.—Cr.
- Cyclogyra** S. V. Wood, I., *Ann. Mag. N. H.* IX. Aug. 1842, 458.—Verm.
- cycloides** Ammonites, A. d'Orbigny, *Pal. Franç.*, Jurass. I. (Céph.) 1846, 370.
- cicloides** Cyclidium, M. Losana, *Mem. R. Acc. Sci. Torino*, XXXIII. 1829, 34.
- cycloides** Trebratula, G. Fischer v. W., *Progr. Séance Publ. Soc. Imp. Nat. Moscou*,
- cycloides** Venus, A. d'Orbigny, *Amér. Mérid.* (Moll.) 1846, 562. [1809, 29.]
- Cyclois** L. Agassiz, *Nomen. Zool. Index Univ.* 1846.—*emend. pro* Cycloës, Haan.
- cyclolabris** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1839, 32.
- Cyclolina** A. d'Orbigny, *Foram. foss. Vienne*, Sept. 1846, 139.—Rh.
- Cyclolites** Lamarck, *Syst. Anim.* 1801, 369.—Cor.
- cyclolites** Cycloseris (Lam.), Edwards & Haime, *C. R. Ac. Sci. (Paris)* XXIX. July 1849, 72.—Fungia.
- cyclolites** Fungia, Lamarck, *An. s. vert.* II. 1816, 236.
- Cyclolithas** *emend. pro* Cyclolites, Lam.; C. G. Ehrenberg, *Abh. k. pr. Ak. Wiss. Berlin*,
- Cyclolithes** H. G. Bronn, *Index Pal.* 1848, 374.—Cor. [1832, 276.]
- Cyclolithus** C. D. E. Koenig, *Icones foss.* 1825, pl. 19.—Cor.
- cyclolitoides** Aplocyathus (E. & H.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 333.—Trochocyathus.
- cyclolitoides** Thecophyllia, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XI. Ap. 1849, 242. [May 1848, 315.—Turbinolia.]
- cyclolitoides** Trochocyathus (Mich.), Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) IX.
- cyclolitoides** Turbinolia, Bellardi in H. Michelin, *Icon. Zoophyt.* (24-27) 1847, 268.
- Cyclobola** M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXIII. 1850 (1) 1850, 43.—Col.
- cyclobolus** Aganides (Ph.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 115.—
- cyclobolus** Goniattites, J. Phillips, *Geol. Yorksh.* II. 1836, 237. [Goniattites.]
- Cyclomorphus** F. W. Hope, *Rev. Zool. (Soc. Cuv.)* IV. Ap. 1841, 114.—Col.
- Cyclomus** C. S. Rafinesque, *Analyse*, 1815, 153.—Ech. [*n. n.*] [1809, 29.]
- Cyclomus** C. J. Schoenherr, *Isis* (Oken), 1823, 1144; *Curc. disp. meth.* 1826, 198.—Col.
- Cyclomus** M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, 1838 (1) 1838, 14.—Col.
- Cyclonassa** W. Swainson, *Treat. Malacol.*, May 1840, 69 & 300.—G.
- Cyclonotum** Dejean, *Catal. Coléopt.*, ed. 2 (2) July 1833, 134.—Col. [*sine typo*].
- Cyclonotum** Mulsant, *Ann. Sci. Soc. Agric. Lyon*, VII. 1844, 167.—Col.
- cyclonota** Cephea, L. Oken, *Lehrb. Nat.* III (1) 1815, 117.
- cyclonota** Chrysaora, Péron & Lesueur, *Ann. Mus. H. N. (Paris)* XIV (83) Jan. 1810, 365.
- cyclonota** Cyanea (Pér.), Lamarck, *An. s. vert.* II. 1816, 520.—Chrysaora.
- cyclonotus** Oribata, P. Gervais in Gay, *Chili*, IV (Acar.) 1849, 48.
- Cyclope** A. Risso, *H. N. Europe*, IV. 1826, 169.—G.
- Cyclopeplus** Dejean, *Catal. Coléopt.*, ed. 2 (4) Aug. 1835, 335.—Col. [*n. n.*].
- Cyclopertha** Amyot & Serville (Roret's Suite à Buffon), *Hémiptères*, 1843, 172.—Hem.
- Cyclopes** J. E. Gray, *London Med. Repos.* XV. Ap. 1821, 305.—M.
- cyclopea** Cleophana, A. Graslin, *Ann. Soc. Ent. France*, V (4) *post* Jan. 1837, 570.
- cyclopea** Cypricardia, Al. Brongniart, *Mém. terr. Vicentin*, 1823, 82.
- cyclopea** Madrepora, J. D. Dana, Wilkes, U. S. Exped., *Zooph.*, c. Mar. 1848, 439.
- cyclopeus** Solecurtus (Brong.), A. d'Orbigny, *Prodr. Paléont.* II. [Nov.] 1850, 321.—Cypricardia.

- Cyclophora** J. Huebner, Tentamen (me judice, 1806), 2.—Lep. [*n. n.*].
- Cyclophora** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Lep.
- Cyclophora** W. Swainson, Treat. Malac. 1840, 185 & 336.—G. [= Cyclophorus, Montf.].
- Cyclophorus** Denys de Montfort, Conch. II. 1810, 390.—G.
- Cyclophorus** L. Pfeiffer, Zeitschr. f. Malacoz. 1847, 47.—G.
- cyclophorus** Byrrhus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 117.
- cyclophora** Cephæa, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 360.
- cyclophora** Lerneæ, H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822, 438.
- Cyclophthalmus** A. J. C. Corda, Verh. Gesellsch. Nat. Mus. Böhmen, 1835, 37.—Ar.
- Cyclophthalmus** F. W. Hope, Cat. Lucanoid Coleopt. 1845, 5.—Col.
- cyclophthalmus** Cichlops, Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 24.
- Cyclophylla** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 187.—Med. 1834.
- cyclophylla** Eulimenes, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 360.
- cyclophylla** Phorcyina (P. & L.), L. Oken, Lehrb. Nat. III (1) 1815, 121.—Eulimenes.
- Cyclophyllia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 491.—Cor.
- Cyclophyllum** d'Orbigny, Prodr. I. 1850 [*teste* Scudder, *sed non comp.*].
- Cyclopia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 59.—M.
- Cyclopidæ** J. Huebner, Verz. bekannt. Schmett. [1820], 111.—Lep.
- Cyclopina** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyclopsina, Müll. 1785; M. Edwards, 1840.
- cyclopina** Silurella, Bory de St V., Ency. Méth. (Zooph.) 1827, 684.
- Cyclopis** J. Huebner, Index exot. Lepid. 1821, 2.—Lep.
- Cyclopis** J. Huebner, Verz. bekannt. Schmett. 1825, 274.—Lep.
- Cyclopium** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 343.—P.
- cyclopius** Hipparchia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3)
- Cyclopoma** J. L. R. Agassiz, Poiss. Foss. IV. 17 (1833).—P. [1844, 590.
- Cyclopoma** Troschel, Arch. f. Naturg. 1847 (2), 381.—G.
- Cyclopora** C. S. Rafinesque, Analyse, 1815, 157.—Coel. [*n. n.*].
- cyclopora** Encope, L. Agassiz, Mon. Ech. II. 1841, 52.
- Cyclops** Denys de Montfort, Conch. II. 1810, 370.—G.
- cyclops** Cassida, J. C. Fabricius, Syst. Eleuth. I. 1801, 394.
- cyclops** Cophosus, Koll.; J. Sturm, Catal. Ins. Samml. 1826, 125.
- cyclops** Corynoscelis, H. Burmeister, Handb. Ent. V. 1847, 127.
- cyclops** Coscinum, A. Keyserling, Wiss. Beob. Petschora, 1846, 192.
- cyclops** Darnis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 479.
- cyclops** Erpictus (Ruepp.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—Salarias.
- cyclops** Isotelus, J. Green, Monthly Amer. J. Geol. I (? Aug.) 1832, 560.
- cyclops** Phytoecia, Handschuch in H. C. Kuester, Käfer Europas, XIII. 1848, 88.
- cyclops** Platessa (Don.), J. Fleming, Hist. Brit. Anim. 1828, 199.—Pleuronectes.
- cyclops** Pleuronectes, E. Donovan, N. H. British Fishes, IV. pl. 90 (1806).
- cyclops** Proporus, E. D. Schmidt, N. Beitr. Naturg. Würmer, 1848, 9.
- cyclops** Salarias, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—) 1830 or 1831, 113.
- cyclops** Strix, J. Gould, Proc. Zool. Soc. London, IV (48) June 1837, 140.
- cyclops** Syzygops, C. J. Schoenherr, Isis (Oken), 1823, 1145 [*n. n.*]; Curc. disp. meth. 1826, 94.
- Cyclopsina** H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 427.—Cr.
- Cyclopsine** C. Vogt, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 17.—Cr.
- Cycloptera** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 439.—
- cyclopteri** Distoma, C. A. Rudolphi, Entoz. II (1) 1809, 438. [Orth.
- cyclopterina** Lerneocera (Müll.), de Blainville, Dict. Sci. Nat. XXVI. 1823, 117.—Lerneæ, 1776. [1776.
- cyclopterinus** Schisturus (Müll.), L. Oken, Lehrb. Nat. III (1) 1815, 183.—Lernaæa,
- cyclopterorum** Lernaæa, *id.* ac cyclopterina, Müll.; W. Turton, Linnaeus, Syst. Nat. IV. 1802, 116. [bezzit., Zool. (Ins.) 1842, 164.
- cyclopterus** Acridium (Mastax), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- cycloptera** Avicula, J. Phillips, Geol. Yorksh. II. 1836, 211.

- cyclopterus Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 59.
- Cyclopus Dejean, Catal. Coléopt. 1821, 96.—Col. [*n. n.*].
- cyclopus Arges (Humb.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 340.—Pimelodus.
- cyclopus Ophthalmoplanis, Bory de St V., Ency. Méth. (Zooth.) 1827, 584.
- cyclopus Pimelodes, J. Minding, Lehrb. Naturg. Fische, 1832, 116.
- cyclopus Pimelodus, Humboldt, Voy. Intér. Amér. (Obs. Zool.) I (1) 1805, 44.
- cyclopus Prenadilla (Humb.), F. P. Jarocki, Zoologia, IV. 1822, 82.—Pimelodus.
- cyclopus Purpura, R. A. Philippi, Enum. Moll. Siciliæ, I. 1836, 219.
- cyclopus Urceolaria, Bory de St V., Ency. Méth. (Zooth.) 1827, 764.
- Cyclopyge Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 63.—Cr.
- Cyclora J. Hall, Amer. J. Sci. XLVIII (2) Ap. 1845, 294.—G.
- Cycloramphos J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 41 & 81 (—us).—R.
- Cycloramphus J. J. Tschudi, Fauna Peru: (Herp.) 1846, 67.—Amph.
- Cyclorhamphus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cycloramphos; Cycloramphus, Tsch. [1824].
- Cyclorhis W. Swainson, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 162.—A. [Cyclarhis,
- Cyclorhynchus C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 83.—A.
- Cyclorhynchus J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 392.—Dipt.
- Cyclorhynchus W. de Haan in Siebold, F. Japon. (Crust. 1849), 174.—Cr.
- Cyclorites Rafinesque, 1819; *teste* Scudder, *v.* Cyclorites.
- Cyclorites C. S. Rafinesque, Atlantic Journ. (2) 1832, 68.—? [*n. n.*].
- Cyclorrhynchus J. J. Kaup, Skizz. Europ. Thierw. 1829, 155.—A. [*typus* Alca psittacula].
- Cyclorites C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 428.—Coel.
- Cyclosalpa H. M. de Blainville, Dict. Sci. Nat. XLVII. 1827, 108.—Moll.
- Cyclosaurus J. Wagler, Isis (Oken), 1833, 894.—R.
- Cycloseris Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Cor.
- Cyclosia J. Huebner, Verz. bekannt. Schmett. [1822], 177.—Lep.
- Cyclosites C. S. Rafinesque, 1811 [*teste* Bronn *et alii*, *sed non comp.*].
- Cyclosmilæ A. d'Orbigny, Note Polyp. foss., Oct. 1849, 6.—Cor.
- Cyclosomus P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 394.—Col.
- Cyclosterna de Blainville, Dict. Sci. Nat. XII. [1818], 297 [*err. pro* Cyclostrema].
- Cyclostoma A. W. Otto, N. Acta Ac. Caes. XI (2) 1823, 302.—Verm.
- Cyclostoma S. Nilsson, Prodr. Ichth. Scand. 1832, 121.—P. [*teste* Scudder *sed ordo non*
- Cyclostoma W. Kirby, Introd. Entom. III (ed. 5) 1838, 631.—Hym. [*gen.*].
- cyclostoma Ampullaria, J. B. v. Spix, Testac. Brasil. 1827, 4.
- cyclostoma Biloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 382.
- cyclostoma Bodianus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 282.
- cyclostoma Buccinum, H. D. de Blainville, Faune Française (23) Malac. 1829, 185.
- cyclostoma Bulimus, Lamarck, Ann. Mus. H. N. (Paris) IV (22) June 1804, 294.
- cyclostoma Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 459, May 1849.
- cyclostoma Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June
- cyclostoma Echinanaus, J. E. Gray, Ann. Phil. XXVI. 1825, 429. [1850, 135.
- cyclostoma Eschara, J. P. C. Moll, Esch. Zooph. 1803, 56 & no. ix.
- cyclostoma Eschara, J. P. C. Moll, Die Seerinde, 1803, 63.
- cyclostoma Eschara, Goldfuss, Petref. German. I. 1826, 23.
- cyclostoma Escharina (Moll), H. M. Edwards in Lamarck, H. N. An. s. vert., ed. 2, II. Aug. 1836, 232.—Eschara.
- cyclostoma Helix, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 126.
- cyclostoma Hydriophora, J. Phillips, Geol. Yorksh. II. 1836, 202. [—Eschara
- cyclostoma Membranipora (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 261.
- cyclostoma Monticularia (Ph.), J. Morris, Cat. Brit. Foss. 1843, 42.—Hydriophora.
- cyclostomus Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 383.
- cyclostoma Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841,
- cyclostomus Nautilus, J. Phillips, Geol. Yorksh. II. 1836, 232. [146.
- cyclostoma Paludina, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 13 [*n. n.*].
- cyclostoma Paludina, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 794.
- cyclostomus Plectropomus (Lac.), H. Cloquet, Dict. Sci. Nat. XLI. 1826, 359.—Bodianus.

- cyclostoma** Pupa, L. Pfeiffer in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Pupa
cyclostoma Scalaria, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 17. [(30) 1841, 6.
cyclostomum Solarium, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 142.
cyclostomum Solarium, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 22.
cyclostoma Spirorbis, J. C. Chenu, Illustr. conch. I. Spirorbis, 1843, 3.
cyclostomus Trochus, C. T. Menke, Conch. Samml. Malsburg, 1829, 22.
cyclostoma Trochus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 237.
cyclostoma Turbo, Benz in C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 45.
cyclostomus Upeneus (Lac.), Cuvier & Valenc., H. N. Poiss. III. 1829, 472.—Mullus.
cyclostomaeformis Paludina, C. d'Orbigny in Magasin de Zool. VII. 1837, pl. 79.
cyclostomaformis Paludina, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
cyclostomatiformis Paludina, I. Lea, Tr. Amer. Phil. Soc., n. s., IX (1) 1844, 23
 [=cyclostomaformis, 1841].
cyclostomata Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 141.
cyclostomata Rissoa, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 104.
cyclostomoides Helix, L. Pfeiffer, Arch. f. Naturg. VI (1) 1840, 251.
cyclostomoides Turbo, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837,
cyclostomopsis Helix, I. Lea, Tr. Amer. Phil. Soc., n. s., V (1) 1834, 53. [27.
Cyclostomus Denys de Montfort, Conch. Syst. II. 1810, 286.—G.
cyclostomus *v.* **cyclostoma**.
Cyclostrema F. Marryat, Tr. Linn. Soc. London, XII (2) 1819, 338.—G.
Cyclosytes C. S. Rafinesque, 1811 [*teste* Agassiz, *sed non comp.*].
Cyclotelus F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 4.—Dipt.
Cycloterus C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 383.—Col.
cyclothorax Anatolica, G. Fischer de W., Cat. Col. Sibir. [1842], 14.
cyclothorax Nirmus, H. Burmeister, Handb. Ent. II (2) i, 1838, 429.
cyclothorax Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
 Aptères, III. 1844, 349.—Nirmus. [21 & 22.—M.
Cyclothurus J. E. Gray, Ann. Phil. X. 1825, 343; Syn. Cont. Brit. Mus., ed. 44, 1842,
Cyclothyris McCoy, Syn. Carb. Foss. Ireland, 1844, 103 ["Cyclothyridae," Phill. 1841].
Cyclotrachelus M. de Chaudroir, Bull. Soc. Imp. Nat. Moscou, 1838 (1) 1838, 27.—Col.
Cyclotrema *err. pro* Cyclostrema, Marr.; J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840,
 148.—G. [*n. n.*].
Cycloturus J. E. Gray, 1825; *v.* Cyclothurus.
Cyclotus Guilding in W. Swainson, Treat. Malacol., May 1840, 186 & 336.—G.
Cyclotus J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—G. [*n. n.*].
Cycloum A. H. Hassall, Ann. Mag. N. H. VII. Aug. 1841, 483.—Polyz.
Cyclous Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 58.—Col.
Cyclous F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 29.—Col.
Cycloxanthus H. M. Edwards in Archiac, Hist. progr. géol. 1834-49, III. 1850, 304 k.—
 Cr. [*teste* M. J. Rathbun].
Cyclura R. Harlan, J. Acad. Nat. Sci. Philad. IV. Feb. 1825, 250.—R.
cycluroides Ctenosaura, A. F. A. Wiegmann, Isis (Oken), 1828, 371.
cycluroides Iguana (Ctenosaurus) (Wieg.), J. E. Gray in Griffith's Cuvier, Anim. Kingd.,
 Rept. 1830, Syn. 37.—Ctenosaura.
Cyclurus J. L. R. Agassiz, Phil. Mag. VIII. 1836, 368.—P. [*n. n.*].
Cyclurus J. L. R. Agassiz, Poiss. Foss. V (2), 43 (1839).—P. [*non* Cyclurus, 1836].
Cyclurus J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 41.—R. [*n. n.*].
cyclura Agama, B. Merrem, Ersch & Gruber, Allg. Ency. II. 1819, 165.
cyclurus Agama, J. B. v. Spix, Lacert. Brasil. 1825, 14.
cyclura Coronella, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 50.
cyclura Leachia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. II. Mar. 1821, 90.
cyclurus Lolligopsis (Les.), A. Férussac, Dict. Class. H. N. III. 1823, 68.—Leachia.
cyclurus Myliobatis, v. Hasselt, Alg. Konst. Letterbode, May 1823, 316; Bull. des Sci.
 Nat. II. 1824, 90.
cyclurus Nileus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 52.
cyclurus Tropidurus (Sp.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830,
 Syn. 42.—Agama.

- cyclurus** *Tropidurus* (Wied), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 225.—*Uromastix*.
- cyclurus** *Uromastix*, B. Merrem, Tent. Syst. Amph. 1820, 56.
- Cyclus** *err. pro* *Cyclas*, W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 107.—Col.
- Cyclus** *err. pro* *Cyclas*, Lam.; Jurine, Helvet. Almanac, 1817, 37.—L.
- Cyclus** H. E. Anton, Arch. f. Naturg. III (1) 1837, 284.—L.
- Cyclus** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 13.—Cr.
- cyclus** *Ctenolepis*, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*]; Poiss. Foss. II (2), 180 (1844) [*n. n.*].
- Cycnia** J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 7.—Lep.
- Cycnoderus** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 101.—Col.
- Cynopsis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cygnopsis*, Brandt.
- Cynorhinus** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 235.—Col. [*n. n.*].
- cynos** Libellula, De Selys, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 15.
- Cynus** J. Huebner, Verz. bekannt. Schmett. [1820], 81.—Lep.
- Cynus** J. Brookes, Catal. Mus. Brookes (2) July 1828, 102.—A. = *Cygnus* [C. W. R.].
- Cynus** H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 495.—Cr.
- cynus** *Phialina*, Bory de St V., Dict. Class. H. N. XIII. 1828, 364.
- Cycria** J. E. Gray (*ex* Leach MS), Cat. Moll. Coll. B. M. (Ceph. antep.) 1849, 62.—Ceph.
- Cydalisia** R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 106.—Zooph.
- Cydaris** C. S. Rafinesque, Analyse, 1815, 153.—Ech. [*n. n.*] [= *Echinoneus*, Lam.].
- Cydia** J. Huebner, Verz. bekannt. Schmett. 1826, 375.—Lep.
- Cyodianerus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 737.—Col.
- Cyodianirus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* *Cyodianerus*, Schoenh.
- Cydimon** J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 407.—Lep.
- Cydippa** C. S. Rafinesque, Analyse, 1815, 142.—G. [*n. n.*].
- Cydidpe** J. F. Eschscholtz, Syst. Acalephen, 1829, 24.—Coel.
- cydidpe** *Alazonia* (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 46.—*Papilio*, 1763.
- cydidpe** *Cethosia* (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—*Papilio*, 1763.
- cydidpe** *Chloroperla*, E. Newman, Mag. Nat. Hist., n. s., III. Feb. 1839, 88.
- cydidpe** *Najas*, J. Huebner, Exot. Schmett., Tab. *Najas* [*n. et f.*].
- cydidpe** *Palaemon*, A. White, List Crustacea Coll. B. M. 1847, 78 [*n. n.*].
- cydidpe** *Pleurotomaria*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cydno** *Heliconia*, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847), 103
- cydno** *Leptalis*, E. Doubleday, Zool. Miscell. (Gray) (5) June 1842, 75. [[*n. et f.*].
- Cydnus** J. C. Fabricius, Syst. Rhynch. 1803, 184.—Hem.
- cydon** Entedon, F. Walker, Mon. Chalcid. I. 1839, 58.
- cydonea** *Amiba*, Bory de St V., Ency. Méth. (Zooph.) 1824, 48.
- Cydonia** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 430.—Col.
- cydoniaria** *Brotis* (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 303.—*Phalaena* ?*cydonia*, 1775.
- cydoniata** *Larentia* (Borkh.), F. Treitschke, Schmett. Europa, VI (2) 1828, 101.—Geom. 1794. [Tinea, D. & S. 1775.
- cydoniella** *Argyromiges* (Fab.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—
- cydoniella** *Argyromis* (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea, D. & S. 1775.
- cydoniella** *Chrysoesthia* (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 422.—Tinea, 1775.
- cydoniella** *Elachista* (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 78) [*ante* Nov. 1840], 528.—Tinea, D. & S. 1775.
- cydoniella** *Oecophora* (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—?Tinea, D. & S. 1775.
- cydoniella** *Phalaena* (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 376.
- cydonifera** *Cidaris*, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 329.
- Cydonium** J. Fleming, Hist. Brit. Anim. 1828, 516.—Coel.
- cydonium** *Alcyonium*, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 77.
- cydonium** *Donatia*, G. D. Nardo, Isis (Oken), 1833, 522 [*n. n.*].
- cydonium** *Geodia* (Lam.), J. E. Gray, List Brit. Anim. [Spong.] B. M. 1848, 2.—*Alcyonium*

- cydonium** Tethya (L.), O. G. Costa, Fauna Regno Napoli, Zoofiti, Tethya, 17 (May 1844).
- Cydonus** C. W. Hahn, Wanzenart. Ins. II (5) Oct. 1834, 115.—Hem. [—Alcyonium.
- Cydosia** J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 193.—Lep.
- Cydrus** Dalman in G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 81.—Lep. [n. d., 1 nom. triv. append.].
- Cyglas** *err. pro* Cyclas, Lam.; L. Oken, Allg. Naturges. V (1) 1835, 303.
- cygnaei** Dendrophagus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846,
- cygnella** Adela, F. Treitschke, Schmett. Europa, IX (2) 1833, 117. [515.]
- cygnella** Elachista (Tr.), Duponchel in J. B. Godart, II. N. Lépid. France, XI (Noct. 8) [ante Nov. 1840], 543.—Adela.
- cygneola** Systropha, J. Huebner, Verz. bekannt. Schmett. [1822], 166 [*n. n.*].
- cygneum** Anodon, L. Oken, Lehrb. Nat. III (1) 1815, 238.
- cygneus** Anodon, *var.* contorta; T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 81.
- cygnea** Anodonta, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 145.
- cygnaea** Anodontites (L.), J. L. M. Poiret, Coq. Aisne, 1801, 109.—Mytilus, 1758.
- cygneus** Apoderus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 190.—Attelabus.
- cygneus** Aquila, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1189.
- cygneus** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 417.
- cignea** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 210.
- cygnea** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 111.
- cygnea** Mactra, R. A. Philippi, Zeitschr. f. Malakozool., Nov. 1844, 161.
- cygnea** Symphynota (L.), I. Lea, Tr. Amer. Phil. Soc., n. s., III (4) 1829, 456.—
- cygni** Docophorus, H. Denny, Mon. Anoplur. 1842, 95. [Mytilus, 1758.]
- cygni** Filaria (Gm.), C. A. Rudolphi, Entoz. II (1) 1809, 71.—Ascaris, 1790.
- cygni** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 119.
- cygni** Ornithobius (L.), H. Denny, Mon. Anoplur. 1842, 183.—Pediculus, 1758.
- cygni** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 338.—Docophorus. [1758.]
- cygni** Ricinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 106.—Pediculus,
- cygnipennella** Apheloesia (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 288.—Tinea, 1796.
- cygnipennella** Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428.—Tinea, 1796.
- cygnipennella** Oecophora (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 302.—Tinea, 1796. [pennella, Huebner. 1796.]
- cygnipennis** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 536.—Tinea cygni-
- cygnipes** Avicula, J. Phillips, Geol. Yorksh. I. 1829, 162 [*n. et f.*].
- cygnipes** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 235. [L. 1758.]
- cygnoides** Anser (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXIII. 1818, 337.—Anas,
- cygnoides** Ateledera, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 608.
- cygnoides** Cynopsis (L.), J. F. Brandt, Anim. ross. nov. 1836, 5.—Anas, 1758.
- cygnoides** Fasciola, F. v. P. Schrank, F. Boica, III (2) 1803, 212.
- Cygnopsis** J. F. Brandt, Anim. ross. nov. 1836, 5.—A. [cygni, 1758.]
- cygnorum** Ornithobius (L.), H. Lucas, Explor. Algér. (Artic. I.) 1846, 363.—Pediculus
- cygnorum** Philopterus (L.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 359.—Pediculus cygni, 1758.
- Cygnus** Bartram, Trav. Carol. 1791, 492 [*i.e.* 294]; ed. London, 1792, 292.—A.
- Cygnus** J. M. Bechstein, Orn. Taschenb. (2) 1803, 404.—A.
- cygnus** Amiba, Bory de St V., Ency. Méth. (Zooph.) 1824, 47.
- cygnus** Crassatella, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 117.
- cygnus** Cytherea, Lamarck, An. s. vert. V 1818, 580.
- cygnus** Mactra, de Blainville, Dict. Sci. Nat. XXVII. 1823, 547.
- cygnus** Phialina, Bory de St V., Ency. Méth. (Zooph.) 1827, 617.
- cygnus** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (138) Dec. 1844, 144.
- cygnus** Trachelius (Müll.), F. v. P. Schrank, F. Boica, III (2) 1803, 56.—Vibrio, 1773.
- Cyinnyris** *err. pro* Cinnyris, Cuv.; L. P. Vieillot, Ency. Méth. (Orn.) 1822, 584.
- Cylanus** C. S. Rafinesque, Analyse, 1815, 115.—Col. [*n. n.*]=Cylas, Latr.
- Cylapus** T. Say, Descr. Heter. Hem. N. Amer. 1831, 792.—Hem. [*nihil non visum*].
- Cylas** P. A. Latreille, Mag. f. Insektenk. (Illiger) III. 1804, 101.—Col.

- Cylichna** S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 142.—G.
Cylichnus H. Burmeister, Handb. Ent. IV (1) 1844, 171.—Col.
Cylicopora J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 17.—Cor.
Cylicosmilia Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848, 232.—Cor.
Cylidria J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 678, [96 *[non comp.]*].
 “**Cylidrochinus** (=Cylindrorhinus.) Col. Agassiz.” *Teste* Scudder, Nom. Zool. (1) 1882,
Cylidrus P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 476.—Col.
Cylogramma J. A. Boisduval, F. Ent. Madagas. (7) 1833, 109.—Lep. [Lep.
Cylogramma J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 257.—
cylindre Lycæna, J. A. Boisduval in d’Urville, Voy. “Astrolabe,” Ent. (1) 1832, 78.
Cylinder Denys de Montfort, Conch. II. 1810, 390.
Cylinder O. Fabricius, Fort. over Fabr. Nat. 1823, 73.—G.
Cylinder J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 124.—G. [*n. n.*].
Cylinder L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cylindres, Ag.
Cylinder Artemon, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49 [*n. n.*].
Cylindera E. Newman, Entom. Mag. I (5) Oct. 1833, 509.—Col.
Cylindera J. O. Westwood in F. W. Hope, Coleopt. Manual, II. 1838, 21.—Col.
Cylindres Montf. 1810; *err.* Agass. *pro* Cylinder, *g. v.*
Cylindra Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 303.—Col.
Cylindra C. F. Schumacher, Ess. Vers test. 1817, 71 & 236.—G.
Cylindra Duftschmid, F. Austr. III. 1823, 87.—Col.
cylindra *v.* cylindrus.
cylindræa Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIV (157) May 1846, 31.
cylindræa Acteonina (Corn.), A. d’Orbigny, Prodr. Paléont. II (Nov.) 1850, 58.—
 Melania.
cylindræus Agrilus (Dej.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 302.—
 Buprestis cylindrica.
cylindræa Anodonta, I. Lea, Syn. Naiades, 1836, 54; Tr. Amer. Phil. Soc., n. s.,
 VI (1) 1838, 45.
cylindræum Anthophyllum, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 61.
cylindræa Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 202.
cylindræa Baculites, Defrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 160.
cylindræus Balanus, Lamarck, An. s. vert. V. 1818, 391.
cylindræus Bothriocephalus, Rudolphi in F. S. Leuckart, Zool. Bruchst. I. 1819, 65.
cylindræus Bothriocephalus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 140.
cylindræus Brachylaemus (Zed.), E. Blanchard, Ann. Sci. Nat. [3] (Zool.) VIII. Nov.
 1847, 295.—Distoma, 1800.
cylindræus Bulinus, P. Calcara, Mon. gen. Clausilia e Bulimo, 1840, 33.
cylindræa Bulla, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto,
 1847, 43.
cylindræa Bullina, Grateloup, Actes Soc. Linn. Bordeaux, IX (49 bis) 1837, 406.
cylindræa Bullina (Penn.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 191.—Bulla,
cylindræus Chaetetes, E. Eichwald, Zool. Spec. I. 1829, 197. [1777.
cylindræa Chenendopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 214.
cylindræa Conchula, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 30.
cylindræa Conilera (Mont.), A. White, List Crustacea Coll. B. M. 1847, 107.—Oniscus.
cylindræus Conus, Broderip & G. B. Sowerby, I., Zool. Journ. V (17) Feb. 1830, 51.
cylindræus Conus, H. B. Geinitz, Char. Schicht. säch.-böhm. Kreidegeb. (3) 1842, 72.
cylindræus Coræbus, Laporte & Gory, H. N. Coléopt. II. 1839, 14.
cylindræus Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
 1837, 132. [Anthophyllum.
cylindræa Cyathina (Reuss), A. d’Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—
cylindræa Cylichna (Penn.), S. Loven, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 142.
cylindræa Dactylopora, Lamarck, An. s. vert. II. 1816, 189. [—Bulla; 1777.
cylindræa Defrancia, H. P. C. Möller, Index Moll. Groenl. 1842, 13.
cylindræa Defrancia, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 86.
cylindræus Deinopis, C. L. Koch, Die Arachniden, XIII (1) Jan. 1846, 17.

- cylindraceum** Farcimen (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 28.—
Megalomastoma.
- cylindracea** Fasciola (Zed.), K. A. Rudolphi, Archiv. Zool. (Wiedemann), III (1) 1802,
83.—Distoma, 1800. [June 1846, 67.]
- cylindracea** Glandina (Achatina), J. S. Phillips, Proc. Acad. Nat. Sci. Philad. III (3)
- cylindracea** Glandulina (Rss.), H. G. Bronn, Index Pal. 1848, 531.—Nodosaria.
- cylindraceus** Hamites (Defr.), A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 551.—
- cylindraceus** Ischnotes, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 18. [Baculites.
- cylindracea** Leptis, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 84.
- cylindraceus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 57.
- cylindracea** Loligo, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 54.
- cylindracea** Manon, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 69.
- cylindraceum** Megalomastoma, L. Pfeiffer, Zeitschr. f. Malacoz. 1847, 109 [n. n.].
- cylindracea** Melania, T. A. Conrad, New F. W. Shells U. S. 1834, 55.
- cylindracea** Melania, J. Cornuel, Mém. Soc. géol. France, IV (2) 1841, 289.
- cylindracea** Melania, A. Mousson, Land-Mollusk. Java, 1849, 72.
- cylindracea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 97, Sept. 1844.
- cylindraceus** Mytilus, [E. Requin], Cat. Coq. Corse, *extremo* 1848, 30.
- cylindracea** Nodosaria, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 25.
- cylindracea** Oliva, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 203.
- cylindraceus** Ommastrephes, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 54.
- cylindraceus** Oniscus, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 71.
- cylindracea** Orthocera, J. Fleming, Ann. Phil. V. Mar. 1815, 202.
- cylindraceum** Orthoceras, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl.
- cylindraceus** Passalus, M. Perty, Obs. Coleopt. Ind. 1831, p. xxxvi. [pl. 52.]
- cylindraceus** Passalus, A. Percheron, Magasin de Zool. (2) III. 1841, pl. 79.
- cylindracea** Peritricha, Bory de St V., Dict. Class. II. N. XIII. 1828, 234.
- cylindracea** Petricola, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 358.
- cylindraceum** Pinnotheres, T. Say, J. Acad. Nat. Sci. Philad. I (16) Dec. 1818, 452.
- cylindraceus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 19.
- cylindracea** Pupa, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (5 &
6) July 1837, 12. [Sphaerulites.
- cylindracea** Radiolites (Desm.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 260.—
- cylindracea** Salamandra, R. Harlan, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 156.
- cylindraceus** Saphanus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 475.
- cylindracea** Schizostoma, J. W. Mighels, Proc. Boston Soc. N. H. I (2-3) [1844-5], 189.
- cylindracea** Septaria, Marcel de Serres, Actes Soc. Linn. Bordeaux, V (26) 1832, 79.
- cylindraceus** Sipalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 212.
- cylindraceum** Solarium (Gm.), G. P. Deshayes in Lamarck, Anim. s. vert., ed. 2, IX.
Nov. 1843, 101.—Trochus, ? cylindricus, 1790.
- cylindraceus** Solen, L. Reeve, Proc. Zool. Soc. London, XI (126) Dec. 1843, 101.
- cylindracea** Sphaerulites, C. Des Moulins, Bull. II. N. Soc. Linn. Bordeaux, I (5) 1827,
254; ed. 2, 1830, 107.
- cylindracea** Spirolina, Lamarck, Ency. Méth. (Vers) 1816, pl. 465, Liste p. 13 [n. et f.].
- cylindracea** Spirolinites, Lamarck, Ann. Mus. II. N. (Paris) V (28) Dec. 1804, 245.
- cylindraceum** Strongylosoma, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),
Aptères, IV. 1847, 117.
- cylindracea** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1067.
- cylindraceum** Tetrabothrium (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 600.—
Bothriocephalus.
- cylindracea** Torquilla (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 86.—
- cylindrarium** Terebellum, Denys de Montfort, Conch. II. 1810, 11. [Pupa.]
- Cylindraspis** L. J. Fitzinger, Ann. Wiener Mus. I. 1835, 112 [teste Agassiz, 1826, *sed non comp.*].—R.
- Cylindraspis** G. & F. Sandberger, Verstein. Rhein. Schicht. Nassau (1) 1849, 32.—Cr.
- cylindrator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 292.
- cylindrator** Lampronota (Vill.), J. Curtis, Brit. Entom. IX (102) June 1832, no. 407.—
Ichneumon, Fab. 1787.

- cylindrator** Lissonota (Vill.), J. L. C. Gravenhorst, *Ichneum. Europ.* III. 1829, 102.—*Ichneumon*, Fab. 1787.
- cylindrator** Pimpla, J. C. Fabricius, *Syst. Piezat.* 1804, 117.—*Ichneumon*, 1787.
- cylindratu**s Spongites, F. A. Quenstedt, *Floezgeb. Wuerttemb.* 1843, 418.
- cylindrea** Gracillaria, A. H. Haworth, *Lepidopt. Brit.* (4) 1828, 529.—*Tinea cylindrella*, Fab. 1777.
- Cylindrella** W. Swainson, *Treat. Malacol.*, May 1840, 135 & 326.—G. [Ovulidae].
- Cylindrella** W. Swainson, *Treat. Malacol.*, May 1840, 311.—G. [Conidae].
- Cylindrella** L. Pfeiffer, *Arch. f. Naturg.* VI (1) 1840, 38.—G. [Heliceorum].
- cylindrella** Amara, J. Schiodte, *Naturhist. Tidsskrift*, I. 1837, 245. [—*Tinea*, 1777.
- cylindrella** Astyages (Fab.), J. F. Stephens, *Ill. Brit. Ent.* (Haust. IV.) Nov. 1834, 280.
- cylindrella** Pegasia, Péron & Lesueur, *Ann. Mus. H. N. (Paris)* XIV (83) Jan. 1810, 341.
- cylindrella** Phalaena (*Tinea*), W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 370.
- cylindrella** Tenthredo (*Selandria*), A. G. Dahlbom, *Conspect. Tenthred.* 1835, 11 [*n. n.*].
- cylindrella** Turbonilla, S. V. Wood, I., *Ann. Mag. N. H. IX.* Sept. 1842, 536 [*n. n.*].
- Cylindria** *err. pro* Cyliodia, Desv.; Zetterstedt, *Dipt. Scand.* VIII. 1849, 3340.
- Cylindricodon** G. F. Jaeger, *Foss. Rept. Württ.* 1828, 23.—R.
- cylindricodon** Phytosaurus, G. F. Jaeger, *Foss. Rept. Wuertt.* 1828, 23. [55.
- cylindricoides** Sphaerodus, F. A. Roemer, *Verst. Norddeutsch. Oolith.*, Nachtrag, 1839,
- cylindricollis** Allecula, Dejean in J. A. Boissduval in d'Urville, *Voy. "Astrolabe," Ent.* (2) 1835, 283.
- cylindricolle** Apion, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* V (1) 1839, 380.
- cylindricollis** Chlaenius, Dejean, *Spec. gén. Coléopt.* V. 1831, 637.
- cylindricollis** Cicindela, Dejean, *Spec. gén. Coléopt.* I. 1825, 34.
- cylindricolle** Criodion, Dejean, *Ann. Sci. Nat.* XXI (82) Oct. 1830, 173 [*n. n.*].
- cylindricollis** Cymatodera, L. A. A. Chevrolat, *Coléopt. Mex.* (1) Oct. 1833, no. 41.
- cylindricollis** Cymatodera, M. Spinola, *Ess. mon. Clérîtes*, I. 1844, 148.
- cylindricollis** Drypta, J. C. Fabricius, *Syst. Eleuth. I.* 1801, 231.—*Cicindela*, 1798.
- cylindricollis** Elater, J. Sturm, *Catal. Ins. Samml.* 1826, 136 [*n. n.*].
- cylindricollis** Eucnemis, T. Say, *Tr. Amer. Phil. Soc.*, n. s., VI (2) 1839, 188.
- cylindricollis** Gnoma, J. C. Fabricius, *Syst. Eleuth. II.* 1801, 316.
- cylindricollis** Lema, Buquet in T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov.
- cylindricollis** Leptura, J. C. Fabricius, *Syst. Eleuth. II.* 1801, 366. [1845, 348.
- cylindricollis** Metallites, C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 459.
- cylindricollis** Oxytelus, Dejean, *Catal. Coléopt.* 1821, 25 [*n. n.*]. [458.
- cylindricollis** Phylllobius, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* II (2) 1834,
- cylindricollis** [Phyllodroma] (Dej.), T. Lacordaire, *Mém. Soc. R. Sci. Liège*, I (1) 1843 [separata 1842], 108.—*Cicindela*.
- cylindricollis** Sitones, Fahraeus in C. J. Schoenherr, *Gen. et Sp. Curc.* VI (1) 1840, 269.
- cylindricollis** Tillus (Chevr.), F. Klug, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1840 (1842), 271. [Gnoma.
- cylindricollis** Xenocerus (Fab.), C. J. Schoenherr, *Gen. et Sp. Curc.* V (1) 1839, 238.—
- cylindricornis** Asirica (Fab.), E. F. Germar in Thon, *Entom. Archiv*, II (2) May 1830, 56.—Delphax.
- cylindricornis** Attagenus (Melsh.), T. Say, *J. Acad. Nat. Sci. Philad.* V. Dec. 1825, 185. —*Dermestes*.
- cylindricornis** Coelosternus (Germ.), C. J. Schoenherr, *Isis* (Oken), 1825, 585.—*Cryptorhynchus* (Germ.), E. F. Germar, *Ins. spec. novae*, I. 1824, 270. [rhynchus.
- cylindricornis** Delphax, J. C. Fabricius, *Syst. Rhyng.* 1803, 83.
- cylindricornis** Dermestes, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 7 [*n. n.*].
- cylindricornis** Lauxania (F.), P. A. Latreille, *Nouv. Dict. H. N.* XXIV (Tab.) 1804, 196. [III (1) Jan. 1842, 28.
- cylindricornis** Macrocephalus (Hemithyreus), J. O. Westwood, *Tr. Entom. Soc. Lond.*
- cylindricum ranae** Distoma, Mayer, *Beitr. Anat. Entoz.* 1841, 18 [teste Stiles & H.].
- cylindricus** Acanthocinus, Dejean, *Catal. Coléopt.* 1821, 106 [*n. n.*].
- cylindrica** Acanthoptera, Cristofori & Jan, *Cat. Mus. (III a, Coleopt.)* 1832, 70 [*n. n.*].
- cylindrica** Acmaeodera (Fab.), Laporte & Gory, *H. N. Coléopt. I.* 1835–1836, 24.—*Buprestis*, 1775.

- cylindrica** Actinia, S. A. Renier, Tavole [1804] xxiii.
cylindrica Actinia, J. Reid, Ann. Mag. N. H. (2) I. Jan. 1848, 34.
cylindricus Aesalus, J. Sturm, Catal. Ins. Samml. 1826, 88 [*n. n.*].
cylindrica Alaea (Fér.), J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 359.—
 Vertigo.
cylindricum Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [1] Dec. 1814, 77.
cylindrica Alicula, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. 1.
cylindrica Alindria (Ol.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844,
 452.—Trogosita, 1792. [440.—Tenthredo, ? Panz. 1799.
cylindricus Allantus (Fab.), B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, IX. 1836,
 111. Apr. 1848, 202.
cylindrica Allecula, E. F. Germar, Linnaea Entom. III. 1842, 202.
cylindricus Alveolina, Savi & Meneghini in Murchison, Mem. geol. Apennini, 1850, 481.
cylindricus Ammonites, J. De C. Sowerby in De la Beche, Geol. Man. 1831, 318.
cylindricum Amphistoma, C. M. Diesing, Ann. Wiener Mus. I [2] 1836, 249.
cylindricum Andrena (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 230.—Hylaeus,
cylindricum Anobium, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 472. [1793].
cylindrica Anthophora, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 122 [*n. n.*].
cylindricus Anthribus, Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
cylindrica Apate, A. Costa, Bull. Accad. Aspir. Nat. I. 1842, 125.
cylindricus Aphodius, Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
cylindrica Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 539.
cylindrica Arca, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
cylindrica Arca, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 428.
cylindrica Ascaris, J. Leidy, Proc. Acad. Nat. Sci. Philad. IV (11) Oct. 1849, 229.
cylindrica Asterias, Lamarck, An. s. vert. II. 1816, 567.
cylindrica Astraea, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 333.
cylindrica Astrea, Defrance, Dict. Sci. Nat. XLII. 1826, 379.
cylindrica Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 453. [Tachina.
cylindrica Athricia (Fall.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 276.—
cylindricus Attagenus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 113.
cylindricus Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836],
 464.
cylindrica Axia, A. J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849,
cylindrica Baccha, J. C. Fabricius, Syst. Antliat. 1805, 199.—Syrphus, 1781. [136].
cylindricum Bacterium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832)
cylindrica Baculites, Lamarck, An. s. vert. VII. 1822, 648. [[1830], 61 [*n. n.*].
cylindrica Balanophyllia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Aug.
 1848, 85.—Turbinolia. [1790].
cylindricus Balanus (L.), C. Ranzani, Opusc. Sci. (Bologna) II. 1818, 78.—Lepas, Gm.
cylindricus Belemnites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819],
cylindricus Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 94. [80].
cylindricus Beroe, Lamarck, An. s. vert. II. 1816, 469.
cylindrica Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 279.
cylindrica Bodo (Cercomonas) (Duj.), C. M. Diesing, Syst. Helminth. I. 1850, 47.—
 Cercomonas.
cylindricus Bothynoderes, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 601.
cylindricus Bourguetierinus, F. McCoy, Ann. Mag. N. H. (2) II. Dec. 1848, 404.
cylindricus Brachypus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2)
 1847, 536.
cylindricus Brissus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 14.
cylindricus Buceros, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831; (89)
 Feb. 1832.
cylindricus Bucorvus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 89.—
cylindrica Bulimina, F. A. Roemer, N. Jahrb. f. Min. 1838, 387. [Buceros.
cylindricus Bulimus, J. E. Gray, Ann. Phil. XXV. June 1825, 414.
cylindricus Bulimus, C. T. Menke, Syn. meth. Moll. 1828, 77.
cylindrica Bulla, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 47.
cylindricus Bullacites (Lam.), E. F. v. Schlotheim, Die Petref. 1820.—Bulla, ? Br. 1792

- cylindrica* Buprestis, Dejean, Cat. Coléopt. 1821, 29.
cylindricus Calamopleurus, L. Agassiz, Edinburgh N. Phil. Journ. XXX (5) Jan. 1841, 84; C. R. Acad. Sci. (Paris) XVIII. 1844, 1012; Poiss. Foss. V (1), 122 (1844).
cylindrica Calobata, J. C. Fabricius, Syst. Antliat. 1805, 263.—Musca, 1794.
cylindrica Caryophyllia, J. Phillips, Geol. Yorksh. I. 1829, 126 [*n. et f.*].
cylindricus Catopygus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 158.
cylindrica Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 80.
cylindrica Cercomonas, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 291.
cylindrica Ceriopora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 33.
cylindricus Cetus, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 38.
cylindrica Chaetetes, G. Fischer v. W., Oryct. Moscou, 1830, sign. *d*⁴.
cylindrica Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 186.
cylindrica Chenendopora, Michelin, Icon. Zooph. (20-23) 1846, 214. [—Turritella.
cylindrica Cicindela, Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
cylindrica Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 26.
cylindrica Clausilia, Gray; L. Pfeiffer, Symb. Helic. III. 1846, 93.
cylindrica Clavulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 268 [*n. n.*].
cylindrica Clivina, Dejean, Spec. gén. Coléopt. I. 1825, 423.
cylindrica Clytia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 288.
cylindricus Coenocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, Collyris, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 15. [298].
cylindricum Colydium, J. C. Fabricius, Syst. Eleuth. II. 1801, 557.
cylindrica Conops, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 275.
cylindricus Cophosus, Dufts.; Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
cylindricus Cophosus, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 125.
cylindrica Corticaria, Kunze in Germar, Zeitschr. f. d. Entom. V. 1844, 35.
cylindrica Coscinopora (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.—
cylindricus Cossionus, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [Retepora.
cylindrica Crioceris, F. E. Guérin-M., Iconographie, 1844, Ins. 263.
cylindrica Cryptomonas, C. G. Ehrenberg, Abh. ph.-kl. K. pr. Ak. Wiss. 1831 (1832),
cylindrica Cucullaea, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*]. [57].
cylindricus Curculio, J. C. Fabricius, Ent. Syst. I. 1792, 417.
cylindricus Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [*n. n.*].
cylindrica Cyathina, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug. 1850, 45.
cylindricum Cyclostoma, H. E. Anton, Verz. Conch. 1839, 54.
cylindricus Cylistus, Payk.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129.—Hister.
cylindrica Cypraea, Dufresne, Dict. Sci. Nat. XLIII. 1826, 26.
cylindrica Cypricardia, F. McCoy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 60.
cylindrica Cypris, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 47.
cylindricum Cyrtoceras, A. Fahrenkohl, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 779.
cylindrica Cyrtonevra, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 328.
cylindricum Cystiphyllum, W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 691. [Asterias.
cylindricus Dactylosaster (Lam.), J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 283.—
cylindricus Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 165.—Asilus, 1794.
cylindricus Dasytes, Dejean, Catal. Coléopt. 1821, 39 [*n. n.*].
cylindricum Dentalium, J. Sowerby, Min. Conch. I. 1815, 179.
cylindrica Desoria, Nicolet, Bibl. Univ. (Genève) XXXII. Ap. 1841, 385; Echo Monde Savant, VIII. 30 June 1841, 371. [1840, 500.
cylindrica Diazona, F. Dujardin in Lamarck, H. N. Anim. s. Vert., ed. 2, III. Feb.
cylindrica Dichotomaria (S. & E.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 201.—Corallina, 1786.
cylindrica Dila (Herbst), G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 115.—Blaps, 1799.

- cylindrica** Dinera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 308. [—Galerites.
- cylindrica** Discoidea (Lam.), L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 92.
- cylindricus** Dyschirius (Dej.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Aug. 1827, 41.—Clivina. [1837, 192.—Galerites.
- cylindrica** Echinolampas (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49)
- cylindrica** Eginia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- cylindrica** Elater, Payk.; Dejean, Catal. Coléopt. 1821, 31 [*n. n.*]. [1830, 503.
- cylindrica** Elis, J. C. Fabricius, Syst. Piezat. 1804, 249.—Scolia, 1793.
- cylindricum** Emathion, Laporte, Revue Entom. III (4) 1835, 171.
- cylindrica** Eteone, A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 122.
- cylindrica** Eudea (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.—Chenen-
- cylindricus** Eumolpus, Hoff.; Dejean, Catal. Coléopt. 1821, 125 [*n. n.*]. [dopora.
- cylindrica** Favosites, H. Michelin, Icon. Zoophyt. (24-27) 1847, 255. [1784.
- cylindrica** Feronia (Herbst), Dejean, Spec. gén. Coléopt. III. 1828, 335.—Carabus,
- cylindrica** Filaria, Mehlis in Creplin in Gurlt, Arch. f. Naturg. XII (1) 1846, 131.
- cylindrica** Funiculina, Lamarck, An. s. vert. II. 1816, 423.
- cylindrica** Fusulina, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 330.
- cylindrica** Galaxaura (S. & E.), J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 22.—
- cylindricus** Galerites, Lamarck, An. s. vert. III. 1816, 23. [Corallina, 1786.
- cylindricus** Geniates, H. Burmeister, Handb. Ent. IV (1) 1844, 514.
- cylindrica** Glandulina, J. L. Neugeboren, Verh. siebenb. Ver. Nat. (4) 1850, 53.
- cylindrica** Glandulina, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 271.
- cylindrica** Goniaspidius, H. Burmeister, Handb. Ent. IV (1) 1844, 128.
- cylindricus** Gryllus, Marschall, Ann. Wiener Mus. I [2] 1836, 209. [Hylaeus, 1793.
- cylindricus** Haliectus (Fab.), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 352.—
- cylindricus** Hamites (Deffr.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 189.—Baculites c—acea.
- cylindrica** Hamularia (Z.), C. A. Rudolphi, Entoz. II (1) 1809, 83.—Tentacularia.
- cylindricus** Helcon, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 183.
- cylindricus** Helicites, E. F. v. Schlotheim, Die Petref. 1820, 109.
- cylindrica** Helix (Cochlogena), Péron in A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 60 [*n. n.*].
- cylindricus** Helops, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*].
- cylindricus** Hippalinus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.
- cylindricus** Hister, G. Paykull, Mon. Hister. 1811, 91. [—Scyphia.
- cylindricus** Hister, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 178.
- cylindrica** Holozoa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 439.
- cylindrica** Hydrophoria (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 299.—Egina.
- cylindricus** Hylecaetus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 251 [*n. n.*].
- cylindricus** Hylurgus, Ziegl.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*].
- cylindrica** Iasis (Cuv.), J. C. Savigny, Mém. An. s. Vert. (2) 1816, 235.—Salpa.
- cylindrica** Isotoma, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 372.—Desoria, 1841. [Leucosia [*non comp.*].
- cylindricus** Ixa (Latr.), W. E. Leach, Tr. Linn. Soc. London, XI (2) 1815, 334.—
- cylindrica** Ixa (Herbst), A. White, List Crustacea Coll. B. M. 1847, 50.—Cancer, 1783.
- cylindrica** Lachnaea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 186.
- cylindricus** Lamia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 279.—Cerambyx, 1758.
- cylindrica** Lema, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 46.
- cylindrica** Lepralia, A. H. Hassall, Ann. Mag. N. H. VII. July 1841, 368.
- cylindricus** Leptogaster (De G.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 343.—Asilus, 1776. [1829, 33.—Elater, 1792.
- cylindricus** Limonius (Rossi), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan.
- cylindricus** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 501.—Curculio, 1792.
- cylindricus** Lixus, Ziegl.; Dejean, Catal. Coléopt. 1821, 97 [*n. n.*].
- cylindrica** Lobophyllia (Ph.), H. Michelin, Icon. Zoophyt. (7) 1843, 90.—Caryophyllia.

- cylindrica* Loxocera, T. Say, J. Acad. Nat. Sci. Philad. III. July 1823, 98.
cylindrica Lydella (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 138.—Tachina, Fall.
- cylindricum* Lymexylon, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 41 [*n. n.*].
cylindrica Lyonsia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Cypicardia. [81.]
- cylindricus* Madopterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
cylindrica Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 9, May 1846.
cylindrica Marginella, G. B. Sowerby, II., Thes. Conch. I (7) ante 27 Nov. 1846, 390.
cylindrica Marginulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258 [*n. n.*].
cylindrica Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 475.
cylindrica Medina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 139.
- cylindrica* Megacephala, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 1 [*n. n.*].
cylindrica Meigenia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 199. [269.]
- cylindrica* Melania, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849],
cylindrica Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 174; & App. 1817, 83. [I. 1823, 323.]
- cylindrica* Millepora, T. Say in Long, Exped. Rocky Mts. I. 1823, 147; & London ed.,
cylindrica Modiola, C. F. F. Krauss, Südafrik. Moll. 1848, 21. [cida.]
cylindrica Molanna (Pict.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 922.—Mysta-
cylindrica Monas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 59.—Bacterium, 1830.
- cylindrica* Monas (Eumonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 26.
cylindrica Montacuta, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1830, 247 [*n. n.*].
cylindrica Moscata (Ren.), G. Meneghini in Renier, Oss. post. Zool. Adriat. 1847, 81.—Actinia.
- cylindricus* Mugil, Cuvier & Valenc., H. N. Poiss. XI. 1836, 132.
cylindrica Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 242.
cylindrica Mylabris, Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
cylindrica Mystacida, F. J. Pictet, Rech. Phrygan. 1834, 164.
cylindrica Myzine (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 269.—
cylindrica Myzine (Fab.), M. Spinola, Ins. Liguriae, I. 1806, 79.—Elis. [Sapyga.]
cylindricum Nematidium (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 275.—Colydium.
- cylindricus* Nematus, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 24.
cylindrica Nemopoda (Fab.), F. Walker, Entom. Mag. I (3) Ap. 1833, 251.—Musca, [350.—Sepsis, Fall. 1794.]
- cylindrica* Nemopoda (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838,
cylindrica Nemopoda (Fab.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 499.—Calobata. [Perla, 1778.]
- cylindrica* Nemoura (De G.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 293.—
cylindrica Nerinea, Voltz, L'Institut, 30 Dec. 1835, 426 [*n. n.*]; N. Jahrb. f. Min. 1836, 542.
- cylindrica* Nerinea, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 187.
cylindrica Novia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 211.
- cylindrica* Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 69.
cylindrica Nyctipates (Herbst), A. J. J. Solier, Baudi & Truqui, Studi Ent. I. 1848,
cylindrica Ocyptera, J. C. Fabricius, Syst. Antliat. 1805, 313. [290.—Tenebrio, 1784.]
cylindrica Odontocera, J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834,
cylindrica Odostomia, J. Alder, Ann. Mag. N. H. XIII. May 1844, 326. [548.]
cylindrica Oliva, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 608 [*n. n.*].
cylindrica Oliva, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 45.
cylindrica Omalomorpha, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 44.
- cylindricum* Opatrum, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 44 [*n. n.*].

- cylindrica** Ophidiaster (Lam.), J. Müller, Ber. Verh. k. pr. Ak. Wiss. 1840, 103.—
Asterias.
- cylindricus** Orthacanthus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 143 (1843); III.
177 (1843) [*n. et f.*].
- cylindrica** Orthis, F. McCoy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 123.
- cylindricum** Orthosoma (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July
1832, 156.—Prionus, 1781.
- cylindricus** Osorius, Klug in Latreille, N. Ann. Mus. H. N. (Paris) I [1] May 1832, 86.
- cylindricus** Ovis, E. Blyth, Proc. Zool. Soc. London, VIII (90) Mar. 1841, 68.
- cylindricus** Oxylaemus (Panz.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845,
283.—Lyctus, 1796.
- cylindricus** Oxyomus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843
(2) 1843, 262.—Psammodius.
- cylindricus** Oxystomus, Dejean, Spec. gén. Coléopt. I. 1825, 410.—Scarites, 1821.
- cylindricus** Pachnephorus, Hoffmannsegg in H. C. Kuester, Käfer Europas, IV. 1846, 92.
- cylindricum** Palaeosaurus, H. Riley & S. Stutchbury, Proc. Geol. Soc. London, II. 1836,
- cylindricus** Paramacus, Dejean, Spec. gén. Coléopt. IV. 1829, 44. [398.]
- cylindrica** Paramillia, Edwards & Haime, Brit. Foss. Corals (Pal. Soc. III.) Aug.
1850, 50.
- cylindrica** Parthenia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst.
France, II. 1830, 231.—Ocyptera.
- cylindricus** Pentacrinus, P. J. E. Desor, Bull. Soc. Sci. Nat. Neuchâtel, I (19) 1845, 220.
- cylindricus** Pentacrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 383.
- cylindrica** Percis (Bl.), H. Cloquet, Dict. Sci. Nat. XXXVIII. 1825, 424.—Sciaena,
1792. [Fische (10) 1828, 19.]
- cylindrica** Percis, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.),
- cylindrica** Peritricha, Bory de St V., Ency. Méth. (Zooph.) 1827, 615.
- cylindricus** Phileurus, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 47.
- cylindrica** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.
- cylindricus** Pholas, J. Sowerby, Min. Conch. II. 1818, 223.
- cylindrica** Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
II. 1830, 137. [1843, 77.]
- cylindrica** Physa, Newcombe *in litt.* [*non Lea*]; J. E. De Kay, N. H. New York (Moll.),
- cylindricus** Physalus, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xl.
- cylindricus** Physeter, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 525.
- cylindrica** Phytoecia (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 207.
—Cerambyx, 1758.
- cylindrica** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 124.
- cylindrica** Pinnixa (Say), A. White, Ann. Mag. N. H. XVIII. Sept. 1846, 177.—
Pinnotheres.
- cylindricum** Pinnotheres, T. Say, Journ. Acad. Nat. Sci. Philad. I. Dec. 1818, 452.
- cylindricus** Pissodes, J. Sturm, Catal. Ins. Samml. 1826, 184 [*n. n.*].
- cylindricus** Planorbis, J. Sowerby, Min. Conch. II. 1816, 90.
- cylindricus** Platypus, Dejean, Catal. Coléopt. 1821, 101 [*n. n.*].
- cylindricum** Platysoma (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 114.—Hister.
- cylindricus** Pleuracanthus, P. Egerton, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 196 [*n. n.*].
- cylindricus** Pleuracanthus, J. L. R. Agassiz, Poiss. Foss. I., Tableau (1844), p. xxxiv [*n. n.*].
- cylindricus** Podocerus, T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 387.
- cylindricum** Polyclinum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III.
(1835), 618.
- cylindrica** Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 559.
- cylindrica** Prionophora, J. O. Westwood, Cab. Orient. Entom. 1848, 85.
- cylindricus** Psammodius, J. F. Eschscholtz, Entomographien, I (1) 1822, 11.
- cylindricus** Pterostichus (Herbst), J. Sturm, Deutschl. Fauna (Insecten). V. 1824, 33.—
Carabus, 1784.
- cylindricus** Ptilinus, E. F. Germar, Reise Dalm. 1817, 202.
- cylindrica** Ptilocera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- cylindricus** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 83. [170.—Novia.]

- cylindrica* Pupa, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 268.
cylindrical (sic) Pupa, T. Hutton, J. Asiat. Soc. Bengal, III. 1834, 93.
cylindrica Pupilla (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Pupa.
cylindricus Pygaulus, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 159.
cylindrica Pyrina, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 329.
cylindrica Retepora, H. Michelin, Icon. Zoophyt. (13-19) 1845, 146.
cylindrica Rhina, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 66 [*n. n.*].
cylindricus Rhynchites, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 16 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Oct. 1831, 198.
cylindricus Rhizophagus (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—
 Lyctus, 1796. [1830, 146.]
cylindrica Roeselia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
cylindricus Rotidus, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 163.
cylindricus Salmo, J. G. Schneider, Bloch, Syst. Ichth. 1801, 417 & 421.
cilindrica Salpa, G. Cuvier, Ann. Mus. H. N. (Paris) IV (23) July 1804, 381.
cylindrica Salpa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 274.
cylindrica Sapyga, G. W. F. Panzer, Ins. Germ., heft 87, 1801-2, tab. 19.
cylindrica Sargella, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 675.
cylindrica Sargus (Fab.), G. F. Hentsch, Epit. Ent. Fab. 1804, 209.—Musca, 1794.
cylindrica Scaphophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
cylindricus Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]. [278.]
cylindrica Scirpearea, H. R. Schinz in Cuvier, Thierreich, IV. 1825, 198.
cylindrica Scleroderma, J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839, 168.
cylindrica Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 5.
cylindrica Scyphia, *var.* rugosa, G. A. Goldfuss, Petref. Germ. I (2) 1829, 86.
cylindricus Scyphius, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 21.
cylindrica Sepsis (Fab.), C. F. Fallen, Ortalides Sveciae (2) 1820, 22.—Calobata.
cylindrica Siphonia, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 209.
cylindrica Siphonia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 5.
cylindrica Siphonophyllia, F. McCoy in Griffith (*ex* Scouler MS), Not. foss. Mtn. Lst. Ireland, 1842, 9 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 187.
cylindrica Sphenia, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 245 [*n. n.*].
cylindricus Spirocyclus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 101.
cylindrica Spongia, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 169.
cylindricus Staphylinus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 519.
cylindrica Stellispongia (Roem.), A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 287.—
 Scyphia, Goldf.
cylindricus Strombus, W. Swainson, Zool. Illust. (1) I (9) June 1821, pl. 53.
cylindricus Syrphus, T. Say, Amer. Entom. I. 1824, pl. xi.
cylindrica Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 267.
cylindrica Tachina (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 258.—
 Meigenia.
cylindrica Tagenia, Dejean, Catal. Coléopt. 1821, 64 [*n. n.*].
cylindrica Tentacularia, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 45.
cylindrica Tenthredo, G. W. F. Panzer, Ins. Germ., heft 71, 1799, tab. 7.
cylindrica Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 353.
cylindrica Tephrytis, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 767.
cylindrica Tetragatha, C. A. Walckenaer, Tab. Aran. 1805, 69 [*n. n.*].
cylindrica Thecosmilia (Ph.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 271.—Caryophyllia.
cylindrica Thereva, F. Walker, List Dipt. Coll. B. M. (1) 1848, 224.
cylindrica Torinia, J. E. Gray, Figs. Moll. Anim. IV. 1850, 79.
cylindricus Toxoceras, Baugier & Sanzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 134.
cylindrica Trachelomonas, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 315.
cylindrica Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 300 [*n. n.*].

- cylindricus** Triplus (Mannerh.), H. Burmeister, Handb. Ent. V. 1847, 148.—Phileurus.
- cylindrica** Trogossita, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 719.
- cylindrica** Trogossita, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- cylindrica** Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 73.
- cylindrica** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 121.
- cilindrica** Turritella, Münster. *var.* obliquo-costata, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 179.
- cylindrica** Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*].
- cylindrica** Uloma, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 90 [*n. n.*].
- cylindricus** Unio, T. Say in Nicholson's Encyclop., ed. 3, IV (Conch.) 1819, sign. C 4.
- cylindrica** Upis, E. F. Germar, Linnaea Entom. III. Apr. 1848, 198.
- cylindrica** Vaginaria, F. v. P. Schrank, F. Boica, III (2) 1803, 142.
- cylindrica** Vertigo, J. B. Férussac, Essai Méth. Conch. 1807, 52.
- cylindricus** Xyletinus, Germ.; Dejean, Catal. Coléopt. 1821, 40 [*n. n.*].
- cylindrides** Callidium, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 394.
- cylindriformis** Amblycheila, T. Say, Tr. Amer. Phil. Soc., n. s., IV (3) 1834, 409.—
Manticora, 1823. [—Elater.
- cylindriformis** Corymbites (Herbst), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 64.
- cylindriformis** Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- cylindriformis** Elater, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 176.
- cylindriformis** Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 93.
- cylindriformis** Manticora, T. Say, J. Acad. Nat. Sci. Philad. III. Oct. 1823, 139.
- cylindriformis** Omus (Say), Reiche, Ann. Soc. Ent. France, VII (2) *post* June 1838, 302.
—Amblycheila.
- cylindriformis** Peploptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 240.
- Cylindrina** F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 7.—G.
- Cylindrinotus** F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 73.—Col.
- cylindronotus** Parallelomorphus (Fald.), V. v. Mochulski, Käfer Russl. *post* May 1850, 19.—Scarites.
- cylindrinotus** Scarites, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 363.
- cylindripes** Apiomerus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 231.—Reduvius.
- cylindripes** Hemerobius, C. Wesmael, Bull. Ac. Roy. Brux. VIII (1) 1841, 218.
- cylindripes** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 275.
- Cylindripora** E. Eichwald, Zool. Spec. I. 1829, 190.
- cylindrirostris** Cossonus, A. G. Olivier, Entom. V. 1807, 427.
- cylindrirostris** Crocodilus, Krüger, Arch. Neueste Entdeck. Urwelt, VI (2) 1824, 249.
- cylindrirostris** Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 766. [meth. 1826, 224.—Rhynchaenus.
- cylindrirostris** Orthorhinus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 582; Curc. disp.
- cylindrirostris** Rhinobatus, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- cylindrirostris** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 463.—Curculio,
- cylindrirostris** Rhyncolus, Ol.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*]. [1775.
- cylindrirostris** Rhyncolus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1071.
- Cylindrites** J. De C. Sowerby, Min. Conch. V (78) 1824, 77.—G.
- Cylindrites** J. Lycett, Ann. Mag. Nat. Hist. (2) VI. Dec. 1850, 418.—G. [Col. [*n. n.*].
- Cylindrocercus** C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 310.—
- Cylindrocorynus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 231.—Col.
- Cylindrodera** E. Newman, Ent. Mag. I. 1833, 509; *err.* Scudder *pro* Cylindera, *q. v.*
- Cylindroderus** Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 94 [*sine typo*];
Latreille, Ann. Soc. Ent. France, III (1) Mar. 1834, 163.—Col.
- Cylindrodes** J. Huebner, Epist. 1810; Férussac, Tabl. Syst. Moll. 1821-22, Prodr., 87.—G.
- Cylindrodes** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 785.—Orth.
- cylindrodon** Palaeosaurus, H. Riley & S. Stutchbury, Tr. Geol. Soc. London [2] V. 1840,
- Cylindroides** G. R. Gray, Mag. Nat. Hist., n. s., I. Mar. 1837, 141.—Orth. [352.
- cylindroides** Bulla, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1824, 40.
- cylindroides** Conger, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. IV. 1840, 81. [136.
- cylindroides** Epeira, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],

- cylindroides** Lixus (Sparrm.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 44.—Curculio, 1785.
- cylindroides** Modiolus, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 252 [*n. n.*].
- cylindroides** Polymorphina, F. A. Roemer, N. Jahrb. f. Min. 1838, 385.
- cylindroideus** Conger, C. Ranzani, Mem. Stor. Nat. III. 1844, De Nov. Pisc. (1) 1840, 19.
- cylindroidea** Metopia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 130.—Medina cylindrica.
- Cylindromya** L. Oken, Lehrb. Naturg. III. 1815, 498.—Dipt.
- Cylindromyia** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 279.—Dipt.
- Cylindronotum** J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 374.—Col.
- Cylindronotus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cylindrinotus, **cylindronotus** *v.* **cylindrinotus**. [Fald.]
- cylindro-pastica** Blaps, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, V. 1832, 133.
- Cylindrophis** J. Wagler, Descr. Icon. Amph. (1) 1828, tab. 5; Nat. Syst. Amph. 1830, 195.—R.
- Cylindrophora** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 502.—Col.
- "Cylindrorhinus** Guérin," Voy. "Coquille," 1830; *teste* Agass., Nom. Zool. (Col.), 50 [*non comp., v.* Cylydrorhinus].
- "Cylindrorrhinus** = Cylindrorhinus, Guérin"; *teste* Scudder, Nom. Zool. (1) 1882, 96 [*non comp., v.* Cylydrorhinus].
- Cylindrosoma** J. J. Tschudi, Classif. Batrach. 1838, *ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 58 & 93.—R.
- Cylindrosoma** J. E. Gray in Todd, Cyclop. Anat. III (1843), 546.—Myr.
- Cylindrosteus** C. S. Rafinesque, Ichth. Ohiensis, 1820, 72.—P.
- Cylindrostoma** A. Orsted, Naturhist. Tidsskrift [2] I (4) 1845, 416.—Verm.
- Cylindrothorus** A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 216 & 262.—Col.
- Cylindrotoma** J. Mocquart (Roret's Suite à Buffon), Diptères, I. 1834, 107.—Dipt.
- Cylindrurus** L. Fitzinger, Syst. Rept. 1843, 19.—R., *typus* Odatria punctata, Gray.
- Cylindrus** *emend. pro* Cylinder, Montf., Deshayes, Dict. Class. H. N. V. 1824, 236.—G.
- Cylindrus** L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 107.—G.
- cylindrus** Aphanisticus, Villa & Villa, Coleopt. Europ. 1833, Suppl. 1835, 48.
- cylindrus** Bagous, Gyll.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
- cylindrus** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 77.
- cylindrus** Bulla, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s., IX. (3) Dec. 1846, 250.
- cylindrus** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 15.
- cylindrus** Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 291.—Sigalphus.
- cylindrus** Cyliandrella (*ex* Chem.), L. Pfeiffer, Symb. Helic. II. 1842, 136.—Turbo.
- cylindrus** Cyprus (Gyll.), C. J. Schoenherr, Isis (Oken), 1825, 585.—Rhynchaenus.
- cylindrus** [Helix] (Cochlodina), A. E. Férussac (*ex* Chemn.), H. N. g. et p. Moll., Tabl. Limaçons, 1821, 65.
- cylindrus** Holotrochus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 758.
- cylindrus** Lyprus, Schoenh., Curc. disp. meth. 1825, 288; *v.* cylindrus Cyprus.
- cylindrus** Meandrina, Ehr.; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 265.—M. (Dendrogyra).
- cylindrus** Meandrina (Dendrogyra), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 324.
- cylindrus** Passalus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 163.
- cylindra** Pupa (Fér.), J. E. Gray, Ann. Phil. XXV. 1825, 413.—Helix.
- cylindrus** Pupa, C. T. Menke, Syn. meth. Moll. 1828, 18 [*n. n.*].
- cylindrus** Pupa (Dillw.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 194.—Turbo.
- cylindrus** Rhynchaenus (Payk.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 78.—Curculio, 1800.
- cylindrus** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1060.
- cylindrus** Sigalphus, Klug in Nees v. E., Ges. Nat. Freunde Berlin, Mag. VII (4) 1813 [1815], 268.
- cylindrus** Turbo, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 862.

- cylindrus** Urocoptis (Dillw.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Turbo.
- Cylindulus** C. S. Rafinesque, Analyse, 1815, 145.—G. [*n. n.*].
- Cylindusia** C. S. Rafinesque, Analyse, 1815, 97.—Cr. [*n. n.*].
- Cylistus** Godet in Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 129.—Col.
- Cylistus** F. Klug, Ber. Verh. k. pr. Ak. Wiss., 1837, 123; Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 354.—Col.
- cyllaris** Melipotis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 261.—Phalaena, 1779.
- cyllaria** Noctua (Cram.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 258.—Phalaena, 1779.
- cyllarus** Asaphus, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 3. [1793.]
- cyllarus** Lycaena (Fab.), F. Ochsenbeimer, Schmett. Europa, IV. 1816, 25.—Hesperia.
- cyllarus** Polyommatus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 120.—Hesperia, 1793.
- cyllarus** Thecla (Cr.), E. Doubleday, List Lepid. Coll. B. M. (2) 1847, 35.—Papilio, 1773.
- cyllarus** Zephyrus (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1816, I. 1816, 95.—? Hesperia, 1793.
- Cyllecoris** C. W. Hahn, Wanzenart. Ins. II (4) July 1834, 97.—Hem.
- Cyllene** J. E. Gray in Griffith's Cuvier, Anim. Kingdom, Moll. etc. 1834, 597; & in G. B. Sowerby, II., Conch. Man. 1839, 34.—G.
- Cyllene** E. Newman, Entomologist (1) Nov. 1840, 7.—Col. [245 [*n. et f.*].
- cyllene** Catagramma, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1850),
- Cyllenia** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 429.—Dipt.
- cyllenia** Ploas, Lamarek, An. s. vert. III. 1816, 408. [151.]
- cylleniformis** Voluta, G. B. Sowerby, I., Proc. Zool. Soc. London, XII (139) Dec. 1844,
- Cyllidium** W. F. Erichson, Kafer Mark Brand. I (1) 1837, 211.—Col.
- Cyllo** J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 140.—Lep.
- Cylloceria** G. Schiodte, Rev. Zool. (Soc. Cuv.) July 1838, 140.—Hym.
- Cyllocoris** Hahn, Wanzenart. Ins. III (1) Aug. 1835, 10 [*v.* Cyllecoris, 1834].
- cyllocoroides** Capsus, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 133.
- Cylloides** W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 342.—Col.
- Cylloepus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 521.—Col.
- Cylloetus** Erichson, 1847; *teste* Marschall, *sed err. pro* Cylloepus, *q. v.*
- Cylloomus** Haliday in J. Curtis, Guide Brit. Ins. (4) 1829-30, 113.—Hym. [*n. n.*].
- Cyllopoda** Dalman, Anal. Entom. 1823, 102.—Lep.
- Cyllopodia** N. M. Hentz, Boston Journ. N. H. V. (4) 1847, 466.—M.
- Cyllorhamphus** W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 208.—Col.
- Cylloscelis** J. Curtis, Ann. Nat. Hist. I (4) June 1838, 329.—Col.
- Cylogramma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyligramma, Bois-d.
- "**Cyldrochinus** (=Cylindrochinus.) Col. Agassiz." *Teste* Scudder, Nom. Zool. (1) 1882, 96 [*non comp.*].
- Cylydrorhinus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 119.—Col.
- Cyma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuma, Humph., 1797; Edw. 1828.
- cyma** Dioptis, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 9.
- Cymadura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*err. pro* Cymadusa, Sav.
- cymaeiformis** Spongia, E. J. C. Esper, Pflanzenth. Forts. II (10) 1806, 43.
- Cymathophora** *emend. pro* Cymatophora, Tr.; Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 71, 1829.
- Cymathophora** J. W. Zetterstedt, Ins. Lapp. descr. 1840, 933.—Lep.
- Cymathotes** E. Blanchard (*ex* Dej.), Hist. Insect. II. 1845, 33.—Col.
- Cymatida** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 91.—Lep. [*sine typo*].
- cymatilis** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, *errata* Sp. 421, ? Feb. 1850.
- Cymatium** [? Bolten], H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 119.—G.
- Cymatodera** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 375.—Col.
- Cymatodes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymatothes, Dej.
- Cymatogramma** E. Doubleday in J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 315.—Lep.
- Cymatoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymatida, Sodov.

- Cymatophora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Cymatophora** F. Treitschke, Schmett. Europa, V (1) 1825, 77.—Lep.
- Cymatophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kymatophora, Treitsch.
- Cymatophorus** *emend. pro* Cymophorus, Kirby; Burmeister & Schaum in Germar, Zeitschr. f. d. Entom. II (2) 1840, 361.
- Cymatopterus** J. F. v. Eschscholtz in Dejean, Cat. Coléopt., ed. 2 (1) Jan. 1833, 54.—
- Cymatotherium** J. J. Kaup, Akten der Urwelt, 1841, 11.—M. [Col.]
- Cymatotheres** Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 208.—Col. [*sine typo*].
- cymatum** Monoceros, G. B. Sowerby, I. (*ex* Sol.), Cat. Shells Tankerville, 1825, 72.
- Cymazonita** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 91.—Lep. [*sine typo*].
- Cymba** G. B. Sowerby, I., Gen. Shells (28) 1826.—G.
- Cymba** Quoy & Gaimard, Ann. Sci. Nat. X (37) Jan. 1827, 15.—Coel.
- cymba** Cryptostoma, J. E. Gray, Figs. Moll. Anim. IV. 1850, 82.
- cymba** Diphyes, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 95.
- cymba** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 232.
- cymba** Ostrea, Defrance, Dict. Sci. Nat. XXII. 1821, 29.
- cymba** Planularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 260.
- cymba** Sigaretus, C. T. Menke, Syn. meth. Moll. 1828, 88.
- cymbaeformis** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 31, Feb. 1844. [173.]
- cymbaeformis** Crepidula, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
- cymbaeformis** Cypricardia, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 602. [*n. et f.*].
- cymbaeformis** Modiola, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 420
- cymbaeformis** Terebratula, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845,
- cymbalariae** Cleophana, F. Treitschke, Schmett. Europa, X (2) 1835, 118. [278.]
- cymbalariae** Erastria (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 92.—Omia.
- cymbalariae** Heliothisa (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832,
- cymbalariae** Omia, J. Huebner, Verz. bekannt. Schmett. [1825], 244. [229.—Erastria.]
- cymbalaria** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 92 (Fernaldo judice 1808) [*n. et f.*]. [Ioidea, 1770.]
- cymbalaroides** Dianaea (Slabber), Lamarek, An. s. vert. II. 1816, 508.—Medusa cymba-
- cymballoidea** Carybdea (Slabber), L. Oken, Lehrb. Nat. III (1) 1815, 124.—Medusa cymbaloidea, 1770. [1843, 155.]
- cymbaloidea** Medusa (Thaumantias), Modeer; F. S. Voigt in Cuvier, Thierreich, VI.
- cymballoidea** Oceania, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 346. [Medusa, 1791.]
- cymbaloidea** Thaumantias (Mod.), J. F. Eschscholtz, Syst. Acalephen, 1829, 102.—
- cymbalum** Bulla, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 362.
- cymbalum** Helix, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 7.
- Cymbelia** D. F. Eschricht, Overs. K. Danske Vid. Selsk. Forhandl. 1837, 14.—Pter. [*gen. caelebs*]. [186.]
- Cymbicides** *err. pro* Cymicides, 1839; Costa, Atti R. Acc. Sci. (Napoli) IV (Zool.) 1839,
- cimbiciformis** Eristalis (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 385.—Syrphus.
- cimbiciformis** Sesia, J. F. Stephens, Ill. Brit. Ent. (Haust. I.) June 1828, 135.
- cimbiciformis** Syrphus, C. F. Fallen, Syrphici Sveciae (3) 1817, 27.
- cymbiciformis** Zetterstedtia (Fall.), C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Jan. 1845], 452.—Syrphus.
- cimbicis** Mesochorus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 149.
- cymbidii** Aspidiotus, P. F. Bouché, Entom. Zeitung, Stettin, V (8) Aug. 1844, 296.
- Cymbidus** M. Spinola, Ess. Ins. Hémipt. 1837, 98.—Hem. [—Nautilus.]
- cymbiformis** Ammonites (Wulf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 182.
- cymbiformis** Anomia, Maton & Rackett (*ex* Schroet.), Tr. Linn. Soc. London, VIII. 1807, 104.
- cymbiforme** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 96.
- cymbiformis** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 12.
- cymbiformis** Nautilus, Wulfen, Abh. kärnth. Helminth. 1793, 120 [*? non binom.*].

- cymbiformis** Pamphagus (Stoll), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 38.—Gryllus.
- cymbiformis** Physalia, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830,
- cymbiformis** Physalia, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 117. [pl. 76.
- Cymbilaimus** G. R. Gray, List Gen. Birds, 1840, 36.—A.
- Cymbiola** W. Swainson, Zool. Ill., ser. 2, II. 1831, no. 18.—G.
- Cymbiola** W. Swainson, Exot. Conch. (second issue) Part 3, June 1834, pl. 20 [*u. et f.*]; Hanley in *ibid.*, ed. 2, 1841, 18.—G.
- Cymbiola** J. E. Gray, Proc. Zool. Soc. Lond. 1847, 141.—G.
- cymbiola** Chiton, G. B. Sowerby, II., Mag. Nat. Hist., n. s., IV. June 1840, 292.
- cymbiola** Gryphaea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 329.
- cymbiola** Lottia, J. S. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 151.
- cymbiola** Ostrea (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 425.—Gryphaea.
- cymbiola** Voluta, G. B. Sowerby, I (ex Chemn.), Cat. Shells Tankerville, 1825, 81.
- Cymbirhynchus** Vigors and Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 654.—A.
- Cymbium** Denys de Montfort, Conch. II. 1810, 554.—G.
- Cymbium** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*u. n.*].
- Cymbium** C. F. Schumacher, Ess. Vers test. 1817, 71 & 236.—G.
- Cymbium** A. E. Férussac (ex Adanson), H. N. g. et p. Moll., Tabl. gén. 1822, p. xxxvi.
- cymbium** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 38. [—G.
- cymbium** Argonauta (Lam.), de Blainville, Dict. Sci. Nat. XLIII. 1826, 213.—Carinaria.
- cymbium** Carinaria (L.), Lamarck, An. s. vert. VII. 1822, 674.—Argonauta, 1758.
- cymbium** Gryphaea, Lamarck, An. s. vert. VI (1) 1819, 198.
- cymbium** Gryphoea, J. G. Children, Q. Journ. Sci. (R. Inst.) XV. Ap. 1823, 43.
- cymbium** Gryphaea (Schl.), H. G. Bronn, Zschr. Min. 1827, II (1828), 543.—Gryphites.
- cimbium** Gryphites, E. F. Schlotheim, Tasch. Min. 1813, 74.
- cymbium** Monostomum, C. M. Diesing, Syst. Helminth. I. 1850, 320.
- cymbium** Ostrea (Lam.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 238.—Gryphaea.
- cymbium** Patella, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 60.
- cymbium** Spiroloculina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 140.
- cymbium** Voluta, D. Solander, Catal. Portland Mus. 1786, 28 [*u. n.*].
- cymboides** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 85.
- Cymbolaemus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbilaimus,
- Cymbops** J. Wagler, Syst. Avium, I. 1827, sign. 915.—A. [Gray.
- Cymborhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbirhynchus, Vig.
- Cymborhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymbyrhynchus, Eyt.
- cymbula** Anodonta, A. & J. B. Villa, Syst. Conch. 1841, 61. [chus, Eyt.
- cymbulus** Atya, Denys de Montfort, Conch. II. 1810, 343.
- cymbula** Cardita, Defrance, Dict. Sci. Nat. VII. 1817, 90.
- cymbula** Gryphaea, Lamarck, Syst. Anim. 1801, 398. [165.
- cymbula** Ostrea, Lamarck, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806,
- cymbula** Placostilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Oct. 1848,
- cymbula** Terebratula, G. G. Pusch, Polens Paleont. (1) 1836, 25. [234.—Turbinolia,
- cymbula** Turbinolia, H. Michelin, Icon. Zoophyt. (24-27) 1847, 288.
- cymbulare** Cardium, Lamarck, An. s. vert. VI (1) 1819, 19.
- cymbularis** Hippopus (Lam.), G. B. Sowerby, II., Gen. Shells (13) 1823.—Cardium.
- cymbularis** Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 17.
- cymbularia** Patella, Lamarck, An. s. vert. VI (1) 1819, 335. [—Pter.
- Cymbulia** Péron & Lesueur, Ann. Mus. H. N. (Paris) XV (85) *inter* Ap.-Sept. 1810, 66.
- cymbuliae** Distoma, della Chiaje, Descr. e notom. invert. Napoli, 1841, 109 [*teste* Stiles
- cymbuloides** Patella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 422. [& H.].
- cymbulus** *v.* **cymbula**.
- Cymbyrhynchus** T. C. Eyton, Ann. Nat. Hist. V (28) Mar. 1840, 52 [=Cymbirh. 1830].
- cymelia** Megisto (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 54.—Papilio cymela,
- cymelus** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 790. [1777.
- Cymidis** *err. pro* Cymindis, Latr.; L. Gyllenhal, Ins. Suecica, I (2) 1810, 172.

- Cymindis* P. A. Latreille, Gen. Crust. et Ins. I. 1806, 190.—Col.
Cymindis G. Cuvier, R. Anim. I. 1817, 319.—A.
Cymindoidaea Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 390.—Col.
cymindoides Anchomenus, Dejean, Spec. gén. Coléopt. V. 1831, 731.
Cymindus S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, 191.—A.
Cymo W. de Haan in Siebold, F. Japon. (Crust. 1833), 22.—Cr.
cymo Ithomia, J. Huebner, Verz. bekannt. Schmett. 1816, 9.
cymo Ithomia (Huebner), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 15.—
cymo Nereis, J. Huebner, Exot. Schmett., Tab. Nereis, 1806 [*n. et f.*]. [Nereis.
cymochles Papilio, E. Doubleday, Ann. Mag. N. H. XIV. Dec. 1844, 416.
Cymodema M. Spinola, Ess. Ins. Hémipt. 1837, 213.—Hem.
Cymodice W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 427.—Cr.
Cymodoceae A. d'Orbigny, Voy. Amér. mérid. (Moll.) 1835, 71 & 77.—Pter.
Cymodoce W. E. Leach, Brewster's Edinb. Ency. VII (2) 1814, 433.—Cr.
Cymodoce J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 75.—Coel. [*n. n.*].
cymodoce Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 534.
cymodoce Cancer, J. F. W. Herbst, Vers. Nat. Krab. III (2) 1801, 22.
cymodoce Delphinus, J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 38.
cymodoce Kallima (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 325.—Papilio, 1777.
cymodoce Nymphalis (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 369.—Papilio,
cymodoce Perla, E. Newman, Mag. Nat. Hist., n. s., III. Jan. 1839, 37. [Cr. 1777.
cymodoce Trapezia (Herbst), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 11.—Cancer.
cymodoce Trapezium (Herbst), J. W. Randall, J. Acad. Nat. Sci. Philad. VIII. post Jan. 1840, 117.—Cancer.
Cymodocea C. S. Rafinesque, Précis Som. 1814, 26; Analyse, 1815, 101.—Cr. [*n. n.*].
Cymodocea J. V. F. Lamouroux, Hist. Polyp. 1816, 214.—Coel.
Cymodocea W. E. Leach, Dict. Sci. Nat. XII. 1818, 342.—Cr.
Cymodocea A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 133.—Pter.
Cymodocea A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 4.—Pter. [*gen. caelebs*].
Cymodura L. Agassiz, Nomen. Zool. Index Univ.—*err. pro* Cymadusa.
Cymadusa J. C. Savigny, Mém. Anim. s. vert. I. 1816, 109.—Cr.
cymoides Artheneis, M. Spinola, Ess. Ins. Hémipt. 1837, 252.
cymon Lycaena (Gm.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 130.—Papilio,
cymon Papilio, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 4 [*n. n.*]. [Haw. ?
cymophanus Otiorhynchus, E. F. Germar, Fauna Ins. Europ. (21) 1839, 13.
Cymophorus W. Kirby, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 153.—Col.
Cymopolia J. V. F. Lamouroux, Hist. Polyp. 1816, 292.—Plantae.
Cymopolia P. Roux, Crust. Médit. (5) 1830, pl. xxi.—Cr.
Cymosaria Lamarck, Mém. Mus. H. N. (Paris) I [6] Mar. 1816, 467.—Coel.
Cymospira de Blainville, Dict. Sci. Nat. LVII. 1828, 431.—Verm. [Spongia.
cymosus Hippalimus (Lamx.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 325.—
cymosa Scyphlia (Lamx.), H. Michelin, Icon. Zoophyt. (24-27) 1847, 249.—Spongia.
cymosa Spongia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 88.
Cymothoe J. Huebner, Verz. bekannt. Schmett. 1818, 39.—Lep.
Cymothoe L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cymothoe, Huebn.
cymothoe Ithomia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
cymothoe Melitaea, G. Bertolini, Ann. Stor. Nat. II (5) 1829, 239. [126 [*n. n.*].
Cymotomus W. Macgillivray, Man. Brit. Birds, II. 1842, 13.—A.
Cymricides O. G. Costa, Corrip. Zool. I. 1839, 69 [*n. n.*].—?
Cymura A. G. Dahlbom, Disp. meth. sp. Hymenopt. 1845, 4.—Hym.
Cymus C. W. Hahn, Wanzenart. Ins. I (2) Aug. 1832, 76.—Hem.
Cynaeda J. Huebner, Verz. bekannt. Schmett. 1826, 346.—Lep.
cynaedi Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 58 [*n. n.*].
Cynaedus W. Swainson, N. H. Fishes etc. II. July 1839, 173 & 229.—P.
cynaedus Picus, P. S. Pallas, Zoographia, I. 1811, 413. [63.
Cynaclurus *id. ac* Cynailurus, Wagler; C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841,

- Cynaelurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cynofelis, Less.
- Cynailurus** J. Wagler, Nat. Syst. Amph. 1830, 30.—M.
- Cynalicus** J. E. Gray, Ann. Mag. N. H. XVII. Ap. 1846, 293.—M.
- Cynalius** *err. pro* Cynalicus, Gray; J. E. Gray, List osteol. spec. B. M. 1847, 18.
- Cynalopex** C. H. Smith, Dogs, I (Nat. Libr. XXV.) Dec. 1839, 222.—M.
- cynanchi** Cetonia, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 17. [Cetonia.]
- cynanchi** Euphoria (G. & P.), Klug in H. Burmeister, Handb. Ent. III. 1842, 384.—
- cynanchi** Stalagmosoma (Klug), H. Burmeister, Handb. Ent. III. 1842, 808.—Cetonia.
- Cynanthus** W. Swainson, Phil. Mag., n. s., I (6) June 1827, 441; Zool. Journ. III (11) Dec. 1827, 357.—A.
- Cynanthus** Boie, Isis (Oken), 1831, 547.—A.
- Cynanthus** W. Jardine, Humming Birds, I (Nat. Libr. III.) 1833, 169.—J. calls this a subfamily but he uses the word generically. [1777.]
- cynara** Argynnis, J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—Papilio,
- cynarae** Agapanthia (Germ.), H. C. Kuester, Käfer Europas, VII. 1846, 67.—Saperda,
- cynarae** Cryptcephalus, E. Suffrian, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 286.
- cynarae** Larinus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 382.—Rhynchaenus.
- cynarae** Lixus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 123.—Rhynchaenus.
- cynarae** Lycastes (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 118.—Sphinx, 1789,
- cynarae** Rhinobatus, Fab.; Dejean, Catal. Coléopt. 1821, 97 [*n. n.*]. [*infra.*]
- cynarae** Rhinobatus, Germ.; Dejean, Catal. Coléopt. 1821, 97 [*n. n.*].
- cynarae** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 441.—Curculio, 1787.
- cynarae** Saperda, E. F. Germar, Reise Dalm. 1817, 222.
- cynarae** Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. 1789, 2.
- cynarae** Syriethus, Boisduval, Gen. Index Europ. Lepid. 1840, 36. [Esp.]
- cynarae** Zygaena (Huebner), F. Ochsenheimer, Schmett. Europa, II. 1808, 42.—Sphinx,
- cynaralis** Euclystis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 341.—Phalaena
- Cynchramus** F. Boie, Isis (Oken), 1826, 974.—A. [cynara, 1775.]
- Cynclorhamphus** C. L. Bonaparte, Consp. gen. Avium, 1850, 279 [= Cinclo→].
- Cynedus** C. S. Rafinesque, Analyse, 1815, 86.—P. [*n. n.*]. [*typo.*]
- Cynegetis** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 437.—Col. [*sine*
- Cynegetis** Redtenbacher, Tent. disp. Col. Pseudotr. 1843, 13.—Col. [*teste* Scudder].
- Cynelos** Jourdan in Gervais, Zool. Pal. Franç. II. expl. pl. 28, p. 14.—M. [*? ante* 1851].
- cynera** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 202. [13.]
- cyneus** Echinus, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,
- cynea** Phleusa, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 6.
- Cynhyaena** F. Cuvier, Dict. Sci. Nat. LIX. 1829, 454.—M.
- Cynichthys** W. Swainson, N. H. Fishes etc. II. July 1839, 168 & 201.—P. [—P.]
- Cynicoglossus** C. L. Bonaparte, Icon. Fauna Ital., descript. of *Platessa passer* (19) 1837.
- Cynictis** W. Ogilby, Proc. Zool. Soc. London, I (4) May 1833, 48.—M.
- Cynictis** H. M. D. de Blainville, Ostéogr. (Viverras, 1842), 49.—M.
- Cynicus** J. Gistel, Nat. Thierr. 1848, p. viii.—Pol.
- cynicus** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 128 [*n. n.*].
- cynicus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 79.
- cynica** Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- cynipiformis** Stibula (Rossi), M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 150.—Ichneumon, 1792.
- cynipidis** Callimone (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Ichn. 1761.
- cynipidis** Chalcis (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 316.—Diplolepis.
- cynipidis** Diplolepis (L.), J. C. Fabricius, Syst. Piezat. 1804, 152.—Ichneumon, 1761.
- cynipedis** Evania, G. Cuvier, Revue Entom. I (4) c. Sept. 1833, 154.
- Cyniphes** Costa, 1843; *teste* Marshall *sed err. pro* Ciniphes, q. v.
- cyniphidum** Elachestus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 174.
- cyniphidum** Geniocerus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 175.
- cyniphidum** Tormus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 178.
- cyniphis** Pteromalus, C. G. Nees v. E., Hyménopt. Ichn. aff. II. 1834, 93.
- Cyniphus** C. Rondani, 1843; *teste* Scudder *sed err. pro* Ciniphes, Costa, q. v.
- cynipiformis** Aegeria (Ochs.), G. Samouelle, Entom. Comp., June 1819, 453.—Sesia.

- cynipiformis Sesia (Huebn.), F. Ochsenheimer, Schmett. Europa, II. 1808, 151.—Sphinx.
 cynipiformis Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 19 (Fernaldo judice 1802-08) [*n. et f.*]. [Sphinx, 1783.]
- cynipiformis Synanthedon (Esp.), J. Huebner, Verz. bekannt. Schmett. [1820], 129.—
 cynipiforme Trochilium (Esp.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 38.—
 cynips Euura, E. Newman, Entom. Mag. IV (3) Jan. 1837, 260. [Sphinx, 1783.]
- cynipsea Decatoma (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 13.—
 Eurytoma.
- cynipsea Eurytoma, Dalman in Boheman, K. Vet. Ac. Handl. 1835 (1836), 229.
 cynipseus Litus, A. H. Haliday, Entom. Mag. I (4) July 1833, 345. [1758.]
- cynipsea Micropeza (L.), Latreille, N. Dict. H. N., ed. 2, XX. 1818, 520.—Musca,
 cynipsea Sepsis (De G.), C. F. Fallen, Ortalides Sveciae (2) 1820, 23.—Musca, L. 1758.
 cynipsea Tephritis (L.), J. C. Fabricius, Syst. Antliat. 1805, 324.—Musca, 1758.
- Cynipsillum *emend. pro* Cinipsillum, Lam.; L. Agassiz, Nom. Zool. (Hym.) 1845, 10.
 Cynira G. Silbermann, Revue Entom. V (2) c. Sept. 1838, 107.—Col.
- cynira Eacles (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 154.—Phalaena, 1777.
 cynira Euselasia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 24.—Papilio, 1777.
 cynira Papilio, P. Cramer, Uitl. Kapellen, II (13) 1777, 89.
- Cynisca J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 71.—R.
 cynisca Heliconia, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 205.
 cynisca Hesperia, W. Swainson, Zool. Illust. (1) I (7) Ap. 1821, pl. 40.
 cynniris *v.* cinnyris.
- Cynocephalus Boddaert, Dierk. Mengelw. II. 1768, 1.—M. [*typus* Lemur volans, L.;
teste Palmer, Ind. gen. Mamm., 210].
- Cynocephalus Geoffroy & Cuvier, Mag. Ency. III (12) 1795, 462.—M.
 cynocephalus Alligator, Duméril & Bibron (Roret's Suite à Buffon), Erpét. III. July
 1836, 86.
- cynocephala Cheilosia, H. Loew, Posener Zweiflügler, 1840, 32; Isis (Oken), 1840, 569.
 cynocephalus Damaeus, C. L. Koch, Deutsch. Crust., heft 30, 1839, tab. 8.
 cynocephalus Dasyurus (Harris), E. Geoffroy, Ann. Mus. H. N. (Paris) XV (88) *inter*
 Ap.-Sept. 1810, 306.—Didelphis.
- cynocephala Didelphis, G. P. Harris, Tr. Linn. Soc. London, IX. 1808, 174. [558.]
 cynocephala Hyla, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
 cynocephalus Molossus (Le C.), W. Cooper, Ann. Lyceum N. H. New York, IV (1-4)
 Nov. 1837, 65.—Vespertilio. [102.—Simia, 1766.]
- cynocephalus Papio (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812,
 cynocephalus Paracyon (Harris), J. E. Gray, List Mamm. Coll. B. M. 1843, 97.—
 Didelphis [Paracyon in Index].
- cynocephalus Peracyon, J. E. Gray, List osteol. spec. B. M. 1847, 29.
 cynocephalum Sicydium, Cuvier & Valenc., H. N. Poiss. XII. 1837, 177.
 cynocephala Terebratula, de Verneuil, Bull. Soc. géol. France, XI. 1840, 263.
 cynocephalus Thylacinus (Harris), J. B. Fischer, Syn. Mamm. 1829, 270.—Didelphis.
 cynocephalum Triton, Lamarck, Ency. Méth. (Vers) 1816, pl. 422, Liste p. 5 [*n. et f.*].
 cynocephalus Vespertilio, Leconte, C. R. Acad. Sci. (Paris) V. 1837, 813.
- Cynodictis Bravard & Pomel, Not. oss. foss. Débruge, 1850, 5.—M. [*teste* Palmer; *mihi*
non visum].
- Cynodon J. B. v. Spix, Pisc. Brasil. 1829, 76.—P. [*n. n.*].
 Cynodon A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper), 244.—M.
 cynodon Cichla (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 338.—Sparus, 1791.
 cynodon Dentex (Bl.), G. Cuvier, R. Anim. II. 1817, 274.—Sparus, 1791.
- cynodon Dipsas, F. Boie, Isis (Oken), 1827, 549.
 cynodon Eudipsas (Cuv.), L. Fitzinger, Syst. Rept. 1843, 27.—Dipsas, Boie.
 cynodon Mesopron, Cuvier & Valenc., H. N. Poiss. II. 1828, 465.
- cynodon Turbinolia, Rafinesque & Clifford, Ann. gén. Sci. Phys. (Bruxelles) V. Aug.
 Cynodona C. F. Schumacher, Ess. Vers test. 1817, 241.—G. [1820, 234.]
 Cynodonta C. F. Schumacher, Ess. Vers test. 1817, 73 & 241 (Cynodona).—G.
 Cynodonta J. E. Gray, Syn. Cont. Brit. Mus., ed. 2, 1840, 146.—G. [*n. n.*].
- Cynofelis R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 48.—M.
 Cynogale J. E. Gray, Proc. Zool. Soc. London, IV (46) Feb. 1837, 88.—M.

- Cynogale** P. W. Lund, K. Dansk. Vet. Selsk. Afh. IX. 1842, 203.—M.
- Cynoglossa** C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 48.—P.
- cynoglossi** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 205.
- cynoglossi** Dibolia, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 325.
- cynoglossi** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 20.
- cynoglossi** Haltica (Marsh.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—Chrysomela.
- Cynoglossus** F. Hamilton, Fishes Ganges, 1822, 32 & 365.—P.
- cynoglossus** Achirus, F. Hamilton, Fish. Ganges, 1822, 232.
- cynoglossa** Plagusia, T. Cantor (ex Ham. MS), J. Asiat. Soc. Bengal. XVIII. 1849 (Dec. 1850), 1211.
- cynoglossa** Solea, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14 & 53.
- cynoglossus** Solea (L.), G. Cuvier, R. Anim. II. 1817, 223.—Pleuronectes, 1758.
- Cynohyaena** H. M. de Blainville, Ann. Sci. Nat. (2) VIII. Nov. 1837, 279.—M.
- “Cynoicum** male pro *Synoicum*,” L. Agassiz, Nom. Zool. (Moll.) 1845, 27 [*non comp.*].
- cynomolgus** Cercocobus (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 99.—Simia, 1758.
[—Simia, 1758.]
- cynomolgus** Cercopithecus (L.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 8.
- cynomolgus** Cynocephalus (L.), P. A. Latreille, H. N. Singes. II. An. IX (1801); Sonnini's Buffon, XXXVI (1804), 292.—Simia, 1758.
- cynomolgus** Inuus (L.), C. Ranzani, Elem. Zool. II (1) 1820, 124.—Simia, 1758.
- cynomolgus** Macaca, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- cynomorion** Veretillum, L. Oken, Lehrb. Nat. III (1) 1815, 107.
[[1802], 148.]
- cynomorium** Pennatula, G. Cuvier, Bull. Sci. Soc. Philom. [Paris] no. 78, 1803, 133.
- cynomorium** Veretillum (Pall.), Lamarck, Syst. Anim. 1801, 381.—Pennatula, 1766.
- Cynomys** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 363.
—Dipt.
- Cynomys** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 233.—*emend. pro*
- Cynomys** C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 45.—M.
- cynophila** Thyreophora (Panz.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 276.
—Musca, 1794.
- Cynophis** J. E. Gray, Ann. Mag. N. H. (2) IV. Oct. 1849, 246.—R.
- cynopis** Simia, G. A. Goldfuss, Vergl. Naturb. Säugeth. (1) 1809, 53.
- Cynopithecus** I. Geoffroy in Gervais, Résumé Leçons Mamm. 1835, 16.—M. [*vide* Palmer].
- Cynoponticus** O. G. Costa, Fauna Regno Napoli, Pesci, I. Cynop. I (Nov. 1845).—P.
- Cynopotamus** Cuvier & Valenc., H. N. Poiss. XXII. 1849, 316.—P.
- Cynops** J. J. Tschudi, Classif. Batrach. 1838, ex Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 59 & 94.—R.
- Cynopterus** F. Cuvier, Dents des Mamm. (Table. 1824), 248.—M.
- Cynopus** I. Geoffroy in Gervais, Résumé des leçons de Mamm. 1835, 37.—M.
- Cynopus** I. Geoffroy, Magasin de Zool. (2) I. 1839, text to pl. 11, p. 4.—M.
- Cynorhaestes** J. F. Hermann, Mém. Aptér. 1804, 12.—Ar.
[643.—Thrips.]
- cynorrhodi** Physapus (Hal.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- cynorrhodi** Thrips, A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 448.
- Cynorta** C. L. Koch, Uebers. Arachnidensyst. II. 1839, 20.—Ar.
- Cynorta** C. L. Koch, Die Arachniden, VII (5) *post* July 1839, 100.—Ar.
- cynosbana** Aspidia (Fab.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 178.—Pyralis, 1775.
- cynosbana** Pendina, Zincken in F. Treitschke, Schmett. Europa, VII. 1829, 228.
- cynosbana** Penthina, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet c (Nov. 1849), 22.
- cynosbana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 359.
- cynosbana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 430.—Phal. Tin. cynosbatella, L. 1758.
- cynosbana** Tortrix (Fab.), F. Froelich, Enum. Tortric. Wuertt. 1828, 104.—Pyralis, 1775.
- cynosbatana** Hedyia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 350.—Phalaena cynosbatella, 1758.
[1758.]
- cynosbatella** Spilonota (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena,
- cynosbati** Cixius (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66.—Flata cynosbatis.
- cynosbati** Lyda (L.), J. C. Fabricius, Syst. Piezat. 1804, 44.—Tenthredo, 1758.

- cynosbati** Pamphilus (L.), P. A. Latreille, Sonnini's Buffon, Ins: XIII (1804), 139.—Tenthredo, 1758.
- cynosbatis** Cixius (Fab.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 547.—Flata.
- cynosbatis** Delphax (Fab.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (2) 1806, 126.—Cicada, 1775.
- cynosbatis** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 54.—Cicada, 1775. [245 *[n. et f.]*.
- cynosura** Catagramma, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1850).
- cynosurus** Cercopithecus (Scop.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 96.—Simia, 1786.
- cynosura** Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 30.
- cynotis** Sarcoptes, E. Hering, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 600.
- Cynthia** J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 281.—Lep.
- Cynthia** J. C. Savigny, Mém. An. s. Vert. (2) 1816, 87.—Asc.
- Cynthia** P. A. Latreille in Cuvier, R. Anim., ed. 2, IV. 1829, 406.—Col.
- Cynthia** J. V. Thompson, Zool. Res. (III.) Ap. 1829, 37.—Cr.
- Cynthia** W. Macgillivray, Hist. Moll. Aberdeen, 1843, 310.—Asc.
- Cynthia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cinthia, Risso.
- Cynthia** J. Gistl, Naturg. Thierr. 1848, 174.—Tun.
- cynthia** Acraea (Dru.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 234.—Papilio, 1783.
- cynthia** Agra, L. Buquet, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 608.
- cynthia** Argynnis (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 286.—Papilio, D. & S. 1775.
- cynthia** Erateina, E. Doubleday, Tr. Entom. Soc. Lond. V (5) Aug. 1848, 117.
- cynthia** Melitaea (—), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—Papilio.
- cynthia** Nerinea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 5. [D. & S. 1775.
- cynthia** Nymphalis (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 95.—Papilio,
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 1 (Fernaldo judice 1799) [*n. et f.*]. [*n. et f.*].
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 111 (Fernaldo judice 1804)
- cynthia** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 119 (Fernaldo judice 1805) [*n. et f.*].
- cynthia** Samia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 156.—Phalaena, 1775.
- cynthia** Saturnia (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 12.—Phalaena,
- cynthia** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 122. [1773.
- cynthiformis** Hippurites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 258.
- Cynthilla** A. White, List Brit. Anim. B. M. (Crust.) 1850, 46.—Cr.
- Cynus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kynos, Ruepp.
- Cyon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuon, Hodgs.
- Cyornis** E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 940.—A.
- Cyotherium** Aymard, Ann. Soc. Agric. Puy, XIV. 1848, 113.—M.
- cyparissiae** Altica, Sturm; Dejean, Catal. Coléopt. 1821, 120 [*n. n.*].
- cyparissiae** Arctomyscis, J. Huebner, Verz. bekannt. Schmett. [1822], 202.
- cyparissiae** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 80.
- cyparissiae** Noctua, J. Huebner, Europ. Schmett. (Ziefer) (me judice 1805), 158.
- cyparissiae** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 134 (Fernaldo judice 1808–18) [*n. et f.*]. [18] [*n. et f.*].
- cyparissae** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 24 (Fernaldo judice 1808–
- cyparissias** Castnia (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 280.—Papilio, 1777.
- cyparissias** Helix, Parreyss, Zeitschr. f. Malakozool., Feb. 1847, 32.
- Cyparissocrinites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cupresso-crinites, Goldf. [Ag.
- Cyparissocrinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cupressocrinus,
- cyparissa** Euphaedra (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 39.—Papilio,
- cyparissus** Lycaeides, J. Huebner, Verz. bekannt. Schmett. 1818, 69. [1775.
- cyparissus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 129 (Fernaldo judice, 1808–16) [*n. et f.*].
- cyparissus** Papilio, J. Huebner, Nachtraege Europ. Schmett. 1824, 5.

- cyparissa** Romaleosoma (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 100.
—Papilio, 1775.
- Cyparium** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 3.—Col.
- Cypcelus** *id. ac* Cypselus; J. K. Townsend, J. Acad. Nat. Sci. Philad. VIII. *post* Jan. 1840, 148.—A.
- Cypellocrinites** Schnur in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 22.—Crin.
- cyperi** Aphis, F. Walker, Ann. Mag. N. H. (2) 11. July 1848, 45.
- cyperi** Leucania, Boisduval, Gen. Index Europ. Lepid. 1840, 133.
- Cypha** J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 22; Ill. Brit. Ent. (Mand. V.) May 1832, 188.—Col.
- Cyphagogus** J. F. S. Parry, Tr. Entom. Soc. Lond. V (7) Sept. 1849, 182.—Col.
- Cyphaleus** F. W. Hope, Coleopt. Manual, III. 1840, 126.—Col. [*n. n.*].
- Cyphaleus** J. O. Westwood (*ex* Hope MS), Arcana Entom. (3) Sept. 1841, 43.—Col.
- Cyphaspis** *err. pro* Cyphaspis, Burm.; J. Barrande, Not. prélim. Silur. 1846, 59.
- Cyphaspis** H. Burmeister, Organ. Trilob. 1843, 104.—Cr.
- Cyphastrea** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 494.—Cor.
- Cyphelus** *err. pro* Cypselus, Ill.; H. R. Schinz, Europ. Fauna, I. 1840, 254.
- Cyphia** J. Gistl, Nat. Thierr. 1848, 123.—Col.
- cyphia** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 305.
- cyphia** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 305.
- Cyphicerus** C. J. Schoenherr, Isis (Oken), 1823, 1144; Curc. disp. meth. 1826, 182.—Col.
- Cyphidium** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 172.—
- Cyphipterus** Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 271.—Col. [*n. n.*]. [Inf.]
- Cyphirhinus** C. J. Schoenherr, Isis (Oken), 1825, 585; Curc. disp. meth. 1826, 276.—
- Cyphiscus** J. Sturm, Catal. Käfer Samml. 1843, 155.—Col. [Col. [*n. n.*].]
- Cyphocera** C. Rondani, Esplor. Reg. Equat. 1850, 241.—Dipt. [*n. n.*]. [Schoenh.]
- Cyphocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphicerus.
- Cyphocrana** Le Pelletier & Audinet-S., Ency. Méth. (Ins.) X (2) 1828, 445.—Orth.
- Cyphocrania** *emend. pro* Cyphocrana, Serv.; H. Burmeister, Handb. Ent. II (2) i, 1838, 578. [durus, 1841].
- Cyphodeirus** H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 63.—Thys. [Cypho-]
- Cyphoderia** P. Schlumberger, Ann. Sci. Nat. [3] (Zool.) III. Ap. 1845, 255.—Prot.
- Cyphoderus** H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 382.—Thys. [Cypho-
durus, 1841].
- Cyphodurus** H. Nicolet, Bibl. univ. Genève, n. s., XXXII. Ap. 1841, 384.—Thys. [*n. n.*].
- Cyphogenia** A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 677.—Col.
- Cyphogenius** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (3) 1843, 395.—Col.
- Cypholoba** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 43.—Col.
- Cyphoma** H. F. Link, Besch. Nat. Samml. Univ. Rostock, II. 1807, 85.—G.
- Cyphoma** J. Gistl, Nat. Thierr. 1848, 151.—Hem.
- Cyphoma** J. Gistl, Handb. Naturges. 1850 [1847], 495.—Hem.
- Cyphomanes** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Cyphomesus** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 166.—?.
- Cyphomorpha** F. W. Hope, Coleopt. Manual, III. 1840, 160.—Col.
- Cyphomus** C. S. Rafinesque, Analyse, 1815, 159.—Coel. [*n. n.*].
- Cyphomya** C. Rondani, Ann. Acc. Aspir. Nat. 1843; *sic* Scudder *sed non comp.*
- Cyphomyia** Hoffmannsegg in C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819,
- Cyphon** J. Gistl, Nat. Thierr. 1848, p. viii.—Col. [54; Anal. Entom. 1824, 13.—Dipt.]
- Cyphon** J. Gistl, Nat. Thierr. 1848, p. xiv.—Col.
- cyphona** A. G. Dahlbom, Conspect. Tenthred. 1835, 3.—Hym.
- Cyphonautes** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 204.—Rot.; = Polyz. larva, *teste* S. F. H.].
- Cyphonia** Laporte, Ann. Soc. Ent. France, I (2) c. July 1832, 229.—Hem.
- Cyphonistes** H. Burmeister, Handb. Ent. V. 1847, 213.—Col.
- Cyphonoa** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypharona, Huebn.
- Cyphonocephalus** J. O. Westwood, Arcana Entom. (8) July 1842, 115.—Col. [*typus* Narycius smarag.].

- Cyphononyx** A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 461.—Hym.
- Cyphonota** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 79.—Col.
- Cyphonotus** C. S. Rafinesque, Analyse, 1815, 61.—M. [*n. n.*]. [anketeri, Hbst.].
- Cyphonotus** G. Fischer, Entom. Imp. Ross. II. 1823, 212.—Col. [*typus* Melolontha]
- Cyphonotus** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 102.—Col.
- Cyphonus** C. S. Rafinesque, Analyse, 1815, 110.—Col. [*n. n.*].
- Cyphophories** G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 253.—
- Cyphoptera** F. W. Hope, Coleopt. Manual, III. 1840, 160.—Col. [Orth.
- Cyphopterus** C. J. B. Amyot, Ann. Soc. Ent. France, V (1) 1847, 176.—Hem. [*non binom.*].
- Cyphopterus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphipterus, Dej.
- Cyphorhina** R. P. Lesson, Echo Monde Sav. (2) VII. June 1843, col. 1068.—A. [*teste*
- Cyphorhinus** J. Cabanis, Arch. f. Naturg. X (1) 1844, 282.—A. [C. W. R.].
- Cyphorhynchus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 458.—Col.
- Cyphorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cuphorhynchus,
- Cyphos** J. B. v. Spix, Avium Brasil. I. 1824, 51.—A. [Meg.
- cyphos** Capito, J. Wagler, Syst. Avium, I. 1827, sign. 1013.
- Cyphosoma** Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 91.—Col.
- Cyphosoma** L. Agassiz, Mon. Echin. I. 1838, 4; Cat. Ect. Echin. 1840, 19; Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.—Echin.
- Cyphosoma** F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 426.—Col.
- Cyphotes** H. Burmeister, Handb. Ent. II (1) 1835, 143.—Hem.
- Cyphoxis** C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427.—L.
- Cyphoxys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphoxis, Raf.
- Cyphra** J. Gistl, Nat. Thierr. 1848, pp. xi & 123.—Col.
- Cyphus** Schoenherr in E. F. Germar, Ins. spec. novae, I. 1824, 427.—Col.
- Cyphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyphos, Spix.
- Cyphus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kyphosus, Lacep. 1800.
- cyphus** Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 272.
- Cypra** J. A. Boisduval in d'Urville, Voy. "Astrolabe" (Entom.) I. 1832, 201.—Lep.
- cypraea** Colotis (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 97.—Papilio, 1787.
- cypraea** Ostrea, A. d'Orbigny, Prodr. Paléont. II. [Nov.] 1850, 23.
- cypraea** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- Cypraeacassis** *emend. pro* Cypraeacassis, Stutch.; G. B. Sowerby, II., Mag. Nat. Hist., n. s., I (8) Aug. 1837, 431.
- cypraeacea** Marginella, Bory de St V., Ency. Méth. (Vers) 1824, 167 [*n. et f.*].
- Cypraeacites** E. F. v. Schlotheim, Die Petref. 1820, 117.—G.
- Cypraeacassis** S. Stutchbury, Mag. Nat. Hist., n. s., I. Ap. 1837, 214.—G.
- Cypraedia** W. Swainson, Treat. Malacol., May 1840, 325.—G.
- cypraeiformis** Cassis, S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 229.
- Cypraela** *err. pro* Cypraella, Sw.; G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 134.
- Cypraella** W. Swainson, Treat. Malacol., May 1840, 325.—G.
- Cypraeoides** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypraedia, Swains.
- cypraeoides** Erato, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 7.
- cypraeoides** Marginella, H. E. Anton, Verz. Conch. 1839, 99.
- cypraeola** Coccus, J. W. Dalman, K. Vet. Ac. Handl. 1825 (2) 1826, 367.
- cypraeola** Erato, A. Risso, H. N. Europe, IV. 1826, 240. [Voluta.
- cypraeola** Marginella (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXV. 1820, 209.—
- cypraeola** Marginella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June
- cypraeola** Volufa, G. Brocchi, Conch. Subap. 1814, 321. [1832, 57.
- Cypraeova** *emend. pro* Cypraeovula, Gray; W. Swainson, Treat. Malacol., May 1840, 325.
- Cypraeovula** J. E. Gray, Zool. Journ. I (1) 1824, 75.—G.
- Cypraeovulum** Gray in G. B. Sowerby, II., Conch. Man., ed. 2, 1842, 134.—G.
- Cyprea** Denys de Montfort, Conch. Syst. II. 1810, 630.—G. = Cypraea, L.
- Cypreida** W. Swainson, Treat. Malac. 1840; *teste* Scudder *sed non comp.*
- Cyprella** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 19.—Cr.
- Cypreovula** J. Fleming, Brit. Anim. 1828, 328.—G.
- cypressi** Buprestis, Dejean, Catal. Coléopt. 1821, 29 [*n. n.*].

- Cypressocrinites** *id. ac* Cypressocrinites, Goldf.; J. Steininger, Verst. Uebergangsggeb. Eifel, 1849, 20.
- Cypressocrinus** Steininger, Jahresb. Schulcursus Gymn. Trier, 1848-49 (1849), 23.—Crin.
- cyprica** Corixa, Kollar in Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 63.
- cyprica** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 46 (Fernaldo judice 1802) [*n. et f.*].
- cypricella** Adela (Huebn.), F. Treitschke, Schmett. Europa, IX (2) 1833, 145.—Tinea.
- cypricella** Nemotois, J. Huebner, Verz. bekannt. Schmett. 1826, 417.—Tinea.
- cypricella** Tinea, J. Huebner, Samml. europ. Schmett. (Tinea) pl. 67, f. 445 [Fernaldo judice, 1818-22].
- Cyprarius** A. M. C. Duméril, Zool. Anal. 1806, 166.—G. [judice, 1818-22].
- cyprica** Sylvia, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 19 [*n. n.*].
- Cypricardia** Lamarck, An. s. vert. VI (1) 1819, 27.—L. [*non* 1801].
- Cypricardites** T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150, 1841, 51.
- Cyprica** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149.—L. [*n. n.*]. [—L.]
- Cypridella** L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 20.—Cr. [1838].
- Cypridina** H. M. Edwards (Roret's Suite à Buffon), Crust. III. 1840, 409.—Cr. [*vernac.*].
- cypridina** Mytilina, Bory de St V., Dict. Class. H. N. XI. Feb. 1827, 412.
- cypridina** Mytilina, Bory de St V., Ency. Méth. (Zooth.) 1827, 561.
- cypridium** Patella, G. Perry, Conchology, Ap. 1811, pl. 43.
- Cyprilurus** De Kay, Zool. N. York, 1842, 231.—P. [*err. pro* Cypsilurus].
- Cyprina** Lamarck, H. N. An. s. vert. V. 1818, 556.—L. [*non* 1812, *vernac.*].
- cyprinacea** Lerneocera (L.), H. D. de Blainville, Journ. de Physique, XCV. Nov. 1822, 377.—Lernaea, 1758.
- cyprinaceous** Monoculus, G. Shaw, Nat. Misc. XVIII. 1806, pl. 736.
- cyprinaceus** Schisturus (L.), L. Oken, Lehrb. Nat. III (1) 1815, 183.—Lernaea, 1758.
- Cyprinaria** C. F. A. Morren, Tent. Biozoogen. generalis, 1829, 15.—Inf.
- cyprinella** Chanos, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 198.
- cyprinella** Sclerognathus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 477.
- cyprini erythrophthalmi** Ascaris, C. A. Rudolphi, Entoz. II (2) 1810, 375.
- cyprini idbari** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (2) 1810, 351.
- cyprini idi** Taenia, C. A. Rudolphi, Entoz. II (2) 1810, 213.
- cyprini phoxini** Bothriocephalus, F. S. Leuckart, Zool. Bruchst. I. 1819, 44.
- cyprini rutili** Echinorhynchus, C. A. Rudolphi, Entozoorum, II (2) 1810, 351.
- cyprini rutili** Filaria, Creplin, Obs. de Entozois, 1825, 5 [*teste* Stiles].
- cyprinides** Coralliophaga, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 250 [*n. n.*].
- Cyprinion** J. J. Heckel in Russegger, Reise, I (2) 1843, 1015.—P.
- Cyprinium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyprinion, Heck.
- Cyprinodon** B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 486.—P.
- cyprinodon** Perca (Cuv.), de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 375.—?
- Cyprinoides** G. D. Nardo, Giorn. di Fisica (2) VII. 1824, 259.—P.
- cyprinoides** Anodus (L.), Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 83.—Salmo, 1758.
- cyprinoides** Astarte, Duval, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 278. [1766].
- cyprinoides** Blennechis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 286.
- cyprinoides** Characinus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 270.—Salmo, 1758.
- cyprinoides** Clupea, J. G. Schneider [*non* Brouss.], Bloch, Syst. Ichth. 1801, 427.
- cyprinoides** Clupea, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 424.
- cyprinoides** Clupea, J. R. Forster, Anim. mar. Aust. 1844, 296.
- cyprinoides** Curimatus (L.), Cuvier & Valenc., H. N. Poiss. XXII. 1849, 7.—Salmo, 1758.
- cyprinoides** Cyrena, J. E. Gray, Ann. Phil. XXV. Feb. 1825, 136. [513].
- cyprinoides** Cyrena, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- cyprinoides** Eleotris (Pall.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 67.—Gobius, 1770.
- cyprinoides** Eleotris, Cuvier & Valenc., H. N. Poiss. XII. 1837, 248.
- cyprinoides** Megalopus, J. Minding, Lehrb. Naturg. Fische, 1832, 124.
- cyprinoides** Nestis, Cuvier & Valenc., H. N. Poiss. XI. 1836, 167.
- cyprinoides** Salmo, P. S. Pallas, Zoographia, III. 1814, 412.
- cyprinoides** Upeneus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 526.
- cyprinoides** Venus, W. Wood, Suppl. Index Test. 1828, 5 [*n. et f.*].

- cyprinoides Villorita, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 601.
- Cyprinopsis L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) I. 1832, 334.—P.
- cyprinorum Caryophyllaeus, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 252.
- cyprina Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
- cyprina Cardinia, J. L. R. Agassiz, Études crit. Moll. foss. (3) 1843, 225.
- cyprinus Catostomus, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 91.
- cyprinus Labeo (Les.), J. E. De Kay, N. H. New York (Fish) 1842, 194.—Catostomus.
- cyprinus Lutraria (Wood), J. E. Gray, Mag. Nat. Hist., n. s., I. July 1837, 375.—Mactra.
- cyprinus Mactra, W. Wood, Suppl. Index Test. 1828, 4 [n. et f.]. [1828.]
- cyprinus Sclerognathus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 474.
- cypris Anthrax, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 158. [Colias.
- cypris Callidryas (God.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 623.—
- cipris Colias (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 91.—Papilio, Cr. 1777.
- cypris Cyprinon, J. J. Heckel in Russegger, Reise, I (2) 1843, 1015 & 1067.
- cypris Encyrtus, F. Walker, Entom. Mag. V (5) Oct. 1838, 419.
- cypris Lebias, J. J. Heckel in Russegger, Reise, I (2) 1843, 1090.
- cpris Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.
- cypris Lithodomus (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 247.—Mytilus.
- cypris Mytilus (Modiolus), E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 152.
- cypris Orthoceratites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 54.
- cipris Papilio, W. Turton, Linnaeus, Syst. Nat. III. 1802, 76.
- cypris Phoebis, J. Huebner, Exot. Schmett. II. Tab. [131] [n. et f.].
- cypris Phoebis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 98.—Papilio, 1777.
- cypris Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cypris Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 92.
- cypris Thracia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 361.
- cypris Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 249.
- Cyprisia *err. pro* Cypris, Müll.; C. S. Rafinesque, Analyse, 1815, 99.
- cypricus Aegoceros (Blas.), J. A. Wagner in Schreber, Säugth., Suppl. IV. 1844, 508.—
- cyprum Cardium, J. v. Hauer, N. Jahrb. f. Min. 1839, 75 [n. n.]. [Ovis.
- cypria Cytherea (Br.), P. M. T. de Serres, Geogn. Terr. tert. 1829, 148.—Venus.
- cypricus Gonyodactylus, L. Fitzinger, Syst. Rept. 1843, 93.
- cypria Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Jan. 1847, 12.
- cypricus Ovis, Blasius, Amtl. Ber. Deutsch. Naturf. u. Aerzte, 1841 [1842], 90 [*teste*
- cypria Patella, A. Risso, H. N. Europe, IV. 1826, 265. [Trouessart].
- cypricus Scincus, G. Cuvier, R. Anim., ed. 2, II. 1829, 62.
- cypricus Stellio, L. Fitzinger, Syst. Rept. 1843, 85 [n. n.].
- cypria Theritas, C. Geyer in J. Huebner, Beiträge z. Exot. Schmett. V. 1837, 36.
- cypria Venus, G. Brocchi, Conch. Subap. 1814, 545.
- cypria Venus, G. B. Sowerby, I., Proc. Zool. Soc. Lond. III (27) June 1835, 43.
- Cyproea P. M. T. de Serres, Essai anim. midi France, 1822, 60 [n. n.; ? = Cypraea].
- Cyprovula J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [n. n.].
- Cyprus C. J. Schoenherr, Isis (Oken), 1825, 585; Curc. disp. meth. 1826, 288 [Lyprus].—
- cypsele Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (May) [Nov.] 1849, 78. [Col.
- cypselina Psalidoprocne, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 48.
- Cypsellus [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 80.—A.
- Cypseloides Streubel, Isis (Oken), 1848, 366.—A.
- Cypselopteryx J. J. Kaup, Arch. f. Naturg. XVI (1) 1850, 31.—A.
- Cypselurus R. T. Eowe, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 38.—P.
- Cypselurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyprilurus, De Kay.
- Cypselurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cypsilurus, Swains.
- Cypselus C. Illiger, Prod. 1811, 229.—A.
- Cypsilurus W. Swainson, N. H. Fishes &c. II. July 1839, 187 & 296.—P.
- Cypsiurus R. P. Lesson, Echo Monde Savant, X. 20 July 1843, 134.—A.
- Cypsnagra R. P. Lesson, Traité Ornith. (6) Feb. 1831, 460.—A. [*tyfus* Tanagra hiru-
- dinacea, Less.].
- Cyptocoris H. Burmeister, Handb. Ent. II (1) 1835, 387.—Hem.

- Cypturus** W. F. Erichson, *Jahrb. Insectenk.* I. 1834, 86 & 125.—Col.
- cyra** Leptalis, E. Doubleday, *Ann. Mag. N. H.* XIV. Dec. 1844, 418.
- Cyrachaea** W. E. Leach, *Ann. Mag. N. H.* XX. Oct. 1847, 272.—L.
- cyrbia** Heliconia, J. B. Godart, *Ency. Méth.* IX (1) (Ins.) 1819, 203.
- Cyrena** Lamarck, H. N. An. s. vert. V. 1818, 551 (sign. 361) [*non* 1806 *apud* Agass. *test*]
- cyrena** Leda, A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 50. [Herm.].—L.
- cyrenaica** Alactaga, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 130.
- Cyrene** J. J. Heckel in Russegger, *Reise*, I (2) 1843, 1024.—P.
- Cyrene** J. O. Westwood, *Arcana Entom.* II (15) Sept. 1843, 35.—Hem.
- cyrene** Chloroperla, E. Newman, *The Zoologist*, III (2) 1845, 853.
- cyrene** Deilephila, J. O. Westwood, *Cab. Orient. Entom.* 1847, 13.
- cyrene** Heliconia, J. B. Godart, *Ency. Méth.* IX (1) (Ins.) 1819, 212.
- cyrene** Heliconius, P. A. Latreille in A. Humboldt, *Voy. Intér. Amér.* (Obs. Zool.) 1809,
- cyrene** Micromelus, F. Walker, *Ann. Soc. Ent. France* [2] I (2) Sept. 1843, 154. [394.]
- cyrene** Papilio, J. Huebner, *Europ. Schmett.*, Tab. Papilio, 166 (Fernaldo judice 1823-33) [*n. et f.*].
- cyrene** Papilio (Argynnis), Bonelli, *Mem. R. Acc. Sci. Torino*, XXX. 1826, 175.
- Cyrenella** G. P. Deshayes, *Magasin de Zool.* V. 1835, pl. 70.—L.
- Cyreno-cyclas** L. Agassiz, *Nomen. Zool. Index Univ.* 1846,—*emend. pro* Cyanocyclas, Bl.
- Cyrenoida** de Joannis, *Magasin de Zool.* V. 1835, pl. 64.—L.
- Cyrenoida** Hanley, *Ill. Catal.*, *Expl. Table, Suppl.* 10, 1846 [=Cyrenoida, de J.].
- Cyrenoides** *err. pro* Cyrenoida, de Joann.; G. B. Sowerby, II., *Conch. Man.* 1839, 37.
- cyrenoides** Rangia, C. Des Moulins, *Actes Soc. Linn. Bordeaux*, V (25) 1832, 57.
- cyrenoides** Unio, R. A. Philippi, *Zeitschr. f. Malakozool.*, June 1847, 93.
- cyrenoidea** Tellina, S. Hanley, *Proc. Zool. Soc. London*, XII (134) Sept. 1844, 64.
- Cyrenus** C. S. Rafinesque, *Analyse*, 1815, 135.—Verm. [*n. n.*].
- Cyrestis** J. A. Boisduval in d'Urville, *Voy. "Astrolabe," Ent.* (1) 1832, 117.—Lep.
- Cyria** Serville in Solier, *Ann. Soc. Ent. France*, II (2) c. July 1833, 269.—Col.
- cyriades** Eulophus, F. Walker, *Ann. Mag. N. H.* XX. July 1847, 25. [[*n. et f.*].
- cyrianassa** Sais, E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I (1848), 133
- cirillella** Phycis, O. G. Costa, *Fauna Regno Napoli, Lepidott.*, Phycis, 2 (1832-40).
- cyrilli** Coscinia, J. Huebner, *Verz. bekannt. Schmett.* [1822], 169.
- cyrilli** Crambus, O. G. Costa, *Cat. Lep. Regno Napoli (ex Dizion. Univ. Agric. XI [2] 1840),* 15 [*in* B. M.; *teste* L. B. Prout].
- cyrilli** Holotrichus, A. Costa, *Ann. Soc. Ent. France*, X (4) Jan. 1842, 283.
- cyrilli** Murex, A. Scacchi, *Oss. Zool.* II. May 1833, 24.
- cyrilli** Pleurotoma, A. Scacchi (*ex* Costa MS), *Ann. Civ. Reg. Due Sicilie*, VII. 1835, 8.
- cyrrilli** Venus, S. d. Chiaje, *Mem. An. s. vert. Napoli, Tab. pro* V. & VI. 1830, pl. 106.
- cyrilli** Venus, A. Scacchi, *Lettera Test. Nap.*, Dec. 1832 [6].
- Cyrrillium** S. d. Chiaje, *Descr. An. invert. Sicilia*, VIII. 1844, 30.—G.
- Cyriodera** H. Burmeister, *Handb. Ent.* III. 1842, 579.—Col.
- cyrmatophora** (*sic*) Hyria, G. P. Deshayes in Cuvier, *Règne Anim.*, disciples' ed., Moll., *descr.* to pl. 92 (1843).
- cyrneia** Dyctiophora, M. Spinola, *Ann. Soc. Ent. France*, VIII (1 & 2) *post* June 1839,
- cyrnaeus** Trochus, [E. Requier], *Cat. Coq. Corse, extremo* 1848, 66. [394.]
- Cyrnus** J. F. Stephens, *Nom. Brit. Ins.*, ed. 2, July 1833, 119 [*n. n.*]; & *Ill. Brit. Ent.* (Mand. VI.) Sept. 1836, 174.—Neur.
- Cyrnus** W. de Haan (*ex* Audouin *litt.*) in Siebold, *F. Japon.* (Crust. 1839), 86.—Cr.
- cyrna** Euryphene (God.), J. O. Westwood in Doubleday & W., *Gen. diurn. Lepidopt.* II (1850), 286.—Nymphalis.
- cyrnus** Lampretatus, F. Walker, *Ann. Soc. Ent. France* [2] I (2) Sept. 1843, 157.
- cyrna** Nymphalis, J. B. Godart, *Ency. Méth.* IX (2) (Ins.) 1824, 386.
- cyrnus** Papilio, Boisduval (Roret's Suite à Buffon), *Lépid.* I. Ap. 1836, 239.
- cyrnus** Parthenope, A. White, *List Crustacea Coll. B. M.* 1847, 125 [*n. n.*].
- cyrna** Romalaeosoma (God.), J. O. Westwood in Doubleday & W., *Gen. diurn. Lepidopt.* II (1850), 284.—Nymphalis.
- cyrnusii** Ostrea, B. C. Payraudeau, *Cat. Moll. Corse*, 1826, 79.
- cyrrhus** Cirrospilus, F. Walker, *Ann. Nat. Hist.* II. Jan. 1839, 350.

- cyrrhus** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 146.—Cirrospilus,
cyrsilus Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 247. [1839.
cyrtaena Delthyris, J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 121. [Delthyris.
cyrtaena Spirifer (Dalm.), J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 454.—
Cyrtes H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxviii (Mar. 1850).—A. [*n. et f.*].
Cyrthia *err. pro* Cyrtia, Dalm.; A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 41.
Cyrthoceras Kolenati, K. B. zool.-min. ver. Regensburg, III. 1849, 122.—Ceph.
Cyrthoceratites d'Archiaë & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 349.—Ceph.
Cyrthocerus W. King, Ann. Mag. N. H. XIV (91) Oct. 1844, 278 [= Cyrtocerus].
Cyrtia J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 93.—Br.
Cyrtocephalus Audouin & Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 431.—Col. [*n. n.*].
Cyrtocephalus H. Lucas, Explor. Algér. (Artic. I.) 1846, 92.—Ar.
Cyrtocera Goldfuss in Dechen's De la Beche, Handb. Geogn. 1832, 536.—Ceph.
Cyrtocera L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtocera, Macq.
cyrtocera Capulus, G. v. Muenster, Beitr. zur Petref. (4) 1841, 93.
Cyrtoceras A. d'Orbigny, Pal. Franç. (Crét.) Céph. I. 1840, 68.—Ceph.
Cyrtoceratites Goldfuss, Jahrb. f. Min. I. 1830, 228.—Ceph. [—Ceph.
Cyrtocerus T. A. Conrad, [2 Ann. Rep. N. Y. Geol. Surv.], Assembl. no. 200, 1838, 117.
Cyrtochloris C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 148.—Hem. [*non binom.*].
Cyrtocoris A. White, Tr. Ent. Soc. Lond. III (2) 1842, 89.—Hem.
Cyrtodactylus J. E. Gray, Phil. Mag., n. s., II (7) July 1827, 56.—R.
Cyrtodera de Blainville, Dict. Sci. Nat. XII. 1825, 415 [= Cyrtodaria, 1800].
Cyrtoderes A. J. J. Solier in Dejean, Cat. Coléopt., ed. 2 (3) 1834, 181; Mem. R. Acc.
 Sci. Torino [2] VI. 1844, 215 & 244.—Col.
Cyrtoderus F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 427.—Col.
Cyrtodesmus F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
 92.—Myr.
Cyrtogaster Walker in J. Curtis, Guide Brit. Ins. (4) 1829–30, 116.—Hym. [*n. n.*].
Cyrtogaster F. Walker, Entom. Mag. I (4) July 1833, 381.—Hym.
Cyrtognathus F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar.
 1835, 431.—Col.
Cyrtolites T. A. Conrad, 2 Ann. Rep. geol. Surv. N. York (Assem. 200) 1838, 118.—Ceph.
Cyrtolites J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 152.—Ceph. [*n. n.*].
Cyrtolites A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 9.—? G.
Cyrtolites d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 47 [*err. pro* Cyclolites, Lonsd.].
Cyrtolithus *emend. pro* Cyrtolites, Hermannsen, Ind. gen. Malac. I (1847), 365.
Cyrtoma J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 1.—Dipt.
Cyrtoma J. McClelland, Calcutta Journ. Nat. Hist. I (2) July 1840, 185.—Ech.
Cyrtoma J. Gistel, Nat. Thierr. 1848, 130.—Col.
Cyrtoma J. Gistel, Handb. Naturges. 1850 [1847], 428.—Col.
cyrtoma Ostrea, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 253.
Cyrtomenus Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 90.—Hem.
Cyrtomerus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtomerus, Steph.
Cyrtomon C. J. Schoenherr, Isis (Oken), 1823, 1140; Curc. disp. meth. 1826, 107.—Col.
Cyrtomorpha Graff, 1822; *teste* Waterhouse *sed err. pro* 1882.
Cyrtomorphus Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 429.—Col.
Cyrtoneura J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 309.—Dipt.
Cyrtoneura Macq. *teste* Scudder, Nom. Zool. 1882, 99 [*v. Curtonevra*].
cyrtoneurina Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1486. [328.
Cyrtonevra *id. ac* Curtonevra; J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846,
Cyrtonota Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 368.—Col. [*sine*
typo].
Cyrtonota E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.), 1846, 212.—Col.
Cyrtonotum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtonotum, Macq.
Cyrtonotus *emend. pro* Curtonotus, De Haan; H. Lucas, Dict. Univ. Hist. Nat. IV.
 1844, 561. [1828; Haan, 1835.
Cyrtonotus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtonotus, Steph.
Cyrtonus *emend. pro* Cyrtus, Latr.; C. S. Rafinesque, Analyse, 1815, 130.—Dipt. [*n. n.*].

- Cyrtonus** Dalman in Dejean, Cat. Coléopt., ed. 2 (5) 1835, 399.—Col.
Cyrtonus Laboulbène, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 412.—Col.
Cyrtonyx J. Gould, Mon. Odont. 1844, pl. 7.—A.
Cyrtophis Sundewall; A. Smith, Ill. Zool. S. Afr. (Rept.), App. p. 22, 1849.—R.
Cyrtophorus J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 29.—Col.
Cyrtophyllus H. Burmeister, Handb. Ent. II (2) i, 1838, 697.—Orth.
Cyrtopia J. D. Dana, Amer. J. Sci. (2) IX (25) Jan. 1850, 130.—Cr. [Ruepp].
Cyrtopodion L. Fitzinger, Syst. Rept. 1843, 18 & 93.—R. [*typus* Stenodactylus scaber,
Cyrtopodium L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cyrtopodion, Fitz.
Cyrtopogon H. Loew, Linnaea Entom. II. July 1847, 517.—Dipt. [*typus* Dasypogon
ruficornis].
Cyrtops C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 924.—Col.
cyrtops Thelia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 310.
Cyrtorhynchus O. G. Costa, Fauna Regno Napoli, Pesci, III. Suppl. Cyrt. I (Nov. 1855).
Cyrtoscelis F. W. Hope, Coleopt. Manual, III. 1840, 149.—Col. [—P].
Cyrtosia E. Perris, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 54.—Dipt.
Cyrtosoma J. Curtis, Guide Brit. Ins. (4) 1829-30, 119.—Hym. [*n. n.*].
Cyrtosoma M. Perty, Del. anim. artic. Brasil. (1) 1830, 59.—Col.
Cyrtosoma T. de Charpentier, Libell. Europ. 1840, 13.—Neur.
Cyrtosternus F. E. Guérin-M., Iconographie, 1844, Ins. 210.—Col.
Cyrtostomus J. Cabanis, Mus. Heineanum (1) 1850 [1851], 105.—A.
Cyrtotes H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxiii (June 1850).—A. [*n. et f.*].
Cyrtotrachelus C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 833.—Col.
Cyrtulus R. B. Hinds, Ann. Mag. N. H. XI. Ap. 1843, 256.—G.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Curtos, Motsch.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kurtus, Bloch, 1787.
Cyrtus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kyrtus, Schn.
cyrtu Hypera, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 345.
cyrtus Phytomus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 398.—
Cyrtusa W. F. Erichson, Arch. f. Naturg. VIII. 1842 (2), 221.—Col. [Hypera.
cyrus Laertias (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio, 1793.
cyrus Laertias, J. Huebner, Exot. Schmett. II. Tab. [97] [*n. et f.*].
Cyryx J. Gistel, Nat. Thierry. 1848, p. x.—Verm.
cyssea Syntomis (Cr.), Boisdual, Essai Zygén. 1829 [1828], 113.—Sphinx, 1781.
Cysteocercus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cysticercus, Rud.
Cysteognathus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cystignathus,
Wagl.
Cysteonevra L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cystineura, Boisd.
Cysteophyllum L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cystiphyllum,
Murch. [Geoff.
Cysteosaurus L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cystosaurus,
Cysteosoma L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Cystisoma, Guér.
Cystericus *err. pro* Cysticercus, Rud.; Lee, Amer. J. Sci. XXXIX. 1840, 286.
Cystia S. A. Renier, Tavole [1804] vii.—L. [*n. n.*].
Cystia Deshayes (*ex* Renier), Dict. Univ. Hist. Nat. IV. 1844, 562.—L.
Cysticercus C. A. Rudolphi in Arch. f. Zool. II (1) 1801, 52.—Verm.
cysticercus *v.* **cisticercus**.
Cysticola [=Cisticola, Kaup], R. P. Lesson, Traité Ornith. (6) Feb. 1831, 415.
cysticola *v.* **cisticola**.
cysticus *v.* **cisticus**.
Cystidia J. Huebner, Verz. bekannt. Schmett. [1822], 174.—Lep.
cystidicola *v.* **cistidicola**.
cystifera *v.* **cistifera**.
Cystignathus J. Wagler, Descr. Icon. Amph. (2) 1830, pl. 21.—R.
Cystignathus J. Wagler, Nat. Syst. Amph. 1830, 202.—R.
Cystineura Boisdual, s. à Buffon (Lep.) I. 1836, expl. pl. ix.—Lep.
Cystingia W. S. Macleay, Tr. Linn. Soc. London, XIV (3) 1825, 540.—Tun.
Cystiolus C. S. Rafinesque, Analyse, 1815, 151.—Verm. [*n. n.*].

- Cystiophyllum** J. D. Dana in Wilkes, U. S. Expl. Exped. (Zooth.) 1848, 360 [=Cystiophyllum, *q. v.*].
- Cystiphyllum** W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839, 691.—Cor.
- Cystisoma** F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. July 1842, 215.—Cr.
- Cystocoelia** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 713.—
- Cystomyia** Erichson (*ex* Hoffm. MS), Entomograph. I. 1840, 158.—Dipt. [Orth.
- Cystonereis** A. Kölliker, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 21.—Verm.
- Cystophora** S. Nilsson, Skand. Fauna, Dagg. Djur, 1820, 382.—M.
- Cystophthalmus** A. J. C. Corda, Beitr. Nat. Heilwiss. I. 1836, 178.—Rot.
- Cystosaurus** E. Geoffroy, Mém. Ac. Roy. Sci. Inst. France, XII. 1833, 53.—R.
- Cystosoma** J. O. Westwood, Arcana Entom. (6) Mar. 1842, 92.—Hem.
- Cyta** C. v. Heyden, Isis (Oken), 1826, 608.—Ar.
- cyta** Catochrysops, J. A. Boisdual in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 87.
- Cytaeis** J. F. Eschscholtz, Syst. Acalephen, 1829, 104.—Coel.
- cytaeum** Anomia, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.—June 1850, 115.
- Cythaerea** S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 267.—L. [=Cytherea].
- Cythara** C. F. Schumacher, Ess. Vers test. 1817, 74 & 245.—G.
- cythara** *v.* **cithara**.
- cytharella** *v.* **citharellus**.
- Cytharina** A. d'Orbigny, Mém. Soc. géol. France, V. 1842, 333.—Rh.
- cythera** Aegle, A. White, List Crustacea Coll. B. M. 1847, 125 [*n. n.*].
- cytherae** Bursarius, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 108.
- cytherae** Pileopsis, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 387.
- Cytheraea** Defrance, Dict. Sci. Nat. XII. 1818, 421 [=Cytherea].
- Cytherea** ["Fab.," J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 268.—Dipt.
- Cytherea** Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 132.—L.
- Cythereis** T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 14.—Cr.
- Cythereites** J. F. Krueger, Gesch. d. Urwelt (2) 1823, 449.—L.
- Cytherella** T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 28.—Cr.
- cytherea** Adelpha (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 42.—Papilio, 1758.
- cytherea** Aglia (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 152.—Bombyx, 1775.
- cytherea** Angela, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 496.
- cytherea** Astartila, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 155.
- cytherea** Cerigo (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 501.—Noctua, 1794.
- cytherea** Cyprina, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 364.
- cytherea** Echidna, J. Huebner, Exot. Schmett., Tab. Echidna [*n. et f.*].
- cytherea** Heterochroa (L.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 278.—Papilio, 1758.
- cytherea** Loxonema, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 63.
- cytherea** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 441.
- cytherea** Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 180.
- cytherea** Mytilina, Bory de St V., Dict. Class. H. N. XI. 1827, 412.
- cytherea** Mytilina, Bory de St V., Ency. Méth. (Zooth.) 1827, 561.
- cytherea** Najas, J. Huebner, Exot. Schmett., Tab. Najas [*n. et f.*]. [1758.
- cytherea** Nymphalis (L.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 373.—Papilio,
- cytherea** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 195.
- cytherea** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 295.
- cytherea** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 333.
- cythereum** Polyclinum, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 191.
- cytherea** Spirifer, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 95.
- Cytheria** *id.* **ac** Cytherea, Lam.; T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 2.
- Cytherina** Lamarck, An. s. Vert. V. 1818, 125.—Cr.
- cytheris** Argynnis (Dru.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1848), 176.—Papilio, 1773.
- cytheris** Melitaea (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 9.—Papilio,
- cytheris** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 444. [1773.
- Cytheropsis** F. McCoy, Ann. Mag. N. H. (2) IV. Dec. 1849, 414.—Cr.

- cythisaria** Hemitheia (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 180.—*Geometra*, 1775. [*Geometra*, 1796.]
- cythisarius** Hipparchus (Huebner.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—
- cytisaria** Phalaena (Huebner.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 90.—*Geometra*, 1796. [*Geometra*, 1775.]
- cytisaria** Pseudoterpna (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1825, 285.—
- Cytilus** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (3) 1846, 468.—Col.
- cytisana** Grapholitha, P. C. Zeller, Isis (Oken), 1847, 735.
- cytisella** Cleodora, J. Curtis, Brit. Entom. XIV (168) Dec. 1837, no. 671.
- cytisella** Lita, F. Treitschke, Schmett. Europa, IX (2) 1833, 99.
- cytisi** Sphinx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 81.
- cytisi** Thermophila, J. Huebner, Verz. bekannt. Schmett. [1820], 118.
- cytisorum** Aphis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 370.
- Cytonotus** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [*n. n.*].
- Cytorea** F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1849, 224.—Col.
- Cytorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Kytorhinus, F. v. W.
- cytora** Cyclophorus (Gray), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 23.—Cyclostoma.
- cytora** Cyclostoma, J. E. Gray, Proc. Zool. Soc. London (200) 1849, 167.
- cytora** Junonia, E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1849), 211
- cytorus** Stomoxys, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1160. [*n. et f.*].
- Cyzicus** J. V. Audouin, Ann. Soc. Ent. France, VI. 1837 (Bull.) p. x.—Cr.
- cyzicus** Miscogaster, F. Walker, Mon. Chalcid. I. 1839, 200.
- czizeki** Chilostomella, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 380.
- czizekii** Murex, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 18 [*n. n.*].
- czizekii** Venus, M. Hoernes, Verz. Fossil-Reste Wien, 1848, 26 [*n. n.*].

QL
354

Sherborn, Charles Davies
Index animalium

S5
Sect 2
v.2

BioMed

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY
